

AIR SYSTEM IN REAR FUSELAGE

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6				
	-	AIR SYSTEM IN REAR FUSELAGE, ASSEMBLY . . . . .						-	-	-	31/1
	-	(E.F.2.75.5) (MK. 2 A/C)									
	-	AIR SYSTEM IN REAR FUSELAGE, ASSEMBLY . . . . .						-	-	-	32/1
	-	(E.F.4.75.405) (MK. 2A A/C)									
	-	Spares for:-									
	-	AIR SYSTEM, frames 27 to 42, assembly (E.F.2.75.53) . .						-	-	-	31/2
	-	(Mk. 2 A/c)									
	-	AIR SYSTEM, frames 27 to 42, assembly (E.F.4.75.423) .						-	-	-	32/2
	-	(Mk. 2A A/c)									
	-	Spares for:-									
2850	BELLS ASBESTOS P5	ASBESTOS, "syren", for packing between pipe . . . . .						QR	-	C	31/3
	or	and pipe ring at frame 29									
34325	BRIT. BELTING F PK. 1	ASBESTOS, P.F.T.E., impregnated . . . . .						QR	-	C	32/3
18558	E.F.3.75.879	BEARING, half, pipe at clamp fitting, frame 39 . . . . .						1	LA4	C	32/4
		(Mk. 2A A/c)									
11367	AVICA BE.7930	BELLOWS, assembly, aft of frame 31 . . . . .						1	-	B	31/4
11368	AVICA BE.7931	BELLOWS, assembly, between frames 29 and 31 . . . . .						1	-	B	31/5
11369	AVICA CE.7932	BELLOWS, assembly, forward of frame 42 . . . . .						2	-	B	31/6
10495	E.B.3.75.991	(1 off on Mk. 2A A/c)									
28D/9140652	A26/1C	BRACKET, welded, assembly . . . . .						1	L59	C	31/7
	or	Attachments:-									
28D/9436770	A26/2C	Bolt, 2 BA, hex. head . . . . .						2	-	C	31/8
28M/9436836	AGS.2001/C/2	Nut, stiff, 2 BA . . . . .						2	-	C	31/9
28W/9128924	SP14/C	Washer, 2 BA, plain . . . . .						2	-	C	31/10
	E.F.3.75.2669	BRACKET, pipe support, frame 31 (Mk. 2A A/c) . . . . .						1	-	-	32/5
28D/9436770	A26/2C	Attachments:-									
28M/9436836	AGS.2001/C/2	Bolt, 2 BA, hex. head . . . . .						2	-	C	32/6
28W/9128924	SP14/C	Nut, stiff, 2 BA . . . . .						2	-	C	32/7
		Washer, 2 BA, plain . . . . .						2	-	C	32/8
11370	E.B.2.75.883	CLAMP, welded, assembly, pipe mounting at . . . . .						1	L59	C	31/11
		frame 29 (Mk. 2 A/c)									
28D/9140652	A26/1C	Attachments:-									
28M/9436836	AGS.2001/C/2	Bolt, 2 BA, hex. head . . . . .						3	-	C	31/12
28W/9128924	SP14/C	Nut, stiff, 2 BA . . . . .						3	-	C	31/13
		Washer, 2 BA, plain . . . . .						3	-	C	31/14
18560	E.F.3.75.877	CLAMP, half, pipe mounting (Mk. 2A A/c) . . . . .						1	L73	C	32/9
28D/9436821	A26/7C	Attachments:-									
28M/9436836	AGS.2001/C/2	Bolt, 2 BA, hex. head . . . . .						2	-	C	32/10
28W/9128924	SP14/C	Nut, stiff, 2 BA . . . . .						2	-	C	32/11
23704	E.F.3.75.2405	Washer, 2 BA, plain . . . . .						4	-	C	32/12
		Washer, "D" . . . . .						2	L73	C	32/13

SERVICES

AIR SYSTEM IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
22078	E.F3.07.55	CLAMP, welded, pipe mounting (E.B2.75.883) (Mk. 2A A/c)	1	L59	C	31/15
28D/1011337	A26/6B	Attachments:— Bolt, 4 BA, hex. head	4	—	C	31/16
28M/9418217	AGS.2001/B/2	Nut, stiff, 4 BA	4	—	C	31/17
28W/9143227	SP14/B	Washer, 4 BA, plain	4	—	C	31/18
2831	E.B2.75.895	CLAMP, half ring, frame 29 (Mk. 2A A/c)	1	—	C	31/19
28D/9436822	A26/10C	Attachments:— Bolt, 2 BA, hex. head	2	—	C	31/20
28M/9436836	AGS.2001/C/2	Nut, stiff, 2 BA	2	—	C	31/21
28W/9128924	SP14/C	Washer, 2 BA, plain	2	—	C	31/22
11177	KING A/C C.13674/18B	CLAMP, pipe, forward of frame 34 (Mk. 2A A/c)	2	—	C	32/14
11226	KING A/C C13674/22B	COMPOUND, sealing (Mk. 2A A/c)	QR	DTD400/4543	—	32/15
11378	KING A/C C.13674/30B	CLAMP, pipe, Mk. 45 (4 off on Mk. 2A A/c)	3	—	C	31/23
11379	E.B3.75.323	CLAMP, pipe, Mk. 45	2	—	C	31/24
24271	E.F3.75.2565	FAIRLEAD, aft of frame 34	1	—	C	31/24
28D/1213387	A26/21C	FAIRLEAD, frames 27 and 34 (Mk. 2A A/c)	2	—	C	32/16
28D/1213386	A26/22C	Attachments:— Bolt, 2 BA, hex. head	2	—	C	32/17
28M/9436836	AGS.2001/C/2	Bolt, 2 BA, hex. head	2	—	C	32/18
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	32/19
28W/9128924	SP14/C	Nut, stiff, 2 BA	2	—	C	32/20
28W/9419475	SP15/C	Washer, 2 BA, plain	6	—	C	32/21
		Washer, 2 BA, plain	2	—	C	32/22
	E.F3.75.2671	FAIRLEAD, half, frame 31 (Mk. 2A A/c)	1	—	—	32/23
28D/1011466	A26/3C	Attachments:— Bolt, 2 BA, hex. head	2	—	C	32/24
28M/9436836	AGS.2001/C/2	Nut, stiff, 2 BA	2	—	C	32/25
28W/9128924	SP14/C	Washer, 2 BA, plain	2	—	C	32/26
	E.F3.75.2673	FAIRLEAD, half, between frames 35 and 36 (Mk. 2A A/c)	1	—	—	32/27
28D/1213091	A26/13C	Attachments:— Bolt, 2 BA, hex. head	2	—	C	32/28
28M/9436836	AGS.2001/C/2	Nut, stiff, 2 BA	2	—	C	32/29
28W/9128924	SP14/C	Washer, 2 BA, plain	2	—	C	32/30
10568	KING A/C C.11604/16B	GASKET, conoseal (Mk. 2A A/c)	2	—	C	32/31
10569	KING A/C C.11604/20B	GASKET, conoseal (4 off on Mk. 2A A/c)	3	—	C	31/26
11380	KING A/C C.11604/28B	GASKET, conoseal	2	—	C	31/27
11381	E.B3.75.531	JOINT, spherical, at frame 34, assembly (Mk. 2A A/c)	1	—	C	31/28
33988	E.F3.75.3315	JOINT, spherical, at frame 34, assembly (Mk. 2A A/c)	1	—	C	31/29
11382	E.B2.75.369	Consisting of:— CIRCLIP (Mk. 2A A/c)	1	DTD215	C	31/30
	E.B3.75.313	CYLINDER	1	DTD197	—	31/31
	E.B3.75.361	NUT, spherical	1	S110	—	31/32
18561	E.F2.75.331	NUT, lock, pipe to bellows, forward of frame 31	1	DTD197	C	32/32
	E.F3.75.2707	PACKING, plate, fairlead, at frame 27 (Mk. 2A A/c)	1	L72	—	32/33
	E.F3.75.2709	PACKING, pipe bracket, at frame 29 (Mk. 2A A/c)	1	LA4	—	32/34
	E.F3.75.3411	PACKING, fairlead, at frame 34 (Mk. 2A A/c)	1	L72 or Tufnol	—	32/35

**SERVICES**  
**AIR SYSTEM IN REAR FUSELAGE**

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
22079	E.F3.07.57	<b>PACKING</b> , welded clamp bracket (E.F3.75.859) (Mk. 2A A/c)	1	BS2572 Type F3	C	32/36
11383	E.B2.75.3979	<b>PACKING</b> , for use at welded bracket	1	L72	LM	31/33
	E.F2.75.307	<b>PIPE</b> , assembly, from constant flow valve pipe connection at frame 27 to bellows connection between frames 29 and 31	1	—	C	31/34
11384	E.F2.75.309	<b>PIPE</b> , assembly, from bellows connection between frames 29 and 31 to bellows connection aft of frame 31	1	—	C	31/35
1440685	E.F4.75.399	<b>PIPE</b> , assembly, from connection forward of frame 34 to ground cooling valve forward of frame 36 (Mk. 2A A/c)	1	—	C	32/37
	E.F4.75.431	<b>PIPE</b> , assembly, from connection aft of frame 27 to connection forward of frame 31 (Mk. 2A A/c)	1	—	—	32/38
11385	E.F2.75.1383	<b>PIPE</b> , assembly, from non-return valve expansion joint at firewall to bellows connection at frame 42	1	—	C	31/36
	E.F3.75.2423	<b>PIPE</b> , assembly, from connection forward of frame 31 to connection at frame 34 (Mk. 2A A/c)	1	—	—	32/39
11366	E.F2.75.1689	<b>PLATE</b> , cylinder mounting	1	—	C	31/37
28D/9513907	A26/1/2C	Attachments :— Bolt, 2 BA, hex. head	6	—	C	31/38
28M/9436836	AGS.2001/C/2	Nut, stiff, 2 BA	6	—	C	31/39
28W/9128924	SP14/C	Washer, 2 BA, plain	6	—	C	31/40
2857	E.B2.75.1957	<b>RING</b> , bearing, for pipe clamp at frame 49 (Mk. 2 A/c)	1	—	C	31/41
2830	E.B2.75.893	<b>RING</b> , half clamp, for use at frame 39 (Mk. 2 A/c)	1	—	C	31/42
28D/9436822	A26/10C	Attachments :— Bolt, 2 BA, hex. head	2	—	C	31/43
28M/9436836	AGS.2001/C/2	Nut, stiff, 2 BA	2	—	C	31/44
28W/9128924	SP14/C	Washer, 2 BA, plain	2	—	C	31/45
2831	E.B2.75.895	<b>RING</b> , half clamp, for use at frame 29 (Mk. 2 A/c)	1	—	C	31/46
28D/9436822	A26/10C	Attachments :— Bolt, 2 BA, hex. head	2	—	C	31/47
28M/9436836	AGS.2001/C/2	Nut, stiff, 2 BA	2	—	C	31/48
28W/9128924	SP14/C	Washer, 2 BA, plain	2	—	C	31/49
11386	E.B3.75.321	<b>RING</b> , piston, for expansion joint coupling at firewall	2	DTD719	C	31/50
11387	E.B3.75.371	<b>RING</b> , retaining, fairlead at firewall	1	DTD171 or S521	C	31/51
28D/1011466	A26/3C	Attachments :— Bolt, 2 BA, hex. head	5	—	C	31/52
28M/9436836	AGS.2001/C/2	Nut, stiff, 2 BA	5	—	C	31/53
28W/9128924	SP14/C	Washer, 2 BA, plain	5	—	C	31/54
23708	E.F3.75.3135	<b>RING</b> , half bearing, pipe clamp at frame 39 (Mk. 2A A/c)	1	LA4	C	32/40
11388	E.B3.75.603	<b>SEAL</b> , garter spring, at firewall bulkhead (Mk. 2 A/c)	1	—	C	31/55
	E.F3.75.2711	<b>SHIM</b> , air pipe bracket forward of frame 29 (Mk. 2A A/c)	2	L52	—	32/41
27KD/1028	NORMALAIR 520300	<b>VALVE</b> , non-return (Mk. 2A A/c)	1	—	A	32/42
24270	E.F3.75.2403	<b>VALVE</b> , ground cooling, assembly (Mk. 2A A/c)	1	—	B	32/43
		Spares for :—				
33585	EEAS.299/15/32C E.F3.75.2381	<b>BOLT</b> , 2 BA, 120° c'sk head... <b>HOUSING</b> , valve and clamp plate	3 1	BAC.M37 —	C —	32/44 32/45

**SERVICES**  
**AIR SYSTEM IN REAR FUSELAGE**

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
R 22830	E.F3.75.2189	<b>HOUSING</b> , valve ... ..	1	30/158	—	32/46
	E.F3.75.2193	<b>SPRING</b> ... ..	1	DTD215	C	32/47
26FZ/1028	E.F3.75.3413	Attachments :— Packing, laminated, $\frac{1}{16}$ " thick ... ..	1	LA3	—	32/48
	EEAS.1/3C	Screw, 2 BA, 120° c'sk head ... .. (Mk. 2A A/c)	6	S96	C	32/49
30A/3055	† —	<b>WIRE</b> , locking, 22 SWG (Mk. 2A A/c) ... ..	QR	DTD189	C	32/50
		<b>AIR SYSTEM</b> , bleed, turbine, frames 42 to 47, assembly (E.F2.75.1801) (Mod. 2019) Spares for :—	—	—	—	33/1
11368	AVICA BE.7931	<b>BELLOWS</b> , and screw ident., assembly, aft of frame 44	1	—	B	33/2
11389	AVICA DE.8504	<b>BELLOWS</b> , and pipe, assembly, at frame 45 ...	1	—	B	33/3
11390	AVICA CE.15046	<b>BELLOWS</b> , assembly, at frame 43 (Mod. 2019) ...	1	—	B	33/4
11391	E.B3.75.123	<b>BLOCK</b> ... ..	1	L65	C	33/5
6407	E.B2.73.2129	<b>BODY</b> , banjo, $\frac{1}{2}$ " BSF ... ..	3	S94, 95 or 96	C	33/6
6409	E.B2.73.2139	<b>BOLT</b> , banjo, $\frac{1}{2}$ " BSF ... ..	3	S94, 95 or 96	C	33/7
13775	E.F2.75.1717	<b>CLAMP</b> , special ... ..	1	—	C	33/8
11226	KING A/C C.13674/22B	<b>CLAMP</b> , Mk. 45 ... ..	8	—	C	33/9
11378	KING A/C C.13674/30B	<b>CLAMP</b> , Mk. 45 ... ..	4	—	C	33/10
11392	E.F2.75.271	<b>CLIP</b> , saddle, pipe supporting aft of frame 46 ... Attachments :—	1	S521	C	33/11
28D/9133011	A25/2C	Bolt, 2 BA, hex. head ... ..	2	S515	C	33/12
	EEAS.21/9FU	Washer, "D" ... ..	2	—	—	33/13
11393	E.F2.75.273	<b>CLIP</b> , saddle, pipe supporting at frame 43 datum line Attachments :—	1	S521	C	33/14
28D/9133011	A25/2C	Bolt, 2 BA, hex. head ... ..	2	—	C	33/15
	EEAS.21/9FU	Washer, "D" ... ..	2	S515	—	33/16
11395	E.F2.75.1643	<b>FAIRLEAD</b> ... ..	1	—	C	33/17
28D/9436920	A25/1C	Bolt, 2 BA, hex. head ... ..	6	—	C	33/18
	2841	E.B2.75.865	<b>FAIRLEAD</b> , half, at frame 44 ... .. Attachments :—	2	—	C
28D/9436920	A25/1C	Bolt, 2 BA, hex. head ... ..	6	—	C	33/20
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA ... ..	6	—	C	33/21
28W/9128924	SP14/C	Washer, 2 BA, plain ... ..	6	—	C	33/22
11396	E.F2.75.1471	<b>FAIRLEAD</b> , half, assembly ... ..	1	—	C	33/23
11397	E.F2.75.1473	<b>FAIRLEAD</b> , half, assembly ... ..	1	—	C	33/24
11398	E.F2.75.1513 or E.F2.75.1857	<b>FAIRLEAD</b> , assembly, for use at frame 46 ... ..	1	—	C	33/25
28D/9133013	A25/5C	Attachments :— Bolt, 2 BA, hex. head ... ..	8	—	C	33/26
28M/9436836	AGS.2001/C/2	Nut, stiff, 2 BA ... ..	8	—	C	33/27
26FZ/20779	AS.2811/5/035	Tube, distance ... ..	8	—	—	33/28
28W/9128924	SP14/C	Washer, 2 BA, plain ... ..	2	—	C	33/29

AIR SYSTEM IN REAR FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
27V/5674	TEDDINGTON FGB/SA/462	FILTER, and body, assembly . . . . .							1	—	B	33/30
10569	KING A/C	GASKET . . . . .							9	—	C	33/31
11380	C.11604/20B KING A/C	GASKET . . . . .							4	—	C	33/32
5UA/	C.11604/28B ROTAX LTD.	GENERATOR, air turbine (Mod. 2019) . . . . .							1	—	A	33/33
18651	BT.0102/L E.F.2.75.331	NUT, lock, forward of frame 45 . . . . .							1	DTD197	C	33/34
	E.F.2.75.591	PACKING . . . . .							1	L72	LM	33/35
	E.F.2.75.1743	PACKING, at frame 46 . . . . .							1	Sindanyo	—	33/36
13699	E.F.2.75.1791	PACKING, air turbine flange (Mod. 2019) . . . . .							1	LF3	C	33/37
11238	BRIT. REFRASIL ARF.59/62/19	PAD, monel . . . . .							1	—	C	33/38
11401	BRIT. REFRASIL ARF.59/62/20	PAD, monel, for use with saddle clip, aft of frame 46 . .							2	—	C	33/39
11402	E.F.2.75.227	PIPE, branch, assembly, from connection between . . . . . frames 44 and 45 to piston joint aft of frame 45							1	—	C	33/40
11403	E.F.2.75.229	PIPE, assembly, from piston joint aft of frame 45 to . . . connection aft of frame 46, bleed air turbine line							1	—	C	33/41
11404	E.F.2.75.231	PIPE, branch, assembly, between frames 45 and 46, . . . bleed air turbine line, and insert type non- return valve							1	—	C	33/42
11405	E.F.2.75.1119	PIPE, 2" dia., assembly, at air turbine generator . . . . . aft of frame 43, bleed air turbine line							1	—	C	33/43
11406	E.F.2.75.241	PIPE, 2" dia., assembly, at butterfly valve between . . . frames 46 and 47, bleed air turbine line							1	—	C	33/44
11407	E.F.2.75.243	PIPE, 3" dia., assembly, from connection aft of frame . . 42 to connection aft of frame 44							1	—	C	33/45
24532	E.F.3.75.2613	PIPE, branch, assembly, between frames 46 and 47, . . . bleed air turbine line (Mod. 2382)							1	—	C	33/46
11409	E.F.2.75.265	PIPE, assembly, from banjo body at solenoid operated . valve aft of frame 46							1	—	C	33/47
18564	E.F.2.75.1787	PIPE, assembly, from bellows and screw ident. . . . . assembly aft of frame 44 to connection aft of frame 43 (Mod. 2112)							1	—	C	33/48
11411	E.F.2.75.1691	PIPE, 2" dia., assembly, from clamp on starboard side . forward of frame 43 to connection to air turbine generator							1	—	C	33/49
		Attachments:—										
28D/1008151	A25/4E	Bolt, 1/4" BSF hex. head . . . . .							1	—	C	33/50
28W/7000392	SP14/E	Washer, 1/4" BSF plain . . . . .							1	—	C	33/51
11412	E.F.2.75.1649	PIPE, assembly, from clamp on starboard side forward . of frame 48 to connection at control valve, bleed air turbine line							1	—	C	33/52
2856	E.B.2.75.1023	RING, piston . . . . .							4	DTD719	C	33/53
5560	E.B.2.85.1091	RING, piston . . . . .							2	DTD719	C	33/54
13701	E.F.2.75.1789	SHIM, packing, at frame 46 (Mod. 2019) . . . . .							2	LS1	C	33/55
13700	E.F.2.75.1793	SHIM, packing, air turbine generator flange . . . . . (Mod. 2019)							2	LS1	C	33/56
27V/5724	TEDDINGTON FMP/A/240	VALVE, 3" butterfly (Mod. 1949) . . . . .							1	—	A	33/57
13716	E.F.2.75.1843	VALVE, control (Rotax M6702L) (Mod. 2112) . . . . . (Pre-Mod. 2403)							1	—	A	33/58
23052	E.F.2.75.1917	VALVE, control (Rotax M6202-1) (Mod. 2403) . . . . .							1	—	A	33/59

SERVICES

AIR SYSTEM IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
27KD/1787	NORMALAIR 520300	VALVE, non return, 2" insert type, assembly . . . . .	1	—	A	33/60
		Spares for:—				
27KD/1552	NORMALAIR	GASKET . . . . .	1	—	C	33/61
27KD/1792	NORMALAIR 520310	VALVE, non-return, 3" insert type, assembly . . . . .	1	—	A	33/62
		Spares for:—				
27KD/1797	NORMALAIR 559750	GASKET . . . . .	1	—	C	33/63
27V/5414	TEDDINGTON FGB/A/16	VALVE, solenoid operated . . . . .	1	—	A	33/64
19274	E.F2.75.1835	WASHER, sealing, air turbine inlet pipe . . . . .	1	Linatex	C	33/65
28F/1000161	AGS.1139/B	WASHER, sealing, banjo body, 1/4" BSP . . . . .	6	—	C	33/66
	—	AIR SYSTEM, frames 47 to 55, assembly . . . . .	—	—	—	
		(E.F2.75.1905) (Mod. 2455)				
	—	AIR SYSTEM, frames 44 to 55, assembly . . . . .	—	—	—	
		(E.F4.75.425) (Mk. 2A A/c)				
		Spares for:—				
11413	AVICA CE.7935	BELLOWS, assembly, at port side of crossover pipe . . . . .	1	—	B	34/1
		forward of frame 55				
11414	AVICA CE.7936	BELLOWS, assembly, at starboard side of crossover . . . . .	1	—	B	34/2
		pipe forward of frame 55				
11415	AVICA CE.11460	BELLOWS, assembly, at frame 55 . . . . .	1	—	B	34/3
	E.F3.75.2659	BRACKET, assembly, pipe supporting between . . . . .	1	—	—	35/1
		frames 54 and 55				
		Spares for:—				
	E.F3.75.2663	BEARING, ferobestos . . . . .	1	LA4	—	35/2
		Attachments:—				
28D/9133013	A25/5C	Bolt, 2 BA, hex. head . . . . .	5	—	C	35/3
28D/7002428	A25/6C	Bolt, 2 BA, hex. head . . . . .	11	—	C	35/4
28M/1278190	AGS.2002/C/1	Nut, stiff, 2 BA . . . . .	16	—	C	35/5
28W/9419475	SP15/C	Washer, 2 BA, plain . . . . .	16	—	C	35/6
	E.B2.75.663	BRACKET . . . . .	1	—	—	35/7
18544	E.B2.75.1035	PIECE, bridge . . . . .	2	L72	C	35/8
	E.B2.75.1031	PLATE, flanged . . . . .	1	L72	—	35/9
18546	E.B2.75.1585	STRUT . . . . .	1	DTD546	C	35/10
11226	KING A/C C.13674/22/B	CLAMP, conoseal . . . . .	2	—	C	34/4
11416	KING A/C C.13674/38/B	CLAMP, conoseal . . . . .	8	—	C	34/5
11417	E.F2.75.485	CLIP, pipe . . . . .	1	S521	C	34/6
		Attachments:—				
28D/9436770	A26/2C	Bolt, 2 BA, hex. head . . . . .	2	—	C	34/7
28M/9436836	AGS.2001/C2	Nut, stiff, 2 BA . . . . .	2	—	C	34/8
18547	EEAS.21/9/DU	Washer, "D" . . . . .	2	S515	C	34/9
18548	EEAS.22/3/DU	Washer, "D" . . . . .	2	S515	C	34/10
11418	BRIT. REFRASIL ARF.59/405/27	CLIP, bonding . . . . .	1	—	C	34/11
	or					
28E/2001145	AGS.2104/27	CONNECTION, ground, palouste, assembly . . . . .	1	—	—	34/12
	E.F3.75.2585	(Mk. 2A A/c)				34/13
		Spares for:—				
24064	H.T.E. HTE.205/A	CONNECTION, ground . . . . .	1	—	C	34/14

AIR SYSTEM IN REAR FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
24065	H.T.E. HTE.220/3											
	E.F.3.75.2601											
1484420	E.F.3.75.3605											
1440680	E.F.3.75.2725											
24066	E.F.3.75.2599											
1440681	E.F.3.75.2587											
1440692	E.F.3.75.2593											
1440683	E.F.3.75.2597											
24524	E.F.3.75.2637											
28D/1011468	A26/5C											
28M/9436836	AGS.2001/C/2											
28W/9128924	SP14/C											
24525	E.F.3.75.2635											
28D/1011468	A26/5C											
28M/9436836	AGS.2001/C/2											
28W/9128924	SP14/C											
24912	E.F.3.75.3309											
24911	E.F.3.75.3311											
11419	E.F.2.75.853											
10569	KING A/C											
	C.11604/20/B											
11420	KING A/C											
	C.11604/36/B											
	E.F.2.75.851											
11421	E.B.3.75.663											
11422	E.B.3.75.665											
11423	E.B.3.75.679											
11424	E.B.3.75.681											
11425	E.B.3.75.667											
11426	E.F.2.75.1105											
11427	E.F.2.75.1107											
28P/1202569	SP90/E3											
11233	BRIT. REFRASIL ARF.59/356/C6											
28D/9140652	A26/1C											
28M/9436836	AGS.2001/C/2											
28W/9128924	SP14/C											
11428	E.F.2.75.855											
	E.F.3.75.2647											
11238	BRIT. REFRASIL											
	ARF.59/62/19											
23810	E.F.3.75.2633											



AIR SYSTEM IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
11436	E.F2.75.435	BLOCK, insulating .....	2	Sindanyo	C	36/6
		Attachments:—				
28D/1213089	A.26/9C	Bolt, 2 BA, hex. head .....	4	—	C	36/7
28M/9436836	AGS.2001/C/2	Nut, stiff, 2 BA .....	4	—	C	36/8
28W/9128924	SP.14/C	Washer, 2 BA .....	4	—	C	36/9
11437	E.F2.75.471	BLOCK, support .....	1	Sindanyo	C	36/10
		Attachments:—				
28D/1213388	A.26/20C	Bolt, 2 BA, hex. head .....	2	—	C	36/11
28M/9436836	AGS.2001/C/2	Nut, stiff, 2 BA .....	2	—	C	36/12
9340	EEAS.238/2A	Washer, 2 BA .....	2	L72	C	36/13
1485939	E.F3.75.2449	BLOCK, support (Mod. 4306) .....	2	Sindanyo	—	36/14
		Attachments:—				
28D/1213092	A.26/11C	Bolt, 2 BA, hex. head .....	4	—	C	36/15
28M/9436836	AGS.2001/C2	Nut, stiff, 2 BA .....	4	—	C	36/16
28W/9128924	SP.14/C	Washer, 2 BA, plain .....	4	—	C	36/17
	EEAS.28/8FR	Washer .....	1	L72	—	36/18
11439	KING A/C C.13674/16B	CLAMP, Mk. 45 .....	8	—	C	36/19
11333	KING A/C C.13674/20B	CLAMP, Mk. 45 .....	1	—	C	36/20
7623	BRIT. REFRASIL ARF.59/61/6	CLIP, pipe support .....	5	—	C	36/21
		Attachments:—				
28D/9140652	A.26/1C	Bolt, 2 BA, hex. head .....	5	—	C	36/22
28M/9436836	AGS.2001/C/2	Nut, stiff, 2 BA .....	5	—	C	36/23
28W/9128924	SP.14/C	Washer, 2 BA, plain .....	5	—	C	36/24
8032	BRIT. REFRASIL ARF.59/61/9	CLIP, pipe support .....	2	—	C	36/25
		Attachments:—				
28D/9140652	A.26/1C	Bolt, 2 BA, hex. head .....	2	—	C	36/26
28M/9436836	AGS.2001/C/2	Nut, stiff, 2 BA .....	2	—	C	36/27
28W/9128924	SP.14/C	Washer, 2 BA, plain .....	2	—	C	36/28
11440	E.F2.75.467	FAIRLEAD, half .....	2	L65	C	36/29
11441	E.F2.75.469	FAIRLEAD, half, at frame 59 .....	1	Sindanyo	C	36/30
		Attachments:—				
28D/1213121	A.26/17C	Bolt, 2 BA, hex. head .....	2	—	C	36/31
28M/9436836	AGS.2001/C/2	Nut, stiff, 2 BA .....	2	—	C	36/32
9340	EEAS.238/2A	Washer, 2 BA .....	2	L72	C	36/33
1504266	E.F3.75.2451	FAIRLEAD, cap half (Mod. 4306) .....	2	L85	C	36/34
11443	E.F2.75.451	GASKET, at frame 55 .....	1	DTD416	C	36/35
		Attachments:—				
28D/1011466	A.26/3C	Bolt, 2 BA, hex. head .....	6	—	C	36/36
28M/9436836	AGS.2001/C/2	Nut, stiff, 2 BA .....	6	—	C	36/37
28W/9128924	SP.14/C	Washer, 2 BA .....	6	—	C	36/38
11444	KING A/C C.11604/14/B	GASKET .....	8	—	C	36/39
11334	KING A/C C.11604/18/B	GASKET .....	1	—	C	36/40
11468	E.B2.75.1081	NIPPLE .....	4	BAC.M37	C	36/41
18553	E.B2.75.5753	NIPPLE, pipe coupling .....	2	BAC.M37	C	36/42

SERVICES

AIR SYSTEM IN REAR FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
11446	E.F2.75.453								1	—	C	36/43
2842	E.B2.75.927								2	—	C	36/44
11447	E.F2.50.103								1	—	C	36/45
11448	E.F2.50.105								1	—	C	36/46
11449	E.F2.75.387								1	—	C	36/47
11450	E.F2.75.403								2	—	C	36/48
11452	E.F2.75.407								1	—	C	36/49
11453	E.F2.75.409								2	—	C	36/50
11454	E.F2.75.1711								1	—	C	36/51
11455	E.F2.75.415								1	—	C	36/52
11456	E.F2.75.465								1	—	C	36/53
11457	E.B2.75.919								1	—	C	36/54
11460	E.B2.75.4481								1	—	C	36/55
11461	E.B2.75.4483								1	—	C	36/56
18556	E.F3.75.853								2	—	C	36/57
13773	E.F2.75.1677								1	T55	C	36/58
11459	E.F2.75.1681								1	T55	C	36/59
13774	E.F2.75.1685								1	T55	C	36/60
11451	E.F2.75.1679								1	T55	C	36/61
11462	E.F2.75.457								1	—	C	36/62
28D/1011466	A.26/3C								8	—	C	36/63
28M/9436836	AGS.2001/C/2								8	—	C	36/64
28W/9128924	SP.14/C								8	—	C	36/65
	ROTAX M.5071L								2	—	—	36/66

**SERVICES**  
**AIR SYSTEM IN REAR FUSELAGE**

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6				
11463	E.F.2.75.481	<b>SUPPORT</b> , pipe ... ..									
28D/1215087	AS.1246/14C	Attachments :—						2	L65	C	36/67
28M/9436836	AGS.2001/C/2	Bolt, 2 BA, round head ... ..						2	—	C	36/68
	AS.2805/4/125	Nut, stiff, BA ... ..						2	—	C	36/69
	—	Tube, distance ... ..						2	—	C	36/70
	—	<b>SYSTEM</b> , ram air cooling, port rear equipment bay, assembly (E.F.4.75.463) (Mk. 2A A/c)						—	—	—	—
5W/6781	E. E. Co. B'FORD	Spares for :—									
	AE.4529 Mk. 4	<b>ACTUATOR</b> , rotary ... ..						1	—	A	38/1
28D/1010031	A.25/8E	Attachments :—									
28M/9480017	AGS.2001/E/1	Bolt, 1/2" BSF, hex. head ... ..						2	—	C	38/2
24430	E.F.3.75.2791	Nut, stiff, 1/2" BSF ... ..						2	—	C	38/3
24429	E.F.3.75.2793	Plate, packing ... ..						1	L72	C	38/4
28W/9419405	SP.15/E	Shim, packing ... ..						1	LA3	C	38/5
	E.F.3.75.2245	Washer, 1/2" BSF, plain ... ..						2	—	C	38/6
24435	KING A/C	<b>ADAPTOR</b> , drain, assembly ... ..						1	—	—	37/1
	C.6045/18H	<b>CLAMP</b> , pipe ... ..						1	—	C	37/2
24436	KING A/C	<b>CLAMP</b> , pipe ... ..						1	—	C	37/3
	C.6045/22H	<b>CLIP</b> , saddle, frame 50 ... ..						1	—	C	37/4
24432	E.F.3.75.2249	Attachments :—									
28D/9133011	A.25/2C	Bolt, 2 BA, hex. head ... ..						2	—	C	37/5
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA ... ..						2	—	C	37/6
10303	EEAS.240/1A	Washer, radius ... ..						2	L72	C	37/7
24433	E.F.3.75.2251	<b>CLIP</b> , saddle, frame 51 ... ..						1	—	C	37/8
28D/9133011	A.25/2C	Attachments :—									
28M/1278190	AGS.2001/C/1	Bolt, 2 BA, hex. head ... ..						2	—	C	37/9
11172	EEAS.239/1A	Nut, stiff, 2 BA ... ..						2	—	C	37/10
	E.F.3.75.2787	Washer, radius ... ..						2	L73	C	37/11
24437	E.F.3.75.2787	<b>GUIDE</b> , rotary actuator operating rod connecting ... ..						1	S93	C	38/7
24438	E.F.3.75.2283	<b>GASKET</b> , water trap and air duct pipe sealing ... ..						1	Neo-K-tex	C	38/8
24439	BELLS	<b>HOSE</b> , silicone glass, pipe connecting ... ..						1	—	C	37/12
	BAS.16/2/F/20/3	<b>HOSE</b> , silicone glass, pipe connecting ... ..						2	—	C	37/13
24440	BELLS	<b>HOSE</b> , silicone glass, pipe connecting ... ..						3	—	C	37/14
	BAS.16/2/F/24/3	<b>HOSE</b> , water trap drain, 1/2" i/d x 3/8" o/d x 3.6" ... ..						1	DTD625 Type 1	LM	37/15
24441	BELLS	long (Make from 32C/-)									
	BAS.16/2/F/14/3	<b>HOSE</b> , silicone glass, ground cooling pipe and valve connecting						1	—	C	37/16
	EEAS.164/4/3.6	<b>PACKING</b> , flanged pipe connection aft of frame 51						1	LA4 or LF3	C	37/17
1484596	BELLS	<b>PACKING</b> , pipe connection at port engine trunnion mounting						1	LA4 or LF3	C	37/18
	BAS.160/1/24/10	<b>PACKING</b> , pipe connection forward of frame 50 ... ..						2	LA4 or LF3	C	37/19
24442	E.F.3.75.2247	<b>PIPE</b> , assembly, from connection at stringer 10 to glide path receiver aft of frame 52						1	L54	C	37/21
24443	E.F.3.75.2259	<b>PIPE</b> , elbow, assembly, aft of frame 52 ... ..						1	—	—	37/22
24444	E.F.3.75.2261	<b>PIPE</b> , assembly, from 4-way branch aft of frame 51 to elbow connection at frame 52						1	—	—	37/23
24445	E.F.3.75.2285	<b>PIPE</b> , 4-way branch assembly, aft of frame 51 ... ..						1	—	—	37/24
24447	E.F.3.75.2197										
	E.F.3.75.2199										
	E.F.3.75.2203										
	E.F.3.75.2225										

**SERVICES**  
**AIR SYSTEM IN REAR FUSELAGE**

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	E.F.3.75.2227								1	—	—	37/25
	E.F.3.75.2243								1	—	—	37/26
	E.F.3.75.2253								1	—	—	37/27
	E.F.3.75.2255								1	L54	—	37/28
	E.F.3.75.2257								1	L54	—	37/29
	E.F.3.75.2275								1	—	—	37/30
	E.F.4.75.465								1	—	—	37/31
33587	E.F.3.75.3347								1	—	C	37/32
	E.F.3.75.3349								1	—	—	37/33
24459	E.F.3.75.2785								1	—	C	38/9
	E.F.3.75.2801								2	30/158	—	38/10
	E.F.3.75.2799								1	—	—	38/11
28F/17675	AS.5402								1	—	C	37/34
28F/4051839	AS.5403								1	—	C	37/35
	E.F.3.75.2277								2	LA3	—	38/12
32B/1260	BELLS								QR	—	C	37/36
	BAS.23/2/J26/2								1	—	—	38/13
	E.F.3.75.2775								1	—	—	38/14
24461	E.F.3.75.2779								1	LA3	C	38/14
35363	E.F.3.07.81								1	—	C	38/15
24463	E.F.3.75.2797								1	—	C	38/16
30A/3055	†								QR	DTD189	C	38/17
28D/9436920	A.25/1C								10	—	C	38/18
	or								4	—	C	38/19
28D/9133011	A.25/2C								4	—	C	38/20
28M/1278190	AGS.2001/C/1								4	—	C	38/21
28W/9419475	SP.15/C								4	—	C	38/21
22847	E.F.3.75.2173								1	—	A	38/22
	E.F.3.75.2175								1	—	—	38/23
	E.F.3.75.2189								1	30/158	—	38/24
34374	EEAS.299/10/37C								3	BAC.M37	C	38/25
	E.F.3.75.2191								1	30/168	—	38/26
R 22850	E.F.3.75.2193								1	DTD215	C	38/27
	EEAS.299/30/40C								6	BAC.M37	—	38/28

**SERVICES**  
**AIR SYSTEM IN REAR FUSELAGE**

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
27KD/1366	NORMALAIR 513930								1	—	A	37/37
27KD/1811	NORMALAIR 516410								1	—	A	37/38
23260	EEAS.27/16/10A								8	Lam. Alum	C	37/39
7871	EEAS.237/7A								1	L72	C	37/40
11906	EEAS.239/4A								3	L72	C	37/41

Ref. No.	Part No.	1	2	3	4	5	6	7	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index

This file was downloaded  
from the RTFM Library.

Link: [www.scottbouch.com/rtfm](http://www.scottbouch.com/rtfm)

Please see site for usage terms,  
and more aircraft documents.

