

ASSEMBLY OF REFUELLING PROBE TO AIRCRAFT

Ref. No.	Part No.	Description	No. off	Mati. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	-	ASSEMBLY OF REFUELLING PROBE TO AIRCRAFT .. (E.F2.00.5)	-	-	-	39/1
		Consisting of:-				
	E.B3.57.151	PROBE, flight refuelling, assembly	1	-	-	39/2
		Spares for:-				
12350	E.B3.57.139	FAIRING, half, forward, at spar 1	1	-	C	39/3
		Attachments:-				
28D/1214566	AS.2920/1C	Bolt, 2 BA, 90° c'sk head	6	Stainless Steel	C	39/4
28W/1013428	AGS.2036/C	Washer, 2 BA, shakeproof	4	-	C	39/5
		Attachments:-				
12351	E.B3.57.141	FAIRING, half, rear, at spar 1	1	-	C	39/6
		Attachments:-				
28D/1214566	AS.2920/1C	Bolt, 2 BA, 90° c'sk head	4	Stainless Steel	C	39/4
28W/1013428	AGS.2036/C	Washer, 2 BA, shakeproof	4	-	C	39/5
		Attachments:-				
13398	E.B3.57.201	FAIRING, rear, at spar 5, assembly	1	-	B	39/7
		Spares for:-				
	E.B3.57.197	FAIRING, outboard	1	L44	-	39/8
		Attachments:-				
7723	EEAS.99/1-1/2EE	Bolt, 1/4" BSF	3	S97	C	39/9
2214	EEAS.99/2-1/2E	Bolt, 1/4" BSF	4	S97	C	39/10
		Attachments:-				
	E.B3.57.199	FAIRING, inboard, assembly	1	L44	-	39/11
		Spares for:-				
24553	E.B3.57.203	BLOCK, tapered	1	L65	C	39/12
24556	E.B3.57.205	BLOCK, tapered	1	L65	C	39/13
24557	E.B3.57.207	BLOCK, tapered	1	L65	C	39/14
24554	E.B3.57.209	BLOCK, tapered	1	L65	C	39/15
24555	E.B3.57.211	BLOCK, tapered	1	L65	C	39/16
24558	E.B3.57.213	BLOCK, tapered	1	L65	C	39/17
		Attachments:-				
28D/1214510	AS.2920/5E	Bolt, 1/4" BSF, 90° c'sk head	8	Stainless Steel	C	39/18
		Attachments:-				
11985	AVIAN. DEVELS. TLC/C/M/10	NUT, blind anchor, "Avlok"	2	-	C	39/19
12355	E.B3.20.1605	PANEL, access, probe to fuel system connection,	2	-	C	39/20
		assembly				
		Spares for:-				
9630	EEAS.296/18/36C	BOLT, 2 BA	4	S97	C	39/21
28R/17665	AS.4573/1E	RING, retaining	4	DTD187	C	39/22
27FR/1455719	F.R. LTD. 1506060	PROBE, refuelling, assembly	1	-	B	39/24
		(For spares see AP.4515U, Vol. 3, Part 1, Chapter 12)				
		Attachments:-				
22506	E.B3.57.247	Bolt, 5/16" BSF, hex. head, rear	1	S99	C	39/25
12357	E.B3.57.137	Bolt, 5/16" BSF, hex. head	2	S99	C	39/26
12358	E.B3.57.163	Bolt, 5/16" BSF, hex. head, rear	1	S99	C	39/27
12359	E.B3.57.191	Bolt, 5/16" BSF, hex. head, rear	1	S99	C	39/28
12360	E.B3.57.189	Washer, special, front, 18 SWG	2	L59	C	39/29
28W/9419403	SP13/G	Washer, 5/16" BSF, plain	2	-	C	39/30

SERVICES

ASSEMBLY OF REFUELLING PROBE TO AIRCRAFT

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
12361*	G. ANGUS R.149.P60								1	—	C	39/31
1485671	GEO. ANGUS R.149/P5								1	—	C	39/32
12362	E.B3.57.185								1	S/H 30	C	39/33

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

