

SERVICES
CANOPY DE-MISTING VENTING

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	—	CANOPY DE-MISTING VENTING, ASSEMBLY (E.F.2.76.15)							...	—	—	42/2
		Spares for :—										
4775	E.B2.76.365	FAIRLEAD , at frame 8							1	LFS26	C	42/8
		Attachments :—										
28D/9133012	A25/3C	Bolt , 2 BA, hex. head							2	—	C	42/9
26FZ/1128	EEAS.69/2	GASKET , pipe, on upper shear web at frame 8 ...							1	Neo-K-Tex	C	42/10
11137	E.F2.76.41	HOSE , canopy connection, non-kink flexible tube, ".3 i/d x 24" long							1	Maricon Type H	C	42/11
11138	E.F2.76.33	PIPE , assembly, from connection aft of frame 7 to atmosphere							1	L54	C	42/12
4778	E.B2.76.367	PIPE , assembly, from coupling aft of frame 9 to coupling at pressure bulkhead							1	L56	C	42/13
4777	E.B2.76.369	PIPE , assembly, between pressure bulkhead connections							1	L56	C	42/14
5995	E.B2.76.371	PIPE , assembly, between couplings on pressure bulkhead							1	L56	C	42/15
11139	E.B2.76.385	PIPE , assembly, from connection forward of frame 8 to atmosphere pipe connection							1	L56	C	42/16
11140	E.B2.76.389	PIPE , assembly, from connection forward of frame 8 to coupling aft of frame 9							1	L56	C	42/17
9636	E.B2.76.403	PIPE , assembly, between hose connection and intermediate pipe coupling							1	T55	C	42/18
26FZ/981	EEAS.20/2DR	TAB , locking							1	L72	C	42/19

Ref. No.	Part No.	1 2 3 4 5 6 7	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

