

FUEL SYSTEM IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	-	FUEL SYSTEM IN REAR FUSELAGE, ASSEMBLY (E.F.2.57.7) (Mk. 2 A/c)	-	-	-	
	-	FUEL SYSTEM IN REAR FUSELAGE, ASSEMBLY (E.F.4.57.107) (Mk. 2A A/c)	-	-	-	
	-	Spares for:- SYSTEM, fuel, frames 25B to 31, assembly (E.F.2.57.75)	-	-	-	44/1
	-	Spares for:-				
4781	E.B2.57.235	ADAPTOR, No. 1 engine, lower pressure switch aft of frame 29	1	S110	C	44/2
24416	E.F3.57.1337	BLOCK, saddle (Mod. 4562)	1	-	C	
	EEAS.552/3	BOBBIN, distance, 2 BA x ".45 (Mod. 2053)	1	L65	-	44/3
23430	EEAS.552/4	BOBBIN, distance, 2 BA x ".5	1	L65	C	44/4
19309	E.F.2.57.739	BODY, banjo, fuel bleed at No. 1 reheat pump (Mod. 1929)	1	S94	C	44/5
13735	E.B2.07.615	BRACKET, fuel filter mounting at frame 27 (E.B2.57.325)	1	L72	C	44/6
		Attachments:-				
28D/7002428	A25/6C	Bolt, 2 BA, hex. head	3	-	C	44/7
28M/9433473	AGS.2002/C/1	Nut, stiff, 2 BA	2	-	C	44/8
28W/9419402	SP13/C	Washer, 2 BA, plain	3	-	C	44/9
9049	E.B2.57.2201	BRACKET, half assembly, No. 1 engine low pressure ... switch mounting	2	L73	C	44/10
		Attachments:-				
26FZ/1025	EEAS.1/1C	Screw, 2 BA, 120° c'sk head	4	S95	C	44/11
11917	KING A/C	CLAMP, pipe, Mk. 45	1	-	C	44/12
	C.6045/18/B					
11918	E.F.2.57.589	CLEAT, pipe support at frame 31	2	BS2572 Type F3	C	44/13
		Attachments:-				
28D/9133012	A25/3C	Bolt, 2 BA, hex. head	4	-	C	44/14
28M/9433473	AGS.2002/C/1	Nut, stiff, 2 BA	4	-	C	44/15
28W/9419402	SP13/C	Washer, 2 BA, plain	4	-	C	44/16
2449	E.B2.57.335	CLIP, pipe, at frame 27 (Mod. 4562)	1	-	C	
21297	E.F3.57.1073	CONNECTION, reheat pump fuel bleed pipe (Mod. 2180)	1	S1	C	44/17
27FR/2329	F.R. LTD. FRS.110K/1	CONNECTOR, pipe, 1-1/2", at frame 27 (Pre-Mod. 4667)	1	-	B	44/18
27FR/	F.R. LTD. FRS.110/K	CONNECTOR (Mod. 4667)	1	-	-	
27FR/2331	F.R. LTD. FRS.110M/1	CONNECTOR, pipe, 2" (Pre-Mod. 4667)	1	-	B	44/19
27FR/	FRS.110/M	CONNECTOR (Mod. 4667)	1	-	-	
11930	E.F.2.57.369	FILTER, fuel, reheat pump No. 1, assembly Spares for:-	1	-	A	44/20
11938	TECALEMIT 104057	BOLT, end plate attachment	8	-	C	
11935	TECALEMIT FG.2468	ELEMENT, assembly	1	-	B	
13436	TECALEMIT 46488	PLATE, end, assembly	1	-	C	
11932	TECALEMIT 46335	PLATE, pressure	1	-	C	
11931	TECALEMIT 160613	SPRING	1	-	C	

SERVICES

FUEL SYSTEM IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
11934	TECALEMIT 164186	TWI-CLIP	1	—	C	
21429	SANGAMO WESTON FD.2194/9	WASHER, joint	1	—	C	
11933	TECALEMIT 164187	WASHER, twi-clip	1	—	C	
4794	E.B2.57.527	PACKING, for filter attachment bracket	1	—	C	44/21
4796	E.B2.57.131	PIPE, feed, through frame 31	1	—	C	44/22
32654	E.F2.57.293	PIPE, branch, through frame 29	1	—	C	44/23
12732	E.F2.57.391	PIPE, feed, between reheat pump No. 1 and filter	1	—	C	44/24
19310	E.F2.57.743	PIPE, bleed, from No. 1 reheat pump to connection	1	T55	C	44/25
		between frames 27 and 29 (Mod. 1929)				
19311	E.F2.57.745	PIPE, bleed, reheat, fuel line connection from	1	T55	C	44/26
		connection between frames 27 and 29 to connection at frame 34 (Mod. 1929)				
12730	E.B2.57.1377	PIPE, assembly, from No. 1 re-heat pump to	1	T55	C	44/27
		connection aft of frame 31				
4826	E.B2.57.2025	PIPE, assembly, No. 1 engine low pressure switch	1	T55	C	44/28
11919	PIONEER 5-004-MP802	RING, "O" sealing, pipe clamp at filter	1	—	C	44/29
7678	PIONEER 5-007-MP802	RING, sealing, fuel pipe to pump connection	1	—	C	44/30
27FR/2423	F.R. LTD. FRS.185K	SHIELD, heat, 1-1/2"	1	—	C	44/31
27FR/2424	F.R. LTD. FRS.185M	SHIELD, heat, 2"	1	—	C	44/32
24415	E.F3.57.1339	SHIM, packing (Mod. 4562)	1	—	C	
27FR/1488102	F.R. LTD. FRS.54/K9	SLEEVE (Mod. 4667)	1	—	C	
27FR/1488100	FRS.54/M9	SLEEVE (Mod. 4667)	1	—	C	
5CW/6298	THERMAL CONTROL TP.1278	SWITCH, low pressure, aft of frame 29, for reheat	1	—	A	44/33
		pump No. 1				
		Attachments:—				
28D/9133011	A25/2C	Bolt, 2 BA, hex. head	4	—	C	44/34
28M/9433473	AGS.2002/C/1	Nut, stiff, 2 BA	4	—	C	44/35
4851	EEAS.20/1/ER	Tab, locking	1	L72	C	44/36
28W/9419402	SP13/C	Washer, 2 BA, plain	3	—	C	44/37
11906	EEAS.239/4A	WASHER, "D"	4	L72	C	44/38
30A/3055	†	WIRE, locking, 22 SWG	QR	DTD189	C	44/39
	—	SYSTEM, fuel, frames 31 to 39, assembly	—	—	—	45/1
		(E.F2.57.77) (Mk. 2 A/c)				
	—	SYSTEM, fuel, frames 31 to 39, assembly	—	—	—	45/2
		(E.F4.57.111) (Mk. 2A A/c)				
		Spares for:—				
13734	E.B2.07.621	BRACKET, 2" dia., fuel pipe clip mounting at frame ..	1	L72	C	45/3
		34 (E.B2.57.275)				
		Attachments:—				
28D/1010658	A25/1B	Bolt, 4 BA, hex. head (Mk. 2 A/c)	2	—	C	45/4
28D/9140638	A25/4B	Bolt, 4 BA, hex. head (Mk. 2A A/c)	2	—	C	45/5
28M/9433473	AGS.2002/B/1	Nut, stiff, 4 BA	2	—	C	45/6
12739	E.F3.57.471	Packing (Mk. 2A A/c)	2	BS2572 F3	C	45/7
28W/9419465	SP13/B	Washer, 4 BA, plain	2	—	C	45/8
R 37626	SMITH AND JOHNSON 815-200-S30	CLAMP, pipe, at heat exchanger	1	—	C	45/9

SERVICES

FUEL SYSTEM IN REAR FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
1484683	E.B1.07.19											
28D/9133012	A25/3C											
28M/9433473	AGS.2002/C/1											
28W/9419402	SP13/C											
10303	EEAS.240/1A											
11921	E.F2.57.281											
28D/1010658	A25/1B											
28M/9433473	AGS.2002/B/1											
28W/9419465	SP13/B											
	F.R. LTD.											
27FR/	FRS.380/M											
27FR/30171	F.R. LTD.											
	FRS.380M/1											
23426	EEAS.554/2											
23421	EEAS.554/6											
23425	EEAS.556/2											
23422	EEAS.556/6											
1504245	E.B2.57.2629											
27B/3312	MARSTON											
	D.237-4A											
27B/4048	MARSTON											
	D.2718-2A											
4798	E.B2.57.135											
12750	E.F2.57.275											
12743	E.F2.57.365											
12748	E.F2.57.559											
19313	E.F2.57.747											
	E.F2.57.373											
	E.F2.57.379											
27FR/1487881	F.R. LTD.											
4837	FRS.1225/77											
	PIONEER											
	3-161-MP802											
	or											
1504331	ANGUS											
	R161/P5											
11922	E.F2.57.581											
11923	E.F2.57.583											
7963	E.B2.57.2017											
1504246	E.B2.57.2647											
4851	EEAS.20/1/ER											
26FZ/20778	EEAS.20/2/ER											
11906	EEAS.239/4A											
	-											
37626	SMITH AND JOHNSON											
	815-200-S30											
23425	EEAS.556/2											
23422	EEAS.556/6											

SERVICES

FUEL SYSTEM IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.F.2.57.129	PIPE, assembly, No. 1 engine pump servo, from coupling aft of frame 39 to bulkhead connector at frame 34	1	T55	—	45/39
12765	E.F.2.57.371	PIPE, assembly, from heat exchanger connection at . . . frame 39 to bulkhead connection at frame 43 (Mk. 2 A/c)	1	T55	C	45/40
12751	E.F.2.57.593	PIPE, assembly, reheat pump No. 1 line continuation . . from bulkhead connection at engine beam to connection aft of frame 42	1	T55	C	45/41
19314	E.F.2.57.749	PIPE, assembly, reheat bleed line continuation, from . . connection aft of frame 39 to connection aft of frame 44 (Mod. 1929)	1	T55	C	45/42
	E.F.2.57.379	PLATE, blanking, at frame 42	1	S512	—	45/43
	E.F.2.57.373	PLATE, blanking, at frame 39	1	S512	—	45/44
	E.F.2.57.381	PLATE, blanking, at frame 42	1	S512	—	45/45
28F/11700	AGS.1143/B	PLUG, cone, pipe connection aft of frame 39	1	—	C	45/46
4837	PIONEER	RING, "O" pipe clamp at frame 39	1	—	C	45/47
	3-161-MP802	SYSTEM, fuel, frames 42 to 44, assembly (E.F.2.57.81) . . Spares for:—	—	—	—	46/1
27FR/3012	F.R. LTD. FRS.122/M/1	CONNECTOR, bulkhead (Pre-Mod. 4667)	1	—	B	46/2
	F.R. LTD. FRS.122/M	CONNECTOR (Mod. 4667)	1	—	—	—
19322	E.F.2.57.823	FAIRLEAD, assembly, at frame 44	1	—	C	46/3
	A25/4C	Attachments:— Bolt, 2 BA, hex. head	4	—	C	46/4
28D/1200119	SP13/C	Washer, 2 BA, plain	4	—	C	46/5
	E.F.2.57.103	FAIRLEAD, assembly, at frame 43 (Mk. 2 A/c)	1	—	C	46/6
	A25/4C	Attachments:— Bolt, 2 BA, hex. head	4	—	C	46/4
28D/1200119	AGS.2002/C/1	Nut, stiff, 2 BA	4	—	C	46/7
28M/9433473	SP13/C	Washer, 2 BA, plain	4	—	C	46/5
28D/9133012	E.F.3.57.117	FAIRLEAD, assembly, at frame 43	1	—	C	46/8
28W/9419402	A25/3C	Attachments:— Bolt, 2 BA, hex. head	4	—	C	46/9
	SP13/C	Washer, 2 BA, plain	4	—	C	46/5
23425	EEAS.556/2	FAIRLEAD, assembly, aft of frame 42	1	—	C	46/10
23422	EEAS.556/6	FAIRLEAD, assembly, aft of frame 42	1	—	C	46/11
12695	E.F.2.57.97	PIPE, assembly, fuel drain (Mk. 2 A/c)	1	T55	—	46/12
	E.F.2.57.99	PIPE, assembly, fuel feed, port wing, from connection . at frame 42 to connection at frame 44	1	T55	C	46/13
	E.F.2.57.891	PIPE, assembly, fuel feed, port wing, between connections on frame 44 (Mk. 2 A/c)	1	T55	C	46/14
12693	E.F.2.57.187	PIPE, assembly, fuel delivery, No. 2 engine pump from connection at frame 42 to connection aft of frame 44 (Mk. 2 A/c)	1	T55	C	46/15
12701	E.F.2.57.459	PIPE, assembly, low pressure return, from connection . at frame 44 to air motor control unit at frame 45	1	T55	C	46/16
19276	E.F.3.57.507	PIPE, assembly, reheat pump No. 1, from connection . . at frame 42 to connection at frame 44	1	T55	C	46/17
12702	E.F.2.57.659	PIPE, assembly, from connection at frame 44 to 4-way piece forward of frame 48	1	T55	C	46/18

FUEL SYSTEM IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
19323	E.F2.57.751	PIPE, assembly, bleed, reheat line connection from ... frame 44 to connection between frames 45 and 46	1	T55	C	46/19
	E.F2.57.119	PLATE, washer, at frame 42	1	S510	-	46/20
		Attachments:-				
28D/9436920	A25/1C	Bolt, 2 BA, hex. head	3	-	C	46/21
28M/9433473	AGS.2002/C/1	Nut, stiff, 2 BA	3	-	C	46/22
28W/9419402	SP13/C	Washer, 2 BA, plain	3	-	C	46/5
	E.F2.57.121	PLATE, washer, at frame 42	1	S510	-	46/23
		Attachments:-				
28D/9436920	A25/1C	Bolt, 2 BA, hex. head	3	-	C	46/21
28M/9433473	AGS.2002/C/1	Nut, stiff, 2 BA	3	-	C	46/22
28W/9419402	SP13/C	Washer, 2 BA, plain	3	-	C	46/5
	E.F2.57.123	PLATE, washer, at frame 42	1	S510	-	46/24
		Attachments:-				
28D/9436920	A25/1C	Bolt, 2 BA, hex. head	3	-	C	46/21
28M/9433473	AGS.2002/C/1	Nut, stiff, 2 BA	3	-	C	46/22
4851	EEAS.20/1/ER	Tab, locking	1	L72	C	46/25
28W/9419402	SP13/C	Washer, 2 BA, plain	2	-	C	46/5
4831	E.B2.57.249	PLATE, seal backing, for 2" dia. pipe seal through ... firewall on frame 42 (Mk. 2 A/c)	1	L72	C	46/26
11928	E.F2.57.149	SEAL, for 2" dia. pipe through firewall on frame 42 ..	1	L44	C	46/27
		Attachments:-				
28D/1010658	A25/1B	Bolt, 4 BA, hex. head	4	-	C	46/28
28M/1086618	AGS.2002/B/1	Nut, stiff, 4 BA	3	-	C	46/29
28W/9419402	SP13/B	Washer, 4 BA, plain	4	-	C	46/30
27FR/3526	F.R. LTD. FRS.425	SHIELD, heat, at frame 43	1	-	C	46/31
27FR/1488100	F.R. LTD. FRS.54/M9	SLEEVE (Mod. 4667)	1	-	C	
11906	EEAS.239/4A	WASHER, "D"	2	L72	C	46/32
30A/3055	†	WIRE, locking, 22 SWG	QR	DTD189	C	46/33
	-	SYSTEM, fuel, No. 2 engine bay piping changes, assembly (E.F2.57.937) (Mod. 4310) (Mk. 2 A/c) Spares for:-	-	-	-	47/1
1440918	E.B2.57.2579	FAIRLEAD, forward and aft of frame 54, port and ... starboard	4	BS2572 F3	C	47/2
		Attachments:-				
28D/9133012	A25/3C	Bolt, 2 BA, hex. head	16	-	C	47/3
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	16	-	C	47/4
1440919	E.B2.57.2581	Washer, plate	8	S510	C	47/5
	-	SYSTEM, fuel, frames 44 to 45, assembly (E.F2.57.83) ..	-	-	-	47/6
		Spares for:-				
19304	E.F2.57.855	BRACKET, support, rear, frames 45, port	1	S510	C	47/7
		Attachments:-				
28D/1011029	A25/1E	Bolt, 1/4" BSF, hex. head	3	-	C	47/8
28M/9480017	AGS.2001/E/1	Nut, stiff, 1/4" BSF	3	-	C	47/9
19305	BRIT. REFRASIL	Pad	1	-	C	47/10
28W/9419405	ARF.59/62/6 SP15/E	Washer, 1/4" BSF, plain	3	-	C	47/11

Page MH6		SERVICES							FUEL SYSTEM IN REAR FUSELAGE			
Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
19305	E.F.2.57.865								1	S510	C	47/12
28D/1011029	A25/1E								2	—	C	47/13
28M/9480017	AGS.2001/E/1								2	—	C	47/14
19306	BRIT. REFRASIL								1	—	C	47/15
	ARF.59/62/6											
28W/9419405	SP15/E								2	—	C	47/16
	F.R. LTD.								1	—	—	
	FRS.380/M											
27FR/30171	F.R. LTD.								1	—	B	47/17
	FRS.380/M/1											
32650	E.F.2.57.195								1	T55	C	47/18
	E.F.2.57.201								1	T55	—	47/19
12771	E.F.2.57.461								1	T55	C	47/20
	E.F.2.57.597								1	T55	—	47/21
	E.F.2.57.893								1	T55	—	47/22
17960	E.B.2.57.2411								1	T55	C	47/23
	E.F.2.57.191								1	S510	—	47/24
28D/9436920	A25/1C								3	—	C	47/25
28M/9433473	AGS.2002/C/1								3	—	C	47/26
4851	EEAS.20/1/ER								1	L72	C	47/27
28W/9419402	SP13/C								2	—	C	47/28
28F/4051600	AGS.1143/C								1	—	C	47/29
27FR/1487881	F.R. LTD.								2	—	C	
	FRS.1225/77											
7963	E.B.2.57.2019								1	—	C	47/30
27Q/70375	DOWTY ROTOL								1	—	A	47/31
	H.2017											
11906	EEAS.239/4A								2	L72	C	47/32
30A/3055	†								QR	DTD189	C	47/33
	—								—	—	—	48/1
	E.F.3.57.1857								1	—	—	
	E.F.3.57.1647								1	—	—	
24416	E.F.3.57.1337								3	—	C	
6102256	E.F.3.57.1573								1	—	C	
19307	E.F.2.57.877								1	L73	C	48/2
28D/1011029	A25/1E								2	—	C	48/3
28M/9480017	AGS.2001/E/1								2	—	C	48/4
19306	BRIT. REFRASIL								1	—	C	48/5
	ARF.59/62/6											
28W/9419405	SP15/E								2	—	C	48/6
	F.R. LTD.								1	—	C	48/7
	FRS.352/L											
R 37626	SMITH AND JOHNSON								1	—	C	48/8
	815-200-S30											
	E.F.3.57.1859								1	—	—	

FUEL SYSTEM IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
2449	E.B2.57.335	CLIP, pipe, special, at frames 45 and 46 (Mod. 4565) ..	4	L72	C	48/9
28D/9133011	A25/2C	Attachments:— Bolt, 2 BA, hex. head	2	—	C	48/10
28D/9133013	A25/5C	Bolt, 2 BA, hex. head	2	—	C	48/11
28M/9433473	AGS.2002/C/1	Nut, stiff, 2 BA	4	—	C	48/12
30541	E.B2.57.2299	Piece, packing (Pre-Mod. 4565)	1	LFS21	C	48/13
	†	Tape, empire	QR	—	—	48/14
28W/9419402	SP13/C	Washer, 2 BA, plain	4	—	C	48/15
9842	EEAS.240/2A	Washer, "D"	4	L72	C	48/16
1484683	E.B1.07.19	CLIP, pipe (E.B1.55.91) (Mod. 4526)	1	—	C	
27FR/2523	F.R. LTD. FRS.73/L	COLLAR, split	1	—	C	48/17
12537	E.B2.57.1879	CONNECTOR, 1/4" pipe	1	S95	C	48/18
27FR/	FLIGHT REFUELLING	CONNECTOR, 1-1/2" pipe (Mod. 4633)	1	—	—	48/19
27FR/	FRS.110/K F.R. LTD.	CONNECTOR, 1-3/4" pipe (Mod. 4633)	1	—	—	48/20
27FR/2334	FRS.110/L F.R. LTD.	CONNECTOR, 2" pipe (Pre-Mod. 4667)	2	—	B	48/21
	FRS.110/M1 FRS.110/M	CONNECTOR (Mod. 4667)	2	—	—	
27FR/	F.R. LTD. FRS.1230/K	CONNECTOR, pipe (Mod. 4597)	3	—	—	48/22
27ZA/	EXACTOR C.17527/A	CONNECTION, drop tank	1	—	—	48/23
	or 27ZA/66	C.15676				
26FZ/1028	EEAS.1/3C	Attachments:— Screw, 2 BA, 120° c'sk head	6	S96	C	48/24
17973	E.B2.57.2361 EEAS.98/5	FAIRLEAD, reheat bleed pipe, frame 45 (Mod. 1929) . LUG, reheat bleed pipe supporting clip at frame 45 ... (Mod. 1929)	1 1	— L72	C —	48/25 48/26
29D/1010658	A25/1B	Attachments:— Bolt, 4 BA, hex. head	2	—	C	48/27
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	2	—	C	48/28
28W/9419474	SP15/B	Washer, 4 BA, plain	2	—	C	48/29
19319	E.F2.57.835	NIPPLE, pipe coupling forward of frame 46	1	S1	C	48/30
		(Mod. 1929)				
11941	E.F2.57.577	NIPPLE, pipe coupling forward of frame 46	1	S1	C	48/31
	E.F3.57.1649	PACKING (Mod. 4626)	1	—	—	
	or					
32653	E.F3.57.1651	PACKING (Mod. 4526)	—	—	—	
	E.F2.57.255	PIPE, assembly, from connection at frame 45 to pipe .. connection in starboard wing	1	T55	C	48/32
32655	E.F2.57.463	PIPE, assembly, fuel, from connection at frame 45, ... starboard side to connection on port wing (Mk. 2 A/c)	1	T55	C	48/33
19317	E.F2.57.753	PIPE, bleed, reheat line continuation from connection . between frames 45 and 46 to 4-way union (Mod. 1929)	1	T55	C	48/34
19318	E.F2.57.757	PIPE, assembly, reheat bleed, from 4-way union at frame 45 to connection aft of frame 46 (Mod. 1929)	1	T55	C	48/35
19303	E.F2.57.871	PIPE, assembly, reheat bleed, from tee union at frame . 45 to connection aft of frame 44	1	T55	C	48/36
19302	E.F2.57.873	PIPE, assembly, reheat bleed, from 4-way union at frame 45 to tee union at frame 45	1	T55	C	48/37
19315	E.F2.57.817	PIPE, assembly, reheat bleed, from reduction union to . tee union at frame 45 (Mod. 1929)	1	T55	C	48/38
	E.F3.57.1861	PACKING (Mod. 4711)	1	—	—	
	E.F3.57.1855	PACKING (Mod. 4711)	1	—	—	

SERVICES

FUEL SYSTEM IN^S REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
4808	E.B2.57.1113	PIPE, fuel transfer, from connection aft of frame 45 . . . to port wing refuelling valve connection 1-1/2" x 24 SWG	1	—	C	48/39
4809	E.B2.57.1115	PIPE, fuel transfer, from connection aft of frame 45 . . . to starboard wing refuelling valve connection, 1-1/2" dia. x 24 SWG	1	T55	C	48/40
4806	E.B2.57.1123	PIPE, fuel transfer, from branch pipe connection to . . . connection aft of frame 45, starboard side	1	T55	C	48/41
4807	E.B2.57.1671	PIPE, fuel transfer branch, between pipe connections . . . aft of frame 45, port side Spares for:—	1	—	C	48/42
7787	E.B2.57.1675	PISTON	1	S110	C	48/43
7788	E.B2.57.1681	PLUG	1	S110	C	48/44
7789	E.B2.57.1677	SLEEVE, valve	1	—	C	48/45
7790	E.B2.57.1673	SPRING	1	DTD215	c	48/46
7791	E.B2.57.1923	TUBE, drain	1	L65	C	48/47
7792	E.B2.57.2157	WASHER, sealing	1	L17	C	48/48
11942	E.B2.57.1699	PIPE, fuel transfer, from drop tank connector to branch pipe between frames 45 and 46	1	T55	C	48/49
	E.F2.57.121	PLATE, washer, for reducing union aft of frame 45 . . .	1	S510	—	48/50
11943	E.F2.57.263	RING, reinforcing, seal Attachments:—	2	L72	C	48/51
28D/1010658	A25/1B	Bolt, 4 BA, hex. head	8	—	C	48/52
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	8	—	C	48/53
28W/9419465	SP13/B	Washer, 4 BA, plain	8	—	C	48/54
27FR/1487877	FRS.1225/66	RING, "O" (Mod. 4593)	6	—	C	
11944	E.F2.57.265	RING, sealing	2	Y346	C	48/55
				Twill weave		
4837	PIONEER 3-161-MP802	RING, sealing, 2", for pipe clamp at frame 46	1	—	C	48/56
27FR/1488099	F.R. LTD. FRS.151/L/9	SEAL, fluorel (Mod. 4633)	1	—	C	48/57
27FR/30701	F.R. LTD. FRS.353/L	SLEEVE, outer	1	—	C	48/58
27FR/1488102	F.R. LTD. FRS.54-K-9	SLEEVE (Mod. 4633)	1	—	C	
27FR/1488101	F.R. LTD. FRS.54-L-9	SLEEVE (Mod. 4633)	1	—	C	
27FR/1488100	FRS.54/M9	SLEEVE (Mod. 4667)	1	—	C	
27FR/2423	F.R. LTD. FRS.185/K	SHIELD, heat, 1-1/2"	4	—	C	48/59
27FR/2424	F.R. LTD. FRS.185M	SHIELD, heat, 2"	1	—	C	48/60
19316	E.F2.57.815	UNION, bulkhead, pipe reducing (Mod. 1929) Attachments:—	1	BAC.M37	C	48/61
28D/9436920	A25/1C	Bolt, 2 BA, hex. head	3	—	C	48/62
4851	EEAS.20/1/ER	Tab, locking	1	L72	C	48/63
28W/9419402	SP13/C	Washer, 4 BA, plain	3	—	C	48/64
28F/9489232	AGS.1120/10	UNION, tee	1	—	C	48/65
28F/9489760	AGS.1125/4	UNION, 4-way	1	—	C	48/66
27Q/70375	DOWTY ROTOL H.2017	VALVE, non-return	1	—	A	48/67
11906	EEAS.239/4A	WASHER, "D"	8	L72	C	48/68
30A/3055	†	WIRE, locking, 22 SWG	QR	DTD189	C	48/69
	—	SYSTEM, fuel, frames 46 to 48, assembly (E.F2.57.87) (Mk. 2 A/c)	—	—	—	49/1
	—	SYSTEM, fuel, frames 46 to 48, assembly (E.F4.57.113) (Mk. 2A A/c)	—	—	—	49/2
4781	E.B2.57.235	ADAPTOR, No. 2 engine low pressure switch	1	S110	C	49/3

FUEL SYSTEM IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
R 11946	E.F.2.57.389	ADAPTOR, fuel filter to reheat pump No. 2	1	BAC.M37	C	49/4
19309	E.F.2.57.739	BODY, banjo, No. 2 reheat pump bleed connection (Mod. 1929)	1	S94	C	49/5
4783	E.B1.57.1119	BOLT-RING, aircraft refuelling unit mounting, in fuselage side between frames 47 and 48	1	S510	C	49/6
28M/7002430	AGS.2002/E/1	Attachments:- Nut, stiff, 1/4" BSF	8	-	C	49/7
27F/2228	AVERY HARDOLL FC.109	CAP, dust, for aircraft refuelling unit	1	-	C	49/8
1504178	E.B2.57.2643	CHANNEL, assembly	1	-	C	
11917	KING A/C C.6045/18/B	CLAMP, pipe, Mk. 45	1	-	C	49/9
R 37626	SMITH AND JOHNSON 815-200-S30	CLAMP, pipe	1	-	C	49/10
1484683	E.B1.07.19	CLIP, pipe, at frames 46 and 47 (E.B1.55.91) (Pre Mod. 4711)	2	L72	C	49/11
	E.F.3.57.1851	CLIP (Mod. 4711)	1	-	-	
28D/9133012	A25/3C	Attachments:- Bolt, 2 BA, hex. head	2	-	C	49/12
28M/9433473	AGS.2002/C/1	Nut, stiff, 2 BA	2	-	C	49/13
28W/9419402	SP13/C	Washer, 2 BA, plain	2	-	C	49/14
10303	EEAS.240/1A	Washer, radius	2	L72	C	49/15
11921	E.F.2.57.281	CONNECTOR, pipe, bulkhead, at engine suspension, starboard	1	BAC.M37	C	49/16
28D/1010658	A25/1B	Attachments:- Bolt, 4 BA, hex. head	3	-	C	49/17
28M/1086618	AGS.2002/B/1	Nut, stiff, 4 BA	3	-	C	44/18
26FZ/20778	EEAS.20/2/ER	Tab, locking	1	L72	C	49/19
28W/9419465	SP13/B	Washer, 4 BA, plain	3	-	C	49/20
20805	E.F.3.57.683	CONNECTOR, pipe, bulkhead, at frame 47	1	S94	C	49/21
28D/9133013	A25/5C	Attachments:- Bolt, 2 BA, hex. head	2	-	C	49/22
28D/7002428	A25/6C	Bolt, 2 BA, hex. head	1	-	C	49/23
28M/9433473	AGS.2002/C/1	Nut, stiff, 2 BA	3	-	C	49/24
28W/9419402	SP13/C	Washer, 2 BA, plain	3	-	C	49/25
21297	E.F.3.57.1073	CONNECTOR, reheat pump bleed pipe (Mod. 2180)	1	S1	C	49/26
12474	E.B2.57.2487	CONNECTOR, electrical, 6-pin breakaway	1	-	C	49/27
28D/9133011	A25/2C	Attachments:- Bolt, 2 BA, hex. head	4	-	C	49/28
27FR/	F.R. LTD. FRS.110/M	CONNECTOR, pipe, 2", at frame 46 (1 off on Mk. 2A A/c)	1	-	-	49/29
27FR/30171	F.R. LTD. FRS.380/M/1	CONNECTOR, pipe (Mk. 2A A/c) (Pre-Mod. 4593)	1	-	B	49/30
	F.R. LTD. FRS.380/M	CONNECTOR (Mod. 4593)	1	-	-	
27B/3312	MARSTON D.237-4A	EXCHANGER, heat, at frame 46 (Mk. 2 A/c)	1	-	A	49/31
27B/4048	MARSTON D.2718-2A	EXCHANGER, heat, at frame 46 (Mk. 2A A/c)	1	-	A	49/32
19308	E.F.3.57.889	FAIRLEAD, reheat fuel pipes, between frames 46 and 47	2	-	C	49/33
28D/1011021	A25/16C	Attachments:- Bolt, 2 BA, hex. head	2	-	C	49/34
28M/9433473	AGS.2002/C/1	Nut, stiff, 2 BA	2	-	C	49/35
28W/9419402	SP13/C	Washer, 2 BA, plain	2	-	C	49/36

SERVICES

FUEL SYSTEM IN REAR FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
11930	E.F.2.57.369	FILTER, fuel, reheat pump No. 2, assembly							2	—	A	49/37
		Spares for:—										
11938	TECALEMIT 104057	BOLT, end plate attachment							8	—	C	
11935	TECALEMIT FG.2468	ELEMENT, assembly							1	—	B	
13436	TECALEMIT 46488	PLATE, end, assembly							1	—	C	
11932	TECALEMIT 46335	PLATE, pressure							1	—	C	
11931	TECALEMIT 160613	SPRING							1	—	C	
11934	TECALEMIT 164186	TWI-CLIP							1	—	C	
21429	SANGAMO WESTON FD.2194/9	WASHER, joint							1	—	C	
11933	TECALEMIT 164187	WASHER, twi-clip							1	—	C	
11948	E.F.2.57.367	PIPE, fuel, flexible, from heat exchanger to engine							1	—	C	49/38
		connector										
4810	E.B.2.57.1199	PIPE, refuelling unit to connection forward of frame 47							1	T55	C	49/39
19278	E.F.3.57.499	PIPE, assembly, from refuelling valve line connection . .							1	T55	C	49/40
		forward of frame 47 to branch pipe connection										
12987	E.B.2.57.2409	PIPE, assembly, reheat pump No. 1 line continuation, .							1	T55	C	49/41
		from connection aft of frame 46 to connection aft of frame 48										
9048	E.B.2.57.2023	PIPE, assembly, No. 2 engine low pressure switch							1	T55	C	49/42
11963	E.F.2.57.719	PIPE, assembly, L.P. return, from reducing union							1	T55	C	49/43
		forward of frame 46 to connection aft of frame 48, air motor control unit line										
19320	E.F.2.57.759	PIPE, assembly, reheat bleed from No. 2 pump to							1	T55	C	49/44
		connection aft of frame 46 (Mod. 1929)										
	E.F.2.57.419	PLATE, blanking, at frame 47, starboard side							1	S514	—	49/45
11950	E.F.2.57.243	RING, reinforcing, for seal at firefloor, between							1	L72	C	49/46
		frames 46 and 47, port										
11919	PIONEER 5-004-MP802	RING, "O", at pipe clamp, fuel filter							1	—	C	49/47
7678	PIONEER 5-007-MP802	RING, "O", at adaptor, No. 2 fuel pump							1	—	C	49/48
11951	PIONEER 5-016-MP802	RING, "O", aircraft refuelling unit							1	—	C	49/49
4837	PIONEER 3-161-MP802	RING, "O", at pipe clamp, heat exchanger							1	—	C	49/50
1504331	or ANGUS R.161/P5 PIONEER 3-124-MP802	RING, "O", bulkhead connection at frame 47							1	—	—	49/51
2473*	or ANGUS R.124/P60											
1504591	ANGUS R.124/P5	RING, "O", bulkhead connection at frame 47							1	—	C	49/52
27FR/1487881	F.R. LTD. FRS.1225/77	RING, "O" (Mod. 4593)							2	—	C	

FUEL SYSTEM IN REAR FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
20798	E.F.2.57.899	SEAL, at firefloor, between frames 46 and 47, port . . .							1	Y346 Twill weave	C	49/53
28D/1010658	A25/1B	Attachments:— Bolt, 4 BA, hex. head							5	—	C	49/54
28M/1086618	AGS.2002/B/1	Nut, stiff, 4 BA							5	—	C	49/55
28W/9419465	SP13/B	Washer, 4 BA, plain							5	—	C	49/56
11953	E.F.2.57.579	SHIELD, flame, at heat exchanger							1	S521	C	49/57
11922	E.F.2.57.581	SHIELD, flame, at heat exchanger (Mk. 2 A/c)							1	S521	C	49/58
11923	E.F.2.57.583	SHIELD, flame, at heat exchanger (Mk. 2 A/c)							1	S521	C	49/59
27FR/2424	F.R. LTD.	SHIELD, heat, 2", at pipe connection							2	—	C	49/60
27FR/1488100	FRS.185/M F.R. LTD.	SLEEVE (Mod. 4633)							1	—	C	
5CW/6298	FRS.54-M-9 THERMAL CONTROL TP.1278	SWITCH, low pressure, at frame 46, for re-heat pump No. 2							1	—	A	49/61
28D/9436920	A25/1C	Attachments:— Bolt, 2 BA, hex. head							4	—	C	49/62
28M/9433473	AGS.2002/C/1	Nut, stiff, 2 BA							4	—	C	49/63
28W/9419402	SP13/C	Washer, 2 BA, plain							4	—	C	49/64
4851	EEAS.20/1ER	TAB, locking							1	L72	C	49/65
27F/2370	AVERY HARDOLL FC.113	UNIT, 1-1/2" A/c refuelling							1	—	A	49/66
9842	EEAS.240/2A	WASHER, radius (Mod. 4711)							2	—	C	
11954	E.B.2.57.2117	WASHER, sealing, A/c refuelling unit							1	Neoprene	C	49/67
30A/3055	†	WIRE, locking, 22 SWG							QR	DTD189	C	49/68
	—	SYSTEM, fuel, frames 48-54, assembly (E.F.2.57.89)							—	—	—	50/1
		Spares for:—										
13762	E.B.2.07.657	BRACKET, pipe clip, frame 53 (E.B.2.57.543)							1	L72	C	50/2
12683	E.B.2.07.659	BRACKET, pipe clip, frame 50 (E.B.2.57.1765)							1	DTD634	C	50/3
12684	E.B.2.07.660	BRACKET, pipe clip, frame 51 (E.B.2.57.1766)							1	DTD634	C	50/4
26FZ/6734	EEAS.136	BRACKET, pipe clip, frames 50 and 50							3	L72	C	50/5
	E.B.2.57.2537	PACKING, pipe clip, frame 50							1	Neoprene	—	50/6
12686	E.F.2.57.649	PIPE, assembly, from coupling aft of frame 49 to coupling aft of frame 53, low pressure return, air motor control unit line							—	T55	C	50/7
11956	E.B.2.57.1389	PIPE, assembly, from No. 2 reheat pump to connection aft of frame 54							1	T55	C	50/8
12687	E.B.2.57.2441	PIPE, assembly, reheat pump No. 1 line continuation, from connection aft of frame 48 to connection aft of frame 50, 1" o/d x 22 SWG							1	T55	C	50/9
12688	E.B.2.57.2443	PIPE, assembly, reheat pump No. 1 line continuation, from connection aft of frame 5 to connection aft of frame 52, 1" o/d x 22 SWG							1	T55	C	50/10
12689	E.B.2.57.2445	PIPE, assembly, reheat pump No. 1 line continuation, from connection aft of frame 52 to connection aft of frame 54, 1" o/d x 22 SWG							1	T55	C	50/11
	AS.2811/5/03	TUBE, distance							3	—	LM	50/12
10672	AS.2811/6/04	TUBE, distance							3	—	C	50/13
	—	SYSTEM, fuel, frames 54-56, assembly (E.F.2.57.91)							—	—	—	50/14
		Spares for:—										
7679	E.B.2.57.1239	ADAPTOR, reheat, fuel pipe to flexible hose connection at frame 56							1	BAC.M37	C	50/15
7850	E.B.2.57.1939	ADAPTOR, reheat fuel pipe to flexible hose connection aft of frame 55							1	BAC.M37	C	50/16
19958	E.B.4.73.795	BOBBIN, spacing piece							2	L64	C	50/17

SERVICES

FUEL SYSTEM IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
11959	E.F2.57.511	NIPPLE, special, pipe coupling at bulkhead union, frame 56	2	S1	C	50/18
11941	E.F2.57.577	NIPPLE, special, pipe coupling at tee connection	1	—	C	50/19
11960	E.F2.57.425	PIPE, assembly, L.P. return, from air motor control . . . unit tee to bulkhead connection at frame 56	1	T55	C	50/20
11961	E.F2.57.427	PIPE, assembly, L.P. return, from air motor control . . . unit tee to bulkhead connection at frame 56	1	T55	C	50/21
11962	E.F2.57.557	PIPE, assembly, reheat pump No. 1 line, from coupling aft of frame 55 to adaptor between frames 55 and 56	1	T55	C	50/22
12690	E.F2.57.651	PIPE, assembly, from coupling aft of frame 53 to tee . . connection aft of frames 55, air motor control unit line	1	—	C	50/23
11964	E.B2.57.1397	PIPE, assembly, reheat pump No. 2 line, from connection at frame 56 to connection aft of frame 54	1	T55	C	50/24
11965	E.B2.57.1757	PIPE, assembly, reheat pump No. 1 line continuation . . between connections forward and aft of frame 55	1	T55	C	50/25
11966	E.F2.57.431	UNION, bulkhead reduction, at frame 56	3	BAC.M37	C	50/26
		Attachments:—				
28D/9436920	A25/1C	Bolt, 2 BA, hex. head	6	—	C	50/27
28M/9433473	AGS.2002/C/1	Nut, stiff, 2 BA	6	—	C	50/28
4851	EEAS.20/1/ER	Tab, locking	4	L72	C	50/29
28W/9419402	SP13/C	Washer, 2 BA, plain	6	—	C	50/30
11967	E.F2.57.429	UNION, special, tee, aft of frame 55	1	BAC.M37	C	50/31
10303	EEAS.240/1A	WASHER, "D"	3	L72	C	50/32
9842	EEAS.240/2A	WASHER, "D"	7	L72	C	50/33
30A/3055	†	WIRE, locking, 22 SWG	QR	DTD189	C	50/34

FUEL SYSTEM IN REAR FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	—	FUEL SYSTEM, MANUAL TRANSFER AND MK. 44							—	—	—	51/1
		REFUELLING VALVE, INSTALLATION (E.F.4.57.1) (MK. 2A A/C)										
		Spares for:—										
	E.F.3.81.13275	CABLE, assembly, Mk. 44 valve, from T/B trailing edge . . .							2	—	—	51/2
		rib 6 to refuelling valve, spar 5, port and starboard wings										
R	37626	SMITH AND JOHNSON										
		815-200-S30										
	27FR/30695	F.R. LTD.										
		FRS.110/H7										
	27FR/	F.R. LTD.										
		FRS.110/H										
	27FR/4576	F.R. LTD.										
		FRS.132/F7										
	—	DOOR, access, on spar 5, port wing, assembly							—	—	—	51/6
		(E.F.3.20.2971)										
		Spares for:—										
	E.F.3.20.2973	DOOR, access, assembly							1	—	—	51/7
		Spares for:—										
	E.F.3.20.3701	DOOR, access							1	DTD687	—	51/8
	E.F.3.20.2975	DOUBLER							1	DTD687	—	51/9
	24402	E.F.3.57.909							1	Neo-K-Tex	C	51/10
	24403	E.F.3.57.985							1	Neo-K-Tex	C	51/11
		E.F.3.57.981							1	T55	—	51/12
		E.F.3.57.1017							1	BAC.M37	—	51/13
		Attachments:—										
	28D/1200119	A25/4C							4	—	C	51/14
	28M/1278190	AGS.2001/C/1							4	—	C	51/15
		EEAS.20/9DR							1	L72	—	51/16
	26FZ/22959	EEAS.152/C							4	L65	C	51/17
	27FR/30669	F.R. LTD.										
		9811245/F										
	24405	E.F.3.57.1175							1	L59	C	51/19
	—	DOOR, access, on spar 5, starboard wing, assembly							—	—	—	51/20
		(E.F.3.20.2972)										
		Spares for:—										
	E.F.3.20.2974	DOOR, access, assembly							1	—	—	51/21
		Spares for:—										
	E.F.3.20.3702	DOOR, access							1	DTD687	—	51/22
	E.F.3.20.2975	DOUBLER							1	DTD687	—	51/23
	24402	E.F.3.57.909							1	Neo-K-Tex	C	51/24
	24403	E.F.3.57.985							1	Neo-K-Tex	C	51/25
		E.F.3.57.982							1	T55	—	51/26
		E.F.3.57.1017							1	BAC.M37	—	51/27
		Attachments:—										
	28D/1200119	A25/4C							4	—	C	51/28
	28M/1278190	AGS.2001/C/1							4	—	C	51/29
		EEAS.20/9DR							1	L72	—	51/30
	26FZ/22959	EEAS.152/C							4	L65	C	51/31
	27FR/30669	F.R. LTD.										
		9811245/F										
	24405	E.F.3.57.1175							1	L59	C	51/33
		DOOR, access, on spar 5, starboard wing, assembly							—	—	—	51/20
		(E.F.3.20.2972)										
		Spares for:—										
	E.F.3.20.2974	DOOR, access, assembly							1	—	—	51/21
		Spares for:—										
	E.F.3.20.3702	DOOR, access							1	DTD687	—	51/22
	E.F.3.20.2975	DOUBLER							1	DTD687	—	51/23
	24402	E.F.3.57.909							1	Neo-K-Tex	C	51/24
	24403	E.F.3.57.985							1	Neo-K-Tex	C	51/25
		E.F.3.57.982							1	T55	—	51/26
		E.F.3.57.1017							1	BAC.M37	—	51/27
		Attachments:—										
	28D/1200119	A25/4C							4	—	C	51/28
	28M/1278190	AGS.2001/C/1							4	—	C	51/29
		EEAS.20/9DR							1	L72	—	51/30
	26FZ/22959	EEAS.152/C							4	L65	C	51/31
	27FR/30669	F.R. LTD.										
		9811245/F										
	24405	E.F.3.57.1175							1	L59	C	51/33

SERVICES

FUEL SYSTEM IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
28D/9133012	E.F4.57.25	FAIRLEAD, assembly, at frame 43	1	Hycar	—	51/34
	A25/3C	Attachments:— Bolt, 2 BA, hex. head	4	—	C	51/35
28D/9436920	E.F3.57.867	FAIRLEAD, assembly, frame 45, port and starboard	2	Hycar	—	51/36
	A25/1C	Attachments:— Bolt, 2 BA, hex. head	4	—	C	51/37
28D/1200119	A25/4C	Bolt, 2 BA, hex. head	4	—	C	51/38
28M/9433473	AGS.2002/C/1	Nut, stiff, 2 BA	8	—	C	51/39
28W/9419402	SP13/C	Washer, 2 BA, plain	8	—	C	51/40
28D/9133012	E.F3.57.1129	FAIRLEAD, assembly, frame 43, port	1	Hycar	—	51/41
	A25/3C	Attachments:— Bolt, 2 BA, hex. head	6	—	C	51/42
28M/9433473	AGS.2002/C/1	Nut, stiff, 2 BA	6	—	C	51/43
28W/9419475	SP15/C	Washer, 2 BA, plain	6	—	C	51/44
28D/9419452	E.F3.57.1233	FAIRLEAD, assembly, frame 42, port	1	Hycar	—	51/45
	A25/3B	Attachments:— Bolt, 4 BA, hex. head	4	—	C	51/46
28M/1086618	AGS.2002/B/1	Nut, stiff, 4 BA	4	—	C	51/47
28W/9419474	SP15/B	Washer, 4 BA, plain	4	—	C	51/48
2458	E.B1.57.1075	GASKET, refuelling valve on spar 5, port and starboard wing	3	Neo-K-Tex	C	51/49
23600	E.F3.57.1143	PACKING, for pipe clips	4	Lam. Alum.	C	51/50
1439847	E.F4.57.21	PANEL, wing attachment bolts access, and pipe fairlead frame 43, port, assembly Spares for:—	1	—	C	51/51
28D/9436920	A25/1C	BOLT, 2 BA, hex. head	2	—	C	51/52
28D/9133012	A25/3C	BOLT, 2 BA, hex. head	4	—	C	51/53
28FP/9520205	E.F3.57.1199	FAIRLEAD, port	1	Hycar	—	51/54
	E.F3.57.1203	FAIRLEAD, port	1	Hycar	—	51/55
28FP/9138002	E.F4.57.23	PANEL, access, assembly Spares for:—	1	L73	—	51/56
	A3/20	FASTENER	10	—	C	51/57
28W/9419475	GA3/175	GROMMET	10	—	C	51/58
1439894	SP15/C	WASHER, 2 BA, plain	6	—	C	51/59
	E.F4.57.31	PIPE, fuel transverse, aft of frame 45	1	T55	C	51/60
28W/9419475	E.F3.57.989	PIPE, assembly, fuel transfer, from coupling forward of frame 41 starboard to bulkhead union forward of frame 39, port	1	T55	—	51/61
	E.F3.57.991	PIPE, assembly, fuel transfer, from coupling forward of frame 41 port to bulkhead union forward of frame 39, starboard	1	T55	—	51/62
28W/9419475	E.F3.57.993	PIPE, assembly, fuel transfer, from coupling forward of frame 42 to coupling aft of frame 44, port	1	T55	—	51/63
	E.F3.57.995	PIPE, assembly, fuel transfer, from coupling forward of frame 42 to coupling aft of frame 43, starboard	1	T55	—	51/64
28W/9419475	E.F3.57.997	PIPE, assembly, fuel transfer, from coupling aft of frame 43 to connection in wing aft of frame 44, starboard	1	T55	—	51/65
	E.F3.57.999	PIPE, assembly, fuel transfer, from coupling aft of frame 44 to connection in wing, aft of frame 45, port	1	T55	—	51/66

A.P.101B-1002/2A-3A		SERVICES					Page MH15					
FUEL SYSTEM IN REAR FUSELAGE												
Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
R 24362	E.F3.57.1001	PIPE, branch, fuel transfer, from connection at spar 5 to . . . non-return valve connections forward of frame 39							1	T55	C	51/67
	E.F3.57.1013	PIPE, assembly, fuel transfer, from connector at gate . . . valve on spar 5 to coupling aft of trailing edge rib 2, port wing							1	L54	-	51/68
	E.F3.57.1015	PIPE, assembly, fuel transfer, from connection at gate . . . valve on spar 5 to coupling forward of trailing edge rib 2, starboard wing							1	L54	-	51/69
24364	E.F3.57.1119	PIPE, assembly, L.P. fuel, from heat exchanger coupling . . . at frame 39 to coupling aft of frame 43							1	T55	C	51/70
	E.F3.57.1121	PIPE, assembly, L.P. fuel, from connection aft of frame . . . 43 to connection forward of frame 45, port							1	T55	-	51/71
24363	E.F3.57.1153	PIPE, branch, fuel transfer, from connection at spar 5 . . . to non-return valve connections forward of frame 39, starboard							1	T55	C	51/72
1504331	GEO. ANGUS R.161-P5	RING, "O" seal							1	-	C	51/73
27FR/1488482	F.R. LTD. FRS.54/H9	SLEEVE (Mod. 4667)							4	-	C	
27FR/32054	F.R. LTD. 9807350	VALVE, non-return, frame 39							2	-	A	51/74
26FR/21344	F.R. LTD. 1144000	VALVE, refuelling, Mk. 44, spar 5, port and starboard . . . wing							2	-	A	51/75
28D/8002428	A25/6C	Attachments:- Bolt, 2 BA, hex. head							24	-	C	51/76
28F/9429636	AGS.1186/3	Seal, bonded, 2 BA							24	-	C	51/77
9842	EEAS.240/2A	WASHER, "D" for clips							14	L72	C	51/78

SERVICES

FUEL SYSTEM IN REAR FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

