

HYDRAULIC EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	—	HYDRAULIC EQUIPMENT IN FRONT FUSELAGE, ASSEMBLY (E.F2.73.3005) (Mod. 2053) (MK. 2 A/C)	—	—	—	61/1
	—	HYDRAULIC EQUIPMENT IN FRONT FUSELAGE, ASSEMBLY (E.F4.73.205) (MK. 2A A/C) Spares for:—	—	—	—	61/2
	—	PIPES, hydraulic, at nosewheel shimmy damper, assembly (E.F2.73.3015) (Mod. 2053) Spares for:—	—	—	—	61/3
6399	E.B2.73.3861	BOLT, special, swivel coupling attachment to nosewheel leg	2	S95 or 96	C	61/4
6401	E.B3.73.279	PIPE, assembly, between swivel coupling connection . . on nose undercarriage leg and inflation valve, and shimmy damper jack pipe connecting block, pressure line	1	T55	C	61/5
26FZ/980	EEAS.20/1DR	TAB, locking	1	L72	C	61/6
	—	PIPES, hydraulic, between frames 9 and 13, port and starboard, assembly (E.F2.73.3025) (Mod. 2053) Spares for:—	—	—	—	61/7
	E.B2.73.3717	ACCUMULATOR, shimmy damper, assembly Consisting of:—	1	—	—	61/8
27QM/30211	DOWTY ROTOL 8794	ACCUMULATOR	1	—	A	61/9
6296	E.B2.73.3719	BANJO, special extended	1	L65	C	61/10
3914	E.B2.73.2191	BOLT, special banjo	1	S94, 95 or 96	C	61/11
6297	E.B2.73.3721	BOLT, special, accumulator mounting	1	S94, 95 or 96	C	61/12
28R/8011898	AGS.948/A	PLUG, flanged, 1/8" BSP	1	—	C	61/13
28F/9428452	AGS.1186/A	SEAL, bonded	1	—	C	61/14
28F/9428453	AGS.1186/B	SEAL, bonded	1	—	C	61/15
28F/9429532	AGS.1186/C	SEAL, bonded	1	—	C	61/16
30A/3055	†	WIRE, locking, 20 SWG	QR	DTD189	C	61/17
6442	E.B3.73.173	BANJO, special, nose undercarriage "down" lock jack .	1	S94, 95 or 96	C	61/18
6299	E.B2.73.3729	BANJO, special, services system pressure pipe mounting	1	L65	C	61/19
4068	E.B2.73.3189	BOLT, special banjo, nose undercarriage "down" lock jack	1	S94	C	61/20
8506	E.B2.73.5735	BOLT, special banjo, swivel coupling to nose undercarriage leg mounting	2	S94	C	61/21
8507	E.B3.73.1595	CONNECTION, special right angle, for shimmy damper accumulator hose, bleed line	1	S94	C	61/22
9051	E.B3.73.1649	CONNECTION, damper accumulator bleed, assembly .	1	—	C	61/23
	E.B3.73.1591	Consisting of:— CONNECTION, bleed	1	S94	—	61/24
28F/9128952	AGS.1174	SCREW, bleeder	1	—	C	61/25
8509	E.B3.73.1587	ELBOW, special reduction	1	S94	C	61/26
6303	E.B2.73.1399	PACKING, swivel coupling	1	L65	C	61/27
6305	E.B2.73.1409	PACKING, swivel coupling, for shimmy damper pipe . .	1	L65	C	61/28
6311	E.B3.73.281	PIPE, assembly, shimmy damper accumulator bleed . . .	1	T55	C	61/29
6313	E.B3.73.283	PIPE, assembly, from elbow aft of frame 12 to nose . . . undercarriage "down" lock jack	1	T55	C	61/30

SERVICES

HYDRAULIC EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
21207	E.F.2.73.1387	PIPE, assembly, from nose undercarriage jack swivel coupling forward of frame 13 to restrictor tee aft of frame 13	1	30/166	C	61/31
6307	E.B3.73.289	PIPE, assembly, from nose undercarriage shimmy damper accumulator to swivel coupling connection between frames 11 and 12	1	T55	C	61/32
R	E.B2.73.1401	STRIP, neoprene (Pre-Mod. 4722)	1	Shore Hardness 40-45	LM	61/33
R	E.B2.73.7099	STRIP, nitrile (Mod. 4722)	1	—	—	—
R	E.B3.73.1761	STRIP, nitrile (Mod. 4722)	1	—	—	—
26FZ/980	EEAS.20/1DR	TAB, locking	1	L72	C	61/34
6317	E.B2.73.1369	WASHER, special, nose wheel undercarriage jack swivel coupling	1	L72	C	61/35
10303	EEAS.240/1A	WASHER, "D"	6	L72	C	61/36
—	—	PIPES, hydraulic, between frames 14 and 16, starboard, assembly (E.F.2.73.3027) (Mod. 2053) Spares for:—	—	—	—	62/1
19958	E.B4.73.795	BOBBIN, distance, pipe clip spacing	1	L64	C	62/2
23433	EEAS.552/8	BOBBIN, distance, pipe clip spacing	1	L65 L5	C	—
23432	EEAS.552/9	BOBBIN, distance, pipe clip spacing	1	L65 L5	C	—
11676	E.B3.73.1669	BRACKET, pipe clip mounting	2	EEDX100 or 1013	C	62/3
28D/9133011	A25/2C	Attachments:— Bolt, 2 BA, hex. head	2	—	C	62/4
28W/9419475	SP15/C	Washer, 2 BA, plain	2	—	C	62/5
8847	E.B3.73.1651	EYEBOLT, special, pipe clip mounting	1	S1	C	62/6
6501	E.B3.73.327	PIPE, assembly, from connection aft of pressure bulkhead to elbow aft of frame 16, return line	1	T55	C	62/7
6503	E.B3.73.329	PIPE, assembly, from connection aft of pressure bulkhead to elbow aft of frame 16, port brake line	1	T55	C	62/8
6505	E.B3.73.331	PIPE, assembly, from connection aft of pressure bulkhead to elbow aft of frame 16, brake pressure line	1	T55	C	62/9
6507	E.B2.73.333	PIPE, assembly, from connection aft of pressure bulkhead to elbow aft of frame 16, starboard brake line	1	T55	C	62/10
6509	E.B3.73.335	PIPE, assembly, between elbow and coupling aft of frame 6, starboard brake line	1	T55	C	62/11
6511	E.B3.73.337	PIPE, assembly, between elbow and coupling aft of frame 16, brake pressure line	1	T55	C	62/12
6513	E.B3.73.339	PIPE, assembly, between elbow and coupling aft of frame 16, brake return line	1	T55	C	62/13
6515	E.B3.73.341	PIPE, assembly, between elbow and coupling aft of frame 16, port brake line	1	T55	C	62/14
21152	E.F.2.73.1397	PIPE, assembly, from elbow aft of frame 16 to services suction line tee aft of frame 15, brake return line	1	30/166	C	62/15
10303	EEAS.240/1A	WASHER, "D"	21	L72	C	62/16
—	—	PIPES, hydraulic, at pressure bulkhead, assembly (E.F.2.73.3023) (Mod. 2053) Spares for:—	—	—	—	63/1
6544	E.B2.73.3207	GASKET, pressure bulkhead connection sealing	2	—	C	63/2

HYDRAULIC EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
6546	E.B3.73.259	PIPE, assembly, from pressure bulkhead connection . . . to operating jack connection, canopy open line	1	DTD743	C	63/3
6548	E.B3.73.261	PIPE, assembly, from pressure bulkhead connection . . . to operating jack connection, canopy "shut" line	1	DTD743	C	63/4
10303	EEAS.240/1A	WASHER, "D"	4	L72	C	63/5
	-	PIPES, hydraulic, between frames 13 and 16, assembly .. (E.F2.73.3031) (Mod. 2053) (Mk. 2 A/c)	-	-	-	64/1
	-	PIPES, hydraulic, between frames 13 and 16, assembly .. (E.F4.73.2179) (Mod. 4244) (Mk. 2A A/c)	-	-	-	64/2
3860	E.B2.73.2127	COUPLING, special tee, aft of frame 14, under- carriage down and emergency lines	2	S94, 95 or 96	C	64/3
	E.B4.73.713	FAIRLEAD, aft of frame 15	1	-	-	64/4
		Attachments:-				
28D/1010030	A25/7C	Bolt, 2 BA, hex. head	1	-	C	64/5
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	1	-	C	64/6
28W/9419475	SP15/C	Washer, 2 BA, plain (Mk. 2 A/c)	1	-	C	64/7
28W/9457834	SP124/D	Washer, packing (Mk. 2A A/c)	1	-	C	64/8
6319	E.B3.73.1449	FAIRLEAD, at frame 13	1	-	C	64/9
		Attachments:-				
28D/9140645	A25/10C	Bolt, 2 BA, hex. head	2	-	C	64/10
28W/9419475	SP15/C	Washer, 2 BA, plain (Mk. 2 A/c)	2	-	C	64/11
28W/9457834	SP124/D	Washer, packing (Mk. 2A A/c)	1	-	C	64/12
6321	E.B3.73.203	PIPE, assembly, from relief valve at frame 14 to bypass valve tee aft of frame 15, services return line	1	DTD743	C	64/13
6324	E.B3.73.205	PIPE, assembly, between by-pass valve tee and services . suction line tee aft of frame 15	1	DTD743	C	64/14
6358	E.B3.73.207	PIPE, assembly, from nose undercarriage jack tee aft .. of frame 14 to shuttle valve connection emergency line	1	DTD743	C	64/15
6326	E.B3.73.209	PIPE, assembly, from undercarriage "down" line tee .. at frame 15 to undercarriage "down" lock jack pipe elbow	1	DTD743	C	64/16
6360	E.B3.73.211	PIPE, assembly, from nose undercarriage jack tee aft .. of frame 14 to shuttle valve connection, emergency line	1	DTD743	C	64/17
6354	E.B3.73.213	PIPE, assembly, from by-pass valve connection aft of .. frame 15 to nose undercarriage shimmy damper accumulator	1	DTD743	C	64/18
6328	E.B3.73.215	PIPE, assembly, from by-pass valve tee aft of frame . . . 15 to shimmy damper accumulator	1	DTD743	C	64/19
6330	E.B3.73.217	PIPE, assembly, from nose undercarriage jack swivel .. coupling to emergency line tee aft of frame 14	1	DTD743	C	64/20
6332	E.B3.73.219	PIPE, assembly, between nose undercarriage jack tee .. and emergency line tee aft of frame 14	1	DTD743	C	64/21
6334	E.B3.73.221	PIPE, assembly, between nose undercarriage flexible .. coupling and nose undercarriage "down" line by-pass tee	1	DTD743	C	64/22
6336	E.B3.73.223	PIPE, assembly, between nose undercarriage jack and by-pass valve tee and undercarriage "down" line tee aft of frame 14	1	DTD743	C	64/23

SERVICES

HYDRAULIC EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
6340	E.B3.73.227								1	DTD743	C	64/24
6342	E.B3.73.229								1	DTD743	C	64/25
6344	E.B3.73.231								1	DTD743	C	64/26
6346	E.B3.73.233								1	DTD743	C	64/27
6348	E.B3.73.235								1	DTD743	C	64/28
6350	E.B3.73.237								1	DTD743	C	64/29
6352	E.B3.73.239								1	DTD743	C	64/30
	E.F2.73.1067								1	30/166	-	64/31
21153	E.F2.73.1383								1	30/166	C	64/32
21154	E.F2.73.1385								1	30/166	C	64/33
6361	E.B2.73.3769								1	-	C	64/34
11722	E.F2.73.211								1	L65	C	64/35
3841	E.B1.73.1003								1	L65	C	64/36
	E.F2.73.209								1	-	-	64/37
4987	E.B1.73.1203								1	L65	C	64/38
28E/9429532	AGS.1186/C								1	-	C	64/39
27QM/70376	DOWTY ROTOL H.5055								1	-	A	64/40
	E.B3.73.1639								1	-	-	64/41
6442	E.B3.73.173								2	S94, 95 or 96	C	64/42
28F/9439533	AGS.1129/B								3	-	C	64/43
28E/9423227	AGS.1135/B								2	-	C	64/44
6318	E.B2.73.2217								1	S94, 95 or 96	C	64/45
4068	E.B2.73.3189								2	S94, 95 or 96	C	64/46
6322	E.B2.73.2223								1	S94, 95 or 96	C	64/47
28F/9428452	AGS.1186/A								4	-	C	64/48
28F/9428453	AGS.1186/B								7	-	B	64/49
27QM/30235	DOWTY ROTOL 8521								1	-	A	64/50
6317	E.B2.73.1369								2	L72	C	64/51
10303	EEAS.240/1A								16	L72	C	64/52
9842	EEAS.240/2A								2	L72	C	64/53
	-								-	-	-	63/6
												PIPES, hydraulic, between frames 16 and 22, port and starboard, assembly (E.F2.73.1857) (Mod. 2053) (Mk. 2 A/c)

HYDRAULIC EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	—	PIPES, hydraulic, between frames 16 and 22, port and ... starboard, assembly (E.F4.73.2167) (Mod. 4244) (Mk. 2A A/c) Spares for:—	—	—	—	63/7
	E.F4.73.2197	BRACKET, support, special coupling at fairlead, ... frame 20 (Mk. 2A A/c)	1	L72	—	63/8
20482	E.F3.1429	COUPLING, special, at frame 20 (Mk. 2A A/c) ... Attachments:—	1	L65	C	63/9
28D/1013173	AS.1242/10C	Bolt, 2 BA, c'sk head	1	—	C	63/10
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	1	—	C	63/11
28W/5806394	SP125/D	Washer, packing	1	—	C	63/12
7813	E.B2.73.4471	COUPLING, special tee, for port tapping point ... pipe aft of frame 31	1	S94	C	63/13
8517	E.B2.73.5771	COVER, assembly, for pipes between frame 16 and ... 17 Attachments:—	1	—	C	63/14
28D/1011006	A25/5B	Bolt, 4 BA, hex. head	3	—	C	63/15
28D/9130082	AS.1242/3B	Bolt, 4 BA, c'sk head	3	—	C	63/16
28M/15819	AGS.2021/B/1	Nut, 4 BA, translucent cap	6	—	C	63/17
28W/9419474	SP15/B	Washer, 4 BA, plain	6	—	C	63/18
8513	E.B3.73.1461	FAIRLEAD, aft of frame 20, starboard (Mk. 2 A/c) ... Attachments:—	1	—	C	63/19
28D/1214032	AS.1242/9C	Bolt, 2 BA, c'sk head	2	—	C	63/20
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	63/21
28W/9419475	SP15/C	Washer, 2 BA, plain	2	—	C	63/22
1441431	E.F4.73.2181	FAIRLEAD, aft of frame 20, starboard (Mk. 2A A/c) . Attachments:—	1	—	C	63/23
28D/1214032	AS.1242/9C	Bolt, 2 BA, c'sk head	2	—	C	63/24
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	63/25
28W/9457834	SP124/C	Washer, packing	2	—	C	63/26
8514	E.B3.73.1473	FAIRLEAD, aft of frame 20, port Attachments:—	1	—	C	63/27
28D/1214032	AS.1242/9C	Bolt, 2 BA, c'sk head	3	—	C	63/28
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	3	—	C	63/29
28W/9419475	SP15/C	Washer, 2 BA, plain (Mk. 2 A/c)	3	—	C	63/30
28W/9457834	SP124/D	Washer, packing (Mk. 2A A/c)	3	—	C	63/31
8515	E.B3.73.1505	FAIRLEAD, at frame 31 Attachments:—	1	—	C	63/32
28D/9140644	A25/9C	Bolt, 2 BA, c'sk head	2	—	C	63/33
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	63/34
28W/9419404	SP16/C	Washer, 2 BA, plain (Mk. 2 A/c)	2	—	C	63/35
28W/5806394	SP125/D	Washer, packing (Mk. 2A A/c)	2	—	C	63/36
8516	E.B3.73.1521	FAIRLEAD, assembly, at frame 16 and 17 Attachments:—	2	—	C	63/37
28D/1204937	AS.1242/6C	Bolt, 2 BA, c'sk head	3	—	C	63/38
28D/1007978	AS.1242/7C	Bolt, 2 BA, c'sk head	1	—	C	63/39
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	4	—	C	63/40
R	E.B4.73.107	Packing, neoprene (Pre-Mod. 4722)	2	Shore Hardness 40-45	LM	63/41
R	E.B4.73.1083	Packing, nitrile (Mod. 4722)	2	—	—	—
28W/9419404	SP16/C	Washer, 2 BA, plain (Mk. 2 A/c)	4	—	C	63/42
28W/5806394	SP125/D	Washer, packing (Mk. 2A A/c)	4	—	C	63/43

SERVICES

HYDRAULIC EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
21155	E.F2.73.1929	FAIRLEAD, aft of frame 20							1	—	C	63/44
		Attachments:—										
28D/1011019	A25/8C	Bolt, 2 BA, hex. head							1	—	C	63/45
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA							1	—	C	63/46
28W/9419475	SP15/C	Washer, 2 BA, plain (Mk. 2 A/c)							1	—	C	63/47
28W/9457834	SP124/D	Washer, packing (Mk. 2A A/c)							1	—	C	63/48
21156	E.F2.73.1961	FAIRLEAD, aft of frame 17							1	—	C	63/49
		Attachments:—										
28D/9140644	A25/9C	Bolt, 2 BA, hex. head							2	—	C	63/50
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA							2	—	C	63/51
28W/9419475	SP15/C	Washer, 2 BA, plain (Mk. 2 A/c)							2	—	C	63/52
28W/9457834	SP124/D	Washer, packing (Mk. 2A A/c)							2	—	C	63/53
21157	E.F2.73.1903	PIPE, assembly, from reduction tee aft of frame 19 to pressure transmitter elbow, brake pressure line							1	T55	C	65/1
6535	E.B3.73.243	PIPE, assembly, from special elbow aft of frame 19 to pressure transmitter on frame 20, brake pressure line							1	T55	C	65/2
11723	E.F2.73.373	PIPE, assembly, from transmitter tee aft of frame 19 to brake accumulator connection aft of frame 22, brake pressure line							1	T55	C	65/3
	E.F2.73.1905	PIPE, assembly, from coupling aft of frame 20 to coupling forward of frame 23, starboard brake line							1	T55	—	65/4
11725	E.F2.73.491	PIPE, assembly, from connection aft of frame 20 to services system accumulator forward of frame 23, pressure line							1	T55	C	65/5
11726	E.F2.73.521	PIPE, assembly, from special reduction tee aft of frame 20 to starboard tapping point aft of frame 21, services pressure line							1	T55	C	65/6
11727	E.F2.73.919	PIPE, assembly, between special reduction tee and pressure transmitter aft of frame 20, services pressure line (Mk. 2 A/c)							1	T55	C	65/7
6102741	E.F4.73.2213	PIPE, assembly, between reduction tee and coupling aft of frame 20, services pressure line (Mk. 2A A/c)							1	DTD5016	C	65/8
1504143	E.F4.73.2215	PIPE, assembly, between coupling and pressure transmitter aft of frame 20, services pressure line (Mk. 2A A/c)							1	DTD5016	C	65/9
	E.F2.73.1353	PIPE, assembly, from tee coupling aft of frame 20 to coupling aft of frame 17, services pressure line (Mk. 2 A/c)							1	T55	C	65/10
	E.F4.73.2169	PIPE, assembly, from tee coupling aft of frame 19 to coupling aft of frame 17, services pressure line (Mk. 2A A/c)							1	DTD5016	—	65/11
	E.F4.73.2171	PIPE, assembly, from tee coupling aft of frame 20 to tee coupling aft of frame 19, services pressure line (Mk. 2A A/c)							1	DTD5016	—	65/12
37433	E.F2.73.1061	PIPE, assembly, from connection aft of frame 21 to tee coupling							1	T55	C	65/13
10457	E.B3.73.1089	PIPE, assembly, from coupling aft of frame 19 to elbow aft of frame 16, port brake line							1	T55	C	65/14
10456	E.B3.73.1091	PIPE, assembly, from elbow connection aft of frame 16 to coupling aft of frame 20, starboard brake line							1	T55	C	65/15

HYDRAULIC EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index	
							1
8523	E.B3.73.1093	PIPE, assembly, from port tapping point tee aft of frame 21 to reduction tee aft of frame 15, services suction line	1	T55	C	65/16	
8522	E.B3.73.1095	PIPE, assembly, from coupling aft of frame 17 to by- . . pass valve tee aft of frame 15, services pressure line	1	T53	C	65/17	
10458	E.B3.73.1097	PIPE, assembly, from pressure transmitter tee aft of . . . frame 19 to elbow aft of frame 16, brake pressure line	1	T55	C	65/18	
	E.F2.73.1343	PIPE, assembly, from connection aft of frame 21 to . . . tee coupling forward of frame 15, under-carriage 'emergency' line	1	T55	-	65/19	
	E.F2.73.1355	PIPE, assembly, transverse, from tee coupling aft of . . . frame 20 starboard to connection aft of frame 21 port, canopy pressure line	1	T55	-	65/20	
	E.F4.73.2173	PIPE, assembly, between tee coupling and relay valve . . aft of frame 19, services pressure line (Mk. 2A A/c)	1	DTD5016	-	65/21	
6102149	E.F4.73.2273	PIPE, assembly, from by-pass valve forward of frame . . 16 to relay valve aft of frame 19, services pressure line (Mk. 2A A/c) (Mod. 4608)	1	DTD5016	C	65/22	
	E.F4.73.2177	PIPE, assembly, from relay valve aft of frame 19 to . . . coupling aft of frame 20, services pressure line (Mk. 2A A/c)	1	DTD5016	-	65/23	
6531	E.B2.73.5493	PIPE, assembly, from reduction tee aft of frame 21 . . . to port tapping point, services suction line	1	T55	C	65/24	
7810	E.B2.73.5505	PIPE, assembly, from connection at frame 21 to port . . tapping point tee aft of frame 21, services suction line	1	T55	C	65/25	
	E.B4.73.1087	STRIP, nitrile (Mod. 4722)	2	-	-		
26FZ/981	EEAS.20/2DR	TAB, locking	4	L72	C	65/26	
26FZ/3412	EEAS.20/3DR	TAB, locking	1	L72	C	65/27	
3864	E.B2.73.215	TEE, special reduction, aft of frame 20, services pressure line	1	S95	C	65/28	
4021	E.B2.73.3153	TEE, special cone, aft of frame 19, brake pressure line	1	S94	C	65/29	
1441432	E.F4.2187	UNION, reducing, at coupling aft of frame 20 (Mk. 2A A/c)	1	-	C	65/30	
	E.B3.73.1637	VALVE, pressure relay, assembly Spares for:-	1	-	-	65/31	
8524	E.B3.73.1597	ELBOW, special, cone	1	S94	C	65/32	
27VA/5284	DUNLOP ACM.18798	TRANSMITTER, signal	1	-	B	65/33	
28F/9428452	AGS.1186/A	SEAL, bonded	1	-	C	65/34	
10303	EEAS.240/1A	WASHER, 'D'	25	L72	C	65/35	
	-	PIPES, hydraulic, between frames 22 and 25, starboard, . . assembly (E.F2.73.3033) (Mod. 2053) Spares for:-	-	-	-	66/1	
R	E.F2.73.3155	ACCUMULATOR, brake pressure, assembly Consisting of:-	1	-	-	66/2	
R	27QM/1491222	ACCUMULATOR	1	-	A	66/3	
	6402	E.B2.73.2151	BLOCK, spigot	1	S94	C	66/4
	11728	E.F2.73.203	BODY, special banjo	1	S94	C	66/5
	6404	E.B2.73.1509	BOLT, special banjo	1	S94	C	66/6
	6405	E.B2.73.1513	LUG, attachment	1	L40	C	66/7
28F/9128915	AGS.1148/C	NUT, thin, 3/8" BSP	1	-	-	66/8	
27Q/70370	DOWTY ROTOL H.2011	VALVE, non-return	1	-	A	66/9	

Page ML8		SERVICES										
HYDRAULIC EQUIPMENT IN FRONT FUSELAGE												
Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
R	27Q/1030167	GD.2418/B							1	—	C	66/10
R	27Q/1451724	AGS.1186/C							1	—	C	66/11
		E.B2.73.7109							1	—	—	66/12
R	27QM/1491222	DOWTY ROTOL 102603001							1	—	A	66/3
	6402	E.B2.73.2151							1	S94	C	66/4
	6403	E.B2.73.3253							1	S94	C	66/13
	6404	E.B2.73.1509							1	S94	C	66/6
	6405	E.B2.73.1513							1	L40	C	66/7
	28F/9128915	AGS.1148/C							1	—	C	66/8
R	27QA/1030167	GD.2618/B							1	—	C	66/8
R	27QA/1451724	GD.2618/C							2	—	C	66/10
	30A/3055	†							QR	DTD189	C	66/14
		EEAS.552/3							2	L65	C	67/1
	6407	E.B2.73.2129							2	S94	C	67/2
	6409	E.B2.73.2139							2	S94	C	67/3
	6410	E.B2.73.3231							1	—	C	67/4
	28D/9133011	A25/2C							3	—	C	67/5
	28M/1278190	AGS.2001/C/1							3	—	C	67/6
	28W/9419474	SP15/C							3	—	C	67/7
	6411	E.B2.73.3823							1	L72	C	66/15
	28D/9133011	A25/2C							2	—	C	66/16
	28M/1278190	AGS.2001/C/1							2	—	C	66/17
	28W/9419475	SP15/C							2	—	C	66/18
	3860	E.B2.73.2127							2	S94	C	67/8
	9947	E.B3.73.61							1	—	B	66/19
	6406	E.B2.73.3201							1	S94	C	66/20
	3881	E.B2.73.201							1	S94	C	66/21
	6412	E.B2.73.3195							1	S94	C	66/22
	28F/9428455	AGS.1186/D							2	—	C	66/23
	11729	E.F2.73.653							1	—	C	67/9
	28D/9133012	A25/3C							2	—	C	67/10
	28D/1200119	A25/4C							6	—	C	67/11
	28M/1278190	AGS.2001/C/1							8	—	C	67/12
	28W/9419475	SP15/C							8	—	C	67/13
	23425	EEAS.556/2							4	DTD560	C	67/14
	23426	EEAS.554/2							4	DTD560	—	67/15
	11730	E.F2.73.301							1	T55	C	66/24
	11731	E.F2.73.303							1	T55	C	66/25
	11732	E.F2.73.305							1	T55	C	66/26
	11734	E.F2.73.481							1	T55	C	66/27

SERVICES

HYDRAULIC EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
21209	E.F.2.73.1933	PIPE, assembly, from charging valve aft of frame 23 ... to brake accumulator reduction tee	1	T55	C	67/16
	E.F.2.73.1935	PIPE, assembly, from charging valve aft of frame 23 ... to system accumulator reduction tee	1	T55	-	67/17
	E.F.3.73.2009	PIPE, assembly, from special elbow aft of frame 23 ... to connection aft of frame 25, services pressure line	1	T55	-	66/28
6414	E.B.2.73.3339	PIPE, assembly, from pressure gauge connection to ... accumulator reduction tee, charging line	1	T55	C	67/18
6415	E.B.2.73.3341	PIPE, assembly, from pressure gauge connection to ... system reduction tee, charging line	1	T55	C	67/19
6416	E.B.2.73.3343	PIPE, assembly, from reduction tee to brake ... accumulator connection, charging line	1	T55	C	67/20
6417	E.B.2.73.3345	PIPE, assembly, from reduction tee to system ... accumulator connection, charging line	1	T55	C	67/21
21212	E.F.2.73.2541	TEE-JOINT, special, non-return valve, assembly ... Consisting of:-	1	-	B	66/29
6407	E.B.2.73.2129	BODY, special, pressure line	1	S94	C	66/30
6409	E.B.2.73.2139	BOLT, special banjo	1	S94	C	66/31
28F/9428453	AGS.1186/B	SEAL, bonded	3	-	C	66/32
11739	E.F.2.73.207	TEE, special, non-return mounting	1	S94	C	66/33
27Q/70370	DOWTY ROTOL H.2011	VALVE, non-return	1	-	B	66/34
9943	E.B.3.73.63	VALVE, charging, assembly (Pre-Mod. 4550)	2	-	B	67/22
6102565	E.B.3.73.1755	VALVE, charging, assembly (Mod. 4550) Consisting of:-	1	-	B	
6413	E.B.2.73.3267	FITTING, special, bulkhead (Pre-Mod. 4550)	1	S94	C	67/23
	E.B.3.73.7087	FITTING, special, bulkhead (Mod. 4550)	1	-	-	
28F/9428453	AGS.1186/B	SEAL, bonded	1	-	C	67/24
28Y/15486	H.P. COMP'TS A58	VALVE, charging	1	-	C	67/25
10303	EEAS.240/1A	WASHER, "D"	10	L72	C	67/26
9842	EEAS.240/2A	WASHER, "D"	2	L72	C	66/35
	-	PIPES, hydraulic, frames 22-23, port, assembly (E.F.2.73.1855) (Mod. 2053) (Mk. 2 A/c)	-	-	-	68/1
	-	PIPES, hydraulic, frames 22-23, port, assembly (E.F.4.73.53) (Mk. 2A A/c) Spares for:-	-	-	-	68/2
	E.B.3.73.1675	ACCUMULATOR, No. 2, controls aileron, at frame 22, sub-assembly Consisting of:-	1	-	-	68/3
27QM/30209	DOWTY ROTOL 8785	ACCUMULATOR	1	-	A	68/4
6425	E.B.2.73.3247	BODY, special banjo	1	S94	C	68/5
6426	E.B.2.73.3255	BODY, special banjo	1	S94	C	68/6
6427	E.B.2.73.1537	BOLT, special banjo	1	S94	C	68/7
6428	E.B.2.73.1549	BOLT, special banjo	1	S94	C	68/8
6429	E.B.1.73.153	LUG, attachment	1	L65	C	68/9
6430	E.B.2.73.1551	LUG, attachment	1	L65	C	68/10
28F/1010558	AGS.1148/B	NUT, stiff, 1/4" BSP	1	-	C	68/11
28F/9128915	AGS.1148/C	NUT, stiff, 3/8" BSP	1	-	C	68/12
28F/9428453	AGS.1186/B	SEAL, bonded	2	-	C	68/13
28F/9429532	AGS.1186/C	SEAL, bonded	2	-	C	68/14
30A/3055	†	WIRE, locking, 22 SWG	QR	DTD189	C	68/15

SERVICES

HYDRAULIC EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	E.B2.73.1677	ACCUMULATOR, No. 1 controls aileron, at frame 23, sub-assembly (Mk. 2 A/c) Spares for this assembly are identical with those for assembly Pt. No. E.B2.73.1675 on page ML9 except for the following deletions and addition Delete:—							1	—	—	68/16
6426	E.B2.73.3255	BODY, special banjo							1	S94	C	68/6
6428	E.B2.73.1549	BODY, special banjo							1	S94	C	68/8
		Add:—										
6431	E.B2.73.3245	ADAPTOR, special							1	S94	C	68/17
	E.F3.73.7903	ACCUMULATOR, No. 1 controls aileron, at frame 23, sub-assembly (Mk. 2A A/c) Consisting of:—							1	—	—	68/18
27QM/30209	DOWTY ROTOL 8785	ACCUMULATOR							1	—	A	68/4
35080	E.F3.73.7909	ADAPTOR, special							1	S95	C	68/19
6425	E.B2.73.3247	BODY, special banjo							1	S94	C	68/5
6427	E.B2.73.1537	BOLT, special banjo							1	S94	C	68/7
6429	E.B1.73.153	LUG, attachment							1	L65	C	68/9
6430	E.B2.73.1551	LUG, attachment							1	L65	C	68/10
28F/1010558	AGS.1148/B	NUT, stiff, 1/4" SBF							1	—	C	68/11
28F/9128915	AGS.1148/C	NUT, stiff, 3/8" BSP							1	—	C	68/12
28F/9428453	AGS.1186/B	SEAL, bonded							2	—	C	68/13
28F/9429532	AGS.1186/C	SEAL, bonded							2	—	C	68/14
30A/3055	†	WIRE, locking, 22 SWG							QR	DTD189	C	68/15
	E.B2.73.1679	ACCUMULATOR, No. 2 controls nitrogen bottle, at frame 22, sub-assembly Consisting of:—							1	—	—	68/20
27QM/30205	DOWTY ROTOL 8786	ACCUMULATOR							1	—	A	68/21
6432	E.B2.73.3243	ADAPTOR, special							1	S94	C	68/22
6433	E.B2.73.3259	CONNECTOR, spigot							1	S94	C	68/23
6429	E.B1.73.153	LUG, attachment							1	L65	C	68/24
28F/1010558	AGS.1148/B	NUT, thin, 1/4" BSP							1	—	C	68/25
28F/9428453	AGS.1186/B	SEAL, bonded							2	—	C	68/26
30A/3055	†	WIRE, locking, 22 SWG							QR	DTD189	C	68/27
	E.B2.73.1681	ACCUMULATOR, No. 1 controls nitrogen bottle at frame 23, sub-assembly Spares for this assembly are identical with those for Pt. No. E.B2.73.1679							1	—	—	68/28
	E.B3.73.127	BLOCK, four-way junction, assembly							1	—	—	68/29
		Consisting of:—										
28F/8011809	AGS.1104/B	ADAPTOR, cone, 1/4" o/d							2	—	C	68/30
6436	E.B2.73.3713	BLOCK, four-way							1	T55	C	68/31
28F/9428453	AGS.1186/B	SEAL, bonded							4	—	C	68/32
28Y/15486	H.P. COMP'TS A58	VALVE, inflation							2	—	C	68/33
6442	E.B3.73.173	BODY, special banjo, pressure switch pressure control pipe connection							1	S94	C	68/34
4068	E.B2.73.3189	BOLT, special banjo, pressure switch pressure control pipe connection							1	S94	C	68/35
	E.F2.73.1663	BRACKET, fairlead mounting at frame 22							1	L72	—	69/1
		Attachments:—										
28D/9133011	A25/2C	Bolt, 2 BA, hex. head							2	—	C	69/2
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA							2	—	C	69/3
28W/9419475	SP15/C	Washer, 2 BA, plain							2	—	C	69/4

HYDRAULIC EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
3860	E.B2.73.2127	COUPLING, special tee, pressure gauge	2	S94	C	69/5
35081	E.F3.73.7905	ELBOW, special, 3/8" BSP (Mk. 2A A/c)	1	—	C	69/6
21162	E.F2.73.1655	FAIRLEAD, on frame 22	1	—	C	69/7
		Attachments:—				
28D/9140647	A25/14C	Bolt, 2 BA, hex. head	2	—	C	69/8
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	69/9
28W/9419475	SP15/C	Washer, 2 BA, plain	2	—	C	69/10
23426	EEAS.554/2	FAIRLEAD, for 1/4" pipe (Mk. 2A A/c)	1	DTD560	C	69/11
23425	EEAS.556/2	FAIRLEAD, for 1/4" pipe (Mk. 2A A/c)	1	DTD560	C	69/12
21166	E.F2.73.1357	PIPE, assembly, from canopy selector connection to reducing union at frame 23, canopy pressure line	1	T55	C	69/13
	E.F2.73.1363	PIPE, assembly, from reducing union at frame 23 to connection aft of frame 21, canopy pressure line (Mk. 2A A/c)	1	T55	—	69/14
	E.F4.73.1119	PIPE, assembly, from reducing union at frame 23 to connection aft of frame 21, canopy pressure line (Mk. 2A A/c)	1	DTD5016	—	69/15
21163	E.F2.73.1365	PIPE, assembly, from thermal control pressure switch to unequal tee piece aft of frame 23, controls No. 1 pressure line	1	T55	C	69/16
8511	E.B3.73.1667	PIPE, assembly, inter-connection between No. 1 controls air bottle and No. 1 controls aileron accumulator	1	T55	C	69/17
6456	E.B2.73.2403	PIPE, assembly, from No. 1 controls air bottle to inflation valve aft of frame 23	1	T55	C	69/18
21164	E.F2.73.1953	PIPE, assembly, inter-connection between No. 2 controls air bottle and No. 2 controls aileron accumulator	1	T55	C	69/19
6459	E.B2.73.2409	PIPE, assembly, from inflation valve to tee coupling aft of frame 22	1	T55	C	69/20
6480	E.B2.73.2693	PIPE, assembly, from No. 2 controls air bottle gauge to charging valve tee aft of frame 22	1	T55	C	69/21
6481	E.B2.73.2695	PIPE, assembly, from No. 2 controls air bottle tee to 4,000 lbs, pressure gauge aft of frame 22	1	T55	C	69/22
6482	E.B2.73.2697	PIPE, assembly, from inflation valve to pressure gauge and No. 1 controls air bottle tee aft of frame 22	1	T55	C	69/23
6483	E.B2.73.2699	PIPE, assembly, from No. 1 controls air bottle tee to 4,000 lbs, pressure gauge aft of frame 22	1	T55	C	69/24
21165	E.F2.73.1055	PIPE, assembly, from undercarriage emergency selector connection aft of frame 23 to canopy selector aft of frame 22, services return line	1	T55	C	69/25
3972	EEAS.20/3CR	TAB, locking	1	L72	C	69/26
11740	EEAS.20/6CR	TAB, locking	1	L72	C	69/27
10303	EEAS.240/1A	WASHER, "D"	3	L72	C	69/28
	—	PIPES, hydraulic, between frames 23 and 25, port, assembly (E.F2.73.159) (Mod. 2053) (Mk. 2 A/c)	—	—	—	70/1
	—	PIPES, hydraulic, between frames 23-25, port, assembly (E.F4.73.55) (Mk. 2A A/c)	—	—	—	70/2
		Spares for:—				
19958	E.B4.73.795	BOBBIN, ".35 long, fairlead spacing forward of frame 25	1	L64	C	70/3
	EEAS.552/3	BOBBIN, ".45 long, fairlead spacing aft of frame 23 (Mk. 2 A/c)	1	L65	—	70/4

SERVICES

HYDRAULIC EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6				
23430	EEAS.552/4							1	L65	C	70/5
11742	E.F.2.73.189							1	L73	C	70/6
6102387	E.F.2.73.3145							1	—	C	
11743	E.F.2.73.191							1	L73	C	70/7
6012388	E.F.2.73.3147							1	—	C	
	E.F.2.73.693							1	L73	—	70/8
6102389	E.F.2.73.3149							1	—	C	
	E.F.2.73.695							1	L73	—	70/9
	E.B.2.73.6087							1	—	—	70/10
6102390	E.F.2.73.3151							1	—	C	
21200	E.F.2.73.1251							1	S94	C	70/11
											services pressure line
19928	E.F.3.73.2069							1	S94	C	70/12
											ELBOW, special, forward of frame 25, services pressure line
21170	E.F.3.73.2085							1	—	C	70/13
											ELBOW, special reducing, aft of frame 23, controls No. 1 pressure line, assembly Consisting of:—
6442	E.B.3.73.173							1	S94	C	70/14
4068	E.B.2.73.3189							1	S94	C	70/15
22082	E.F.3.73.2083							1	—	C	70/16
28F/9428452	AGS.1186/A							2	—	C	70/17
6450	E.B.2.73.2181							2	S94	C	70/18
	E.B.4.73.867							1	—	—	70/19
											ELBOW, union, services suction line aft of frame 24 FAIRLEAD, at frame 25 Attachments:—
28D/9140644	A25/9C							1	—	C	70/20
28M/1278190	AGS.2001/C/1							1	—	C	70/21
28W/9419475	SP15/C							1	—	C	70/22
											Bolt, 2 BA, hex. head
22083	E.B.3.73.925							1	—	C	70/23
											FAIRLEAD, assembly (Mk. 2A A/c) Attachments:—
28D/9140647	A25/14C							2	—	C	70/24
28M/1278190	AGS.2001/C/1							2	—	C	70/25
28W/9419404	SP16/C							2	—	C	70/26
											Nut, stiff, 2 BA Washer, 2 BA, plain
23512	E.F.3.75.989							1	—	C	70/27
19236	E.B.2.73.5891							1	—	C	70/28
											FAIRLEAD, assembly (Mk. 2A A/c) FAIRLEAD, at frame 25 Attachments:—
28D/9140645	A25/10C							2	—	C	70/29
28W/9419475	SP15/C							2	—	C	70/30
											Bolt, 2 BA, hex. head Washer, 2 BA, plain
19328	E.B.2.73.5957							1	—	C	70/31
											FAIRLEAD, at frame 23 Attachments:—
28D/1011021	A25/16C							2	—	C	70/32
											Bolt, 2 BA, hex. head
23421	EEAS.554/6							1	DTD560	C	70/33
23422	EEAS.556/6							3	DTD560	C	70/34
23423	EEAS.556/4							3	DTD560	C	70/35
23424	EEAS.554/4							3	DTD560	C	70/36
6452	E.B.2.73.1387							1	L65	C	70/37
21199	E.F.3.73.2173							1	L65	C	70/38
	E.F.3.73.1339							1	T55	—	71/1
											PIECE, distance, protection unit mounting PIPE, assembly, between non-return valve tee and coupling aft of frame 24, controls
21172	E.F.2.73.555							1	T55	C	71/2
											PIPE, assembly, between non-return valve tee and cone tee aft of frame 23

HYDRAULIC EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
21173	E.F.2.73.539	PIPE, assembly, from coupling at frame 23 to controls No. 1 pressure filter aft of frame 22	1	T55	C	71/3
34449	E.F.2.73.2103	PIPE, assembly, from undercarriage emergency selector to non-return valve tee joint, services return line (Mod. 2376) (Mk. 2 A/c)	1	DTD5016	C	71/4
1439863	E.F.4.73.2103	PIPE, assembly, from undercarriage emergency selector to non-return valve, services return line (Mk. 2A A/c)	1	DTD5016	C	71/5
21175	E.F.2.73.923	PIPE, assembly, from special elbow aft of frame 23 to controls No. 1 pressure filter aft of frame 22	1	T55	C	71/6
21176	E.F.2.73.573	PIPE, assembly, between cone tee and special elbow aft of frame 23, controls No. 1 pressure line	1	T55	C	71/7
	E.F.2.73.1199	PIPE, assembly, between elbow couplings forward of frame 25, services suction line	1	T55	-	71/8
21178	E.F.2.73.1323	PIPE, assembly, from protection unit connection to services return line tee aft of frame 24	1	T55	C	71/9
21179	E.F.2.73.1325	PIPE, assembly, from special 4-way coupling aft of frame 24 to protection unit, services pressure line (Pre-Mod. 4504)	1	T55	C	71/10
1504904	E.F.2.73.3141	PIPE, assembly, from special 4-way coupling aft of frame 24 to protection unit services pressure line (Mod. 4504)	1	T55	C	
	E.F.2.73.1237	PIPE, assembly, from cone tee aft of frame 23 to non-return valve tee aft of frame 24, controls No. 1 pressure line	1	T55	-	71/11
	E.F.2.73.1321	PIPE, assembly, from protection unit connection to special banjo tee coupling at frame 25, undercarriage emergency line	1	T55	-	71/12
34455	E.F.2.73.2139	PIPE, assembly, from undercarriage selector banjo connection to coupling aft of frame 21, undercarriage "down" line (Mod. 2393) (Mk. 2 A/c)	1	DTD5016	C	71/13
1439864	E.F.4.73.1023	PIPE, assembly, from undercarriage selector to coupling aft of frame 21, undercarriage "down" line (Mk. 2A A/c)	1	DTD5016	C	71/14
34456	E.F.2.73.2141	PIPE, assembly, from undercarriage selector connection to coupling aft of frame 21, undercarriage "up" line (Mod. 2393) (Mk. 2 A/c)	1	DTD5016	C	71/15
1439865	E.F.4.73.1025	PIPE, assembly, from undercarriage selector to coupling aft of frame 21, undercarriage "up" line (Mk. 2A A/c)	1	DTD5016	C	71/16
21184	E.F.2.73.1335	PIPE, assembly, from special banjo tee coupling at frame 25 to coupling aft of frame 21, undercarriage "emergency" line (Mk. 2 A/c)	1	T55	C	71/17
1439866	E.F.4.73.1019	PIPE, assembly, from tee coupling at frame 25 to coupling aft of frame 21, undercarriage emergency line (Mk. 2A A/c)	1	DTD5016	C	71/18
34452	E.F.2.73.2143	PIPE, assembly, from coupling at frame 25 to undercarriage selector connection, undercarriage "up" line (Mod. 2393) (Mk. 2 A/c)	1	DTD5016	c	71/19
1439867	E.F.4.73.2143	PIPE, assembly, from coupling at frame 25 to undercarriage selector, undercarriage "up" line (Mk. 2A A/c)	1	DTD5016	c	71/20
21181	E.F.2.73.2007	PIPE, assembly, from special elbow aft of frame 24 to services pressure line filter aft of frame 23	1	T55	C	71/21
	E.F.2.73.1341	PIPE, assembly, from non-return valve tee joint to cone tee aft of frame 24, services return line	1	T55	-	71/22

SERVICES

HYDRAULIC EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
21183	E.F2.73.1123								1	T55	C	71/23
12462	E.F2.73.971								1	T55	C	71/24
	E.F2.73.1399								1	T55	-	71/25
21189	E.F2.73.1233								1	T55	C	71/26
1439868	E.F4.73.1015								1	DTD5016	C	71/27
21190	E.F2.73.1235								1	T55	C	71/28
1439869	E.F4.73.1017								1	DTD5016	C	71/29
34451	E.F2.73.2133								1	DTD5016	C	71/30
1439870	E.F4.73.2133								1	DTD5016	C	71/31
21193	E.F2.73.1317								1	T55	C	71/32
21194	E.F2.73.1319								1	T55	C	71/33
22106	E.F3.73.3425								1	T55	C	71/34
34454	E.F2.73.2137								1	DTD5016	C	71/35
1439871	E.F4.73.2137								1	DTD5016	C	71/36
	E.F2.73.1337								1	T55	-	71/37
1439872	E.F4.73.1021								1	DTD5016	C	71/38
	E.F3.73.1231								1	T55	-	71/39
	E.F4.73.1013								1	DTD5016	-	71/40
	E.F2.73.613								1	S514	-	71/41
	E.F2.73.615								4	S514	-	71/42

HYDRAULIC EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.F.2.73.2109	SELECTOR, undercarriage emergency, assembly (Mod. 2376) Consisting of:—	1	—	—	72/1
6434	E.B.2.73.2169	ADAPTOR, reducing, protection unit pipe	2	S94	C	72/2
11757	E.F.2.73.245	BODY, special banjo, non-return valve connection . .	1	S94	A	72/3
33450	E.F.2.73.2107	BODY, special banjo, double	1	S94	C	72/4
6444	E.B.2.73.39	BOLT, special banjo, non-return valve connection . .	1	S94	C	72/5
21202	E.F.2.73.661	BOLT, special banjo	1	S94	C	72/6
28F/9429526	AGS.1186/BB	SEAL, bonded	6	—	C	72/7
28F/9429532	AGS.1186/C	SEAL, bonded	1	—	C	72/8
27QM/70821	DOWTY ROTOL 1.01213.001	SELECTOR, undercarriage emergency (Mod. 2424) .	1	—	A	72/9
27Q/70371	DOWTY ROTOL H.2012	VALVE, non-return, 3/8" BSP	1	—	B	72/10
	E.F.2.73.2145	SELECTOR, undercarriage, assembly (Mod. 2393) Consisting of:—	1	—	—	72/11
4046	E.B.2.73.199	BODY, special banjo	1	S94	C	72/12
22116	E.F.3.73.931	BODY, special banjo	1	S94	C	72/13
	E.F.2.73.2183	BODY, special banjo	1	S94	C	72/14
22117	E.F.3.73.1165	BODY, special banjo	1	S94	C	72/15
3881	E.B.2.73.201	BOLT, special banjo	3	S94	C	72/16
22118	E.F.3.73.927	BOLT, special banjo, with cone head	1	S94	C	72/17
28F/9428455	AGS.1186/D	SEAL, bonded	8	—	C	72/18
27QM/1446632	DOWTY ROTOL 1.00181.004	SELECTOR, undercarriage (Mod. 4224)	1	—	A	72/19
36553	E.F.3.73.2171	STABILISER (Pre-Mod. 4636)	1	L73	C	72/20
6102386	E.F.3.73.8809	STABILISER (Mod. 4636)	1	L73	C	
	E.F.3.73.5463	STRIP, neoprene (Pre-Mod. 4722)	1	—	—	
	E.F.3.73.8871	STRIP, nitrile (Mod. 4722)	1	—	—	
7843	EEAS.20/6ER	TAB, locking	1	L72	C	72/21
	E.F.2.73.2113	TEE-JOINT, special, non-return valve, assembly (Mod. 2376) Consisting of:—	1	—	—	72/22
34448	E.F.2.73.2111	BODY, special banjo, 1/2" BSP	1	S94	C	72/23
3881	E.B.2.73.201	BODY, special banjo	1	S94	C	72/24
28F/9429532	AGS.1186/C	SEAL, bonded	2	—	C	72/25
28F/9428455	AGS.1186/D	SEAL, bonded	2	—	C	72/26
11758	E.F.2.73.237	TEE, special, unequal	1	S94	C	72/27
27Q/70371	DOWTY ROTOL H.2012	VALVE, non-return	2	—	B	72/28
	E.F.2.73.249	TEE, special, non-return valve, assembly Consisting of:—	2	—	—	72/29
28F/9429532	AGS.1186/C	SEAL, bonded	1	—	C	72/30
11761	E.F.2.73.251	TEE, special, non-return valve mounting	1	S94	C	72/31
27Q/70371	DOWTY ROTOL H.2012	VALVE, non-return	1	—	B	72/32
	E.F.2.73.633	TEE-COUPLING, banjo, at frame 25, "emergency" line, assembly Consisting of:—	1	—	—	72/33
6425	E.B.2.73.3247	BODY, banjo	1	S94	C	72/34
28F/9423227	AGS.1135/B	BOLT, banjo	1	—	C	72/35
	E.F.2.73.621	TEE-COUPLING, special	2	—	—	72/36
28F/9428453	AGS.1186/B	SEAL, bonded	2	—	C	72/37
4045	E.B.2.73.2117	TEE, cone, No. 1 controls pressure line, aft of frame . . 24	1	S94	C	72/38
3938	E.B.2.73.2119	TEE, cone, services pressure and return lines aft of frame 24	2	S94	C	72/39
	E.F.2.73.2185	UNIT, protection, assembly (Mod. 4057) Consisting of:—	1	—	—	72/40
6449	E.B.2.73.2147	ADAPTOR, cone	1	S94	C	72/41

R
R

SERVICES

HYDRAULIC EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
3948	E.B2.73.2133	BODY, special banjo, 1/2" BSP	2	S94	C	72/42
6440	E.B2.73.2141	BODY, special, double banjo	1	S94	C	72/43
3881	E.B2.73.201	BOLT, special banjo	2	S94	C	72/44
3914	E.B2.73.2191	BOLT, special banjo	1	S94	C	72/45
28F/9429532	AGS.1186/C	SEAL, bonded	3	-	C	72/46
28F/9428455	AGS.1186/D	SEAL, bonded	4	-	C	72/47
27QM/71238	DOWTY ROTOL 1.02508.001	UNIT, protection	1	-	A	72/48
6499	EEAS.28/22ER	WASHER	1	L72	C	
26FZ/40304	EEAS.239/3A	WASHER, "D"	1	L72	C	70/39
10303	EEAS.240/1A	WASHER, "D"	9	L72	C	70/40
9842	EEAS.240/2A	WASHER, "D"	2	L72	C	70/41
	-	PIPES, hydraulic, between frames 5 and 14, assembly (E.F2.73.3021) (Mod. 2053)	-	-	-	73/1
		Spares for:-				
6362	E.B3.73.101	BLOCK, junction, pipe, aft of frame 9 and 13	2	L65	C	73/2
9011	E.B3.73.1529	FAIRLEAD, aft of frame 11	1	LFS21	C	73/3
		Attachments:-				
28D/1214032	AS.1242/9C	Bolt, 2 BA, c'sk head	1	-	C	73/4
9010	E.B3.73.1549	FAIRLEAD, at frame 12	1	LFS21	C	73/5
		Attachments:-				
28D/9140645	A25/10C	Bolt, 2 BA, hex. head	2	-	C	73/6
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	-	C	73/7
28W/9419475	SP15/C	Washer, 2 BA, plain	4	-	C	73/8
6364	E.B3.73.291	PIPE, assembly, from brake control unit to coupling at frame 6, port brake line	1	T55	C	73/9
6366	E.B3.73.293	PIPE, assembly, from brake control unit to coupling at frame 6, return line	1	T55	C	73/10
6368	E.B3.73.295	PIPE, assembly, from brake control unit to coupling at frame 6, brake pressure line	1	T55	C	73/11
6370	E.B3.73.297	PIPE, assembly, from brake control unit to coupling at frame 6, starboard	1	T55	C	73/12
6372	E.B3.73.299	PIPE, assembly, from junction block aft of frame 13 to outer skin connection	1	T55	C	73/13
6374	E.B3.73.301	PIPE, assembly, from pressure bulkhead connection to junction block, return line	1	T55	C	73/14
6376	E.B3.73.303	PIPE, assembly, from pressure bulkhead connection to junction block, port brake line	1	T55	C	73/15
6378	E.B3.73.305	PIPE, assembly, from pressure bulkhead connection to junction block, brake pressure line	1	T55	C	73/16
6380	E.B3.73.307	PIPE, assembly, from pressure bulkhead connection to junction block, starboard brake line	1	T55	C	73/17
6382	E.B3.73.309	PIPE, assembly, between pipe junction blocks, brake pressure line	1	T55	C	73/18
6384	E.B3.73.311	PIPE, assembly, between pipe junction blocks, starboard brake line	1	T55	C	73/19
6386	E.B3.73.313	PIPE, assembly, between pipe junction blocks, return line	1	T55	C	73/20
6388	E.B3.73.315	PIPE, assembly, between pipe junction blocks, port brake line	1	T55	C	73/21
6390	E.B3.73.317	PIPE, assembly, drain, from junction block aft of frame 9 to outer skin connection	1	T55	C	73/22
6392	E.B3.73.319	PIPE, assembly, from pipe junction block aft of frame 9 to connection at frame 6, brake pressure line	1	T55	C	73/23

SERVICES
HYDRAULIC EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
6394	E.B3.73.321	PIPE , assembly, from pipe junction block aft of frame 9 to connection at frame 6, starboard pressure line	1	DTD743	C	73/24
6396	E.B3.73.323	PIPE , assembly, from pipe junction block aft of frame 9 to connection at frame 6, return line	1	DTD743	C	73/25
6398	E.B3.73.325	PIPE , assembly, from pipe junction block aft of frame 9 to connection at frame 6, port brake line	1	DTD743	C	73/26
10303	EEAS.240/1A —	WASHER , "D" PIPES , hydraulic, between frame 23 and pressure bulkhead, assembly (E.F2.73.3029) (Mod. 2053) Spares for :—	15 —	L72 —	C —	73/27 74/1
9052	E.B3.73.1585	ELBOW , special cone, forward of frame 19 ...	2	S94	C	74/2
8539	E.B3.73.1479	FAIRLEAD , between frames 22 and 23 ...	1	—	C	74/3
28D/9133012	A25/3C	Attachments :— Bolt, 2 BA, hex. head	4	—	C	74/4
28D/9419475	SP15/C	Washer, 2 BA, plain	4	—	C	74/5
	E.F2.73.1833	FAIRLEAD , forward of frame 17	1	—	—	74/6
28D/1010030	A25/7C	Attachments :— Bolt, 2 BA, hex. head	1	—	C	74/7
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	1	—	C	74/8
28W/9419475	SP15/C	Washer, 2 BA, plain	1	—	C	74/9
11762	E.F2.73.501	PIPE , assembly, from reducing union aft of frame 22 to bulkhead connector at frame 21, canopy "shut" line	1	DTD743	C	74/10
11763	E.F2.73.503	PIPE , assembly, from reducing union aft of frame 22 to bulkhead connector at frame 21, canopy "open" line	1	DTD743	C	74/11
11764	E.F2.73.517	PIPE , assembly, from special elbow aft of frame 18 to pressure bulkhead connection, canopy "shut" line	1	DTD743	C	74/12
11765	E.F2.73.519	PIPE , assembly, from special elbow aft of frame 18 to pressure bulkhead connection, canopy "open" line	1	DTD743	C	74/13
11766	E.F2.73.525	PIPE , assembly, from reducing union aft of frame 22 to 2-way restrictor, canopy "shut" line	1	DTD743	C	74/14
11767	E.F2.73.527	PIPE , assembly, from reducing union aft of frame 22 to 2-way restrictor, canopy "open" line	1	DTD743	C	74/15
6564	E.B3.73.707	PIPE , assembly, from elbow aft of frame 18 to coupling coupling at frame 21, canopy "open" line	1	DTD743	C	74/16
6562	E.B2.73.709	PIPE , assembly, from elbow aft of frame 18 to coupling at frame 21, canopy "shut" line	1	DTD743	C	74/17
6559	E.B2.73.3433	PIPE , assembly, from selector to 2-way restrictor aft of frame 22, canopy "shut" line	1	DTD743	C	74/18
6560	E.B2.73.3435	PIPE , assembly, from selector to 2-way restrictor aft of frame 22, canopy "open" line	1	DTD743	C	74/19
8549	E.B3.73.1573	UNION , cone, reducing, aft of frame 22	2	S94	C	74/20
10303	EEAS.240/1A	WASHER , "D"	10	L72	C	74/21

Ref. No.	Part No.	1	2	3	4	5	6	7	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

