

HYDRAULIC EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	-	HYDRAULIC EQUIPMENT IN REAR FUSELAGE,	-	-	-	
	-	ASSEMBLY (E.F.2.73.3013) (MOD. 2053) MK 2 A/C)				
	-	HYDRAULIC EQUIPMENT IN REAR FUSELAGE,	-	-	-	
	-	ASSEMBLY (E.F.4.73.113) (MK. 2A A/C) Spares for:-				
	-	PIPES, hydraulic, frames 25 to 31, port, assembly	-	-	-	
	-	(E.F.2.75.135) (Mod. 2053) (For A/C not embodying Mod. 2009) (Mk. 2 A/c)				
	-	PIPES, hydraulic, frames 25 to 31, port, assembly	-	-	-	
	-	(E.F.4.73.111) (Mk. 2A A/c) Spares for:-				
3903	E.B.2.73.73	ADAPTOR, banjo, special, flexible pipe connection, . .	1	S94, 95 or 96	C	75/1
		services suction line				
3904	E.B.2.73.79	ADAPTOR, banjo, special, flexible pipe connection, . .	1	S94, 95 or 96	C	75/2
		services pump return line				
3905	E.B.2.73.85	ADAPTOR, banjo, special, flexible pipe connection, . .	1	S94, 95 or 96	C	75/3
		services pump pressure line				
6441	E.B.2.73.2221	BANJO, special, services pump drain line	1	S84, 95 or 96	C	75/4
3906	E.B.2.73.75	BANJO, special, flexible pipe connection, services	1	S94, 95 or 96	C	75/5
		suction line				
3907	E.B.2.73.81	BANJO, special, flexible pipe connection, services	1	S94, 95 or 96	C	75/6
		pump return line				
3908	E.B.2.73.87	BANJO, special, flexible pipe connection, services	1	S94, 95 or 96	C	75/7
		pump services line				
3909	E.B.2.73.193	BANJO, special, flexible pipe connection to pump,	1	S94, 95 or 96	C	75/8
		services return line (Mk. 2 A/c)				
3910	E.B.2.73.2185	BANJO, special, flexible pipe connection to pump,	1	S94, 95 or 96	C	75/9
		services suction line (Mk. 2 A/c)				
6847	E.B.2.73.4393	BANJO, special, flexible pipe connection to pump,	1	L65	C	75/10
		services pressure line (Mk. 2 A/c)				
	EEAS.552/6	BOBBIN, pipe clip spacing	1	S94, 95 or 96	-	75/11
3912	E.B.2.73.269	BOLT, banjo, special, flexible pipe connection to	1	S94, 95 or 96	C	75/12
		pump, services return line (Mk. 2 A/c)				
3913	E.B.2.73.2187	BOLT, banjo, special, flexible pipe connection to	1	S94, 95 or 96	C	75/13
		pump, services suction line				
	E.F.2.73.719	BRACKET, fairlead, mounting at frame 25	1	L72	-	76/1
		Attachments:-				
28D/9133011	A25/2C	Bolt, 2 BA, hex. head	2	-	C	76/2
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	-	C	76/3
28W/9419475	SP15/C	Washer, 2 BA, plain	2	-	C	76/4
37312	E.F.2.73.2161	BRACKET, fairlead, mounting at frame 29	1	EEDX102	C	76/5
		(Mod. 2393) Attachments:-				
28D/9133011	A25/2C	Bolt, 2 BA, hex. head	1	-	C	76/6
28D/9133012	A25/3C	Bolt, 2 BA, hex. head	2	-	C	76/7
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	3	-	C	76/8
28W/9419404	SP16/C	Washer, 2 BA, plain	3	-	C	76/9
1440384	E.F.4.73.2165	BRACKET, fairlead, at frame 29 (Mk. 2A A/c)	1	EEDX1002 or L65	C	76/10
		Attachments:-				
28D/9133012	A25/3C	Bolt, 2 BA, hex. head	3	-	C	76/11
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	3	-	C	76/12
28W/9419475	SP15/C	Washer, 2 BA, plain	3	-	C	76/13

SERVICES

HYDRAULIC EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.B2.73.5923	BRACKET, assembly, at frame 29 (Mk. 2A A/c)	1	—	—	76/14
		Attachments:—				
28D/ 28M/1278189 28W/9419474	A25/1-1/2B AGS.2001/B/1 SP15/B	Bolt, 4 BA, hex. head	3	—	C	76/15
		Nut, stiff, 4 BA	3	—	C	76/16
		Washer, 4 BA, plain	3	—	C	76/17
19928	E.F3.73.2069	ELBOW, special, at frame 31, undercarriage emergency line (Mk. 2A A/c)	1	S94, 95 or 96	C	76/18
19929	E.F3.73.3003	ELBOW, special, at frame 31, port brake line	1	S94, 95 or 96	C	76/19
21213	E.F2.73.703	FAIRLEAD, at frame 25	1	—	C	76/20
		Attachments:—				
28D/1011025 28M/1278190 28W/9419475	A25/24C AGS.2001/C/1 SP15/C	Bolt, 2 BA, hex. head	2	—	C	76/21
		Nut, stiff, 2 BA	2	—	C	76/22
		Washer, 2 BA, plain	2	—	C	76/23
19716	E.B2.73.5929	FAIRLEAD, at frame 27	1	—	C	76/24
		Attachments:—				
28D/9140647 28W/9419475	A25/14C SP15/C	Bolt, 2 BA, hex. head	2	—	C	76/25
		Washer, 2 BA, plain	2	—	C	76/26
37320	E.F2.73.2163 or E.F2.73.2165	FAIRLEAD, at frame 29 (Mod. 2393)	1	—	C	76/27
		Attachments:—				76/28
28D/9140644 28M/1278190	A25/9C AGS.2001/C/1	Bolt, 2 BA, hex. head	2	—	C	76/29
		Nut, stiff, 2 BA	2	—	C	76/30
37319 28W/9419475	E.F2.73.2167 SP15/C	Packing	1	—	C	76/31
		Washer, 2 BA, plain	2	—	C	76/32
8994	E.B3.73.1407	FAIRLEAD, for pipes at frame 29	1	—	C	76/33
		Attachments:—				
28D/9419437 28M/1278190 28W/9419475	A25/12C AGS.2001/C/1 SP15/C	Bolt, 2 BA, hex. head	2	—	C	76/34
		Nut, stiff, 2 BA	2	—	C	76/35
		Washer, 2 BA, plain	2	—	C	76/36
12219	E.B3.73.1683	FAIRLEAD, aft of frame 29 (Mod. 1524)	1	—	—	76/37
		Attachments:—				
28D/9453970 28D/1214037 28M/1278190 28W/9419475	A25/15C AS.1242/15C AGS.2001/C/1 SP15/C	Bolt, 2 BA, hex. head	1	—	C	76/38
		Bolt, 2 BA, c'sk head	1	—	C	76/39
		Nut, stiff, 2 BA	2	—	C	76/40
		Washer, 2 BA, plain	2	—	C	76/41
19933	E.F3.73.6805	FAIRLEAD, aft of frame 29 (Mk. 2A A/c)	1	—	C	76/42
		Attachments:—				
28D/1011022 28M/1278190 28W/9419475	A25/18C AGS.2001/C/1 SP15/C	Bolt, 2 BA, hex. head	2	—	C	76/43
		Nut, stiff, 2 BA	2	—	C	76/44
		Washer, 2 BA, plain	2	—	C	76/45
19934	E.F3.73.6815	FAIRLEAD, at frame 29 (Mk. 2A A/c)	1	—	C	76/46
		Attachments:—				
28D/1011022 28M/1278190 28W/9419475	A25/18C AGS.2001/C/1 SP15/C	Bolt, 2 BA, hex. head	2	—	C	76/47
		Nut, stiff, 2 BA	2	—	C	76/48
		Washer, 2 BA, plain	2	—	C	76/49

HYDRAULIC EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6				
	E.F2.73.1403							1	T55	-	75/14
	E.F2.73.1533							1	T55	-	75/15
R	33847	E.F2.73.1261						1	T55	C	75/16
	E.F2.73.1185							1	T55	-	75/17
	21218	E.F2.73.1193						1	T55	C	75/18
	E.F2.73.1177							1	T55	-	75/19
	E.F4.73.1157							1	DTD5016	-	75/20
	E.F3.76.7361							1	T55	-	75/21
	E.F4.73.1153							1	DTD5016	-	75/22
	E.F2.73.1195							1	T55	-	75/23
	E.F2.73.1197							1	T55	-	75/24
	E.F2.73.1179							1	T55	-	75/25
R	1440382	E.F4.73.1155						1	T55	C	75/26
R	19950	E.F3.73.4615						1	T55	C	75/27
	E.F2.73.1183							1	T55	-	75/28
	E.F2.73.1263							1	T55	-	75/29
	21223	E.F2.73.1181						1	T55	C	75/30
	3928	E.B2.73.2477						1	T55	C	75/31
	1433973	E.F2.73.1187						1	T55	C	75/32
	24417	E.F2.73.1191						1	T55	C	75/33
	23420	E.F2.73.917						1	T55	C	75/34
	18009	E.F2.73.909							T55	C	75/35
	18010	E.F2.73.911						1	T55	C	75/36
	3932	E.B2.73.77						1	S94	C	75/37
	3933	E.B2.73.83						1	S94	C	75/38

SERVICES

HYDRAULIC EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
3935	E.B2.73.89	PLUG, special banjo, flexible pipe connection, services pump pressure line	1	S94	C	75/39
37318	E.F2.73.3107	STRIP, reinforcing (Mk. 2 A/c)	1	L73	C	75/40
26FZ/981	EEAS.20/2DR	TAB, locking	3	L72	C	76/50
9948	E.B3.73.107	TEE-JOINT, at frame 28, services suction line,	1	—	B	75/41
		Spares for:—				
3910	E.B2.73.2185	BANJO, special, 5/8" BSP	1	S94	C	75/42
3913	E.B2.73.2187	BOLT, banjo, special, 5/8" BSP	1	S94	C	75/43
28F/9434374	AGS.1186/E	SEAL, bonded	2	—	C	75/44
3937	E.B2.73.65	TEE, junction, 5/8" BSP	1	S94	C	75/45
3864	E.B2.73.215	TEE, reduction, aft frame 26, controls return line	1	S95	C	75/46
10303	EEAS.240/1A	WASHER, "D"	16	L72	C	76/51
9842	EEAS.240/2A	WASHER, "D"	4	L72	C	76/52
	—	WRAPPING of bonded seals (Hyd's) No. 1 engine bay (E.F3.73.8785) Part A (Mod. 4601)	—	—	—	—
		Spares for:—				
6102085	EEAS.814	TAPE, fluorocarbon rubber, 1.0" wide	QR	—	C	—
	—	PIPES, hydraulic, frames 25 to 31, port, assembly (E.F2.73.3087) (Mod. 2053) (For A/c embodying Mod. 2009) (Mk. 2 A/c) Spares for this assembly are identical with those for assembly Pt. No. E.F2.73.135 on page MM1 except for the following deletions and additions:— Delete:—	—	—	—	75/47
3909	E.B2.73.193	BANJO, special, flexible pipe connection to pump, services return line (Mk. 2 A/c)	1	S94	C	75/8
3910	E.B2.73.2185	BANJO, special, flexible pipe connection to pump, services suction line (Mk. 2 A/c)	1	S94	C	75/9
6847	E.B2.73.4393	BANJO, special, flexible pipe connection to pump, services pressure line (Mk. 2 A/c)	1	S94	C	75/10
3912	E.B2.73.269	BANJO, special, flexible pipe connection to pump, services return line (Mk. 2 A/c)	1	S94	C	75/12
		Add:—				
17697	E.F3.73.149	ADAPTOR, special union, flexible pipe connection to pump, services return line	1	S94	C	75/48
17696	E.F2.73.1625	BANJO-BODY, special, 5/8" BSP, flexible pipe con- nection to pump, services suction line	1	S94	C	75/49
3911	E.B2.73.2189	BANJO-BODY, special, flexible pipe connection to pump, services pressure line	1	S94	C	75/50
3914	E.B2.73.2191	BOLT, banjo, special, flexible pipe connection to pump, services pressure line	1	S94	C	75/51
	—	WRAPPING of bonded seals (Hyd's) No. 1 engine bay (E.F3.73.8785) Part A (Mod. 4601)	—	—	—	—
		Spares for:—				
6102085	EEAS.814	TAPE, fluorocarbon rubber, 1.0" wide	QR	—	C	—
	—	PIPES, hydraulic, frames 25 to 34, starboard, assembly (E.F2.73.3039) (Mod. 2053) (Mk. 2 A/c) Spares for:—	—	—	—	77/1
13233	E.B4.75.517	BRACKET, pipe clip, attachment, at frames 25 and 31	4	L72	C	77/2
	E.B4.73.659	BRACKET, fairlead, attachment, at frame 31	1	L72	—	77/3
	E.B4.73.533	FAIRLEAD, at frames 29 and 31	2	—	—	77/4
		Attachments:—				
28D/9140644	A25/9C	Bolt, 2 BA, hex. head	4	—	C	77/5
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	4	—	C	77/6
28W/9419475	SP15/C	Washer, 2 BA, plain	4	—	C	77/7

HYDRAULIC EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description	1 2 3 4 5 6 7							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
R 20760	E.B4.73.541	FAIRLEAD, at frame 27							1	-	C	77/8	
		Attachments:-											
28D/9140644	A25/9C	Bolt, 2 BA, hex. head							2	-	C	77/9	
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA							2	-	C	77/10	
28W/9419475	SP15/C	Washer, 2 BA, plain							2	-	C	77/11	
	E.B4.73.651	FAIRLEAD, at end aft of frame 31							2	-	-	77/12	
		Attachments:-											
28D/9140644	A25/9C	Bolt, 2 BA, hex. head							4	-	C	77/13	
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA							4	-	C	77/14	
28W/9419475	SP15/C	Washer, 2 BA, plain							4	-	C	77/15	
	23425	EEAS.556/2							3	DTD560	C	77/16	
	23426	EEAS.554/2							3	DTD560	C	77/17	
R	E.F.2.73.1359	PIPE, assembly, from coupling forward of frame 31 to coupling at frame 34, starboard brake line							1	T55	-	77/18	
R	1504829	E.F.2.73.1361							1	T55	C	77/19	
R	37334	E.F.2.73.1409							1	T55	C	77/20	
R	24757	E.F.2.73.1411							1	T55	C	77/21	
R	24758	E.F.2.73.1413							1	T55	C	77/22	
R	1440059	E.F.2.73.1945							1	T55	C	77/23	
	E.F.2.73.2689	PLATE, bracket (Pre-Mod. 4388)							1	L72	-	77/49	
	E.F.3.73.3131	PLATE, bracket (Mod. 4388)							1	S510	-	77/50	
	37318	E.F.2.73.3107							1	L72	C		
	10303	EEAS.240/1A							QR	S/H.60-65	-	77/24	
		WASHER, "D"							6	L72	C	77/25	
		PIPES, hydraulic, frames 25 to 34, starboard, assembly (E.F.4.73.131) (Mk. 2A A/c)							-	-	-	77/26	
		Spares for:-											
	13233	E.B4.73.517							1	L72	C	77/2	
	23426	EEAS.554/2							1	DTD560	C	77/27	
	23421	EEAS.554/6							2	DTD560	C	77/28	
	23425	EEAS.556/2							1	DTD560	C	77/29	
	23422	EEAS.556/6							2	DTD560	C	77/30	
	20198	E.F.3.73.6665							1	Hycar	C	77/31	
		Attachments:-											
28D/9419397	A25/12C	Bolt, 2 BA, hex. head							1	-	C	77/32	
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA							1	-	C	77/33	
28W/9419404	SP16/C	Washer, 2 BA, plain							1	-	C	77/34	
	20199	E.F.3.73.6673							1	Hycar	C	77/35	
		Attachments:-											
28D/9140647	A25/14C	Bolt, 2 BA, hex. head							2	-	C	77/36	
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA							2	-	C	77/37	
28W/9419404	SP16/C	Washer, 2 BA, plain							2	-	C	77/38	

HYDRAULIC EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
24285	E.F.3.73.7389	FAIRLEAD, at frame 29	1	Hycar	C	77/39
		Attachments:—				
28D/9133014	A25/13C	Bolt, 2 BA, hex. head	2	—	C	77/40
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	77/41
28W/9419404	SP16/C	Washer, 2 BA, plain	2	—	C	77/42
R 1440387	E.F.4.73.1005	PIPE, assembly, from coupling forward of frame 27 ... to coupling at frame 34, autostabiliser pressure line	1	DTD5016	C	77/43
	E.F.4.73.1007	PIPE, assembly, from coupling forward of frame 27 ... to coupling at frame 34, controls No. 2 pressure line	1	DTD5016	—	77/44
	E.F.4.73.1009	PIPE, assembly, from coupling forward of frame 27 ... to coupling at frame 34, controls No. 2 return line	1	DTD5016	—	77/45
R 24281	E.F.3.73.7387	PIPE, assembly, from coupling aft of frame 25 to ... coupling at frame 34, starboard wheel brake line	1	30/166	C	77/46
1441495	E.F.4.73.2195	PIPE, assembly, from coupling forward of frame 23 to ... coupling aft of frame 25, starboard wheel brake line	1	DTD5016	C	77/47
	E.F.4.73.507	PLATE, mounting (Pre-Mod. 4388)	1	L72	—	77/51
	E.F.4.73.2217	PLATE, mounting (Mod. 4388)	1	S510	—	77/52
10303	EEAS.240/1A	WASHER, "D"	2	L72	C	77/48
	—	PIPES, hydraulic, between frames 31 and 39, port, ... assembly (E.F.2.73.3035) (Mod. 2053) (Mk. 2 A/c)	—	—	—	—
	—	PIPES, hydraulic, between frames 31 and 39, port, ... assembly (E.F.4.73.125) (Mk. 2A A/c)	—	—	—	—
		Spares for:—				
3903	E.B.2.73.73	ADAPTOR, banjo, special, flexible pipe connection, ... controls section line	1	S94, 95 or 96	C	78/1
3905	E.B.2.73.85	ADAPTOR, banjo, special, flexible pipe connection, ... controls pump pressure line	1	S94, 95 or 96	C	78/2
3947	E.B.2.73.2159	ADAPTOR, special bulkhead, at frame 34	1	S94, 95 or 96	C	78/3
		Attachments:—				
28D/9133011	A25/2C	Bolt, 2 BA, hex. head	3	—	C	78/4
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	3	—	C	78/5
26FZ/980	EEAS.20/1DR	Tab, locking	1	L72	C	78/6
28W/9419475	SP15/C	Washer, 2 BA, plain	3	—	C	78/7
3906	E.B.2.73.75	BANJO, special, flexible pipe connection, controls ... suction line	1	S94, 95 or 96	C	78/8
3908	E.B.2.73.87	BANJO, special, flexible pipe connection, controls ... pump pressure line	1	S94, 95 or 96	C	78/9
3909	E.B.2.73.193	BANJO, special, flexible pipe connection to pump, ... controls pump return line (Pre-Mod. 2305)	1	S94, 95 or 96	C	78/10
3948	E.B.2.73.2133	BANJO, special, at frames 34 and 38	3	S94, 95 or 96	C	78/11
3910	E.B.2.73.2185	BANJO, special, flexible pipe connection to pump, ... controls suction line	1	S94, 95 or 96	C	78/12
3911	E.B.2.73.2189	BANJO, special, flexible pipe connection to pump, ... controls pump pressure line	1	S94, 95 or 96	C	78/13
9025	E.B.3.73.1581	BANJO, special, drain pipe connection, controls ... No. 1 hydraulic pump	1	S94, 95 or 96	C	78/14
23308	E.F.2.73.2711	BANJO, special, flexible pipe connection to pump, ... controls pump return line (Mod. 2305)	1	S94, 95 or 96	C	78/15
	EEAS.552/3	BOBBIN, distance, pipe clip spacing at frames 31 and 36 (Mk. 2 A/c)	2	L65	—	78/16
23433	EEAS.552/8	BOBBIN, distance, pipe clip spacing at frame 31 ... (Mk. 2 A/c)	2	L65	C	78/17

SERVICES
HYDRAULIC EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	EEAS.552/14								1	L65	—	78/18
23434	EEAS.552/11								2	L65	C	78/19
23309	E.F.73.2713								1	S94, 95 or 96	C	78/20
3881	E.B.2.73.201								3	S94, 95 or 96	C	78/21
3912	E.B.2.73.269								1	S94, 95 or 96	C	78/22
3949	E.B.1.73.1711								1	S11	C	78/23
3913	E.B.2.73.2187								1	S94, 95 or 96	C	78/24
3914	E.B.2.73.2191								1	S94, 95 or 96	C	78/25
20782	E.F.2.73.753								1	—	C	78/26
28D/9140647	A25/14C								2	—	C	78/27
28M/1278190	AGS.2001/C/1								2	—	C	78/28
28W/9419404	SP16/C								2	—	C	78/29
	37321	E.F.2.73.2171							1	—	C	78/30
28D/9140644	A25/9C								2	—	C	78/31
28M/1278190	AGS.2001/C/1								2	—	C	78/32
28W/9419475	SP15/C								2	—	C	78/33
	11781	E.F.3.73.813							1	—	C	78/34
28D/9140647	A25/14C								2	—	C	78/35
28M/1278190	AGS.2001/C/1								2	—	C	78/36
28W/9419475	SP15/C								2	—	C	78/37
	8996	E.B.3.73.1319							1	—	C	78/38
28D/9133011	A25/2C								9	—	C	78/39
28M/1278190	AGS.2001/C/1								9	—	C	78/40
28W/9419475	SP15/C								9	—	C	78/41
	1440395	E.F.4.73.521 or E.F.4.73.519							1	Rubber	C	79/1
28D/1214311	A25/17C								3	—	C	79/2
28M/1278190	AGS.2001/C/1								3	—	C	79/3
28W/9419475	SP15/C								3	—	C	79/4
	19965	E.F.3.73.6459							1	Rubber	C	79/5
28D/9140644	A25/9C								1	—	C	79/6
28M/1278190	AGS.2001/C/1								1	—	C	79/7
28W/9419475	SP15/C								1	—	C	79/8
	23426	EEAS.554/2							3	DTD560	C	79/9
	23424	EEAS.554/4							3	DTD560	C	79/10
	23425	EEAS.556/2							3	DTD560	C	79/11
	23423	EEAS.556/4							3	DTD560	C	79/12

HYDRAULIC EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
18017	E.F.2.73.905								1	T55	C	79/34
R 33848	E.F.2.73.1265								1	T55	C	79/35
	E.F.2.73.1267								1	T55	C	79/36
3963	E.B.2.73.2505								1	T55	C	79/37
3932	E.B.2.73.77								1	T55	C	78/42
3935	E.B.2.73.89								1	S94	C	78/43
21344	E.F.2.73.2093								1	-	C	78/44
26FZ/981	EEAS.20/2DR								6	L72	C	79/38
9027	E.B.3.73.1589								1	S94	C	
10303	EEAS.240/1A								25	L72	C	79/39
9842	EEAS.240/2A								2	L72	C	79/40
	-								-	-	-	
6102085	EEAS.814								QR	-	C	
	-								-	-	-	80/1
	-								-	-	-	80/2
3947	E.B.2.73.2159								1	S94	C	80/3
28D/9133011	A25/2C								3	-	C	80/4
28M/1278190	AGS.2001/C/1								3	-	C	80/5
26FZ/3412	EEAS.20/3DR								2	L72	C	80/6
28W/9419475	SP15/C								3	-	C	80/7
33726	E.F.3.73.7677								1	S94	C	80/8
R 6102360	E.F.3.73.8801								1	-	C	
28D/1010658	A25/1B								3	-	C	80/9
28M/1278189	AGS.2001/B/1								3	-	C	80/10
26FZ/981	EEAS.20/2DR								2	L72	C	80/11
28W/9419474	SP15/B								3	-	C	80/12
19958	E.B.4.73.795								2	L64	C	80/13
24765	EEAS.552/1								2	L65	C	80/14
	EEAS.552/3								1	L65	-	80/15
	EEAS.552/6								1	L65	-	80/16
23436	EEAS.552/7								3	L65	C	80/17
23437	EEAS.552/10								1	L65	C	80/18
23434	EEAS.552/11								1	L65	C	80/19

SERVICES

HYDRAULIC EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
3973	E.B2.73.197								1	S94	C	80/20
3948	E.B2.73.2133								2	S94	C	80/21
3881	E.B2.73.201								1	S94	C	80/22
3974	E.B2.73.203								1	S94	C	80/23
3975	E.B2.73.2215								1	S94	C	80/24
13233	E.B4.73.517								1	L72	C	80/25
36192	E.F3.07.91								1	L72	C	80/26
3977	E.B2.73.3709								1	S94	C	80/27
8998	E.B3.73.1327								1	-	C	80/28
28D/1200119	A25/4C								6	-	C	80/29
28W/9419475	SP15/C								6	-	C	80/30
	E.F2.73.1937								2	-	-	80/31
28D/9435710	A25/11C								2	-	C	80/32
28M/1278190	AGS.2001/C/1								2	-	C	80/33
28W/9419404	SP16/C								2	-	C	80/34
21230	E.F2.73.1941								1	-	C	80/35
28D/9140644	A25/9C								2	-	C	80/36
28M/1278190	AGS.2001/C/1								2	-	C	80/37
28W/9419475	SP15/C								2	-	C	80/38
	E.F3.73.7349								1	L72	-	80/39
28D/1010658	A25/1B								5	-	C	80/40
28M/1278189	AGS.2001/B/1								5	-	C	80/41
28W/9419474	SP15/B								5	-	C	80/42
21345	E.F2.73.2089								1	T55	C	80/43
11791	E.F2.73.437								1	T55	C	80/44
11792	E.F2.73.439								1	T55	C	80/45
11793	E.F2.73.593								1	T55	C	80/46
3979	E.B2.73.2519								1	T55	C	80/47
3980	E.B2.73.2521								1	T55	C	80/48
3981	E.B2.73.2523								1	T55	C	80/49
3983	E.B2.73.2527								1	T55	C	80/50

HYDRAULIC EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
21346	E.F.2.73.2091	PIPE, assembly, from coupling aft of frame 39 to filter aft of frame 40 controls pump return line	1	T55	C	80/51
3986	E.B.2.73.2533	PIPE, assembly, from banjo at frame 43 to trailing edge flaps selector, services return line	1	T55	C	80/52
21227	E.F.2.73.1423	PIPE, assembly, from tee-piece aft of frame 40 to trailing edge flaps selector, services pressure line	1	T55	C	80/53
21228	E.F.2.73.1425	PIPE, assembly, from filter to coupling aft of frame 43, controls No. 1 oil filling line	1	T55	C	80/54
3990	E.B.2.73.2541	PIPE, assembly, from trailing edge flaps selector aft . . . of frame 42 to diaphragm connection aft of frame 43, flaps "down" line (Mk. 2 A/c)	1	T55	C	80/55
3991	E.B.2.73.2543	PIPE, assembly, from trailing edge flaps selector aft . . . of frame 42 to diaphragm connection aft of frame 43, flaps "up" line (Mk. 2 A/c)	1	T55	C	80/56
	E.F.4.73.1175	PIPE, assembly, from trailing edge flaps selector aft of . frame 42 to diaphragm connection forward of frame 44, flaps "down" line (Mk. 2A A/c)	1	DTD5016	-	80/57
	E.F.4.73.1177	PIPE, assembly, from trailing edge flaps selector to . . . one-way restrictor, flaps "up" line (Mk. 2 A/c)	1	DTD5016	-	80/58
33730	E.F.3.73.7675	PIPE, assembly, from on-way restrictor to diaphragm . . connection forward of frame 44, flaps "up" line (Mk. 2A A/c)	1	T55	C	80/59
3992	E.B.2.73.2545	PIPE, assembly, from tee piece aft of frame 40 to bulkhead connection at frame 43, services pressure line	1	T55	C	80/60
3994	E.B.2.73.2601	PIPE, assembly, from coupling aft of frame 43 to coupling aft of frame 45, controls No. 1 oil filling line	1	T55	C	80/61
3995	E.B.2.73.2603	PIPE, assembly, from coupling aft of frame 42 to coupling aft of frame 45, controls pressure line	1	T55	C	80/62
	E.B.2.73.71	PLATE, washer, special for bulkhead fitting at frame . . 43, services return line (Make from AGS. 1157/7)	1	-	LM	80/63
	E.B.2.73.239	PLATE, washer, special, for bulkhead fitting at frame . 43, services pressure line (Make from AGS. 1149/6 Ref. 28F/11081)	2	-	LM	80/64
3938	E.B.2.73.2119	TEE, cone, aft of frame 41, services return line	1	S94	C	80/65
3996	E.B.2.73.2173	TEE, cone, trailing edge flaps selector aft of frame 40, services pressure line	1	S94	C	80/66
10303	EEAS.240/1A	WASHER, "D"	20	L72	C	80/67
9842	EEAS.240/2A	WASHER, "D"	2	L72	C	80/68
	-	WRAPPING of bonded seals (Hyd's) No. 1 engine bay . (E.F.3.73.8785) Part A (Mod. 4601) Spares for:-	-	-	-	-
6102085	EEAS.814	TAPE, fluorocarbon rubber, 1".0 wide	QR	-	C	-
	-	PIPES, hydraulic, between frames 42 and 46, starboard, . assembly (E.F.2.73.3045) (Mod. 2053) Spares for:-	-	-	-	-
13233	E.B.4.73.517	BRACKET, pipe clip attachment at frame 44	1	L72	C	81/1
23435	EEAS.552/2	BOBBIN, distance, ".4 long, pipe clip spacing forward . of frame 44	1	L65	C	81/2
11797	E.F.2.73.601	CONNECTOR, special bulkhead at frame 46, controls . pressure line	1	S510	C	81/3
		Attachments:-				
28D/9133011	A25/2C	Bolt, 2 BA, hex. head	3	-	C	81/4
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	3	-	C	81/5
26FZ/3412	EEAS.20/3DR	Tab, locking	2	L72	C	81/6
28W/9419475	SP15/C	Washer, 2 BA	3	-	C	81/7

SERVICES

HYDRAULIC EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
9003	E.B3.73.1313	FAIRLEAD, for pipes at frame 43							1	—	C	82/1
28D/9133012	A25/3C	Attachments:— Bolt, 2 BA, hex. head							4	—	C	82/2
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA							4	—	C	82/3
28W/9419475	SP15/C	Washer, 2 BA, plain							4	—	C	82/4
9008	E.B3.73.1435	FAIRLEAD, at frames 45 and 46							2	—	C	82/5
28D/9133013	A25/5C	Attachments:— Bolt, 2 BA, hex. head							4	—	C	82/6
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA							4	—	C	82/7
28W/9419475	SP15/C	Washer, 2 BA, plain							4	—	C	82/8
9004	E.B3.73.1490	FAIRLEAD, for transverse pipes between frames 44 .. and 45							1	—	C	82/9
28D/9140607	A25/14C	Attachments:— Bolt, 2 BA, hex. head							2	—	C	82/10
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA							2	—	C	82/11
28W/9419475	SP15/C	Washer, 2 BA, plain							2	—	C	82/12
	E.F.2.73.1967	FAIRLEAD, forward of frame 44							1	—	—	82/13
28D/9140644	A25/9C	Attachments:— Bolt, 2 BA, hex. head							2	—	C	82/14
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA							2	—	C	82/15
28W/9419475	SP15/C	Washer, 2 BA, plain							2	—	C	82/16
21232	E.F.2.73.1971	FAIRLEAD, forward of frame 44							1	—	C	82/17
28D/1011019	A25/8C	Attachments:— Bolt, 2 BA, hex. head							2	—	C	82/18
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA							2	—	C	82/19
28W/9419475	SP15/C	Washer, 2 BA, plain							2	—	C	82/20
11798	E.F.2.73.333	PIPE, assembly, from coupling at frame 42 to coupling aft of frame 44, controls No. 2 return line							1	T55	C	81/8
21233	E.F.2.73.1507	PIPE, assembly, transverse, from starboard coupling ... to port four-way piece, aft of frame 44, maxaret return line							1	T55	C	81/9
	E.F.2.73.1509	PIPE, assembly, transverse, from starboard coupling ... to port tee, aft of frame 44, flaps "up" line							1	T55	—	81/10
	E.F.2.73.1511	PIPE, assembly, transverse, from starboard coupling ... to port tee, aft of frame 44, flaps "down" line							1	T55	—	81/11
21236	E.F.2.73.1513	PIPE, assembly, transverse, from starboard tee to port tee, aft of frame 44, undercarriage emergency line							1	T55	C	81/12
11803	E.F.2.73.343	PIPE, assembly, from coupling aft of frame 44 to tee .. piece aft of frame 46, controls No. 2 return line							1	T55	C	81/13
11804	E.F.2.73.345	PIPE, assembly, from coupling aft of frame 44 to non-return valve at frame 46, controls No. 2 pressure line							1	T55	C	81/14
	E.F.2.73.1529	PIPE, assembly, transverse, between starboard and port tee couplings aft of frame 44, under- carriage "down" line							1	T55	—	81/15
R 21238	E.F.2.73.1531	PIPE, assembly, transverse, between port and star- board tee couplings aft of frame 44, under- carriage "up" line							1	T55	C	81/16

HYDRAULIC EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6				
1440734	E.F.3.73.2599							1	T55	C	81/17
1441174	E.F.3.73.1575							1	T55	C	81/18
36574	E.F.3.73.2601							1	T55	C	81/19
4000	E.B.2.73.2323							1	T55	C	81/20
4001	E.B.2.73.2325							1	T55	C	81/21
	E.F.2.73.1515							1	T55	-	81/22
	E.F.2.73.1519							1	T55	-	81/23
	E.F.2.73.1521							1	T55	-	81/24
	E.F.2.73.1523							1	T55	-	81/25
	E.F.2.73.1525							1	T55	-	81/26
	E.F.2.73.1527							1	T55	-	81/27
	E.F.2.73.1517							1	T55	-	81/28
4021	E.B.2.73.3153							1	S94	C	81/29
4022	E.B.2.73.3801							2	S94	C	81/30
11810	E.F.2.73.603							1	S510	C	81/31
10303	EEAS.240/1A							14	L72	C	81/32
	-							-	-	-	-
6102085	EEAS.814							QR	-	C	-
	-							-	-	-	-
	E.F.2.73.731							1	L72	-	83/1
28D/9436920	A25/1C							3	-	C	83/2
28M/1278190	AGS.2001/C/1							3	-	C	83/4
28W/9419475	SP15/C							3	-	C	83/5
R	20134	E.F.2.73.1405						1	L72	C	84/1
28D/9436920	A25/1C							1	-	C	84/2
28M/1278190	AGS.2001/C/1							1	-	C	84/3
28Q/1650	AS.156/404							1	-	C	84/4
28W/9419475	SP15/C							1	-	C	84/5

HYDRAULIC EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
11817	E.F.2.73.323	PIPE, assembly, from four-way piece aft of frame 44 . . . to coupling aft of frame 39, services suction line	1	T55	C	83/11
11818	E.F.2.73.325	PIPE, assembly, from four-way piece aft of frame 44 . . . to pump flexible pipe tee at frame 47	1	T55	C	83/12
4028	E.B.2.73.2551	PIPE, assembly, from coupling aft of frame 39 to coupling aft of frame 43, port brake pressure line	1	T55	C	83/13
	E.F.2.73.1487	PIPE, assembly, from tee aft of frame 44 to firefloor . . connection aft of frame 43, trailing edge flap selector "up" line	1	T55	-	83/14
	E.F.2.73.1489	PIPE, assembly, from tee aft of frame 44 to firefloor . . connection aft of frame 43, trailing edge flap selector "down" line	1	T55	-	83/15
4034	E.B.2.73.2563	PIPE, assembly, from coupling aft of frame 39 to coupling aft of frame 43, undercarriage "emergency" line	1	T55	C	83/16
	E.F.2.73.1491	PIPE, assembly, from tee aft of frame 44 to wing connection, undercarriage "emergency" line	1	T55	-	83/17
	E.F.2.73.1493	PIPE, assembly, from tee aft of frame 44 to wing connections, flaps "down" line	1	T55	-	83/18
	E.F.2.73.1495	PIPE, assembly, from tee aft of frame 44 to wing connections, flaps "up" line	1	T55	-	83/19
	E.F.2.73.1497	PIPE, assembly, from coupling aft of frame 43 to wing connection, port brake pressure line	1	T55	-	83/20
	E.F.2.83.1505	PIPE, assembly, from coupling aft of frame 43 to tee . . coupling aft of frame 44, undercarriage "emergency" line	1	T55	-	83/21
4044	E.B.2.73.2115	TEE, special cone, forward of frame 45	2	S94	C	83/22
4045	E.B.2.73.2117	TEE, special cone, aft of frame 44	2	S94	C	83/23
4043	E.B.2.73.2203	TEE, special cone, forward of frame 45	1	S94	C	83/24
10303	EEAS.240/1A	WASHER, "D"	1	L72	C	84/34
	-	PIPES,hydraulic, between frames 46 and 48, port, assembly (E.F.2.73.3133) (Mod. 4361) (Mk. 2 A/c)	-	-	-	85/1
	-	PIPES,hydraulic, between frames 46 and 48, port, assembly (E.F.4.73.2221) (Mod. 4361) (Mk. 2A A/c) Spares for:-	-	-	-	
3946	E.B.2.73.2149	ADAPTOR, special cone, heat exchanger pipe, connectors	4	S94	C	85/2
23430	EEAS.552/4	BOBBIN, distance, pipe clip spacing (Mod. 2053)	2	L65	C	85/3
4063	E.B.2.73.289	BODY, special banjo, for flexible pipe connection, services pump return line	1	S94	C	85/4
4064	E.B.2.73.3179	BODY, special banjo, services No. 2 pump suction line connection	1	S94	C	85/5
4066	E.B.2.73.3187	BODY, special banjo, services No. 2 pump drain connection	1	S94	C	85/6
4067	E.B.2.73.291	BOLT, special banjo, flexible pipe connection services . . No. 2 pump return line	1	S94	C	85/7
4068	E.B.2.73.3189	BOLT, special banjo, for services No. 2 pump drain connection aft of frame 48	1	S94	C	85/8
	E.F.3.73.907	CONNECTION, special, right angled bulkhead at frame 46, services No. 2 pump flexible pipe, return line (Mod. 2022)	1	S94	-	85/9
11820	E.F.2.73.257	COUPLING, special, at frames 46 and 47, controls No. 2 and services return lines	2	-	C	85/10
11819	E.F.2.73.643	ELBOW, special, at firefloor aft of frame 47, services . . pressure line	1	S94	C	85/11

SERVICES

HYDRAULIC EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description	1 2 3 4 5 6 7							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
			1	2	3	4	5	6	7				
4070	E.B2.73.3099	ELBOW, special, aft of frame 47, services suction return line								1	S94	C	85/12
28F/11098	AGS.1148/G	Attachments:— Nut, 7/8" BSP, thin								1	—	C	85/13
23424	EEAS.554/4	FAIRLEAD, between frames 47 and 48 (Mod. 4361) . .								3	DTD560	C	85/14
23423	EEAS.556/4	FAIRLEAD, between frames 47 and 48 (Mod. 4361) . .								3	DTD560	C	85/15
	E.F3.73.6603	FAIRLEAD, between frames 47 and 48 (Mod. 4003) . .								2	—	—	85/16
		Attachments:—											
28D/9140644	A25/9C	Bolt, 2 BA hex. head								2	—	C	85/17
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA								2	—	C	85/18
28W/9419475	SP15/C	Washer, 2 BA, plain								2	—	C	85/19
4072	E.B2.73.293	NUT, special banjo body retaining, services No. 2 pump return line								1	S94	C	85/20
11821	E.F2.73.387	PIPE, assembly, from heat exchanger connection to . . . non-return valve at frame 46, services pump return line								1	T55	C	85/21
11822	E.F2.73.389	PIPE, assembly, from heat exchanger connection to . . . non-return valve at frame 47, controls pump return line								1	T55	C	85/22
1485467	E.F3.73.8467	PIPE, assembly, from coupling aft of frame 47 to pump flexible pipe connection, services No. 2 pressure line (Mk. 2 A/c) (Mod. 4361)								1	T55	C	85/23
11824	E.F2.73.885	PIPE, assembly, from coupling aft of frame 47 to filter, services No. 2 pressure line (Mk. 2 A/c)								1	T55	C	85/24
11825	E.F2.73.887	PIPE, assembly, from reducing coupling to special elbow at firewall, aft of frame 47, services No. 2 pressure line (Mk. 2 A/c)								1	T55	C	85/25
11826	E.F2.73.891	PIPE, assembly, from by-pass filter to connection at . . firewall, services oil filling line								1	T55	C	85/26
11827	E.F2.73.897	PIPE, assembly, from heat exchanger to connection . . . at firewall, aft of frame 47, controls No. 2 pump return line								1	T55	C	85/27
20948	E.F2.73.1087	PIPE, assembly, from heat exchanger to right angle . . . bulkhead connection at frame 46, services No. 2 pump return line (Mod. 2022)								1	30/166	C	85/28
4081	E.B2.73.3323	PIPE, assembly, interconnection between controls and services No. 2 pumps, drain line								1	T55	C	85/29
4080	E.B2.73.3603	PIPE, assembly, from bulkhead coupling aft of frame . . 47 to flexible pipe connection, services No. 2 pump suction line								1	T55	C	85/30
	E.F2.73.3139	PIPE, assembly (Mod. 4361) (Mk. 2 A/c)								1	—		
1504094	E.F4.73.2223	PIPE, assembly (Mod. 4361) (Mk. 2A A/c)								1	—	C	
4086	E.B2.73.3073	TEE, special union aft of frame 47, services No. 2 pump flexible and rigid pipe connections								1	S94	C	85/31
11828	E.F2.73.259	WASHER, for special coupling at frames 46 and 47 . . .								4	S94	C	85/32
	E.B2.73.287	WASHER, plate, for special tee union at frame 47 (Make from AGS.1149/7)								1	—	LM	85/33
13083	E.F2.73.645	WASHER, plate, for special elbow at firefloor, aft of frame 47								1	L73	C	85/34
10561	EEAS.237/6A	WASHER, "D"								1	L72	C	85/35
10303	EEAS.240/1A	WASHER, "D"								7	L72	C	85/36
9842	EEAS.240/2A	WASHER, "D"								1	L72	C	85/37
	—	WRAPPING of bonded seals No. 2 engine bay (E.F3.73.8787) (Mod. 4601) Spares for:—								—	—	—	
6102085	EEAS.814	TAPE, fluorocarbon rubber, 1".0 wide								QR	—	C	

HYDRAULIC EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	—	PIPES, hydraulic, between frames 49 and 51, starboard, assembly (E.F2.73.3049) (Mod. 2053) (Mk. 2 A/c)	—	—	—	86/6
	—	PIPES, hydraulic, between frames 49 and 51, starboard, assembly (E.F4.73.227) (Mod. 4061) (Mk. 2A A/c)	—	—	—	86/7
19958	E.B4.73.795	BOBBIN, distance, ".35 long, pipe clip spacing between frames 50 and 51	2	L64	C	86/8
	EEAS.552/3	BOBBIN, distance, ".45 long, micron filter securing clip between frames 50 and 51	1	L65	—	86/9
23437	EEAS.552/10	BOBBIN, distance, fairlead at frame 50 (Mk. 2A A/c)	1	L65	C	86/10
	E.F3.57.603	CLEAT, at frame 50 (Mk. 2A A/c)	1	L72	—	86/11
	E.F3.73.8131	CONNECTOR, 4-way, assembly (Mk. 2A A/c) (Pre Mod. 4704)	1	—	—	86/12
	E.F3.73.8833	CONNECTOR, 4-way, assembly (Mod. 4704) (Pre-Mod. 4704)	1	—	—	
	E.F3.73.8135	ADAPTOR, special, assembly Spares for:—	3	—	—	86/13
1440983	E.F3.73.8137	ADAPTOR (Pre-Mod. 4550)	1	L85	C	86/14
	E.F3.73.8807	ADAPTOR (Mod. 4550)	1	—	—	
28F/9428453	AGS.1186/B	SEAL, bonded	1	—	C	86/15
27Q/70852	DOWTY ROTOL 1.01344.001	VALVE, air relief	1	—	B	86/16
28F/8011808	AGS.1104/D	CONE, adaptor	1	—	C	86/17
	E.F3.73.8133	PIECE, 4-way	1	L85	—	86/18
28F/9428455	AGS.1186/D	SEAL, bonded (Pre-Mod. 4704)	1	—	C	86/19
27QA/	DOWTY GD.3294/D	SEAL, assembly (Mod. 4704)	1	—	—	
28F/1011903	AGS.1186/G	SEAL, bonded (Pre-Mod. 4704)	3	—	C	86/20
27QA/1451002	DOWTY GD.2618/G	SEAL, bonded (Mod. 4704)	3	—	C	
		Attachments:—				
28D/9133011	A25/2C	Bolt, 2 BA, hex. head	2	—	C	86/21
28E/1059059	AGS.2081/22	Clip, pipe	2	—	C	86/22
28M/1278190	AGS.2001/C/1	Nut; stiff, 2 BA	2	—	C	86/23
9842	EEAS.240/2A	Washer, "D"	2	L72	C	86/24
13123	E.B3.73.1429	FAIRLEAD, half, between frames 49 and 50	2	—	C	86/25
		Attachments:—				
28D/9133013	A25/5C	Bolt, 2 BA, hex. head	2	—	C	86/26
28M/1278190	AGS.2001/C/1	Nut; stiff, 2 BA	2	—	C	86/27
28W/9419475	SP15/C	Washer, 2 BA, plain	2	—	C	86/28
23425	EEAS.556/2	FAIRLEAD, for 1/4" pipe	11	DTD560	C	86/29
23426	EEAS.554/2	FAIRLEAD, for 1/4" pipe	11	DTD560	C	86/30
23424	EEAS.554/4	FAIRLEAD (Mk. 2A A/c)	3	DTD560	C	86/31
23421	EEAS.554/6	FAIRLEAD (Mk. 2A A/c)	1	DTD560	C	86/32
23423	EEAS.556/4	FAIRLEAD (Mk. 2A A/c)	3	DTD560	C	86/33
23422	EEAS.556/6	FAIRLEAD (Mk. 2A A/c)	1	DTD560	C	86/34
	E.F3.73.6211	FAIRLEAD, between frames 50 and 51 (Mk. 2A A/c)	1	Rubber	—	86/35
		Attachments:—				
28D/9140644	A25/9C	Bolt, 2 BA, hex. head	1	—	C	86/36
28M/1278190	AGS.2001/C/1	Nut; stiff, 2 BA	1	—	C	86/37
28W/9419475	SP15/C	Washer, 2 BA, plain	1	—	C	86/38
9008	E.B3.73.1435	FAIRLEAD, at frame 50	1	—	C	86/39
		Attachments:—				
28D/9133013	A25/5C	Bolt, 2 BA, hex. head	2	—	C	86/40
28M/1278190	AGS.2001/C/1	Nut; stiff, 2 BA	2	—	C	86/41
28W/9419475	SP15/C	Washer, 2 BA, plain	2	—	C	86/42
7085	E.B3.73.473	PIPE, assembly, from special reduction tee aft of frame 50 to tee aft of frame 51, drain line	1	T55	C	86/43

HYDRAULIC EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.F2.73.2727	FAIRLEAD, at frame 48 (Mod. 4003)	1	—	—	87/17
		Attachments:—				
28D/9140645	A25/10C	Bolt, 2 BA, hex. head	2	—	C	87/18
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	87/19
33324	EEAS.21A/4GR	Washer, "D"	2	L72	C	87/20
36096	E.F2.73.2827	FAIRLEAD, at frame 49 (Mod. 4003)	1	—	C	87/21
		Attachments:—				
28D/1214311	A25/17C	Bolt, 2 BA, hex. head	3	—	C	87/22
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	3	—	C	87/23
36097	E.F2.73.2803	Shim laminated	1	—	C	87/24
36098	E.F2.73.2815	Washer, pad	3	L72	C	87/25
23426	EEAS.554/2	FAIRLEAD, for 1/4" pipe	1	DTD506	C	87/26
23421	EEAS.554/6	FAIRLEAD, for 1/2" pipe	2	DTD506	C	87/27
23425	EEAS.556/2	FAIRLEAD, for 1/4" pipe	1	DTD506	C	87/28
23422	EEAS.556/6	FAIRLEAD, for 1/2" pipe	2	DTD506	C	87/29
1484392	E.F3.73.8471	FAIRLEAD, aft of frame 47 (Mod. 4361)	1	—	C	87/30
		Attachments:—				
28D/1011019	A25/8C	Bolt, 2 BA, hex. head	2	—	C	87/31
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	87/32
28W/9419475	SP15/C	Washer, 2 BA, plain	2	—	C	87/33
21241	E.F2.73.1947	PIPE, assembly, from controls No. 2 filter to tee	1	T55	C	87/34
		coupling forward of frame 47, pressure line (Mod. 2053)				
36094	E.F2.73.2851	PIPE, assembly, transverse from controls No. 2	1	T55	C	87/35
		filter to pump flexible pipe connection, pressure line (Mod. 4003)				
11833	E.F2.73.451	PIPE, assembly, from filter to reducing union,	1	T55	C	87/36
		services No. 2 pressure line (Mk. 2 A/c)				
	E.F2.73.1949	PIPE, assembly, from tee coupling forward of frame ..	1	T55	—	87/37
		47 to bulkhead connection at frame 46, controls No. 2 pressure line (Mod. 2053)				
11835	E.F2.73.455	PIPE, assembly, from tee coupling forward of frame ..	1	T55	C	87/38
		47, to connection at firefloor aft of frame 47, controls No. 2 pressure line				
11836	E.F2.73.459	PIPE, assembly, from special tee aft of frame 46 to ...	1	T55	C	87/39
		connection at firefloor, controls No. 2 return line				
11837	E.F2.73.461	PIPE, assembly, from special tee aft of frame 46 to ...	1	T55	C	87/40
		by-pass filter, controls No. 2 return line				
21243	E.F2.73.1951	PIPE, assembly, from by-pass filter connection at	1	30/166	C	87/41
		frame 46 to connection at firefloor, services pump return line (Mod. 2053)				
11839	E.F2.73.465	PIPE, assembly, transverse, from by-pass filter to	1	T55	C	87/42
		non-return valve at frame 46, port, services No. 2 pump return line				
11840	E.F2.73.467	PIPE, assembly, transverse, from by-pass filter to	1	T55	C	87/43
		non-return valve at frame 47, port, controls No. 2 pump return line				
36095	E.F2.73.2867	PIPE, assembly, transverse, from connection at	1	T55	C	87/44
		firefloor to pump flexible pipe connection forward of frame 49, controls No. 2 suction line (Mod. 4003)				

SERVICES

HYDRAULIC EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index	
		1	2	3	4	5	6	7					
11842	E.F.2.73.515								PIPE, assembly, from by-pass filter forward of frame 47 to oil filling point connection at frame 48, controls No. 2 pump return line	1	T55	C	87/45
5989	E.B.2.73.3891								PLATE, packing, by-pass filter	1	LFS21	C	87/46
33799	E.F.3.73.7781								PLATE, stiffening, controls No. 2 filter mounting bracket (Mod. 4003)	1	L73	C	87/47
26FZ/3412	EEAS.20/3DR								TAB, locking	4	L72	C	87/48
11843	EEAS.20/6DU								TAB, locking	2	S515	C	87/49
11759	E.F.2.73.241								TEE, special, forward of frame 47, controls No. 2 pressure line	1	S94	C	87/50
3938	E.B.2.73.2119								TEE, special cone, aft of frame 46, controls No. 2 return line	1	S94	C	87/51
10303	EEAS.240/1A								WASHER, "D"	10	L72	C	87/52
	-								WRAPPING of bonded seals, No. 2 engine bay (E.F.3.73.8787) (Mod. 4601)	-	-	-	
									Spares for:-				
6102085	EEAS.814								TAPE, fluorocarbon rubber, 1".0 wide	QR	-	C	
	-								PIPES, hydraulic, between frames 44 and 48, port, assembly (E.F.2.73.3057) (Mod. 2053) (Mk. 2 A/c)	-	-	-	88/1
									Spares for:-				
23430	EEAS.552/4								BOBBIN, distance, pipe clip spacing at frame 46	1	L65	C	88/2
	EEAS.552/15								BOBBIN, distance, pipe clip spacing at frame 48	1	L65	-	88/3
10871	EEAS.222/-1/2C								BOLT, special, for wire locking reservoir junction head	1	H.T.S.	C	88/4
11844	E.F.2.73.279								COUPLING, special bulkhead, air release pipe connection at frame 47	1	S94	C	88/5
8998	E.B.3.73.1327								FAIRLEAD, for pipes at frame 45	1	-	C	88/6
									Attachments:-				
28D/9133012	A25/3C								Bolt, 2 BA, hex. head	6	-	C	88/7
28W/9419475	SP15/C								Washer, 2 BA, plain	6	-	C	88/8
7087	E.B.3.73.347								PIPE, assembly, from pressure regulator aft of frame 44 to tee coupling at frame 48, drain line	1	T55	C	88/9
7088	E.B.3.73.349								PIPE, assembly, from special tee at frame 48 to feel unit, drain line	1	T55	C	88/10
7091	E.B.3.73.355								PIPE, assembly, from connection aft of frame 47 to firewall connection, services oil filling line	1	T55	C	88/11
7094	E.B.3.73.361								PIPE, assembly, from coupling aft of frame 45 to coupling aft of frame 51, controls pressure line	1	T55	C	88/12
7095	E.B.3.73.363								PIPE, assembly, from tee coupling forward of frame 48 to firefloor connection, services pressure line	1	T55	C	88/13
7098	E.B.3.73.369								PIPE, assembly, from tee piece aft of frame 45 to pressure regulator, services No. 1 connection	1	T55	C	88/14
7101	E.B.3.73.375								PIPE, assembly, between tee coupling and elbow aft of frame 45, services pressure line	1	T55	C	88/15
7104	E.B.3.73.381								PIPE, assembly, from union at frame 48 to special tee aft of frame 48, services suction line	1	T55	C	88/16
7105	E.B.3.73.383								PIPE, assembly, from union at frame 48 to firewall banjo connection, services suction line	1	T55	C	88/17
11853	E.F.2.73.901								PIPE, assembly, from coupling forward of frame 47 to connection at firefloor aft of frame 48 controls No. 2 pump return line	1	T55	C	88/18
	E.F.2.73.975								PIPE, assembly, from air tapping joint aft of frame 47 to non-return valve aft of frame 48, air supply line	1	T55	-	88/19

HYDRAULIC EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
11852	E.F.2.73.1107								1	T55	C	88/20
	E.F.2.73.1111								1	T55	-	88/21
	E.B.3.73.1137								1	T55	-	88/22
31817	E.B.3.73.1141								1	T55	C	88/23
	E.B.3.73.1693								1	T55	-	88/24
	E.B.3.73.1695								1	T55	-	88/25
	E.F.2.73.2067								1	T55	-	88/26
	E.F.2.73.1109								1	T55	-	88/27
	E.B.3.73.1701								1	T55	-	88/28
31823	E.B.3.73.1703								1	T55	C	88/29
	E.B.3.73.1711								1	T55	-	88/30
21062	E.F.2.73.2071								1	T55	C	88/31
21063	E.F.2.73.2075								1	T55	C	88/32
21065	E.F.2.73.2083								1	T55	C	88/33
21064	E.F.2.73.2081								1	T55	C	88/34
3993	E.B.2.73.2547								1	T55	C	88/35
	E.B.3.73.1643								1	-	-	89/1
28F/8011808	AGS.1104/D								1	-	C	89/2
6442	E.B.3.73.173								1	S94	C	89/3
28F/11170	AGS.1129/D								1	-	C	89/4
4068	E.B.2.73.3189								1	S94	C	89/5
28F/9423231	AGS.1135/D								1	-	C	89/6
27QM/1994	DOWTY ROTOL 11651YAO2								1	-	A	89/7
28F/9428452	AGS.1186/A								2	-	C	89/8
28F/9428455	AGS.1186/D								3	-	C	89/9

SERVICES

HYDRAULIC EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off							Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
			1	2	3	4	5	6	7			
12969	E.F3.73.267	RESERVOIR, auxiliary, controls No. 1 and heat shields, group Consisting of:—							1	—	A	90/1
	E.F3.73.223	RESERVOIR, hydraulic, group Consisting of:—							1	L65	—	90/2
12970	E.F3.73.269	ADAPTOR, 1/4" x 1/4" BSP							1	Hycatrol	C	90/3
12971	E.F3.73.227	BLADDER, reservoir							1	HP257	C	90/4
12972	E.F3.73.243	BODY, banjo, special							1	L65	C	90/5
28F/9423243	AGS.1135/F	BOLT, banjo							1	—	C	90/6
3830	E.B1.73.29	BUSH, sealing							1	L65	C	90/7
12973	E.F3.73.235	CAP, spring							1	L61	C	90/8
12974	E.F3.73.245	COUPLING, stud, 3/4" BSP							1	L65	C	90/9
	E.F3.73.225	CYLINDER, reservoir, sub-assembly							1	—	—	90/10
	†	GREASE, silicone							QR	DTD897	—	90/11
12975	E.F3.73.231	GUIDE, stackpipe							1	L65	C	90/12
12976	E.F3.73.233	HEAD, reservoir junction							1	L65	C	90/13
12977	E.F3.73.239	LOCKWASHER							1	S94	C	90/14
3835	E.B1.73.41	NUT, sealing, bush clamping							1	L65	C	90/15
27QA/17903	DOWTY SP901/B12	SEAL, "O" ring							1	—	C	90/16
27QA/17904	DOWTY SP901/B16	SEAL, "O" ring							1	—	C	90/17
28F/9428452	AGS.1186/A	SEAL, bonded, 1/8" BSF							1	—	C	90/18
28F/9428456	AGS.1186/F	SEAL, bonded, 3/4" BSF							1	—	C	90/19
3837	E.B1.73.47	SLEEVE, outer, sealing bush retaining							1	L65	C	90/20
12978	E.F3.73.241	SLOTNUT, 1-1/4" BSF							3	L65	C	90/21
	E.F3.73.229	STACKPIPE, sub-assembly							1	L56	—	90/22
	E.F3.73.1403	TAG, identification							1	L72	—	90/23
12979	E.F3.73.237	WASHER, plain, special							2	L72	C	90/24
30A/3055	†	WIRE, locking, 22 SWG							QR	DTD189	C	90/25
12980	DARCHEM CO. CRF.60.87	SHIELD, heat, half							1	—	B	90/26
12981	DARCHEM CO. CRF.60.88	SHIELD, heat, half							1	—	B	90/27
30A/3055	†	WIRE, locking, 22 SWG							QR	DTD189	C	90/28
26FZ/981	EEAS.20/2DR	TAB, locking							5	L72	C	88/36
11854	E.F2.73.297	TEE, special, forward of frame 47, services pressure line							1	S94	C	88/37
9027	E.B3.73.1589 E.F2.73.2627	TEE, special, forward of frame 48, drain line VALVE, air relief, auxiliary reservoir, group (Mod. 2048) Consisting of:—							1	S94	C	88/38
		BANJO-BODY							1	—	C	89/11
28F/9439533	AGS.1129/B	BOLT, banjo							1	—	C	89/12
28F/9423227	AGS.1135/B	HOLDER, valve							1	L65	C	89/13
20082	E.F2.73.2631	HOUSING, valve							1	L65	C	89/14
20083	E.F2.73.2629	LOCK-NUT							1	—	C	89/15
28F/9584	AGS.1148/B	SEAL, bonded							3	—	C	89/16
28F/9428453	AGS.1186/B	VALVE, air relief (Pre-Mod. 2238)							1	—	B	89/17
27Q/70377	DOWTY ROTOL H.5060	VALVE, air relief (Mod. 2238)							1	—	B	89/18
27Q/70852	DOWTY ROTOL 1.01344.001	WASHER							2	DTD189	C	89/19
28F/9130664	AGS.1149/2	WIRE, locking, 22 SWG							QR	—	C	89/20
30A/3055	†	WASHER, "D"							21	L72	C	88/39
10303	EEAS.240/1A	WASHER, "D"							4	L72	C	88/40
9842	EEAS.240/2A	WRAPPING of bonded seals (Hyd's) No. 1 and 2 jet pipe bay (E.F3.73.8789) Part C (Mod. 4601) Spares for:—							—	—	—	—
6102085	EEAS.814	TAPE, fluorocarbon rubber, 1".0 wide							QR	—	C	—

HYDRAULIC EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	-	PIPES, hydraulic, between frames 44 and 48, port, assembly (E.F.4.73.149) (Mk. 2A A/c) Spares for:-	-	-	-	
	E.F.73.4567	BRACKET, support, pressure regulator clip	1	L73	-	92/1
28D/9436920	A25/1C	Attachments:- Bolt, 2 BA, hex. head	4	-	C	92/2
24413	E.F.73.7519	CLIP, pressure, regulator securing	1	S514	C	92/3
28D/9133011	A25/2C	Attachments:- Bolt, 2 BA, hex. head	2	-	C	92/4
24414	E.F.2.73.7515	Piece, distance	2	L65	C	92/5
	E.F.73.2179	Washer, pad	2	-	-	92/6
7625	BRIT. REFRASIL ARF.59/61/2	CLIP, pipe support, forward of frame 47	1	-	C	91/1
18607	EEAS.286/5C	Attachments:- Bolt, 2 BA, hex. head	1	H.T.S. Chromed	C	91/2
28W/9419475	SP15/C	Washer, 2 BA, plain	1	-	C	91/3
11844	E.F.2.73.279	COUPLING, special bulkhead, air release pipe at frame 47	1	S94	C	91/4
28D/1008149	A25/2B	Attachments:- Bolt, 4 BA, hex. head	3	-	C	91/5
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	3	-	C	91/6
28W/9419474	SP15/B	Washer, 4 BA, plain	3	-	C	91/7
23426	EEAS.554/2	FAIRLEAD	1	DTD560	C	92/7
23421	EEAS.554/6	FAIRLEAD	2	DTD560	C	92/8
23425	EEAS.556/2	FAIRLEAD	1	DTD560	C	92/9
23422	EEAS.556/6	FAIRLEAD	2	DTD560	C	92/10
	E.F.4.73.585 or E.F.4.73.587	FAIRLEAD, assembly, at frame 45	1	Rubber	-	92/11
28D/9419397	A25/12C	Attachments:- Bolt, 2 BA, hex. head	2	-	C	92/12
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	-	C	92/13
28W/9419475	SP15/C	Washer, 2 BA, plain	2	-	C	92/14
8998	E.B3.73.1327	FAIRLEAD, at frame 45	1	-	C	92/15
28D/9133012	A25/3C	Attachments:- Bolt, 2 BA, hex. head	6	-	C	92/16
28W/9419475	SP15/C	Washer, 2 BA, plain	6	-	C	92/17
20011	E.F.3.73.6517	FAIRLEAD, at frame 46	1	-	C	91/8
28D/9140645	A25/10C	Attachments:- Bolt, 2 BA, hex. head	3	-	C	91/9
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	3	-	C	91/10
28W/9419475	SP15/C	Washer, 2 BA, plain	3	-	C	91/11
20016	E.F.3.73.6527	FAIRLEAD, at frame 48	1	-	C	92/18
28D/9419397	A25/12C	Attachments:- Bolt, 2 BA, hex. head	1	-	C	92/19
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	1	-	C	92/20
28W/9419475	SP15/C	Washer, 2 BA, plain	1	-	C	92/21

SERVICES

HYDRAULIC EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6				
23579	E.F3.73.7095							1	—	C	91/12
28D/9435710	A25/11C							4	—	C	91/13
28M/9433473	AGS.2002/C/1							4	—	C	91/14
	E.F4.73.2211							1	L72	—	91/15
28W/9419475	SP15/C							4	—	—	91/16
23580	E.F3.73.7137							1	—	C	91/17
28D/9419397	A25/12C							4	—	C	91/18
28M/1278190	AGS.2001/C/1							4	—	C	91/19
28W/9419475	SP15/C							4	—	C	91/20
7088	E.B3.73.349							1	T55	C	91/21
7101	E.B3.73.375							1	T55	C	91/22
7104	E.B3.73.381							1	T55	C	91/23
7105	E.B3.73.383							1	T55	C	91/24
	E.F3.73.589							1	T55	—	91/25
1440359	E.F4.73.1103							1	DTD5016	C	91/26
1440360	E.F3.73.1105							1	DTD5016	C	91/27
1440358	E.F4.73.1107							1	DTD5016	C	91/28
1440361	E.F4.73.1109							1	DTD5016	C	91/29
1440351	E.F4.73.1111							1	DTD5016	C	91/30
1440356	E.F4.73.1113							1	DTD5016	C	91/31
1440357	E.F4.73.1115							1	DTD5016	C	91/32
1440350	E.F4.73.1117							1	DTD5016	C	91/33
1440353	E.F4.73.1149							1	DTD5016	C	91/34
1440354	E.F4.73.1151							1	DTD5016	C	91/35
1440352	E.F4.73.1169							1	DTD5016	C	91/36

A.P.101B-1002/2A-3A		SERVICES							Page MM25			
HYDRAULIC EQUIPMENT IN REAR FUSELAGE												
Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	E.F.73.1701	PIPE, assembly, from oil filler point to firefloor							1	T55	-	91/37
	20032 E.F.73.1705	connection between frames 47 and 48, services oil filler line							1	T55	C	91/38
	1441488 E.F.74.2203	PIPE, assembly, from tee coupling forward of frame 48 to firefloor connection, services pressure line							1	DTD5016	C	91/39
R	1441489 E.F.74.2205	PIPE, assembly, from coupling forward of frame 45 . . . to nipple connection forward of frame 46, control No. 1 suction line							1	-	C	91/40
R	20037 E.F.73.2691	PIPE, assembly, from nipple connection forward of . . . frame 46 to nipple connection at frame 47, controls No. 1 suction line							1	T55	C	91/41
	E.F.73.3495	PIPE, assembly, from tee coupling aft of frame 46 to . . connection aft of frame 48, services return line							1	T55	-	91/42
R	20025 E.F.73.4617	PIPE, assembly, from nipple connection aft of frame . . 46 to connection aft of frame 48, controls No. 1 return line							1	T55	C	91/43
	1439559 E.F.73.7121	PIPE, assembly, from nipple adaptor at frame 47 to . . . coupling for auxiliary reservoir aft of frame 48, controls No. 1 suction line							1	T55	C	91/44
	E.F.73.3031	PIPE, assembly, from air release point at frame 47 to . . non-return valve aft of frame 48, hydraulic reservoir pressure line							1	T55	C	91/44
	E.B3.73.1643	PLATE, reinforcing, bulkhead coupling at frame 47 . . .							1	L72	-	92/22
	E.B4.73.1069	REGULATOR, pressure, group (Pre-Mod. 4704)							1	-	-	91/45
		REGULATOR, pressure assembly (Mod. 4704)							1	-	-	
		Consisting of:-										
	28F/8011808 AGS.1104/D	ADAPTOR, cone							1	-	C	92/23
	6442 E.B3.73.173	BODY, banjo							1	S94	C	92/24
	28F/11170 AGS.1129/D	BODY, banjo							1	-	C	92/25
		Attachments:-										
	4068 E.B2.73.3189	Bolt, banjo							1	S94	C	92/26
	28F/9423231 AGS.1135/D	Bolt, banjo							1	-	C	92/27
	27QM/1994 DOWTY ROTOL 11651/Y/A02	REGULATOR, pressure							1	-	A	91/46
	28F/9428452 AGS.1186/A	SEAL, bonded, 1/8" BSP							2	-	C	92/28
	27QA/1451723 DOWTY GD.2618/D	SEAL, bonded (Mod. 4704)							2	-	C	
	27QA/1509933 DOWTY GD.3294/D	SEAL, assembly (Mod. 4704)							1	-	C	
	28F/9428455 AGS.1186/D	SEAL, bonded, 1/2" BSP (Pre-Mod. 4704)							3	-	C	92/29
		Attachments:-										
	28D/1212311 A25/27E	Bolt; 1/4" BSF, hex. head							2	-	C	92/30
	28W/9419405 SP15/E	Washer, 1/4" BSF, plain							2	-	C	92/31
R	1440362 E.F.73.11.4777	SHIELD, heat, for pressure regulator							1	L72	C	92/32
	26FZ/981 EEAA.20/2DR	TAB, locking							4	L72	C	91/47
	11854 E.F.2.73.297	TEE; special, aft of frame 46							1	S94	C	91/48
	9027 E.B3.73.1589	TEE; special, aft of frame 47							1	S94	C	91/49
	E.F.73.2039	UNION, special bulkhead reducing, at frame 47							1	L65	-	92/33
		Attachments:-										
	28D/9133011 A25/2C	Bolt; 2 BA, hex. head							2	-	C	92/34
	28D/9133012 A25/3C	Bolt; 2 BA, hex. head							1	-	C	92/35
	28M/1278190 AGS.2001/C/1	Nut; stiff, 2 BA							3	-	C	92/36
	26FZ/3412 EEAS.20/3DR	Tab, locking							2	L72	C	92/37
	28W/9419475 SP15/C	Washer, 2 BA, plain							2	-	C	92/38
	10303 EEAS.240/1A	WASHER, "D"							8	L72	C	91/50
	9842 EEAS.240/2A	WASHER, "D"							1	L72	C	91/51
		WRAPPING of bonded seals (Hyd's) No. 1 and 2 jet . . pipe bay (E.F.73.8789) Part C (Mod. 4601)							-	-	-	
		Spares for:-										
	6102085 EEAS.814	TAPE, fluorocarbon rubber, 1".0 wide							QR	-	C	

SERVICES

HYDRAULIC EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description	1 2 3 4 5 6 7							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	—	PIPES, hydraulic, between frames 48 and 51, port, assembly (E.F.2.73.3059) (Mod. 2053) (Mk. 2 A/c) Spares for:—								—	—	—	93/1
3819	E.B.2.73.173	BANJO, special, 90° hydraulic reservoir connection, .. controls No. 1 line							1	—	C		93/2
3842	E.B.2.73.3765	BANJO, special, hydraulic reservoir connection							2	—	C		93/3
	EEAS.552/15	BOBBIN, distance, pipe clip spacing at frame 49							1	L65	—		93/4
3822	E.B.2.73.175	BOLT, special, hydraulic reservoir connection, controls No. 1 line							1	—	C		93/5
3823	E.B.2.73.2269	BOLT, special shouldered, reservoir mounting							4	S96	C		93/6
3843	E.B.2.73.3071	BOLT, special banjo, services reservoir suction line connection							1	S94	C		93/7
	—	CLIPPING, at frame 51, assembly (E.B.3.11.2755) Spares for:—								—	—	—	
10825	E.B.3.11.2753	BRACKET							1	L73	C		93/8
		Attachments:—											
28D/1008149	A25/2B	Bolt, 4 BA, hex. head							2	—	C		93/9
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA							2	—	C		93/10
28W/9419474	SP15/B	Washer, 4 BA, plain							2	—	C		93/11
11643	E.B.3.73.1559	CONNECTION, drain, controls and services oil relief .. valves (Pre-Mod. 2139)							2	L65	C		93/12
20043	E.F.2.73.667	CONNECTION, drain, controls and services oil relief .. valve (Mod. 2139)							1	L65	C		93/12A
3844	E.B.2.73.3081	COUPLING, special banjo, services reservoir return ... line connection							1	—	C		93/13
3845	E.B.2.73.3705	COUPLING, special banjo, services reservoir suction .. line connection							1	—	C		93/14
3846	E.B.1.73.205	ELBOW, special cone, for control and services drain pipe connection between frames 50 and 51							2	—	C		93/15
9000	E.B.3.73.1351	FAIRLEAD, reservoir pipes							1	—	C		93/16
		Attachments:—											
28D/9133012	A25/3C	Bolt, 2 BA, hex. head							4	—	C		93/17
28W/9419475	SP15/C	Washer, 2 BA, plain							4	—	C		93/18
8999	E.B.3.73.1525	FAIRLEAD, pipe support at frame 50							1	—	C		93/19
		Attachments:—											
28D/9419397	A25/12C	Bolt, 2 BA, hex. head							2	—	C		93/20
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA							2	—	C		93/21
28W/9419475	SP15/C	Washer, 2 BA, plain							4	—	C		93/22
7125	E.B.3.73.385	PIPE, assembly, from drain tee at frame 48 to special .. reduction tee aft of frame 49, controls suction line							1	T55	C		93/23
21819	E.F.2.73.1989	PIPE, assembly, from service reservoir connection to .. 4-way coupling aft of frame 50, air supply line							1	T55	C		93/24
21820	E.F.2.73.1991	PIPE, assembly, from controls reservoir connection to .. 4-way coupling aft of frame 50, air supply line							1	T55	C		93/25
7130	E.B.3.73.395	PIPE, assembly, pressure drain, from coupling aft of .. frame 50 to bracket mounted special elbow, services reservoir							1	T55	C		93/26

HYDRAULIC EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
7131	E.B3.73.397	PIPE, assembly, pressure drain, from coupling aft of frame 50 to bracket mounted special elbow, controls reservoir	1	T55	C	93/27
21821	E.F2.73.1993	PIPE, assembly, pressure drain, from services reservoir to coupling aft of frame 50	1	T55	C	93/28
21822	E.F2.73.1995	PIPE, assembly, pressure drain, from controls reservoir to coupling aft of frame 50	1	T55	C	93/29
7134	E.B3.73.403	PIPE, assembly, from tee aft of frame 48 to special reduction tee aft of frame 49, services suction line	1	T55	C	93/30
	E.F2.73.1997	PIPE, assembly, from controls reservoir connection to tee aft of frame 50, return line	1	T55	-	93/31
7138	E.B3.73.411	PIPE, assembly, from tee forward of frame 48 to hand pump pressure tee aft of frame 51, services pressure line	1	T55	C	93/32
7139	E.B3.73.413	PIPE, assembly, from elbow aft of frame 45 to reservoir tee aft of frame 50, controls return line	1	T55	C	93/33
	E.F2.73.1999	PIPE, assembly, from services reservoir connection to tee aft of frame 50, return line	1	T55	-	93/34
21825	E.F2.73.2001	PIPE, assembly, from reservoir connection to special tee between frames 50 and 51, controls suction line	1	T55	C	93/35
7145	E.B3.73.425	PIPE, assembly, from coupling aft of frame 45 to reservoir special tee aft of frame 50, controls suction line	1	T55	C	93/36
11855	E.F2.73.425	PIPE, assembly, from non-return valve aft of frame 48 to 4-way coupling aft of frame 50, air supply line	1	T55	C	93/37
7146	E.B3.73.427	PIPE, assembly, from reservoir connection to special tee aft of frame 48, services suction line	1	T55	C	93/38
13078	E.F2.73.927	PIPE, assembly, forward of frame 51, from reducing coupling to services oil relief valve outlet connection	1	T55	C	93/39
13079	E.F2.73.929	PIPE, assembly, forward of frame 51, from reducing coupling to controls oil relief valve outlet connection	1	T55	C	93/40
11639	E.B3.73.1065	PIPE, assembly, from controls oil relief valve to reducing coupling forward of frame 51	1	T55	C	93/41
	E.F2.73.1913	PIPE, assembly, from services oil relief valve to reducing coupling forward of frame 51	1	30/166	C	93/42
10823	E.B3.73.1079	PIPE, assembly, from services reservoir tee forward of frame 50 to feel unit system return tee, services suction line	1	T55	C	93/43
10824	E.B3.73.1081	PIPE, assembly, from 4-way coupling aft of frame 50 to starboard reservoir connection, air supply line	1	T55	C	93/44
	E.B3.73.1139	PIPE, assembly, from tee aft of frame 46 to reservoir tee aft of frame 50, services return line (Mod. 1824)	1	T55	-	93/45
R 6102858	E.F3.73.8893	RESERVOIR, controls and services pressure, group Spares for this group are identical with those for group on page MM35 (Mod. 4749)	2	-	B	93/46
26FZ/981	EEAS.20/2DR	TAB, locking, drain connection	2	L72	C	93/47

SERVICES

HYDRAULIC EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	E.B3.73.119	TEE, assembly, pressure regulator drain pipe aft of ... frame 48, services suction line Consisting of:—							1	—	—	93/48
28F/9140973	AGS.1129/C	BODY, banjo							1	—	C	93/49
28F/9423229	AGS.1135/C	BOLT, banjo							1	—	C	93/50
28F/9429532	AGS.1186/C	SEAL, bonded							1	—	C	93/51
3817	E.B2.73.3075	TEE, special							1	L65	C	93/52
4022	E.B2.73.3801	TEE, special cone, aft of frame 49, services suction ... line							1	S94	C	93/53
5217	E.B2.73.3879	TEE, coupling, special reduction, controls reservoir ... connections between frames 50 and 51							1	S94	C	93/54
	E.F2.73.293	VALVE, oil relief, controls, assembly							1	—	—	94/1
		Consisting of:—										
28F/11170	AGS.1129/D	BODY, banjo							1	—	C	94/2
28F/9423231	AGS.1135/D	BOLT, banjo							1	—	C	94/3
28F/9428455	AGS.1186/D	SEAL, bonded							2	—	C	94/4
27Q/70378	DOWTY ROTOL H.5056	VALVE, relief, low pressure							1	—	B	94/5
	E.F2.73.295	VALVE, oil relief services, assembly							1	—	—	94/6
		Consisting of:—										
28F/8011808	AGS.1104/D	ADAPTOR, cone							1	—	C	94/7
28F/9428455	AGS.1186/D	SEAL, bonded							1	—	C	94/8
27Q/70378	DOWTY ROTOL H.5056	VALVE, relief, low pressure							1	—	B	94/9
10303	EEAS.240/1A	WASHER, "D"							13	L72	C	93/55
9842	EEAS.240/2A	WASHER, "D"							5	L72	C	93/56
	—	WRAPPING of bonded seals (Hyd's) No. 1 and 2 jet pipe bay (E.F3.73.8789) Part C (Mod. 4601) Spares for:—							—	—	—	—
6102085	EEAS.814	TAPE, fluorocarbon rubber, 1".0 wide							QR	—	C	—
	—	PIPES, hydraulic, between frames 48 and 51, port, ... assembly (E.F4.73.159) (Mk. 2A A/c) Spares for:—							—	—	—	—
3819	E.B2.73.173	BANJO, special, 90° hydraulic reservoir connection ... controls No. 1 line							1	—	C	95/1
3842	E.B2.73.3765	BANJO, special, hydraulic reservoir connection							2	—	C	95/2
	EEAS.552/15	BOBBIN, distance, for pipe clip							1	L65	—	96/1
10871	EEAS.222/ 1/2C	BOLT, special, for wire locking auxiliary reservoir ... junction head							3	H.T.S.	C	96/2
3822	E.B2.73.175	BOLT, special, hydraulic reservoir connection, ... controls No. 1 line							1	—	C	95/3
3823	E.B2.73.2269	BOLT, special shouldered, reservoir mounting							4	S96	C	95/4
3843	E.B2.73.3071	BOLT, special banjo, services reservoir suction line ...							1	S94	C	95/5
	—	BRACKET, support, between frames 48 and 49, ... assembly (E.F3.73.7105) Spares for:—							—	—	—	96/3
	E.F3.73.7113	BRACKET, assembly							1	L72	—	96/4
	—	CLIPPING, at frame 51, assembly (E.B3.11.2755) ... Spares for:—							—	—	—	95/6
10825	E.B3.11.2753	BRACKET							1	L73	C	95/7
		Attachments:—										
28D/1008149	A25/2B	Bolt, 4 BA, hex. head							2	—	C	95/8
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA							2	—	C	95/9
28W/9419474	SP15B	Washer, 4 BA, plain							2	—	C	95/10
20041	E.B2.11.2659	COLLAR, services and controls No. 1 reservoirs							2	LFS21	C	95/11
20043	E.F2.73.667	CONNECTION, drain, controls and services oil ... relief valve							1	L65	C	95/12

HYDRAULIC EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
3844	E.B2.73.3081	COUPLING, special banjo, services reservoir return ... line connection							1	-	C	95/13
	E.F2.73.2625	COUPLING, bulkhead vent, aft of frame 48, auxiliary reservoir air supply line							1	L65	-	96/5
3846	E.B1.73.205	ELBOW, special cone, for control and services drain ... pipe connections between frames 50-51							2	-	C	95/14
3845	E.B2.73.3705	ELBOW, services reservoir suction line connection							1	-	C	95/15
23426	EEAS.554/2	FAIRLEAD							4	DTD560	C	96/6
23424	EEAS.554/4	FAIRLEAD							2	DTD560	C	96/7
23421	EEAS.554/6	FAIRLEAD							1	DTD560	C	96/8
23425	EEAS.556/2	FAIRLEAD							4	DTD560	C	96/9
23423	EEAS.556/4	FAIRLEAD							2	DTD560	C	96/10
23422	EEAS.556/6	FAIRLEAD							1	DTD560	C	96/11
9000	E.B3.73.1351	FAIRLEAD, reservoir pipes							1	-	C	95/16
Attachments:-												
28D/9133012	A25/3C	Bolt, 2 BA, hex. head							4	-	C	95/17
28W/9419475	SP15/C	Washer, 2 BA, plain							4	-	C	95/18
8999	E.B3.73.1525	FAIRLEAD, pipe support, frame 50							1	-	C	95/19
Attachments:-												
28D/9419397	A25/12C	Bolt, 2 BA, hex. head							2	-	C	95/20
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA							2	-	C	95/21
28W/9419475	SP15/C	Washer, 2 BA, plain							2	-	C	95/22
20046	E.F3.73.6415	FAIRLEAD, at frame 49							1	-	C	96/12
Attachments:-												
28D/9140647	A25/14C	Bolt, 2 BA, hex. head							1	-	C	96/13
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA							1	-	C	96/14
28W/9419475	SP15/C	Washer, 2 BA, plain							1	-	C	96/15
20047	E.F3.73.6529	FAIRLEAD, at frame 49							1	-	C	96/16
Attachments:-												
28D/9419397	A25/12C	Bolt, 2 BA, hex. head							3	-	C	96/17
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA							3	-	C	96/18
28W/9419475	SP15/C	Washer, 2 BA, plain							3	-	C	96/19
20048	E.F3.73.6531	FAIRLEAD, at frame 50							1	-	C	95/23
Attachments:-												
29D/9140644	A25/9C	Bolt, 2 BA, hex. head							3	-	C	95/24
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA							3	-	C	95/25
28W/9419475	SP15/C	Washer, 2 BA, plain							3	-	C	95/26
23581	E.F3.73.7085	FAIRLEAD, at frame 51							1	-	C	95/27
Attachments:-												
28D/9140645	A25/10C	Bolt, 2 BA, hex. head							2	-	C	95/28
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA							2	-	C	95/29
28W/9419475	SP15/C	Washer, 2 BA, plain							2	-	C	95/30
7125	E.B3.73.385	PIPE, assembly, from drain tee forward of frame 48 ... to special tee cone aft of frame 49, low pressure return line							1	T55	C	96/20
7134	E.B3.73.403	PIPE, assembly, from tee aft of frame 48 to special tee cone aft of frame 49, services suction line							1	T55	C	96/21
7146	E.B3.73.427	PIPE, assembly, from special tee aft of frame 48 to ... reservoir connection aft of frame 50, services suction line							1	T55	C	96/22

SERVICES

HYDRAULIC EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
10823	E.B3.73.1079								1	T55	C	95/30
	E.F4.73.1101								1	DTD5016	-	95/31
1440363	E.F4.73.1135								1	DTD5016	C	96/23
	E.F4.73.1137								1	DTD5016	-	95/32
	E.F4.73.1139								1	DTD5016	-	96/24
	E.F4.73.1141								1	DTD5016	-	96/25
1440364	E.F4.73.1143								1	DTD5016	C	95/33
	E.F4.73.1145								1	DTD5016	-	96/26
1440370	E.F4.73.1147								1	DTD5016	C	96/27
1440771	E.F4.73.1159								1	DTD5016	C	96/28
20051	E.F3.73.1609								1	T55	C	95/34
20052	E.F3.73.1611								1	T55	C	95/35
20057	E.F3.73.1765								1	T55	C	95/36
20058	E.F3.73.1767								1	T55	C	95/37
	E.F3.73.1769								1	T55	-	95/38
	E.F3.73.1771								1	T55	-	95/39
20062	E.F3.73.1775								1	T55	C	95/40
20063	E.F3.73.1779								1	T55	C	95/41
20068	E.F3.73.1787								1	T55	C	95/42
	E.F3.73.1789								1	T55	-	95/43
	E.F3.73.1793								1	T55	-	95/44

HYDRAULIC EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
20072	E.F.3.73.1795	PIPE, assembly, from controls oil relief valve to reducing coupling forward of frame 51,	1	T55	C	95/45
	E.F.3.73.2407	PIPE, assembly, from auxiliary reservoir tee to non- . . . return valve aft of frame 48	1	T55	-	96/29
20076	E.F.3.73.2409	PIPE, assembly, from auxiliary reservoir connection . . . to elbow of frame 49 controls	1	T55	C	96/30
20061	E.F.3.73.3491	PIPE, assembly, from services reservoir connection to coupling aft of frame 50	1	T55	C	95/46
20078	E.F.3.73.6901	PIPE, assembly, from non-return valve to air relief valve at frame 48	1	T55	C	96/31
20079	E.F.3.73.6903	PIPE, assembly, from auxiliary reservoir connection . . . to non-return valve forward of frame 49	1	T55	C	96/32
R 20081	E.F.3.73.7019	PIPE, assembly, from bulkhead vent coupling to non- . . return valve aft of frame 48	1	T55	C	96/33
	E.F.3.73.7357	PIPE, assembly, from tee forward of frame 49 to 4-way coupling aft of frame 50	1	T55	-	95/47
1440984	E.F.3.73.8109	PIPE, assembly, transverse from controls reservoir, port base to starboard connection forward of frame 51, reservoir pressure line	1	DTD5016	C	95/48
1440985	E.F.3.73.8111	PIPE, assembly, transverse, from services reservoir, port base to starboard connection aft of frame 50, reservoir pressure line	1	DTD5016	C	95/49
20275	E.F.3.73.2183	RESERVOIR, auxiliary, controls No. 1 and heat shields, group (Pre-Mod. 4704)	1	-	B	90/29
6102408	E.F.3.73.8841	RESERVOIR, auxiliary and heatshield assembly (Mod. 4704) Consisting of:-	1	-	B	
	E.F.3.73.2181	RESERVOIR, hydraulic, group (Pre-Mod. 4704) . . .	1	-	-	90/30
	E.F.3.73.8839	RESERVOIR, assembly (Mod. 4704) Consisting of:-	1	-	-	
12970	E.F.3.73.269	ADAPTOR, 1/4" 1/2 1/2" BSP	1	L65	C	90/3
12971	E.F.3.73.227	BLADDER, reservoir	1	Hycatrol HP257	C	90/4
20276	E.F.3.73.2059	BODY, banjo, special	1	S92	C	90/31
28F/9423243	AGS.1132/F	BODY, banjo	1	-	C	90/32
20277	E.F.3.73.2065	BOLT, banjo, special, 3/4" BSFP	1	S92	C	90/33
28F/9423233	AGS.1135/F	BOLT, banjo, 3/4" BSP	1	-	C	90/6
3830	E.B.1.73.39	BUSH, sealing	1	L65	C	90/7
12973	E.F.3.73.235	CAP, spring	1	L61	C	90/8
	E.F.3.73.225	CYLINDER, reservoir, sub-assembly	1	-	-	90/10
12975	E.F.3.73.231	GUIDE, stack pipe	1	L65	C	90/11
12976	E.F.3.73.233	HEAD, reservoir junction	1	L65	C	90/13
12977	E.F.3.73.239	LOCK-WASHER	1	S94	C	90/14
3835	E.B.1.73.41	NUT, sealing, bush locking	1	L65	C	90/15
27QA/17903	SP901/B12	SEAL, 'O' ring, 'Dowty'	1	-	C	90/16
27QA/17904	SP901/B16	SEAL, 'O' ring, 'Dowty'	1	-	C	90/17
28F/9428452	AGS.1186/A	SEAL, bonded, 1/8" BSP (Pre-Mod. 4704)	1	-	C	90/18
27QA/ GD.3294/A	DOWTY	SEAL, bonded (Mod. 4704)	1	-	-	
28F/9428456	AGS.1186/F	SEAL, bonded, 3/4" BSP (Pre-Mod. 4704)	4	-	C	90/19
27QA/1509928	DOWTY GD.2618/F	SEAL, bonded (Mod. 4704)	4	-	C	
3837	E.B.1.73.47	SLEEVE, outer, sealing bush retaining	1	L65	C	90/20
12978	E.F.3.73.241	SLOT-NUT, 1-1/4" BSP	3	L65	C	90/21
20278	E.F.3.73.229	STACK-PIPE, sub-assembly	1	L56	C	90/22
	E.F.3.73.1403	TAG, identification	1	L72	-	90/23
12979	E.F.3.73.237	WASHER, special, plain	2	L72	C	90/24
12980	DARCHEM CRF.60/87	SHIELD, heat, half	1	-	C	90/26
12981	DARCHEM CRF.60/88	SHIELD, heat, half	1	-	C	90/27

SERVICES

HYDRAULIC EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
6102858	E.F.3.73.8893	RESERVOIR, controls and services pressure, group . . . Spares for this group are identical with those shown on page MM35 (Mod. 4749)	2	—	A	95/50
26FZ/981	EEAS.20/2DR	TAB, locking	3	L72	C	95/51
	E.B.3.73.119	TEE, coupling, aft of frame 48, services suction line, . . . group (Pre-Mod. 4704)	1	—	—	96/34
	E.B.4.73.1075	TEE, coupling, assy. (Mod. 4704) Consisting of:—	1	—	—	
28F/9140973	AGS.1129/C	BODY, banjo	1	—	C	96/35
28F/9423229	AGS.1135/C	BOLT, banjo	1	—	C	96/36
28F/9429532	AGS.1186/C	SEAL, bonded (Pre-Mod. 4704)	1	—	C	96/37
27QA/1451724	DOWTY GD.2618/C	SEAL, bonded	1	—	C	
3817	E.B.2.73.3075	TEE, special	1	L65	C	96/38
4022	E.B.2.73.3801	TEE, special cone, aft of frame 49, services suction line	1	S94	C	95/52
5217	E.B.2.73.3879	TEE, coupling, special reduction, controls reservoir . . . connections between frames 50 and 51	1	S94	C	95/53
	E.F.2.73.293	VALVE, oil relief, controls, assembly (Pre-Mod. 4704)	1	—	—	
	E.F.3.73.8831	VALVE, oil relief sub-assembly (Mod. 4704) Consisting of:—	1	—	—	
28F/11170	AGS.1129/D	BODY, banjo	1	—	C	
28F/9423231	AGS.1135/D	BOLT, banjo	1	—	C	
28F/9428455	AGS.1186/D	SEAL, bonded (Pre-Mod. 4704)	2	—	C	
27QA/1451723	DOWTY GD.26181D	SEAL, bonded (Mod. 4704)	2	—	C	
27Q/70378	DOWTY ROTOL H.5056	VALVE, relief, low pressure	1	—	B	
	E.F.2.73.295	VALVE, oil relief, services, assembly (Pre-Mod. 4704) .	1	—	—	
	E.F.3.73.8829	VALVE, oil relief assy. (Mod. 4704) Consisting of:—	1	—	—	
28F/8011808	AGS.1104/D	ADAPTOR, cone	1	—	C	
28F/9428455	AGS.1186/D	SEAL, bonded (Pre-Mod. 4704)	1	—	C	
27QA/	DOWTY GD.3294/D	SEAL, bonded (Mod. 4704)	1	—	—	
27Q/70378	DOWTY ROTOL H.5056	VALVE, relief, low pressure	1	—	B	
	E.F.2.73.2627	VALVE, air relief, auxiliary reservoir, group (Pre-Mod. 4704)	1	—	—	96/39
	E.F.3.73.8815	VALVE, air relief assy. (Mod. 4704) Consisting of:—	1	—	—	
28F/9439533	AGS.1129/B	BODY, banjo	1	—	C	
28F/9423227	AGS.1135/B	BOLT, banjo	1	—	C	
28F/9428453	AGS.1186/B	SEAL, bonded (Pre-Mod. 4704)	3	—	C	
27QA/1030167	GD.2618/B	SEAL, bonded (Mod. 4704)	3	—	C	
10303	EEAS.240/1A	WASHER, "D"	6	L72	C	95/54
9842	EEAS.240/2A	WASHER, "D"	4	L72	C	96/40
	—	PIPES, hydraulic, between frames 51 and 53, port, assembly (E.F.2.73.3061) (Mod. 2053) Spares for:—	—	—	—	97/1
21244	E.F.2.73.1983	PIPE, assembly, from hand pump banjo connection . . . to services pressure tee aft of frame 51	1	T55	C	97/2
7150	E.B.3.73.435	PIPE, assembly, from coupling aft of frame 51 to accumulator tee aft of frame 55	1	T55	C	97/3
7151	E.B.3.73.437	PIPE, assembly, from reservoir special tee aft of frame 50 to tee coupling aft of frame 56	1	T55	C	97/4
	E.F.2.73.1829	PIPE, assembly, from coupling aft of frame 51 to starboard tee, fuel system return line	1	T55	—	97/5
7153	E.B.3.73.441	PIPE, assembly, from hand pump tee aft of frame 51 . . to cone tee at frame 52	1	T55	C	97/6
7154	E.B.3.73.443	PIPE, assembly, from services reservoir tee aft of frame 50 to coupling aft of frame 53	1	T55	C	97/7

HYDRAULIC EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	E.F.2.73.1985								1	—	—	97/8
7156	E.B.3.73.447								1	T55	C	97/9
9954	E.B.3.73.1007								1	T55	C	97/10
9951	E.B.3.73.125								1	—	A	97/11
	E.B.1.73.1735								1	—	—	97/12
7158	E.B.2.73.5367								1	—	C	97/13
5209	E.B.2.73.3743								1	T35	C	97/14
27W/1	LOCKHEED UMC/501								1	—	A	97/15
5210	E.B.1.73.1731								1	—	C	97/16
28P/9710567	SP90/C4								1	—	C	97/17
5211	E.B.2.73.3745								1	DTD124	C	97/18
	E.B.2.73.7073								1	—	—	97/22
	E.F.3.73.8817								1	—	—	
7158	E.B.2.73.4367								1	—	C	97/13
5209	E.B.2.73.3643								1	T35	C	97/14
28M/1500064	LOCKHEED AIR.45178								1	—	A	97/23
5210	E.B.1.73.1731								1	—	C	97/16
28P/9710567	SP90/C4								1	—	C	97/17
5211	E.B.2.73.3745								1	DTD124	C	97/18
11860	E.F.2.73.275								1	L65	C	97/19
3850	E.B.1.73.1173								1	L65	C	97/20
10303	EEAS.240/1A								14	L72	C	97/21
	—								—	—	—	98/1
	—								—	—	—	98/2
	E.B.3.73.117								1	—	—	98/3
R	E.F.3.73.8827								1	—	—	
R	E.F.3.73.8931								1	—	—	
27QM/30208	DOWTY ROTOL BM.8603								1	—	A	98/4
R 27QM/1491222	DOWTY ROTOL 102603001								1	—	A	
3818	E.B.2.73.233								1	L65	C	98/5
3821	E.B.1.73.1263								1	L65	C	98/6
28F/9463609	AGS.1136/B								1	—	C	98/7
28F/9428453	AGS.1186/B								2	—	C	98/8
27QA/1030167	DOWTY GD.2618/B								2	—	C	
28F/9429532	AGS.1186/C								1	—	C	98/9
27QA/	DOWTY GD.3294/C								1	—	—	
3819	E.B.2.73.173								1	—	C	98/10
3842	E.B.2.73.3765								1	S94	C	98/11
19958	E.B.4.73.795								1	L64	C	98/12
24765	EEAS.552/1								1	L65	C	98/13
	EEAS.552/6								1	L65	—	98/14
	EEAS.552/14								1	L65	—	98/15
3822	E.B.2.73.175								1	S95	C	98/16
3823	E.B.2.73.2269								2	S96	C	98/17
11643	E.B.3.73.1559								1	L65	C	98/18
20043	E.F.2.73.667								1	L65	C	98/19

SERVICES

HYDRAULIC EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
23421	EEAS.554/6	FAIRLEAD, at frames 15 and 52 (Mk. 2A A/c)							2	DTD560	C	98/20
23422	EEAS.556/6	FAIRLEAD, at frames 51 and 52							2	DTD560	C	98/21
9008	E.B3.73.1435	FAIRLEAD, at frames 51 and 52							2	—	C	98/22
Attachments:—												
28D/9133013	A25/5C	Bolt, 2 BA, hex. head							4	—	C	98/23
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA							4	—	C	98/24
28W/9419475	SP15/C	Washer, 2 BA, plain							4	—	C	98/25
	E.F2.73.2539	PACKING, pipe clip at frame 51							1	L72	—	98/26
11861	E.F2.73.277	PIECE, 4-way, special, forward of frame 52, services . . . pressure line							1	L65	C	98/27
11862	E.F2.73.417	PIPE, assembly, from cone tee at frame 52, port, to . . . non-return valve at 4-way piece, starboard, services pressure line							1	T55	C	98/28
7106	E.B3.73.451	PIPE, assembly, from bulkhead fitting to 4,000 lb. pressure gauge connection, nitrogen line (Mk. 2 A/c)							1	T55	C	98/29
7107	E.B3.73.453	PIPE, assembly, from accumulator special banjo to . . . bulkhead fitting, pressure gauge nitrogen line (Mk. 2 A/c)							1	T55	C	98/30
35076	E.F3.73.7599	PIPE, assembly, from accumulator banjo connection . . . to pressure gauge connection, nitrogen line (Mk. 2A A/c)							1	T55	C	98/31
7108	E.B3.73.455	PIPE, assembly, from autostabiliser accumulator to . . . charging valve banjo connection between frames 51 and 52, nitrogen line							1	T55	C	98/32
7109	E.B3.73.457	PIPE, assembly, from bulkhead connection to cone . . . elbow connection aft of frame 51, reservoir controls No. 2 drain line							1	T55	C	98/33
7110	E.B3.73.459	PIPE, assembly, from hydraulic reservoir connection . . . to bulkhead coupling connection, pressure drain line							1	T55	C	98/34
7111	E.B3.73.461	PIPE, assembly, from autostabilising accumulator between frames 51 and 52 to 4-way piece, autostabiliser pressure line							1	T55	C	98/35
	E.F2.73.2063	PIPE, assembly, from 4-way piece at frame 52 to connection aft of frame 55, autostabiliser pressure line							1	T55	—	98/36
7116	E.B3.73.471	PIPE, assembly, from hydraulic reservoir special tee to . . . tee coupling aft of frame 56, tailplane motor valve drain line							1	T55	C	98/37
	E.F2.73.473	PIPE, assembly, from tee piece aft of frame 51 to 4-way piece forward of frame 52, auto- stabiliser pressure line							1	T55	—	98/38
7117	E.B3.73.475	PIPE, assembly, from tee aft of frame 51 to coupling . . . aft of frame 55, autostabiliser drain line							1	T55	C	98/39
7118	E.B3.73.477	PIPE, assembly, from coupling forward of frame 50 to . . . pressure switch tee aft of frame 54, controls No. 2 pressure line							1	T55	C	98/40
	E.F2.73.1981	PIPE, assembly, reservoir connection to tee, controls . . . No. 2 return line							1	T55	—	98/41
7122	E.B3.73.485	PIPE, assembly, from reservoir tee aft of frame 51 to . . . cone elbow aft of frame 56, controls No. 2 return line							1	T55	C	98/42
7123	E.B3.73.487	PIPE, assembly, from elbow connection forward of frame 49 to reservoir reduction tee, controls No. 2 suction line							1	T55	C	98/43
7124	E.B3.73.489	PIPE, assembly, reservoir connection to reduction tee, controls No. 2 suction line							1	T55	C	98/44
11863	E.F2.73.577	PIPE, assembly, from bulkhead coupling at frame 53 . . . to bulkhead coupling at frame 49, under- carriage emergency line, feel by-pass valve							1	T55	C	98/45

HYDRAULIC EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
11864	E.F2.73.579								1	T55	C	98/46
11865	E.F2.73.581								1	T55	C	98/47
7119	E.B3.73.1009								1	T55	C	98/48
7657	E.B3.73.1049								1	T55	C	98/49
11640	E.B3.73.1069								1	T55	C	98/50
11641	E.B3.73.1071								1	T55	C	98/51
21086	E.B3.73.1177								1	T55	C	98/52
11642	E.B2.73.1073								1	T55	C	98/53
21087	E.B3.73.1179								1	T55	C	98/54
35077	E.F3.73.7597								1	T55	C	98/55
37421	E.F3.73.8123								1	DTD5016	C	98/56
37422	E.F3.73.8125								1	DTD5016	C	98/57
7661	E.B3.73.5385								1	DTD743	C	98/58
R 6102858	E.F3.73.8893								1	-	B	99/1
	3836	E.B2.73.4343							1	-	C	99/2
	3830	E.B1.73.39							1	L65	C	99/3
R 6102860	E.F3.73.3913								1	L16	C	99/4
	E.B2.73.4455								1	-	C	99/5
R 6102859	E.F3.73.3915								1	-	C	99/6
	3833	E.B2.73.149							1	L65	C	99/8
	3834	E.B2.73.171							1	L65	C	99/9
	3835	E.B1.73.41							1	L65	C	99/10
R 6102862	E.F3.73.8897								1	-	C	
27QA/17903	SP901/B12								1	-	C	99/11
27QA/17904	SP901/B16								1	-	C	99/12
	3837	E.B1.73.47							1	L65	C	99/13
R 6102861	E.F3.73.8907								1	L56	C	99/14
	3839	E.B2.73.4369							1	L65	C	99/15
	6892	E.B2.73.4357							1	S94	C	99/16
28F/9428453	AGS.1186/B								4	-	C	
27QA/1030167	DOWTY								2	-	C	
	GD.2618/B											
27QA/1509931	DOWTY								2	-	C	
	GD.3294/B											
28F/9428455	AGS.1186/D								1	-	C	
27QA/1451723	DOWTY								1	-	C	
	GD.2618/D											

SERVICES

HYDRAULIC EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
28F/9429532	AGS.1186/C	SEAL, bonded (Pre-Mod. 4704)	2	—	C	
27QA/1451724	DOWTY	SEAL, bonded (Mod. 4704)	2	—	C	
	GD.2618/C					
28F/9428456	AGS.1186/F	SEAL, bonded (Pre-Mod. 4704)	1	—	C	
27QA/1509928	DOWTY	SEAL, bonded (Mod. 4704)	1	—	C	
	GD.2618/F					
26FZ/3412	EEAS.20/3DR	TAB, locking, charging valve	2	L72	C	98/59
26FZ/20454	EEAS.20/5DR	TAB, locking	6	L72	C	98/60
26FZ/981	EEAS.20/2DR	TAB, locking, oil relief valve drain outlet connection ..	1	L72	C	98/61
3840	E.B2.73.177	TEE, hydraulic reservoir, controls No. 2	1	L65	C	98/62
11722	E.F2.73.211	TEE, special reduction, aft of frame 51	1	L65	C	98/63
9023	E.B3.73.1577	UNION, cone, flanged bulkhead (Mk. 2 A/c)	1	S94	C	98/64
9949	E.B3.73.113	VALVE, charging, assembly (Pre-Mod. 4704)	1	—	B	94/10
6102409	E.F3.73.8835	VALVE, charging, assembly (Mod. 4704)	1	—	B	
		Consisting of:—				
3820	E.B1.73.1275	BLOCK, connection, valve mounting	1	L65	C	94/11
28F/9439533	AGS.1129/B	BODY, banjo, cone	1	—	C	94/12
28F/9423227	AGS.1135/B	BOLT, banjo	1	—	C	94/13
28F/9428453	AGS.1186/B	SEAL, bonded (Pre-Mod. 4704)	3	—	C	94/14
27QA/1030167	DOWTY	SEAL, bonded (Mod. 4704)	2	—	C	
	GD.2618/B					
27QA/1509931	DOWTY	SEAL, assembly (Mod. 4704)	1	—	C	
	GD.3294/B					
28Y/15486	H. COMP. A58	VALVE, inflation, "Gyp"	1	—	C	94/15
	E.F2.73.293	VALVE, oil relief, assembly (Pre-Mod. 4704)	1	—	—	94/16
	E.F3.73.8831	VALVE, oil relief, assembly (Mod. 4704)	1	—	—	
		Consisting of:—				
28F/11170	AGS.1129/D	BODY, banjo	1	—	C	94/17
28F/9423231	AGS.1135/D	BOLT, banjo	1	—	C	94/18
28F/9428455	AGS.1186/D	SEAL, bonded	1	—	C	94/19
27QA/1451723	DOWTY	SEAL, bonded (Mod. 4704)	2	—	C	
	GD.2618/D					
27Q/70378	DOWTY ROTOL H.5056	VALVE, relief, low pressure	1	—	A	94/20
10303	EEAS.240/1A	WASHER, "D"	12	L72	C	98/65
	—	PIPES, hydraulic, at starboard air brake jack box, assembly (E.F3.73.103) (Mk. 2 A/c)	—	—	—	100/1
	—	PIPES, hydraulic, at starboard air brake jack box, assembly (E.F4.73.155) (Mk. 2A A/c)	—	—	—	100/2
		Spares for:—				
9047	E.B2.73.4473	ELBOW, special, at frame 55	1	L65	C	100/3
3866	E.B2.73.241	GROMMET (Pre-Mod. 4722)	1	Neoprene	C	100/4
	E.B2.73.7103	GROMMET (Mod. 4722)	1	Neoprene	—	
		Attachments:—				
28D/1008149	A25/2B	Bolt, 4 BA, hex. head	4	—	C	100/5
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	4	—	C	100/6
28W/9419474	SP15/B	Washer, 4 BA, plain	4	—	C	100/7
11867	E.F2.73.401	PIPE, assembly, between bulkhead connections at frames 53 and 53A, air brake door "in" line	1	T55	C	100/8
11868	E.F2.73.403	PIPE, assembly, between bulkhead connections at frame 53 and 53A, air brake door "out" line	1	T55	C	100/9
11869	E.F2.73.405	PIPE, assembly, from bulkhead connection at frame 53A to air brake door jack swivel coupling	1	T55	C	100/10
11870	E.F2.73.407	PIPE, assembly, from bulkhead connection at frame 53A to special tee aft of frame 54	1	T55	C	100/11
11871	E.F2.73.409	PIPE, assembly, from special tee aft of frame 54 to air brake jack swivel coupling connection	1	T55	C	100/12
	—	WRAPPING, of bonded seals (Hyd's) No. 1 and 2 jet pipe bay (E.F3.73.8789) Part C (Mod. 4601)	—	—	—	
		Spares for:—				
6102085	EEAS.814	TAPE, fluorocarbon rubber, 1" x 0 wide	QR	—	C	

HYDRAULIC EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
11872	E.F.2.73.411	PIPE, assembly, from special tee aft of frame 54 to air brake lock jack bulkhead connection at frame 55	1	T55	C	100/13
11873	E.F.2.73.413	PIPE, assembly, interconnection between bulkhead fittings on frame 53 (Mk. 2 A/c)	1	T55	C	100/14
11874	E.B.2.73.415	PIPE, assembly, interconnection between bulkhead fittings on frame 53 (Mk. 2 A/c)	1	T55	C	100/15
3878	E.B.2.73.4023	PIPE, assembly, from bulkhead connection to air brake lock jack "in" line connection	1	T55	C	100/16
3877	E.B.2.73.4025	PIPE, assembly, from bulkhead connection to coupling aft of frame 55, air brake "in" line	1	T55	C	100/17
9045	E.B.2.73.5543	PIPE, assembly, from special elbow at frame 55 to air brake door lock jack connection	1	T55	C	100/18
28F/9428453	AGS.1186/B	SEAL, bonded (Pre-Mod. 4704)	6	-	C	
27QA/1030167	DOWTY GD.2618/B	SEAL, bonded (Mod. 4704)	6	-	C	
26FZ/20454	EEAS.20/5DR	TAB, locking	4	L72	C	100/19
11860	E.F.2.73.275	TEE, special, aft of frame 54	1	L65	C	100/20
	E.B.2.73.237	WASHER, special, for bulkhead connection at frame 55	1	-	LM	100/21
	E.B.2.73.239	WASHER, special, for bulkhead connection at frame 54	3	-	LM	100/22
3879	E.B.2.73.243	WASHER, plate, for air brake door jack pipe grommet between frames 54 and 55	1	L72	C	100/23
	E.B.2.73.1319	WASHER, special, for bulkhead connection at frame 53A	1	-	LM	100/24
9060	E.B.2.73.5775	WASHER, special, for bulkhead connection at frame 53	1	-	C	100/25
	-	WRAPPING of bonded seals (Hyd's) No. 1 and 2 jet pipe bay (E.F.3.73.8789) Part C (Mod. 4601)	-	-	-	
	-	Spares for:-				
6102085	EEAS.814	TAPE, fluorocarbon rubber, 1" x 0 wide	QR	-	C	
	-	PIPES, hydraulic, between frames 52 and 53, starboard, assembly (E.F.3.73.7487) (Mk. 2A A/c)	-	-	-	101/1
	-	Spares for:-				
	E.F.3.73.7481	BRACKET, fairlead mounting	1	L72	-	101/2
	E.F.2.73.753	FAIRLEAD, at frame 52	1	-	-	101/3
	-	Attachments:-				
28D/9133014	A25/13C	Bolt, 2 BA, hex. head	2	-	C	101/4
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	-	C	101/5
28W/9419475	SP15/C	Washer, 2 BA, plain	2	-	C	101/6
24300	E.F.3.73.7477	PIPE, assembly, interconnection, between bulkhead connections at frame 53, air brake	1	T55	C	101/7
24301	E.F.3.73.7479	PIPE, assembly, interconnection, between bulkhead connections at frame 53, air brake	1	T55	C	101/8
	-	PIPES, hydraulic, between frames 55 and 56, starboard, assembly (E.F.2.73.3085) (Mod. 2053)	-	-	-	102/1
	-	PIPES, hydraulic, between frames 55 and 56, starboard, assembly (E.F.4.73.233) (Mk. 2A A/c)	-	-	-	102/2
	-	Spares for:-				
9952	E.B.3.73.135	ACCUMULATOR, tailplane, assembly (Pre-Mod. 4704)	1	-	-	102/3
	-	Consisting of:-				
27QM/30351	DOWTY ROTOL A1019	ACCUMULATOR	1	-	A	102/4
3852	E.B.1.73.1849	ADAPTOR, special, pipe connection	1	S96	C	102/5
28F/8011809	AGS.1104/B	CONE, adaptor, 1/4" BSF	1	-	C	102/6
27QA/1509931	DOWTY GD.3294/B	SEAL, assembly (Mod. 4704)	1	-	C	
27QA/	DOWTY GD.3294/C	SEAL, assembly (Mod. 4704)	1	-	C	
28F/9428453	AGS.1186/B	WASHER, sealing (Pre-Mod. 4704)	1	-	C	102/7
28F/9429532	AGS.1186/C	WASHER, sealing (Pre-Mod. 4704)	1	-	C	102/8

SERVICES

HYDRAULIC EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
9026	E.B3.73.1569	ADAPTOR, special cone, control No. 2 pressure switch pipe connection	1	S94	C	103/1
19926	E.B4.73.773	BOBBIN, distance, ".5 long, pipe clip spacing	3	L64	C	103/2
19958	E.B4.73.795	BOBBIN, distance, ".35 long, pipe clip spacing	1	L64	C	103/3
23430	EEAS.552/4	BOBBIN, distance, ".5 long, pipe clip spacing	1	L65	C	103/4
	EEAS.552/6	BOBBIN, distance, ".6 long, pipe clip spacing	2	L65	—	103/5
23433	EEAS.552/8	BOBBIN, distance, ".75 long, pipe clip spacing	1	L65	C	103/6
23432	EEAS.552/9	BOBBIN, distance, ".75 long, pipe clip spacing	1	L65	C	103/7
	EEAS.552/14	BOBBIN, distance, 1" long (Mk. 2A A/c)	1	L65	—	103/8
	E.B3.73.133	BOTTLE, air, sub-assembly (Pre-Mod. 4704)	1	—	—	102/9
	E.F3.73.882	BOTTLE, air, sub-assembly (Mod. 4704)	1	—	—	
		Consisting of:—				
3851	E.B1.73.277	ADAPTOR, special pipe connection	1	L65	C	102/10
28F/9439533	AGS.1129/B	BODY, banjo, 1/4" BSF	1	—	C	102/11
28F/9423227	AGS.1135/B	BOLT, banjo	1	—	C	102/12
27QM/30206	DOWTY ROTOL 8607	BOTTLE, air	1	—	A	102/13
28F/9428453	AGS.1186/B	SEAL, bonded (Pre-Mod. 4704)	3	—	C	102/14
27QA/1030167	DOWTY GD.2618/B	SEAL, bonded (Mod. 4704)	2	—	C	
27QA/1509931	DOWTY GD.3294/B	SEAL, assembly (Mod. 4704)	1	—	C	
13737	E.B2.07.671	BRACKET, pipe clip, attachment, aft of frame 55 (E.B2.73.31)	1	L72	C	103/9
13738	E.B2.07.673	BRACKET, pipe clip, attachment, aft of frame 55 (E.B2.73.33)	1	L72	C	103/10
9001	E.B3.73.1409	FAIRLEAD, at frame 55	1	—	C	103/11
		Attachments:—				
28D/1215673	A29/17C	Bolt, 2 BA, hex. head	2	—	C	103/12
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	103/13
28W/9419475	SP15/C	WASHER, 2 BA, plain	2	—	C	103/14
23426	EEAS.554/2	FAIRLEAD (Mk. 2A A/c)	1	DTD560	C	103/15
23425	EEAS.556/2	FAIRLEAD (Mk. 2A A/c)	1	DTD560	C	103/16
	E.B1.73.1285	PACKING, accumulator mounting, 1/16" x 11".75 x 1"	1	Neoprene	LM	102/15
	E.B1.73.1287	PACKING, air bottle mounting	1	Neoprene	LM	102/16
R 11875	E.F2.73.441	PIPE, assembly, from non-return valve at accumulator tee to pressure switch reduction tee forward of frame 55, tailplane pressure line	1	T55	C	103/17
R 11876	E.F2.73.443	PIPE, assembly, from micronic filter to reducing union aft of frame 55, autostabiliser pressure line	1	T55	C	103/18
R	E.F2.73.1907	PIPE, assembly, from air pressure accumulator and charging valve reduction tee to connection aft of frame 55	1	T55	—	103/19
R 6938	E.B3.73.723	PIPE, assembly, from connection aft of frame 55 to 20y p.s.i. air pressure gauge, nitrogen line	1	T55	C	103/20
R 6946	E.B3.73.727	PIPE, assembly, from tee aft of frame 55 to 4000 p.s.i. pressure gauge, tailplane accumulator nitrogen charging line	1	T55	C	103/21
R	E.F2.73.1909	PIPE, assembly, from micronic filter to autostabiliser tee, pressure line	1	T55	—	103/22
R 6930	E.B3.73.735	PIPE, assembly, inter-connection between tailplane air-bottle and accumulator nitrogen line	1	T55	C	103/23

HYDRAULIC EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
6926	E.B3.73.737	PIPE, assembly, from pressure gauge tee aft of frame 55 to tailplane accumulator air bottle connection, nitrogen charging line	1	T55	C	103/24
6957	E.B3.73.739	PIPE, assembly, from 4,000 p.s.i. pressure gauge tee aft of frame 55 to charging valve connection, nitrogen line	1	T55	C	103/25
	E.F2.73.1911	PIPE, assembly, from tee forward of frame 56 to tee aft of frame 56, autostabiliser pressure line	1	T55	-	103/26
6949	E.B3.73.747	PIPE, assembly, from autostabiliser return pipe tee forward of frame 56 to feel simulator control tee	1	T55	C	103/27
6940	E.B3.73.749	PIPE, assembly, from autostabiliser return line tee to coupling aft of frame 55, drain line	1	T55	C	103/28
6947	E.B3.53.571	PIPE, assembly, between couplings aft of frame 55, tailplane feel unit pressure line	1	T55	C	103/29
6934	E.B3.73.757	PIPE, assembly, from tailplane accumulator connection to special tee coupling	1	T55	C	103/30
6936	E.B3.73.759	PIPE, assembly, from tailplane accumulator special tee coupling to special coupling aft of frame 56, tailplane pressure line	1	T55	C	103/31
9953	E.B3.73.919	PIPE, assembly, from coupling aft, of frame 55 to selector connection aft of frame 56, tailplane feel unit pressure line	1	T55	C	103/32
3854	E.B2.73.4091	PIPE, assembly, from union at frame 55 to starboard pipe connection, air brake "in" line (Mk. 2 A/c)	1	T55	C	103/33
	E.F4.73.2159	PIPE, assembly, from union to nipple coupling aft of frame 55, air brake "in" line (Mk. 2A A/c)	1	DTD5016	-	103/34
	E.F4.73.2161	PIPE, assembly, from nipple coupling to starboard connection, air brake "in" line (Mk. 2A A/c)	1	DTD5016	-	103/35
6923	E.B2.73.5393	PIPE, assembly, from reduction tee forward of frame 55 to thermal control pressure switch, tailplane pressure line	1	T55	C	103/36
26FZ/3412	EEAS.20/3DR	TAB, locking, charging valve connecting block	1	L72	C	102/17
11878	E.F2.73.299	TEE, special, for accumulator connection and non-return valve, controls No. 2 pressure line	1	L65	C	103/37
4021	E.B2.73.3153	TEE, special cone, aft of frame 55, nitrogen line	1	S94	C	103/38
9949	E.B3.73.113	VALVE, charging, tailplane, assembly (Pre-Mod. 4704)	1	-	B	102/18
6102409	E.F3.73.8835	VALVE, charging, assembly (Mod. 4704) Consisting of:-	1	-	B	
3820	E.B1.73.1275	BLOCK, connection, valve mounting	1	L65	C	102/19
28F/1439533	AGS.1129/B	BODY, banjo, cone	1	-	C	102/20
28F/9423227	AGS.1135/B	BOLT, banjo	1	-	C	102/21
28F/9428453	AGS.1186/B	SEAL, bonded (Pre-Mod. 4704)	3	-	C	102/22
27QA/1030167	DOWTY GD.2618/B	SEAL, bonded (Mod. 4704)	2	-	C	
27QA/1509931	DOWTY GD.3294/B	SEAL, assembly (Mod. 4704)	1	-	C	
28Y/15486	H.P. COMP. A58	VALVE, inflation, "gyp"	1	-	C	102/23
10303	EEAS.240/1A	WASHER, "D"	21	L72	C	103/39
	-	WRAPPING of bonded seals (Hyd's) No. 1 and 2 jet pipe bay (E.F3.73.8789) Part C (Mod. 4601) Spares for:-	-	-	-	
6102085	EEAS.814	TAPE, fluorocarbon rubber, 1" x 0 wide	QR	-	C	
	-	PIPES, hydraulic, between frames 46 and 49, starboard, assembly (E.F2.73.107) (Mk. 2 A/c)	-	-	-	104/1
	-	PIPES, hydraulic, between frames 46 and 49, starboard, assembly (E.F4.73.157) (Mk. 2A A/c) Spares for:-	-	-	-	104/2
	EEAS.552/6	BOBBIN, distance, ".6 long, pipe clip spacing	2	L65	-	104/3
23423	EEAS.556/4	FAIRLEAD, for 3/8" pipe	4	DTD560	C	104/4
23425	EEAS.556/2	FAIRLEAD, for 1/4" pipe	2	DTD560	C	104/5
23426	EEAS.554/2	FAIRLEAD, for 1/4" pipe	2	DTD560	C	104/6

SERVICES

HYDRAULIC EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
7066	E.B3.73.277	PIPE, assembly, from connection at firefloor to elbow connection forward of frame 49, controls No. 2 suction line							1	T55	C	104/7
7060	E.B3.73.1015	PIPE, assembly, from connection at firefloor aft of frame 47 to coupling forward of frame 50, controls No. 2 pressure line							1	—	C	104/8
7062	E.B3.73.1017	PIPE, assembly, from connection at firefloor forward of frame 47 to hydraulic reservoir tee connection, controls No. 2 return line							1	T55	C	104/9
8782	E.B3.73.1075	PIPE, assembly, from connection forward of frame 50 to connection at frame 44, auto-stabiliser pressure line							1	T55	C	104/10
	E.F2.73.1127	PIPE, assembly, transverse, from firefloor connection at frame 46 to tee coupling aft of frame 46, port services return line (Mod. 1824) (Mk. 2 A/c)							1	T55	—	104/11
	E.F4.73.1099	PIPE, assembly, transverse, from firefloor connection at frame 46 to coupling aft of frame 46, port, services return line (Mk. 2A A/c)							1	DTD5016	—	104/12
10303	EEAS.240/1A	WASHER, "D"							12	L72	C	104/13
9842	EEAS.240/2A	WASHER, "D"							1	L72	C	104/14
	—	PIPES, hydraulic, between frames 48 and 49, above firewall, port, assembly (E.F2.73.3135) (Mod. 4361) Spares for:—							—	—	—	105/1
4062	E.B2.73.2205	ADAPTOR, special union, flexible pipe connection, controls No. 2 pump suction line							1	S94	C	105/2
3909	E.B2.73.193	BODY, banjo, flexible pipe connection, controls No. 2 pump return line							1	S94	C	105/3
9025	E.B3.73.1581	BODY, banjo, cone, right angle, controls No. 2 pump, drain pipe connection							1	S94	C	105/4
3911	E.B2.73.2189	BODY, special banjo, flexible pipe connection, controls No. 2 pump pressure line							1	S94	C	105/5
3912	E.B2.73.269	BOLT, special banjo, flexible pipe connection controls No. 2 pump return line							1	S94	C	105/6
3914	E.B2.73.2191	BOLT, special banjo, flexible pipe connection controls No. 2 pump return line							1	S94	C	105/7
4071	E.B2.73.265	ELBOW, special, at frame 48							1	S94	C	105/8
23424	EEAS.554/4	FAIRLEAD, at frame 48 (Mod. 4361)							1	L72	C	105/9
23423	EEAS.556/4	FAIRLEAD, at frame 48 (Mod. 4361) Attachments:—							1	L72	C	105/10
28D/1010030	A25/7C	Bolt, 2 BA, hex. head							1	—	C	105/11
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA							1	L72	C	105/12
28W/9457834	SP124/D	Washer, 10 UNF							1	—	C	105/13

HYDRAULIC EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
1484389	E.F.2.73.2821								1	—	C	105/14
28D/9133012	A24/3C								1	—	C	105/15
28D/9435710	A25/11C								1	—	C	105/16
28M/1278190	AGS.2001/C/1								1	L72	C	105/17
	E.F.2.73.2817								1	L72	—	105/18
	E.F.2.73.2819								1	L72	LM	105/19
23028	EEAS.21A/4HR								1	—	C	105/20
1484393	E.F.2.73.2833								1	—	C	105/21
28D/9133012	A25/3C								1	—	C	105/22
28D/9140645	A25/10C								2	—	C	105/23
28M/1278190	AGS.2001/C/1								3	—	C	105/24
	E.F.2.73.2817								3	L72	—	105/25
	E.F.2.73.2819								1	L72	LM	105/26
23423	EEAS.556/4								1	DTD560	C	
23424	EEAS.554/4								1	DTD560	C	
4073	E.B.2.73.685								1	DTD523	C	105/27
11881	E.B.2.73.903								1	T55	C	105/28
4082	E.B.2.73.3325								1	DTD323	C	105/29
11882	E.B.2.73.5413								1	L67	C	105/30
26FZ/981	EEAS.20/2DR								6	—	C	105/31
26FZ/3412	EEAS.20/3DR								1	—	C	105/32
11883	E.B.2.73.5759								1	L59	C	105/33
9024	E.B.3.73.1635								1	S94	C	105/34
10303	EEAS.240/1A								2	L72	C	105/35
	—								—	—	—	105/36
1440397	E.F.4.73.597								1	S92	C	105/37
26FZ/3412	EEAS.20/3DR								1	L72	C	105/38
28W/9419477	SP15/J								1	—	C	105/39
	—								—	—	—	106/1
3968	E.B.2.73.2315								1	T55	C	106/2
3969	E.B.2.73.2317								1	T55	C	106/3
3970	E.B.2.73.2319								1	T55	C	106/4

SERVICES

HYDRAULIC EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.F2.73.1965	PIPE, assembly, from connection aft of frame 39, to coupling at frame 34, autostabiliser pressure line	1	T55	—	106/5
3971	E.F2.73.2547	PLATE, packing, pipe clip at frame 6 and 39	2	L72	—	106/6
8785	EEAS.20/2DRH	TAB, locking	2	L72	C	106/7
	E.B2.73.4489	WASHER, special distance, for bulkhead coupling at frame 34	1	L72	C	106/8
10303	EEAS.240/1A	WASHER, "D"	9	L72	C	106/9
	—	PIPES, hydraulic, between frames 34 and 42, starboard, assembly (E.F4.73.127) (Mk. 2A A/c) Spares for:—	—	—	—	106/10
19926	E.B4.73.773	BOBBIN, distance, pipe clip spacing	1	L64	C	106/11
23426	EEAS.554/2	FAIRLEAD	1	DTD560	C	106/12
23424	EEAS.554/4	FAIRLEAD	1	DTD560	C	106/13
23425	EEAS.556/2	FAIRLEAD	1	DTD560	C	106/14
23423	EEAS.556/4	FAIRLEAD	1	DTD560	C	106/15
20211	E.F3.73.353	PIPE, assembly, from coupling at frame 34 to coupling at frame 42, controls No. 2 pressure line	1	T55	C	106/16
20212	E.F3.73.357	PIPE, assembly, from coupling at frame 34 to coupling at frame 42, controls No. 2 return line	1	T55	C	106/17
	E.F4.73.1003	PIPE, assembly, from coupling at frame 34 to coupling aft of frame 39, auto stabiliser pressure line	1	DTD5016	—	106/18
24284	E.F3.73.7423	PIPE, assembly, from coupling at frame 34 to coupling at frame 42, wheel brake pressure line	1	T55	C	106/19
26FZ/981	E.F2.73.2547	PLATE, packing, at frames 36 and 39	2	L72	C	106/6
10303	EEAS.20/2DR	TAB, locking	3	L72	C	106/20
	EEAS.240/1A	WASHER, "D"	7	L72	C	106/9
	—	PIPES, hydraulic, between frame 48 and 50, for tailplane feel unit and autostabiliser (E.F2.73.3073) (Mod. 2053) Spares for:—	—	—	—	107/1
6079	E.B2.73.4309	BANJO, special, at frame 50, autostabiliser return line	1	S94	C	107/2
7766	E.B2.73.4401	BANJO, special, feel unit flexible pipe connection	1	S94	C	107/3
4087	E.B2.73.2137	BOLT, special banjo, feel unit flexible pipe connection	1	S94	C	107/4
4088	E.B2.73.3199	BRACKET, swivel coupling mounting at frame 49 (Mk. 2 A/c) Attachments:—	1	L65	C	107/5
28D/9133011	A25/2C	Bolt, 2 BA, hex. head	2	—	C	107/6
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	107/7
28W/9419475	SP15/C	Washer, 2 BA, plain	2	—	C	107/8
9029	E.B3.73.1645	ELBOW, special, through frame 48, feel unit drain line	1	S94	C	107/9
3863	E.B2.73.295	FITTING, bulkhead, at frame 50, autostabiliser return line Attachments:—	1	L65	C	107/10
28D/1008149	A25/2B	Bolt, 4 BA, hex. head	3	—	C	107/11
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	3	—	C	107/12
7067	E.B3.73.713	PIPE, assembly, from autostabiliser connection to connection at frame 50, return line (Pre-Mod. 2317)	1	T55	C	107/13
22487	E.F2.73.2119	PIPE, assembly, from autostabiliser connection to connection at frame 50, return line (Mod. 2317)	1	T55	C	107/14

HYDRAULIC EQUIPMENT IN REAR FUSELAGE

Page MMA

Ref. No.	Part No.	Description	No. off							C	Ref.	
			1	2	3	4	5	6	7			
7068	E.B2.73.4553	PIPE, assembly, from connection at frame 50 to autostabiliser connection, pressure line (Pre-Mod. 2317)	1							T55		
22488	E.F2.73.2121	PIPE, assembly, from connection at frame 50 to autostabiliser connection, pressure line (Mod. 2317)	1							T55		
	E.F2.73.1987	PIPE, assembly, from connection forward of frame 49 to feel unit swivel coupling pressure line connection	1							T55		10
11884	E.B2.73.4399	PLATE, washer, bulkhead fitting at frame 50	1							S510	C	107/18
28F/9428452	AGS.1186/A	SEAL, bonded (Pre-Mod. 4704)	2							-	C	
27QA/1030166	DOWTY GD.2618/A	SEAL, bonded (Mod. 4704)	2							-	C	
28F/9428453	AGS.1186/B	SEAL, bonded (Pre-Mod. 4704)	3							-	C	
27QA/1030167	DOWTY GD.2618/B	SEAL, bonded (Mod. 4704)	2							-	C	
27QA/1509931	DOWTY GD.3294/B	SEAL, assembly (Mod. 4704)	1							-	C	
26FZ/981	EEAS.20/2DR	TAB, locking	1							-	C	
26FZ/3412	EEAS.20/3DR	TAB, locking	1							L72	C	107/19
9030	E.B3.73.1647	UNION, cone, reducing, at frame 50, autostabiliser pressure line	1							L72	C	107/20
10303	EEAS.240/1A	WASHER, "D"	1							S94	C	107/21
	-	PIPES, hydraulic, between frames 53 and 55, starboard, assembly (E.F2.73.3077) (Mod. 2053) (Mk. 2 A/C)	5							L72	C	107/22
	-	PIPES, hydraulic, between frames 53 and 55, starboard, assembly (E.F4.73.153) (Mk. 2A A/c)	-							-	-	108/1
19958	E.B4.73.795	Spares for:-								-	-	108/2
23430	E.F2.73.2615	BOBBIN, distance, ".35 long, pipe clip spacing	2							L64	C	108/3
24765	EEAS.552/4	BOBBIN, distance, ".8 long, pipe clip spacing	2							L64	-	108/4
23435	EEAS.552/1	BOBBIN, distance, ".5 long, pipe clip spacing	2							L65	C	108/5
	EEAS.552/2	BOBBIN, distance (Mod. 4061) (Mk. 2A A/c)	1							L65	C	108/6
	E.F4.73.543	BOBBIN, distance, ".4 long, pipe clip spacing	1							L65	C	108/7
	E.F4.73.545	BRACKET, fairlead (Mk. 2A A/c)	1							L72	-	108/8
	E.F4.73.541	BRACKET, fairlead (Mk. 2A A/c)	1							L72	-	108/9
28D/9140644	A25/9C	FAIRLEAD (Mk. 2A A/c)	4							-	-	108/10
28D/9140645	A25/10C	Attachments:-										
28M/1278190	AGS.2001/C/1	Bolt; 2 BA, hex. head	3							-	C	108/11
28W/9419475	SP15/C	Bolt; 2 BA, hex. head	1							-	C	108/12
		Nut, stiff, 2 BA	4							-	C	108/13
		Washer, 2 BA, plain	4							-	C	108/14
23421	EEAS.554/6	FAIRLEAD, at frame 54 (Mk. 2A A/c)	1							DTD560	C	108/15
23422	EEAS.556/6	FAIRLEAD, at frame 54 (Mk. 2A A/c)	1							DTD560	C	108/16
	E.F2.73.1925	PIPE, assembly, from coupling aft of frame 53 starboard to port tee aft of frame 53, air brake door "in" line (Mk. 2 A/c)	1							T55	-	108/17
7666	E.B2.73.5345	PIPE, assembly, from coupling at frame 53 to connection aft of frame 54, undercarriage "down" line	1							T55	C	108/18
7668	E.B2.73.5347	PIPE, assembly, from coupling at frame 53, to connection aft of frame 54, undercarriage "up" line	1							T55	C	108/19
7664	E.B2.73.5349	PIPE, assembly, from coupling at frame 53 to connection aft of frame 54, undercarriage emergency line	1							T55	C	108/20

SERVICES

HYDRAULIC EQUIPMENT IN REAR FUSELAGE

No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6				
7667	E.B2.73.5351							1	T55	C	108/21
7669	E.B2.73.5353							1	T55	C	108/22
7665	E.B2.73.5355							1	T55	C	108/23
	E.F2.73.1923							1	T55	-	108/24
10471	E.B2.73.5555							1	T55	C	108/25
10472	E.B2.73.5557							1	T55	C	108/26
	E.F4.73.2149							1	DTD5016	-	108/27
	E.F4.73.2151							1	DTD5016	-	108/28
	E.F4.73.2153							1	DTD5016	-	108/29
	E.F4.73.2155							1	DTD5016	-	108/30
4022	E.B2.73.3801							1	S94	C	108/31
	-							-	-	-	109/1
	-							-	-	-	109/2
19958	E.B4.73.795							1	L64	C	109/3
24332	EEAS.552/9							1	L65	C	109/4
	EEAS.552/14							1	L65	-	109/5
	EEAS.552/15							1	L65	-	109/6
21842	E.F2.73.2695							1	-	C	109/7
28D/1011024	A25/21C							2	-	C	109/8
28M/1278190	AGS.2001/C/1							2	-	C	109/9
28W/9419404	SP16/C							2	-	C	109/10
	E.F4.73.551							1	-	-	109/11
28D/1214311	A25/17C							1	-	C	109/12
	E.F4.73.2157							1	L72	-	109/13
28M/1278190	AGS.2001/C/1							1	-	C	109/14
28W/9419475	SP15/C							1	-	C	109/15

HYDRAULIC EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.F4.73.555 or E.F4.73.557	FAIRLEAD, assembly, at frame 53 (Mk. 2A A/c)	1	—	—	109/16
28D/9140649	A25/23C	Attachments:— Bolt, 2 BA, hex. head	2	—	C	109/17
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	109/18
28W/9419475	SP15/C	Washer, 2 BA, plain	2	—	C	109/19
26FZ/18854	EEAS.27/16ER	Washer	2	L72	C	109/20
	E.F4.73.541	FAIRLEAD, assembly (Mk. 2A A/c)	4	—	—	109/21
28D/1011019	A25/8C	Attachments:— Bolt, 2 BA, hex. head	2	—	C	109/22
28D/9140644	A25/9C	Bolt, 2 BA, hex. head	1	—	C	109/23
28D/9419397	A25/1C	Bolt, 2 BA, hex. head	1	—	C	109/24
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	4	—	C	109/25
28W/9419475	SP15/C	Washer, 2 BA, plain	4	—	C	109/26
23426	EEAS.554/2	FAIRLEAD (Mk. 2A A/c)	4	DTD560	C	109/27
23421	EEAS.554/6	FAIRLEAD (Mk. 2A A/c)	1	DTD560	C	109/28
23425	EEAS.556/2	FAIRLEAD (Mk. 2A A/c)	4	DTD560	C	109/29
23422	EEAS.556/6	FAIRLEAD (Mk. 2A A/c)	1	DTD560	C	109/30
	E.F4.73.1173	PIPE, assembly, between transverse pipe tee and nipple coupling aft of frame 53, air brake "in" line (Mk. 2A A/c)	1	DTD5016	—	109/31
	E.F4.73.1171	PIPE, assembly, from air brake selector tee aft of frame 54 to transverse pipe tee aft of frame 53, air brake "in" line (Mk. 2A A/c)	1	DTD5016	—	109/32
21836	E.F2.73.1815	PIPE, assembly, from coupling aft of frame 53 to air . . brake selector, services pressure line	1	T55	C	109/33
21837	E.F2.73.1817	PIPE, assembly, from coupling aft of frame 53 to airbrake selector, services return line	1	T55	C	109/34
7081	E.B3.73.703	PIPE, assembly, from air brake selector tee at frame . . . 53 to coupling aft of frame 53, air brake "out" line	1	T55	C	109/35
7077	E.B3.73.705	PIPE, assembly, transverse, between couplings aft of . . . frame 53, air brake "out" line	1	T55	C	109/36
	E.F2.73.1917	PIPE, assembly, from coupling forward of frame 54 . . . to starboard transverse coupling aft of frame 53, air brake "out" line	1	T55	—	109/37
21839	E.F2.73.1919	PIPE, assembly, from air brake selector aft of frame . . . 54 to coupling forward of frame 54, air brake "out" line	1	T55	C	109/38
	E.F2.73.1921	PIPE, assembly, between transverse pipe tee and coupling aft of frame 53, air brake "in" line (Mk. 2 A/c)	1	T55	—	109/39
4098	E.B2.73.4085	PIPE, assembly, from air brake selector at frame 55 . . . to reduction tee	1	T55	C	109/40
4097	E.B2.73.4087	PIPE, assembly, from air brake selector reduction tee to tee at frame 55, air brake "in" line	1	T55	C	109/41
4096	E.B2.73.4089	PIPE, assembly, from tee at frame 55 to port air brake lock jack bulkhead pipe connection, "in" line	1	T55	C	109/42
	E.F2.73.1927	PIPE, assembly, from air brake selector tee aft of frame 54 to transverse pipe tee aft of frame 53, air brake "in" line (Mk. 2 A/c)	1	T55	—	109/43
3864	E.B2.73.215	TEE, cone coupling reduction, air brake selector at . . . frame 54	1	S95	C	109/44
3850	E.B1.73.1173	TEE, coupling, aft of frame 54 for parachute selector return line connection	1	L65	C	109/45
10303	EEAS.240/1A	WASHER, "D"	21	L72	C	109/46

HYDRAULIC EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		WRAPPING on bonded seals (Hyd's) No. 1 and 2	—	—	—	
		jet pipe bay (E.F3.73.8789) Part C (Mod. 4601)				
		Spares for:—				
6102085	EEAS.814	TAPE, fluorocarbon rubber, 1".0 wide	QR	—	C	
		PIPES, hydraulic, at port brake jack box, assembly	—	—	—	110/1
		(E.B3.73.541)				
		Spares for:—				
3880	E.B2.73.257	BODY, special banjo, synchroniser valve pipe	1	S94	C	110/2
		connection				
3881	E.B2.73.201	BOLT, special banjo, synchroniser valve pipe	1	S94	C	110/3
		connection				
5990	E.B2.73.3895	BOLT, special banjo, synchroniser valve	1	S94	C	110/4
	E.B2.73.129	COUPLING, special, sub-assembly (Pre-Mod. 4704)	1	—	—	110/5
	E.F3.73.8891	COUPLING, special, sub-assy (Mod. 4704)	1	—	—	
		Spares for:—				
3865	E.B2.73.211	COUPLING, special, aft of frame 53A, air brake	1	L65	C	110/6
		door "out" line				
28F/9428453	AGS1186/B	SEAL, bonded (Pre Mod. 4704)	2	—	C	
27QA/1030167	DOWTY	SEAL, bonded (Mod. 4704)	2	—	C	
	GD.2618/B					
9047	E.B2.73.4473	ELBOW, special, at frame 55	1	L65	C	110/7
3866	E.B2.73.241	GROMMET (Pre-Mod. 4722)	1	Neoprene	C	110/8
	E.B2.73.7103	GROMMET (Mod. 4722)	1	S/H 40/45		
		Attachments:—				
28D/9419452	A25/3B	Bolt, 4 BA, hex. head	4	—	C	110/9
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	4	—	C	110/10
28W/9419486	SP16/B	Washer, 4 BA, plain	4	—	C	110/11
		GROMMET (Pre-Mod. 4722)	1	Neoprene	C	110/12
3882	E.B2.73.3177	GROMMET (Mod. 4722)	1	S/H 40/45		
	E.B2.73.7101					
		Attachments:—				
28D/9008149	A25/2B	Bolt, 4 BA, hex. head	4	—	C	110/13
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	4	—	C	110/14
28W/9419474	SP15/B	Washer, 4 BA, plain	4	—	C	110/15
		PIECE, distance, air brake synchroniser valve	1	S94	C	110/16
5991	E.B2.73.3893	PIPE, assembly, from synchroniser valve coupling to	1	T55	C	110/17
7027	E.B3.73.999	restrictor at frame 54, air brake "out" line				
7028	E.B3.73.1001	PIPE, assembly, from coupling aft of frame 53 to	1	T55	C	110/18
		synchroniser valve air brake door "out" line				
7029	E.B3.73.1003	PIPE, assembly, from air brake jack swivel connection	1	T55	C	110/19
		to connection aft of frame 53, air brake door "in" line				
7030	E.B3.73.1005	PIPE, assembly, from coupling aft of frame 53 to	1	T55	C	110/20
		synchroniser valve, air brake door "out" line				
3884	E.B2.73.4035	PIPE, assembly, from special coupling at frame 53A	1	T55	C	110/21
		to airbrake door lock jack bulkhead coupling on frame 55				
3892	E.B2.73.4045	PIPE, assembly, from bulkhead connection to air	1	T55	C	110/22
		brake jack "in" line connection				
3893	E.B2.73.4047	PIPE, assembly, from connection at frame 55 to air	1	T55	C	110/23
		brake jack "in" line bulkhead connection				
3885	E.B2.73.4049	PIPE, assembly, from special coupling at frame 53A	1	T55	C	110/24
		to air brake jack swivel coupling connection, air brake door "out" line				
9046	E.B2.73.5545	PIPE, assembly, from special elbow at frame 55 to	1	T55	C	110/25
		air brake door lock jack connection				
28F/9428455	AGS.1186/D	SEAL, bonded (Pre-Mod. 4704)	7	—	C	
27QA/1451723	DOWTY	SEAL, bonded (Mod. 4704)	7	—	C	
	GD.2618/D					
28F/9428453	AGS.1186/B	SEAL, bonded (Pre-Mod. 4704)	4	—	C	
27QA/1030167	DOWTY	SEAL, bonded (Mod. 4704)	4	—	C	
	GD.2618/B					
26FZ/981	EEAS.20/2DR	TAB, locking	5	L72	C	110/26

HYDRAULIC EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
3890	E.B2.73.235	WASHER, special, for special coupling aft of frame 53A	1	L72	C	110/27
	E.B2.73.237	WASHER, special, for bulkhead coupling at frame 55	1	-	LM	110/28
3879	E.B2.73.243	WASHER, plate, for air brake door jack pipe grommet between frames 54 and 55	1	L72	C	110/29
3891	E.B2.73.247	WASHER, plate, for air brake door jack pipe grommet at frame 53A	1	L72	C	110/30
10303	EEAS.240/1A	WASHER, "D"	5	L72	C	110/31
	-	WRAPPING of bonded seals (Hyd's) No. 1 and 2 jet pipe bay (E.F3.73.8789) Part C (Mod. 4601)	-	-	-	-
6102085	EEAS.814	TAPE, fluorocarbon rubber, 1.6" wide	QR	-	C	-
	-	PIPES, hydraulic, between frames 55 and 57, port, assembly (E.F2.73.3067) (Mod. 2053)	-	-	-	111/1
		Spares for:-				
R 9952	E.B3.73.135	ACCUMULATOR, tailplane, assembly (Pre-Mod. 4704)	1	-	A	111/2
	E.F3.73.8819	ACCUMULATOR, assembly (Mod. 4704)	1	-	-	-
		Consisting of:-				
27QM/30351	DOWTY ROTOL A.1019	ACCUMULATOR	1	-	A	111/3
3852	E.B1.73.1849	ADAPTOR, special, pipe connection	1	S96	C	111/4
28F/8011809	AGS.1104/B	ADAPTOR, cone	1	-	C	111/5
28F/9428453	AGS.1186/B	SEAL, bonded (Pre-Mod. 4704)	1	-	C	111/6
28F/9429532	AGS.1186/C	SEAL, bonded (Pre-Mod. 4704)	1	-	C	111/7
27QA/1509931	DOWTY GD.3294/B	SEAL, assembly (Mod. 4704)	1	-	C	-
	27QA/ DOWTY GD.3294/C	SEAL, assembly (Mod. 4704)	1	-	C	-
	E.B3.73.133	BOTTLE, air, sub-assembly (Pre-Mod. 4704)	1	-	-	111/8
	E.F3.73.8825	BOTTLE, air sub-assembly (Mod. 4704)	1	-	-	-
		Consisting of:-				
3851	E.B1.73.277	ADAPTOR, special, pipe connection	1	L65	C	111/9
28F/9439533	AGS.1129/B	BODY, banjo, 1/4" BSP	1	-	C	111/10
28F/9423227	AGS.1135/B	BOLT, banjo	1	-	C	111/11
27QM/30206	DOWTY ROTOL 8607	BOTTLE, air	1	-	A	111/12
28F/9428453	AGS.1186/N	SEAL, bonded (Pre-Mod. 4704)	3	-	C	111/13
27QA/1030167	DOWTY GD.2618/B	SEAL, bonded (Mod. 4704)	2	-	C	-
27QA/1509931	DOWTY GD.3294/B	SEAL, bonded (Mod. 4704)	2	-	C	-
3861*	E.B2.73.53	BRACKET, charging valve bulkhead coupling mounting	1	L72	C	111/14
21487	E.B2.07.697	BRACKET, charging valve bulkhead coupling mounting (E.B2.73.53)	1	L72	C	111/15
		Attachments:-				
28D/9436920	A25/1C	Bolt, 2 BA, hex. head	4	-	C	111/16
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	4	-	C	111/17
26FZ/981	EEAS.20/2DR	Tab, locking	1	L72	C	111/18
28W/9419475	SP15/C	Washer, 2 BA, plain	4	-	C	111/19
R 21155	E.F2.73.1929	FAIRLEAD, aft of frame 56	3	-	C	112/1
		Attachments:-				
28D/1010030	A25/7C	Bolt, 2 BA, hex. head	1	-	C	112/2
28D/1011019	A25/8C	Bolt, 2 BA, hex. head	1	-	C	112/3
28D/9410645	A25/10C	Bolt, 2 BA, hex. head	1	-	C	112/4
28M/1278190	AGS.2001/C/1	Nut, 2 BA, stiff	3	-	C	112/5
28W/9419475	SP15/C	Washer, 2 BA, plain	3	-	C	112/6
	E.F2.73.1975	FAIRLEAD, aft of frame 56	1	-	-	112/7
		Attachments:-				
28D/9410645	A25/10C	Bolt, 2 BA, hex. head	1	-	C	112/8
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	1	-	C	112/9
28W/9419475	SP15/C	Washer, 2 BA, plain	1	-	C	112/10

SERVICES

HYDRAULIC EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6				
9002	E.B3.73.1363	FAIRLEAD, for pipes through frame 56						1	—	C	112/11
28D/9133012	A25/3C	Attachments:—									
28M/1278190	AGS.2001/C/1	Bolt, 2 BA, hex. head						8	—	C	112/12
28W/9419475	SP15/C	Nut, stiff, 2 BA						8	—	C	112/13
		Washer, 2 BA, plain						8	—	C	112/14
	E.B1.73.1285	PACKING, accumulator mounting, 1/16" x 11".75 ... x 1"						1	Neoprene	LM	111/20
	E.B1.73.1287	PACKING, air bottle mounting, 1/16" x 11".5 x 1" ...						1	Neoprene	LM	111/21
7016	E.B3.73.823	PIPE, assembly, 4,000 p.s.i. pressure gauge connection . from tee aft of frame 56, air bottle nitrogen charging line						1	T55	C	112/15
6999	E.B3.73.825	PIPE, assembly, connecting air bottle and accumulator between frames 55 and 56, nitrogen line						1	T55	C	112/16
7014	E.B3.73.827	PIPE, assembly, from 4,000 p.s.i. pressure gauge tee ... aft of frame 56 to charging valve, nitrogen line						1	T55	C	112/17
7002	E.B3.73.829	PIPE, assembly, from bulkhead coupling on diaphragm aft of frame 56 to parachute selector tee aft of frame 59, return line						1	T55	C	112/18
7019	E.B3.73.831	PIPE, assembly, from bulkhead coupling on diaphragm aft of frame 56 to 4,000 p.s.i. pressure gauge tee, air bottle nitrogen charging line						1	T55	C	112/19
7000	E.B3.73.833	PIPE, assembly, from bulkhead coupling on diaphragm aft of frame 56 to parachute selector tee aft of frame 59, pressure line						1	T55	C	112/20
7006	E.B2.73.835	PIPE, assembly, from hydraulic motor unit special reduction tee aft frame 56 to bulkhead coupling on diaphragm, parachute selector- pressure line						1	T55	C	112/21
7008	E.B2.73.837	PIPE, assembly, from air bottle filter connection at ... frame 56 to bulkhead coupling aft of frame 56, nitrogen charging line						1	T55	C	112/22
7020	E.B3.73.839	PIPE, assembly, from coupling at frame 56 to hydraulic motor unit connection, valve return line						1	T55	C	112/23
7004	E.B3.73.841	PIPE, assembly, from controls services tee to bulhead . connection aft of frame 56, parachute selector return line						1	T55	C	112/24
7017	E.B3.73.843	PIPE, assembly, between coupling tee and elbow at ... frame 56, valve return line						1	T55	C	112/25
7010	E.B3.73.845	PIPE, assembly, from accumulator connection to controls pressure line tee aft of frame 55						1	T55	C	112/26
7012	E.B3.73.847	PIPE, assembly, from accumulator tee aft of frame ... 55 to hydraulic motor reduction tee aft of frame 56, controls pressure line						1	T55	C	112/27
7026	E.B3.73.849	PIPE, assembly, from coupling aft of frame 54 to coupling aft of frame 56, controls return line						1	T55	C	112/28
7024	E.B3.73.851	PIPE, assembly, from special reduction tee aft of frame 56 to charging valve						1	T55	C	112/29
7022	E.B3.73.853	PIPE, assembly, from coupling aft of frame 56 to hydraulic motor unit connection aft of frame 56, controls return line						1	T55	C	112/30
28F/9428453	AGS.1186/B	SEAL, bonded (Pre-Mod. 4704)						2	—	C	
27QA/1030167	DOWTY GD.2618/B	SEAL, bonded (Mod. 4704)						2	—	C	
3864	E.B2.73.215	TEE, cone coupling reduction, hydraulic motor unit ... and parachute pipe connection aft of frame 56						1	S95	C	112/31
3855	E.B1.73.1017	TEE, cone coupling reduction, for accumulator connection aft of frame 55, controls pressure line						1	L65	C	112/32

A.P.101B-1002/2A-3A		SERVICES					Page MM49			
HYDRAULIC EQUIPMENT IN REAR FUSELAGE										
Ref. No.	Part No.	Description					No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5				
4021	E.B2.73.3153	TEE, special cone, aft of frame 56, nitrogen charging . . .					1	S94	C	112/33
	E.B3.73.131	line								
	E.F3.73.8837	VALVE, charging, air bottle, assembly (Pre-Mod. 4704)					1	-	-	111/22
		VALVE, charging air, assembly (Mod. 4704)					1	-	-	
		Consisting of:-								
3863	E.B2.73.295	FITTING bulkhead (Make from AGS.1114/B)					1	-	C	111/23
28F/9428453	AGS.1186/B	SEAL, bonded (Pre-Mod. 4704)					1	-	C	111/24
27QR/150993	DOWTY	SEAL, assembly (Mod. 4704)					1	-	C	
	GD.3294/B									
28Y/15386	H.P. COMP. A58	VALVE, charging, "Gyp"					1	-	C	111/25
10303	EEAS.240/1A	WASHER, "D"					5	L72	C	112/34
	-	PIPES, hydraulic, between frames 56 and 57, starboard, . . .					-	-	-	113/1
		assembly (E.F2.73.3079) (Mod. 2053)								
		Spares for:-								
	EEAS.552/6	BOBBIN, distance, ".6 long, pipe clip spacing					2	L65	-	113/2
		forward of frame 57								
	E.B4.73.759	FAIRLEAD, between frames 56 and 57					1	-	-	113/3
		Attachments:-								
28D/1010030	A25/7C	Bolt, 2 BA, hex. head					2	-	C	113/4
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA					2	-	C	113/5
28W/9419475	SP15/C	Washer, 2 BA, plain					2	-	C	113/6
9009	E.B3.73.1315	FAIRLEAD, aft of frame 56					1	-	C	113/7
		Attachments:-								
28D/9133012	A25/3C	Bolt, 2 BA, hex. head					6	-	C	113/8
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA					6	-	C	113/9
28W/9419475	SP15/C	Washer, 2 BA, plain					6	-	C	113/10
6961	E.B3.73.767	PIPE, assembly, from tee aft of frame 56 to tailplane . . .					1	T55	C	113/11
		motor valve drain connection								
6965	E.B3.73.769	PIPE, assembly, bulkhead connection to tailplane					1	T55	C	113/12
		motor tee aft of frame 56, pressure line								
6993	E.B3.73.771	PIPE, assembly, from tee aft of frame 56 to feel					1	T55	C	113/13
		simulator control unit connection								
6982	E.B3.73.773	PIPE, assembly, from charging valve to reducing tee . . .					1	T55	C	113/14
		forward of frame 57, nitrogen line								
6977	E.B3.73.775	PIPE, assembly, from charging valve tee to air pressure . .					1	T55	C	113/15
		accumulator, nitrogen line								
6989	E.B3.73.777	PIPE, assembly, from bulkhead coupling aft of frame . . .					1	T55	C	113/16
		56 to rudder jack flexible connection, controls No. 2 pressure line								
	E.F2.73.1901	PIPE, assembly, from tee aft of frame 56 to selector . . .					1	T55	-	113/17
		connection, pressure line								
6972	E.B3.73.781	PIPE, assembly, from selector connection to feel					1	T55	C	113/18
		simulator controls unit								
6974	E.B3.73.783	PIPE, assembly, from tee piece aft of frame 56 to					1	T55	C	113/19
		feel simulator, autostabiliser return line								
6997	E.B3.73.785	PIPE, assembly, from bulkhead coupling aft of frame . . .					1	T55	C	113/20
		56 to rudder jack flexible connection, controls No. 1 return line								
6995	E.B3.73.787	PIPE, assembly, from bulkhead coupling aft of frame . . .					1	T55	C	113/21
		56 to rudder jack flexible connection, connection No. 2 return line								
6959	E.B3.73.789	PIPE, assembly, from bulkhead coupling to special					1	T55	C	113/22
		tee aft of frame 56, controls return line								
6981	E.B3.73.791	PIPE, assembly, transverse on frame 56, between					1	T55	C	113/23
		bulkhead coupling and hydraulic motor unit tee piece, rudder jack No. 1 return line								

SERVICES

HYDRAULIC EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
6986	E.B3.73.793	PIPE, assembly, from by-pass valve at frame 57 to feel unit swivel coupling assembly at frame 56							1	T55	C	113/24
6963	E.B3.73.795	PIPE, assembly, from simulator control tee to selector . between frames 56 and 57, autostabiliser return line							1	T55	C	113/25
6984	E.B3.73.797	PIPE, assembly, from by-pass valve connection to undercarriage selector connection							1	T55	C	113/26
6967	E.B3.73.803	PIPE, assembly, from elbow aft of frame 56 to tailplane motor connection, controls return line							1	T55	C	113/27
6969	E.B3.73.805	PIPE, assembly, from tee aft of frame 56 to tailplane . . motor connection, pressure line							1	T55	C	113/28
6970	E.B2.73.5323	PIPE, assembly, from by-pass valve at frame 56 to tee piece forward of frame 57							1	T55	C	113/29
6987	E.B2.73.5325	PIPE, assembly, from tee piece forward of frame 57 . . . to feel unit pressure connection							1	T55	C	113/30
6988	E.B2.73.5327	PIPE, assembly, from tee piece forward of frame 57 . . . to undercarriage selector connection							1	T55	C	113/31
7670	E.B2.73.5361	PIPE, assembly, from by-pass connection at frame 57 . to connection aft of frame 56, undercarriage emergency line							1	T55	C	113/32
7672	E.B2.73.5363	PIPE, assembly, from by-pass connection at frame 57 . to connection aft of frame 56, undercarriage "down" line							1	T55	C	113/33
21845	E.F2.73.1979	PIPE, assembly from by-pass valve connection at frame 57 to connection aft of frame 56, undercarriage "up" line							1	T55	C	113/34
7673	E.B2.73.5367	PIPE, assembly, from connection aft of frame 56 to . . . coupling at frame 56, undercarriage "down" line							1	T55	C	113/35
7675	E.B2.73.5369	PIPE, assembly, from connection aft of frame 56 to coupling at frame 56, undercarriage "up" line							1	T55	C	113/36
7671	E.B2.73.5371	PIPE, assembly, from connection aft of frame 56 to . . . coupling at frame 56, undercarriage "emergency" line							1	T55	C	113/37
28F/9428453	AGS1186/B	SEAL, assembly (Pre-Mod. 4704)							1	-	C	
27QA/1509931	DOWTY GD.3294/B	SEAL, assembly (Mod. 4704)							1	-	C	
26FZ/980	EEAS.20/1DR	TAB, locking, charging valve safety chain attachment . .							1	L72	C	113/38
26FZ/981	EEAS.20/2DR	TAB, locking							6	L72	C	113/39
3864	E.B2.73.215	TEE, special, reduction cone, No. 2 pressure line							1	S95	C	113/40
3841	E.B1.73.1003	TEE, special, aft of frame 56, controls return line							1	L65	C	113/41
3860	E.B2.73.2127	TEE, special, charging valve							1	S94	C	113/42

HYDRAULIC EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
9949	E.B3.73.113	VALVE, charging assy. (Pre-Mod. 4704)	1	-	B	113/43
	E.F3.73.8835	VALVE, charging assy. (Mod. 4704)	1	-	-	
		Consisting of:-				
3820	E.B1.73.1275	BLOCK, connection, valve mounting	1	L65	C	113/44
28F/9439533	AGS.1129/B	BODY, banjo, cone	1	-	C	113/45
28F/9423227	AGS.1135/B	BOLT, banjo	1	-	C	113/46
28F/9428453	AGS.1186/B	SEAL, bonded (Pre-Mod. 4704)	3	-	C	113/47
27QA/1030167	DOWTY	SEAL, bonded (Mod. 4704)	2	-	C	
	GD.2618/B					
27QA/1509931	DOWTY	SEAL, assembly (Mod. 4704)	1	-	C	
	GD.3294/B					
28Y/15486	HP COMP	VALVE, inflation, Gyp	1	-	C	113/48
	A58					
	E.B3.73.1641	VALVE, feel by-pass, rudder, at frame 57, assembly	1	-	-	113/49
		(Pre-Mod. 4704)				
		Spares for:-				
6442	E.B3.73.173	BODY, special banjo	2	S94	C	113/50
3857	E.B1.73.1837	BODY, special banjo	3	-	C	113/51
4068	E.B2.73.3189	BOLT, special banjo	2	S94	C	113/52
28F/9423227	AGS.1135B	BOLT, babjo	3	-	C	
28F/9428452	AGS.1186/A	SEAL, bonded (Pre-Mod. 4704)	4	-	C	
27QA/	DOWTY	SEAL, bonded (Mod. 4704)	4	-	-	
	GD.2618/A					

SERVICES

HYDRAULIC EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
28F/9428453	AGS.1186/B	SEAL, bonded (Pre-Mod. 4704)	6	—	C	
27QA/1030167	DOWTY GO.2618/B	SEAL, bonded (Mod. 4704)	6	—	C	
R 27QM/1490913	DOWTY ROTOL 102601001	VALVE, by-pass (Mod. 4693)	1	—	A	113/53
		Attachments:—				
28D/7002413	A25/14	Bolt, 1/4" BSF hex. head	1	—	C	
28D/1212313	A25/15E	Bolt, 1/4" BSF hex. head	1	—	C	
28M/9480017	AGS.2001/E1	Nut, stiff, 1/4" BSF	2	—	C	
	10190	AS.2811/6/018	1	—	C	
28W/9419405	SP15/E	Tube, distance	1	—	C	
28W/9419487	SP16/E	Washer, 1/4" BSF plain	1	—	C	
		Washer, 1/4" BSF plain	2	—	C	
10303	EEAS.240/1A	WASHER, "D"	21	L72	C	113/54
	—	WRAPPING of bonded seals (Hyd's) No. 1 and No. 2 ..	—	—	—	
		jet pipe bay (E.F3.73.8789) Part C (Mod. 4601)				
		Spares for:—				
6102085	EEAS.814	TAPE, fluorocarbon rubber 1".0 wide	QR	—	C	

HYDRAULIC EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	-	PIPES, hydraulic, between frames 57 and 60, port, assembly (E.F.2.73.3069) (Mod. 2053) (Mk. 2 A/c)	-	-	-	114/1
	-	PIPES, hydraulic, between frames 57 and 60, port, assembly (E.F.4.73.2191) (Mk. 2A A/c)	-	-	-	114/2
19958	E.B4.73.795	BOBBIN, distance, ".35 long, pipe clip spacing at frame 59 (Mk. 2 A/c)	1	L64	C	114/3
23430	EEAS.552/4	BOBBIN, distance, ".5 long, pipe clip spacing (Mk. 2 A/c)	2	L65	C	114/4
21155	E.F.2.73.1929	FAIRLEAD, between frame 57 and aft of frame 59 Attachments:-	4	-	C	114/5
28D/1011019	A25/8C	Bolt, 2 BA, hex. head	2	-	C	114/6
28D/9140645	A25/10C	Bolt, 2 BA, hex. head	2	-	C	114/7
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	4	-	C	114/8
28W/9419475	SP15/C	Washer, 2 BA, plain	4	-	C	114/9
19921	E.F.3.73.5589	FAIRLEAD, at frame 59 (Mk. 2A A/c) Attachments:-	1	-	C	114/10
28D/9133014	A25/13C	Bolt, 2 BA, hex. head	1	-	C	114/11
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	1	-	C	114/12
28W/9457834	SP125/D	Washer, packing	1	-	C	114/13
	E.F.3.73.7801	FAIRLEAD, at frame 59 (Mk. 2A A/c) Attachments:-	1	-	-	114/14
28D/9133014	A25/13C	Bolt, 2 BA, hex. head	1	-	C	114/15
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	1	-	C	114/16
28W/9457834	SP125/D	Washer, packing	1	-	C	114/17
7041	E.B3.73.819	PIPE, assembly, from tee coupling aft of frame 59 to 3-way parachute selector connection	1	T55	C	114/18
7040	E.B3.73.821	PIPE, assembly, from tee coupling aft of frame 59 to 3-way parachute selector connection	1	T55	C	114/19
37155	E.F.3.73.7995	PIPE, assembly, from coupling aft of frame 59 to 3-way selector at frame 60, parachute pressure line (Mk. 2A A/c)	1	DTD5016	C	114/20
37156	E.F.3.73.7997	PIPE, assembly, from coupling aft of frame 59 to tee between frames 59 and 60, parachute return line (Mk. 2A A/c)	1	DTD5016	C	114/21
	E.F.3.73.7999	PIPE, assembly, from coupling to tee aft of frame 59, controls pressure line (Mk. 2A A/c)	1	DTD5016	-	114/22
	E.B3.73.1749	SELECTOR, 3-way, parachute, assembly (Mod. 4065) (Pre-Mod. 4345) Consisting of:-	1	-	-	114/23
3899	E.B1.73.147	BODY, special banjo	3	L65	C	114/24
28F/9423229	AGS.1135/C	BOLT, banjo, 3/8" BSP	3	-	C	114/25
28F/9429532	AGS.1186/C	SEAL, bonded, 3/8" BSP (Pre-Mod. 4704)	6	-	C	114/26
27QM/71225	DOWTY ROTOL 1.02464.001	SELECTOR, 3-way	1	-	A	114/27

SERVICES

HYDRAULIC EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	E.B3.73.1751	SELECTOR, 3-way, parachute, assembly (Mod. 4345) . (Pre-Mod. 4704)							1	—	—	114/28
	E.F3.73.8823	SELECTOR, 3-way, assembly (Mod. 4704)							1	—	—	
		Spares for this assembly are identical with those for assembly Pt. No. E.B3.73.1749 on page MM51, except for the following deletion and addition										
		Delete:—										
27QM/71225	DOWTY ROTOL 1.02464.001	SELECTOR, 3-way							1	—	A	114/27
		Add:—										
27QM/1448471	DOWTY ROTOL 1.02835.001	SELECTOR, 3-way							1	—	A	114/29
27QA/1451724	DOWTY GD.2618/C	SEAL, bonded (Mod. 4704)							6	—	C	
10303	EEAS.240/1A	WASHER, "D"							3	L72	C	114/30
	—	WRAPPING of bonded seals (Hyd's No. 1 and 2 jet . . . pipe bay (E.F.3.73.8789) Part C (Mod. 4601) Spares for:—							—	—	—	
6102085	EEAS.814	TAPE, fluorocarbon rubber, 1".0 wide							QR	—	C	
	—	PIPES, hydraulic, between frames 56 and 57, starboard, . for rudder autostabiliser and feel unit, assembly (E.F.2.73.3055) (Mod. 2053) Spares for:—							—	—	—	115/1
9031	E.B3.73.1575	BANJO, special, double end reduction cone, for pipe . . connections at frame 56							1	S94	C	115/2
	EEAS.552/3	BOBBIN, distance, ".45 long, pipe clip spacing							1	L65	C	115/3
3821	E.B1.73.1263	BODY, banjo, pipe connection at frame 56							1	L65	C	115/4
3895	E.B2.73.3755	BOLT, special banjo, swivel coupling connection to . . . feel unit							1	S94	C	115/5
3896	E.B2.73.2291	BRACKET, feel unit flexible, pipe, connection							1	—	C	115/6
		Attachments:—										
28D/9133011	A25/2C	Bolt, 2 BA, hex. head							3	—	C	115/7
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA							3	—	C	115/8
28W/9419475	SP15/C	Washer, 2 BA, plain							3	—	C	115/9
3897	E.B2.73.3753	PIECE, distance, swivel coupling connection to feel . . . unit							1	S94	C	115/10
7038	E.B3.73.855	PIPE, assembly, from bulkhead coupling on frame 56 . to feel unit flexible pipe connection forward of frame 57							1	T55	C	115/11
7032	E.B3.73.857	PIPE, assembly, from bulkhead coupling on frame 56 . to autostabiliser jack connection (Pre-Mod. 2317)							1	T55	C	115/12
22485	E.F3.73.7489	PIPE, assembly, from bulkhead coupling at frame 56 . . to autostabiliser jack connection (Mod. 2317)							1	T55	C	115/13
7034	E.B3.73.861	PIPE, assembly, from bulkhead connection to tee forward of frame 56							1	T55	C	115/14
	E.F2.73.1915	PIPE, assembly, from bulkhead connection to tee forward of frame 56							1	T55	—	115/15
7031	E.B2.73.4555	PIPE, assembly, from bulkhead coupling on frame 56 . to autostabiliser jack connection (Pre-Mod. 2317)							1	T55	C	115/16
22486	E.F3.73.7491	PIPE, assembly, from bulkhead coupling on frame 56 . to autostabiliser connection (Mod. 2317)							1	T55	C	115/17
28F/9428452	AGS.1186/A	SEAL, bonded (Pre-Mod. 4704)							2	—	C	
27QA/	DOWTY GD.2618/A	SEAL, bonded (Mod. 4704)							2	—	—	
28F/9428453	AGS.1186/B	SEAL, bonded (Pre-Mod. 4704)							8	—	C	
27QA/1030167	DOWTY GD.2618/B	SEAL, bonded (Mod. 4704)							8	—	C	
28F/9429532	AGS.1186/C	SEAL, bonded (Pre-Mod. 4704)							3	—	C	
27QA/1451724	DOWTY GD.2618/C	SEAL, bonded (Mod. 4704)							3	—	C	

A.P.101B-1002/2A-3A		SERVICES					Page MM53					
HYDRAULIC EQUIPMENT IN REAR FUSELAGE												
Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
26FZ/981	EEAS.20/2DR	TAB, locking							1	L72	C	115/18
		Attachments:-										
28D/1010658	A25/1B	Bolt, 4 BA, hex. head							1	-	C	115/19
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA							1	-	C	115/20
28W/9419474	SP15/B	Washer, 4 BA, plain							1	-	C	115/21
9028	E.B3.73.1593	UNION, special bulkhead, autostabiliser return line ...							1	S94	C	115/22
	E.B2.73.4601	WASHER, special, swivel coupling connection							1	-	LM	115/23
3898	E.B2.73.3287	WASHER, special, swivel coupling connection							1	L65	C	115/24
	E.B3.73.161	WASHER, special, bulkhead union							1	-	LM	115/25
10303	EEAS.240/1A	WASHER, "D"							6	L72	C	115/26
	-	WRAPPING of bonded seals (Hyd's) No. 1 and 2 jet pipe bay (E.F3.73.8789) Part C (Mod. 4601)							-	-	-	-
		Spares for:-										
6102085	EEAS.814	TAPE, fluorocarbon rubber, 1".0 wide							QR	-	C	
	-	PIPES, hydraulic, at frame 57, starboard, assembly (E.F2.73.3081) (Mod. 2053)							1	-	-	108/32
		Spares for:-										
	E.B3.73.1671	ACCUMULATOR, feel unit, assembly (Pre-Mod. 4704)							-	-	-	108/33
	E.B3.73.1759	ACCUMULATOR, feel unit, assembly (Mod. 4704) ...							1	-	-	
		Spares for:-										
27QM/30406	DOWTY ROTOL A1032	ACCUMULATOR, feel unit							1	-	A	108/34
3851	E.B1.73.277	ADAPTOR, special cone, air charging valve pipe ...							1	L65	C	108/35
3901	E.B2.73.1471	ADAPTOR, special cone, feel unit pressure pipe ...							1	L65	C	108/36
3902	E.B2.73.1453	BLANKET, heat shielding, accumulator							1	-	C	108/37
20431	E.B1.73.267	LUG, attachment							1	L65	C	108/38
20432	E.B1.73.269	LUG, attachment							1	L65	C	108/39
28F/9428453	AGS.1186/B	SEAL, bonded (Pre-Mod. 4704)							1	-	C	
27QA/1509931	DOWTY GD.3294/B	SEAL, assembly (Mod. 4704)							1	-	C	
28F/9429527	AGS.1186/BB	SEAL, bonded (Pre-Mod. 4704)							1	-	C	
27QA/6114365	DOWTY GD.3294/BB	SEAL, assembly (Mod. 4704)							1	-	C	
	EEAS.552/6	BOBBIN, distance, ".6 long, pipe clip spacing							2	L65	-	108/40
10303	EEAS.240/1A	WASHER, "D"							2	L72	C	108/41
	-	WRAPPING of bonded seals (Hyd's) No. 1 and 2 jet pipe bay (E.F3.73.8789) Part C (Mod. 4601)							-	-	-	-
		Spares for:-										
6102085	EEAS.814	TAPE, fluorocarbon rubber, 1".0 wide							QR	-	C	
	-	PIPES, hydraulic, between frames 57 and 60, starboard, assembly (E.F2.74.3083) (Mod. 2053) (Mk. 2 A/c)							-	-	-	114/31
	-	PIPES, hydraulic, between frames 57 and 60, starboard, assembly (E.F4.73.2193) (Mk. 2A A/c)							-	-	-	114/32
19926	E.B4.73.773	BOBBIN, distance, ".5 long, pipe clip spacing							1	L64	C	114/33
		(Mk. 2 A/c)										
	E.F2.73.2615	BOBBIN, distance, ".8 long, pipe clip spacing							3	L64	-	114/34
	EEAS.552/3	BOBBIN, distance, ".45 long, pipe clip spacing							2	L65	-	114/35
		(Mk. 2 A/c)										
23430	EEAS.552/4	BOBBIN, distance, ".5 long, pipe clip spacing							3	L65	C	114/36
19921	E.F3.73.5589	FAIRLEAD, at frame 59 (Mk. 2A A/c)							1	-	C	114/37
		Attachments:-										
28D/9140647	A25/14C	Bolt, 2 BA, hex. head							1	-	C	144/38
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA							1	-	C	114/39
28W/9457834	SP14/D	Washer, packing							1	-	C	114/40
	E.F3.73.7981	FAIRLEAD, at frame 59 (Mk. 2A A/c)							1	-	-	114/41
		Attachments:-										
28D/1011022	A25/18C	Bolt, 2 BA, hex. head							2	-	C	114/42
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA							2	-	C	114/43
28W/9457834	SP124/D	Washer, packing							2	-	C	114/44
9340	EEAS.238/2A	Washer, "D"							2	L72	C	114/45

SERVICES

HYDRAULIC EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
7053	E.B3.73.807	PIPE, assembly, from coupling at frame 59 to connection at frame 60, controls No. 1 rudder jack pressure line							1	T55	C	114/46
7046	E.B3.73.809	PIPE, assembly, from parachute door jack connection . . . to connection aft of frame 59, door "open" line							1	T55	C	114/47
7050	E.B3.73.811	PIPE, assembly, from parachute door jack connection . . . to connection aft of frame 59, return line							1	T55	C	114/48
7054	E.B3.73.813	PIPE, assembly, from coupling at frame 59 to rudder . . . jack and selector tee, pressure line (Mk. 2 A/c)							1	T55	C	114/49
7048	E.B3.73.815	PIPE, assembly, from connection aft of frame 59 to . . . parachute selector connection, door "open" line (Mk. 2 A/c)							1	T55	C	114/50
7052	E.B3.73.817	PIPE, assembly, from connection aft of frame 59 to . . . selector tee, return line (Mk. 2 A/c)							1	T55	C	114/51
	E.F3.73.7989	PIPE, assembly, transverse, between port and starboard couplings at frame 59, controls pressure line (Mk. 2A A/c)							1	DTD5016	-	114/52
	E.F3.73.7991	PIPE, assembly, transverse, between port and starboard couplings at frame 59, parachute door "open" line (Mk. 2A A/c)							1	DTD5016	-	114/53
	E.F3.73.7993	PIPE, assembly, transverse, between port and starboard couplings, return line (Mk. 2A A/c)							1	DTD5016	-	114/54
28F/9428453	AGS.1186/B	SEAL, bonded (Pre-Mod. 4704)							4	-	C	
27QA/1030167	DOWTY	SEAL, bonded (Mod. 4704)							4	-	C	
	GD.2618/B											
10303	EEAS.240/1A	WASHER, "D"							9	L72	C	114/55
	-	WRAPPING of bonded seals (Hyd's) No. 1 and 2 jet pipe bay (E.F3.73.8789) Part C (Mod. 4601) Spares for:-							-	-	-	-
6102085	EEAS.814	TAPE, fluorocarbon rubber, 1".0 wide							QR	-	C	
	-	PIPES, flexible, at rudder jack, assembly (E.F2.73.3051) (Mod. 2053) Spares for:-							-	-	-	114/56
1485500	E.B2.73.3877	BAR, "U"							1	-	C	114/57
		Attachments:-										
28M/10281	AGS.2001/C/3	Nut; stiff, 2 BA							2	-	C	114/58
28M/13324	A29/CP	Nut; 2 BA, plain							2	-	C	114/59
13242	EEAS.27/15ER	Washer							4	L72	C	114/60
5951	E.B3.73.159	BODY, special union, frame 60, flexible pipe connection, No. 2 controls return line							1	L65	C	114/61
5302	E.B2.73.3859	BODY, special union, frame 60, flexible pipe connection, No. 1 controls return line							1	L65	C	114/62
5303	E.B2.73.3875	BODY, special union, frame 60, flexible pipe connection, No. 1 and 2 controls pressure line							2	L65	C	114/63
	-	PIPES, hydraulic, below firefloor, between frames 42 and 46, assembly (E.F2.73.3053) (Mod. 2053) Spares for:-							-	-	-	86/1
	E.F2.73.1959	PIPE, assembly, from connection at frame 44 to connection forward of frame 42, auto-stabiliser pressure line							1	T55	-	86/2
31743*	E.B3.60.61	BRACKET							1	-	C	
1484682	E.B3.07.119	BRACKET (E.B3.60.61)							1	-	C	86/3
26FZ/981	EEAS.20/2DR	TAB, locking							1	L72	C	86/4
10303	EEAS.240/1A	WASHER, "D"							2	L72	C	86/5

HYDRAULIC EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	--	PIPES, hydraulic, improved supports and stiffening brackets, frames 47-48, port, assembly (E.F4.73.183) (Mk. 2A A/c) Spares for:—	1	—	—	101/9
23424	EEAS.554/4	FAIRLEAD, assembly	2	DTD560	C	101/10
23423	EEAS.556/6	FAIRLEAD, assembly	2	DTD560	C	101/11
	E.F3.73.6603	FAIRLEAD, assembly	3	—	—	101/12
		Attachments:—				
28D/9104644	A25/9C	Bolt, 2 BA hex. head	6	—	C	101/13
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	6	—	C	101/14
28W/9419475	SP15/C	Washer, 2 BA, plain	6	—	C	101/15
1440692	E.F4.73.1161	PIPE, assembly, from coupling aft of frame 47 to pump flexible pipe connection, services No. 2 pressure line to filter	1	DTD5016	C	101/16
1440693	E.F4.73.1163	PIPE, assembly, from reducing coupling to special elbow at firewall aft of frame 47, services No. 2 pressure line from filter	1	DTD5016	C	101/17
1440694	E.F4.73.1165	PIPE, assembly, from coupling aft of frame 47 to filter, services No. 2 pressure line	1	DTD5016	C	101/18
1440695	E.F4.73.1167	PIPE, assembly, from filter to reducing coupling, services No. 2 pressure line	1	DTD5016	C	101/19



This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

