

HYDRAULIC EQUIPMENT IN PORT WING

Ref. No.	Part No.	Description 1 2 3 4 5 6 7	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	-	HYDRAULIC EQUIPMENT IN PORT WING,	-	-	-	
	-	ASSEMBLY (E.F2.73.3007) (Mk. 2 A/c)	-	-	-	
	-	HYDRAULIC EQUIPMENT IN PORT WING,	-	-	-	
	-	ASSEMBLY (E.F4.73.2269) (Mk. 2A A/c)	-	-	-	
	-	(MOD. 4437)	-	-	-	
	-	Consisting of:-	-	-	-	
	-	HYDRAULICS, between trailing edge ribs 1 and 4,	-	-	-	116/1
	-	assembly (E.F2.73.1841) (Mod. 2053)	-	-	-	
	E.F2.73.1665	FAIRLEAD, at trailing edge rib 2	1	-	-	116/2
		Attachments:-				
28D/9419397	A25/12C	Bolt, 2 BA, hex. head	2	-	C	116/3
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	-	C	116/4
28W/9419475	SP15/C	Washer, 2 BA, plain	2	-	C	116/5
	E.F2.73.1889	FAIRLEAD, at trailing edge rib 2	1	-	-	116/6
		Attachments:-				
28D/9419397	A25/12C	Bolt, 2 BA, hex. head	2	-	C	116/7
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	-	C	116/8
28W/9419475	SP15/C	Washer, 2 BA, plain	2	-	C	116/9
	12220	FAIRLEAD (Mod. 1524)	1	-	C	116/10
		Attachments:-				
28D/9133014	A25/13C	Bolt, 2 BA, hex. head	1	-	C	116/11
28D/9140647	A25/14C	Bolt, 2 BA, hex. head	1	-	C	166/12
28W/9419404	SP16/C	Washer, 2 BA, plain	2	-	C	116/13
	5073	PLATE, locking	1	L73	C	116/14
		Attachments:-				
28D/9133012	A25/3C	Bolt, 2 BA, hex. head	2	-	C	116/15
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	-	C	116/16
28W/9419404	SP16/C	Washer, 2 BA, plain	2	-	C	116/17
	E.B2.73.4469	PLATE, washer (Make from AGS.1149/2)	1	-	LM	116/18
	-	PIPES, hydraulic, between trailing edge ribs 4 and 8,	-	-	-	117/1
	-	assembly (E.F2.73.1843) (Mod. 2053)	-	-	-	
	-	Spares for:-	-	-	-	
	21015	FAIRLEAD, at trailing edge rib 5	1	-	C	117/2
		Attachments:-				
28D/9140648	A25/19C	Bolt, 2 BA, hex. head	1	-	C	117/3
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	1	-	C	117/4
28W/9419404	SP16/C	Washer, 2 BA, plain	1	-	C	117/5
	E.F2.73.1893	FAIRLEAD, at trailing edge rib 5	1	-	-	117/6
		Attachments:-				
28D/9435710	A25/11C	Bolt, 2 BA, hex. head	1	-	C	117/7
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	1	-	C	117/8
28W/9419404	SP16/C	Washer, 2 BA, plain	1	-	C	117/9
	E.F2.73.2647	FAIRLEAD, outboard of trailing edge rib 6	1	-	-	117/10
		Attachments:-				
28D/9133014	A25/13C	Bolt, 2 BA, hex. head	2	-	C	117/11
28W/9419404	SP16/C	Washer, 2 BA, plain	2	-	C	117/12
	9875	FAIRLEAD	2	LFS21	C	117/13
		Attachments:-				
28D/9133014	A25/13C	Bolt, 2 BA, hex. head	4	-	C	117/14
28W/9419404	SP16/C	Washer, 2 BA, plain	4	-	C	117/15

HYDRAULIC EQUIPMENT IN PORT WING

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6				
	E.B2.73.7056										
28D/9436920	A25/1C										
28D/9133011	A25/2C										
28W/9416643	SP47/C										
26FZ/4965	EEAS.143/5										
9032	E.B3.73.1579										
9913	E.B3.73.189										
4994	E.B1.73.1875										
9917	E.B3.73.1207										
28D/1010030	A25/7C										
28M/1278190	AGS.2001/C/1										
28W/9419475	SP15/C										
9916	E.B3.73.1229										
28D/9133013	A25/5C										
28W/9419475	SP15/C										
4998	E.B2.73.1343										
4999	E.B1.73.1759										
11885	E.F2.73.327										
11886	E.F2.73.329										
11887	E.F2.73.331										
9914	E.B3.73.933										
5002	E.B2.73.4713										
21881	E.F2.73.1551										
5013	E.B2.73.4719										
5014	E.B2.73.4721										
5015	E.B2.73.4723										
5016	E.B2.73.4725										
5001	E.B2.73.4727										

SERVICES

HYDRAULIC EQUIPMENT IN PORT WING

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
5003	E.B2.73.4729	PIPE, assembly, from undercarriage door							1	T55	C	118/22
		sequence valve to tee coupling in undercarriage "up" pressure line										
21882	E.F2.73.1553	PIPE, assembly, undercarriage "up" line, from							1	T55	C	118/23
		door sequence valve to cone union in trailing edge										
21883	E.F2.73.1555	PIPE, assembly, brake pressure line, from cone							1	T55	C	119/22
		union in trailing edge to flexible pipe coupling at spar 4										
5000	E.B2.73.4737	PIPE, assembly, brake return line, from flexible							1	T55	C	119/23
		coupling joint to tee coupling										
5009	E.B2.73.4739	PIPE, assembly, undercarriage "down" lock line							1	T55	C	119/24
		from tee coupling to flexible pipe coupling at spar 4										
21885	E.F2.73.1477	PIPE, assembly, undercarriage "down" lock line,							1	T55	C	119/25
		from flexible pipe connection through radius rod to jack connection										
5017	E.B1.73.1749	PLATE, locking, special elbow connection							1	01/005	C	118/24
28F/9428452	AGS.1186/A	SEAL, bonded, "down" lock jack pipe attachment							2	-	C	119/26
28F/9428453	AGS.1186/B	SEAL, bonded, undercarriage sequence valve							2	-	C	118/25
		banjo connection										
	EEAS.146/T/C	SLEEVE, rubber, 3/4" long							1	-	-	119/27
3841	E.B1.73.1003	TEE, special cone, undercarriage low pressure return							1	L65	C	119/28
		line at spar 4										
4021	E.B2.73.3153	TEE, special cone, undercarriage low pressure							1	S94	C	119/29
		return line at spar 4										
9028	E.B3.73.1593	UNION, special bulkhead (3 off Pre-Mod. 2205,							-	S94	C	119/30
		2 off Mod. 2205)										
36675	E.B2.73.7045	UNION, special bulkhead (Mod. 4051)							1	S94	C	119/31
5018	E.B1.73.1751	WASHER, special elbow seating							1	L65	C	118/26
10303	EEAS.240/1A	WASHER, "D"							4	L72	C	118/27
9842	EEAS.240/2A	WASHER, "D"							1	L72	C	118/28
	-	PIPES, hydraulic, between leading edge ribs 8 and 14,							-	-	-	120/1
		assembly (E.F2.73.3091) (Mod. 2497)										
		Spares for:-										
23432	EEAS.552/9	BOBBIN, distance ".75 long, pipe clip spacing							1	L65	C	120/2
9933	E.B3.73.193	BRACKET, fairlead support, between leading							1	L72	C	120/3
		edge ribs 9 and 10										
11888	E.F2.73.261	FAIRLEAD							1	-	C	120/4
		Attachments:-										
28D/7002428	A25/6C	Bolt, 2 BA, hex. head							2	-	C	120/5
28W/9419475	SP15/C	Washer, 2 BA, plain							2	-	C	120/6
9924	E.B3.73.1219	FAIRLEAD							3	-	C	120/7
		Attachments:-										
28D/7002428	A25/6C	Bolt, 2 BA, hex. head							4	-	C	120/8
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA							2	-	C	120/9
28W/9419475	SP15/C	Washer, 2 BA, plain							4	-	C	120/10
	E.B4.73.967	FAIRLEAD, between leading edge ribs 10 and 11							1	-	-	120/11
		(Mod. 2053)										
		Attachments:-										
28D/9140644	A25/9C	Bolt, 2 BA, hex. head							1	-	C	120/12
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA							1	-	C	120/13
28W/9419475	SP15/C	Washer, 2 BA, plain							1	-	C	120/14

SERVICES

HYDRAULIC EQUIPMENT IN PORT WING

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6				
	-	PIPES, hydraulic, between trailing edge ribs 8 and 11, ... assembly (E.F2.73.1845) (Mk. 2 A/c)						-	-	-	121/1
	-	PIPES, hydraulic, between trailing edge ribs 8 and 11, ... (E.F4.73.2229) (Mk. 2A A/c) (Mod. 4437) Spares for:-						-	-	-	
	E.F2.73.1367	FAIRLEAD, outboard of trailing edge rib 10 (Mk. 2 A/c)						1	-	-	121/2
		Attachments:-									
28D/1011022	A25/18C	Bolt, 2 BA, hex. head						2	-	C	121/3
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA						2	-	C	121/4
28W/9419475	SP15/C	Washer, 2 BA, plain						2	-	C	121/5
1504906	E.F4.73.2241	FAIRLEAD, outboard of T/E, rib 10 (Mk. 2A A/c) ... (Mod. 4437)						1	-	C	
		Attachments:-									
28D/1011022	A25/18C	Bolt, 2 BA, hex. head						2	-	C	
28M/1278190	AGS.2001/C1	Nut, stiff, 2 BA						2	-	C	
28W/9419475	SP15/C	Washer, 2 BA, plain						2	-	C	
21870	E.F2.73.1641	FAIRLEAD, inboard of trailing edge rib 9						1	-	C	121/6
		Attachments:-									
28D/9133014	A25/13C	Bolt, 2 BA, hex. head						2	-	C	121/7
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA						2	-	C	121/8
28W/9419475	SP15/C	Washer, 2 BA, plain						2	-	C	121/9
1504907	E.F4.73.2253	PIPE, assembly, wheel brake pressure tee connector ... to coupling (Mod. 4437)						1	-	C	
9880	E.B3.73.1221	FAIRLEAD						1	-	C	121/10
		Attachments:-									
28D/1011019	A25/8C	Bolt, 2 BA, hex. head						6	-	C	121/11
28W/9419475	SP15/C	Washer, 2 BA, plain						6	-	C	121/12
	E.F2.73.1563	PIPE, assembly, undercarriage "up" line, from tee between ribs 9 and 10 to coupling between ribs 10 and 11						1	T55	-	121/13
	E.F2.73.1455	PIPE, assembly, flaps "down" line, from restrictor coupling at rib 6 to connection between ribs 10 and 11						1	T55	-	121/14
	E.F2.73.1453	PIPE, assembly, flaps "up" line, from restrictor coupling at rib 6 to connection between ribs 10 and 11						1	T55	-	121/15
	E.F2.73.1451	PIPE, assembly, emergency line, from connections at .. rib 2 to tee connection between ribs 9 and 10						1	T55	-	121/16
	E.F2.73.1449	PIPE, assembly, brake line, from connection at rib 2 ... to elbow connection between ribs 9 and 10						1	T55	-	121/17
	E.F2.73.1447	PIPE, assembly, undercarriage "up" line, from connection at rib 2 to tee connection between ribs 9 and 10						1	T55	-	121/18
	E.F2.73.1445	PIPE, assembly, undercarriage "down" line, from connection at rib 2 to tee connection between ribs 9 and 10						1	T55	-	121/19
	E.F2.73.1443	PIPE, assembly, maxaret return line, from connection . at rib 2 to elbow connection between ribs 9 and 10						1	T55	-	121/20
	E.F2.73.1565	PIPE, assembly, undercarriage "up" front door sequence valve line, from elbow between ribs 9 and 10 to coupling between ribs 10 and 11						1	T55	-	121/21
3860	E.B2.73.2127	TEE, special cone, undercarriage up line spar 5						1	-	C	
3841	E.B1.73.1003	TEE, special cone, undercarriage "down" line at spar 5						1	T55	C	121/22

A.P.101B-1002/2A-3A		SERVICES					Page MN7			
HYDRAULIC EQUIPMENT IN PORT WING										
Ref. No.	Part No.	Description					No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5				
	-	PIPES, hydraulic, between trailing edge ribs 11 and 13, .. assembly (E.F2.73.1847) (Mk. 2 A/c)					-	-	-	122/1
	-	PIPES, hydraulic, between trailing edge ribs 11 and 13, .. assembly (E.F2.73.2233) (Mk. 2A A/c) (Mod. 4437)					-	-	-	
		Spares for:-								
7649	E.B2.73.4431	ADAPTOR, special, connector, between shuttle valve and door jack					1	S94	C	122/2
23429	EEAS.552/3	BOBBIN, distance, ".45 long, pipe clip spacing					1	L65	C	122/3
	EEAS.552/6	BOBBIN, distance, ".6 long, pipe clip spacing					1	L65	-	122/4
5097	E.B2.73.3133	BOLT, special banjo, swivel coupling to shuttle valve connecting					1	S94	C	122/5
7807	E.B2.73.4463	BOLT, special banjo, swivel coupling to shuttle valve connecting, undercarriage emergency line					1	S94	C	122/6
5099	E.B2.73.3135	BRACKET, fairlead mounting between ribs 11 and 12 .					1	L72	C	122/7
		Attachments:-								
28D/1200119	A25/4C	Bolt, 2 BA, hex. head					2	-	C	122/8
28W/9419404	SP16/C	Washer, 2 BA, plain					2	-	C	122/9
5100	E.B2.73.3147	BRACKET, undercarriage "down" and emergency swivel coupling support					2	L65	C	122/10
		Attachments:-								
28D/9133011	A25/2C	Bolt, 2 BA, hex. head					2	-	C	122/11
28D/9133012	A25/3C	Bolt, 2 BA, hex. head					2	-	C	122/12
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA					4	-	C	122/13
28W/9419475	SP15/C	Washer, 2 BA, plain					4	-	C	122/14
5101	E.B2.73.3149	BRACKET, undercarriage "up" swivel coupling support					1	L65	C	122/15
		Attachments:-								
28D/9133011	A25/2C	Bolt, 2 BA, hex. head					2	-	C	122/16
28D/9133012	A25/3C	Bolt, 2 BA, hex. head					2	-	C	122/17
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA					2	-	C	122/18
28W/9419475	SP15/C	Washer, 2 BA, plain					2	-	C	122/19
5102	E.B2.73.3141	BUSH, for swivel coupling pipe connection					3	L65	C	122/20
19170	E.B4.73.573	FAIRLEAD, at centre hinge rib					1	-	C	122/21
		Attachments:-								
28D/7002428	A25/6C	Bolt, 2 BA, hex. head					2	-	C	122/22
28W/9419475	SP15/C	Washer, 2 BA, plain					2	-	C	122/23
	E.F2.73.1601	FAIRLEAD, at centre hinge rib					1	-	-	122/24
		Attachments:-								
28D/9419397	A25/12C	Bolt, 2 BA, hex. head					1	-	C	122/25
28D/9133014	A25/13C	Bolt, 2 BA, hex. head					1	-	C	122/26
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA					2	-	C	122/27
28W/9419475	SP15/C	Washer, 2 BA, plain					2	-	C	122/28
9889	E.B3.73.1287	FAIRLEAD, for pipes through spar 5					1	-	C	122/29
		Attachments:-								
28D/1215671	A59/15C	Bolt, 2 BA, hex. head					2	-	C	122/30
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA					2	-	C	122/31
28W/9419475	SP15/C	Washer, 2 BA, plain					2	-	C	122/32

HYDRAULIC EQUIPMENT IN PORT WING

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
106	E.B2.73.3145	PACKING, fairlead mounting at spar 5	1	LFS21	C	122/33
5107	E.B2.73.3131	PIECE, distance, for swivel coupling and shuttle	1	S94	C	122/34
	E.F2.73.1431	PIPE, assembly, emergency line, from leg sequence . . .	1	T55	—	122/35
	E.F2.73.1433	PIPE, assembly, undercarriage "down" line, from leg . .	1	T55	—	122/36
1504908	E.F4.73.2259	PIPE, assembly, wheel brake pressure connector to . . .	1	—	C	
1504909	E.F3.73.8279	PIPE, assembly, wheel brake pressure connector to . . .	1	—	C	
21891	E.F2.73.1441	PIPE, assembly, undercarriage "up" line, from leg	1	T55	C	122/37
21892	E.F2.73.1439	PIPE, assembly, emergency line, from leg sequence . . .	1	T55	C	122/38
21893	E.F2.73.1437	PIPE, assembly, undercarriage "down" line, from	1	T55	C	122/39
21894	E.F2.73.1435	PIPE, assembly, undercarriage "up" line, from leg	1	T55	C	122/40
	E.B3.73.175	TEE, special, at rib 11A, sub-assembly	3	—	—	122/41
		Consisting of:—				
28F/9439533	AGS.1129/B	BODY, banjo, 1/4" BSP	1	—	C	122/42
28F/9423227	AGS.1135/B	BOLT, banjo, 1/4" BSP	1	—	C	122/43
28F/9428453	AGS.1186/B	SEAL, bonded	2	—	C	122/44
5114	E.B2.73.3127	TEE, special	1	L65	C	122/45
10303	EEAS.240/1A	WASHER, "D"	8	L72	C	122/46
	—	PIPES, hydraulic, between trailing edge ribs 13 and	—	—	—	121/23
	—	15, assembly (E.F2.73.1849) (Mk. 2 A/c)				
	—	PIPES, hydraulic, between trailing edge ribs 13 and	—	—	—	
	—	15 (E.F4.73.2237) (Mk. 2A A/c) (Mod. 4437)				
	—	Spares for:—				
	EEAS.552/6	BOBBIN, distance, ".6 long, pipe clip spacing	2	L65	—	121/24
	E.F2.73.1429	PIPE, assembly, flaps "down" line, from jacking	1	T55	—	121/25
	E.F2.73.1427	PIPE, assembly, flaps "up" line, from jack coupling . . .	1	T55	—	121/26
4863	E.B2.73.2825	PIPE, assembly, flaps "up" line, from jack connection .	1	L65	C	121/27
4864	E.B2.73.2827	PIPE, assembly, flaps, "down" line, from jack	1	L65	C	121/28
5119	E.B2.73.3151	PLATE, locking	2	L65	C	121/29
10303	EEAS.240/1A	WASHER, "D"	4	L72	C	121/30

HYDRAULIC EQUIPMENT IN PORT WING

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	—	PIPES, hydraulic, at rib 12A, assembly (E.F2.73.1851) (Mod. 2053) Spares for:—	—	—	—	123/1
R 23429	EEAS.552/3	BOBBIN, distance, ".45 long, pipe clip spacing	6	L65	C	123/2
23430	EEAS.552/4	BOBBIN, distance, ".5 long, pipe clip spacing	1	L65	C	123/3
9897	E.B3.73.1213	FAIRLEAD, for pipes at arch member	1	—	C	123/4
		Attachments:—				
28D/1010030	A25/7C	Bolt, 2 BA hex. head	1	—	C	123/5
28D/1011019	A25/8C	Bolt, 2 BA hex. head	1	—	C	123/6
32C/618	†	Strip, neoprene, 1/2" wide x 1/16" thick	QR	S/H 40/45	C	123/7
28W/9419475	SP15/C	Washer, 2 BA plain	2	—	C	123/8
23425	EEAS.556/2	FAIRLEAD, for 1/4" pipe	7	DTD560	C	123/9
23426	EEAS.554/2	FAIRLEAD, for 1/4" pipe	1	DTD560	C	123/10
	E.F.2.73.1543	PIPE, assembly, undercarriage "up" line from special tee at auxiliary spar to cone coupling at trailing edge rib 11	1	30/166	—	123/11
1504910	E.F3.73.8613	PIPE, assembly, wheel brake pressure connector to connector (Mk. 2A A/c) (Mod. 4437)	1	—	C	
1504911	E.F3.73.8615	PIPE, assembly, wheel brake pressure relay to transmitter (Mk. 2A A/c) (Mod. 4437)	1	—	C	
9905	E.B3.73.867	PIPE, assembly, undercarriage emergency line, from tee connection to relay valve at auxiliary spar	1	T55	C	123/12
9901	E.B3.73.869	PIPE, assembly, emergency line at rib 12A	1	T55	C	123/13
9899	E.B3.73.881	PIPE, assembly, stabiliser return line, from cone union in wheel well to brake return tee coupling at spar 4	1	T55	C	123/14
9900	E.B3.73.883	PIPE, assembly, undercarriage "down" line, from coupling at rib 12A to special tee coupling at trailing edge rib 11	1	T55	C	123/15
	E.F.2.73.1557	PIPE, assembly, undercarriage emergency line, from coupling at rib 12A to relay valve tee at auxiliary spar	1	30/166	—	123/16
9902	E.B3.73.887	PIPE, assembly, undercarriage "up" line, from coupling at rib 12A to special tee coupling at trailing edge rib 11	1	T55	C	123/17
5031	E.B2.73.4773	PIPE, assembly, undercarriage "up" line, from relay valve banjo connection to special tee connection	1	T55	C	123/18
5032	E.B2.73.4775	PIPE, assembly, undercarriage "up" line, from relay valve to special tee connection at auxiliary spar	1	T55	C	123/19
	E.F.2.73.1541	PIPE, assembly, undercarriage "up" line, from special tee at auxiliary spar to cone coupling at trailing edge rib 11	1	30/166	—	123/30
5029	E.B2.73.4787	PIPE, assembly, undercarriage "up" line, from special tee to sequence valve at auxiliary spar	1	T55	C	123/21
5028	E.B2.73.4789	PIPE, assembly, undercarriage "up" line, from special tee to sequence valve	1	T55	C	123/22

SERVICES

HYDRAULIC EQUIPMENT IN PORT WING

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index	
							1
	E.B3.73.169	TEE, special, sub-assembly	1	—	—	123/23	
		Consisting of:—					
28F/9439533	AGS.1129/B	BODY, banjo, 1/4" BSP	1	—	C	123/24	
28F/9140973	AGS.1129/C	BODY, banjo, 3/8" BSP	1	—	C	123/25	
28F/9423227	AGS.1135/B	BOLT, banjo, 1/4" BSP	1	—	C	123/26	
28F/9423229	AGS.1135/C	BOLT, banjo, 3/8" BSP	1	—	C	123/27	
28F/9428453	AGS.1186/B	SEAL, bonded, 1/4" BSP	2	—	C	123/28	
28F/9429532	AGS.1186/C	SEAL, bonded, 3/8" BSP	2	—	C	123/29	
5034	E.B1.73.1863	TEE, special	1	L65	C	123/30	
	E.B3.73.171	TEE, special, sub-assembly	1	—	—	123/31	
		Consisting of:—					
28F/9140971	AGS.1104/C	ADAPTOR, cone, 3/8" BSP	1	—	C	123/32	
28F/9439533	AGS.1129/B	BODY, banjo, 1/4" BSP	1	—	C	123/33	
28F/9423227	AGS.1135/B	BOLT, banjo, 1/4" BSP	1	—	C	123/34	
28F/9428453	AGS.1186/B	SEAL, bonded, 1/4" BSP	2	—	C	123/35	
28F/9429532	AGS.1186/C	SEAL, bonded, 3/8" BSP	1	—	C	123/36	
5034	E.B1.73.1863	TEE, special	1	L65	C	123/37	
4021	E.B2.73.3153	TEE, special, cone, at rib 12A, emergency line	1	S94, 95 or 96	C	123/38	
10303	EEAS.240/1A	WASHER, "D"	5	L72	C	123/39	
9842	EEAS.240/2A	WASHER, "D"	2	L72	C	123/40	
—	—	PIPES, hydraulic, at undercarriage door lock jack, assembly (E.F2.73.1869) (Mod. 2053)	—	—	—	124/1	
		Spares for:—					
5035	E.B2.73.101	BRACKET, autostabiliser return pipe clip, attachment	2	L72	C	124/2	
5036	E.B2.73.4663	PIPE, assembly, undercarriage "up" line, from door lock jack connection through diaphragm at rib 12A	1	T55	C	124/3	
5037	E.B2.73.4665	PIPE, assembly, undercarriage emergency line, from door lock jack connection through diaphragm at rib 12A	1	T55	C	124/4	
5038	E.B2.73.4667	PIPE, assembly, undercarriage "down" line, from door lock jack connection through diaphragm at rib 12A	1	T55	C	124/5	
5039	EEAS.20/2CR	TAB, locking	6	L72	C	124/6	
10303	EEAS.240/1A	WASHER, "D"	2	L72	C	124/7	
—	—	PIPES, hydraulic, on main undercarriage, assembly (E.F2.73.1861) (Mod. 2053)	—	—	—	125/1	
		Spares for:—					
9034	E.B3.73.1571	ADAPTOR, special cone, between low pressure return and flexible pipes	1	S94	C	125/2	
33H/29	DUNLOP M410	ADHESIVE	QR	—	C	125/3	
23430	EEAS.552/4	BOBBIN, distance, ".5 long, pipe clip spacing	3	L65	C	125/4	
7885	PERFECT CLIP CO., BRADFORD	CLIP, "perfect", flexible pipe support (50" length and fittings)	2	—	C	125/5	
R	37582	E.F3.73.8955	PIN (May be made from B1031/2A)	2	—	C	
R	37583	E.F3.73.8957	CLIP (May be made from B1031/1)	2	—	C	
R	37586	E.F3.73.8959/C	STRAP, 50" long (May be made from B1031/1-2)	2	—	C	
	21914	E.F2.73.1467	PIPE, assembly, maxaret return line, from flexible pipe coupling to flexible pipe union on undercarriage	1	30/166	C	125/6
	21915	E.F2.73.1469	PIPE, assembly, maxaret pressure line, from charging valve tee piece to maxaret unit connection	1	30/166	C	125/7
	21916	E.F2.73.1471	PIPE, assembly, maxaret pressure line, from swivel coupling connection to charging valve tee piece	1	30/166	C	125/8
	21917	E.F2.73.1473	PIPE, assembly, from flexible pipe connection to swivel coupling connection, maxaret pressure line	1	30/166	C	125/9

HYDRAULIC EQUIPMENT IN PORT WING

R

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index										
							1	2	3	4	5	6	7			
9932	E.B3.73.1545 †	SUPPORT, flexible pipe and cable on undercarriage ... STRIP, neoprene, 1" wide x 1/64" thick	2 QR	S/H 70 S/H 80	C LM	125/10 125/11										
		(Make from 32C/618)														
9033	E.B3.73.1583	TEE-PIECE, special, maxaret pressure line and	1	S94	C	125/12										
		charging valve														
10303	EEAS.240/1A	WASHER, "D"	5	L72	C	125/13										
		PIPES, hydraulic, between ribs 16 on spar 1 and aileron ..	-	-	-											
		jack diaphragm, assembly (E.F2.73.1873)														
		(Mod. 2053)														
		Spares for:-														
6099	E.B2.73.4355	BODY, special bulkhead union	2	L65	C	126/1										
	E.F2.73.2685	FAIRLEAD, at diaphragm 6	1	-	-	126/2										
		Attachments:-														
28D/9140644	A.25/9C	Bolt, 2 BA, hex. head	2	-	C	126/3										
28W/9419475	SP.15/C	Washer, 2 BA, plain	2	-	C	126/4										
4979	E.B2.73.4817	PIPE, assembly, inboard aileron pressure line, from ...	1	T55	C	126/5										
		coupling between diaphragms 1 and 2														
		to aileron jack box connection														
4980	E.B2.73.4819	PIPE, assembly, inboard aileron return line, from	1	T55	C	126/6										
		coupling between diaphragms 1 and 2														
		to aileron jack box connection														
4981	E.B1.73.177	PLATE, locking, inboard aileron jack box	1	L65	C	126/7										
4982	E.B1.73.179	PLATE, locking, outboard aileron jack box	1	L65	C	126/8										
10303	EEAS.240/1A	WASHER, "D"	2	L72	C	126/9										
		PIPES, hydraulic, in aileron jack boxes, assembly	-	-	-											
		(E.F2.73.1877) (Mod. 2053)														
		Spares for:-														
6099	E.B2.73.4355	BODY, special bulkhead union	2	L65	C	126/10										
6100	E.B2.73.4359	BODY, special bulkhead union	2	L65	C	126/11										
4983	E.B2.73.4843	PIPE, assembly, outboard aileron pressure box,	1	T55	C	126/12										
		from rigid pipe connection to flexible														
		pipe connection in jack box														
4984	E.B2.73.4845	PIPE, assembly, inboard aileron pressure line, from ...	1	T55	C	126/13										
		rigid pipe connection to flexible pipe														
		connection in jack box														
4986	E.B2.73.4847	PIPE, assembly, outboard aileron return line, from	1	T55	C	126/14										
		rigid pipe connection to flexible pipe														
		connection in jack box														
4985	E.B2.73.4849	PIPE, assembly, inboard aileron return line, from	1	T55	C	126/15										
		rigid connection to flexible pipe														
		connection in jack box														
10303	EEAS.240/1A	WASHER, "D"	8	L72	C	126/16										
		PIPES, hydraulic, between leading edge ribs 14 and	-	-	-	127/1										
		17, along spar 1, assembly (E.F2.73.3093)														
		(Mod. 2497)														
		Spares for:-														
	E.F2.73.721	BRACKET, fairlead support at spar 1 between	1	-	-	127/2										
		leading edge ribs 17 and 18 (Mod. 2053)														
		Attachments:-														
28D/9133012	A.25/3C	Bolt, 2 BA, hex. head	2	-	C	127/3										
28W/9419475	SP.15/C	Washer, 2 BA, plain	2	-	C	127/4										
	E.F3.73.7637	BRACKET, fairlead support between leading edge	1	-	-	127/5										
		ribs 14 and 15 (Mod. 2497)														
		Attachments:-														
28D/9133011	A.25/2C	Bolt, 2 BA, hex. head	2	-	C	127/6										
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	-	C	127/7										
28W/9419475	SP.15/C	Washer, 2 BA, plain	2	-	C	127/8										

SERVICES

HYDRAULIC EQUIPMENT IN PORT WING

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	E.F2.73.2723	BRACKET, fairlead mounting between leading edge ribs 15 and 16 (Mod. 2497)							1	L72	-	127/9
20529	E.F2.73.717	FAIRLEAD, for pipes through spar 1 between leading edge ribs 17 and 18 (Mod. 2053)							1	-	C	127/10
28D/9140647	A.25/14C	Attachments:- Bolt, 2 BA, hex. head							2	-	C	127/11
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA							2	-	C	127/12
28W/9419475	SP.15/C	Washer, 2 BA, plain							2	-	C	127/13
20530	E.F2.73.723	FAIRLEAD, at leading edge rib 16 (Mod. 2053)							1	-	C	127/14
28D/9419437	A.25/12C	Attachments:- Bolt, 2 BA, hex. head							2	-	C	127/15
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA							2	-	C	127/16
28W/9419475	SP.15/C	Washer, 2 BA, plain							2	-	C	127/17
20531	E.F2.73.747	FAIRLEAD, between leading edge ribs 15 and 17 (Mod. 2053) (1 off on Mk. 2A A/c)							2	-	C	127/18
28D/9140647	A.25/14C	Attachments:- Bolt, 2 BA, hex. head							2	-	C	127/19
28D/1212796	AS.1248/13C	Bolt, 2 BA, mushroom head							2	-	C	127/20
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA							4	-	C	127/21
28W/9419475	SP.15/C	Washer, 2 BA, plain							4	-	C	127/22
23606	E.F3.73.7621	FAIRLEAD, between leading edge ribs 14 and 15 (Mod. 2497)							1	-	C	127/23
28D/1011021	A.25/16C	Attachments:- Bolt, 2 BA, hex. head							2	-	C	127/24
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA							2	-	C	127/25
28W/9419475	SP.15/C	Washer, 2 BA, plain							2	-	C	127/26
9919	E.B3.73.745	PIPE, assembly, inboard aileron pressure line, from connection at leading edge rib 17							1	T55	C	127/27
9920	E.B3.73.865	PIPE, assembly, outboard aileron return line, from connection at leading edge rib 17 to aileron jack box connection							1	T55	C	127/28
5044	E.B2.73.4809	PIPE, assembly, inboard aileron return line, from coupling at leading edge rib 17 to aileron jack box connection							1	T55	C	127/29
5042	E.B2.73.4811	PIPE, assembly, outboard aileron pressure line, from connection at leading edge rib 17 to connection between diaphragms 1 and 2							1	T55	C	127/30
23607	E.F3.73.4737	PIPE, assembly, from reducing union outboard of leading edge rib 14 to autostabiliser jack connection, pressure line (Mod. 2497)							1	30/166	C	127/31
23608	E.F3.73.4739	PIPE, assembly, from coupling inboard of leading edge rib 11 to coupling at leading edge rib 17, outboard aileron pressure line (Mod. 2497)							1	30/166	C	127/32
23609	E.F3.73.4741	PIPE, assembly, from coupling at leading edge rib 12 to coupling at leading edge rib 17, outboard aileron return line (Mod. 2497)							1	30/166	C	127/33
23610	E.F3.73.4743	PIPE, assembly, from coupling inboard of leading edge rib 11 to coupling at leading edge rib 17, inboard aileron pressure line (Mod. 2497)							1	30/166	C	127/34
23611	E.F3.73.4745	PIPE, assembly, from coupling inboard of leading edge rib 11 to coupling at leading edge rib 17, inboard aileron return line (Mod. 2497)							1	30/166	C	127/35
	E.F2.73.743	PLATE, special, pipe clip mounting between leading edge ribs 14 and 15 (Mod. 2053)							1	L72	LM	127/36
8549	E.B3.73.1573	UNION, cone, reducing, outboard of leading edge rib 14, autostabiliser pressure line							1	S94	C	127/37
10303	EEAS.240/1A	WASHER, "D"							7	L72	C	127/38

HYDRAULIC EQUIPMENT IN PORT WING

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index	
							1
	-	PIPES, hydraulic, between tank ribs 7 and 11, assembly (E.F2.73.161) (Mod. 2053) Consisting of:-	-	-	-		
	E.F2.73.2529	CHANNEL, fairlead backing tank ribs 9 and 10	1	-	-	126/17	
9924	E.B3.73.1219	FAIRLEAD, assembly	3	-	C	126/18	
		Attachments:-					
28D/1212807	AS.1248/7C	Bolt, 2 BA, mushroom head	2	-	C	126/19	
28D/1212792	AS.1248/8C	Bolt, 2 BA, mushroom head	3	-	C	126/20	
28D/1212805	AS.1248/9C	Bolt, 2 BA, mushroom head	1	-	C	126/21	
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	-	C	126/22	
28W/9419475	SP.15/C	Washer, 2 BA, plain	2	-	C	126/23	
	9925	FAIRLEAD, assembly	1	-	C	126/24	
		Attachments:-					
28D/1212792	AS.1248/8C	Bolt, 2 BA, mushroom head	2	-	C	126/25	
	E.F2.73.1743	FAIRLEAD, assembly	1	-	-	126/26	
		Attachments:-					
28D/9133013	A.25/5C	Bolt, 2 BA, hex. head	2	-	C	126/27	
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	-	C	126/28	
28W/9419475	SP.15/C	Washer, 2 BA, plain	2	-	C	126/29	
R	E.F2.73.1219	PIPE, assembly, outboard aileron return line, from coupling inboard of rib 4 to tee coupling in fuselage	1	T55	C	126/30	
R	E.F2.73.1225	PIPE, assembly, outboard aileron pressure line, from coupling inboard of rib 4 to tee coupling in fuselage	1	T55	C	126/31	
R	E.F2.73.1229	PIPE, assembly, autostabiliser pressure line, from coupling inboard of rib 4 to tee coupling in fuselage	1	T55	C	126/32	
R	E.F2.73.1213	PIPE, assembly, inboard aileron return line, from coupling inboard of rib 4 to tee coupling in fuselage	1	T55	C	126/33	
R	21014	E.F2.73.1201	PIPE, assembly, inboard aileron pressure line, from ... coupling inboard of rib 4 to tee coupling in fuselage	1	T55	C	126/34
R	19175	E.F2.81.5863	PLATE, electrical cable clip support	1	L72	C	126/35
	†	STRIP, neoprene, 1/2" wide x 1/8" thick	QR	S/H 60/65	-	126/36	
	†	STRIP, 2" wide x 1/8" thick	QR	S/H 60/65	-	126/37	
	-	STOWAGE, hydraulic hand pump handle, assembly (E.B3.73.661) Spares for:-	-	-	-	124/8	
	5055	E.B2.73.3887	HANDLE, hydraulic hand pump, group	1	-	B	124/9
			Spares for:-				
27FZ/13048	ROMAC B/79	HAND-GRIP	1	-	C	124/10	
11968	E.B1.73.1741	SOCKET, screwed	1	S95	C	124/11	



SERVICES
HYDRAULIC EQUIPMENT IN PORT WING

Ref. No.	Part No.	Description	No. off							Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index	
			1	2	3	4	5	6	7				
	—	HYDRAULICS AT SPAR 1 BETWEEN RIBS 17 AND 19 (E.F3.73.8041) (MK. 2A A/C)								—	—	—	128/1
		Spares for :—											
	E.F3.73.8033	ANGLE							1	EEDX14	—	—	128/2
	EEAS.100/7E	BOLT , 1/4" BSF, 90° c'sk head							2	S97	—	—	128/3
	E.F3.73.8045	BRACKET , fairlead, assembly							1	—	—	—	128/4
		Spares for :—											
	E.F3.73.7913	BRACKET							1	L72	—	—	128/5
	E.F3.73.8035	PLATE , reinforcing							1	L72	—	—	128/6
	E.F3.73.7931	FAIRLEAD , assembly, inboard leading edge rib 18 ...							1	—	—	—	128/7
		Attachments :—											
28D/1011021	A25/16C	Bolt, 2 BA, hex. head							2	—	C	—	128/8
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA							2	—	C	—	128/9
28W/9419475	SP15/C	Washer, 2 BA, plain							2	—	C	—	128/10
	E.F3.73.8031	PLATE , tie							1	L72	—	—	128/11
	E.F3.73.8049	STRUT , assembly							1	—	—	—	128/12
		Spares for :—											
	E.F3.73.8043	PLATE							1	L72	—	—	128/13
	E.F3.73.8037	STRUT							1	L72	—	—	128/14
	E.F3.73.7937	WASHER , "D"							2	L72	—	—	128/15
	EEAS.21A/5HR	WASHER							5	L72	—	—	128/16

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

