

HYDRAULIC EQUIPMENT IN STARBOARD WING

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	-	HYDRAULIC EQUIPMENT IN STARBOARD WING, ASSEMBLY (E.F2.73.3009) (Mk. 2 A/c)	-	-	-	
	-	HYDRAULIC EQUIPMENT IN STARBOARD WING, ASSEMBLY (E.F4.773.2271) (MOD. 4437) (Mk. 2A A/c)	-	-	-	
	-	Consisting of:- HYDRAULICS, between trailing edge ribs 1 and 4, assembly (E.F2.73.175) (Mod. 2053)	-	-	-	116/36
	-	Spares for:- FAIRLEAD, at trailing edge rib 2	1	-	-	116/37
	E.F2.73.1665	Attachments:- Bolt, 2 BA, hex. head	2	-	C	116/38
28D/9419397	A25/12C	Nut, stiff, 2 BA	2	-	C	116/39
28M/1278190	AGS.2001/C/1	Washer, 2 BA, plain	2	-	C	116/40
28W/9419475	SP15/C					
	E.F2.73.1889	FAIRLEAD, at trailing edge rib 2	1	-	-	116/41
	-	Attachments:- Bolt, 2 BA, hex. head	2	-	C	116/42
28D/9419397	A25/12C	Nut, stiff, 2 BA	2	-	C	116/43
28M/1278190	AGS2001/C/1	Washer, 2 BA, plain	2	-	C	116/44
28W/9419475	SP15/C					
12220	E.B3.73.1685	FAIRLEAD (Mod. 1524)	1	-	C	116/45
	-	Attachments:- Bolt, 2 BA, hex. head	1	-	C	116/46
28D/9133014	A25/13C	Bolt, 2 BA, hex. head	1	-	C	116/47
28D/9140647	A25/14C	Washer, 2 BA, plain	2	-	C	116/48
28W/9419404	SP16/C					
5073	E.B2.73.3109	PLATE, locking	1	L73	C	116/49
	-	Attachments:- Bolt, 2 BA, hex. head	2	-	C	116/50
28D/9133012	A25/3C	Nut, stiff, 2 BA	2	-	C	116/51
28M/1278190	AGS.2001/C/1	Washer, 2 BA, plain	2	-	C	116/52
28W/9419404	SP16/C					
10303	E.B2.73.4469 EEAS.240/1A	PLATE, washer (Make from AGS.1149/2) WASHER, "D"	1	-	LM	116/53
	-	PIPES, hydraulic, between trailing edge ribs 4 and 8, assembly (E.F2.73.177) (Mod. 2053)	1	L72	C	116/54
	-	Spares for:-	-	-	-	117/37
21015	E.B4.73.851	FAIRLEAD, at trailing edge rib 5	1	-	C	117/38
	-	Attachments:- Bolt, 2 BA, hex. head	1	-	C	117/39
28D/1011022	A25/18C	Nut, stiff, 2 BA	1	-	C	117/40
28M/1278190	AGS.2001/C/1	Washer, 2 BA, plain	1	-	C	117/41
28W/9419404	SP16/C					
	E.F2.73.1893	FAIRLEAD, at trailing edge rib 5	1	-	-	117/42
	-	Attachments:- Bolt, 2 BA, hex. head	1	-	C	117/43
28D/9435710	A25/11C	Nut, stiff, 2 BA	1	-	C	117/44
28M/1278190	AGS.2001/C/1	Washer, 2 BA, plain	1	-	C	117/45
28W/9419404	SP16/C					
	E.F2.73.2647	FAIRLEAD, outboard of trailing edge rib 6	1	-	-	117/46
	-	Attachments:- Bolt, 2 BA, hex. head	2	-	C	117/47
28D/9133014	A25/13C	Washer, 2 BA, plain	2	-	C	117/48
28W/9419404	SP16/C					
9875	E.B3.73.1255	FAIRLEAD	2	-	C	117/49
	-	Attachments:- Bolt, 2 BA, hex. head	4	-	C	117/50
28D/9133014	A25/13C	Washer, 2 BA, plain	4	-	C	117/51
28W/9419404	SP16/C					

HYDRAULIC EQUIPMENT IN STARBOARD WING

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index										
							1	2	3	4	5	6	7			
	E.F2.73.1573	PIPE, assembly, flaps "down" line, from restrictor	1	T55	-	117/52										
	E.F2.73.1575	PIPE, assembly, flaps "down" line, from restrictor	1	T55	-	117/53										
	E.F2.73.1577	PIPE, assembly, flaps "up" line, from restrictor	1	T55	-	117/54										
	E.F2.73.1579	PIPE, assembly, flaps "up" line, from restrictor	1	T55	-	117/55										
	E.B4.73.703	PLATE, stiffening, for fairlead inboard of trailing	1	-	-	117/56										
	E.F2.73.253	RESTRICTOR, flaps "up" line, sub-assembly	1	-	-	117/57										
		Consisting of:-														
6097	E.B2.73.4315	BLOCK, special connecting	1	S94	C	117/58										
28F/9439533	AGS.1129/B	BODY, banjo, 1/4" BSP	2	-	C	117/59										
28F/9423227	AGS.1135/B	BOLT, banjo, 1/4" BSP	1	-	C	117/60										
7807	E.B2.73.4463	BOLT, banjo, special	1	S94	C	117/61										
27Q/70638	DOWTY ROTOL H.5057	RESTRICTOR, one-way	1	-	B	117/62										
28F/9428453	AGS.1186/B	SEAL, bonded	4	-	C	117/63										
28F/9429527	AGS.1186/BB	SEAL, bonded	1	-	C	117/64										
	E.F2.73.255	RESTRICTOR, flaps "down" line, sub-assembly	1	-	-	117/65										
		Consisting of:-														
28F/9439533	AGS.1129/B	BODY, banjo, 1/4" BSP	1	-	C	117/66										
7807	E.B2.73.4463	BOLT, banjo, special	1	S94	C	117/67										
27Q/70369	DOWTY ROTOL H.5058	RESTRICTOR, two-way	1	-	B	117/68										
28F/9428453	AGS.1186/B	SEAL, bonded	2	-	C	117/69										
28F/9429532	AGS.1186/C	SEAL, bonded	1	-	C	117/70										
5083	E.B2.73.4317	TEE, special	1	S94	C	117/71										
9842	EEAS.240/2A	WASHER, "D"	2	L72	C	117/72										
	-	PIPES, hydraulic, in undercarriage bay, assembly	-	-	-	118/29										
		(E.F2.73.3019) (Mod. 4051)														
		Spares for:-														
4987	E.B1.73.1203	ADAPTOR, special reducing, 3/8" BSP x 1/4"	1	L65	C	118/30										
4988	E.B1.73.1755	BANJO, special, undercarriage "up" flexible pipe	1	L65	C	119/32										
23430	EEAS.552/4	BOBBIN, distance, ".5 long, pipe clip spacing	1	L65	C	118/31										
3899	E.B1.73.147	BODY, special undercarriage door sequence	1	L65	C	118/32										
		valve														
		Attachments:-														
28F/9423229	AGS.1135/C	Bolt, banjo	1	-	C	118/33										
28F/9429532	AGS.1186/C	SEAL, bonded	1	-	C	118/34										
6442	E.B3.73.173	BODY, banjo, special, "down" lock jack pipe	1	S94	C	119/33										
3857	E.B1.73.1837	coupling														
4989	E.B1.73.1757	BODY, banjo, undercarriage sequence valve	1	L65	C	118/35										
4990	E.B1.73.1839	connection														
4068	E.B2.73.3189	BOLT, special banjo, "up" lock jack flexible pipe	1	S95	C	119/34										
		attachment														
		BOLT, special banjo, undercarriage sequence valve	1	S95	C	118/36										
		connection														
		BOLT, special banjo, "down" lock jack pipe	1	S94	C	119/35										
		attachment														

SERVICES
HYDRAULIC EQUIPMENT IN STARBOARD WING

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
36674	E.B2.73.7053	BRACKET , flexible pipe coupling, assembly (Mod. 4051)	1	—	C	119/36
		Spares for :—				
4991	E.B1.73.123	BRACKET , flexible pipe coupling	4	—	C	119/37
	E.B2.73.7055	PLATE , locking... ..	1	L72	—	119/38
		Attachments :—				
28D/9436920	A25/1C	Bolt, 2 BA, hex. head	1	—	C	119/39
28D/9133011	A25/2C	Bolt, 2 BA, hex. head	1	—	C	119/40
28W/9416643	SP47/C	Washer, 2 BA, spring	2	—	C	119/41
26FZ/4965	EEAS.143/5	CLIP , pipe	1	L72	C	119/42
	9032	COUPLING , cone tee (unequal) undercarriage "up" pressure line at spar 4	1	S94	C	119/43
11036	E.B3.73.190	ELBOW , special, flexible pipe connection, undercarriage "up" line	1	L65	C	118/37
4994	E.B1.73.1875	ELBOW , special, shuttle valve flexible pipe connection, undercarriage "down" line	1	L65	C	118/38
9917	E.B3.73.1207	FAIRLEAD	2	—	C	118/39
		Attachments :—				
28D/1010030	A25/7C	Bolt, 2 BA, hex. head	4	—	C	118/40
28W/9419475	SP15/C	Washer, 2 BA, plain	4	—	C	118/41
9916	E.B3.73.1229	FAIRLEAD , for pipes through spar 4	1	—	C	119/44
		Attachments :—				
28D/9133013	A25/5C	Bolt, 2 BA, hex. head	6	—	C	119/45
28W/9419475	SP15/C	Washer, 2 BA, plain	6	—	C	119/46
4998	E.B2.73.1343	GUARD , shuttle valve flexible pipe at spar 3 ...	1	DTD171	C	118/42
4999	E.B1.73.1759	PACKING , for flexible pipe bracket	1	L72	C	119/47
11894	E.F2.73.381	PIPE , assembly, from relief valve banjo connection to flexible pipe special elbow, undercarriage "up" line	1	DTD743	C	118/43
11895	E.F2.73.383	PIPE , assembly, from flexible pipe special elbow to cone elbow at spar 4, undercarriage "down" line	1	DTD743	C	118/44
11896	E.F2.73.385	PIPE , assembly, from flexible pipe connection to trailing edge tee, undercarriage emergency line	1	DTD743	C	118/45
9915	E.B3.73.931	PIPE , assembly, undercarriage "up" line, from cone elbow at spar 4 to flexible pipe elbow connection	1	DTD743	C	118/46
21884	E.F2.73.1475	PIPE , assembly, undercarriage "down" lock line, from flexible pipe connection through radius rod to jack connection	1	30/166	C	119/48
5125	E.B2.73.4677	PIPE , assembly, brake return line, from flexible coupling joint to tee coupling	1	DTD743	C	119/49
5134	E.B2.73.4679	PIPE , assembly, undercarriage "down" lock line from tee coupling to flexible pipe coupling at spar 4	1	DTD743	C	119/50
21886	E.F2.73.1545	PIPE , assembly, brake pressure line, from cone union in trailing edge to flexible pipe coupling at spar 4	1	30/166	C	119/51
5126	E.B2.73.4683	PIPE , assembly, between tee pieces in undercarriage door sequence valve return line	1	DTD743	C	119/52

SERVICES
HYDRAULIC EQUIPMENT IN STARBOARD WING

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
21887	E.F2.73.1547	PIPE , assembly, undercarriage "up" line from door sequence valve to cone union in trailing edge							1	30/166	C	118/47
5128	E.B2.73.4689	PIPE , assembly, from undercarriage door sequence valve to tee coupling in undercarriage "up" pressure line							1	DTD743	C	118/48
5141	E.B2.73.4691	PIPE , assembly, undercarriage "down" line, from elbow between ribs 9 and 10 to cone elbow at spar 4 in wheel well							1	DTD743	C	119/53
5140	E.B2.73.4693	PIPE , assembly, undercarriage "up" from door sequence valve line, from elbow between ribs 9 and 10 to cone elbow at spar 4 in wheel well							1	DTD743	C	119/54
5139	E.B2.73.4695	PIPE , assembly, undercarriage "up" line, from elbow at spar 5 between ribs 9 and 10 to coupling tee at spar 4 in wheel well							1	DTD743	C	119/55
5138	E.B2.73.4697	PIPE , assembly, tank return line, from elbow at spar 5 between ribs 9 and 10 to coupling tee at spar 4 in wheel well							1	DTD743	C	119/56
21888	E.F2.73.1549	PIPE , assembly, return line, from undercarriage sequence valve to relief valve connection							1	30/166	C	118/49
5127	E.B2.73.4707	PIPE , assembly, return line, from undercarriage door sequence valve to tee coupling							1	DTD743	C	118/50
5017	E.B1.73.1749	PLATE , locking, special elbow connection							1	L65	C	118/51
28F/9428452	AGS.1186/A	SEAL , bonded, "down" lock jack pipe, attachment							2	—	C	119/57
28F/9428453	AGS.1186/B	SEAL , bonded, undercarriage sequence valve banjo connection							2	—	C	118/52
3841	EEAS.146/T/C E.B1.73.1003	SLEEVE , rubber, 3/4" long							1	—	—	119/58
4021	E.B2.73.3153	TEE , special cone, undercarriage low pressure return line at spar 4							1	L65	C	119/59
9028	E.B3.73.1593	TEE , special cone, undercarriage low pressure return line at spar 4							1	L65	C	119/60
36675	E.B2.73.7045	UNION , special bulkhead (3 off Pre-Mod. 2205 2 off Mod. 2205)							—	S94	C	119/61
5018	E.B1.73.1751	UNION , special bulkhead (Mod. 4051)							1	S94	C	119/62
10303	EEAS.240/1A	WASHER , special, elbow seating							1	L65	C	118/53
9842	EEAS.240/2A	WASHER , "D"							4	L72	C	118/54
	—	WASHER , "D"							1	L72	C	118/55
	—	PIPES , hydraulic, between leading edge ribs 8 and 14, assembly (E.F2.73.173) (Mod. 2053) Spares for :—							—	—	—	120/28
23432	EEAS.552/9	BOBBIN , distance, ".75 long, pipe clip spacing ...							1	L65	C	120/29
9933	E.B3.73.193	BRACKET , fairlead support, between leading edge ribs 9 and 10							1	L72	C	120/30
11888	E.F2.73.261	FAIRLEAD							1	—	C	120/31
28D/7002428	A25/6C	Attachments :— Bolt, 4 BA, hex. head							2	—	C	120/32
28W/9419475	SP15/C	Washer, 2 BA, plain							2	—	C	120/33
	E.B4.73.967	FAIRLEAD , between leading edge ribs 10 and 11... Attachments :—							1	—	—	120/34
28D/9140644	A25/9C	Bolt, 2 BA, hex. head							1	—	C	120/35
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA							1	—	C	120/36
28W/9419475	SP15/C	Washer, 2 BA, plain							1	—	C	120/37

HYDRAULIC EQUIPMENT IN STARBOARD WING

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
9924	E.B3.73.1219	FAIRLEAD	3	—	C	120/38
		Attachments:—				
28D/7002428	A25/6C	Bolt, 2 BA, hex. head	4	—	C	120/39
28M/1278190	AGS.2001/C/1	Net, stiff, 2 BA	2	—	C	120/40
28W/9419475	SP15/C	Washer, 2 BA, plain	4	—	C	120/41
9923	E.B3.73.1299	FAIRLEAD	1	—	C	120/42
		Attachments:—				
28D/7002428	A25/6C	Bolt, 2 BA, hex. head	1	—	C	120/43
28D/1010030	A25/7C	Bolt, 2 BA, hex. head	1	—	C	120/44
28M/1278190	AGS.2001/C/1	Net, stiff, 2 BA	2	—	C	120/45
28W/9419475	SP15/C	Washer, 2 BA, plain	1	—	C	120/46
28W/9419404	SP16/C	Washer, 2 BA, plain	1	—	C	120/47
	E.F2.73.737	PACKING, for pipe clip between leading edge ribs 10 and 11	1	L72	—	120/48
11897	E.F2.73.395	PIPE, assembly, from micron filter connection to ... connection forward of leading edge rib 12, autostabiliser pressure line	1	T55	C	120/49
21024	E.F2.73.1277	PIPE, assembly, from connection between leading edge ribs 10 and 11 to connection outboard of leading edge rib 17, outboard aileron pressure line	1	T55	C	120/50
21025	E.F2.73.1279	PIPE, assembly, from connection between leading edge ribs 10 and 11 to connection outboard of leading edge rib 17, outboard aileron return line	1	T55	C	120/51
21026	E.F2.73.1281	PIPE, assembly, from connection between leading edge ribs 10 and 11 to connection outboard of leading edge rib 17, inboard aileron pressure line	1	T55	C	120/52
21027	E.F2.73.1283	PIPE, assembly, from connection between leading edge ribs 10 and 11 to connection outboard of leading edge rib 17, inboard aileron return line	1	T55	C	120/53
21028	E.F2.73.1285	PIPE, assembly, from micron filter connection to ... reducing union inboard of leading edge rib 14, autostabiliser pressure line	1	T55	C	120/54
21029	E.F2.73.1289	PIPE, assembly, from autostabiliser jack connection, .. through electrical conduit to elbow connection in wheel well, return line	1	T55	C	120/55
32C/	†	STRIP neoprene, 1/2" wide x 1/8" thick	QR	S/H 60/65	—	120/56
32C/	†	STRIP neoprene, 2" wide x 1/8" thick	QR	S/H 60/65	—	120/57
8549	E.B3.73.1573	UNION, cone, reducing forward of leading edge rib 14, autostabiliser pressure line	1	S94	C	120/58
10303	EEAS.240/1A	WASHER, "D"	6	L72	C	120/59
	—	PIPES, hydraulic, between leading edge ribs 3 and 8, assembly (E.F2.73.169) (Mod. 2053) Spares for:—	—	—	—	116/55
	EEAS.552/3	BOBBIN, distance, ".45 long, pipe clip spacing	3	L65	—	116/56
23430	EEAS.552/4	BOBBIN, distance, ".5 long, pipe clip spacing	1	L65	C	116/57
	EEAS.552/6	BOBBIN, distance, ".6 long, pipe clip spacing	1	L65	—	116/58
	E.F2.73.2529	CHANNEL, fairlead backing at leading edge rib 3	1	—	—	116/59

SERVICES

HYDRAULIC EQUIPMENT IN STARBOARD WING

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
9924	E.B3.73.1219								4	—	C	116/60
28D/1010030	A25/7C								2	—	C	116/61
28D/1212944	A61/7C								4	—	C	116/62
28D/1212792	AS.1248/8C								2	—	C	116/63
28M/1278190	AGS.2001/C/1								2	—	C	116/64
28W/9419475	SP15/C								8	—	C	116/65
21032	E.F2.73.1269								1	T55	C	116/66
	E.F2.73.1271								1	T55	—	116/67
21034	E.F2.73.1273								1	T55	C	116/68
	E.F2.73.1275								1	T55	—	116/69
	E.F2.73.1287								1	T55	—	116/70
10303	EEAS.240/1A								18	L72	C	116/71
	—								—	—	—	121/31
	—								—	—	—	
9880	E.B3.73.1221								1	—	C	121/32
28D/1011019	A25/8C								6	—	C	121/33
28W/9419475	SP15/C								6	—	C	121/34
	E.F2.73.1367								1	—	—	121/35
28D/1214311	A25/17C								2	—	C	121/36
28W/9419475	SP15/C								2	—	C	121/37
1504906	E.F4.73.2241								1	—	C	
28D/1214311	A25/17C								2	—	C	121/38
28W/9457834	SP124/D								2	—	C	
	E.F2.73.1601								1	—	—	121/38
28D/9133014	A25/13C								1	—	C	121/39
28D/9140647	A25/14C								1	—	C	121/40
28M/11957	AGS.2007/C/1								2	—	C	121/41
28W/9419475	SP15/C								2	—	C	121/42
21870	E.F2.73.1641								1	—	C	121/43
28D/9133014	A25/13C								2	—	C	121/44
28W/9419475	SP15/C								2	—	C	121/45

HYDRAULIC EQUIPMENT IN STARBOARD WING

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
1504912	E.F.2.73.1583	PIPE, assembly, flaps "up" line, from restrictor							1	T55	-	121/46
	E.F.2.73.1585	coupling at rib 6 to connection between ribs 10 and 11										
	E.F.2.73.1587	PIPE, assembly, emergency line, from connection at . .							1	T55	-	121/47
		rib 2 to tee connection between ribs 9 and 10										
	E.F.2.73.1587	PIPE, assembly, brake line, from connection at rib 2 to							1	T55	-	121/48
		elbow connection between ribs 9 and 10										
	E.F.4.73.2249	PIPE, assembly, wheel brake pressure connector to . . .							1	T55	C	
		connector (Mod. 4437) (Mk. 2A A/c)										
	E.F.2.73.1591	PIPE, assembly, undercarriage "down" line, from							1	T55	-	121/49
		connection at rib 2 to tee connection between ribs 9 and 10										
	E.F.2.73.1595	PIPE, assembly, undercarriage "up" line, from tee							1	T55	-	121/50
		between ribs 9 and 10 to coupling between ribs 10 and 11										
	E.F.2.73.1581	PIPE, assembly, flaps "down" line, from restrictor							1	T55	-	121/51
		coupling at rib 6 to connection between ribs 10 and 11										
E.F.2.73.1589	PIPE, assembly, undercarriage "up" line, from							1	T55	-	121/52	
	connection at rib 2 to tee connection between ribs 9 and 10											
E.F.2.73.1593	PIPE, assembly, maxaret return line, from connection .							1	T55	-	121/53	
	at rib 2 to elbow connection between ribs 9 and 10											
E.F.2.73.1597	PIPE, assembly, undercarriage "up" from door							1	T55	-	121/54	
	sequence valve line, from ilbow between ribs 9 and 10 to coupling between 10 and 11											
R 3841	E.B1.73.1003	TEE, special, cone, undercarriage "down" line at							1	T55	C	121/55
		spar 5										
	-	PIPES, hydraulic, between trailing edge ribs 11 and 13, . .							-	-	-	122/47
		assembly (E.F.2.73.181) (Mk. 2 A/c)										
	-	PIPES, hydraulic, between trailing edge ribs 11 and 13 . .							-	-	-	
		(E.F.4.73.2233) (Mod. 4437) (Mk. 2A A/c)										
		Spares for -										
7649	E.B2.73.4431	ADAPTOR, special connector, between shuttle valve . .							1	S94	C	122/48
		and door jack										
23429	EEAS.552/3	BOBBIN, distance, ".45 long, pipe clip spacing							1	L65	C	122/49
	EEAS.552/6	BOBBIN, distance, ".6 long, pipe clip spacing							1	L65	-	122/50
5097	E.B2.73.3133	BOLT, special banjo, swivel coupling to shuttle valve . .							1	S94	C	122/51
		connecting										
7807	E.B2.73.4463	BOLT, special, banjo securing, swivel coupling							1	S94	C	122/52
		assembly, undercarriage door jack, emergency line										
5099	E.B2.73.3135	BRACKET, fairlead mounting, between ribs 11A and .							1	L72	C	122/53
		12A										
		Attachments -										
28D/1200119	A25/4C	Bolt, 2 BA, hex. head							2	-	C	122/54
28W/9419404	SP16/C	Washer, 2 BA, plain							2	-	C	122/55
5100	E.B2.73.3147	BRACKET, undercarriage "down" and emergency							2	L65	C	122/56
		swivel coupling support										
		Attachments:-										
28D/9133011	A25/2C	Bolt, 2 BA, hex. head							2	-	C	122/57
28D/9133012	A25/3C	Bolt, 2 BA, hex. head							2	-	C	122/58
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA							4	-	C	122/59
28W/9419475	SP15/C	Washer, 2 BA, plain							4	-	C	122/60

SERVICES

HYDRAULIC EQUIPMENT IN STARBOARD WING

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
5101	E.B2.73.3149	BRACKET, undercarriage "up" swivel coupling support							1	L65	C	122/61
28D/9133011	A25/2C	Attachments -							2	-	C	122/62
28M/1278190	AGS.2001/C/1	Bolt, 2 BA, hex. head							2	-	C	122/63
28W/9419475	SP15/C	Nut, stiff, 2 BA							2	-	C	122/64
		Washer, 2 BA, plain							2	-	C	122/64
5102	E.B2.73.3141	BUSH, swivel coupling pipe connection							3	L65	C	122/65
19170	E.B4.73.573	FAIRLEAD, at centre hinge rib							1	-	C	122/66
		Attachments -										
28D/9133013	A25/5C	Bolt, 2 BA, hex. head							2	-	C	122/67
28W/9419475	SP15/C	Washer, 2 BA, plain							2	-	C	122/68
9890	E.B3.73.1288	FAIRLEAD, for pipes through spar 5							1	-	C	122/69
		Attachments -										
28D/9453970	A25/15C	Bolt, 2 BA, hex. head							1	-	C	122/70
28D/1011021	A25/16C	Bolt, 2 BA, hex. head							1	-	C	122/71
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA							2	-	C	122/72
28W/9419475	SP15/C	Washer, 2 BA, plain							2	-	C	122/73
5106	E.B2.73.3145	PACKING, fairlead mounting at spar 5							1	LFS21	C	122/74
5107	E.B2.73.3131	PIECE, distance, for swivel coupling and shuttle valve connection							1	S94	C	122/75
	E.F2.73.1599	PIPE, assembly, emergency line, from leg sequence valve special tee at rib 11A to tee coupling between ribs 9 and 10							1	T55	-	122/76
R 21896	E.F2.73.1801	PIPE, assembly, undercarriage "down" line, from leg sequence valve special tee at rib 11A to tee coupling between ribs 9 and 10							1	T55	C	122/77
21897	E.F2.73.1803	PIPE, assembly, undercarriage "up" line, from leg sequence valve special tee coupling to door jack connection							1	T55	C	122/78
21898	E.F2.73.1805	PIPE, assembly, emergency line, from leg sequence valve special tee to door jack connection							1	T55	C	122/79
21899	E.F2.73.1807	PIPE, assembly, undercarriage "down" line, from leg sequence valve special tee at door jack connection							1	T55	C	122/80
R 21900	E.F2.73.1809	PIPE, assembly, undercarriage "up" line, from leg sequence valve special tee at rib 11A to special elbow between ribs 9 and 10							1	T55	C	122/81
1504913	E.F4.73.2261	PIPE, assembly, wheel brake pressure connector to connector (Mod. 4437) (Mk. 2A A/c)							1	-	C	
1504914	E.F3.73.8293	PIPE, assembly, wheel brake pressure connector to connector (Mod. 4437) (Mk. 2A A/c)							1	-	C	
	E.B3.73.175	TEE, special, at rib 11A, sub-assembly							3	-	-	122/82
		Consisting of -										
28F/9439533	AGS.1129/B	BODY, banjo, 1/4" BSP							1	-	C	122/83
28F/9423227	AGS.1135/B	BOLT, banjo, 1/4" BSP							1	-	C	122/84
28F/9428453	AGS.1186/B	SEAL, bonded							2	-	C	122/85
5114	E.B2.73.3127	TEE, special							1	-	C	122/86
10303	EEAS.240/1A	WASHER, "D"							8	L72	C	122/87

HYDRAULIC EQUIPMENT IN STARBOARD WING

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	—	PIPES, hydraulic, between trailing edge ribs 13 and 15, assembly (E.F2.73.183) (Mk. 2 A/c)	—	—	—	121/56
	—	PIPES, hydraulic, between trailing edge ribs 13 and 15, assembly (E.F4.73.2239) (Mod. 4437) (Mk. 2A A/c)	—	—	—	
	EEAS.552/6	BOBBIN, distance, ".6 long clip spacing	2	L65	—	121/57
	E.F2.73.1813	PIPE, assembly, flaps "down" line, from jack coupling on spar 5 between ribs 14 and 15 to coupling between ribs 10 and 11	1	T55	—	121/58
4871	E.B2.73.2867	PIPE, assembly, flaps "down" line, from jack connection to coupling at spar 5 to coupling between ribs 14 and 15	1	T55	C	121/59
4872	E.B2.73.2869	PIPE, assembly, flaps "up" line, from jack connection to coupling at spar 5 between ribs 14 and 15	1	T55	C	121/60
21904	E.F2.73.1811	PIPE, assembly, flaps "up" line, from jack coupling on spar 5 between ribs 14 and 15 to coupling between ribs 10 and 11	1	T55	C	121/61
1504915	E.F3.73.8609	PIPE, assembly, wheel brake pressure transmitter to relay (Mod. 4437) (Mk. 2A A/c)	1	T55	C	
1504916	E.F3.73.8611	PIPE, assembly, wheel brake pressure connector to connector (Mod. 4437) (Mk. 2A A/c)	1	T55	C	
5119	E.B2.73.3151	PLATE, locking	2	L65	C	121/62
10303	EEAS.240/1A	WASHER, "D"	4	L72	C	121/63
	—	PIPES, hydraulic, at rib 12A, assembly (E.F2.73.185) (Mod. 2053)	—	—	—	123/41
		Spares for:—				
R 23429	EEAS.552/3	BOBBIN, distance, ".45 long, pipe clip spacing	6	L65	C	123/42
23430	EEAS.552/4	BOBBIN, distance, ".5 long, pipe clip spacing	1	L65	C	123/43
9898	E.B3.73.1214	FAIRLEAD, for pipes at arch member	1	LFS26	C	123/44
		Attachments:—				
28D/1010030	A25/7C	Bolt, 2 BA, hex. head	1	—	C	123/45
28D/1011019	A25/8C	Bolt, 2 BA, hex. head	1	—	C	123/46
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	123/47
32C/618	†	Strip, neoprene, 1/2" wide x 1/16" thick	QR	S/H 40/45	C	123/48
28W/9419475	SP15/C	Washer, 2 BA, plain	2	—	C	123/49
23425	EEAS.556/2	FAIRLEAD, for 1/4" pipe	7	DTD506	C	123/50
23426	EEAS.554/2	FAIRLEAD, for 1/4" pipe	1	DTD506	C	123/51
	E.F2.73.1539	PIPE, assembly, undercarriage "up" line, from special tee at auxiliary spar to cone coupling at trailing edge rib 11	1	T55	—	123/52
9910	E.B3.73.935	PIPE, assembly, undercarriage emergency line, from tee connection to relay valve at auxiliary spar	1	T55	C	123/53
9906	E.B3.73.937	PIPE, assembly, stabiliser return line, from cone union in wheel well to brake return tee coupling at spar 4	1	T55	C	123/54
9907	E.B3.73.939	PIPE, assembly, undercarriage "down" line, from coupling at rib 12A to special tee at trailing edge rib 11	1	T55	C	123/55
	E.F2.73.1535	PIPE, assembly, undercarriage emergency line, from coupling at rib 12A to relay valve tee at auxiliary spar	1	T55	—	123/56

SERVICES

HYDRAULIC EQUIPMENT IN STARBOARD WING

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
9909	E.B3.73.995	PIPE, assembly, undercarriage "up" line, from coupling at rib 12A to special tee coupling at trailing edge rib 11	1	T55	C	123/57
9912	E.B3.73.997	PIPE, assembly, emergency line at rib 12A	1	T55	C	123/58
	E.F2.73.1537	PIPE, assembly, undercarriage "up" line, from special tee at auxiliary spar to cone coupling at trailing edge rib 11	1	T55	-	123/59
5151	E.B2.73.4755	PIPE, assembly, undercarriage "up" line, from relay . . . valve to special tee connection at auxiliary spar	1	T55	C	123/60
5150	E.B2.73.4757	PIPE, assembly, undercarriage "up" line, from relay . . . valve banjo connection to special tee connection	1	T55	C	123/61
5148	E.B2.73.4761	PIPE, assembly, undercarriage "up" line, from special . tee to sequence valve at auxiliary spar	1	T55	C	123/62
5147	E.B2.73.4763	PIPE, assembly, undercarriage "up" line, from special . tee to sequence valve	1	T55	C	123/63
	E.B3.73.169	TEE, special, sub-assembly Consisting of:-	1	-	-	123/64
28F/9439533	AGS.1129/B	BODY, banjo, 1/4" BSP	1	-	C	123/65
28F/9410973	AGS.1129/C	BODY, banjo, 3/8" BSP	1	-	C	123/66
28F/9423227	AGS.1135/B	BOLT, banjo, 1/4" BSP	1	-	C	123/67
28F/9423229	AGS.1135/C	BOLT, banjo, 3/8" BSP	1	-	C	123/68
28F/9428452	AGS.1186/B	SEAL, bonded, 1/4" BSP	2	-	C	123/69
28F/9429532	AGS.1186/C	SEAL, bonded, 3/8" BSP	2	-	C	123/70
5034	E.B1.73.1863	TEE, special	1	L65	C	123/71
	E.B3.73.171	TEE, special, sub-assembly Consisting of:-	1	-	-	123/72
28F/9140971	AGS.1104/C	ADAPTOR, cone, 3/8" BSP	1	-	C	123/73
28F/9439533	AGS.1129/B	BODY, banjo, 1/4" BSP	1	-	C	123/74
28F/9423227	AGS.1135/B	BOLT, banjo, 1/4" BSP	1	-	C	123/75
28F/9428453	AGS.1186/B	SEAL, bonded, 1/4" BSP	2	-	C	123/76
28F/9429532	AGS.1186/C	SEAL, bonded, 3/8" BSP	1	-	C	123/77
5034	E.B1.73.1863	TEE, special	1	L65	C	123/78
4021	E.B2.73.3153	TEE, special, cone, at rib 12A, emergency line	1	S94	C	123/79
10303	EEAS.240/1A	WASHER, "D"	6	L72	C	123/80
9842	EEAS.240/2A	WASHER, "D"	2	L72	C	123/81
	-	PIPES, hydraulic, at undercarriage door lock jack, assembly (E.F2.73.1871) (Mod. 2053) Spares for:-	-	-	-	124/12
5035	E.B2.73.101	BRACKET, autostabiliser return pipe clip, attach- ment	2	L72	C	124/13
5155	E.B2.73.4669	PIPE, assembly, undercarriage "up" line, from door . . . lock jack connection through diaphragm at rib 12A	1	T55	C	124/14
5156	E.B2.73.4671	PIPE, assembly, undercarriage emergency line, from . . . door lock jack connection through diaphragm at rib 12A	1	T55	C	124/15
5157	E.B2.73.4673	PIPE, assembly, undercarriage "down" line, from door lock jack connection through diaphragm at rib 12A	1	T55	C	124/16
5039	EEAS.20/2CR	TAB, locking	6	L72	C	124/17
10303	EEAS.240/1A	WASHER, "D"	2	L72	C	124/18

HYDRAULIC EQUIPMENT IN STARBOARD WING

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	-	PIPES, hydraulic, on main undercarriage, assembly (E.F.2.73.1863) (Mod. 2053) Spares for:-	-	-	-	
9034	E.B3.73.1571	ADAPTOR, special cone, between low pressure return . and flexible pipes	1	S94	C	125/15
33H/29	DUNLOP M.4.10	ADHESIVE	QR	-	C	125/16
23430	EEAS.552/4	BOBBIN, distance, ".5 long, pipe clip spacing	3	L65	C	125/17
7883	PERFECT CLIP CO. BRADFORD	CLIP, "perfect", flexible pipe support (50" length and fittings)	2	-	C	125/18
	or					
37582	E.F3.73.8955	PIN (May be made from B1031/2A)	2	-	C	
	or					
37583	E.F3.73.8957	CLIP (May be made from B1031/1)	2	-	C	
	or					
37586	E.F3.73.8959/C	STRAP (May be made from B1031/1) insuloid	2	-	C	
21918	E.F.2.73.1481	PIPE, assembly, from flexible pipe connection to swivel coupling connection, maxaret pressure line	1	T55	C	125/19
21919	E.F.2.73.1479	PIPE, assembly, maxaret return line, from flexible pipe coupling to pipe union on undercarriage	1	T55	C	125/20
21920	E.F.2.73.1483	PIPE, assembly, maxaret return line, from swivel coupling connection to charging valve tee piece	1	T55	C	125/21
21921	E.F.2.73.1485	PIPE, assembly, maxaret pressure line, from charging . . valve tee piece to maxaret unit connection	1	T55	C	125/22
32C/	†	STRIP, neoprene, 1" wide x 1/64" thick	QR	S/H 80	-	125/23
9932	E.B3.73.1545	SUPPORT, flexible pipe on undercarriage leg	2	S/H 70	C	125/24
9033	E.B3.73.1583	TEE-PIECE, special, maxaret pressure line and charging valve	1	S94	C	125/25
10303	EEAS.240/1A	WASHER, "D"	5	L72	C	125/26
	-	PIPES, hydraulic, between rib 16 on spar 1 and aileron . . jack diaphragm, assembly (E.F.2.73.1875) (Mod. 2053) Spares for:-	-	-	-	
6099	E.B2.73.4355	BODY, special bulkhead union	2	L65	C	126/38
	E.F.2.73.2685	FAIRLEAD, at diaphragm 6	1	-	-	126/39
		Attachments:-				
28D/9140644	A25/9C	Bolt, 2 BA hex. head	2	-	C	126/40
28W/9419475	SP15/C	Washer, 2 BA plain	2	-	C	126/41
11902	E.B2.73.4821	PIPE, assembly, inboard aileron return line, from coupling between diaphragms 1 and 2 to aileron jack box connection	1	L65	C	126/42
5120	E.B2.73.4823	PIPE, assembly, inboard aileron pressure line, from coupling between diaphragms 1 and 2 to aileron jack box connection	1	L65	C	126/43
4981	E.B1.73.177	PLATE, locking, inboard aileron jack	1	L65	C	126/44
4982	E.B1.73.179	PLATE, locking, outboard aileron jack	1	L65	C	126/45
10303	EEAS.240/1A	WASHER, "D"	2	L72	C	126/46
	-	PIPES, hydraulic, in aileron jack boxes, assembly (E.F.2.73.1879) (Mod. 2053) Spares for:-	-	-	-	
6099	E.B2.73.4355	BODY, special bulkhead union	2	L65	C	126/47
6100	E.B2.73.4359	BODY, special bulkhead union	2	L65	C	126/48
5121	E.B2.73.4825	PIPE, assembly, outboard aileron pressure line, from . . rigid pipe connection to flexible pipe connection in jack box	1	T55	C	126/49
5123	E.B2.73.4827	PIPE, assembly, inboard aileron pressure line, from . . . rigid pipe connection to flexible pipe connection in jack box	1	T55	C	126/50

SERVICES

HYDRAULIC EQUIPMENT IN STARBOARD WING

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
5122	E.B2.73.4829	PIPE, assembly, outboard aileron return line, from rigid pipe connection to flexible pipe connection in jack box	1	T55	C	126/51
5124	E.B2.73.4859	PIPE, assembly, inboard aileron return line, from rigid pipe connection to flexible pipe connection in jack box	1	T55	C	126/52
10303	EEAS.240/1A	WASHER, "D"	8	L72	C	126/53
	—	PIPES, hydraulic, between leading edge ribs 14 and . . . 17, along spar 1, assembly (E.F2.73.139) (Mod. 2053) Spares for:—	—	—	—	127/39
	E.F2.73.721	BRACKET, fairlead support at spar 1 between leading . edge ribs 17 and 18 Attachments:—	1	—	—	127/40
28D/9133012	A.25/3C	Bolt, 2 BA, hex. head	2	—	C	127/41
28W/9419475	SP.15/C	Washer, 2 BA, plain	2	—	C	127/42
	E.F2.73.2613	BRACKET, fairlead support between leading edge ribs 14 and 15 Attachments:—	1	L72	—	127/43
R 2647	EEAS.196/1C	Bolt, 2 BA, 120° c'sk. head	2	S95	C	127/44
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	127/45
28W/9419475	SP.15/C	Washer, 2 BA, plain	2	—	C	127/46
R 20529	E.F2.73.717	FAIRLEAD, for pipes through spar 1 between leading edge ribs 17 and 18 Attachments:—	1	—	C	127/47
28D/9140667	A.25/14C	Bolt, 2 BA, hex. head	2	—	C	127/48
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	127/49
28W/9419475	SP.15/C	Washer, 2 BA, plain	2	—	C	127/50
20530	E.F2.73.723	FAIRLEAD, at and inboard of leading edge rib 16 (1 off on Mk. 2A A/c) Attachments:—	2	—	C	127/51
28D/9419397	A.25/12C	Bolt, 2 BA, hex. head	4	—	C	127/52
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	4	—	C	127/53
28W/9419475	SP.15/C	Washer, 2 BA, plain	4	—	C	127/54
20531	E.F2.73.747	FAIRLEAD, between leading edge ribs 16 and 17 Attachments:—	1	—	C	127/55
28D/1212796	AS.1248/13C	Bolt, 2 BA, mushroom head	2	—	C	127/56
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	127/57
28W/9419475	SP.15/C	Washer, 2 BA, plain	2	—	C	127/58
20637	E.F2.73.781	FAIRLEAD, between leading edge ribs 14 and 15 Attachments:—	1	—	C	127/59
28D/1011022	A.25/18C	Bolt, 2 BA, hex. head	2	—	C	127/60
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	127/61
28W/9419475	SP.15/C	Washer, 2 BA, plain	2	—	C	127/62
9922	E.B3.73.985	PIPE, assembly, inboard aileron pressure line, from . . . connection at leading edge rib 17 to line filter connection between diaphragms 1 and 2	1	T55	C	127/63
9921	E.B3.73.987	PIPE, assembly, outboard aileron return line, from connection at leading edge rib 17 to aileron jack box connection	1	T55	C	127/64

HYDRAULIC EQUIPMENT IN STARBOARD WING

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
21030	E.F.2.73.1291	PIPE, assembly, autostabiliser pressure line, from connection forward of leading edge rib 14 to autostabiliser connection between ribs 14 and 15	1	T55	C	127/65
5159	E.B.2.73.4855	PIPE, assembly, outboard aileron pressure line, from . . connection at leading edge rib 17 to line filter connection	1	T55	C	127/66
5161	E.B.2.73.4857	PIPE, assembly, inboard aileron return line, from coupling at leading edge rib 17 to aileron jack box connection	1	T55	C	126/67
10303	E.F.2.73.743	PLATE, special, pipe clip, attachment	1	L72	C	127/68
	EEAS.240/1A	WASHER, "D"	6	L72	C	127/69
	—	PIPES, hydraulic, between tank ribs 7 and 11, assembly . . (E.F.2.73.163) (Mod. 2053) Consisting of:—	—	—	—	—
	E.F.2.73.2529	CHANNEL, fairlead backing between tank ribs 9 and 10	1	—	—	126/54
9924	E.B.3.73.1219	FAIRLEAD, assembly	3	—	C	126/55
		Attachments:—				
28D/1212807	AS.1248/7C	Bolt, 2 BA, mushroom head	2	—	C	126/56
28D/1212792	AS.1248/8C	Bolt, 2 BA, mushroom head	3	—	C	126/57
28D/1212805	AS.1248/9C	Bolt, 2 BA, mushroom head	1	—	C	126/58
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	126/59
28W/9419475	SP15/C	Washer, 2 BA, plain	2	—	C	126/60
9925	E.B.3.73.1293	FAIRLEAD	1	—	C	126/61
		Attachments:—				
28D/1212792	AS.1248/8C	Bolt, 2 BA, mushroom head	1	—	C	126/62
20501	E.F.2.73.1731	FAIRLEAD, assembly	1	—	C	126/63
		Attachments:—				
28D/9140645	A25/10C	Bolt, 2 BA, hex. head	2	—	C	126/64
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	126/65
28W/9419475	SP15/C	Washer, 2 BA	2	—	C	126/66
	E.F.2.73.1217	PIPE, assembly, outboard aileron return line, from coupling inboard of rib 4 to tee coupling in fuselage	1	T55	—	126/67
	E.F.2.73.1223	PIPE, assembly, outboard aileron pressure line, from . . coupling inboard of rib 4 to tee coupling in fuselage	1	T55	—	126/68
21038	E.F.2.73.1257	PIPE, assembly, autostabiliser pressure line, from coupling inboard of rib 4 to tee coupling in fuselage	1	T55	C	126/69
	E.F.2.73.1211	PIPE, assembly, inboard aileron return line, from coupling inboard of rib 4 to tee coupling in fuselage	1	T55	—	126/70
	E.F.2.73.1203	PIPE, assembly, inboard aileron pressure line, from . . . coupling inboard of rib 4 to tee coupling in fuselage	1	T55	—	126/71
	E.F.2.81.5863	PLATE, electrical cable clip support	1	L72	LM	126/72
32C/	†	STRIP, neoprene, 1/2" wide x 1/8" thick	QR	S/H 60/65	C	126/73
32C/	†	STRIP, neoprene, 2" wide x 1/8" thick	QR	S/H 60/65	C	126/74

SERVICES

HYDRAULIC EQUIPMENT IN STARBOARD WING

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				

SERVICES
HYDRAULIC EQUIPMENT IN STARBOARD WING

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	—	HYDRAULICS AT SPAR 1 BETWEEN RIBS 17 AND 19 (E.F3.73.8039) (MK. 2A A/C)	—	—	—	128/17
		Spares for :—				
	E.F3.73.8013	ANGLE	1	EEDX14	—	128/18
	E.F3.73.8015	ANGLE	1	L72	—	128/19
	EEAS.100/7E	BOLT , 1/4" BSF, 90° c'sk head	2	S97	—	128/20
	E.F3.73.8047	BRACKET , fairlead, assembly	1	—	—	128/21
		Spares for :—				
	E.F3.73.8027	BRACKET	1	L72	—	128/22
	E.F3.73.8019	PACKING	1	L72	—	128/23
	E.F3.73.8021	PLATE , reinforcing	1	L72	—	128/24
	E.F3.73.8011	CLEAT	1	L72	—	128/25
	E.F3.73.8061	FAIRLEAD , inboard leading edge rib 18	1	—	—	128/26
		Attachments :—				
28D/1214311	A25/17C	Bolt, 2 BA, hex. head	1	—	C	128/27
28D/1011022	A25/18C	Bolt, 2 BA, hex. head	1	—	C	128/28
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	128/29
28W/9419475	SP15/C	Washer, 2 BA, plain	2	—	C	128/30
	E.F3.73.8017	PACKING	1	L72	—	128/31
	E.F3.73.8009	PLATE , tie	1	L72	—	128/32
	E.F3.73.8025	STRUT	1	L72	—	128/33
	E.F3.73.8023	WASHER , plate	1	L72	—	128/34
	EEAS.21A/5HR	WASHER	3	L72	—	128/35

Ref. No.	Part No.	1 2 3 4 5 6 7	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index

This file was downloaded
from the RTFM Library.
Link: www.scottbouch.com/rtfm
Please see site for usage terms,
and more aircraft documents.

