

ASSEMBLY OF TAILPLANE TO FUSELAGE

| Ref. No. | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. M.R. L.M. | Fig. and Index |
|-------------|-----------------------|--|---------|---------------------|-------------------------|----------------|
| | | | | | | |
| | — | ASSEMBLY OF TAILPLANE TO FUSELAGE (E.B2.00.283) | — | — | — | 6/1 |
| | | Consisting of:— | | | | |
| 2786 | E.B2.30.119 | BEARING, outer, tailplane hinge | 2 | — | B | 6/2 |
| 2785 | E.B2.30.433 | BEARING, inner, tailplane hinge, group | 2 | — | B | 6/3 |
| | | Spares for:— | | | | |
| 7559 | E.B1.30.701 | WASHER, tab | 1 | — | C | 6/4 |
| 2787 | E.B1.30.141 | BOLT, special, tailplane to operating levers attachment | 2 | S95 or S96 | C | 6/5 |
| 2788 | E.B2.30.157 | LEVER, tailplane operating, group | 1 | — | B | 6/6 |
| | | Spares for:— | | | | |
| | E.B2.30.199 | BEARING, spherical | 1 | — | MR | 6/7 |
| | E.B2.30.13 | HOUSING | 1 | L65 | MR | 6/8 |
| | | Attachments:— | | | | |
| 2789 | EEAS.95/11N | Bolt, special, 1/2" BSF | 1 | S97 | C | 6/9 |
| 28M/13259 | A27/NS | Nut, 1/2" BSF, slotted | 1 | — | C | 6/10 |
| 28P/9560929 | SP.90/E8 | Pin, split | 1 | — | C | 6/11 |
| 28W/9419468 | SP.13/N | Washer, 1/2" BSF, plain | 1 | — | C | 6/12 |
| 2790 | E.B2.30.158 | LEVER, R.H., tailplane operating, group | 1 | — | B | 6/13 |
| | | Spares for:— | | | | |
| | E.B2.30.199 | BEARING, spherical | 1 | — | MR | 6/14 |
| | E.B2.30.13 | HOUSING | 1 | L65 | MR | 6/15 |
| | | Attachments:— | | | | |
| 2789 | EEAS.95/11N | Bolt, special, 1/2" BSF | 1 | S97 | C | 6/16 |
| 28M/13259 | A.27/NS | Nut, 1/2" BSF, slotted | 1 | — | C | 6/17 |
| 28P/9560929 | SP.90/E8 | Pin, split | 1 | — | C | 6/18 |
| 28W/9419468 | SP.13/N | Washer, 1/2" BSF, plain | 1 | — | C | 6/19 |
| | — | MECHANISM, tailplane actuating, assembly (E.B2.30.17) | — | — | — | 6/20 |
| | | Consisting of:— | | | | |
| 5969 | E.B2.30.133 | BOLT, special, gearbox attachment at frame 58 | 2 | — | C | 6/21 |
| 17995 | E.B2.30.207 | BOLT, special, gearbox attachment at frame 58 | 2 | S95 | C | 6/22 |
| 2791 | E.B1.30.671 | BOLT, special, gearbox attachment at frame 58 | 10 | — | C | 6/23 |
| 2792 | E.B1.30.673 | BOLT, special, gearbox attachment at frame 58 | 2 | — | C | 6/24 |
| 28D/1011240 | A.25/5E | BOLT, 1/4" BSF, hex. head | 2 | — | C | 6/25 |
| 3614 | E.B2.30.109 | DOWEL, locating | 2 | S95 | C | 6/26 |
| 2796 | E.B1.30.596 | SHIM, tailplane gearbox at frame 58 | 1 | L72 | C | 6/27 |
| 28W/9418921 | SP.13/E | WASHER, 1/4" BSF, plain | 16 | — | C | 6/28 |
| 30A/3055 | † | WIRE, locking, 22 SWG | QR | DTD189 or DTD161 | C | 6/29 |
| 4889 | E.B2.30.115 | SEAL, oil, 5.82" o/d tailplane hinge outer bearing | 2 | Synthetic Rubber | C | 6/30 |
| 2798 | GEO. ANGUS MIS.312 | SEAL, oil, inner bearing | 2 | — | C | 6/31 |
| 2799 | GEO. ANGUS MIS.24 | SEAL, oil outer bearing | 2 | — | C | 6/32 |
| 2800 | E.B1.30.457 | TAB, locking, inner bearing | 2 | L65 | C | 6/33 |
| | | Attachments:— | | | | |
| 28D/1007285 | AS.1242/1B | Bolt, 4 BA, c'sk. head | 4 | — | C | 6/34 |

TAIL UNIT

ASSEMBLY OF TAILPLANE TO FUSELAGE

| Ref. No. | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. M.R. L.M. | Fig. and Index |
|-------------|-------------|---|---------|-------------|-------------------------|----------------|
| | | | | | | |
| 2801 | E.B1.30.143 | WASHER, locking, tailplane to operating levers attachments bolts | 2 | L72 | C | 6/35 |
| 28D/7002428 | A.25/6C | Attachments:— Bolt, 2 BA, hex. head | 2 | — | C | 6/36 |
| 28M/5808573 | A.27/CS | Nut, 2 BA, slotted | 2 | — | C | 6/37 |
| 28P/9486478 | SP.90/C5 | Pin, split | 2 | — | C | 6/38 |
| 28W/9419402 | SP.13/C | Washer, 2 BA, plain | 2 | — | C | 6/39 |
| 2802 | E.B2.30.189 | WASHER, locking, tailplane hinge outer bearing | 2 | — | C | 6/40 |

This file was downloaded
from the RTFM Library.
Link:www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

