

Local Manufacture is desired wherever possible—Detailed information is given below

PIPE LINES PARTICULARS

FITTINGS

Drwg. No.	Size and Gauge of Material	Material Specification	Part No.		Section Ref. No.	Part No.		Section Ref. No.	Part No.		Section Ref. No.	Remarks
			2 off	28F/8011819		28F/8011819	28F/8011819		28F/8011819	28F/8011819		
E.B2.57.57	3/4" o/d x 22 SWG	L56	2 off	28F/8011819	AGS.904/B	28F/8011819	2 off	28F/8011819	AGS.952/B	28F/9439531	28F/9439531	—
E.F2.57.97	3/4" o/d x 22 SWG	30/166	AGS.952/C	28F/8011892	AGS.952/B	28F/9439531	28F/9439527	AGS.954/B	28F/9439531	28F/9439527	—	—
E.F2.57.129	3/4" o/d x 22 SWG	30/166	AGS.952/B	28F/9439531	AGS.954/B	28F/9439531	28F/9439527	AGS.954/B	28F/9439531	28F/9439527	—	—
E.F2.57.201	3/4" o/d x 20 SWG	30/166	AGS.952/E	28F/8011816	AGS.954/E	28F/8011880	28F/8011880	AGS.954/E	28F/8011880	28F/8011880	28F/1051099	—
E.F2.57.597	3/4" o/d x 22 SWG	30/166	AGS.952/E	28F/8011816	AGS.955/B	28F/12432	28F/12432	AGS.955/B	28F/8011817	28F/12432	—	—
E.F2.57.651	3/4" o/d x 24 SWG	T55	AGS.952/F	28F/8011817	AGS.954/F	28F/8011881	28F/8011881	AGS.955/F	28F/8011817	28F/8011881	28F/14531	—
E.F2.57.791	3/4" o/d x 22 SWG	L56	AGS.952/B	28F/9439531	AGS.952/B	28F/9439531	28F/9439531	AGS.952/B	28F/9439531	28F/9439531	—	—
E.F2.57.795	3/4" o/d x 22 SWG	L56	AGS.952/B	28F/9439531	AGS.952/B	28F/9439531	28F/9439531	AGS.952/B	28F/9439531	28F/9439531	—	—
E.F2.57.797	3/4" o/d x 22 SWG	L56	AGS.952/B	28F/9439531	AGS.952/B	28F/9439531	28F/9439531	AGS.952/B	28F/9439531	28F/9439531	—	—
E.F2.57.799	3/4" o/d x 22 SWG	L56	AGS.952/B	28F/9439531	AGS.952/B	28F/9439531	28F/9439531	AGS.952/B	28F/9439531	28F/9439531	—	—
E.F2.57.803	3/4" o/d x 22 SWG	L56	AGS.952/B	28F/9439531	AGS.952/B	28F/9439531	28F/9439531	AGS.952/B	28F/9439531	28F/9439531	—	—

Local Manufacture is desired wherever possible—Detailed information is given below

PIPE LINES PARTICULARS

Drwg. No.	Size and Gauge of Material	Material Specification	Part No.	Section Ref. No.	FITTINGS		Section Ref. No.	Part No.	Section Ref. No.	Remarks
					Part No.	Section Ref. No.				
E.F2.57.915	¾" o/d × 22 SWG	L56	28F/943952/B	AGS.952/B	2 off	28F/943952/B	AGS.954/B	2 off	—	—
E.F2.57.917	¾" o/d × 22 SWG	L56	28F/943953/A	AGS.952/B	2 off	28F/943952/B	AGS.954/B	2 off	—	—
E.F3.57.989	¾" o/d × 22 SWG	30/166	28F/8011817	AGS.952/F	—	28F/8011881	AGS.954/F	—	28F/14531	—
E.F3.57.991	¾" o/d × 22 SWG	30/166	28F/8011817	AGS.952/F	—	28F/8011881	AGS.954/F	—	28F/14531	—
E.F3.57.993	¾" o/d × 22 SWG	30/166	28F/8011817	AGS.952/F	—	28F/8011881	AGS.954/F	—	28F/14531	—
E.F3.57.995	¾" o/d × 22 SWG	30/166	28F/8011817	AGS.952/F	—	28F/14531	AGS.955/F	—	28F/14531	—
E.F3.57.997	¾" o/d × 22 SWG	30/166	28F/8011817	AGS.952/F	—	28F/8011881	AGS.954/F	—	28F/14531	—
E.F3.57.999	¾" o/d × 22 SWG	30/166	28F/8011817	AGS.952/F	—	28F/8011881	AGS.954/F	—	—	—
E.F3.57.1001	1" o/d × 22 SWG	30/178	28F/8011818	AGS.952/H	—	28F/8011882	AGS.954/H	—	—	—
E.F3.57.1153	1" o/d × 22 SWG	30/178	28F/8011818	AGS.952/H	—	28F/8011882	AGS.954/H	—	—	—
E.F2.60.21	¾" o/d × 28 SWG	T55	28F/8011817	AGS.952/F	—	28F/8011881	AGS.954/F	—	—	—
E.F2.60.29	¾" o/d × 28 SWG	T55	28F/8011817	AGS.952/F	—	28F/8011881	AGS.954/F	—	—	—
E.F2.60.31	¾" o/d × 28 SWG	T55	28F/8011817	AGS.952/F	—	28F/8011881	AGS.954/F	—	—	—
E.F2.60.33	¾" o/d × 28 SWG	T55	28F/8011817	AGS.952/F	—	28F/8011881	AGS.954/F	—	—	—

PIPE LINES PARTICULARS
Local Manufacture is desired wherever possible—Detailed information is given below

Drwg. No.	Size and Gauge of Material	Material Specification	Part No.		Section Ref. No.	Part No.		Section Ref. No.	Part No.	Section Ref. No.	Remarks
			AGS.952/F	AGS.952/A		AGS.952/B	AGS.952/D				
E.F.3.60.125	3/4" o/d x 28 SWG	T55	28F/8011817	28F/8011890	28F/8011890	28F/8011891	28F/8011891	28F/8011891	28F/14531	28F/14531	—
E.F.3.60.139	3/4" o/d x 20 SWG	L54	28F/8011890	28F/8011890	28F/8011890	28F/8011891	28F/8011891	28F/8011891	—	—	—
E.F.3.60.140	3/4" o/d x 20 SWG	L54	28F/8011890	28F/8011890	28F/8011890	28F/8011891	28F/8011891	28F/8011891	—	—	—
E.F.3.60.163	3/4" o/d x 28 SWG	T55	28F/14531	GRAVINER P.260	28F/14531	—	—	—	—	—	—
E.B.2.60.165	3/4" o/d x 28 SWG	T55	GRAVINER P.260	—	—	28F/14531	28F/14531	28F/14531	—	—	—
E.F.2.70.395	1/2" o/d x 22 SWG	L54	28F/1015879	AGS.904/BB	28F/1015879	28F/9475201	28F/9475201	28F/9475201	—	—	—
E.F.2.73.473	3/4" o/d x 24 SWG	DT.D743	28F/8011819	AGS.904/B	28F/8011819	28F/9439531	28F/9439531	28F/9439531	28F/12432	28F/12432	—
E.F.2.73.573	3/4" o/d x 22 SWG	30/166	28F/8011892	AGS.952/C	28F/8011892	28F/8011888	28F/8011888	28F/8011888	—	—	—
E.F.2.73.923	3/4" o/d x 20 SWG	30/166	28F/9439532	AGS.952/D	28F/9439532	28F/9439535	28F/9439535	28F/9439535	—	—	—
E.F.2.73.975	3/4" o/d x 24 SWG	30/166	28F/8011819	AGS.904/B	28F/8011819	28F/9439531	28F/9439531	28F/9439531	—	—	—
E.F.2.73.1067	3/4" o/d x 24 SWG	30/166	28F/9439531	AGS.952/B	28F/9439531	28F/9439527	28F/9439527	28F/9439527	—	—	—
E.F.2.73.1109	3/4" o/d x 20 SWG	30/166	28F/8011820	AGS.904/D	28F/8011820	28F/9439532	28F/9439532	28F/9439532	—	—	—

Local Manufacture is desired wherever possible—Detailed information is given below

PIPE LINES PARTICULARS

Drwg. No.	Size and Gauge of Material	Material Specification	Part No.		Section Ref. No.	Part No.		Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Remarks
			Part No.	Section Ref. No.		Part No.	Section Ref. No.						
E.F.2.73.1199	8 1/2" o/d x 22 SWG		28F/8011816	AGS.954/E 2 off	28F/8011892	28F/8011888	28F/8011892	28F/8011892	28F/8011892	28F/8011892	28F/8011888	28F/8011888	—
E.F.2.73.1201	8 1/2" o/d x 22 SWG		28F/8011892	AGS.954/C 2 off	28F/8011892	28F/8011888	28F/8011892	28F/8011892	28F/8011892	28F/8011892	28F/8011888	28F/12374	—
E.F.2.73.1203	8 1/2" o/d x 22 SWG		28F/8011892	AGS.952/C 2 off	28F/8011892	28F/8011888	28F/8011892	28F/8011892	28F/8011892	28F/8011892	28F/8011888	28F/12374	—
E.F.2.73.1205	8 1/2" o/d x 22 SWG		28F/8011892	AGS.952/C 2 off	28F/8011892	28F/8011888	28F/8011892	28F/8011892	28F/8011892	28F/8011892	28F/8011888	28F/12374	—
E.F.2.73.1211	8 1/2" o/d x 22 SWG		28F/8011892	AGS.952/C 2 off	28F/8011892	28F/8011888	28F/8011892	28F/8011892	28F/8011892	28F/8011892	28F/8011888	28F/12374	—
E.F.2.73.1213	8 1/2" o/d x 22 SWG		28F/8011892	AGS.952/C 2 off	28F/8011892	28F/8011888	28F/8011892	28F/8011892	28F/8011892	28F/8011892	28F/8011888	28F/12374	—
E.F.2.73.1215	1 1/2" o/d x 20 SWG		28F/9439532	AGS.952/D 2 off	28F/8011892	28F/9439535	28F/8011892	28F/8011892	28F/8011892	28F/8011892	28F/9536298	28F/12374	—
E.F.2.73.1217	3 1/2" o/d x 22 SWG		28F/8011892	AGS.952/C 2 off	28F/8011892	28F/8011888	28F/8011892	28F/8011892	28F/8011892	28F/8011892	28F/955/C	28F/12374	—
E.F.2.73.1219	3 1/2" o/d x 22 SWG		28F/8011892	AGS.952/C 2 off	28F/8011892	28F/8011888	28F/8011892	28F/8011892	28F/8011892	28F/8011892	28F/955/C	28F/12374	—
E.F.2.73.1223	3 1/2" o/d x 22 SWG		28F/8011892	AGS.952/C 2 off	28F/8011892	28F/8011888	28F/8011892	28F/8011892	28F/8011892	28F/8011892	28F/955/C	28F/12374	—
E.F.2.73.1225	3 1/2" o/d x 22 SWG		28F/8011892	AGS.952/C 2 off	28F/8011892	28F/8011888	28F/8011892	28F/8011892	28F/8011892	28F/8011892	28F/955/C	28F/12374	—
E.F.2.73.1229	4 1/2" o/d x 24 SWG		28F/9439531	AGS.952/B 2 off	28F/8011892	28F/9439527	28F/8011892	28F/8011892	28F/8011892	28F/8011892	28F/954/B 2 off	28F/12374	—

FITTINGS

Local Manufacture is desired wherever possible—Detailed information is given below

PIPE LINES PARTICULARS

FITTINGS

Drwg. No.	Size and Gauge of Material	Material Specification	Part No.		Section Ref. No.	Part No.		Section Ref. No.	Part No.	Section Ref. No.	Remarks
			AGS.904/B	AGS.904/B		AGS.952/B	AGS.1218/B				
E.F.2.73.1285	1/4" o/d x 24 SWG	30/166	28F/8011819	AGS.904/B	28F/8011819	28F/9439531	AGS.952/B	28F/9439531	28F/1014969	—	—
E.F.2.73.1287	1/4" o/d x 24 SWG	DTD323	28F/8011819	AGS.904/B	28F/8011819	28F/9439531	AGS.952/B	28F/9439531	28F/1014969	—	—
E.F.2.73.1289	1/4" o/d x 24 SWG	30/166	28F/8011819	AGS.904/B	28F/8011819	28F/9439531	AGS.952/B	28F/9439531	—	—	—
E.F.2.73.1293	1/4" o/d x 24 SWG	30/166	28F/8011819	AGS.904/B	28F/8011819	28F/9439531	AGS.952/B	28F/9439531	28F/1014969	—	—
E.F.2.73.1295	3/8" o/d x 22 SWG	30/166	28F/9440970	AGS.904/C	28F/9440970	28F/8011892	AGS.952/C	28F/8011892	28F/9441611	—	—
E.F.2.73.1297	3/8" o/d x 22 SWG	30/166	28F/9440970	AGS.904/C	28F/9440970	28F/8011892	AGS.952/C	28F/8011892	28F/9441611	—	—
E.F.2.73.1299	3/8" o/d x 22 SWG	30/166	28F/9440970	AGS.904/C	28F/9440970	28F/8011892	AGS.952/C	28F/8011892	28F/9441611	—	—
E.F.2.73.1301	3/8" o/d x 22 SWG	30/166	28F/9440970	AGS.904/C	28F/9440970	28F/8011892	AGS.952/C	28F/8011892	28F/9441611	—	—
E.F.2.73.1321	3/8" o/d x 22 SWG	30/166	28F/8011892	AGS.952/C	28F/8011892	28F/8011888	AGS.954/C	28F/8011888	—	—	—
E.F.2.73.1323	1/4" o/d x 20 SWG	30/166	28F/9439532	AGS.952/D	28F/9439532	28F/9439535	AGS.954/D	28F/9439535	—	—	—
E.F.2.73.1337	3/8" o/d x 22 SWG	30/166	28F/8011816	AGS.952/E	28F/8011816	28F/8011880	AGS.954/E	28F/8011880	—	—	—
E.F.2.73.1341	1/4" o/d x 20 SWG	30/166	28F/9439532	AGS.952/D	28F/9439532	28F/9439535	AGS.954/D	28F/9439535	—	—	—

Local Manufacture is desired wherever possible—Detailed information is given below

PIPE LINES PARTICULARS

FITTINGS

Drwg. No.	Size and Gauge of Material	Material Specification	Part No.		Section Ref. No.	Part No.		Section Ref. No.	Part No.	Section Ref. No.	Remarks
			AGS.904/B	28F/8011819		AGS.952/B	28F/9439531				
E.F.2.73.1557	¾" o/d × 24 SWG	30/166	AGS.904/B	28F/8011819	28F/9439531	AGS.952/B	28F/9439531	28F/9439531	AGS.1218/B	28F/1014969	—
E.F.2.73.1563	¾" o/d × 22 SWG	30/166	AGS.904/C	28F/9140970	28F/8011892	AGS.952/C	28F/8011892	28F/8011892	AGS.1218/C	28F/9441611	—
E.F.2.73.1573	¾" o/d × 24 SWG	30/166	AGS.904/B	28F/8011819	28F/9439531	AGS.952/B	28F/9439531	28F/9439531	AGS.1218/B	28F/1014969	—
E.F.2.73.1575	¾" o/d × 24 SWG	30/166	AGS.904/B	28F/8011819	28F/9439531	AGS.952/B	28F/9439531	28F/9439531	AGS.1218/B	28F/1014969	—
E.F.2.73.1577	¾" o/d × 24 SWG	30/166	AGS.904/B	28F/8011819	28F/9439531	AGS.952/B	28F/9439531	28F/9439531	AGS.1218/B	28F/1014969	—
E.F.2.73.1579	¾" o/d × 24 SWG	30/166	AGS.904/B	28F/8011819	28F/9439531	AGS.952/B	28F/9439531	28F/9439531	AGS.1218/B	28F/1014969	—
E.F.2.73.1581	¾" o/d × 24 SWG	30/166	AGS.904/B	28F/8011819	28F/9439531	AGS.952/B	28F/9439531	28F/9439531	AGS.1218/B	28F/1014969	—
E.F.2.73.1583	¾" o/d × 24 SWG	30/166	AGS.904/B	28F/8011819	28F/9439531	AGS.952/B	28F/9439531	28F/9439531	AGS.1218/B	28F/1014969	—
E.F.2.73.1585	¾" o/d × 24 SWG	30/166	AGS.904/B	28F/8011819	28F/9439531	AGS.952/B	28F/9439531	28F/9439531	AGS.1218/B	28F/1014969	—
E.F.2.73.1587	¾" o/d × 24 SWG	30/166	AGS.904/B	28F/8011819	28F/9439531	AGS.952/B	28F/9439531	28F/9439531	AGS.1218/B	28F/1014969	—

PIPE LINES PARTICULARS											
Local Manufacture is desired wherever possible—Detailed information is given below											
Drwg. No.	Size and Gauge of Material	Material Specification	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Remarks
E.F.3.73.1789	3/4" o/d x 22 SWG	30/166	AGS904/F	2 off	28F/8011822	AGS.952/F	2 off	28F/8011817	AGS.952/D	28F/9439532	—
E.F.3.73.1793	3/4" o/d x 20 SWG	30/166	AGS.904/D	2 off	28F/8011820	AGS.952/D	2 off	28F/9439532	AGS.952/D	28F/9439532	—
E.F.3.73.1795	3/4" o/d x 20 SWG	30/166	AGS.904/D	2 off	28F/8011820	AGS.952/D	2 off	28F/9439532	AGS.952/B	28F/9439531	—
E.F.3.73.2407	3/4" o/d x 24 SWG	30/166	AGS.904/B	2 off	28F/8011819	AGS.952/B	2 off	28F/9439531	AGS.952/D	28F/9439532	—
E.F.3.73.2691	3/4" o/d x 20 SWG	30/166	AGS.904/D	2 off	28F/8011820	AGS.952/D	2 off	28F/9439532	AGS.952/B	28F/9439531	—
E.F.3.73.3495	3/4" o/d x 20 SWG	30/166	AGS.904/D	2 off	28F/8011820	AGS.952/D	2 off	28F/9439532	AGS.952/B	28F/9439531	—
E.F.3.73.6901	3/4" o/d x 24 SWG	30/166	AGS.904/B	2 off	28F/8011819	AGS.952/B	2 off	28F/9439531	AGS.952/B	28F/9439531	—
E.F.3.73.7019	3/4" o/d x 24 SWG	30/166	AGS.904/B	2 off	28F/8011819	AGS.952/B	2 off	28F/9439531	AGS.952/B	28F/9439531	—
E.F.3.73.7357	3/4" o/d x 24 SWG	30/166	AGS.952/B	2 off	28F/9439531	AGS.952/B	2 off	28F/9439531	AGS.2111	28F/9717654	—
E.F.3.73.7387	3/4" o/d x 24 SWG	30/166	AGS.955/B	28F/12432	E.B.2.73.2101	E.B.2.73.2101	2 off	—	—	—	—
E.F.3.73.7477	3/4" o/d x 20 SWG	30/166	E.B.2.73.2155	—	—	E.F.2.73.285	—	—	—	—	—

Local Manufacture is desired wherever possible—Detailed information is given below

PIPE LINES PARTICULARS

FITTINGS

Drwg. No.	Size and Gauge of Material	Material Specification	Part No.		Section Ref. No.	Part No.		Section Ref. No.	Part No.	Section Ref. No.	Remarks
			Part No.	Section Ref. No.		Part No.	Section Ref. No.				
E.F.3.73.7479	3/4" o/d x 20 SWG	DTD5016	30/166	E.B.2.73.2155	28F/9439531	AGS.954/B	28F/9439527	—	—	—	—
E.F.3.73.7989	3/4" o/d x 24 SWG	DTD5016	AGS.952/B	28F/9439531	AGS.954/B	28F/9439527	—	—	—	—	—
E.F.3.73.7991	3/4" o/d x 24 SWG	DTD5016	AGS.952/B	28F/9439531	AGS.954/B	28F/9439527	28F/1014969	AGS.1218/B	28F/1014969	—	—
E.F.3.73.7993	3/4" o/d x 24 SWG	DTD5016	AGS.952/B	28F/9439531	AGS.954/B	28F/9439527	28F/1014969	AGS.1218/B	28F/1014969	—	—
E.F.3.73.7999	3/4" o/d x 24 SWG	DTD5016	AGS.952/B	28F/9439531	AGS.954/B	28F/9439527	—	E.B.2.73.2101	—	—	—
E.F.4.73.1003	3/4" o/d x 24 SWG	DTD5016	AGS.955/B	28F/12432	E.B.2.73.2101	—	—	—	—	—	—
E.F.4.73.1005	3/4" o/d x 24 SWG	DTD5016	AGS.952/B	28F/12432	AGS.954/B	28F/9439527	28F/12432	AGS.955/B	28F/12432	—	—
E.F.4.73.1007	3/8" o/d x 22 SWG	DTD5016	AGS.952/C	28F/8011892	AGS.954/C	28F/8011888	28F/8011888	AGS.955/C	28F/12374	—	—
E.F.4.73.1009	3/4" o/d x 20 SWG	DTD5016	AGS.952/D	28F/9439532	AGS.954/B	28F/9439527	—	—	—	—	—
E.F.4.73.1013	3/4" o/d x 24 SWG	DTD5016	AGS.955/B	28F/12432	E.F.2.73.619	—	—	—	—	—	—
E.F.4.73.1021	3/8" o/d x 22 SWG	DTD5016	AGS.952/E	28F/8011816	AGS954/E	28F/8011880	—	—	—	—	—
E.F.4.73.1027	3/8" o/d x 20 SWG	DTD5016	AGS.952/D	28F/9439532	AGS.954/D	28F/9439535	—	—	—	—	—
E.F.4.73.1029	3/8" o/d x 20 SWG	DTD5016	AGS952/D	28F/9439532	AGS.954/D	28F/9439535	—	—	—	—	—

Local Manufacture is desired wherever possible—Detailed information is given below

PIPE LINES PARTICULARS

Drwg. No.	Size and Gauge of Material	Material Specification	FITTINGS						Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.F4.73.1173	¾" o/d × 20 SWG	DTD5016	28F/8011820	AGS.952/D	28F/9439532	AGS.1218/D	28F/11285	—	—
E.F4.73.1175	¾" o/d × 24 SWG	DTD5016	28F/9439531	AGS.954/B	28F/9439527	—	—	—	—
E.F4.73.1177	¾" o/d × 24 SWG	DTD5016	28F/9439531	AGS.952/B	28F/9439527	—	—	—	—
E.F4.73.2145	¾" o/d × 24 SWG	DTD5016	28F/9439531	AGS.952/B	28F/9439527	AGS.955/B	28F/12432	—	—
E.F4.73.2147	¾" o/d × 22 SWG	DTD5016	28F/8011892	AGS.954/C	28F/8011888	AGS.955/C	28F/12374	—	—
E.F4.73.2149	¾" o/d × 20 SWG	DTD5016	28F/8011820	AGS.952/D	28F/9439532	AGS.1218/D	28F/11285	—	—
E.F4.73.2151	¾" o/d × 20 SWG	DTD5016	28F/8011820	AGS.904/D	28F/9439532	—	—	—	—
E.F4.73.2153	¾" o/d × 20 SWG	DTD5016	28F/8011820	AGS.904/D	28F/9439532	—	—	—	—
E.F4.73.2155	¾" o/d × 20 SWG	DTD5016	28F/8011820	AGS.904/D	28F/9439532	—	—	—	—
E.F4.73.2159	¾" o/d × 24 SWG	DTD5016	28F/9439531	AGS.952/B	28F/9439527	AGS.955/B	28F/12432	—	—
E.F4.73.2161	¾" o/d × 24 SWG	DTD5016	28F/9439531	AGS.952/B	28F/9439527	—	—	—	—
E.F4.73.2169	¾" o/d × 24 SWG	DTD5016	28F/9439531	AGS.952/B	28F/9439527	AGS.1218/B	28F/1014969	—	—

Local Manufacture is desired wherever possible—Detailed information is given below

PIPE LINES PARTICULARS

FITTINGS

Remarks	Fittings										
	Drwg. No.	Size and Gauge of Material	Material Specification	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.
	E.F4.75.363	3/4" o/d x 22 SWG	L54	AGS.904/F 2 off	28F/8011822	AGS.952/F 2 off	28F/8011817	AGS.1218/B	28F/1014969	AGS.2111	28F/9717654
	E.F4.75.377	3/4" o/d x 22 SWG	L56	AGS.952/B	28F/9439531						

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

