

NOSE UNDERCARRIAGE

Ref. No.	Part No.	Description	1 2 3 4 5 6 7							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.F.2.41.1	NOSE UNDERCARRIAGE, ASSEMBLY							1	-	-	2/1	
		Spares for:-											
13008	E.F.2.41.13	BLOCK, L.H., trunnion, c/w bush (Mod. 1906)							1	-	C	2/2	
		Attachments:-											
28D/1011242	A25/7E	Bolt, 1/4" BSF, hex. head							2	-	C	2/3	
28M/1011467	A27/ES	Nut, 1/4" BSF, slotted							2	-	C	2/4	
28P/1007741	SP9/C8	Pin, split							2	-	C	2/5	
13014	EEAS.20/6BR	Tab, locking							1	L72	C	2/6	
28W/9418921	SP13/E	Washer, 1/4" BSF, plain							2	-	C	2/7	
13009	E.F.2.41.14	BLOCK, R.H., trunnion, c/w bush (Mod. 1906)							1	-	C	2/8	
		Attachments:-											
28D/1011242	A25/7E	Bolt, 1/4" BSF, hex. head							2	-	C	2/9	
28M/1011467	A27/ES	Nut, 1/4" BSF, slotted							2	-	C	2/10	
28P/1007741	SP9/C8	Pin, split							2	-	C	2/11	
13014	EEAS.20/6BR	Tab, locking							1	L72	C	2/12	
28W/9418921	SP13/E	Washer, 1/4" BSF, plain							2	-	C	2/13	
3240	E.B.2.41.249	BLOCK, trunnion, c/w bush (Pre-Mod. 1906)							2	-	C	2/14	
		Attachments:-											
28D/1011242	A25/7E	Bolt, 1/4" BSF, hex. head							4	-	C	2/15	
28M/1011467	A27/ES	Nut, 1/4" BSF, slotted							4	-	C	2/16	
28P/1007741	SP9/C8	Pin, split							4	-	C	2/17	
28W/9418921	SP13/E	Washer, 1/4" BSF, plain							4	-	C	2/18	
8000	E.B.2.41.543	BOLT, special, nosewheel rear door attachment							2	-	C	2/19	
28D/1018884	A25/9G	BOLT, 5/16" BSF, hex. head, nosewheel front door							4	-	C	2/20	
		attachment, port and starboard											
27Q/70220	DOWTY ROTOL 11825YAO1	COUPLING, swivel							1	-	B	2/21	
27A/4080	DUNLOP DF3881T	COVER							1	-	B	2/22	
		GREASING-POINT, for nose undercarriage jack pivot							-	-	-	2/23	
		at frame 13, assembly (E.F.2.41.11)											
		(Mod. 1906)											
		Spares for:-											
13010	E.F.2.41.21	BLOCK, mounting, tapped							1	-	C	2/24	
		Attachments:-											
10871	EEAS.222/ 1/2C	Bolt, 2 BA, 120° c'sk head							2	HTS	C	2/25	
28E/1059357	AGS.2081/3	CLIP, "P", pipe							1	-	C	2/26	
		Attachments:-											
28D/9133012	A25/3C	Bolt, 2 BA, hex. head							1	-	C	2/27	
28E/1059357	AGS.2081/3	CLIP, "P"							1	-	C	2/28	
28E/1059358	AGS.2081/4	CLIP, "P"							1	-	C	2/29	
		Attachments:-											
28D/9436920	A25/1C	Bolt, 2 BA, hex. head							1	-	C	2/30	
28M/9433473	AGS.2002/C/1	Nut, stiff, 2 BA							1	-	C	2/31	
	EEAS.21/4HR	Washer, "D"							1	L72	C	2/32	
13011	E.B.2.41.29	PIPE, assembly, lubrication line, between trunnion							1	T55	C	2/33	
		blocks											
13012	E.F.2.41.31	PIPE, assembly, from grease nipple to banjo							1	T55	C	2/34	
		connection at trunnion block											
33912	EEAS.319/J2	WASHER, sealing							4	-	C	2/35	

**UNDERCARRIAGE
NOSE UNDERCARRIAGE**

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
7200	E.B2.41.525								1	S94 or S96	C	
	E.B2.41.169								1	L65	—	
17756	E.B2.41.215								2	L40	C	
3263	E.B2.41.9								1	S98	C	2/37
28M/5808571	A27/GS								4	—	C	2/38
- 3253	E.B2.41.247								4	S95	C	2/39
3264	E.B2.41.7								1	S98	C	2/40
28P/1007741	SP9/C8								4	—	C	2/41
3266	E.B2.41.277								1	DTD546	C	2/42
27QA/35358	DOWTY ROTOL 422494								1	—	C	2/43
3269	E.B2.41.437								2	—	B	2/44
3270	E.B2.41.439								1	—	C	2/45
	E.B2.41.231								1	—	—	2/46
3271	E.B2.41.451								1	S95	C	2/47
3272	E.B2.41.449								1	S92	C	2/48
3273	E.B2.41.441								1	S95	C	2/49
2392	GEO. SALTER 5100-37								1	—	C	2/50
3265	E.B2.41.75								1	S98	C	2/51
3277	E.B2.41.461								4	R.L.A. Shim	C	2/52
28W/9419403	SP13/G								8	—	C	2/53
28W/12687	SP14/L								8	—	C	2/54
28W/9419450	SP43/G								1	—	C	2/55
28W/9419451	SP45/G								1	—	C	2/56
27A/5023	DUNLOP AH52522								1	—	A	2/57

Ref. No.	Part No.	1 2 3 4 5 6 7	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

