

LIGHTNING F. MK. 2 AND MK. 2A

SUMMARY OF STANDARD ITEMS

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6	7				
5X/3181	CZ.23212/1	Block	...	...	...	...	...	...	—	C		
5X/2863	CZ.24285	Block	...	...	...	...	...	...	—	C		
5X/3276	CZ.50205	Block	...	...	...	...	...	...	—	C		
5X/1002694	CZ.50207	Block	...	...	...	...	...	...	—	C		
5X/6395	CZ.62879	Block	...	...	...	...	...	...	—	C		
5X/6630	CZ.72441	Block	...	...	...	...	...	...	—	C		
5X/6607	CZ.73898	Block	...	...	...	...	...	...	—	C		
28F/1046307	AGS.838/1	Body, straight	...	...	...	...	...	...	Alum. Alloy	C		
28F/1046308	AGS.838/2	Body, tee	...	...	...	...	...	...	Alum. Alloy	C		
28F/1046309	AGS.838/3	Body, elbow	...	...	...	...	...	...	Alum. Alloy	C		
28F/9434306	AGS.949/B	Body, union	...	...	...	...	...	...	M.S.	C		
28F/8011900	AGS.1129/A	Body, banjo	...	...	...	...	...	...	Light Alloy	C		
28F/9439533	AGS.1129/B	Body, banjo	...	...	...	...	...	...	Light Alloy	C		
28F/9140973	AGS.1129/C	Body, banjo	...	...	...	...	...	...	Light Alloy	C		
28F/11170	AGS.1129/D	Body, banjo	...	...	...	...	...	...	Light Alloy	C		
28F/	AGS.1129/H	Body, banjo	...	...	...	...	...	...	Light Alloy	C		
28F/11914	AGS.1131/A	Body, banjo	...	...	...	...	...	...	Light Alloy	C		
28F/9463608	AGS.1131/B	Body, banjo	...	...	...	...	...	...	Light Alloy	C		
28F/1015413	AGS.1131/D	Body, banjo	...	...	...	...	...	...	Light Alloy	C		
28F/9423236	AGS.1132/A	Body, banjo	...	...	...	...	...	...	Light Alloy	C		
28F/9423242	AGS.1132/E	Body, banjo	...	...	...	...	...	...	Light Alloy	C		
28F/9423243	AGS.1132/F	Body, banjo	...	...	...	...	...	...	Light Alloy	C		
28F/9129567	AGS.1146/B	Body, union	...	...	...	...	...	...	Light Alloy	C		
28F/18957	AS.6711	Body, tee	...	...	...	...	...	...	—	C		
28F/1016048	AS.6727/A	Body, banjo	...	...	...	...	...	...	Light Alloy	C		
28D/1011002	A25 $\frac{1}{2}$ A	Bolt, 6 BA, hex. head $\times$ 0".4 long	...	...	...	...	...	...	HTS	C		
28D/1008147	A25/1A	Bolt, 6 BA, hex. head $\times$ 0".45 long	...	...	...	...	...	...	HTS	C		
28D/	A25/1 $\frac{1}{2}$ A	Bolt, 6 BA, hex. head $\times$ 0".5 long	...	...	...	...	...	...	HTS	—		
28F/9706373	A25/2A	Bolt, 6 BA, hex. head $\times$ 0".55 long	...	...	...	...	...	...	HTS	—		
28D/	A25/2 $\frac{1}{2}$ A	Bolt, 6 BA, hex. head $\times$ 0".6 long	...	...	...	...	...	...	HTS	—		
28D/9140635	A25/3A	Bolt, 6 BA, hex. head $\times$ 0".65 long	...	...	...	...	...	...	HTS	C		
28D/	A25/3 $\frac{1}{2}$ A	Bolt, 6 BA, hex. head $\times$ 0".7 long	...	...	...	...	...	...	HTS	—		
28D/9128783	A25/4A	Bolt, 6 BA, hex. head $\times$ 0".75 long	...	...	...	...	...	...	HTS	C		
28D/	A25/4 $\frac{1}{2}$ A	Bolt, 6 BA, hex. head $\times$ 0".8 long	...	...	...	...	...	...	HTS	—		
28D/1008148	A25/5A	Bolt, 6 BA, hex. head $\times$ 0".85 long	...	...	...	...	...	...	HTS	C		
28D/1011003	A25/6A	Bolt, 6 BA, hex. head $\times$ 0".95 long	...	...	...	...	...	...	HTS	C		
28D/5808473	A25/7A	Bolt, 6 BA, hex. head $\times$ 1".05 long	...	...	...	...	...	...	HTS	C		
28D/1212294	A25/13A	Bolt, 6 BA, hex. head $\times$ 1".65 long	...	...	...	...	...	...	HTS	C		
28D/1212295	A25/14A	Bolt, 6 BA, hex. head $\times$ 1".75 long	...	...	...	...	...	...	HTS	C		
28D/1212296	A25/15A	Bolt, 6 BA, hex. head $\times$ 1".85 long	...	...	...	...	...	...	HTS	C		
28D/1007971	A25 $\frac{1}{2}$ B	Bolt, 4 BA, hex. head $\times$ 0".45 long	...	...	...	...	...	...	HTS	C		
28D/1010658	A25/1B	Bolt, 4 BA, hex. head $\times$ 0".5 long	...	...	...	...	...	...	HTS	C		
28D/	A25/1 $\frac{1}{2}$ B	Bolt, 4 BA, hex. head $\times$ 0".55 long	...	...	...	...	...	...	HTS	—		
28D/1008149	A25/2B	Bolt, 4 BA, hex. head $\times$ 0".6 long	...	...	...	...	...	...	HTS	C		
28D/9419452	A25/3B	Bolt, 4 BA, hex. head $\times$ 0".7 long	...	...	...	...	...	...	HTS	C		
28D/	A25/3 $\frac{1}{2}$ B	Bolt, 4 BA, hex. head $\times$ 0".75 long	...	...	...	...	...	...	HTS	—		
28D/9140638	A25/4B	Bolt, 4 BA, hex. head $\times$ 0".8 long	...	...	...	...	...	...	HTS	C		
28D/1011006	A25/5B	Bolt, 4 BA, hex. head $\times$ 0".9 long	...	...	...	...	...	...	HTS	C		
28D/1010029	A25/6B	Bolt, 4 BA, hex. head $\times$ 1".0 long	...	...	...	...	...	...	HTS	C		
28D/1009984	A25/7B	Bolt, 4 BA, hex. head $\times$ 1".1 long	...	...	...	...	...	...	HTS	C		
28D/1011011	A25/8B	Bolt, 4 BA, hex. head $\times$ 1".2 long	...	...	...	...	...	...	HTS	C		
28D/1010142	A25/9B	Bolt, 4 BA, hex. head $\times$ 1".3 long	...	...	...	...	...	...	HTS	C		
28D/9435711	A25/10B	Bolt, 4 BA, hex. head $\times$ 1".4 long	...	...	...	...	...	...	HTS	C		
28D/9140639	A25/11B	Bolt, 4 BA, hex. head $\times$ 1".5 long	...	...	...	...	...	...	HTS	C		
28D/9132448	A25/12B	Bolt, 4 BA, hex. head $\times$ 1".6 long	...	...	...	...	...	...	HTS	C		
28D/	A25/12 $\frac{1}{2}$ B	Bolt, 4 BA, hex. head $\times$ 1".65 long	...	...	...	...	...	...	HTS	—		
28D/1011013	A25/13B	Bolt, 4 BA, hex. head $\times$ 1".7 long	...	...	...	...	...	...	HTS	C		

SUMMARY OF STANDARD ITEMS

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
28D/1212281	A25/23B	Bolt, 4 BA, hex. head x 2".7 long ...	...	HTS	C	
28D/9446936	A25/24B	Bolt, 4 BA, hex. head x 2".8 long ...	...	HTS	C	
28D/1007972	A25/1C	Bolt, 2 BA, hex. head x 0".5 long ...	...	HTS	C	
28D/9436920	A25/1C	Bolt, 2 BA, hex. head x 0".55 long ...	...	HTS	C	
28D/	A25/1 1/2 C	Bolt, 2 BA, hex. head x 0".6 long ...	...	HTS	—	
28D/9133011	A25/2C	Bolt, 2 BA, hex. head x 0".65 long ...	...	HTS	C	
28D/	A25/2 1/2 C	Bolt, 2 BA, hex. head x 0".7 long ...	...	HTS	—	
28D/9133012	A25/3C	Bolt, 2 BA, hex. head x 0".75 long ...	...	HTS	C	
28D/	A25/3 1/2 C	Bolt, 2 BA, hex. head x 0".8 long ...	...	HTS	—	
28D/1200119	A25/4C	Bolt, 2 BA, hex. head x 0".85 long ...	...	HTS	C	
28D/	A25/4 1/2 C	Bolt, 2 BA, hex. head x 0".9 long ...	...	HTS	—	
28D/9133013	A25/5C	Bolt, 2 BA, hex. head x 0".95 long ...	...	HTS	C	
28D/	A25/5 1/2 C	Bolt, 2 BA, hex. head x 1".0 long ...	...	HTS	—	
28D/7002428	A25/6C	Bolt, 2 BA, hex. head x 1".05 long ...	...	HTS	C	
28D/	A25/6 1/2 C	Bolt, 2 BA, hex. head x 1".1 long ...	...	HTS	—	
28D/1010030	A25/7C	Bolt, 2 BA, hex. head x 1".15 long ...	...	HTS	C	
28D/	A25/7 1/2 C	Bolt, 2 BA, hex. head x 1".2 long ...	...	HTS	—	
28D/1011019	A25/8C	Bolt, 2 BA, hex. head x 1".25 long ...	...	HTS	C	
28D/	A25/8 1/2 C	Bolt, 2 BA, hex. head x 1".3 long ...	...	HTS	—	
28D/9140644	A25/9C	Bolt, 2 BA, hex. head x 1".35 long ...	...	HTS	C	
28D/	A25/9 1/2 C	Bolt, 2 BA, hex. head x 1".4 long ...	...	HTS	—	
28D/9140645	A25/10C	Bolt, 2 BA, hex. head x 1".45 long ...	...	HTS	C	
28D/	A25/10 1/2 C	Bolt, 2 BA, hex. head x 1".5 long ...	...	HTS	—	
28D/9435710	A25/11C	Bolt, 2 BA, hex. head x 1".55 long ...	...	HTS	C	
28D/	A25/11 1/2 C	Bolt, 2 BA, hex. head x 1".6 long ...	...	HTS	—	
28D/9419397	A25/12C	Bolt, 2 BA, hex. head x 1".65 long ...	...	HTS	C	
28D/	A25/12 1/2 C	Bolt, 2 BA, hex. head x 1".7 long ...	...	HTS	—	
28D/9133014	A25/13C	Bolt, 2 BA, hex. head x 1".75 long ...	...	HTS	C	
28D/	A25/13 1/2 C	Bolt, 2 BA, hex. head x 1".8 long ...	...	HTS	—	
28D/9140647	A25/14C	Bolt, 2 BA, hex. head x 1".85 long ...	...	HTS	C	
28D/	A25/14 1/2 C	Bolt, 2 BA, hex. head x 1".9 long ...	...	HTS	—	
28D/9453970	A25/15C	Bolt, 2 BA, hex. head x 1".95 long ...	...	HTS	C	
28D/1011021	A25/16C	Bolt, 2 BA, hex. head x 2".05 long ...	...	HTS	C	
28D/1214311	A25/17C	Bolt, 2 BA, hex. head x 2".15 long ...	...	HTS	C	
28D/1011022	A25/18C	Bolt, 2 BA, hex. head x 2".25 long ...	...	HTS	C	
28D/9140648	A25/19C	Bolt, 2 BA, hex. head x 2".35 long ...	...	HTS	C	
28D/1011023	A25/20C	Bolt, 2 BA, hex. head x 2".45 long ...	...	HTS	C	
28D/1012995	A25/22C	Bolt, 2 BA, hex. head x 2".65 long ...	...	HTS	C	
28D/9140649	A25/23C	Bolt, 2 BA, hex. head x 2".75 long ...	...	HTS	C	
28D/1011025	A25/24C	Bolt, 2 BA, hex. head x 2".85 long ...	...	HTS	C	
28D/1017157	A25/25C	Bolt, 2 BA, hex. head x 2".95 long ...	...	HTS	C	
28D/1011026	A25/26C	Bolt, 2 BA, hex. head x 3".05 long ...	...	HTS	C	
28D/1011027	A25/27C	Bolt, 2 BA, hex. head x 3".15 long ...	...	HTS	C	
28D/9709442	A25/1E	Bolt, 1" BSF, hex. head x 0".55 long ...	...	HTS	C	
28D/1011029	A25/1E	Bolt, 1" BSF, hex. head x 0".6 long ...	...	HTS	C	
28D/	A25/1 1/2 E	Bolt, 1" BSF, hex. head x 0".65 long ...	...	HTS	—	
28D/1011030	A25/2E	Bolt, 1" BSF, hex. head x 0".7 long ...	...	HTS	C	
28D/	A25/2 1/2 E	Bolt, 1" BSF, hex. head x 0".75 long ...	...	HTS	—	
28D/1011238	A25/3E	Bolt, 1" BSF, hex. head x 0".8 long ...	...	HTS	C	
28D/	A25/3 1/2 E	Bolt, 1" BSF, hex. head x 0".85 long ...	...	HTS	—	
28D/1008151	A25/4E	Bolt, 1" BSF, hex. head x 0".9 long ...	...	HTS	C	
28D/	A25/4 1/2 E	Bolt, 1" BSF, hex. head x 0".95 long ...	...	HTS	—	
28D/1011240	A25/5E	Bolt, 1" BSF, hex. head x 1".0 long ...	...	HTS	C	
28D/	A25/5 1/2 E	Bolt, 1" BSF, hex. head x 1".05 long ...	...	HTS	—	
28D/1008145	A25/6E	Bolt, 1" BSF, hex. head x 1".1 long ...	...	HTS	C	
28D/	A25/6 1/2 E	Bolt, 1" BSF, hex. head x 1".15 long ...	...	HTS	—	
28D/1011242	A25/7E	Bolt, 1" BSF, hex. head x 1".2 long ...	...	HTS	C	

LIGHTNING F. MK. 2 AND MK. 2A

SUMMARY OF STANDARD ITEMS

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6	7				
28D/	A25/7½E	Bolt,	¼"	BSF,	hex. head	× 1".25 long	...	...	...	HTS	—	
28D/1010031	A25/8E	Bolt,	¼"	BSF,	hex. head	× 1".3 long	...	...	...	HTS	C	
28D/	A25/8½E	Bolt,	¼"	BSF,	hex. head	× 1".25 long	...	...	...	HTS	—	
28D/1011244	A25/9E	Bolt,	¼"	BSF,	hex. head	× 1".4 long	...	...	...	HTS	C	
28D/1011245	A25/10E	Bolt,	¼"	BSF,	hex. head	× 1".5 long	...	...	...	HTS	C	
28D/1011246	A25/11E	Bolt,	¼"	BSF,	hex. head	× 1".6 long	...	...	...	HTS	C	
28D/1010132	A25/12E	Bolt,	¼"	BSF,	hex. head	× 1".7 long	...	...	...	HTS	C	
28D/1011247	A25/13E	Bolt,	¼"	BSF,	hex. head	× 1".8 long	...	...	...	HTS	C	
28D/	A25/13½E	Bolt,	¼"	BSF,	hex. head	× 1".85 long	...	...	...	HTS	—	
28D/7002413	A25/14E	Bolt,	¼"	BSF,	hex. head	× 1".9 long	...	...	...	HTS	C	
28D/1212313	A25/15E	Bolt,	¼"	BSF,	hex. head	× 2".0 long	...	...	...	HTS	C	
28D/	A25/15½E	Bolt,	¼"	BSF,	hex. head	× 2".05 long	...	...	...	HTS	—	
28D/9706306	A25/17E	Bolt,	¼"	BSF,	hex. head	× 2".2 long	...	...	...	HTS	C	
28D/7002440	A25/18E	Bolt,	¼"	BSF,	hex. head	× 2".3 long	...	...	...	HTS	C	
28D/13046	A25/19E	Bolt,	¼"	BSF,	hex. head	× 2".4 long	...	...	...	HTS	C	
28D/	A25/19½E	Bolt,	¼"	BSF,	hex. head	× 2".45 long	...	...	...	HTS	—	
28D/9133028	A25/20E	Bolt,	¼"	BSF,	hex. head	× 2".5 long	...	...	...	HTS	C	
28D/12550	A25/22E	Bolt,	¼"	BSF,	hex. head	× 2".7 long	...	...	...	HTS	C	
28D/14522	A25/23E	Bolt,	¼"	BSF,	hex. head	× 2".8 long	...	...	...	HTS	C	
28D/12635	A25/24E	Bolt,	¼"	BSF,	hex. head	× 2".9 long	...	...	...	HTS	C	
28D/12636	A25/25E	Bolt,	¼"	BSF,	hex. head	× 3".0 long	...	...	...	HTS	C	
28D/1212591	A25/30E	Bolt,	¼"	BSF,	hex. head	× 3".5 long	...	...	...	HTS	C	
28D/1212592	A25/31E	Bolt,	¼"	BSF,	hex. head	× 3".6 long	...	...	...	HTS	C	
28D/1212546	A25/35E	Bolt,	¼"	BSF,	hex. head	× 4".0 long	...	...	...	HTS	C	
28D/	A25/½G	Bolt,	⅝"	BSF,	hex. head	× 0".6 long	...	...	...	HTS	—	
28D/7002426	A25/1G	Bolt,	⅝"	BSF,	hex. head	× 0".65 long	...	...	...	HTS	C	
28D/1011254	A25/2G	Bolt,	⅝"	BSF,	hex. head	× 0".75 long	...	...	...	HTS	C	
28D/1011255	A25/3G	Bolt,	⅝"	BSF,	hex. head	× 0".85 long	...	...	...	HTS	C	
28D/	A25/3½G	Bolt,	⅝"	BSF,	hex. head	× 0".9 long	...	...	...	HTS	—	
28D/1202771	A25/4G	Bolt,	⅝"	BSF,	hex. head	× 0".95 long	...	...	...	HTS	C	
28D/1011256	A25/5G	Bolt,	⅝"	BSF,	hex. head	× 1".05 long	...	...	...	HTS	C	
28D/7002427	A25/6G	Bolt,	⅝"	BSF,	hex. head	× 1".15 long	...	...	...	HTS	C	
28D/	A25/6½G	Bolt,	⅝"	BSF,	hex. head	× 1".2 long	...	...	...	HTS	—	
28D/1011257	A25/7G	Bolt,	⅝"	BSF,	hex. head	× 1".25 long	...	...	...	HTS	C	
28D/1011258	A25/8G	Bolt,	⅝"	BSF,	hex. head	× 1".35 long	...	...	...	HTS	C	
28D/	A25/8½G	Bolt,	⅝"	BSF,	hex. head	× 1".4 long	...	...	...	HTS	—	
28D/1018884	A25/9G	Bolt,	⅝"	BSF,	hex. head	× 1".45 long	...	...	...	HTS	C	
28D/	A25/9½G	Bolt,	⅝"	BSF,	hex. head	× 1".5 long	...	...	...	HTS	—	
28D/1011259	A25/10G	Bolt,	⅝"	BSF,	hex. head	× 1".55 long	...	...	...	HTS	C	
28D/1212386	A25/11G	Bolt,	⅝"	BSF,	hex. head	× 1".65 long	...	...	...	HTS	C	
28D/1006942	A25/13G	Bolt,	⅝"	BSF,	hex. head	× 1".85 long	...	...	...	HTS	C	
28D/1212387	A25/14G	Bolt,	⅝"	BSF,	hex. head	× 1".95 long	...	...	...	HTS	C	
28D/1011261	A25/15G	Bolt,	⅝"	BSF,	hex. head	× 2".05 long	...	...	...	HTS	C	
28D/1212388	A25/16G	Bolt,	⅝"	BSF,	hex. head	× 2".15 long	...	...	...	HTS	C	
28D/	A25/16½G	Bolt,	⅝"	BSF,	hex. head	× 2".2 long	...	...	...	HTS	—	
28D/1212389	A25/17G	Bolt,	⅝"	BSF,	hex. head	× 2".25 long	...	...	...	HTS	C	
28D/1011262	A25/18G	Bolt,	⅝"	BSF,	hex. head	× 2".35 long	...	...	...	HTS	C	
28D/	A25/19½G	Bolt,	⅝"	BSF,	hex. head	× 2".4 long	...	...	...	HTS	—	
28D/1212394	A25/31G	Bolt,	⅝"	BSF,	hex. head	× 3".65 long	...	...	...	HTS	C	
28D/	A25/1J	Bolt,	⅝"	BSF,	hex. head	× 0".75 long	...	...	...	HTS	—	
28D/1203083	A25/3J	Bolt,	⅝"	BSF,	hex. head	× 0".95 long	...	...	...	HTS	C	
28D/	A25/3½J	Bolt,	⅝"	BSF,	hex. head	× 1".0 long	...	...	...	HTS	—	
28D/1206739	A25/4J	Bolt,	⅝"	BSF,	hex. head	× 1".05 long	...	...	...	HTS	C	
28D/1006583	A25/5J	Bolt,	⅝"	BSF,	hex. head	× 1".15 long	...	...	...	HTS	C	
28D/1011299	A25/6J	Bolt,	⅝"	BSF,	hex. head	× 1".25 long	...	...	...	HTS	C	
28D/	A25/6½J	Bolt,	⅝"	BSF,	hex. head	× 1".3 long	...	...	...	HTS	—	
28D/1011300	A25/7J	Bolt,	⅝"	BSF,	hex. head	× 1".35 long	...	...	...	HTS	C	

SUMMARY OF STANDARD ITEMS

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6	7				
28D/1011301	A25/8J	Bolt,							HTS	C		
28D/1212750	A25/9J	Bolt,							HTS	C		
28D/1011302	A25/10J	Bolt,							HTS	C		
28D/1212751	A25/11J	Bolt,							HTS	C		
28D/1212752	A25/12J	Bolt,							HTS	C		
28D/1011303	A25/13J	Bolt,							HTS	C		
28D/1202326	A25/14J	Bolt,							HTS	C		
28D/1011304	A25/15J	Bolt,							HTS	C		
28D/1212757	A25/21J	Bolt,							HTS	C		
28D/1212758	A25/22J	Bolt,							HTS	C		
28D/1011306	A25/23J	Bolt,							HTS	C		
28D/1202329	A25/31J	Bolt,							HTS	C		
28D/1212671	A25/32J	Bolt,							HTS	C		
28D/1212762	A25/33J	Bolt,							HTS	C		
28D/1212811	A25/42J	Bolt,							HTS	C		
28D/1213581	A25/6L	Bolt,							HTS	C		
28D/	A25/7 $\frac{1}{2}$ L	Bolt,							HTS	—		
28D/1011310	A25/8L	Bolt,							HTS	C		
28D/1213586	A25/9L	Bolt,							HTS	C		
28D/1011311	A25/10L	Bolt,							HTS	C		
28D/1011312	A25/13L	Bolt,							HTS	C		
28D/1212773	A25/3N	Bolt,							HTS	C		
28D/	A25/4N	Bolt,							HTS	—		
28D/1011316	A25/5N	Bolt,							HTS	C		
28D/9143793	A25/6N	Bolt,							HTS	C		
28D/1212774	A25/7N	Bolt,							HTS	C		
28D/1011317	A25/8N	Bolt,							HTS	C		
28D/1212775	A25/9N	Bolt,							HTS	C		
28D/1011318	A25/10N	Bolt,							HTS	C		
28D/1212776	A25/11N	Bolt,							HTS	C		
28D/	A25/12N	Bolt,							HTS	—		
28D/1212777	A25/14N	Bolt,							HTS	C		
28D/1212778	A25/17N	Bolt,							HTS	C		
28D/1212779	A25/19N	Bolt,							HTS	C		
28D/1213639	A25/45N	Bolt,							HTS	C		
28D/1213122	A25/6Q	Bolt,							HTS	C		
28D/1213123	A25/7Q	Bolt,							HTS	C		
28D/1213124	A25/9Q	Bolt,							HTS	C		
28D/1213132	A25/14Q	Bolt,							HTS	C		
28D/1213139	A25/24Q	Bolt,							HTS	C		
28D/	A25/10S	Bolt,							HTS	—		
28D/1213696	A25/12S	Bolt,							HTS	C		
28D/	A25/19S	Bolt,							HTS	—		
28D/	A25/15U	Bolt,							HTS	—		
28D/	A25/28U	Bolt,							HTS	—		
28D/1011333	A26/1B	Bolt,							HTS	C		
28D/	A26/1 $\frac{1}{2}$ B	Bolt,							HTS	—		
28D/1011335	A26/3B	Bolt,							HTS	C		
28D/1213088	A26/ $\frac{1}{2}$ C	Bolt,							HTS	C		
28D/9140652	A26/1C	Bolt,							HTS	C		
28D/	A26/1 $\frac{1}{2}$ C	Bolt,							HTS	—		
28D/9436770	A26/2C	Bolt,							HTS	C		
28D/1011466	A25/3C	Bolt,							HTS	C		
28D/	A26/3 $\frac{1}{2}$ C	Bolt,							HTS	—		
28D/9436769	A26/4C	Bolt,							HTS	C		
28D/1011469	A26/6C	Bolt,							HTS	C		
28D/9436821	A26/7C	Bolt,							HTS	C		

LIGHTNING F. MK. 2 AND MK. 2A

SUMMARY OF STANDARD ITEMS

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
28D/1213089	A26/9C	Bolt, 2 BA, hex. head × 1".35 long	...	HTS	C	
28D/9436822	A26/10C	Bolt, 2 BA, hex. head × 1".45 long	...	HTS	C	
28D/1011472	A26/12C	Bolt, 2 BA, hex. head × 1".65 long	...	HTS	C	
28D/1213091	A26/13C	Bolt, 2 BA, hex. head × 1".75 long	...	HTS	C	
28D/9508529	A26/15C	Bolt, 2 BA, hex. head × 1".95 long	...	HTS	C	
28D/1213121	A26/17C	Bolt, 2 BA, hex. head × 2".15 long	...	HTS	C	
28D/	A26/1½E	Bolt, ¼" BSF, hex. head × 0".65 long	...	HTS	—	
28D/9482856	A26/15E	Bolt, ¼" BSF, hex. head × 2".0 long	...	HTS	C	
28D/1213155	A26/17E	Bolt, ¼" BSF, hex. head × 2".2 long	...	HTS	C	
28D/1213177	A26/2G	Bolt, ⅜" BSF, hex. head × 0".75 long	...	HTS	C	
28D/13655	A26/12N	Bolt, ⅜" BSF, hex. head × 2".0 long	...	HTS	C	
28D/1214966	A28/7B	Bolt, 4 BA, hex. head × 1".1 long ...	...	Alum. Alloy	C	
28D/1214981	A28/9C	Bolt, 2 BA, hex. head × 1".35 long	...	Alum. Alloy	C	
28D/1214288	A30/2C	Bolt, 2 BA, hex. head × 0".65 long	...	Steel	C	
28D/1214805	A30/3C	Bolt, 2 BA, hex. head × 0".75 long	...	Steel	C	
28D/1214806	A30/4C	Bolt, 2 BA hex. head × 0".85 long	...	Steel	C	
28D/1214811	A30/8C	Bolt, 2 BA, hex. head × 1".25 long	...	Steel	C	
28D/1213733	A30/7E	Bolt, ¼" BSF, hex. head × 1".2 long	...	Steel	C	
28D/1213735	A30/9E	Bolt, ¼" BSF, hex. head × 1".4 long	...	Steel	C	
28D/1213736	A30/10E	Bolt, ¼" BSF, hex. head × 1".5 long	...	Steel	C	
28D/1213738	A30/12E	Bolt, ¼" BSF, hex. head × 1".7 long	...	Steel	C	
28D/1213745	A30/19E	Bolt, ¼" BSF, hex. head × 2".4 long	...	Steel	C	
28D/14218	A30/9G	Bolt, ⅜" BSF, hex. head × 1".45 long	...	Steel	C	
28D/1213404	A30/13G	Bolt, ⅜" BSF, hex. head × 1".85 long	...	Steel	C	
28D/1213406	A30/15G	Bolt, ⅜" BSF, hex. head × 2".05 long	...	Steel	C	
28D/1212202	A57/2E	Bolt, ¼" BSF, shear × 0".54 long	...	Steel	C	
28D/1212204	A57/4E	Bolt, ¼" BSF, shear × 0".74 long	...	Steel	C	
28D/1212205	A57/5E	Bolt, ¼" BSF, shear × 0".84 long	...	Steel	C	
28D/1212206	A57/6E	Bolt, ¼" BSF, shear × 0".94 long	...	Steel	C	
28D/1212227	A57/4G	Bolt, ⅜" BSF, shear × 0".74 long	...	Steel	C	
28D/1212228	A57/5G	Bolt, ⅜" BSF, shear × 0".84 long	...	Steel	C	
28D/1212193	A57/17G	Bolt, ⅜" BSF, shear × 2".04 long	...	Steel	C	
28D/16862	A57/4J	Bolt, ⅜" BSF, shear × 0".74 long	...	Steel	C	
28D/15405	A59/1C	Bolt, 2 BA, hex. head × 0".55 long	...	Steel	C	
28D/1214526	A59/2C	Bolt, 2 BA, hex. head × 0".65 long	...	Steel	C	
28D/1215659	A59/3C	Bolt, 2 BA, hex. head × 0".75 long	...	Steel	C	
28D/1215660	A59/4C	Bolt, 2 BA, hex. head × 0".85 long	...	Steel	C	
28D/1215662	A59/6C	Bolt, 2 BA, hex. head × 1".05 long	...	Steel	C	
28D/1215664	A59/8C	Bolt, 2 BA, hex. head × 1".25 long	...	Steel	C	
28D/1215668	A59/12C	Bolt, 2 BA, hex. head × 1".65 long	...	Steel	C	
28D/1215671	A59/15C	Bolt, 2 BA, hex. head × 1".95 long	...	Steel	C	
28D/1215672	A59/16C	Bolt, 2 BA, hex. head × 2".05 long	...	Steel	C	
28D/1215673	A59/17C	Bolt, 2 BA, hex. head × 2".15 long	...	Steel	C	
28D/1215674	A59/18C	Bolt, 2 BA, hex. head × 2".25 long	...	Steel	C	
28D/1215675	A59/19C	Bolt, 2 BA, hex. head × 2".35 long	...	Steel	C	
28D/1215676	A59/20C	Bolt, 2 BA, hex. head × 2".45 long	...	Steel	C	
28D/1215677	A59/21C	Bolt, 2 BA, hex. head × 2".55 long	...	Steel	C	
28D/1215678	A59/22C	Bolt, 2 BA, hex. head × 2".65 long	...	Steel	C	
28D/1215679	A59/23C	Bolt, 2 BA, hex. head × 2".75 long	...	Steel	C	
28D/1215680	A59/24C	Bolt, 2 BA, hex. head × 2".85 long	...	Steel	C	
28D/1215681	A59/2E	Bolt, ¼" hex. head × 0".7 long	...	Steel	C	
28D/1215682	A59/3E	Bolt, ¼" hex. head × 0".8 long	...	Steel	C	
28D/1215683	A59/4E	Bolt, ¼" hex. head × 0".9 long	...	Steel	C	
28D/1215684	A59/5E	Bolt, ¼" hex. head × 1".0 long	...	Steel	C	
28D/1215685	A59/6E	Bolt, ¼" BSF, hex. head × 1".1 long	...	Steel	C	
28D/1215686	A59/7E	Bolt, ¼" BSF, hex. head × 1".2 long	...	Steel	C	
28D/1215687	A59/8E	Bolt, ¼" BSF, hex. head × 1".3 long	...	Steel	C	

SUMMARY OF STANDARD ITEMS

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6	7				
28D/1213590	A59/10E	Bolt, 3/8"								Steel	C	
28D/1213591	A59/11E	Bolt, 3/8"								Steel	C	
28D/1213592	A59/12E	Bolt, 3/8"								Steel	C	
28D/1213593	A59/13E	Bolt, 1/2"								Steel	C	
28D/1213595	A59/15E	Bolt, 1/2"								Steel	C	
28D/9434873	A59/17E	Bolt, 1/2"								Steel	C	
28D/1213596	A59/18E	Bolt, 1/2"								Steel	C	
28D/1213597	A59/19E	Bolt, 1/2"								Steel	C	
28D/1213598	A59/21E	Bolt, 3/4"								Steel	C	
28D/1213599	A59/22E	Bolt, 1/2"								Steel	C	
28D/1213600	A59/23E	Bolt, 1/2"								Steel	C	
28D/	A59/24E	Bolt, 1/2"								Steel	—	
28D/1213601	A59/25E	Bolt, 1/2"								Steel	C	
28D/1213602	A59/28E	Bolt, 1/2"								Steel	C	
28D/	A59/29E	Bolt, 1/2"								Steel	—	
28D/1213603	A59/30E	Bolt, 1/2"								Steel	C	
28D/	A59/33E	Bolt, 1/2"								Steel	C	
28D/1213604	A59/34E	Bolt, 1/2"								Steel	C	
28D/	A59/35E	Bolt, 1/2"								Steel	—	
28D/	A59/47E	Bolt, 1/2"								Steel	—	
28D/	A59/58E	Bolt, 1/2"								Steel	—	
28D/	A59/57E	Bolt, 1/2"								Steel	—	
28D/1213605	A59/4G	Bolt, 5/16"								Steel	C	
28D/1213606	A59/5G	Bolt, 5/16"								Steel	C	
28D/1213608	A59/8G	Bolt, 7/16"								Steel	C	
28D/1213436	A59/15G	Bolt, 5/16"								Steel	C	
28D/1213442	A59/29G	Bolt, 5/16"								Steel	C	
28D/	A59/31G	Bolt, 5/16"								Steel	—	
28D/1213444	A59/33G	Bolt, 5/16"								Steel	C	
28D/	A59/46G	Bolt, 5/16"								Steel	—	
28D/1213446	A59/5J	Bolt, 1/2"								Steel	C	
28D/9435056	A59/13J	Bolt, 1/2"								Steel	C	
28D/	A59/33J	Bolt, 1/2"								Steel	—	
28D/	A59/51J	Bolt, 1/2"								Steel	—	
28D/	A59/25L	Bolt, 7/16"								Steel	—	
28D/17201	A59/26L	Bolt, 7/16"								Steel	C	
28D/	A59/37N	Bolt, 1/2"								Steel	C	
28D/1212315	A60/2E	Bolt, 1/4"								Steel	C	
28D/1212316	A60/3E	Bolt, 1/4"								Steel	C	
28D/1212317	A60/4E	Bolt, 1/4"								Steel	C	
28D/1212318	A60/5E	Bolt, 1/4"								Steel	C	
28D/1212319	A60/6E	Bolt, 1/4"								Steel	C	
28D/1212320	A60/7E	Bolt, 1/4"								Steel	C	
28D/1212322	A60/9E	Bolt, 1/4"								Steel	C	
28D/1212339	A60/2G	Bolt, 5/16"								Steel	C	
28D/1212340	A60/3G	Bolt, 5/16"								Steel	C	
28D/	A60/3 1/2 G	Bolt, 5/16"								Steel	—	
28D/1212341	A60/4G	Bolt, 5/16"								Steel	C	
28D/1212342	A60/5G	Bolt, 5/16"								Steel	C	
28D/1212343	A60/6G	Bolt, 5/16"								Steel	C	
28D/1212344	A60/7G	Bolt, 5/16"								Steel	C	
28D/1213554	A60/9G	Bolt, 5/16"								Steel	C	
28D/1213555	A60/10G	Bolt, 5/16"								Steel	C	
28D/1213566	A60/3J	Bolt, 1/4"								Steel	C	
28D/1213567	A60/4J	Bolt, 1/4"								Steel	C	
28D/20433	A60/5J	Bolt, 1/4"								Steel	—	
28D/1213568	A60/6J	Bolt, 1/4"								Steel	C	

LIGHTNING F. MK. 2 AND MK. 2A

SUMMARY OF STANDARD ITEMS

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.	
		1	2	3	4	5	6	7					
28D/1213569	A60/7J	Bolt,	$\frac{3}{8}$ "	BSF,	shear	× 1".04	long	...	...	...	Steel	C	
28D/20400	A60/5L	Bolt,	$\frac{7}{16}$ "	BSF,	shear	× 0".85	long	...	...	...	Steel	—	
28D/1213621	A60/6L	Bolt,	$\frac{7}{16}$ "	BSF,	shear	× 0".95	long	...	...	...	Steel	—	
28D/1213617	A60/10L	Bolt,	$\frac{7}{16}$ "	BSF,	shear	× 1".35	long	...	...	...	Steel	—	
28D/1213615	A60/13L	Bolt,	$\frac{7}{16}$ "	BSF,	shear	× 1".65	long	...	...	...	Steel	C	
28D/1212963	A60/14L	Bolt,	$\frac{7}{16}$ "	BSF,	shear	× 1".75	long	...	...	...	Steel	—	
28D/1212966	A60/4N	Bolt,	$\frac{1}{2}$ "	BSF,	shear	× 0".75	long	...	...	...	Steel	C	
28D/1212938	A60/5N	Bolt,	$\frac{1}{2}$ "	BSF,	shear	× 0".85	long	...	...	...	Steel	—	
28DU/9480166	A60/6N	Bolt,	$\frac{1}{2}$ "	BSF,	shear	× 0".95	long	...	...	...	Steel	—	
28DU/9419560	A60/7N	Bolt,	$\frac{1}{2}$ "	BSF,	shear	× 1".05	long	...	...	...	Steel	—	
28DU/9414340	A60/8N	Bolt,	$\frac{1}{2}$ "	BSF,	shear	× 1".15	long	...	...	...	Steel	C	
28DU/9414356	A60/10N	Bolt,	$\frac{1}{2}$ "	BSF,	shear	× 1".35	long	...	...	...	Steel	C	
28DU/20622	A61/ $\frac{1}{2}$ B	Bolt,	4	BA,	hex. head	× 0".45	long	...	...	...	Alum. Alloy	C	
28D/14826	A61/3B	Bolt,	4	BA,	hex. head	× 0".7	long	...	...	...	Alum. Alloy	C	
28D/1007285	A61/ $\frac{1}{2}$ C	Bolt,	2	BA,	hex. head	× 0".5	long	...	...	...	Alum. Alloy	C	
28D/1007973	A102/ $\frac{1}{2}$ B	Bolt,	No. 6,	UNC,	hex. head	× 0".45	long	...	...	...	Steel	C	
28D/1007468	A102/1B	Bolt,	No. 6,	UNC,	hex. head	× 0".5	long	...	...	...	Steel	C	
28D/1007319	A102/1E	Bolt,	$\frac{1}{4}$ "	UNF,	hex. head	× 0".7	long	...	...	...	Steel	C	
28D/1214299	A102/17E	Bolt,	$\frac{1}{4}$ "	UNF,	hex. head	× 2".3	long	...	...	...	Steel	C	
28D/9133031	AS.1242/ $\frac{1}{2}$ B	Bolt,	$\frac{1}{4}$ "	UNF,	shear	× 2".1	long	...	...	...	Steel	—	
28D/1214301	AS.1242/1B	Bolt,	4	BA,	c'sk head	90° × 0".45	long	...	...	...	HTS	C	
28D/1214300	AS.1242/2B	Bolt,	4	BA,	c'sk head	90° × 0".5	long	...	...	...	HTS	C	
28D/1214303	AS.1242/2 $\frac{1}{2}$ B	Bolt,	4	BA,	c'sk head	90° × 0".6	long	...	...	...	HTS	C	
28D/1007974	AS.1242/3B	Bolt,	4	BA,	c'sk head	90° × 0".65	long	...	...	...	HTS	—	
28D/1007975	AS.1242/3 $\frac{1}{2}$ B	Bolt,	4	BA,	c'sk head	90° × 0".7	long	...	...	...	HTS	C	
28D/1013172	AS.1242/4B	Bolt,	4	BA,	c'sk head	90° × 0".75	long	...	...	...	HTS	—	
28D/1204937	AS.1242/4B	Bolt,	4	BA,	c'sk head	90° × 0".8	long	...	...	...	HTS	C	
28D/1214032	AS.1242/5B	Bolt,	4	BA,	c'sk head	90° × 0".9	long	...	...	...	HTS	C	
28D/1214033	AS.1242/6B	Bolt,	4	BA,	c'sk head	90° × 0".9	long	...	...	...	HTS	C	
28D/1214034	AS.1242/7B	Bolt,	4	BA,	c'sk head	90° × 1".0	long	...	...	...	HTS	C	
28D/1214035	AS.1242/7B	Bolt,	4	BA,	c'sk head	90° × 1".1	long	...	...	...	HTS	C	
28D/1214036	AS.1242/9B	Bolt,	4	BA,	c'sk head	90° × 0".65	long	...	...	...	HTS	C	
28D/1214037	AS.1242/10B	Bolt,	4	BA,	c'sk head	90° × 1".3	long	...	...	...	HTS	C	
28D/1214038	AS.1242/10B	Bolt,	4	BA,	c'sk head	90° × 1".4	long	...	...	...	HTS	C	
28D/9488619	AS.1242/10C	Bolt,	2	BA,	c'sk head	90° × 0".5	long	...	...	...	HTS	C	
28D/1214039	AS.1242/11C	Bolt,	2	BA,	c'sk head	90° × 0".55	long	...	...	...	HTS	C	
28D/1214040	AS.1242/12C	Bolt,	2	BA,	c'sk head	90° × 0".6	long	...	...	...	HTS	C	
28D/1214041	AS.1242/13C	Bolt,	2	BA,	c'sk head	90° × 0".65	long	...	...	...	HTS	C	
28D/1214042	AS.1242/13C	Bolt,	2	BA,	c'sk head	90° × 0".7	long	...	...	...	HTS	C	
28D/1214043	AS.1242/13C	Bolt,	2	BA,	c'sk head	90° × 0".75	long	...	...	...	HTS	C	
28D/1214044	AS.1242/14C	Bolt,	2	BA,	c'sk head	90° × 0".75	long	...	...	...	HTS	C	
28D/1214045	AS.1242/14C	Bolt,	2	BA,	c'sk head	90° × 0".85	long	...	...	...	HTS	C	
28D/1214046	AS.1242/15C	Bolt,	2	BA,	c'sk head	90° × 0".85	long	...	...	...	HTS	C	
28D/1214047	AS.1242/15C	Bolt,	2	BA,	c'sk head	90° × 0".9	long	...	...	...	HTS	—	
28D/1214048	AS.1242/15C	Bolt,	2	BA,	c'sk head	90° × 0".95	long	...	...	...	HTS	C	
28D/1214049	AS.1242/16C	Bolt,	2	BA,	c'sk head	90° × 0".95	long	...	...	...	HTS	C	
28D/1214050	AS.1242/16C	Bolt,	2	BA,	c'sk head	90° × 1".05	long	...	...	...	HTS	C	
28D/1214051	AS.1242/16C	Bolt,	2	BA,	c'sk head	90° × 1".1	long	...	...	...	HTS	—	
28D/1214052	AS.1242/17C	Bolt,	2	BA,	c'sk head	90° × 1".15	long	...	...	...	HTS	C	
28D/1214053	AS.1242/18C	Bolt,	2	BA,	c'sk head	90° × 1".15	long	...	...	...	HTS	C	
28D/1214054	AS.1242/18C	Bolt,	2	BA,	c'sk head	90° × 1".25	long	...	...	...	HTS	C	
28D/1214055	AS.1242/18C	Bolt,	2	BA,	c'sk head	90° × 1".25	long	...	...	...	HTS	C	
28D/1214056	AS.1242/18C	Bolt,	2	BA,	c'sk head	90° × 1".3	long	...	...	...	HTS	—	
28D/1214057	AS.1242/19C	Bolt,	2	BA,	c'sk head	90° × 1".3	long	...	...	...	HTS	C	
28D/1214058	AS.1242/19C	Bolt,	2	BA,	c'sk head	90° × 1".35	long	...	...	...	HTS	C	
28D/1214059	AS.1242/19C	Bolt,	2	BA,	c'sk head	90° × 1".45	long	...	...	...	HTS	C	
28D/1214060	AS.1242/19C	Bolt,	2	BA,	c'sk head	90° × 1".45	long	...	...	...	HTS	C	
28D/1214061	AS.1242/19C	Bolt,	2	BA,	c'sk head	90° × 1".55	long	...	...	...	HTS	C	
28D/1214062	AS.1242/19C	Bolt,	2	BA,	c'sk head	90° × 1".65	long	...	...	...	HTS	C	
28D/1214063	AS.1242/19C	Bolt,	2	BA,	c'sk head	90° × 1".75	long	...	...	...	HTS	C	
28D/1214064	AS.1242/19C	Bolt,	2	BA,	c'sk head	90° × 1".75	long	...	...	...	HTS	C	
28D/1214065	AS.1242/19C	Bolt,	2	BA,	c'sk head	90° × 1".85	long	...	...	...	HTS	C	
28D/1214066	AS.1242/19C	Bolt,	2	BA,	c'sk head	90° × 1".85	long	...	...	...	HTS	C	
28D/1214067	AS.1242/19C	Bolt,	2	BA,	c'sk head	90° × 1".95	long	...	...	...	HTS	C	
28D/1214068	AS.1242/19C	Bolt,	2	BA,	c'sk head	90° × 1".95	long	...	...	...	HTS	C	
28D/1214069	AS.1242/19C	Bolt,	2	BA,	c'sk head	90° × 2".05	long	...	...	...	HTS	C	
28D/1214070	AS.1242/19C	Bolt,	2	BA,	c'sk head	90° × 2".15	long	...	...	...	HTS	C	
28D/1214071	AS.1242/19C	Bolt,	2	BA,	c'sk head	90° × 2".15	long	...	...	...	HTS	C	
28D/1214072	AS.1242/19C	Bolt,	2	BA,	c'sk head	90° × 2".25	long	...	...	...	HTS	C	
28D/1214073	AS.1242/19C	Bolt,	2	BA,	c'sk head	90° × 2".25	long	...	...	...	HTS	C	
28D/1214074	AS.1242/20C	Bolt,	2	BA,	c'sk head	90° × 2".45	long	...	...	...	HTS	C	

SUMMARY OF STANDARD ITEMS

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.				
		1	2	3	4	5	6	7								
28D/1214043	AS.1242/22C	Bolt,	2	BA,	c'sk	head	90°	×	2".65	long	...	...	...	HTS	C	
28D/1214044	AS.1242/23C	Bolt,	2	BA,	c'sk	head	90°	×	2".75	long	...	...	...	HTS	C	
28D/1013177	AS.1242/2E	Bolt,	1/4"	BSF,	c'sk	head	90°	×	0".7	long	...	...	...	HTS	C	
28D/1202334	AS.1242/3E	Bolt,	1/4"	BSF,	c'sk	head	90°	×	0".8	long	...	...	...	HTS	C	
28C/1212825	AS.1242/4E	Bolt,	1/4"	BSF,	c'sk	head	90°	×	0".9	long	...	...	...	HTS	C	
28D/1013178	AS.1242/5E	Bolt,	1/4"	BSF,	c'sk	head	90°	×	1".0	long	...	...	...	HTS	C	
28D/	AS.1242/5 1/2 E	Bolt,	1/4"	BSF,	c'sk	head	90°	×	1".05	long	...	...	...	HTS	C	
28D/1013179	AS.1242/6E	Bolt,	1/4"	BSF,	c'sk	head	90°	×	1".1	long	...	...	...	HTS	C	
28D/1013174	AS.1242/7E	Bolt,	1/4"	BSF,	c'sk	head	90°	×	1".2	long	...	...	...	HTS	C	
28D/1013175	AS.1242/8E	Bolt,	1/4"	BSF,	c'sk	head	90°	×	1".3	long	...	...	...	HTS	C	
28D/1013176	AS.1242/10E	Bolt,	1/4"	BSF,	c'sk	head	90°	×	1".5	long	...	...	...	HTS	C	
28D/1212829	AS.1242/12E	Bolt,	1/4"	BSF,	c'sk	head	90°	×	1".7	long	...	...	...	HTS	C	
28C/1212831	AS.1242/14E	Bolt,	1/4"	BSF,	c'sk	head	90°	×	1".9	long	...	...	...	HTS	C	
28D/1013281	AS.1242/2G	Bolt,	5/16"	BSF,	c'sk	head	90°	×	0".75	long	...	...	...	HTS	C	
28D/1212746	AS.1242/4G	Bolt,	5/16"	BSF,	c'sk	head	90°	×	0".95	long	...	...	...	HTS	C	
28D/1013282	AS.1242/5G	Bolt,	5/16"	BSF,	c'sk	head	90°	×	1".05	long	...	...	...	HTS	C	
28D/1212749	AS.1242/9G	Bolt,	5/16"	BSF,	c'sk	head	90°	×	1".45	long	...	...	...	HTS	C	
28D/1013241	AS.1242/10G	Bolt,	5/16"	BSF,	c'sk	head	90°	×	1".55	long	...	...	...	HTS	C	
28D/1212986	AS.1242/14G	Bolt,	5/16"	BSF,	c'sk	head	90°	×	1".95	long	...	...	...	HTS	C	
28D/	AS.1243/ 1/2 B	Bolt,	4	BA,	c'sk	head	90°	×	0".45	long	...	...	...	HTS	C	
28D/1212889	AS.1244/9C	Bolt,	2	BA,	raised	head	×	1".35	long	...	...	...	HTS	C		
28D/9137408	AS.1246/ 1/2 B	Bolt,	4	BA,	round	head	×	0".45	long	...	...	...	HTS	C		
28D/1007979	AS.1246/1B	Bolt,	4	BA,	round	head	×	0".5	long	...	...	...	HTS	C		
28D/1214865	AS.1246/2B	Bolt,	4	BA,	round	head	×	0".6	long	...	...	...	HTS	C		
28D/9130082	AS.1246/3B	Bolt,	4	BA,	round	head	×	0".7	long	...	...	...	HTS	C		
28D/1212866	AS.1246/4B	Bolt,	4	BA,	round	head	×	0".8	long	...	...	...	HTS	C		
28D/1214867	AS.1246/5B	Bolt,	4	BA,	round	head	×	0".9	long	...	...	...	HTS	C		
28D/12182	AS.1246/6B	Bolt,	4	BA,	round	head	×	1".0	long	...	...	...	HTS	C		
28D/	AS.1246/6 1/2 B	Bolt,	4	BA,	round	head	×	1".05	long	...	...	...	HTS	—		
28D/1214869	AS.1246/7B	Bolt,	4	BA,	round	head	×	1".1	long	...	...	...	HTS	C		
28D/1214870	AS.1246/8B	Bolt,	4	BA,	round	head	×	1".2	long	...	...	...	HTS	C		
28D/1214873	AS.1246/11B	Bolt,	4	BA,	round	head	×	1".5	long	...	...	...	HTS	C		
28D/1214874	AS.1246/12B	Bolt,	4	BA,	round	head	×	1".6	long	...	...	...	HTS	C		
28D/1214880	AS.1246/18B	Bolt,	4	BA,	round	head	×	2".2	long	...	...	...	HTS	C		
28D/1214882	AS.1246/20B	Bolt,	4	BA,	round	head	×	2".4	long	...	...	...	HTS	C		
28D/1214885	AS.1246/23B	Bolt,	4	BA,	round	head	×	2".7	long	...	...	...	HTS	C		
28D/1007980	AS.1246/ 1/2 C	Bolt,	2	BA,	round	head	×	0".50	long	...	...	...	HTS	C		
28D/9140202	AS.1246/1C	Bolt,	2	BA,	round	head	×	0".55	long	...	...	...	HTS	C		
28D/	AS.1246/1 1/2 C	Bolt,	2	BA,	round	head	×	0".60	long	...	...	...	HTS	—		
28D/9137409	AS.1246/2C	Bolt,	2	BA,	round	head	×	0".65	long	...	...	...	HTS	C		
28D/9140203	AS.1246/3C	Bolt,	2	BA,	round	head	×	0".75	long	...	...	...	HTS	C		
28D/9710453	AS.1246/4C	Bolt,	2	BA,	round	head	×	0".85	long	...	...	...	HTS	C		
28D/1215078	AS.1246/5C	Bolt,	2	BA,	round	head	×	0".95	long	...	...	...	HTS	C		
28D/1215079	AS.1246/6C	Bolt,	2	BA,	round	head	×	1".05	long	...	...	...	HTS	C		
28D/1215080	AS.1246/7C	Bolt,	2	BA,	round	head	×	1".15	long	...	...	...	HTS	C		
28C/1215081	AS.1246/8C	Bolt,	2	BA,	round	head	×	1".25	long	...	...	...	HTS	C		
28D/1215082	AS.1246/9C	Bolt,	2	BA,	round	head	×	1".35	long	...	...	...	HTS	C		
28D/9137410	AS.1246/10C	Bolt,	2	BA,	round	head	×	1".45	long	...	...	...	HTS	C		
28D/1215087	AS.1246/14C	Bolt,	2	BA,	round	head	×	1".85	long	...	...	...	HTS	C		
28D/1215088	AS.1246/15C	Bolt,	2	BA,	round	head	×	1".95	long	...	...	...	HTS	C		
28D/1215091	AS.1246/18C	Bolt,	2	BA,	round	head	×	2".25	long	...	...	...	HTS	C		
28D/1215093	AS.1246/20C	Bolt,	2	BA,	round	head	×	2".45	long	...	...	...	HTS	C		
28D/1215094	AS.1246/21C	Bolt,	2	BA,	round	head	×	2".55	long	...	...	...	HTS	C		
28D/1215320	AS.1246/29C	Bolt,	2	BA,	round	head	×	3".35	long	...	...	...	HTS	C		
28D/1215325	AS.1246/40C	Bolt,	2	BA,	round	head	×	4".45	long	...	...	...	HTS	C		
28D/1013180	AS.1246/ 1/2 E	Bolt,	1/4"	BSF,	round	head	×	0".55	long	...	...	...	HTS	C		
28D/1215327	AS.1246/1E	Bolt,	1/4"	BSF,	round	head	×	0".6	long	...	...	...	HTS	C		

LIGHTNING F. MK. 2 AND MK. 2A

SUMMARY OF STANDARD ITEMS

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
28D/1215330	AS.1246/4E	Bolt, 1/4" BSF, round head x 0".9 long ...	...	HTS	C	
28D/1215331	AS.1246/5E	Bolt, 1/4" BSF, round head x 1".0 long ...	...	HTS	C	
28D/1215332	AS.1246/6E	Bolt, 1/4" BSF, round head x 1".1 long ...	...	HTS	C	
28D/1215334	AS.1246/8E	Bolt, 1/4" BSF, round head x 1".3 long ...	...	HTS	C	
28D/1215335	AS.1246/9E	Bolt, 1/4" BSF, round head x 1".4 long ...	...	HTS	C	
28D/1214378	AS.1246/19E	Bolt, 1/4" BSF, round head x 2".4 long ...	...	HTS	C	
28D/9128739	AS.1248/1/2 B	Bolt, 4 BA, mushroom head x 0".45 long ...	...	HTS	C	
28D/8337	AS.1248/1B	Bolt, 4 BA, mushroom head x 0".5 long ...	...	HTS	C	
28D/1218385	AS.1248/2B	Bolt, 4 BA, mushroom head x 0".6 long ...	...	HTS	C	
28D/1218386	AS.1248/3B	Bolt, 4 BA, mushroom head x 0".7 long ...	...	HTS	C	
28D/1218387	AS.1248/4B	Bolt, 4 BA, mushroom head x 0".8 long ...	...	HTS	C	
28D/1213732	AS.1248/5B	Bolt, 4 BA, mushroom head x 0".9 long ...	...	HTS	C	
28D/1218389	AS.1248/7B	Bolt, 4 BA, mushroom head x 1".1 long ...	...	HTS	C	
28D/1213722	AS.1248/9B	Bolt, 4 BA, mushroom head x 1".3 long ...	...	HTS	C	
28D/1213721	AS.1248/10B	Bolt, 4 BA, mushroom head x 1".4 long ...	...	HTS	C	
28D/1213729	AS.1248/12B	Bolt, 4 BA, mushroom head x 1".6 long ...	...	HTS	C	
28D/1214260	AS.1248/31B	Bolt, 4 BA, mushroom head x 3".5 long ...	...	HTS	C	
28D/1007981	AS.1248/1/2 C	Bolt, 2 BA, mushroom head x 0".5 long ...	...	HTS	C	
28D/1007982	AS.1248/1C	Bolt, 2 BA, mushroom head x 0".55 long ...	...	HTS	C	
28D/1212790	AS.1248/1 1/2 C	Bolt, 2 BA, mushroom head x 0".6 long ...	...	HTS	C	
28D/1013284	AS.1248/2C	Bolt, 2 BA, mushroom head x 0".65 long ...	...	HTS	C	
28D/	AS.1248/3/4 C	Bolt, 2 BA, mushroom head x 0".7 long ...	...	HTS	—	
28D/9142406	AS.1248/3C	Bolt, 2 BA, mushroom head x 0".75 long ...	...	HTS	C	
28D/1013301	AS.1248/4C	Bolt, 2 BA, mushroom head x 0".85 long ...	...	HTS	C	
28D/1212800	AS.1248/5C	Bolt, 2 BA, mushroom head x 0".95 long ...	...	HTS	C	
28D/1212806	AS.1248/6C	Bolt, 2 BA, mushroom head x 1".05 long ...	...	HTS	C	
28D/1212807	AS.1248/7C	Bolt, 2 BA, mushroom head x 1".15 long ...	...	HTS	C	
28D/8346	AS.1248/8C	Bolt, 2 BA, mushroom head x 1".25 long ...	...	HTS	C	
28D/1212805	AS.1248/9C	Bolt, 2 BA, mushroom head x 1".35 long ...	...	HTS	C	
28D/1212801	AS.1248/10C	Bolt, 2 BA, mushroom head x 1".45 long ...	...	HTS	C	
28D/10471	AS.1248/11C	Bolt, 2 BA, mushroom head x 1".55 long ...	...	HTS	C	
28D/10472	AS.1248/12C	Bolt, 2 BA, mushroom head x 1".65 long ...	...	HTS	C	
28D/1212797	AS.1248/15C	Bolt, 2 BA, mushroom head x 1".95 long ...	...	HTS	C	
28D/1212794	AS.1248/16C	Bolt, 2 BA, mushroom head x 2".05 long ...	...	HTS	C	
28D/1212793	AS.1248/17C	Bolt, 2 BA, mushroom head x 2".15 long ...	...	HTS	C	
28D/12478	AS.1248/19C	Bolt, 2 BA, mushroom head x 2".35 long ...	...	HTS	C	
28D/12103	AS.1248/21C	Bolt, 2 BA, mushroom head x 2".55 long ...	...	HTS	C	
28D/1212357	AS.1248/24C	Bolt, 2 BA, mushroom head x 2".85 long ...	...	HTS	C	
28D/1212358	AS.1248/25C	Bolt, 2 BA, mushroom head x 2".95 long ...	...	HTS	C	
28D/1212359	AS.1248/26C	Bolt, 2 BA, mushroom head x 3".05 long ...	...	HTS	C	
28D/1212365	AS.1248/31C	Bolt, 2 BA, mushroom head x 3".55 long ...	...	HTS	C	
28D/1212370	AS.1248/1E	Bolt, 1/4" BSF, mushroom head x 0".6 long ...	...	HTS	C	
28D/1212371	AS.1248/2E	Bolt, 1/4" BSF, mushroom head x 0".7 long ...	...	HTS	C	
28D/1212372	AS.1248/3E	Bolt, 1/4" BSF, mushroom head x 0".8 long ...	...	HTS	C	
28D/1212374	AS.1248/5E	Bolt, 1/4" BSF, mushroom head x 1".0 long ...	...	HTS	C	
28D/1212375	AS.1248/6E	Bolt, 1/4" BSF, mushroom head x 1".1 long ...	...	HTS	C	
28D/1212377	AS.1248/8E	Bolt, 1/4" BSF, mushroom head x 1".3 long ...	...	HTS	C	
28D/1212380	AS.1248/11E	Bolt, 1/4" BSF, mushroom head x 1".6 long ...	...	HTS	C	
28D/	AS.1248/34E	Bolt, 1/4" BSF, mushroom head x 3".9 long ...	...	HTS	—	
28D/	AS.1248/41E	Bolt, 1/4" BSF, mushroom head x 4".6 long ...	...	HTS	—	
28D/	AS.1248/44E	Bolt, 1/4" BSF, mushroom head x 4".9 long ...	...	HTS	—	
28D/1212859	AS.1248/4G	Bolt, 5/16" BSF, mushroom head x 0".95 long ...	...	HTS	C	
28D/1212860	AS.1248/5G	Bolt, 5/16" BSF, mushroom head x 1".05 long ...	...	HTS	C	
28D/1213473	AS.1249/1/2 B	Bolt, 4 BA, mushroom head x 0".45 long ...	...	Alum. Alloy	C	
28D/10115	AS.1249/1B	Bolt, 4 BA, mushroom head x 0".5 long ...	...	Alum. Alloy	C	
28D/1214524	AS.2920/1B	Bolt, 4 BA, c'sk head, 90° x 0".5 long ...	...	HTS	C	
28D/1214566	AS.2920/1C	Bolt, 2 BA, c'sk head, 90° x 0".55 long ...	...	HTS	C	

SUMMARY OF STANDARD ITEMS

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.	
		1	2	3	4	5	6	7					
28D/1214567	AS.2920/2C	Bolt, 2	BA,	c'sk	head,	90°	×	0".65	long	...	HTS	C	
28D/1214569	AS.2920/4C	Bolt, 2	BA,	c'sk	head,	90°	×	0".85	long	...	HTS	C	
28D/1214573	AS.2920/8C	Bolt, 2	BA,	c'sk	head,	90°	×	1".25	long	...	HTS	C	
28D/1214577	AS.2920/13C	Bolt, 2	BA,	c'sk	head,	90°	×	1".75	long	...	HTS	C	
28D/1214509	AS.2920/4E	Bolt, 1/2"	BSF,	c'sk	head,	90°	×	0".9	long	...	HTS	C	
28D/1214662	AS.2920/20E	Bolt, 1/2"	BSF,	c'sk	head,	90°	×	2".5	long	...	HTS	C	
28D/1213296	AS.2921/1B	Bolt, 4	BA,	raised	head,	c'sk,	90°	×	0".05	long	HTS	C	
28D/1213300	AS.2921/1C	Bolt, 2	BA,	raised	head,	c'sk,	90°	×	0".55	long	HTS	C	
28D/	AS.2921/20C	Bolt, 2	BA,	raised	head,	c'sk,	90°	×	2".45	long	HTS	—	
28D/	AS.2922/5B	Bolt, 4	BA,	round	head	×	0".9	long	...	HTS	—		
28D/	AS.2922/11C	Bolt, 2	BA,	round	head	×	0".6	long	...	HTS	—		
28D/	AS.2922/2C	Bolt, 2	BA,	round	head	×	0".65	long	...	HTS	—		
28D/1213868	AS.2922/9C	Bolt, 2	BA,	round	head	×	1".35	long	...	HTS	C		
28D/1213869	AS.2922/18C	Bolt, 2	BA,	round	head	×	2".25	long	...	HTS	C		
28D/12258	AS.2923/1B	Bolt, 4	BA,	mushroom	head	×	0".45	long	...	HTS	C		
28D/	AS.2923/5B	Bolt, 4	BA,	mushroom	head	×	0".9	long	...	HTS	—		
28D/122965	AS.2923/1C	Bolt, 2	BA,	mushroom	head	×	0".55	long	...	HTS	C		
28D/16098	AS.2923/6E	Bolt, 1/2"	BSF,	mushroom	head	×	1".1	long	...	HTS	C		
28D/	AS.2923/18E	Bolt, 1/2"	BSF,	mushroom	head	×	2".3	long	...	HTS	—		
28D/1213842	AS.3294/3C	Bolt, 2	BA,	c'sk	head	×	0".75	long	...	HTS	C		
28D/1213253	AS.4565/1B	Bolt, 4	BA,	round	head	×	0".5	long	...	L65	C		
28D/1213254	AS.4565/2B	Bolt, 4	BA,	round	head	×	0".6	long	...	L65	C		
28D/1213257	AS.4565/5B	Bolt, 4	BA,	round	head	×	0".9	long	...	L65	C		
28D/1215161	AS.4565/3C	Bolt, 2	BA,	round	head	×	0".75	long	...	L65	C		
28D/1215162	AS.4565/4C	Bolt, 2	BA,	round	head	×	0".85	long	...	L65	C		
28D/1213042	AS.4566/1B	Bolt, 4	BA,	mushroom	head	×	0".45	long	...	L65	C		
28D/1213043	AS.4566/1B	Bolt, 4	BA,	mushroom	head	×	0".5	long	...	L65	C		
28D/1213052	AS.4566/1C	Bolt, 2	BA,	mushroom	head	×	0".55	long	...	L65	C		
28F/9423226	AGS.1135/A	Bolt, banjo	...	...	...	...	...	...	...	Steel	C		
28F/9423227	AGS.1135/B	Bolt, banjo	...	...	...	...	...	...	...	Steel	C		
28F/9423229	AGS.1135/C	Bolt, banjo	...	...	...	...	...	...	...	Steel	C		
28F/9423231	AGS.1135/D	Bolt, banjo	...	...	...	...	...	...	...	Steel	C		
28F/9423232	AGS.1135/E	Bolt, banjo	...	...	...	...	...	...	...	Steel	C		
28F/9423233	AGS.1135/F	Bolt, banjo	...	...	...	...	...	...	...	Steel	C		
28F/9440884	AGS.1136/A	Bolt, banjo	...	...	...	...	...	...	...	Steel	C		
28F/9463609	AGS.1136/B	Bolt, banjo	...	...	...	...	...	...	...	Steel	C		
28F/9143383	AGS.1213/B	Bolt, banjo	...	...	...	...	...	...	...	Light Alloy	C		
28F/9717151	AGS.1213/D	Bolt, banjo	...	...	...	...	...	...	...	Light Alloy	C		
5K/3075	HV.3082	Bung	...	...	...	...	...	...	...	—	C		
5K/3077	HV.3083	Bung	...	...	...	...	...	...	...	—	C		
5K/3076	HV.3083A	Bung	...	...	...	...	...	...	...	—	C		
5K/3078	HV.3251	Bung	...	...	...	...	...	...	...	—	C		
5X/6878	SR.3782	Bung, 162-way	...	...	...	...	...	...	...	—	C		
5X/7345	SR.5051	Bung, 84-way	...	...	...	...	...	...	...	—	C		
5X/8393	SR.26396	Bung, 168-way	...	...	...	...	...	...	...	—	C		
5X/8394	SR.26397	Bung, 119-way	...	...	...	...	...	...	...	—	C		
5X/8395	SR.26398	Bung, 173-way	...	...	...	...	...	...	...	—	C		
5X/8396	SR.26399	Bung, 57-way	...	...	...	...	...	...	...	—	C		
5X/8397	SR.26400	Bung, 37-way	...	...	...	...	...	...	...	—	C		
5X/8398	SR.26401	Bung, 78-way	...	...	...	...	...	...	...	—	C		
5X/8399	SR.26428	Bung, 78-way	...	...	...	...	...	...	...	—	C		
5X/8400	SR.26429	Bung, 76-way	...	...	...	...	...	...	...	—	C		
5X/	SR.26452	Bung	...	...	...	...	...	...	...	—	—		
5X/8402	SR.26506	Bung, 1-way, slit	...	...	...	...	...	...	...	—	C		
28F/	AGS.838/8	Bush	...	...	...	...	...	...	...	Rubber	C		
	Z.24949	Bush	...	...	...	...	...	...	...	—	—		
	6CZ.102605/1	Cable	...	...	...	...	...	...	...	—	—		

LIGHTNING F. MK. 2 AND MK. 2A

SUMMARY OF STANDARD ITEMS

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6	7				
	701/1/00207	Cable	...	...	...	...	...	...	—	—	—	
	701/1/00050/004	Cable	...	...	...	...	...	...	—	—	—	
28X/1014036	W11/1/PNC	Cable, wire rope	...	...	...	...	...	...	Steel	C	—	
28N/9128965	AGS.596/B	Cap, dust, 1/4" BSP	...	...	...	...	...	...	—	C	—	
28N/9143884	AGS.596/C	Cap, dust, 3/8" BSP	...	...	...	...	...	...	—	C	—	
28N/11406	AGS.596/D	Cap, dust, 1/2" BSP	...	...	...	...	...	...	—	C	—	
10H/0970055	CZ.51538	Cap	...	...	...	...	...	...	—	C	—	
10H/0970057	CZ.51540	Cap	...	...	...	...	...	...	—	C	—	
10H/9408659	2CZ.83028	Cap	...	...	...	...	...	...	—	C	—	
10H/0970052	2CZ.51541	Cap	...	...	...	...	...	...	—	C	—	
5X/1097	Z.13031	Cap	...	...	...	...	...	...	—	C	—	
	2SK.14296/1	Cap	...	...	...	...	...	...	—	—	—	
	2SK.14296/2	Cap	...	...	...	...	...	...	—	—	—	
5K/3668	HV.3227	Cap	...	...	...	...	...	...	—	C	—	
5K/3613	HV.3727	Cap	...	...	...	...	...	...	—	C	—	
28N/9129097	AGS.2030/5	Circlip, internal, for bore, 3/32" to 5/16"	...	...	...	...	...	...	—	C	—	
28N/12982	AGS.2030/7	Circlip, internal, for bore, 3/16" to 3/8"	...	...	...	...	...	...	—	C	—	
28N/2001712	AGS.2030/14	Circlip, internal, for bore, 3/8" to 1/2"	...	...	...	...	...	...	—	C	—	
28N/12492	AGS.2030/18	Circlip, internal, for bore, 1/2" to 5/8"	...	...	...	...	...	...	—	C	—	
28N/2001688	AGS.2030/22	Circlip, internal, for bore, 5/8" to 3/4"	...	...	...	...	...	...	—	C	—	
28N/9144935	AGS.2030/24	Circlip, internal, for bore, 3/4" to 7/8"	...	...	...	...	...	...	—	C	—	
28N/1007986	AGS.2030/39	Circlip, internal, for bore, 1 1/16" to 1 1/4"	...	...	...	...	...	...	—	C	—	
28N/13015	AGS.2030/44	Circlip, internal, for bore, 1 3/16" to 1 1/2"	...	...	...	...	...	...	—	C	—	
28N/12490	AGS.2030/47	Circlip, internal, for bore, 1 1/8" to 1 5/8"	...	...	...	...	...	...	—	C	—	
28N/9129577	AGS.2030/54	Circlip, internal, for bore, 3 1/8" to 3 1/2"	...	...	...	...	...	...	—	C	—	
28N/2001694	AGS.2030/59	Circlip, for bore, 2"	...	...	...	...	...	...	—	C	—	
28N/12610	AGS.2030/61	Circlip, internal, for bore, 4 1/16" to 4 1/8"	...	...	...	...	...	...	—	C	—	
28N/2001705	AGS.2030/68	Circlip, internal, for bore, 4 3/4" to 5"	...	...	...	...	...	...	—	C	—	
28N/2001697	AGS.2030/102	Circlip, internal, for bore, 2 3/4" to 3"	...	...	...	...	...	...	—	C	—	
28N/2001701	AGS.2030/112	Circlip, internal, for bore, 3 1/4" to 3 1/2"	...	...	...	...	...	...	—	C	—	
28N/1031019	AGS.2030/132	Circlip, internal, for bore, 2 5/8" to 2 3/4"	...	...	...	...	...	...	—	C	—	
28N/1007951	AGS.2031/2	Circlip, external, for shaft, 1/2"	...	...	...	...	...	...	—	C	—	
28N/2001540	AGS.2031/4	Circlip, external, for shaft, 3/4"; 5/8"	...	...	...	...	...	...	—	C	—	
28N/2001541	AGS.2031/6	Circlip, external, for shaft, 3/4"	...	...	...	...	...	...	—	C	—	
28N/2001542	AGS.2031/9	Circlip, external, for shaft, 1 1/4" to 1 1/2"	...	...	...	...	...	...	—	C	—	
28N/2001543	AGS.2031/12	Circlip, external, for shaft, 5/8" to 3/4"	...	...	...	...	...	...	—	C	—	
28N/2001544	AGS.2031/18	Circlip, external, for shaft, 1"	...	...	...	...	...	...	—	C	—	
28N/1007712	AGS.2031/24	Circlip, external, for shaft, 1 3/16"; 1 7/16"; 1 1/2"; 1 5/8"	...	...	...	...	...	...	—	C	—	
28N/2001547	AGS.2031/29	Circlip, external, for shaft 1 3/16"; 1 1/8"; 1 3/8"; 1 1/2"	...	...	...	...	...	...	—	C	—	
28N/12457	AGS.2031/31	Circlip, external, for shaft 1 1/2"; 1 3/4"; 1 7/8"; 1 11/16"; 1 5/8"	...	...	...	...	...	...	—	C	—	
28N/17113	AS.4571/104	Circlip	...	...	...	...	...	...	—	C	—	
10H/0970292	508/1/07776/003	Clamp, cable	...	...	...	...	...	...	—	C	—	
10H/0970293	508/1/07777/003	Clamp, cable	...	...	...	...	...	...	—	C	—	
10H/0970294	508/1/07778/003	Clamp, cable	...	...	...	...	...	...	—	C	—	
10H/0970295	508/1/07779/003	Clamp, cable	...	...	...	...	...	...	—	C	—	
10H/0970297	508/1/07781/003	Clamp, cable	...	...	...	...	...	...	—	C	—	
10H/0970296	508/1/07780/003	Clamp, cable	...	...	...	...	...	...	—	C	—	
28E/10154	AGS.605/MK.00	Clip, hose	...	...	...	...	...	...	—	C	—	
28E/9429463	AGS.605/MK.0	Clip, hose	...	...	...	...	...	...	—	C	—	
28E/9128961	AGS.605/MK.1	Clip, hose	...	...	...	...	...	...	—	C	—	
28E/1007984	AGS.605/MK.1A	Clip, hose	...	...	...	...	...	...	—	C	—	
28E/9129092	AGS.605/MK.2	Clip, hose	...	...	...	...	...	...	—	C	—	
28E/9129562	AGS.605/MK.3	Clip, hose	...	...	...	...	...	...	—	C	—	
28E/9130219	AGS.605/MK.4	Clip, hose	...	...	...	...	...	...	—	C	—	
28E/9129563	AGS.605/MK.5	Clip, hose	...	...	...	...	...	...	—	C	—	
28E/9521692	AGS.606/A	Clip, water connection, ring type, 5/16" i/d	...	...	...	...	...	...	—	C	—	
28E/1011791	AGS.606/B	Clip, water connection, ring type, 3/8" i/d	...	...	...	...	...	...	—	C	—	

SUMMARY OF STANDARD ITEMS

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
28E/1059443	AGS.606/D	Clip, water connection, ring type, 1/8" i/d ...	...	—	C	
28E/1059444	AGS.606/E	Clip, water connection, ring type, 9/16" i/d ...	...	—	C	
28E/3323	AGS.606/F	Clip, water connection, ring type, 3/8" i/d ...	...	—	C	
28E/3324	AGS.606/G	Clip, water connection, ring type, 1/2" i/d ...	...	—	C	
28E/9448132	AGS.606/I	Clip, water connection, ring type, 13/16" i/d ...	...	—	C	
28E/3327	AGS.606/J	Clip, water connection, ring type, 7/8" i/d ...	...	—	C	
5K/112	AGS.1661/A	Clip, bonding, water pipe ...	...	Brass	C	
5K/121	AGS.166/K	Clip, bonding, water pipe ...	...	Brass	C	
28E/1038164	AGS.2080/3	Clip, pipe, rubber covered ...	...	L72	C	
28E/9129076	AGS.2080/12	Clip, pipe, rubber covered ...	...	L72	C	
28E/1059357	AGS.2081/3	Clip, pipe, rubber covered ...	...	L72	C	
28E/1059358	AGS.2081/4	Clip, pipe, rubber covered ...	...	L72	C	
28E/18885	AGS.2081/5	Clip, rubber covered ...	...	L72	C	
28E/1059359	AGS.2081/6	Clip, pipe, rubber covered ...	...	L72	C	
28E/19119	AGS.2081/7	Clip, pipe, rubber covered ...	...	L72	C	
28E/1059356	AGS.2081/8	Clip, pipe, rubber covered ...	...	L72	C	
28E/18434	AGS.2081/10	Clip, pipe, rubber covered ...	...	L72	C	
28E/1059060	AGS.2081/12	Clip, pipe, rubber covered ...	...	L72	C	
28E/19013	AGS.2081/20	Clip, pipe, rubber covered ...	...	L72	C	
28E/19018	AGS.2083/20	Clip, pipe, rubber covered ...	...	L72	C	
28E/19019	AGS.2083/24	Clip, pipe, rubber covered ...	...	L72	C	
28E/19020	AGS.2083/32	Clip, pipe, rubber covered ...	...	L72	C	
28E/2001120	AGS.2104/2	Clip, bonding ...	...	Steel	C	
28E/2001127	AGS.2104/9	Clip, bonding ...	...	Steel	C	
28E/2001137	AGS.2104/19	Clip, bonding ...	...	Steel	—	
28E/	AGS.2104/20	Clip, bonding ...	...	Steel	—	
28E/2001145	AGS.2104/27	Clip, bonding ...	...	Steel	—	
28E/15308	AS.488/8	Clip, saddle ...	...	MS	C	
28E/19022	AS.488/18	Clip, saddle ...	...	MS	C	
	AS.491/11	Clip, 1/2" wide ...	...	L17 or DTD213	—	
	AS.491/14	Clip, 1/2" wide ...	...	L17 or DTD213	—	
	AS.491/24	Clip, 1/2" wide ...	...	L17 or DTD213	—	
	AS.491/47	Clip, 1/2" wide ...	...	L17 or DTD213	—	
	AS.491/61	Clip, 1/2" wide ...	...	L17 or DTD213	—	
	AS.491/71	Clip, 1/2" wide ...	...	L17 or DTD213	—	
	AS.491/75	Clip, 1/2" wide ...	...	L17 or DTD213	—	
	AS.491/79	Clip, 1/2" wide ...	...	L17 or DTD213	—	
	AS.491/80	Clip, 1/2" wide ...	...	L17 or DTD213	—	
	AS.491/89	Clip, 1/2" wide ...	...	L17 or DTD213	—	
	AS.491/100	Clip, 1/2" wide ...	...	L17 or DTD213	—	
	AS.491/112	Clip, 1/2" wide ...	...	L17 or DTD213	—	
	AS.492/21	Clip, 1/2" wide ...	...	L17 or L59	—	
	AS.492/32	Clip, 1/2" wide ...	...	L17 or L59	—	
	AS.492/33	Clip, 1/2" wide ...	...	L17 or L59	—	
	AS.492/35	Clip, 1/2" wide ...	...	L17 or L59	—	

LIGHTNING F. MK. 2 AND MK. 2A

SUMMARY OF STANDARD ITEMS

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6	7				
	AS.492/76	Clip,	$\frac{3}{8}$ "	wide	...	...	...	...	...	L17 or L59	—	
	AS.493/32	Clip,	$\frac{1}{4}$ "	wide	...	...	...	...	...	L17 or DTD213	—	
	AS.493/37	Clip,	$\frac{1}{4}$ "	wide	...	...	...	...	...	L17 or DTD213	—	
	AS.493/45	Clip,	$\frac{3}{4}$ "	wide	...	...	...	...	...	L17 or DTD213	—	
	AS.493/50	Clip,	$\frac{3}{4}$ "	wide	...	...	...	...	...	L17 or DTD213	—	
28E/16522	AS.1000/MK.1	Clip,	hose	...	...	...	...	...	...	—	C	
28E/18857	AS.1162/16	Clip,	saddle	...	...	...	...	...	...	Alum. Alloy	C	
28E/9428426	AS.2294/3	Clip,	Terry, type 81,	$\frac{1}{2}$ "	dia.	...	...	...	...	—	C	
28E/9513854	AS.2294/8	Clip,	Terry, type 81,	$1\frac{1}{4}$ "	dia.	...	...	...	...	—	C	
28E/1012168	AS.2294/10	Clip,	Terry, type 81,	$1\frac{3}{4}$ "	dia.	...	...	...	...	—	C	
28E/1008744	AS.2295/1	Clip,	Terry, type 80,	$\frac{1}{2}$ "	dia.	...	...	...	...	—	C	
28E/10030	AS.2295/5	Clip,	Terry, type 80,	$\frac{3}{4}$ "	dia.	...	...	...	...	—	C	
28E/10032	AS.2295/6	Clip,	Terry, type 80,	1"	dia.	...	...	...	...	—	C	
28E/9436819	AS.3180/3B	Clip,	"P" 4 BA x	$\frac{3}{16}$ "	dia.	...	...	...	...	—	C	
28E/9436947	AS.3180/4B	Clip,	"P" 4 BA x	$\frac{1}{4}$ "	dia.	...	...	...	...	—	C	
28E/1201807	AS.3180/5B	Clip,	"P" 4 BA x	$\frac{5}{16}$ "	dia.	...	...	...	...	—	C	
28E/1201809	AS.3180/6B	Clip,	"P" 4 BA x	$\frac{3}{8}$ "	dia.	...	...	...	...	—	C	
28E/900882	AS.3180/7B	Clip,	"P" 4 BA x	$\frac{1}{2}$ "	dia.	...	...	...	...	—	C	
28E/8018278	AS.3180/8B	Clip,	"P" 4 BA x	$\frac{1}{2}$ "	dia.	...	...	...	...	—	C	
28E/900883	AS.3180/9B	Clip,	"P" 4 BA x	$\frac{9}{16}$ "	dia.	...	...	...	...	—	C	
28E/1201810	AS.3180/10B	Clip,	"P" 4 BA x	$\frac{3}{4}$ "	dia.	...	...	...	...	—	C	
28E/1201828	AS.3180/11B	Clip,	"P" 4 BA x	$\frac{7}{8}$ "	dia.	...	...	...	...	—	C	
28E/1006377	AS.3180/12B	Clip,	"P" 4 BA x	$\frac{3}{4}$ "	dia.	...	...	...	...	—	C	
28E/1006260	AS.3180/13B	Clip,	"P" 4 BA x	$1\frac{1}{8}$ "	dia.	...	...	...	...	—	C	
28E/9138333	AS.3180/14B	Clip,	"P" 4 BA x	$\frac{7}{8}$ "	dia.	...	...	...	...	—	C	
28E/9147691	AS.3180/16B	Clip,	"P" 4 BA x	1"	dia.	...	...	...	...	—	C	
28E/1009753	AS.3180/3C	Clip,	"P" 2 BA x	$\frac{3}{16}$ "	dia.	...	...	...	...	—	C	
28E/8018279	AS.3180/4C	Clip,	"P" 2 BA x	$\frac{1}{4}$ "	dia.	...	...	...	...	—	C	
28E/1200546	AS.3180/5C	Clip,	"P" 2 BA x	$\frac{3}{16}$ "	dia.	...	...	...	...	—	C	
28E/1201808	AS.3180/6C	Clip,	"P" 2 BA x	$\frac{3}{8}$ "	dia.	...	...	...	...	—	C	
28E/1200549	AS.3180/8C	Clip,	"P" 2 BA x	$\frac{1}{2}$ "	dia.	...	...	...	...	—	C	
28E/8018282	AS.3180/9C	Clip,	"P" 2 BA x	$\frac{9}{16}$ "	dia.	...	...	...	...	—	C	
28E/9144901	AS.3180/10C	Clip,	"P" 2 BA x	$\frac{3}{8}$ "	dia.	...	...	...	...	—	C	
28E/9144903	AS.3180/11C	Clip,	"P" 2 BA x	$\frac{11}{16}$ "	dia.	...	...	...	...	—	C	
28E/1200550	AS.3180/12C	Clip,	"P" 2 BA x	$\frac{3}{4}$ "	dia.	...	...	...	...	—	C	
28E/9000884	AS.3180/13C	Clip,	"P" 2 BA x	$\frac{13}{16}$ "	dia.	...	...	...	...	—	C	
28E/1051836	AS.3180/14C	Clip,	"P" 2 BA x	$\frac{7}{8}$ "	dia.	...	...	...	...	—	C	
28E/9450596	AS.3180/15C	Clip,	"P" 2 BA x	$\frac{15}{16}$ "	dia.	...	...	...	...	—	C	
28E/9450597	AS.3180/16C	Clip,	"P" 2 BA x	1"	dia.	...	...	...	...	—	C	
28E/9143385	AS.3180/18C	Clip,	"P" 2 BA x	$1\frac{1}{8}$ "	dia.	...	...	...	...	—	C	
28E/1009113	AS.3181/3B	Clip,	"P" 4 BA x	$\frac{1}{16}$ "	dia.	...	...	...	...	—	C	
28E/9436728	AS.3181/4B	Clip,	"P" 4 BA x	$\frac{1}{4}$ "	dia.	...	...	...	...	—	C	
28E/1009114	AS.3181/5B	Clip,	"P" 4 BA x	$\frac{5}{16}$ "	dia.	...	...	...	...	—	C	
28E/9488978	AS.3181/6B	Clip,	"P" 4 BA x	$\frac{3}{8}$ "	dia.	...	...	...	...	—	C	
28E/9508716	AS.3181/7B	Clip,	"P" 4 BA x	$\frac{7}{16}$ "	dia.	...	...	...	...	—	C	
28E/9435723	AS.3181/8B	Clip,	"P" 4 BA x	$\frac{1}{2}$ "	dia.	...	...	...	...	—	C	
28E/9129072	AS.3181/9B	Clip,	"P" 4 BA x	$\frac{9}{16}$ "	dia.	...	...	...	...	—	C	
28E/14308	AS.3181/11B	Clip,	"P" 4 BA x	$\frac{11}{16}$ "	dia.	...	...	...	...	—	C	
28E/14309	AS.3181/12B	Clip,	"P" 4 BA x	$\frac{3}{4}$ "	dia.	...	...	...	...	—	C	
28E/9435724	AS.3181/15B	Clip,	"P" 4 BA x	$\frac{15}{16}$ "	dia.	...	...	...	...	—	C	
28E/1012874	AS.3181/16B	Clip,	"P" 4 BA x	1"	dia.	...	...	...	...	—	C	
28E/14075	AS.3181/18B	Clip,	"P" 4 BA x	$1\frac{1}{8}$ "	dia.	...	...	...	...	—	C	
28E/14310	AS.3181/20B	Clip,	"P" 4 BA x	$1\frac{1}{4}$ "	dia.	...	...	...	...	—	C	

SUMMARY OF STANDARD ITEMS

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.			
		1	2	3	4	5	6	7							
28E/15679	AS.3181/32B	Clip, "P"	4	BA	×	2"	dia.	...	...	...	...	...	—	C	
28E/1012877	AS.3181/5C	Clip, "P"	2	BA	×	$\frac{5}{16}$ "	dia.	...	...	...	...	...	—	C	
28E/1052069	AS.3181/7C	Clip, "P"	2	BA	×	$\frac{7}{16}$ "	dia.	...	...	...	...	...	—	C	
28E/1006378	AS.3181/8C	Clip, "P"	2	BA	×	$\frac{1}{2}$ "	dia.	...	...	...	...	...	—	C	
28E/9496856	AS.3181/10C	Clip, "P"	2	BA	×	$\frac{3}{8}$ "	dia.	...	...	...	...	...	—	C	
28E/9713015	AS.3181/11C	Clip, "P"	2	BA	×	$\frac{11}{16}$ "	dia.	...	...	...	...	...	—	C	
28E/14083	AS.3181/12C	Clip, "P"	2	BA	×	$\frac{3}{4}$ "	dia.	...	...	...	...	...	—	C	
28E/15148	AS.3181/13C	Clip, "P"	2	BA	×	$\frac{13}{16}$ "	dia.	...	...	...	...	...	—	C	
28E/5808479	AS.3181/14C	Clip, "P"	2	BA	×	$\frac{3}{8}$ "	dia.	...	...	...	...	...	—	C	
28E/1012878	AS.3181/16C	Clip, "P"	2	BA	×	1"	dia.	...	...	...	...	...	—	C	
28E/14201	AS.3181/18C	Clip, "P"	2	BA	×	$1\frac{1}{4}$ "	dia.	...	...	...	...	...	—	C	
28E/14087	AS.3181/20C	Clip, "P"	2	BA	×	$1\frac{1}{4}$ "	dia.	...	...	...	...	...	—	C	
28E/14239	AS.3181/24C	Clip, "P"	2	BA	×	$1\frac{1}{2}$ "	dia.	...	...	...	...	...	—	C	
28E/14353	AS.3181/28C	Clip, "P"	2	BA	×	$1\frac{3}{4}$ "	dia.	...	...	...	...	...	—	C	
28E/15149	AS.3181/32C	Clip, "P"	2	BA	×	2"	dia.	...	...	...	...	...	—	C	
5K/3015	AS.4525/3	Clip, support,	$\frac{3}{16}$ "	i/d	...	...	...	...	...	...	...	...	Aluminium	C	
5K/3016	AS.4525/4	Clip, support,	$\frac{1}{4}$ "	i/d	...	...	...	...	...	...	...	...	Aluminium	C	
5K/3020	AS.4525/8	Clip, support,	$\frac{1}{2}$ "	i/d	...	...	...	...	...	...	...	...	Aluminium	C	
5K/	AS.4525/12	Clip, support,	$\frac{3}{4}$ "	i/d	...	...	...	...	...	...	...	...	Aluminium	—	
5K/3026	AS.4525/14	Clip, support,	$\frac{7}{8}$ "	i/d	...	...	...	...	...	...	...	...	Aluminium	C	
5K/	AS.4525/16	Clip, support,	1"	i/d	...	...	...	...	...	...	...	...	Aluminium	—	
5K/	AS.4525/18	Clip, support,	$1\frac{1}{8}$ "	i/d	...	...	...	...	...	...	...	...	Aluminium	—	
5K/	AS.4525/20	Clip, support,	$1\frac{1}{4}$ "	i/d	...	...	...	...	...	...	...	...	Aluminium	—	
5K/	AS.4525/24	Clip, support,	$1\frac{1}{2}$ "	i/d	...	...	...	...	...	...	...	...	Aluminium	—	
5K/	AS.4525/32	Clip, support,	2"	i/d	...	...	...	...	...	...	...	...	Aluminium	—	
5K/	AS.4526/3	Clip, support,	$\frac{3}{16}$ "	i/d	...	...	...	...	...	...	...	...	Steel	—	
5K/3041	AS.4526/4	Clip, support,	$\frac{1}{4}$ "	i/d	...	...	...	...	...	...	...	...	Steel	C	
5K/	AS.4526/5	Clip, support,	$\frac{5}{16}$ "	i/d	...	...	...	...	...	...	...	...	Steel	—	
5K/	AS.4526/6	Clip, support,	$\frac{3}{8}$ "	i/d	...	...	...	...	...	...	...	...	Steel	—	
5K/3045	AS.4526/8	Clip, support,	$\frac{1}{2}$ "	i/d	...	...	...	...	...	...	...	...	Steel	C	
5K/	AS.4526/10	Clip, support,	$\frac{5}{8}$ "	i/d	...	...	...	...	...	...	...	...	Steel	—	
5K/	AS.4526/11	Clip, support,	$\frac{11}{16}$ "	i/d	...	...	...	...	...	...	...	...	Steel	—	
5K/3049	AS.4526/12	Clip, support,	$\frac{3}{4}$ "	i/d	...	...	...	...	...	...	...	...	Steel	C	
5K/	AS.4526/13	Clip, support,	$\frac{13}{16}$ "	i/d	...	...	...	...	...	...	...	...	Steel	—	
5K/	AS.4526/15	Clip, support,	$\frac{7}{8}$ "	i/d	...	...	...	...	...	...	...	...	Steel	—	
5K/3053	AS.4526/16	Clip, support,	1"	i/d	...	...	...	...	...	...	...	...	Steel	C	
5K/3057	AS.4526/20	Clip, support,	$1\frac{1}{4}$ "	i/d	...	...	...	...	...	...	...	...	Steel	C	
5K/	AS.4526/24	Clip, support,	$1\frac{1}{2}$ "	i/d	...	...	...	...	...	...	...	...	Steel	—	
5K/	AS.4526/28	Clip, support,	$1\frac{3}{4}$ "	i/d	...	...	...	...	...	...	...	...	Steel	—	
5K/	AS.4526/32	Clip, support,	2"	i/d	...	...	...	...	...	...	...	...	Steel	—	
28E/14207	AS.5418/4	Clip, support, "P",	$\frac{1}{4}$ "	dia.	...	...	...	...	...	...	...	...	L72	C	
28E/9482116	AS.5418/6	Clip, support, "P",	$\frac{3}{8}$ "	dia.	...	...	...	...	...	...	...	...	L72	C	
28E/9996125	AS.5418/8	Clip, support, "P",	$\frac{1}{2}$ "	dia.	...	...	...	...	...	...	...	...	L72	C	
28E/1053257	AS.5418/16	Clip, support, "P",	1"	dia.	...	...	...	...	...	...	...	...	L72	C	
28E/15844	AS.5418/22	Clip, support, "P",	$1\frac{3}{8}$ "	dia.	...	...	...	...	...	...	...	...	L72	C	
28E/9471024	AS.5418/24	Clip, support, "P",	$1\frac{1}{2}$ "	dia.	...	...	...	...	...	...	...	...	L72	C	
28E/14901	AS.5418/32	Clip, support, "P",	2"	dia.	...	...	...	...	...	...	...	...	L72	C	
28E/9130610	AS.5419/3	Clip, support, "P",	$\frac{3}{16}$ "	dia.	...	...	...	...	...	...	...	...	S84	C	
28E/9130612	AS.5419/5	Clip, support, "P",	$\frac{5}{16}$ "	dia.	...	...	...	...	...	...	...	...	S84	C	
28E/9130754	AS.5419/10	Clip, support, "P",	$\frac{5}{8}$ "	dia.	...	...	...	...	...	...	...	...	S84	C	
10H/0970094	Z.50780	Clip, bonding	...	...	...	...	...	...	...	...	...	...	—	C	
28N/1045681	AGS.899/1	Collar, shackle pin,	$\frac{5}{32}$ "	i/d	...	...	...	...	...	...	...	...	MS	C	
28N/1045680	AGS.899/2	Collar, shackle pin,	$\frac{3}{16}$ "	i/d	...	...	...	...	...	...	...	...	MS	C	
28N/5550	AGS.899/3	Collar, shackle pin,	$\frac{3}{32}$ "	i/d	...	...	...	...	...	...	...	...	MS	C	
28N/9153393	AGS.899/4	Collar, shackle pin,	$\frac{1}{4}$ "	i/d	...	...	...	...	...	...	...	...	MS	C	
28N/9513425	AGS.899/12	Collar, shackle pin,	$\frac{1}{2}$ "	i/d	...	...	...	...	...	...	...	...	MS	C	
28N/7116	AGS.899/15	Collar, shackle pin,	$\frac{5}{8}$ "	i/d	...	...	...	...	...	...	...	...	MS	C	

LIGHTNING F. MK. 2 AND MK. 2A

SUMMARY OF STANDARD ITEMS

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6	7				
28F/8011890	AGS.952/A	Collar,	pipe,	$\frac{3}{16}$ "	...	...	...	...	...	Steel	C	
28F/9439531	AGS.952/B	Collar,	pipe,	$\frac{1}{4}$ "...	...	...	...	...	...	Steel	C	
28F/9475201	AGS.952/BB	Collar,	pipe,	$\frac{3}{16}$ "	...	...	...	...	...	Steel	C	
28F/8011892	AGS.952/C	Collar,	pipe,	$\frac{3}{8}$ "	...	...	...	...	...	Steel	C	
28F/9439532	AGS.952/D	Collar,	pipe,	$\frac{1}{2}$ "...	...	...	...	...	...	Steel	C	
28F/8011816	AGS.952/E	Collar,	pipe,	$\frac{3}{8}$ "	...	...	...	...	...	Steel	C	
28F/8011817	AGS.952/F	Collar,	pipe,	$\frac{3}{4}$ "...	...	...	...	...	...	Steel	C	
28F/8011818	AGS.952/H	Collar,	pipe,	1"...	...	...	...	...	...	Steel	C	
28F/9517924	AGS.952/K	Collar,	pipe,	1 $\frac{1}{2}$ "	...	...	...	...	...	Steel	C	
28F/13613	AGS.952/M	Collar,	pipe	2" ...	...	...	...	...	...	Steel	C	
28N/1046383	SP121/B	Collar,	shear pin	...	...	...	...	...	...	Alum. Alloy	C	
28N/1046382	SP121/C	Collar,	shear pin	...	...	...	...	...	...	Alum. Alloy	C	
28N/1046381	SP121/E	Collar,	shear pin	...	...	...	...	...	...	Alum. Alloy	C	
28N/18531	SP121/J	Collar,	shear pin	...	...	...	...	...	...	Alum. Alloy	C	
28F/9129085	AGS.1102/A	Cone,	union body	...	...	...	...	...	...	Light Alloy	C	
28F/8011883	AGS.1102/B	Cone,	union body	...	...	...	...	...	...	Light Alloy	C	
28F/8294	AGS.1102/BB	Cone,	union body	...	...	...	...	...	...	Light Alloy	C	
28F/9471001	AGS.1102/C	Cone,	union body	...	...	...	...	...	...	Light Alloy	C	
28F/9439765	AGS.1102/D	Cone,	union body	...	...	...	...	...	...	Light Alloy	C	
28F/1014970	AGS.1104/A	Cone,	adaptor	...	...	...	...	...	...	Light Alloy	C	
28F/8011809	AGS.1104/B	Cone,	adaptor	...	...	...	...	...	...	Light Alloy	C	
28F/9140971	AGS.1104/C	Cone,	adaptor	...	...	...	...	...	...	Light Alloy	C	
28F/8011808	AGS.1104/D	Cone,	adaptor	...	...	...	...	...	...	Light Alloy	C	
28F/1013401	AGS.1107/A	Cone,	union, reducing	...	...	...	...	...	...	Light Alloy	C	
28F/10800	AGS.1107/B	Cone,	union, reducing	...	...	...	...	...	...	Light Alloy	C	
28F/15025	AGS.1107/C	Cone,	union, reducing	...	...	...	...	...	...	Light Alloy	C	
28F/9710	AGS.1107/E	Cone,	union, reducing	...	...	...	...	...	...	Light Alloy	C	
28F/1036556	AGS.1111/A	Cone,	union body	...	...	...	...	...	...	Light Alloy	C	
28F/1013402	AGS.1111/B	Cone,	union body	...	...	...	...	...	...	Light Alloy	C	
28F/11562	AGS.1111/BB	Cone,	union body	...	...	...	...	...	...	Light Alloy	C	
28F/9714	AGS.1111/C	Cone,	union body	...	...	...	...	...	...	Light Alloy	C	
28F/1059217	AGS.1111/D	Cone,	union body	...	...	...	...	...	...	Light Alloy	C	
28F/12325	AGS.1116/A	Cone,	elbow	...	...	...	...	...	...	Light Alloy	C	
28F/9715	AGS.1116/B	Cone,	elbow	...	...	...	...	...	...	Light Alloy	C	
28F/9446123	AGS.1116/C	Cone,	elbow	...	...	...	...	...	...	Light Alloy	C	
28F/9878	AGS.1116/D	Cone,	elbow	...	...	...	...	...	...	Light Alloy	C	
28F/9440881	AGS.1118/A	Cone,	tee	...	...	...	...	...	...	Light Alloy	C	
28F/8011811	AGS.1118/B	Cone,	tee	...	...	...	...	...	...	Light Alloy	C	
28F/9476124	AGS.1118/C	Cone,	tee	...	...	...	...	...	...	Light Alloy	C	
28F/8011812	AGS.1118/D	Cone,	tee	...	...	...	...	...	...	Light Alloy	C	
28F/9463543	AGS.1120/1	Cone,	tee	...	...	...	...	...	...	Light Alloy	C	
28F/9720	AGS.1120/3	Cone,	tee	...	...	...	...	...	...	Light Alloy	C	
28F/9476127	AGS.1120/5	Cone,	tee	...	...	...	...	...	...	Light Alloy	C	
28F/9489323	AGS.1120/10	Cone,	tee	...	...	...	...	...	...	Light Alloy	C	
28F/9440882	AGS.1120/11	Cone,	tee	...	...	...	...	...	...	Light Alloy	C	
28F/1010171	AGS.1123/B	Cone,	4-way piece	...	...	...	...	...	...	Light Alloy	C	
28F/9533	AGS.1145/B	Cone,	union body	...	...	...	...	...	...	Light Alloy	C	
28F/9509709	AGS.1145/C	Cone,	union body	...	...	...	...	...	...	Light Alloy	C	
28F/9441779	AGS.1145/D	Cone,	union body	...	...	...	...	...	...	Light Alloy	C	
28F/11018	AGS.1159/B	Cone,	cap	...	...	...	...	...	...	Light Alloy	C	
28F/9129083	AGS.1159/D	Cone,	cap	...	...	...	...	...	...	Light Alloy	C	
28F/9441095	AGS.1236/A	Cone,	cap	...	...	...	...	...	...	Steel	C	
28F/1013959	AGS.1236/B	Cone,	cap	...	...	...	...	...	...	Steel	C	
28N/10877	AGS.1165/C	Connection,	end, self-sealing	...	...	...	...	...	...	—	C	
	Z.29888	Connector	...	...	...	...	...	...	...	—	—	
5D/	320562	Connector	...	...	...	...	...	...	...	—	B	
10H/22847	2CZ.139209	Coupler	...	...	...	...	...	...	...	—	B	

SUMMARY OF STANDARD ITEMS

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
28R/13494	AS.112	Cover, pulley ... ..		—	C	
28R/13495	AS.113	Cover, pulley, with spacer ... ..		—	C	
5X/9149641	CZ.26805	Cover, terminal block ... ..		—	C	
5X/3272	CZ.26799	Cover, terminal block ... ..		—	C	
5K/3680	HV.3604	Cover ... ..		—	C	
28N/9943	AS.1252	End, fork... ..		—	C	
28U/16602	SP34/B5	End, screwed, R.H. 4 BA ... ..		HTS	C	
28U/18824	SP34/C5	End, screwed, R.H. 2 BA ... ..		HTS	C	
28U/15283	SP34/C5L	End, screwed, L.H. 2 BA ... ..		HTS	C	
28U/15279	SP34/C10	End, screwed, R.H. 2 BA ... ..		HTS	C	
28U/18886	SP36/B5L	End, tapped, L.H. 4 BA ... ..		MS	C	
28U/18845	SP36/C5	End, tapped, R.H. 2 BA ... ..		MS	C	
28U/15285	SP36/C10L	End, tapped, L.H. 2 BA ... ..		MS	C	
28U/16264	SP37/A	End, eye ... ..		MS	C	
28U/15286	SP37/B	End, eye ... ..		MS	C	
28U/15287	SP37/C	End, eye ... ..		MS	C	
28U/1204114	SP38/A	End, fork... ..		MS	C	
28G/6731	AGS.797/B	Eyebolt ... ..		—	C	
28FP/9520205	A3/20	Fastener, dzus ... ..		—	C	
28FP/1014631	A3/25	Fastener, dzus ... ..		—	C	
28FP/9703273	A3/30	Fastener, dzus ... ..		—	C	
28FP/1115	A3/40	Fastener, dzus ... ..		—	C	
28FP/9144248	A4/25	Fastener, dzus ... ..		—	C	
28FP/1175	A4/60	Fastener, dzus ... ..		—	C	
28FP/9542167	A5/30	Fastener, dzus ... ..		—	C	
28FP/1114	A3½/T/10	Fastener, dzus ... ..		—	C	
28FP/9541131	A3½/T/21	Fastener, dzus ... ..		—	C	
28FP/704	A3½/T/22	Fastener, dzus ... ..		—	C	
28FP/1303	A3½/T/28	Fastener, dzus ... ..		—	C	
28FP/1380	A3½/T/29	Fastener, dzus ... ..		—	C	
28FP/1279	A5/T/22	Fastener, dzus ... ..		—	C	
28FP/1032	A5/T/27	Fastener, dzus ... ..		—	C	
28FP/235	AW3/20	Fastener, dzus ... ..		—	C	
28FP/9506912	AW3/25	Fastener, dzus ... ..		—	C	
28FP/9712943	AW4/40	Fastener, dzus ... ..		—	C	
28FP/76	F4/45	Fastener, dzus ... ..		—	C	
28FP/1051	F3½/T/17	Fastener, dzus ... ..		—	C	
28FP/995	F3½/T/18	Fastener, dzus ... ..		—	C	
28FP/888	F5/T/13	Fastener, dzus ... ..		—	C	
28FP/864	F5/T/20	Fastener, dzus ... ..		—	C	
28FP/1021	F5/T/21	Fastener, dzus ... ..		—	C	
28FP/865	F5/T/22	Fastener, dzus ... ..		—	C	
28FP/866	F5/T/23	Fastener, dzus ... ..		—	C	
28FP/1023	F5/T/24	Fastener, dzus ... ..		—	C	
28FP/1190	F5/T/27	Fastener, dzus ... ..		—	C	
28FP/1024	F5/T/28	Fastener, dzus ... ..		—	C	
28FP/1186	F5/T/40	Fastener, dzus ... ..		—	C	
28FP/1383	F5/T/41	Fastener, dzus ... ..		—	C	
28FP/758	FJ3/40	Fastener, dzus ... ..		—	C	
28FP/108	FJ4/35	Fastener, dzus ... ..		—	C	
28FP/9434094	PC.3½	Fastener, dzus ... ..		—	C	
28FP/9008677	PRN.3½	Fastener, dzus ... ..		—	C	
28FP/684	756/C	Fastener, Oddie ... ..		—	C	
28FP/739	936/A	Fastener, Oddie ... ..		—	C	
28FP/740	936/B	Fastener, Oddie ... ..		—	C	
5X/9726815	HC.1350	Ferrule ... ..		—	C	

LIGHTNING F. MK. 2 AND MK. 2A

SUMMARY OF STANDARD ITEMS

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
5X/9726835	HC.1351	Ferrule	...	—	C	
5X/9726838	HC.1352	Ferrule	...	—	C	
5X/3170	Z.218156/B	Gasket	...	—	C	
5X/3171	Z.218156/C	Gasket	...	—	C	
5X/3172	Z.218156/D	Gasket	...	—	C	
5X/6167	Z.23195	Gasket	...	—	C	
5X/6206	Z.23196	Gasket	...	—	C	
5X/6168	Z.23197	Gasket	...	—	C	
10H/0119277	508/2/07705/200	Gasket	...	—	C	
10H/0970059	508/2/07706/200	Gasket	...	—	C	
10H/0970060	Z.60669	Gasket	...	—	C	
10H/0970108	508/2/07719/200	Gasket	...	—	C	
10H/0970109	508/2/07722/200	Gasket	...	—	C	
10H/0970111	508/2/07720/200	Gasket	...	—	C	
10H/0970112	Z.62238	Gasket	...	—	C	
5X/7551	2Z.84912/A	Gasket	...	—	C	
5X/7511	2Z.84912/B	Gasket	...	—	C	
5X/7526	2Z.84912/C	Gasket	...	—	C	
5X/7549	2Z.84912/D	Gasket	...	—	C	
5X/	2Z.84914/A	Gasket	...	—	C	
5X/	2Z.84914/B	Gasket	...	—	C	
5X/	2Z.84914/C	Gasket	...	—	C	
5X/	2Z.84914/D	Gasket	...	—	C	
5X/	2Z.84914/Z	Gasket	...	—	C	
10H/22510	2CZ.10821	Gasket	...	—	C	
5X/7565	2Z.138778/B	Gasket	...	—	C	
5X/7559	2Z.139098/A	Gasket	...	—	C	
5X/7560	2Z.139098/B	Gasket	...	—	C	
5X/7561	2Z.139098/C	Gasket	...	—	C	
5X/7562	2Z.139098/D	Gasket	...	—	C	
10H/23742	508/2/07705/300	Gasket	...	—	C	
10H/9504382	508/2/07706/300	Gasket	...	—	C	
10H/9527683	508/2/07707/300	Gasket	...	—	C	
10H/23763	508/2/07708/300	Gasket	...	—	C	
10H/23762	508/2/07709/300	Gasket	...	—	C	
10H/9504381	508/2/07719/300	Gasket	...	—	C	
10H/9472444	508/2/07720/300	Gasket	...	—	C	
10H/	508/2/07721/300	Gasket	...	—	C	
10H/	508/2/07722/300	Gasket	...	—	C	
10H/	2Z.139118	Gasket	...	—	C	
10H/23764	508/2/07724/300	Gasket	...	—	C	
10H/	508/2/07725/300	Gasket	...	—	C	
28FP/9434075	GA3/175	Grommet, dzus	...	—	C	
28FP/9430915	GA4/250	Grommet, dzus	...	—	C	
28FP/1002561	GH/3½	Grommet, dzus	...	—	C	
28FP/612	GH/5	Grommet, dzus	...	—	C	
5K/3637	HV.2241	Grommet	...	—	C	
5K/3705	HV.2552	Grommet	...	—	C	
5K/5800644	HV.2553	Grommet	...	—	C	
5K/3703	HV.2855	Grommet	...	—	C	
5K/3761	HV.3108	Grommet	...	—	C	
5K/3071	HV.3112	Grommet	...	—	C	
5K/3072	HV.3113	Grommet	...	—	C	
5K/3073	HV.3114	Grommet	...	—	C	
5K/3670	HV.3133	Grommet	...	—	C	
5K/3666	HV.3242	Grommet	...	—	C	
5X/6636	HV.3554	Grommet	...	—	C	

SUMMARY OF STANDARD ITEMS

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6	7				
5X/6920	HV.3555	Grommet	...	...	...	...	...	...	—	C		
5K/3946	SR.2032	Grommet	...	...	...	...	...	...	—	C		
5K/1201019	SP40/A8	Grommet	...	...	...	...	...	...	—	C		
5K/1009087	SP40/A10	Grommet	...	...	...	...	...	...	—	C		
5K/9128569	SP40/A14	Grommet	...	...	...	...	...	...	—	C		
5K/9140980	SP40/A16	Grommet	...	...	...	...	...	...	—	C		
5K/2921	SP40/A18	Grommet	...	...	...	...	...	...	—	C		
5K/1200715	SP40/B6	Grommet	...	...	...	...	...	...	—	C		
5K/1200724	SP40/B8	Grommet	...	...	...	...	...	...	—	C		
5K/1200718	SP40/B14	Grommet	...	...	...	...	...	...	—	C		
5K/1200721	SP40/B18	Grommet	...	...	...	...	...	...	—	C		
5K/1200720	SP40/B20	Grommet	...	...	...	...	...	...	—	C		
5K/2938	SP40/B24	Grommet	...	...	...	...	...	...	—	C		
5K/2000871	SP40/B32	Grommet	...	...	...	...	...	...	—	C		
5K/2962	SP40/B40	Grommet	...	...	...	...	...	...	—	C		
5K/1201342	SP40/C8	Grommet	...	...	...	...	...	...	—	C		
5K/1011226	SP40/C18	Grommet	...	...	...	...	...	...	—	C		
5K/2940	SP40/D24	Grommet	...	...	...	...	...	...	—	C		
5K/1200722	SP40/E6	Grommet	...	...	...	...	...	...	—	C		
5X/2785	Z.22430	Grommet	...	...	...	...	...	...	—	C		
5X/9491421	Z.22431	Grommet	...	...	...	...	...	...	—	C		
5X/2787	Z.22432	Grommet	...	...	...	...	...	...	—	C		
5X/2789	Z.22433	Grommet	...	...	...	...	...	...	—	C		
5X/2790	Z.22634	Grommet	...	...	...	...	...	...	—	C		
5X/2784	Z.23671	Grommet	...	...	...	...	...	...	—	C		
5X/2788	Z.23672	Grommet	...	...	...	...	...	...	—	C		
AS.1877/40		Hinge (Make from 28N/12176)	...	...	...	...	...	...	—	—		
AS.1877/55		Hinge (Make from 28N/12176)	...	...	...	...	...	...	—	—		
AS.1877/90		Hinge (Make from 28N/12176)	...	...	...	...	...	...	—	—		
AS.1877/125		Hinge (Make from 28N/12176)	...	...	...	...	...	...	—	—		
AS.1878/150		Hinge (Make from 28N/10786)	...	...	...	...	...	...	—	—		
AS.1880/5		Hinge (Make from 28N/10363)	...	...	...	...	...	...	—	—		
28N/16894	AS.4601/5	Insert, wire, 1/4" BSF	...	...	...	...	...	...	Spring Steel	C		
28N/17504	AS.4601/6	Insert, wire, 7/16" BSF	...	...	...	...	...	...	Spring Steel	C		
28N/1031011	AS.4601/14	Insert, wire, 2 BA	...	...	...	...	...	...	Spring Steel	C		
28N/1031012	AS.4601/26	Insert, wire, 2 BA	...	...	...	...	...	...	Spring Steel	C		
28N/16834	AS.4601/50	Insert, wire, 2 BA	...	...	...	...	...	...	Spring Steel	C		
28N/	AS.4614/5	Insert, wire, 1/2" BSF	...	...	...	...	...	...	Steel	—		
28N/	AS.4614/7	Insert, wire, 1/2" BSF	...	...	...	...	...	...	Steel	—		
28N/	AS.4614/14	Insert, wire, 1/2" BSF	...	...	...	...	...	...	Steel	—		
28N/5805292	AS.4736/2	Insert, wire, 2 BA	...	...	...	...	...	...	DTD734	C		
28N/19011	AS.4736/3	Insert, wire, 1/4" BSF	...	...	...	...	...	...	DTD734	C		
28N/19193	AS.4736/4	Insert, wire, 5/16" BSF	...	...	...	...	...	...	DTD734	C		
28N/19118	AS.4736/7	Insert, wire, 1/2" BSF	...	...	...	...	...	...	DTD734	C		
28N/9143897	AS.4736/26	Insert, wire, 2 BA	...	...	...	...	...	...	DTD734	C		
28N/19192	AS.4736/28	Insert, wire, 5/16" BSF	...	...	...	...	...	...	DTD734	C		
28N/5805290	AS.4736/38	Insert, wire, 2 BA	...	...	...	...	...	...	DTD734	C		
28N/	AS.4921/3	Insert, wire	...	...	...	...	...	...	Spring Steel	—		
28N/18370	AS.4921/14	Insert, wire, 2 BA	...	...	...	...	...	...	Spring Steel	C		
28N/	AS.4921/15	Insert, wire	...	...	...	...	...	...	Spring Steel	—		
28N/9482115	AS.4921/26	Insert, wire, 2 BA	...	...	...	...	...	...	Spring Steel	C		
5X/	2CZ.11075	Insert, socket	...	...	...	...	...	...	—	C		
5X/7516	2CZ.109944	Insert, socket	...	...	...	...	...	...	—	C		
5X/	2CZ.138845	Insert, socket	...	...	...	...	...	...	—	C		
5X/	2CZ.138846	Insert, socket	...	...	...	...	...	...	—	C		
5X/	2CZ.138935	Insert, socket	...	...	...	...	...	...	—	C		



SUMMARY OF STANDARD ITEMS

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6	7				
5X/	12108	Lug,	crimping	...	...	...	...	...	Copper	C		
5X/	12111	Lug,	crimping	...	...	...	...	...	Copper	C		
5X/	12127	Lug,	crimping	...	...	...	...	...	Copper	C		
5X/	12134	Lug,	crimping	...	...	...	...	...	Copper	C		
5X/	12317	Lug,	crimping	...	...	...	...	...	Copper	C		
5X/7210	12319	Lug,	crimping	...	...	...	...	...	Copper	C		
5X/6955	12335	Lug,	crimping	...	...	...	...	...	Copper	C		
5X/	12337	Lug,	crimping	...	...	...	...	...	Copper	C		
5X/	12341	Lug,	crimping	...	...	...	...	...	Copper	C		
5X/6875	12342	Lug,	crimping	...	...	...	...	...	Copper	C		
5X/7591	12357	Lug,	crimping	...	...	...	...	...	Copper	C		
5X/7590	12363	Lug,	crimping	...	...	...	...	...	Copper	C		
5X/7399	12364	Lug,	crimping	...	...	...	...	...	Copper	C		
5X/6961	12368	Lug,	crimping	...	...	...	...	...	Copper	C		
5X/	12379	Lug,	crimping	...	...	...	...	...	Copper	C		
5X/7213	12389	Lug,	crimping	...	...	...	...	...	Copper	C		
5X/7592	12357	Lug,	crimping	...	...	...	...	...	Copper	C		
5X/	12446	Lug,	crimping	...	...	...	...	...	Copper	C		
5X/9400078	Z.70012	Lug,	crimping	...	...	...	...	...	Copper	C		
5X/9400079	Z.70013	Lug,	crimping	...	...	...	...	...	Copper	C		
5X/9400081	Z.70015	Lug,	crimping	...	...	...	...	...	Copper	C		
5X/9400082	Z.70016	Lug,	crimping	...	...	...	...	...	Copper	C		
5X/9400089	Z.70023	Lug,	crimping	...	...	...	...	...	Copper	C		
5X/9400090	Z.70024	Lug,	crimping	...	...	...	...	...	Copper	C		
5X/9400096	Z.70030	Lug,	crimping	...	...	...	...	...	Copper	C		
5X/9400099	Z.70033/1	Lug,	crimping	...	...	...	...	...	Copper	C		
5X/9400390	Z.77864	Lug,	crimping	...	...	...	...	...	Copper	C		
5X/9400384	Z.700858	Lug,	crimping	...	...	...	...	...	Copper	C		
28F/1013599	AGS.1142/A	Nipple,	adapter	...	...	...	...	...	Steel	C		
28F/8011885	AGS.1142/B	Nipple,	adapter	...	...	...	...	...	Steel	C		
28F/8011896	AGS.1142/C	Nipple,	adapter	...	...	...	...	...	Steel	C		
28F/8011886	AGS.1142/D	Nipple,	adapter	...	...	...	...	...	Steel	C		
28F/9439897	AGS.1142/E	Nipple,	adapter	...	...	...	...	...	Steel	C		
28F/8011897	AGS.1142/F	Nipple,	adapter	...	...	...	...	...	Steel	C		
28F/10895	AGS.1142/G	Nipple,	adapter	...	...	...	...	...	Steel	C		
28F/9486111	AGS.1142/H	Nipple,	adapter	...	...	...	...	...	Steel	C		
28F/9517920	AGS.1142/K	Nipple,	adapter	...	...	...	...	...	Steel	C		
28F/	AGS.1142/N	Nipple,	adapter	...	...	...	...	...	Steel	C		
28F/9708189	AGS.1170/A	Nipple	...	...	...	...	...	...	Steel	C		
28F/1014650	AGS.1170/B	Nipple	...	...	...	...	...	...	Steel	C		
28F/14529	AGS.1170/C	Nipple	...	...	...	...	...	...	Steel	C		
28F/19141	AGS.1170/D	Nipple	...	...	...	...	...	...	Steel	C		
28F/1046083	AGS.1170/E	Nipple	...	...	...	...	...	...	Steel	C		
28F/10773	AGS.1170/F	Nipple	...	...	...	...	...	...	Steel	C		
28F/19143	AGS.1170/H	Nipple	...	...	...	...	...	...	Steel	C		
28N/9156370	SP21	Nipple,	1/4" BSF	...	...	...	...	...	Light Alloy	C		
28M/5233	A14/BB	Nut,	plain, 4 BA	...	...	...	...	...	Brass	C		
28M/5234	A14/CB	Nut,	plain, 2 BA	...	...	...	...	...	Brass	C		
28M/5238	A14/GB	Nut,	plain, 5/16" BSF	...	...	...	...	...	Brass	C		
28M/5240	A14/JB	Nut,	plain, 1/2" BSF	...	...	...	...	...	Brass	C		
28M/664	A14/8B	Nut,	plain, 8 BA	...	...	...	...	...	Brass	C		
28M/1010993	A24/BP	Nut,	plain, 4 BA	...	...	...	...	...	HTS	C		
28M/1010996	A24/CP	Nut,	plain, 2 BA	...	...	...	...	...	HTS	C		
28M/13266	A24/ES	Nut,	slotted, 1/4" BSF	...	...	...	...	...	HTS	C		
28M/13412	A24/JS	Nut,	slotted, 3/8" BSF	...	...	...	...	...	HTS	C		
28M/1010995	A24/BT	Nut,	thin, 4 BA	...	...	...	...	...	HTS	C		
28M/1010997	A24/CT	Nut,	thin, 2 BA	...	...	...	...	...	HTS	C		

LIGHTNING F. MK. 2 AND MK. 2A

SUMMARY OF STANDARD ITEMS

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6	7				
28M/1007704	A24/ET	Nut, thin, 1/4"	BSF	...	...	...	...	...	...	HTS	C	
28M/13278	A27/CPL	Nut, plain, 2 BA,	L.H. thread	...	...	...	...	...	...	Med.TS	C	
28M/9403518	A27/AP	Nut, plain, 6 BA	...	...	...	...	...	...	...	Med.TS	C	
28M/9403519	A27/BP	Nut, plain, 4 BA	...	...	...	...	...	...	...	Med.TS	C	
28M/9403520	A27/CP	Nut, plain, 2 BA	...	...	...	...	...	...	...	Med.TS	C	
28M/1011475	A27/EP	Nut, plain, 1/4"	BSF	...	...	...	...	...	...	Med.TS	C	
28M/1006939	A27/GP	Nut, plain, 5/16"	BSF	...	...	...	...	...	...	Med.TS	C	
28M/1011473	A27/JP	Nut, plain, 3/8"	BSF	...	...	...	...	...	...	Med.TS	C	
28M/13353	A27/LP	Nut, plain, 7/16"	BSF	...	...	...	...	...	...	Med.TS	C	
28M/1011477	A27/NP	Nut, plain, 1/2"	BSF	...	...	...	...	...	...	Med.TS	C	
28M/9534205	A27/QP	Nut, plain, 5/8"	BSF	...	...	...	...	...	...	Med.TS	C	
28M/9446651	A27/SP	Nut, plain, 3/4"	BSF	...	...	...	...	...	...	Med.TS	C	
28M/14792	A27/UP	Nut, plain, 1"	BSF	...	...	...	...	...	...	Med.TS	C	
28M/9446650	A27/WP	Nut, plain, 1"	BSF	...	...	...	...	...	...	Med.TS	C	
28M/5808573	A27/CS	Nut, slotted, 2 BA	...	...	...	...	...	...	...	Med.TS	C	
28M/1011467	A27/ES	Nut, slotted, 1/4"	BSF	...	...	...	...	...	...	Med.TS	C	
28M/5808571	A27/GS	Nut, slotted, 5/16"	BSF	...	...	...	...	...	...	Med.TS	C	
28M/1011476	A27/JS	Nut, slotted, 3/8"	BSF	...	...	...	...	...	...	Med.TS	C	
28M/9129449	A27/LS	Nut, slotted, 7/8"	BSF	...	...	...	...	...	...	Med.TS	C	
28M/13259	A27/NS	Nut, slotted, 1 1/2"	BSF	...	...	...	...	...	...	Med.TS	C	
28M/13590	A27/SS	Nut, slotted, 3/4"	BSF	...	...	...	...	...	...	Med.TS	C	
28M/9153386	A27/WVS	Nut, slotted, 1"	BSF	...	...	...	...	...	...	Med.TS	C	
28M/13141	A27/BTL	Nut, thin, L.H. thread, 4 BA	...	...	...	...	...	...	...	Med.TS	C	
28M/13253	A27/CTL	Nut, thin, L.H. thread, 2 BA	...	...	...	...	...	...	...	Med.TS	C	
28M/13454	A27/ETL	Nut, thin, L.H. thread, 1/4"	BSF	...	...	...	...	...	...	Med.TS	C	
28M/13464	A27/GTL	Nut, thin, L.H. thread, 5/16"	BSF	...	...	...	...	...	...	Med.TS	C	
28M/14298	A27/NTL	Nut, thin, L.H. thread, 1 1/2"	BSF	...	...	...	...	...	...	Med.TS	C	
28M/9517566	A27/QTL	Nut, thin, L.H. thread, 3/8"	BSF	...	...	...	...	...	...	Med.TS	C	
28M/1200096	A27/AT	Nut, thin, 6 BA	...	...	...	...	...	...	...	Med.TS	C	
28M/1006504	A27/BT	Nut, thin, 4 BA	...	...	...	...	...	...	...	Med.TS	C	
28M/1006473	A27/CT	Nut, thin, 2 BA	...	...	...	...	...	...	...	Med.TS	C	
28M/1007403	A27/ET	Nut, thin, 1/8"	BSF	...	...	...	...	...	...	Med.TS	C	
28M/1011470	A27/GT	Nut, thin, 1/16"	BSF	...	...	...	...	...	...	Med.TS	C	
28M/1007404	A27/JT	Nut, thin, 3/8"	BSF	...	...	...	...	...	...	Med.TS	C	
28M/1207755	A27/LT	Nut, thin, 7/16"	BSF	...	...	...	...	...	...	Med.TS	C	
28M/9452621	A27/NT	Nut, thin, 1/2"	BSF	...	...	...	...	...	...	Med.TS	C	
28M/9457500	A27/QT	Nut, thin, 3/8"	BSF	...	...	...	...	...	...	Med.TS	C	
28M/13705	A27/ST	Nut, thin, 1/4"	BSF	...	...	...	...	...	...	Med.TS	C	
28M/13809	A27/UT	Nut, thin, 7/8"	BSF	...	...	...	...	...	...	Med.TS	C	
28M/9129524	A29/BP	Nut, plain, 4 BA	...	...	...	...	...	...	...	Alum. Alloy	C	
28M/13324	A29/CP	Nut, plain, 2 BA	...	...	...	...	...	...	...	Alum. Alloy	C	
28M/13376	A29/EP	Nut, plain, 1"	BSF	...	...	...	...	...	...	Alum. Alloy	C	
28M/13717	A29/GP	Nut, plain, 1/16"	BSF	...	...	...	...	...	...	Alum. Alloy	C	
28M/1011509	A29/JP	Nut, plain, 3/16"	BSF	...	...	...	...	...	...	Alum. Alloy	C	
28M/13879	A29/NP	Nut, plain, 1/8"	BSF	...	...	...	...	...	...	Alum. Alloy	C	
28M/9403517	A47/Z	Nut, plain, 8 BA	...	...	...	...	...	...	...	MS	C	
28M/9131100	A48/Z	Nut, plain, 8 BA	...	...	...	...	...	...	...	MS	C	
28M/1006962	A53/Z	Nut, plain, 8 BA	...	...	...	...	...	...	...	Brass	C	
28M/9136152	A54/B	Nut, plain, 4 BA	...	...	...	...	...	...	...	Brass	C	
28M/9129528	A54/C	Nut, plain, 2 BA	...	...	...	...	...	...	...	Brass	C	
28M/13935	A58/ES	Nut, thin, slotted, 1/4"	BSF	...	...	...	...	...	...	HTS	C	
28M/14537	A58/GS	Nut, thin, slotted, 5/16"	BSF	...	...	...	...	...	...	HTS	C	
28M/15199	A58/JS	Nut, thin, slotted, 3/8"	BSF	...	...	...	...	...	...	HTS	C	
28M/14833	A58/LS	Nut, thin, slotted, 7/16"	BSF	...	...	...	...	...	...	HTS	C	
28M/14555	A58/NS	Nut, thin, slotted, 1"	BSF	...	...	...	...	...	...	HTS	C	
28M/	A58/ET	Nut, thin, plain, 1/4"	BSF	...	...	...	...	...	...	HTS	C	
28M/14877	A58/GT	Nut, thin, plain, 5/16"	BSF	...	...	...	...	...	...	HTS	C	

SUMMARY OF STANDARD ITEMS

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
28M/14440	A58/JT	Nut, thin, plain, 3/8" BSF	...	HTS	C	
28M/15496	A58/LT	Nut, thin, plain, 7/16" BSF	...	HTS	C	
28M/1202769	A58/NT	Nut, thin, plain, 1/2" BSF	...	HTS	C	
28M/9419540	A103/DT	Nut, thin, UNF, No. 10	...	HTS	C	
28M/9416088	A105/ET	Nut, thin, 1/4" UNF	...	HTS	C	
28M/9438425	A125/J	Nut, stiff, 3/8" UNF	...	HTS	C	
28M/1097256	A132/D	Nut, thin, No. 10 UNF	...	Brass or Bronze	C	
26M/803	AGS.120/A	Nut, wing, 1/4" BSF	...	Brass	C	
28F/1013780	AGS.838/4	Nut, union	...	Alum. Alloy	C	
28F/1037653	AGS.838/13	Nut, union and bush, assembly	...	—	C	
28M/6510	AGS.957/C	Nut, union, 3/8" BSP	...	Light Alloy	C	
28F/9453689	AGS.1148/A	Nut, thin, 1/8" BSP	...	Light Alloy	C	
28F/1010558	AGS.1148/B	Nut, thin, 1/8" BSP	...	Light Alloy	C	
28F/9128915	AGS.1148/C	Nut, thin, 3/8" BSP	...	Light Alloy	C	
28F/1011895	AGS.1148/D	Nut, thin, 1/2" BSP	...	Light Alloy	C	
28F/1013602	AGS.1148/E	Nut, thin, 3/8" BSP	...	Light Alloy	C	
28F/10490	AGS.1148/F	Nut, thin, 1/4" BSP	...	Light Alloy	C	
28F/9155154	AGS.1148/H	Nut, thin, 1" BSP	...	Light Alloy	C	
5K/87	AGS.1658/0	Nut, cable gland	...	—	C	
5K/88	AGS.1658/1	Nut, cable gland	...	—	C	
5K/89	AGS.1658/1A	Nut, cable gland	...	—	C	
5K/90	AGS.1658/2	Nut, cable gland	...	—	C	
5K/92	AGS.1658/3	Nut, cable gland	...	—	C	
28M/10286	AGS.2001/A/1	Nut, stiff, 6 BA	...	MS	C	
28M/10279	AGS.2001/A/3	Nut, stiff, 6 BA	...	Light Alloy	C	
28M/10273	AGS.2001/A/4	Nut, stiff, 6 BA	...	Brass or Bronze	C	
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	...	MS	C	
28M/1956039	AGS.2001/B/3	Nut, stiff, 4 BA	...	Light Alloy	C	
28M/10274	AGS.2001/B/4	Nut, stiff, 4 BA	...	Brass or Bronze	C	
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	...	MS	C	
28M/9436836	AGS.2001/C/2	Nut, stiff, 2 BA	...	Steel	C	
28M/10281	AGS.2001/C/3	Nut, stiff, 2 BA	...	Light Alloy	C	
28M/10290	AGS.2001/E/1	Nut, stiff, 1/4" BSF	...	MS	C	
28M/10299	AGS.2001/E/2	Nut, stiff, 1/4" BSF	...	Steel	C	
28M/10291	AGS.2001/G/1	Nut, stiff, 7/16" BSF	...	MS	C	
28M/1220743	AGS.2001/G/4	Nut, stiff, 3/8" BSF	...	Brass or Bronze	C	
28M/10292	AGS.2001/J/1	Nut, stiff, 3/8" BSF	...	MS	C	
28M/10293	AGS.2001/L/1	Nut, stiff, 1/2" BSF	...	MS	C	
28M/9508679	AGS.2001/N/1	Nut, stiff, 1/2" BSF	...	MS	C	
28M/10303	AGS.2001/N/2	Nut, stiff, 1/2" BSF	...	Steel	C	
28M/10326	AGS.2002/A/1	Nut, stiff, thin, 6 BA	...	MS	C	
28M/10317	AGS.2002/A/3	Nut, stiff, thin, 6 BA	...	Light Alloy	C	
28M/10327	AGS.2002/B/1	Nut, stiff, thin, 4 BA	...	MS	C	
28M/10338	AGS.2002/B/2	Nut, stiff, thin, 4 BA	...	Steel	C	
28M/10318	AGS.2002/B/3	Nut, stiff, thin, 4 BA	...	Light Alloy	C	
28M/10309	AGS.2002/B/4	Nut, stiff, thin, 4 BA	...	Brass or Bronze	C	
28M/9433473	AGS.2002/C/1	Nut, stiff, thin, 2 BA	...	MS	C	
28M/10339	AGS.2002/C/2	Nut, stiff, thin, 2 BA	...	Steel	C	
28M/10319	AGS.2002/C/3	Nut, stiff, thin, 2 BA	...	Light Alloy	C	
28M/7002430	AGS.2002/E/1	Nut, stiff, thin, 1/4" BSF	...	MS	C	
28M/10340	AGS.2002/E/2	Nut, stiff, thin, 1/4" BSF	...	Steel	C	
28M/10320	AGS.2002/E/3	Nut, stiff, thin, 1/4" BSF	...	Light Alloy	C	

LIGHTNING F. MK. 2 AND MK. 2A

SUMMARY OF STANDARD ITEMS

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
28M/12344	AGS.2002/E/4	Nut, stiff, thin, 1/4" BSF	...	Brass or Bronze	C	
28M/7002431	AGS.2002/G/1	Nut, stiff, thin, 5/16" BSF	...	MS	C	
28M/10312	AGS.2002/G/4	Nut, stiff, thin, 5/16" BSF	...	Brass or Bronze	C	
28M/10322	AGS.2002/J/1	Nut, stiff, thin, 3/8" BSF	...	MS	C	
28M/10323	AGS.2002/J/3	Nut, stiff, thin, 3/8" BSF	...	Light Alloy	C	
28M/10560	AGS.2002/J/4	Nut, stiff, thin, 3/8" BSF	...	Brass or Bronze	C	
28M/10333	AGS.2002/L/1	Nut, stiff, thin, 7/16" BSF	...	MS	C	
28M/9636	AGS.2003/B/1	Nut, stiff, 4 BA	...	MS	C	
28M/9637	AGS.2003/C/1	Nut, stiff, 2 BA	...	MS	C	
28M/9638	AGS.2003/E/1	Nut, stiff, 1/4" BSF	...	MS	C	
28M/9435559	AGS.2007/A/1	Nut, stiff, thick, double anchor, 6 BA	...	MS	C	
28M/9434253	AGS.2007/B/1	Nut, stiff, thick, double anchor, 4 BA	...	Light Alloy	—	
28M/12099	AGS.2007/B/3	Nut, stiff, thick, double anchor, 4 BA	...	MS	C	
28M/11957	AGS.2007/C/1	Nut, stiff, thick, double anchor, 2 BA	...	Alum. Alloy	C	
28M/12340	AGS.2007/C/2	Nut, stiff, thick, double anchor, 2 BA	...	MS	C	
28M/12050	AGS.2007/C/3	Nut, stiff, thick, double anchor, 2 BA	...	Steel	C	
28M/9435560	AGS.2007/E/1	Nut, stiff, thick, double anchor, 1/4" BSF	...	Alum. Alloy	C	
28M/14521	AGS.2007/E/3	Nut, stiff, thick, double anchor, 1/4" BSF	...	MS	C	
28M/9435561	AGS.2007/G/1	Nut, stiff, thick, double anchor, 5/16" BSF	...	MS	C	
28M/9435562	AGS.2007/J/1	Nut, stiff, thick, double anchor, 3/8" BSF	...	MS	C	
28M/9435564	AGS.2007/N/1	Nut, stiff, thick, double anchor, 1/2" BSF	...	MS	C	
28M/9435066	AGS.2008/A/1	Nut, stiff, thin, double anchor, 6 BA	...	MS	C	
28M/9434251	AGS.2008/B/1	Nut, stiff, thin, double anchor, 4 BA	...	MS	C	
28M/10211	AGS.2008/B/3	Nut, stiff, thin, double anchor, 4 BA	...	Alum. Alloy	C	
28M/9435067	AGS.2008/C/1	Nut, stiff, thin, double anchor, 2 BA	...	MS	C	
28M/9149459	AGS.2008/C/2	Nut, stiff, thin, double anchor, 2 BA	...	Steel	C	
28M/9435966	AGS.2008/C/3	Nut, stiff, thin, double anchor, 2 BA	...	Alum. Alloy	C	
28M/9435068	AGS.2008/E/1	Nut, stiff, thin, double anchor, 1/4" BSF	...	MS	C	
28M/10224	AGS.2008/E/2	Nut, stiff, thin, double anchor, 1/4" BSF	...	Steel	C	
28M/9519268	AGS.2019/B/3	Nut, stiff, thin, single anchor, 4 BA	...	Light Alloy	C	
28M/15234	AGS.2019/C/3	Nut, stiff, thin, single anchor, 2 BA	...	Light Alloy	C	
28M/13481	AGS.2020/C/1	Nut, stiff, c'sk, single anchor, 2 BA	...	—	—	
28M/15337	AGS.2020/E/1	Nut, stiff, c'sk, single anchor, 1/4" BSF	...	MS	C	
28M/17952	AGS.2020/G/1	Nut, stiff, c'sk, single anchor, 5/16" BSF	...	MS	C	
28M/15819	AGS.2021/B/1	Nut, stiff, cap, 4 BA	...	MS	C	
28M/13264	AGS.2021/C/1	Nut, stiff, cap, 2 BA	...	MS	C	
28M/15462	AGS.2021/C/3	Nut, stiff, cap, 2 BA	...	Light Alloy	C	
28M/13557	AGS.2022/C/1	Nut	...	—	—	
28M/9137400	AGS.2002/E/1	Nut	...	—	—	
28M/14216	AGS.2023/B/1	Nut, stiff	...	MS	C	
28M/14216	AGS.2023/C/1	Nut, stiff	...	MS	C	
28M/14216	AGS.2023/E/1	Nut, stiff	...	MS	C	
28F/1037452	AS.8599	Nut, union and bush assembly	...	—	—	
10H/0970120	Z.49028	Nut	...	—	—	
10H/0970120	Z.49075	Nut	...	—	—	
10H/0970119	Z.49083	Nut	...	—	—	
5X/	Z.49134	Nut	...	—	—	
5X/6425	Z.49144	Nut	...	—	—	
5X/	Z.61539	Nut	...	—	—	
5X/6296	Z.61543 1/2	Nut	...	—	—	
5X/6296	Z.61545	Nut	...	—	—	

SUMMARY OF STANDARD ITEMS

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6	7				
5939/99/												
940/8669	Z.71253	Nut	...	...	...	...	...	...	...	—	C	
5X/	Z.111052	Nut	...	...	...	...	...	...	...	—	C	
5X/7401	Z.111576	Nut	...	...	...	...	...	...	...	—	C	
5X/7403	Z.111578	Nut	...	...	...	...	...	...	...	—	C	
5X/8416	Z.111755	Nut	...	...	...	...	...	...	...	—	C	
5X/9361	Z.138574	Nut	...	...	...	...	...	...	...	—	C	
5X/	Z.138738	Nut	...	...	...	...	...	...	...	—	C	
10H/0970061	CZ.49178	Outlet, straight	...	...	...	...	...	...	...	—	C	
10H/0970068	CZ.49179	Outlet, angle	...	...	...	...	...	...	...	—	C	
10H/0970062	CZ.49180	Outlet, straight	...	...	...	...	...	...	...	—	C	
10H/0970069	CZ.49181	Outlet, angle	...	...	...	...	...	...	...	—	C	
10H/0970067	CZ.49186	Outlet, straight	...	...	...	...	...	...	...	—	C	
10H/0970074	CZ.49187	Outlet, angle	...	...	...	...	...	...	...	—	C	
10H/0970071	CZ.50748	Outlet, angle	...	...	...	...	...	...	...	—	C	
10H/0970073	CZ.50784	Outlet, angle	...	...	...	...	...	...	...	—	C	
10H/0970063	CZ.51528	Outlet, straight	...	...	...	...	...	...	...	—	C	
10H/0970070	CZ.51529	Outlet, angle	...	...	...	...	...	...	...	—	C	
10H/94315876	CZ.62969	Outlet	...	...	...	...	...	...	...	—	C	
10H/0119116	508/2/07639/003	Outlet	...	...	...	...	...	...	...	—	C	
10H/0119121	508/2/07645/003	Outlet	...	...	...	...	...	...	...	—	C	
10H/0119199	508/2/07654/003	Outlet	...	...	...	...	...	...	...	—	C	
10H/0119125	508/2/07653/003	Outlet	...	...	...	...	...	...	...	—	C	
10H/	Z.50786	Outlet	...	...	...	...	...	...	...	—	C	
10H/0119117	508/2/07603/003	Outlet	...	...	...	...	...	...	...	—	C	
10H/0119124	508/2/07652/003	Outlet	...	...	...	...	...	...	...	—	C	
10H/	2CZ.111477	Outlet	...	...	...	...	...	...	...	—	C	
10H/	2CZ.111478	Outlet	...	...	...	...	...	...	...	—	C	
10H/	2CZ.139420/4	Outlet	...	...	...	...	...	...	...	—	C	
10H/	2CZ.139420/8	Outlet	...	...	...	...	...	...	...	—	C	
10H/	Z.111636	Outlet	...	...	...	...	...	...	...	—	C	
10H/	508/1/00631/001	Outlet, angle	...	...	...	...	...	...	...	—	C	
10H/	508/1/00650/001	Outlet, angle	...	...	...	...	...	...	...	—	C	
10H/	508/1/00717/002	Outlet, angle	...	...	...	...	...	...	...	—	C	
10H/	508/1/00726/002	Outlet, angle	...	...	...	...	...	...	...	—	C	
10H/	508/1/00726/009	Outlet, angle	...	...	...	...	...	...	...	—	C	
10H/	508/1/00726/013	Outlet, angle	...	...	...	...	...	...	...	—	C	
10H/	508/1/00645/00/003	Outlet, and nut, assembly	...	...	...	...	...	...	...	—	C	
10H/	508/1/00648/00/009	Outlet, and nut, assembly	...	...	...	...	...	...	...	—	C	
10H/	508/1/00650/00/009	Outlet, and nut, assembly	...	...	...	...	...	...	...	—	C	
10H/	508/1/00650/00/012	Outlet, and nut, assembly	...	...	...	...	...	...	...	—	C	
5X/9450403	Z.28426	Pillar, fixing	...	...	...	...	...	...	...	—	C	
28FP/824	5134/524	Pin, 'pip', quick release	...	...	...	...	...	...	...	—	C	
28FP/924	AGS.2107/304	Pin, 'pip', quick release	...	...	...	...	...	...	...	—	C	
28FP/7002000	A.403	Pin, 'pip', quick release	...	...	...	...	...	...	...	—	C	
28FP/9485292	A.405	Pin, 'pip', quick release	...	...	...	...	...	...	...	—	C	
28FP/9469299	A.409	Pin, 'pip', quick release	...	...	...	...	...	...	...	—	C	
28FP/9713920	A.411	Pin, 'pip', quick release	...	...	...	...	...	...	...	—	C	
28FP/9432062	A.413	Pin, 'pip', quick release	...	...	...	...	...	...	...	—	C	
28FP/10	A.417	Pin, 'pip', quick release	...	...	...	...	...	...	...	—	C	
28FP/9482442	A.419	Pin, 'pip', quick release	...	...	...	...	...	...	...	—	C	
28FP/1471	A.425	Pin, 'pip', quick release	...	...	...	...	...	...	...	—	C	
28FP/9521098	A508	Pin, 'pip', quick release	...	...	...	...	...	...	...	—	C	

LIGHTNING F. MK. 2 AND MK. 2A

SUMMARY OF STANDARD ITEMS

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6	7				
28FP/20	A.516	Pin, 'pip', quick release	...	...	...	...	...	...	—	C		
28FP/27	A.613	Pin, 'pip', quick release	...	...	...	...	...	...	—	C		
28FP/29	A.617	Pin, 'pip', quick release	...	...	...	...	...	...	—	C		
28FP/9433677	A.619	Pin, 'pip', quick release	...	...	...	...	...	...	—	C		
28FP/9432063	A.809	Pin, 'pip', quick release	...	...	...	...	...	...	—	C		
28FP/9489648	A.811	Pin, 'pip', quick release	...	...	...	...	...	...	—	C		
28FP/48	A.916	Pin, 'pip', quick release	...	...	...	...	...	...	—	C		
28FP/9513104	A.1011	Pin, 'pip', quick release	...	...	...	...	...	...	—	C		
28FP/53	A.1031	Pin, 'pip', quick release	...	...	...	...	...	...	—	C		
28FP/712	A.1214	Pin, 'pip', quick release	...	...	...	...	...	...	—	C		
28FP/9482447	A.1218	Pin, 'pip', quick release	...	...	...	...	...	...	—	C		
28FP/1264	S.5258	Pin, special variable, quick release	...	...	...	...	...	...	—	C		
28FP/918	AS.2434/16	Pin, quick release	...	...	...	...	...	...	—	C		
28FP/	AS.2434/48	Pin, quick release	...	...	...	...	...	...	—	C		
28FP/978	AS.2438/36	Pin, quick release	...	...	...	...	...	...	—	C		
28P/1203	AGS.166/2	Pin, split, $\frac{1}{16}$ " dia. x $\frac{3}{4}$ " long	...	...	...	...	...	...	MS	C		
28P/1213	AGS.166/4	Pin, split, $\frac{1}{16}$ " dia. x $1\frac{1}{4}$ " long	...	...	...	...	...	...	MS	C		
28P/1219	AGS.166/5	Pin, split, $\frac{1}{16}$ " dia. x $1\frac{1}{2}$ " long	...	...	...	...	...	...	MS	C		
28P/1283	AGS.167/12	Pin, taper, $\frac{3}{32}$ " dia. x $\frac{3}{4}$ " long	...	...	...	...	...	...	MS	C		
28P/9702453	AGS.1551/2	Pin, locking, 0".85 long	...	...	...	...	...	...	—	C		
28P/9713016	AGS.1551/3	Pin, locking, 1".15 long	...	...	...	...	...	...	—	C		
5X/7226	HC.1281	Pin, taper	...	...	...	...	...	...	—	C		
5X/7227	HC.1282	Pin, taper	...	...	...	...	...	...	—	C		
28P/1009706	SP4Y/A2	Pin, shackle, $\frac{5}{32}$ " dia. x 0".3 long	...	...	...	...	...	...	Steel	C		
28P/7002435	SP4Y/A3	Pin, shackle, $\frac{5}{32}$ " dia. x 0".35 long	...	...	...	...	...	...	Steel	C		
28P/814	SP4Y/A4	Pin, shackle, $\frac{5}{32}$ " dia. x 0".4 long	...	...	...	...	...	...	Steel	C		
28P/815	SP4Y/A5	Pin, shackle, $\frac{5}{32}$ " dia. x 0".45 long	...	...	...	...	...	...	Steel	C		
28P/1207868	SP4Y/A8	Pin, shackle, $\frac{5}{32}$ " dia. x 0".6 long	...	...	...	...	...	...	Steel	C		
28P/1207869	SP4Y/A9	Pin, shackle, $\frac{5}{32}$ " dia. x 0".65 long	...	...	...	...	...	...	Steel	C		
28P/824	SP4Y/A14	Pin, shackle, $\frac{5}{32}$ " dia. x 0".9 long	...	...	...	...	...	...	Steel	C		
28P/826	SP4Y/A16	Pin, shackle, $\frac{5}{32}$ " dia. x 1".0 long	...	...	...	...	...	...	Steel	C		
28P/7002433	SP4Y/B1	Pin, shackle, $\frac{3}{16}$ " dia. x 0".25 long	...	...	...	...	...	...	Steel	C		
28P/9446312	SP4Y/B3	Pin, shackle, $\frac{3}{16}$ " dia. x 0".35 long	...	...	...	...	...	...	Steel	C		
28P/1207864	SP4Y/B4	Pin, shackle, $\frac{3}{16}$ " dia. x 0".4 long	...	...	...	...	...	...	Steel	C		
28P/831	SP4Y/B5	Pin, shackle, $\frac{3}{16}$ " dia. x 0".45 long	...	...	...	...	...	...	Steel	C		
28P/832	SP4Y/B6	Pin, shackle, $\frac{3}{16}$ " dia. x 0".5 long	...	...	...	...	...	...	Steel	C		
28P/833	SP4Y/B7	Pin, shackle, $\frac{3}{16}$ " dia. x 0".55 long	...	...	...	...	...	...	Steel	C		
28P/1013114	SP4Y/B8	Pin, shackle, $\frac{3}{16}$ " dia. x 0".6 long	...	...	...	...	...	...	—	C		
28P/9525920	SP4Y/B10	Pin, shackle, $\frac{3}{16}$ " dia. x 0".7 long	...	...	...	...	...	...	Steel	C		
28P/1207870	SP4Y/B11	Pin, shackle, $\frac{3}{16}$ " dia. x 0".75 long	...	...	...	...	...	...	Steel	C		
28P/1012221	SP4Y/B13	Pin, shackle, $\frac{3}{16}$ " dia. x 0".8 long	...	...	...	...	...	...	Steel	C		
28P/839	SP4Y/B13	Pin, shackle, $\frac{3}{16}$ " dia. x 0".85 long	...	...	...	...	...	...	Steel	C		
28P/842	SP4Y/B16	Pin, shackle, $\frac{3}{16}$ " dia. x 1".0 long	...	...	...	...	...	...	Steel	C		
28P/1011186	SP4Y/B17	Pin, shackle, $\frac{3}{16}$ " dia. x 1".1 long	...	...	...	...	...	...	Steel	C		
28P/1013110	SP4Y/B18	Pin, shackle, $\frac{3}{16}$ " dia. x 1".2 long	...	...	...	...	...	...	Steel	C		
28P/1013113	SP4Y/B21	Pin, shackle, $\frac{3}{16}$ " dia. x 1".5 long	...	...	...	...	...	...	Steel	C		
28P/1026	SP4Y/B24	Pin, shackle, $\frac{3}{16}$ " dia. x 1".8 long	...	...	...	...	...	...	Steel	C		
28P/845	SP4Y/C3	Pin, shackle, $\frac{7}{32}$ " dia. x 0".35 long	...	...	...	...	...	...	Steel	C		
28P/847	SP4Y/C5	Pin, shackle, $\frac{7}{32}$ " dia. x 0".45 long	...	...	...	...	...	...	Steel	C		
28P/849	SP4Y/C7	Pin, shackle, $\frac{7}{32}$ " dia. x 0".55 long	...	...	...	...	...	...	Steel	C		
28P/854	SP4Y/C12	Pin, shackle, $\frac{7}{32}$ " dia. x 0".8 long	...	...	...	...	...	...	Steel	C		
28P/1032	SP4Y/C20	Pin, shackle, $\frac{7}{32}$ " dia. x 1".4 long	...	...	...	...	...	...	Steel	C		
28P/862	SP4Y/D4	Pin, shackle, $\frac{1}{4}$ " dia. x 0".4 long	...	...	...	...	...	...	Steel	C		
28P/9476399	SP4Y/D5	Pin, shackle, $\frac{1}{4}$ " dia. x 0".45 long	...	...	...	...	...	...	Steel	C		
28P/865	SP4Y/D7	Pin, shackle, $\frac{1}{4}$ " dia. x 0".55 long	...	...	...	...	...	...	Steel	C		
28P/9483204	SP4Y/D10	Pin, shackle, $\frac{1}{4}$ " dia. x 0".7 long	...	...	...	...	...	...	Steel	C		
28P/7000186	SP4Y/D11	Pin, shackle, $\frac{1}{4}$ " dia. x 0".75 long	...	...	...	...	...	...	Steel	C		

SUMMARY OF STANDARD ITEMS

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6	7				
28P/870	SP4Y/D12	Pin, shackle,	$\frac{1}{4}$ "	dia. x	0".8	long	...	...	...	Steel	C	
28P/871	SP4Y/D13	Pin, shackle,	$\frac{1}{4}$ "	dia. x	0".85	long	...	...	...	Steel	C	
28P/1016863	SP4Y/D14	Pin, shackle,	$\frac{1}{4}$ "	dia. x	0".9	long	...	...	...	Steel	C	
28P/873	SP4Y/D15	Pin, shackle,	$\frac{1}{4}$ "	dia. x	0".95	long	...	...	...	Steel	C	
28P/9429529	SP4Y/D17	Pin, shackle,	$\frac{1}{4}$ "	dia. x	1".1	long	...	...	...	Steel	C	
28P/1040	SP4Y/D18	Pin, shackle,	$\frac{1}{4}$ "	dia. x	1".2	long	...	...	...	Steel	C	
28P/9129637	SP4Y/C20	Pin, shackle,	$\frac{1}{4}$ "	dia. x	1".4	long	...	...	...	Steel	C	
28P/1043	SP4Y/D21	Pin, shackle,	$\frac{1}{4}$ "	dia. x	1".5	long	...	...	...	Steel	C	
28P/9016037	SP4Y/F10	Pin, shackle,	$\frac{5}{16}$ "	dia. x	0".7	long	...	...	...	Steel	C	
28P/1013108	SP4Y/F18	Pin, shackle,	$\frac{5}{16}$ "	dia. x	1".2	long	...	...	...	Steel	C	
28P/1013112	SP4Y/F19	Pin, shackle,	$\frac{5}{16}$ "	dia. x	1".3	long	...	...	...	Steel	C	
28P/9513996	SP4Y/H13	Pin, shackle,	$\frac{3}{8}$ "	dia. x	0".85	long	...	...	...	Steel	C	
28P/9145873	SP4Y/H23	Pin, shackle,	$\frac{3}{8}$ "	dia. x	1".7	long	...	...	...	Steel	C	
28P/1106	SP4Y/H24	Pin, shackle,	$\frac{3}{8}$ "	dia. x	1".8	long	...	...	...	Steel	C	
28P/19265	SP4Y/M8	Pin, shackle,	$\frac{1}{2}$ "	dia. x	0".6	long	...	...	...	Steel	C	
28P/19266	SP4Y/M9	Pin, shackle,	$\frac{1}{2}$ "	dia. x	0".65	long	...	...	...	Steel	C	
28P/1002	SP4Y/M16	Pin, shackle,	$\frac{1}{2}$ "	dia. x	1".0	long	...	...	...	Steel	C	
28P/9513997	SP4Z/A1	Pin, shackle,	$\frac{5}{32}$ "	dia. x	0".25	long	...	...	...	S. Steel	C	
28P/5489	SP4Z/A2	Pin, shackle,	$\frac{5}{32}$ "	dia. x	0".3	long	...	...	...	S. Steel	C	
28P/5490	SP4Z/A3	Pin, shackle,	$\frac{5}{32}$ "	dia. x	0".35	long	...	...	...	S. Steel	C	
28P/16019	SP4Z/A5	Pin, shackle,	$\frac{5}{32}$ "	dia. x	0".45	long	...	...	...	S. Steel	C	
28P/12797	SP4Z/A13	Pin, shackle,	$\frac{5}{32}$ "	dia. x	0".85	long	...	...	...	S. Steel	C	
28P/16587	SP4Z/A15	Pin, shackle,	$\frac{5}{32}$ "	dia. x	0".95	long	...	...	...	S. Steel	C	
28P/5806240	SP4Z/B3	Pin, shackle,	$\frac{3}{16}$ "	dia. x	0".35	long	...	...	...	S. Steel	C	
28P/1014687	SP4Z/B5	Pin, shackle,	$\frac{3}{16}$ "	dia. x	0".45	long	...	...	...	S. Steel	C	
28P/5511	SP4Z/D11	Pin, shackle,	$\frac{3}{16}$ "	dia. x	0".75	long	...	...	...	S. Steel	C	
28P/16616	SP4Z/D22	Pin, shackle,	$\frac{1}{4}$ "	dia. x	1".6	long	...	...	...	S. Steel	C	
28P/18875	SP4Z/D28	Pin, shackle,	$\frac{1}{4}$ "	dia. x	2".4	long	...	...	...	S. Steel	C	
28P/19373	SP90/A3	Pin, cotter, split,	$\frac{1}{32}$ "	dia. x	$\frac{3}{8}$ "	long	...	...	...	—	C	
		(Was SP9/A3 Ref. 28P/1007947)										
28P/13331	SP9/A6	Pin, cotter, split,	$\frac{1}{32}$ "	dia. x	$\frac{1}{4}$ "	long	...	...	...	—	C	
28P/1209482	SP90/A8	Pin, cotter, split,	$\frac{1}{32}$ "	dia. x	1"	long	...	...	...	—	C	
		(Was SP9/A8 Ref. 28P/14702)										
28P/19750	SP90/B4	Pin, cotter, split,	$\frac{3}{64}$ "	dia. x	$\frac{1}{2}$ "	long	...	...	...	—	C	
		(Was SP9/B4 Ref. 28P/1007740)										
28P/1207920	SP90/B5	Pin, cotter, split,	$\frac{3}{64}$ "	dia. x	$\frac{3}{8}$ "	long	...	...	...	—	C	
		(Was SP9/B5 Ref. 28P/13563)										
28P/12410	SP9/B8	Pin, cotter, split,	$\frac{3}{64}$ "	dia. x	1"	long	...	...	...	—	C	
28P/9710567	SP90/C4	Pin, cotter, split,	$\frac{1}{16}$ "	dia. x	$\frac{1}{2}$ "	long	...	...	...	—	C	
		(Was SP9/C4 Ref. 28P/1202460)										
28P/9486478	SP90/C5	Pin, cotter, split,	$\frac{1}{16}$ "	dia. x	$\frac{3}{4}$ "	long	...	...	...	—	C	
		(Was SP9/C5 Ref. 28P/9429619)										
28P/19227	SP90/C6	Pin, cotter, split,	$\frac{1}{16}$ "	dia. x	$\frac{3}{4}$ "	long	...	...	...	—	C	
		(Was SP9/C6 Ref. 28P/1006943)										
28P/19228	SP90/C8	Pin, cotter, split,	$\frac{1}{16}$ "	dia. x	1"	long	...	...	...	—	C	
		(Was SP9/C8 Ref. 28P/1007741)										
28P/20173	SP90/C10	Pin, cotter, split,	$\frac{1}{16}$ "	dia. x	1 $\frac{1}{4}$ "	long	...	...	...	—	C	
		(Was SP9/C10 Ref. 28P/1011031)										
28P/1220716	SP90/E4	Pin, cotter, split,	$\frac{3}{32}$ "	dia. x	$\frac{1}{2}$ "	long	...	...	...	—	C	
		(Was SP9/E4 Ref. 28P/1011033)										
28P/19175	SP90/E5	Pin, cotter, split,	$\frac{3}{32}$ "	dia. x	$\frac{3}{4}$ "	long	...	...	...	—	C	
		(Was SP9/E5 Ref. 28P/1007739)										
28P/19233	SP90/E6	Pin, cotter, split,	$\frac{3}{32}$ "	dia. x	$\frac{3}{4}$ "	long	...	...	...	—	C	
		(Was SP9/E6 Ref. 28P/12262)										

LIGHTNING F. MK. 2 AND MK. 2A

SUMMARY OF STANDARD ITEMS

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
28P/19234	SP90/E8	Pin, cotter, split, $\frac{3}{32}$ " dia. x 1" long ... (Was SP9/E8 Ref. 28P/1202461)	...	—	C	
28P/19235	SP90/E10	Pin, cotter, split, $\frac{3}{32}$ " dia. x $1\frac{1}{4}$ " long ... (Was SP9/E10 Ref. 28P/9429652)	...	—	C	
28P/19155	SP90/E12	Pin, cotter, split, $\frac{3}{32}$ " dia. x $1\frac{1}{2}$ " long ... (Was SP9/E12 Ref. 28P/1011034)	...	—	C	
28P/19237	SP90/E16	Pin, cotter, split, $\frac{3}{32}$ " dia. x 2" long ... (Was SP9/E16 Ref. 28P/1011035)	...	—	C	
28P/19176	SP90/G6	Pin, cotter, split, $\frac{1}{8}$ " dia. x $\frac{3}{4}$ " long ... (Was SP9/G6 Ref. 28P/12364)	...	—	C	
28P/9528015	SP90/G8	Pin, cotter, split, $\frac{1}{8}$ " dia. x 1" long ... (Was SP9/G8 Ref. 28P/1011036)	...	—	C	
28P/19157	SP90/G10	Pin, cotter, split, $\frac{1}{8}$ " dia. x $1\frac{1}{4}$ " long ... (Was SP9/G10 Ref. 28P/12464)	...	—	C	
28P/19196	SP90/G14	Pin, cotter, split, $\frac{1}{8}$ " dia. x $1\frac{3}{4}$ " long ... (Was SP9/G14 Ref. 28P/13143)	...	—	C	
28P/13743	SP9/G24	Pin, cotter, split, $\frac{1}{8}$ " dia. x 3" long ...	...	—	C	
28P/1220819	SP90/H8	Pin, cotter, split, $\frac{5}{32}$ " dia. x 1" long ... (Was SP9/H8 Ref. 28P/13328)	...	—	C	
28P/1011083	SP9/H10	Pin, cotter, split, $\frac{5}{32}$ " dia. x $1\frac{1}{4}$ " long ...	...	—	C	
28P/1011084	SP9/H14	Pin, cotter, split, $\frac{5}{32}$ " dia. x $1\frac{3}{4}$ " long ...	...	—	C	
28P/9554645	SP90/K10	Pin, cotter, split, $\frac{3}{16}$ " dia. x $1\frac{1}{4}$ " long ... (Was SP9/K10 Ref. 28P/13329)	...	—	C	
28P/1202463	SP9/K12	Pin, cotter, split, $\frac{3}{16}$ " dia. x $1\frac{1}{2}$ " long ...	...	—	C	
28P/14888	SP9/K14	Pin, cotter, split, $\frac{3}{16}$ " dia. x $1\frac{3}{4}$ " long ...	...	—	C	
28P/12408	SP9/K16	Pin, cotter, split, $\frac{3}{16}$ " dia. x 2" long ...	...	—	C	
28P/12409	SP9/K24	Pin, cotter, split, $\frac{3}{16}$ " dia. x 3" long ...	...	—	C	
28P/19319	SP90/L8	Pin, cotter, split, $\frac{1}{4}$ " dia. x 1" long ... (Was SP9/L8 Ref. 28P/9706955)	...	—	C	
28P/9429654	SP28/E4	Pin, taper, $\frac{1}{16}$ " dia. x $\frac{1}{2}$ " long ...	...	HTS	C	
28P/9451503	SP28/E6	Pin, taper, $\frac{1}{16}$ " dia. x $\frac{3}{4}$ " long ...	...	HTS	C	
28P/9014825	SP28/E10	Pin, taper, $\frac{1}{16}$ " dia. x $1\frac{1}{4}$ " long ...	...	HTS	C	
28P/9524884	SP28/G6	Pin, taper, $\frac{3}{32}$ " dia. x $\frac{3}{4}$ " long ...	...	HTS	C	
28P/1011099	SP28/G8	Pin, taper, $\frac{3}{32}$ " dia. x 1" long ...	...	HTS	C	
28P/1221028	SP28/G10	Pin, taper, $\frac{3}{32}$ " dia. x $1\frac{1}{4}$ " long ...	...	HTS	C	
28P/1008610	SP28/H6	Pin, taper, $\frac{1}{8}$ " dia. x $\frac{3}{4}$ " long ...	...	HTS	C	
28P/1010131	SP28/H8	Pin, taper, $\frac{1}{8}$ " dia. x 1" long ...	...	HTS	C	
28P/9703196	SP28/H10	Pin, taper, $\frac{1}{8}$ " dia. x $1\frac{1}{4}$ " long ...	...	HTS	C	
28P/1038918	SP28/H14	Pin, taper, $\frac{1}{8}$ " dia. x $1\frac{3}{4}$ " long ...	...	HTS	C	
28P/9157790	SP28/L8	Pin, taper, $\frac{3}{16}$ " dia. x 1" long ...	...	HTS	C	
28P/15706	SP28/L12	Pin, taper, $\frac{3}{16}$ " dia. x $1\frac{1}{2}$ " long ...	...	HTS	C	
28P/9861	SP29/G14	Pin, taper, $\frac{3}{32}$ " dia. x $1\frac{3}{4}$ " long ...	...	S. Steel	C	
28P/5328	SP29/H8	Pin, taper, $\frac{3}{8}$ " dia. x 1" long ...	...	S. Steel	C	
28P/1011123	SP29/H10	Pin, taper, $\frac{3}{8}$ " dia. x $1\frac{1}{4}$ " long ...	...	S. Steel	C	
28P/	SP30/G4	Pin, taper, $\frac{3}{16}$ " dia. x $\frac{1}{2}$ " long ...	...	Alum. Alloy	—	
28P/	SP30/G8	Pin, taper, $\frac{3}{16}$ " dia. x 1" long ...	...	Alum. Alloy	—	
28P/16266	SP31/K8	Pin, taper, split, $\frac{3}{16}$ " dia. x 1" long ...	...	HTS	C	
28P/19267	SP31/L20	Pin, taper, split, $\frac{3}{16}$ " dia. x $2\frac{1}{2}$ " long ...	...	HTS	C	
28P/17924	SP113/C6	Pin, shear, $\frac{3}{16}$ " dia. x 0".77 long ...	...	Steel	C	
28P/18837	SP113/E6 $\frac{1}{2}$	Pin, shear, $\frac{1}{4}$ " dia. x 0".82 long ...	...	Steel	C	
28P/18965	SP113/E9 $\frac{1}{2}$	Pin, shear, $\frac{1}{4}$ " dia. x 1".12 long ...	...	Steel	C	
28P/17193	SP113/E10	Pin, shear, $\frac{1}{4}$ " dia. x 1".17 long ...	...	Steel	C	
28P/9435558	SP113/E14	Pin, shear, $\frac{1}{4}$ " dia. x 1".57 long ...	...	Steel	C	
28P/20113	SP113/G14	Pin, shear, $\frac{5}{16}$ " dia. x 1".6 long ...	...	Steel	C	
28P/17511	SP113/G15	Pin, shear, $\frac{5}{16}$ " dia. x 1".7 long ...	...	Steel	C	
28P/9513991	SP113/JB $\frac{1}{2}$	Pin, shear, $\frac{3}{8}$ " dia. x 1".08 long ...	...	Steel	C	
28P/18055	SP113/J14	Pin, shear, $\frac{3}{8}$ " dia. x 1".63 long ...	...	Steel	C	
5X/	2Z.110402/2	Pin, plug ...	...	—	—	

SUMMARY OF STANDARD ITEMS

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
5X/	2Z.110427	Pin, plug	...	—	C	
5X/	2Z.110427/2	Pin, plug	...	—	C	
5X/	2Z.111033	Pin, plug	...	—	C	
5X/	2Z.111098	Pin, plug	...	—	C	
5X/	2Z.111100	Pin, plug	...	—	C	
5X/	2Z.139492	Pin, plug	...	—	C	
5X/	2Z.139492/2	Pin, plug	...	—	C	
5X/	2Z.139493	Pin, plug	...	—	C	
5X/	2Z.139493/2	Pin, plug	...	—	C	
5X/	2Z.139494	Pin, plug	...	—	C	
5X/	2Z.139495	Pin, plug	...	—	C	
5X/3238	Z.27323	Pin, plug	...	—	C	
5X/3242	Z.28147	Pin, plug	...	—	C	
5X/	Z.53003	Pin, plug	...	—	C	
5X/	41667	Pin, taper	...	—	C	
5X/	41673	Pin, taper	...	—	C	
	508/2/00406	Pin, plug	...	—	—	
	508/2/00409	Pin, plug	...	—	—	
	508/2/00208/001	Pin, plug	...	—	—	
	508/2/00208/002	Pin, plug	...	—	—	
	508/2/00209/001	Pin, plug	...	—	—	
	508/2/00209/002	Pin, plug	...	—	—	
	508/2/03547/002	Pin, plug	...	—	—	
	508/2/04651/001	Pin, plug	...	—	—	
	508/2/05604/002	Pin, plug	...	—	—	
28R/9133211	AGS.216/B	Plug, flanged, 1/4" BSP	...	Brass	C	
28R/7825	AGS.566/F	Plug, 3/8" BSP	...	Light Alloy	C	
28R/8011898	AGS.948/A	Plug, flanged, 1/8" BSP	...	Light Alloy	C	
28R/9711759	AGS.948/C	Plug, flanged, 1/8" BSP	...	Light Alloy	C	
28F/1011814	AGS.1140/A	Plug, nipple, 1/8" BSP	...	Light Alloy	C	
28F/9439950	AGS.1140/B	Plug, nipple, 1/8" BSP	...	Light Alloy	C	
28F/8011895	AGS.1140/D	Plug, nipple, 1/8" BSP	...	Light Alloy	C	
28F/1011816	AGS.1140/F	Plug, nipple, 3/8" BSP	...	Light Alloy	C	
28F/1011817	AGS.1140/G	Plug, nipple, 7/8" BSP	...	Light Alloy	C	
28F/11884	AGS.1143/A	Plug, cone, for pipe, 3/16" o/d	...	Light Alloy	C	
5X/6658	HV.3433	Plug	...	—	C	
5X/6659	HV.3434	Plug	...	—	C	
5X/7243	PC.14001	Plug	...	—	C	
5X/7244	PC.14004	Plug	...	—	C	
5X/20734	CZ.61883	Plug	...	—	B	
5X/20417	CZ.61887	Plug	...	—	B	
5X/20742	CZ.61887/1	Plug	...	—	B	
5X/6470	CZ.70185	Plug	...	—	B	
10H/23210	2CZ.84965	Plug	...	—	B	
10H/23229	2CZ.84972	Plug	...	—	B	
10H/23244	2CZ.84982	Plug	...	—	B	
10H/23264	2CZ.84984	Plug	...	—	B	
10H/23259	2CZ.84984/1	Plug	...	—	B	
10H/23254	2CZ.84986	Plug	...	—	B	
10H/23253	2CZ.84988	Plug	...	—	B	
10H/23251	2CZ.84989	Plug	...	—	B	
10H/23250	2CZ.84992	Plug	...	—	B	
10H/5935	2CZ.108430	Plug	...	—	B	
99/999/1659						
10H/23245	2CZ.108467	Plug	...	—	B	
5X/7534	2CZ.108921	Plug	...	—	B	

LIGHTNING F. MK. 2 AND MK. 2A

SUMMARY OF STANDARD ITEMS

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6	7				
10H/22939	2CZ.109702	Plug	...	...	...	...	...	...	—	B		
5X/8084	2CZ.110420	Plug	...	...	...	...	...	...	—	B		
5X/8105	2CZ.110463	Plug	...	...	...	...	...	...	—	B		
5X/7779	2CZ.110465	Plug	...	...	...	...	...	...	—	B		
5X/8110	2CZ.110479	Plug	...	...	...	...	...	...	—	B		
5X/8257	2CZ.110479/X	Plug	...	...	...	...	...	...	—	B		
5X/8086	2CZ.110481	Plug	...	...	...	...	...	...	—	B		
5X/	2CZ.110491/W	Plug	...	...	...	...	...	...	—	B		
5X/5805562	2CZ.111224	Plug	...	...	...	...	...	...	—	B		
5X/7152	2CZ.111227	Plug	...	...	...	...	...	...	—	B		
5X/7154	2CZ.111228	Plug	...	...	...	...	...	...	—	B		
5X/7159	2CZ.111229	Plug	...	...	...	...	...	...	—	B		
5X/7285	2CZ.111241	Plug	...	...	...	...	...	...	—	B		
5X/	2CZ.111516	Plug	...	...	...	...	...	...	—	B		
5X/7778	2CZ.111518	Plug	...	...	...	...	...	...	—	B		
5X/	2CZ.111582	Plug	...	...	...	...	...	...	—	B		
5X/8083	2CZ.111749	Plug	...	...	...	...	...	...	—	B		
10H/22876	2CZ.111915	Plug	...	...	...	...	...	...	—	B		
10H/22879	2CZ.111919	Plug	...	...	...	...	...	...	—	B		
10H/22880	2CZ.111919/1	Plug	...	...	...	...	...	...	—	B		
10H/22882	2CZ.111923	Plug	...	...	...	...	...	...	—	B		
10H/22894	2CZ.111931	Plug	...	...	...	...	...	...	—	B		
10H/22895	2CZ.111931/1	Plug	...	...	...	...	...	...	—	B		
10H/22986	2CZ.111931/2	Plug	...	...	...	...	...	...	—	B		
10H/22926	2CZ.111932/0	Plug	...	...	...	...	...	...	—	B		
10H/22927	2CZ.111932/1	Plug	...	...	...	...	...	...	—	B		
10H/22928	2CZ.111932/2	Plug	...	...	...	...	...	...	—	B		
10H/22906	2CZ.111935	Plug	...	...	...	...	...	...	—	B		
10H/22907	2CZ.111935/1	Plug	...	...	...	...	...	...	—	B		
10H/22908	2CZ.111935/2	Plug	...	...	...	...	...	...	—	B		
10H/22909	2CZ.111935/3	Plug	...	...	...	...	...	...	—	B		
10H/22910	2CZ.111935/4	Plug	...	...	...	...	...	...	—	B		
10H/22932	2CZ.111936/0	Plug	...	...	...	...	...	...	—	B		
10H/22933	2CZ.111936/1	Plug	...	...	...	...	...	...	—	B		
5X/7972	2CZ.138123	Plug	...	...	...	...	...	...	—	B		
5X/8102	2CZ.138123/W	Plug	...	...	...	...	...	...	—	B		
5X/8116	2CZ.138564	Plug	...	...	...	...	...	...	—	B		
5X/8117	2CZ.138564/W	Plug	...	...	...	...	...	...	—	B		
5X/	2CZ.138568	Plug	...	...	...	...	...	...	—	B		
5X/7788	2CZ.138568/W	Plug	...	...	...	...	...	...	—	B		
5X/7789	2CZ.138568/X	Plug	...	...	...	...	...	...	—	B		
5X/	2CZ.138568/Y	Plug	...	...	...	...	...	...	—	B		
5X/	2CZ.138568/Z	Plug	...	...	...	...	...	...	—	B		
5X/7866	2CZ.138580	Plug	...	...	...	...	...	...	—	B		
5X/7950	2CZ.138580/W	Plug	...	...	...	...	...	...	—	B		
5X/7861	2CZ.138582	Plug	...	...	...	...	...	...	—	B		
5X/7863	2CZ.138582/W	Plug	...	...	...	...	...	...	—	B		
5X/7864	2CZ.138582/X	Plug	...	...	...	...	...	...	—	B		
5X/7865	2CZ.138582/Y	Plug	...	...	...	...	...	...	—	B		
5X/7860	2CZ.138585	Plug	...	...	...	...	...	...	—	B		
5X/8119	2CZ.138585/W	Plug	...	...	...	...	...	...	—	B		
5X/7948	2CZ.138676	Plug	...	...	...	...	...	...	—	B		
5X/7881	2CZ.138696	Plug	...	...	...	...	...	...	—	B		
5X/7944	2CZ.138696/W	Plug	...	...	...	...	...	...	—	B		
5X/8118	2CZ.138730	Plug	...	...	...	...	...	...	—	B		
5X/8082	2CZ.138736	Plug	...	...	...	...	...	...	—	B		
5X/8122	2CZ.138736/W	Plug	...	...	...	...	...	...	—	B		
5X/8123	2CZ.138736/X	Plug	...	...	...	...	...	...	—	B		



LIGHTNING F. MK. 2 AND MK. 2A

SUMMARY OF STANDARD ITEMS

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6	7				
28R/13502	AS.111	Pulley,	ball bearing	...	...	...	...	...	—	C		
28R/1038190	AS.1151	Pulley,	shrouded, ball bearing,	single	...	...	...	...	—	B		
28R/13499	AS.1152	Pulley,	shrouded, ball bearing,	double	...	...	...	...	—	B		
28R/13500	AS.1153	Pulley,	shrouded, ball bearing,	triple	...	...	...	...	—	B		
28FP/9438596	R.3½	Receptacle,	dzus fastener	...	...	...	...	...	—	C		
28FP/9570403	R.5	Receptacle,	dzus fastener	...	...	...	...	...	—	C		
28E/9467497	169½	Ring,	split, Terry	...	...	...	...	...	—	C		
28R/1061088	AS.4573/1	Ring,	retaining	...	...	...	...	...	—	C		
28R/1061087	AS.4573/2	Ring,	retaining	...	...	...	...	...	—	C		
28R/1052548	AS.4575/1	Ring,	retaining	...	...	...	...	...	—	C		
28F/17675	AS.5402	Ring,	sealing	...	...	...	...	...	—	C		
28F/17516	AS.5406	Ring,	sealing	...	...	...	...	...	—	C		
5X/6040	CZ.13144/Z	Ring	...	...	...	...	...	...	—	C		
5X/6954	HV.3361	Ring	...	...	...	...	...	...	—	C		
10H/0970093	508/2/07752/007	Ring,	thrust	...	...	...	...	...	—	C		
10H/0970102	Z.49040	Ring,	compression	...	...	...	...	...	—	C		
10H/0970095	508/2/07754/007	Ring,	thrust	...	...	...	...	...	—	C		
10H/0970101	Z.49053	Ring,	compression	...	...	...	...	...	—	C		
10H/0970098	508/2/07758/007	Ring,	thrust	...	...	...	...	...	—	C		
10H/0970104	Z.49086	Ring,	compression	...	...	...	...	...	—	C		
10H/0970105	Z.49147	Ring,	compression	...	...	...	...	...	—	C		
10H/0970099	Z.54092	Ring,	thrust	...	...	...	...	...	—	C		
10H/0970106	Z.50773	Ring,	compression	...	...	...	...	...	—	C		
10H/0970100	508/2/07759/007	Ring,	thrust	...	...	...	...	...	—	C		
10H/0970103	Z.51340	Ring,	compression	...	...	...	...	...	—	C		
10H/0970097	508/2/07757/007	Ring,	thrust	...	...	...	...	...	—	C		
10H/0970087	Z.62228	Ring,	sealing	...	...	...	...	...	—	C		
10H/0970088	508/2/07708/200	Ring,	sealing	...	...	...	...	...	—	C		
10H/0970089	Z.62230	Ring,	sealing	...	...	...	...	...	—	C		
10H/0970091	508/2/07709/200	Ring,	sealing	...	...	...	...	...	—	C		
10H/0970092	Z.62232	Ring,	sealing	...	...	...	...	...	—	C		
10H/0970090	Z.62233	Ring,	sealing	...	...	...	...	...	—	C		
10H/9995082	508/2/07756/007	Ring,	thrust	...	...	...	...	...	—	C		
10H/0970239	Z.67407	Ring	...	...	...	...	...	...	—	C		
10AC/4773	ZZ.85838	Ring	...	...	...	...	...	...	—	C		
10H/23763	508/2/07708/300	Ring	...	...	...	...	...	...	—	C		
10H/23762	508/2/07709/300	Ring	...	...	...	...	...	...	—	C		
10H/23761	508/2/07710/300	Ring	...	...	...	...	...	...	—	C		
10H/23758	508/2/07712/300	Ring	...	...	...	...	...	...	—	C		
	ZZ.139107	Ring	...	...	...	...	...	...	—	C		
10H/23759	508/2/07713/300	Ring	...	...	...	...	...	...	—	C		
10H/23757	508/2/07714/300	Ring	...	...	...	...	...	...	—	C		
	508/2/06056	Ring	...	...	...	...	...	...	—	C		
	508/2/06058	Ring	...	...	...	...	...	...	—	C		
	508/2/06061	Ring	...	...	...	...	...	...	—	C		
28Q/	AS.136/504	Rivet	...	...	...	...	...	...	—	C		
28Q/	AS.153/809	Rivet	...	...	...	...	...	...	—	C		
28Q/	AS.154/204	Rivet	...	...	...	...	...	...	—	C		
28Q/9908	AS.155/202	Rivet,	snaphead, 1/16" dia. x 1/8" long	...	...	...	...	...	Alum.	C		
									L36			
28Q/4904	AS.155/307	Rivet,	snaphead, 3/32" dia. x 7/16" long	...	...	...	...	...	L36	C		
28Q/19589	AS.155/604	Rivet,	snaphead, 3/16" dia. x 1/4" long	...	...	...	...	...	L36	C		
28Q/5950	AS.155/805	Rivet,	snaphead, 1/4" dia. x 5/16" long	...	...	...	...	...	L36	C		
28Q/9436743	AS.156/202	Rivet,	snaphead, 1/16" dia. x 1/8" long	...	...	...	...	...	Alum. Alloy	C		
									L37			
28Q/9447651	AS.156/203	Rivet,	snaphead, 1/16" dia. x 3/16" long	...	...	...	...	...	L37	C		
28Q/9447636	AS.156/204	Rivet,	snaphead, 7/16" dia. x 1/4" long	...	...	...	...	...	L37	C		

SUMMARY OF STANDARD ITEMS

Ref. No.	Part No.	Description	No. off							Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
			1	2	3	4	5	6	7			
28Q/6504	AS.156/205	Rivet, snaphead, $\frac{1}{16}$ " dia. dia. $\times \frac{5}{16}$ " long ...	...	...	...	...	...	...	L37	C		
28Q/15427	AS.156/207	Rivet, snaphead, $\frac{1}{16}$ " dia. $\times \frac{7}{16}$ " long ...	...	...	...	...	...	...	L37	C		
28Q/9476810	AS.156/303	Rivet, snaphead, $\frac{3}{32}$ " dia. $\times \frac{3}{16}$ " long ...	...	...	...	...	...	...	L37	C		
28Q/1649	AS.156/304	Rivet, snaphead, $\frac{3}{32}$ " dia. $\times \frac{1}{4}$ " long ...	...	...	...	...	...	...	L37	C		
28Q/1659	AS.156/305	Rivet, snaphead, $\frac{3}{32}$ " dia. $\times \frac{5}{16}$ " long ...	...	...	...	...	...	...	L37	C		
28Q/1669	AS.156/306	Rivet, snaphead, $\frac{3}{32}$ " dia. $\times \frac{3}{8}$ " long ...	...	...	...	...	...	...	L37	C		
28Q/1679	AS.156/307	Rivet, snaphead, $\frac{3}{32}$ " dia. $\times \frac{7}{16}$ " long ...	...	...	...	...	...	...	L37	C		
28Q/9447634	AS.156/308	Rivet, snaphead, $\frac{3}{32}$ " dia. $\times \frac{1}{2}$ " long ...	...	...	...	...	...	...	L37	C		
28Q/10099	AS.156/309	Rivet, snaphead, $\frac{3}{32}$ " dia. $\times \frac{9}{16}$ " long ...	...	...	...	...	...	...	L37	C		
28Q/10100	AS.156/311	Rivet, snaphead, $\frac{3}{32}$ " dia. $\times \frac{11}{16}$ " long ...	...	...	...	...	...	...	L37	C		
28Q/	AS.156/313	Rivet, snaphead, $\frac{3}{32}$ " dia. $\times \frac{3}{32}$ " long ...	...	...	...	...	...	...	L37	C		
28Q/	AS.156/332	Rivet, snaphead, $\frac{3}{32}$ " dia. $\times 2$ " long ...	...	...	...	...	...	...	L37	C		
28Q/1640	AS.156/403	Rivet, snaphead, $\frac{1}{8}$ " dia. $\times \frac{3}{16}$ " long ...	...	...	...	...	...	...	L37	C		
28Q/1650	AS.156/404	Rivet, snaphead, $\frac{1}{8}$ " dia. $\times \frac{1}{4}$ " long ...	...	...	...	...	...	...	L37	C		
28Q/1660	AS.156/405	Rivet, snaphead, $\frac{1}{8}$ " dia. $\times \frac{3}{16}$ " long ...	...	...	...	...	...	...	L37	C		
28Q/1015177	AS.156/406	Rivet, snaphead, $\frac{1}{8}$ " dia. $\times \frac{9}{32}$ " long ...	...	...	...	...	...	...	L37	C		
28Q/1680	AS.156/407	Rivet, snaphead, $\frac{1}{8}$ " dia. $\times \frac{7}{16}$ " long ...	...	...	...	...	...	...	L37	C		
28Q/1690	AS.156/408	Rivet, snaphead, $\frac{1}{8}$ " dia. $\times \frac{1}{2}$ " long ...	...	...	...	...	...	...	L37	C		
28Q/8075	AS.156/409	Rivet, shaphead, $\frac{1}{8}$ " dia. $\times \frac{9}{16}$ " long ...	...	...	...	...	...	...	L37	C		
28Q/1700	AS.156/410	Rivet, snaphead, $\frac{1}{8}$ " dia. $\times \frac{3}{8}$ " long ...	...	...	...	...	...	...	L37	C		
28Q/10101	AS.156/411	Rivet, snaphead, $\frac{1}{8}$ " dia. $\times \frac{11}{16}$ " long ...	...	...	...	...	...	...	L37	C		
28Q/1710	AS.156/412	Rivet, snaphead, $\frac{1}{8}$ " dia. $\times \frac{3}{4}$ " long ...	...	...	...	...	...	...	L37	C		
28Q/10102	AS.156/413	Rivet, snaphead, $\frac{1}{8}$ " dia. $\times \frac{13}{16}$ " long ...	...	...	...	...	...	...	L37	C		
28Q/1720	AS.156/414	Rivet, snaphead, $\frac{1}{8}$ " dia. $\times \frac{7}{8}$ " long ...	...	...	...	...	...	...	L37	C		
28Q/10103	AS.156/415	Rivet, snaphead, $\frac{1}{8}$ " dia. $\times \frac{15}{16}$ " long ...	...	...	...	...	...	...	L37	C		
28Q/1730	AS.156/416	Rivet, snaphead, $\frac{1}{8}$ " dia. $\times 1$ " long ...	...	...	...	...	...	...	L37	C		
28Q/1641	AS.156/503	Rivet, snaphead, $\frac{5}{32}$ " dia. $\times \frac{5}{16}$ " long ...	...	...	...	...	...	...	L37	C		
28Q/1651	AS.156/504	Rivet, snaphead, $\frac{5}{32}$ " dia. $\times \frac{1}{4}$ " long ...	...	...	...	...	...	...	L37	C		
28Q/1661	AS.156/505	Rivet, snaphead, $\frac{5}{32}$ " dia. $\times \frac{5}{16}$ " long ...	...	...	...	...	...	...	L37	C		
28Q/1671	AS.156/506	Rivet, snaphead, $\frac{5}{32}$ " dia. $\times \frac{3}{8}$ " long ...	...	...	...	...	...	...	L37	C		
28Q/1681	AS.156/507	Rivet, snaphead, $\frac{5}{32}$ " dia. $\times \frac{7}{16}$ " long ...	...	...	...	...	...	...	L37	C		
28Q/1691	AS.156/508	Rivet, snaphead, $\frac{5}{32}$ " dia. $\times \frac{1}{2}$ " long ...	...	...	...	...	...	...	L37	C		
28Q/9701	AS.156/509	Rivet, snaphead, $\frac{5}{32}$ " dia. $\times \frac{9}{16}$ " long ...	...	...	...	...	...	...	L37	C		
28Q/1701	AS.156/510	Rivet, snaphead, $\frac{5}{32}$ " dia. $\times \frac{5}{8}$ " long ...	...	...	...	...	...	...	L37	C		
28Q/14483	AS.156/511	Rivet, snaphead, $\frac{5}{32}$ " dia. $\times \frac{11}{16}$ " long ...	...	...	...	...	...	...	L37	C		
28Q/1711	AS.156/512	Rivet, snaphead, $\frac{5}{32}$ " dia. $\times \frac{3}{4}$ " long ...	...	...	...	...	...	...	L37	C		
28Q/9631	AS.156/513	Rivet, snaphead, $\frac{5}{32}$ " dia. $\times \frac{13}{16}$ " long ...	...	...	...	...	...	...	L37	C		
28Q/1721	AS.156/514	Rivet, snaphead, $\frac{5}{32}$ " dia. $\times \frac{7}{8}$ " long ...	...	...	...	...	...	...	L37	C		
28Q/1731	AS.156/516	Rivet, snaphead, $\frac{5}{32}$ " dia. $\times 1$ " long ...	...	...	...	...	...	...	L37	C		
28Q/	AS.156/603	Rivet, snaphead, $\frac{3}{16}$ " dia. $\times \frac{3}{16}$ " long ...	...	...	...	...	...	...	L37	C		
28Q/1652	AS.156/604	Rivet, snaphead, $\frac{3}{16}$ " dia. $\times \frac{1}{4}$ " long ...	...	...	...	...	...	...	L37	C		
28Q/1662	AS.156/605	Rivet, snaphead, $\frac{3}{16}$ " dia. $\times \frac{5}{16}$ " long ...	...	...	...	...	...	...	L37	C		
28Q/1672	AS.156/606	Rivet, snaphead, $\frac{3}{16}$ " dia. $\times \frac{3}{8}$ " long ...	...	...	...	...	...	...	L37	C		
28Q/1682	AS.156/607	Rivet, snaphead, $\frac{3}{16}$ " dia. $\times \frac{7}{16}$ " long ...	...	...	...	...	...	...	L37	C		
28Q/1692	AS.156/608	Rivet, snaphead, $\frac{3}{16}$ " dia. $\times \frac{1}{2}$ " long ...	...	...	...	...	...	...	L37	C		
28Q/9594	AS.156/609	Rivet, snaphead, $\frac{3}{16}$ " dia. $\times \frac{9}{16}$ " long ...	...	...	...	...	...	...	L37	C		
28Q/1702	AS.156/610	Rivet, snaphead, $\frac{3}{16}$ " dia. $\times \frac{5}{8}$ " long ...	...	...	...	...	...	...	L37	C		
28Q/9595	AS.156/611	Rivet, snaphead, $\frac{3}{16}$ " dia. $\times \frac{11}{16}$ " long ...	...	...	...	...	...	...	L37	C		
28Q/1712	AS.156/612	Rivet, snaphead, $\frac{3}{16}$ " dia. $\times \frac{3}{4}$ " long ...	...	...	...	...	...	...	L37	C		
28Q/10664	AS.156/613	Rivet, snaphead, $\frac{3}{16}$ " dia. $\times \frac{13}{16}$ " long ...	...	...	...	...	...	...	L37	C		
28Q/1722	AS.156/614	Rivet, snaphead, $\frac{3}{16}$ " dia. $\times \frac{7}{8}$ " long ...	...	...	...	...	...	...	L37	C		
28Q/14484	AS.156/615	Rivet, snaphead, $\frac{3}{16}$ " dia. $\times \frac{15}{16}$ " long ...	...	...	...	...	...	...	L37	C		
28Q/1732	AS.156/616	Rivet, snaphead, $\frac{3}{16}$ " dia. $\times 1$ " long ...	...	...	...	...	...	...	L37	C		
28Q/	AS.156/617	Rivet, snaphead, $\frac{3}{16}$ " dia. $\times 1 \frac{1}{16}$ " long ...	...	...	...	...	...	...	L37	C		
28Q/	AS.156/618	Rivet, snaphead, $\frac{3}{16}$ " dia. $\times 1 \frac{1}{8}$ " long ...	...	...	...	...	...	...	L37	C		
28Q/	AS.156/619	Rivet, snaphead, $\frac{3}{16}$ " dia. $\times 1 \frac{3}{16}$ " long ...	...	...	...	...	...	...	L37	C		
28Q/	AS.156/705	Rivet, snaphead, $\frac{7}{32}$ " dia. $\times \frac{5}{16}$ " long ...	...	...	...	...	...	...	L37	C		
28Q/	AS.156/708	Rivet, snaphead, $\frac{7}{32}$ " dia. $\times \frac{1}{2}$ " long ...	...	...	...	...	...	...	L37	C		

LIGHTNING F. MK. 2 AND MK. 2A

SUMMARY OF STANDARD ITEMS

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6	7				
28Q/15722	AS.156/709	Rivet, snaphead,	$\frac{7}{32}$ "	dia.	$\times$	$\frac{9}{16}$ "	long	...	...	...	L37	C
28Q/1674	AS.156/806	Rivet, snaphead,	$\frac{1}{4}$ "	dia.	$\times$	$\frac{3}{8}$ "	long	...	...	...	L37	C
28Q/1684	AS.156/807	Rivet, snaphead,	$\frac{1}{4}$ "	dia.	$\times$	$\frac{7}{16}$ "	long	...	...	...	L37	C
28Q/1694	AS.156/808	Rivet, snaphead,	$\frac{1}{4}$ "	dia.	$\times$	$\frac{1}{2}$ "	long	...	...	...	L37	C
28Q/9414	AS.156/809	Rivet, snaphead,	$\frac{1}{4}$ "	dia.	$\times$	$\frac{9}{16}$ "	long	...	...	...	L37	C
28Q/1704	AS.156/810	Rivet, snaphead,	$\frac{1}{4}$ "	dia.	$\times$	$\frac{3}{8}$ "	long	...	...	...	L37	C
28Q/9415	AS.156/811	Rivet, snaphead,	$\frac{1}{4}$ "	dia.	$\times$	$\frac{11}{16}$ "	long	...	...	...	L37	C
28Q/1714	AS.156/812	Rivet, snaphead,	$\frac{1}{4}$ "	dia.	$\times$	$\frac{3}{4}$ "	long	...	...	...	L37	C
28Q/	AS.156/813	Rivet, snaphead,	$\frac{1}{4}$ "	dia.	$\times$	$\frac{13}{16}$ "	long	...	...	...	L37	C
28Q/1724	AS.156/814	Rivet, snaphead,	$\frac{1}{4}$ "	dia.	$\times$	$\frac{7}{8}$ "	long	...	...	...	L37	C
28Q/	AS.156/815	Rivet, snaphead,	$\frac{1}{4}$ "	dia.	$\times$	$\frac{13}{16}$ "	long	...	...	...	L37	C
28Q/1734	AS.156/816	Rivet, snaphead,	$\frac{1}{4}$ "	dia.	$\times$	1"	long	...	...	...	L37	C
28Q/	AS.156/818	Rivet, snaphead,	$\frac{1}{4}$ "	dia.	$\times$	1 $\frac{1}{8}$ "	long	...	...	...	L37	C
28Q/	AS.156/1005	Rivet, snaphead,	$\frac{5}{16}$ "	dia.	$\times$	$\frac{5}{16}$ "	long	...	...	...	L37	C
28Q/	AS.156/1009	Rivet, snaphead,	$\frac{5}{16}$ "	dia.	$\times$	$\frac{5}{16}$ "	long	...	...	...	L37	C
28Q/	AS.156/1010	Rivet, snaphead,	$\frac{5}{16}$ "	dia.	$\times$	$\frac{3}{8}$ "	long	...	...	...	L37	C
28Q/	AS.156/1011	Rivet, snaphead,	$\frac{5}{16}$ "	dia.	$\times$	$\frac{11}{16}$ "	long	...	...	...	L37	C
28Q/	AS.156/1012	Rivet, snaphead,	$\frac{5}{16}$ "	dia.	$\times$	$\frac{1}{4}$ "	long	...	...	...	L37	C
28Q/9000	AS.156/1013	Rivet, snaphead,	$\frac{3}{16}$ "	dia.	$\times$	$\frac{13}{16}$ "	long	...	...	...	L37	C
28Q/9001	AS.156/1014	Rivet, snaphead,	$\frac{5}{16}$ "	dia.	$\times$	$\frac{7}{8}$ "	long	...	...	...	L37	C
28Q/7133	AS.157/407	Rivet, snaphead,	$\frac{1}{8}$ "	dia.	$\times$	$\frac{7}{16}$ "	long	...	...	...	L58	C
28Q/7704	AS.157/409	Rivet, snaphead,	$\frac{1}{8}$ "	dia.	$\times$	$\frac{9}{16}$ "	long	...	...	...	L58	C
28Q/8427	AS.158/303	Rivet, mushroom head,	$\frac{3}{32}$ "	dia.	$\times$	$\frac{3}{16}$ "	long	...	...	...	L37	C
28Q/9687	AS.158/403	Rivet, mushroom head,	$\frac{1}{8}$ "	dia.	$\times$	$\frac{5}{16}$ "	long	...	...	...	L37	C
28Q/7554	AS.158/404	Rivet, mushroom head,	$\frac{1}{8}$ "	dia.	$\times$	$\frac{1}{4}$ "	long	...	...	...	L37	C
28Q/7233	AS.158/405	Rivet, mushroom head,	$\frac{1}{8}$ "	dia.	$\times$	$\frac{5}{16}$ "	long	...	...	...	L37	C
28Q/7234	AS.158/406	Rivet, mushroom head,	$\frac{1}{4}$ "	dia.	$\times$	$\frac{3}{32}$ "	long	...	...	...	L37	C
28Q/7235	AS.158/408	Rivet, mushroom head,	$\frac{1}{8}$ "	dia.	$\times$	$\frac{1}{16}$ "	long	...	...	...	L37	C
28Q/14873	AS.158/504	Rivet, mushroom head,	$\frac{5}{32}$ "	dia.	$\times$	$\frac{1}{4}$ "	long	...	...	...	L32	C
28Q/7229	AS.158/505	Rivet, mushroom head,	$\frac{5}{32}$ "	dia.	$\times$	$\frac{5}{16}$ "	long	...	...	...	L37	C
28Q/7230	AS.158/506	Rivet, mushroom head,	$\frac{5}{32}$ "	dia.	$\times$	$\frac{3}{16}$ "	long	...	...	...	L37	C
28Q/9098	AS.158/507	Rivet, mushroom head,	$\frac{5}{32}$ "	dia.	$\times$	$\frac{7}{16}$ "	long	...	...	...	L37	C
28Q/7231	AS.158/508	Rivet, mushroom head,	$\frac{5}{32}$ "	dia.	$\times$	$\frac{1}{4}$ "	long	...	...	...	L32	C
28Q/11801	AS.158/509	Rivet, mushroom head,	$\frac{5}{32}$ "	dia.	$\times$	$\frac{9}{16}$ "	long	...	...	...	L37	C
28Q/7232	AS.158/510	Rivet, mushroom head,	$\frac{5}{32}$ "	dia.	$\times$	$\frac{5}{8}$ "	long	...	...	...	L37	C
28Q/9674	AS.158/604	Rivet, mushroom head,	$\frac{3}{16}$ "	dia.	$\times$	$\frac{1}{4}$ "	long	...	...	...	L73	C
28Q/9675	AS.158/605	Rivet, mushroom head,	$\frac{3}{16}$ "	dia.	$\times$	$\frac{5}{16}$ "	long	...	...	...	L37	C
28Q/	AS.158/614	Rivet, mushroom head,	$\frac{3}{16}$ "	dia.	$\times$	$\frac{7}{8}$ "	long	...	...	...	L37	C
28Q/8233	AS.158/616	Rivet, mushroom head,	$\frac{3}{16}$ "	dia.	$\times$	1"	long	...	...	...	L37	C
28Q/	AS.158/1011	Rivet, mushroom head,	$\frac{5}{16}$ "	dia.	$\times$	$\frac{11}{16}$ "	long	...	...	...	L37	C
28Q/91418117	AS.160/202	Rivet, c'sk 90°,	$\frac{1}{16}$ "	dia.	$\times$	$\frac{1}{8}$ "	long	...	...	...	L36	C
28Q/9702916	AS.160/304	Rivet, c'sk 90°,	$\frac{3}{32}$ "	dia.	$\times$	$\frac{1}{4}$ "	long	...	...	...	L36	C
28Q/9700656	AS.160/305	Rivet, c'sk 90°,	$\frac{3}{32}$ "	dia.	$\times$	$\frac{5}{16}$ "	long	...	...	...	L36	C
28Q/9447639	AS.160/306	Rivet, c'sk 90°,	$\frac{3}{32}$ "	dia.	$\times$	$\frac{3}{8}$ "	long	...	...	...	L36	C
28Q/9120	AS.160/307	Rivet, c'sk 90°,	$\frac{3}{32}$ "	dia.	$\times$	$\frac{7}{16}$ "	long	...	...	...	L36	C
28Q/16201	AS.160/309	Rivet, c'sk 90°,	$\frac{3}{32}$ "	dia.	$\times$	$\frac{9}{16}$ "	long	...	...	...	L36	C
28Q/7713	AS.160/312	Rivet, c'sk 90°,	$\frac{3}{32}$ "	dia.	$\times$	$\frac{6}{16}$ "	long	...	...	...	L36	C
28Q/9450592	AS.160/405	Rivet, c'sk 90°,	$\frac{1}{8}$ "	dia.	$\times$	$\frac{5}{16}$ "	long	...	...	...	L36	C
28Q/6917	AS.160/408	Rivet, c'sk 90°,	$\frac{1}{8}$ "	dia.	$\times$	$\frac{1}{2}$ "	long	...	...	...	L36	C
28Q/11216	AS.160/409	Rivet, c'sk 90°,	$\frac{1}{8}$ "	dia.	$\times$	$\frac{1}{16}$ "	long	...	...	...	L36	C
28Q/	AS.160/411	Rivet, c'sk 90°,	$\frac{1}{8}$ "	dia.	$\times$	$\frac{11}{16}$ "	long	...	...	...	L36	C
28Q/9447641	AS.161/202	Rivet, c'sk 90°,	$\frac{1}{16}$ "	dia.	$\times$	$\frac{1}{8}$ "	long	...	...	...	L37	C
28Q/9483891	AS.161/203	Rivet, c'sk 90°,	$\frac{1}{16}$ "	dia.	$\times$	$\frac{3}{16}$ "	long	...	...	...	L37	C
28Q/9447642	AS.161/204	Rivet, c'sk 90°,	$\frac{1}{16}$ "	dia.	$\times$	$\frac{1}{4}$ "	long	...	...	...	L37	C
28Q/6991	AS.161/205	Rivet, c'sk 90°,	$\frac{1}{16}$ "	dia.	$\times$	$\frac{5}{16}$ "	long	...	...	...	L37	C
28Q/9447643	AS.161/206	Rivet, c'sk 90°,	$\frac{1}{16}$ "	dia.	$\times$	$\frac{3}{8}$ "	long	...	...	...	L37	C

SUMMARY OF STANDARD ITEMS

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6	7				
28Q/	AS.161/213	Rivet,	c'sk	90°	$\frac{1}{16}$ "	dia.	$\times \frac{13}{16}$ "	long	...	L37	C	
28Q/1011884	AS.161/303	Rivet,	c'sk	90°	$\frac{3}{32}$ "	dia.	$\times \frac{3}{16}$ "	long	...	L37	C	
28Q/9455552	AS.161/304	Rivet,	c'sk	90°	$\frac{3}{32}$ "	dia.	$\times \frac{1}{4}$ "	long	...	L37	C	
28Q/5973	AS.161/305	Rivet,	c'sk	90°	$\frac{3}{32}$ "	dia.	$\times \frac{5}{16}$ "	long	...	L37	C	
28Q/9483890	AS.161/306	Rivet,	c'sk	90°	$\frac{3}{32}$ "	dia.	$\times \frac{9}{16}$ "	long ...	...	L37	C	
28Q/5975	AS.161/307	Rivet,	c'sk	90°	$\frac{3}{32}$ "	dia.	$\times \frac{7}{16}$ "	long	...	L37	C	
28Q/5976	AS.161/308	Rivet,	c'sk	90°	$\frac{3}{32}$ "	dia.	$\times \frac{1}{2}$ "	long ...	...	L37	C	
28Q/9627	AS.161/309	Rivet,	c'sk	90°	$\frac{3}{32}$ "	dia.	$\times \frac{9}{16}$ "	long	...	L37	C	
28Q/5977	AS.161/310	Rivet,	c'sk	90°	$\frac{3}{32}$ "	dia.	$\times \frac{5}{8}$ "	long ...	...	L37	C	
28Q/10093	AS.161/311	Rivet,	c'sk	90°	$\frac{3}{32}$ "	dia.	$\times \frac{11}{16}$ "	long	...	L37	C	
28Q/5978	AS.161/312	Rivet,	c'sk	90°	$\frac{3}{32}$ "	dia.	$\times \frac{3}{4}$ "	long ...	...	L37	C	
28Q/	AS.161/313	Rivet,	c'sk	90°	$\frac{3}{32}$ "	dia.	$\times \frac{13}{16}$ "	long	...	L37	C	
28Q/5979	AS.161/314	Rivet,	c'sk	90°	$\frac{3}{32}$ "	dia.	$\times \frac{7}{8}$ "	long ...	...	L37	C	
28Q/	AS.161/315	Rivet,	c'sk	90°	$\frac{3}{32}$ "	dia.	$\times \frac{13}{16}$ "	long	...	L37	C	
28Q/5980	AS.161/316	Rivet,	c'sk	90°	$\frac{3}{32}$ "	dia.	$\times 1"$	long ...	...	L37	C	
28Q/16853	AS.161/318	Rivet,	c'sk	90°	$\frac{3}{32}$ "	dia.	$\times 1\frac{1}{8}"$	long	...	L37	C	
28Q/9447652	AS.161/403	Rivet,	c'sk	90°	$\frac{1}{8}"$	dia.	$\times \frac{3}{32}"$	long ...	...	L73	C	
28Q/9447644	AS.161/404	Rivet,	c'sk	90°	$\frac{1}{8}"$	dia.	$\times \frac{1}{4}"$	long ...	...	L37	C	
28Q/5983	AS.161/405	Rivet,	c'sk	90°	$\frac{1}{8}"$	dia.	$\times \frac{5}{16}"$	long ...	...	L37	C	
28Q/9447645	AS.161/406	Rivet,	c'sk	90°	$\frac{1}{8}"$	dia.	$\times \frac{3}{8}"$	long ...	...	L37	C	
28Q/5985	AS.161/407	Rivet,	c'sk	90°	$\frac{1}{8}"$	dia.	$\times \frac{1}{16}"$	long ...	...	L37	C	
28Q/1015178	AS.161/408	Rivet,	c'sk	90°	$\frac{1}{8}"$	dia.	$\times \frac{1}{2}"$	long ...	...	L37	C	
28Q/10094	AS.161/409	Rivet,	c'sk	90°	$\frac{1}{8}"$	dia.	$\times \frac{1}{16}"$	long ...	...	L37	C	
28Q/5987	AS.161/410	Rivet,	c'sk	90°	$\frac{1}{8}"$	dia.	$\times \frac{3}{8}"$	long ...	...	L37	C	
28Q/10095	AS.161/411	Rivet,	c'sk	90°	$\frac{1}{8}"$	dia.	$\times \frac{11}{16}"$	long ...	...	L37	C	
28Q/5988	AS.161/412	Rivet,	c'sk	90°	$\frac{1}{8}"$	dia.	$\times \frac{3}{4}"$	long ...	...	L37	C	
28Q/10096	AS.161/413	Rivet,	c'sk	90°	$\frac{1}{8}"$	dia.	$\times \frac{13}{16}"$	long ...	...	L37	C	
28Q/5989	AS.161/414	Rivet,	c'sk	90°	$\frac{1}{8}"$	dia.	$\times \frac{1}{4}"$	long ...	...	L37	C	
28Q/5990	AS.161/416	Rivet,	c'sk	90°	$\frac{1}{8}"$	dia.	$\times 1"$	long ...	...	L37	C	
28Q/7978	AS.161/418	Rivet,	c'sk	90°	$\frac{1}{8}"$	dia.	$\times 1\frac{1}{8}"$	long ...	...	L37	C	
28Q/6620	AS.161/504	Rivet,	c'sk	90°	$\frac{5}{32}"$	dia.	$\times \frac{1}{4}"$	long ...	...	L37	C	
28Q/6134	AS.161/505	Rivet,	c'sk	90°	$\frac{5}{32}"$	dia.	$\times \frac{1}{16}"$	long	...	L37	C	
28Q/6135	AS.161/506	Rivet,	c'sk	90°	$\frac{5}{32}"$	dia.	$\times \frac{3}{8}"$	long ...	...	L37	C	
28Q/6449	AS.161/507	Rivet,	c'sk	90°	$\frac{5}{32}"$	dia.	$\times \frac{7}{8}"$	long	...	L37	C	
28Q/1011890	AS.161/508	Rivet,	c'sk	90°	$\frac{5}{32}"$	dia.	$\times \frac{1}{2}"$	long ...	...	L37	C	
28Q/9628	AS.161/509	Rivet,	c'sk	90°	$\frac{5}{32}"$	dia.	$\times \frac{9}{16}"$	long	...	L37	C	
28Q/6621	AS.161/510	Rivet,	c'sk	90°	$\frac{5}{32}"$	dia.	$\times \frac{3}{8}"$	long ...	...	L37	C	
28Q/6586	AS.161/512	Rivet,	c'sk	90°	$\frac{5}{32}"$	dia.	$\times \frac{1}{2}"$	long ...	...	L37	C	
28Q/14509	AS.161/513	Rivet,	c'sk	90°	$\frac{5}{32}"$	dia.	$\times \frac{13}{16}"$	long	...	L37	C	
28Q/6622	AS.161/514	Rivet,	c'sk	90°	$\frac{5}{32}"$	dia.	$\times \frac{7}{8}"$	long ...	...	L37	C	
28Q/6623	AS.161/516	Rivet,	c'sk	90°	$\frac{5}{32}"$	dia.	$\times 1"$	long ...	...	L37	C	
28Q/5993	AS.161/606	Rivet,	c'sk	90°	$\frac{3}{16}"$	dia.	$\times \frac{3}{8}"$	long ...	...	L37	C	
28Q/5994	AS.161/607	Rivet,	c'sk	90°	$\frac{3}{16}"$	dia.	$\times \frac{7}{16}"$	long	...	L37	C	
28Q/5995	AS.161/608	Rivet,	c'sk	90°	$\frac{3}{16}"$	dia.	$\times \frac{1}{2}"$	long ...	...	L37	C	
28Q/14500	AS.161/609	Rivet,	c'sk	90°	$\frac{3}{16}"$	dia.	$\times \frac{9}{16}"$	long	...	L37	C	
28Q/5996	AS.161/610	Rivet,	c'sk	90°	$\frac{3}{16}"$	dia.	$\times \frac{5}{8}"$	long ...	...	L37	C	
28Q/11432	AS.161/809	Rivet,	c'sk	90°	$\frac{1}{4}"$	dia.	$\times \frac{9}{16}"$	long ...	...	L37	C	
28Q/	AS.161/1013	Rivet,	c'sk	90°	$\frac{3}{16}"$	dia.	$\times \frac{13}{16}"$	long	...	L37	C	
28Q/	AS.161/1015	Rivet,	c'sk	90°	$\frac{3}{16}"$	dia.	$\times \frac{15}{16}"$	long	...	L37	C	
28Q/16203	AS.162/504	Rivet,	c'sk	90°	$\frac{5}{32}"$	dia.	$\times \frac{1}{4}"$	long ...	...	—	C	
28Q/9496	AS.163/303	Rivet,	c'sk	120°	$\frac{3}{32}"$	dia.	$\times \frac{3}{16}"$	long	...	L36	C	
28Q/9703748	AS.163/304	Rivet,	c'sk	120°	$\frac{3}{32}"$	dia.	$\times \frac{1}{4}"$	long	...	L36	C	
28Q/8055	AS.163/306	Rivet,	c'sk	120°	$\frac{3}{32}"$	dia.	$\times \frac{3}{8}"$	long	...	L36	C	
28Q/8882	AS.163/404	Rivet,	c'sk	120°	$\frac{1}{4}"$	dia.	$\times \frac{1}{4}"$	long ...	...	L36	C	
28Q/9800	AS.163/405	Rivet,	c'sk	120°	$\frac{1}{8}"$	dia.	$\times \frac{5}{16}"$	long	...	L36	C	
28Q/14471	AS.163/606	Rivet,	c'sk	120°	$\frac{3}{16}"$	dia.	$\times \frac{3}{32}"$	long	...	L36	C	

LIGHTNING F. MK. 2 AND MK. 2A

SUMMARY OF STANDARD ITEMS

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
28Q/	AS.164/202	Rivet, c'sk	120°	$\frac{1}{16}$ "	dia.	$\times$	$\frac{1}{8}$ "	long	...	L37	C
28Q/10368	AS.164/203	Rivet, c'sk	120°	$\frac{1}{16}$ "	dia.	$\times$	$\frac{3}{16}$ "	long	...	L37	C
28Q/10369	AS.164/204	Rivet, c'sk	120°	$\frac{1}{16}$ "	dia.	$\times$	$\frac{1}{4}$ "	long	...	L37	C
28Q/9513235	AS.164/303	Rivet, c'sk	120°	$\frac{3}{32}$ "	dia.	$\times$	$\frac{1}{16}$ "	long	...	L37	C
28Q/9702754	AS.164/304	Rivet, c'sk	120°	$\frac{3}{32}$ "	dia.	$\times$	$\frac{1}{4}$ "	long	...	L37	C
28Q/9710797	AS.164/305	Rivet, c'sk	120°	$\frac{3}{32}$ "	dia.	$\times$	$\frac{5}{16}$ "	long	...	L37	C
28Q/8061	AS.164/306	Rivet, c'sk	120°	$\frac{3}{32}$ "	dia.	$\times$		long	...	L37	C
28Q/8062	AS.164/307	Rivet, c'sk	120°	$\frac{3}{32}$ "	dia.	$\times$	$\frac{7}{16}$ "	long	...	L37	C
28Q/8063	AS.164/308	Rivet, c'sk	120°	$\frac{3}{32}$ "	dia.	$\times$	$\frac{1}{2}$ "	long	...	L37	C
28Q/14511	AS.164/309	Rivet, c'sk	120°	$\frac{3}{32}$ "	dia.	$\times$	$\frac{9}{16}$ "	long	...	L37	C
28Q/9032	AS.164/310	Rivet, c'sk	120°	$\frac{3}{32}$ "	dia.	$\times$	$\frac{3}{8}$ "	long	...	L37	C
28Q/9676	AS.164/403	Rivet, c'sk	120°	$\frac{1}{8}$ "	dia.	$\times$	$\frac{3}{16}$ "	long	...	L37	C
28Q/7655	AS.164/404	Rivet, c'sk	120°	$\frac{1}{8}$ "	dia.	$\times$	$\frac{1}{2}$ "	long ...	...	L37	C
28Q/9564474	AS.164/405	Rivet, c'sk	120°	$\frac{1}{8}$ "	dia.	$\times$	$\frac{5}{16}$ "	long	...	L37	C
28Q/8147	AS.164/406	Rivet, c'sk	120°	$\frac{1}{8}$ "	dia.	$\times$	$\frac{7}{16}$ "	long ...	...	L37	C
28Q/8148	AS.164/407	Rivet, c'sk	120°	$\frac{1}{8}$ "	dia.	$\times$	$\frac{1}{2}$ "	long	...	L37	C
28Q/9035	AS.164/408	Rivet, c'sk	120°	$\frac{1}{8}$ "	dia.	$\times$	$\frac{1}{2}$ "	long ...	...	L37	C
28Q/10098	AS.164/409	Rivet, c'sk	120°	$\frac{1}{8}$ "	dia.	$\times$	$\frac{9}{16}$ "	long	...	L37	C
28Q/14512	AS.164/411	Rivet, c'sk	120°	$\frac{1}{8}$ "	dia.	$\times$	$\frac{11}{16}$ "	long	...	L37	C
28Q/9037	AS.164/412	Rivet, c'sk	120°	$\frac{1}{8}$ "	dia.	$\times$	$\frac{3}{4}$ "	long ...	...	L37	C
28Q/15887	AS.164/424	Rivet, c'sk	120°	$\frac{1}{8}$ "	dia.	$\times$	$1\frac{1}{8}$ "	long	...	L37	C
28Q/9678	AS.164/504	Rivet, c'sk	120°	$\frac{5}{32}$ "	dia.	$\times$	$\frac{1}{4}$ "	long	...	L37	C
28Q/7657	AS.164/505	Rivet, c'sk	120°	$\frac{5}{32}$ "	dia.	$\times$	$\frac{5}{16}$ "	long	...	L37	C
28Q/8149	AS.164/506	Rivet, c'sk	120°	$\frac{5}{32}$ "	dia.	$\times$	$\frac{3}{8}$ "	long	...	L37	C
28Q/9040	AS.164/507	Rivet, c'sk	120°	$\frac{5}{32}$ "	dia.	$\times$	$\frac{7}{16}$ "	long	...	L37	C
28Q/9564473	AS.164/508	Rivet, c'sk	120°	$\frac{5}{32}$ "	dia.	$\times$	$\frac{1}{2}$ "	long	...	L37	C
28Q/9564472	AS.164/509	Rivet, c'sk	120°	$\frac{5}{32}$ "	dia.	$\times$	$\frac{9}{16}$ "	long	...	L37	C
28Q/	AS.164/511	Rivet, c'sk	120°	$\frac{5}{32}$ "	dia.	$\times$	$1\frac{1}{8}$ "	long	...	L37	C
28Q/	AS.164/513	Rivet, c'sk	120°	$\frac{5}{32}$ "	dia.	$\times$	$1\frac{3}{8}$ "	long	...	L37	C
28Q/9538	AS.164/516	Rivet, c'sk	120°	$\frac{5}{32}$ "	dia.	$\times$	1"	long	...	L37	C
28Q/	AS.164/518	Rivet, c'sk	120°	$\frac{5}{32}$ "	dia.	$\times$	$1\frac{1}{8}$ "	long	...	L37	C
28Q/	AS.164/521	Rivet, c'sk	120°	$\frac{5}{32}$ "	dia.	$\times$	$1\frac{5}{16}$ "	long	...	L37	C
28Q/9681	AS.164/605	Rivet, c'sk	120°	$\frac{3}{16}$ "	dia.	$\times$	$\frac{5}{16}$ "	long	...	L37	C
28Q/8064	AS.164/606	Rivet, c'sk	120°	$\frac{3}{16}$ "	dia.	$\times$	$\frac{3}{8}$ "	long	...	L37	C
28Q/9041	AS.164/607	Rivet, c'sk	120°	$\frac{3}{16}$ "	dia.	$\times$	$\frac{7}{16}$ "	long	...	L37	C
28Q/8031	AS.164/608	Rivet, c'sk	120°	$\frac{3}{16}$ "	dia.	$\times$	$\frac{1}{2}$ "	long	...	L37	C
28Q/9407	AS.164/610	Rivet, c'sk	120°	$\frac{3}{16}$ "	dia.	$\times$	$\frac{3}{8}$ "	long	...	L37	C
28Q/	AS.164/613	Rivet, c'sk	120°	$\frac{3}{16}$ "	dia.	$\times$	$1\frac{3}{16}$ "	long	...	L37	C
28Q/9408	AS.164/808	Rivet, c'sk	120°	$\frac{1}{4}$ "	dia.	$\times$	$\frac{1}{2}$ "	long ...	...	L37	C
28Q/9410	AS.164/810	Rivet, c'sk	120°	$\frac{1}{4}$ "	dia.	$\times$	$\frac{3}{8}$ "	long ...	...	L37	C
28Q/	AS.164/1011	Rivet, c'sk	120°	$\frac{1}{16}$ "	dia.	$\times$	$1\frac{1}{16}$ "	long	...	L37	C
28Q/	AS.450/606	Rivet,							...	—	C
28Q/	AS.455/207	Rivet, snaphead,							...	BS1109	C
28Q/1919	AS.455/303	Rivet, snaphead,							...	BS1109	C
28Q/1969	AS.455/308	Rivet, snaphead,							...	BS1109	C
28Q/1989	AS.455/312	Rivet, snaphead,							...	BS1109	C
28Q/1999	AS.455/314	Rivet, snaphead,							...	BS1109	C
28Q/	AS.455/322	Rivet, snaphead,							...	BS1109	C
28Q/	AS.455/403	Rivet, snaphead,							...	BS1109	C
28Q/	AS.455/404	Rivet, snaphead,							...	BS1109	C
28Q/	AS.455/405	Rivet, snaphead,							...	BS1109	C
28Q/	AS.455/406	Rivet, snaphead,							...	BS1109	C
28Q/	AS.455/506	Rivet, snaphead,							...	BS1109	C
28Q/1971	AS.455/508	Rivet, snaphead,							...	BS1109	C
28Q/	AS.455/606	Rivet, snaphead,							...	BS1109	C
28Q/15340	AS.455/515	Rivet, snaphead,							...	MS	C

SUMMARY OF STANDARD ITEMS

Ref. No.	Part No.	Description	No. off							Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
			1	2	3	4	5	6	7			
28Q/	AS.455/608	Rivet, snaphead, $\frac{3}{16}$ " dia. x $\frac{1}{2}$ " long	...	...	...					BS1109	C	
28Q/1964	AS.455/807	Rivet, snaphead, $\frac{1}{4}$ " dia. x $\frac{7}{16}$ " long	...	...	...					BS1109	C	
28Q/	AS.455/809	Rivet, snaphead, $\frac{1}{4}$ " dia. x $\frac{3}{16}$ " long	...	...	...					BS1109	C	
28Q/1984	AS.455/810	Rivet, snaphead, $\frac{1}{4}$ " dia. x $\frac{5}{8}$ " long ...	...	...	...					BS1109	C	
28Q/	AS.455/811	Rivet, snaphead, $\frac{1}{4}$ " dia. x $\frac{11}{16}$ " long	...	...	...					BS1109	C	
28Q/1994	AS.455/812	Rivet, snaphead, $\frac{1}{4}$ " dia. x $\frac{3}{4}$ " long ...	...	...	...					BS1109	C	
28Q/	AS.457/303	Rivet, snaphead, $\frac{3}{32}$ " dia. x $\frac{3}{16}$ " long	...	...	...					DTD204	C	
28Q/	AS.457/403	Rivet, snaphead, $\frac{1}{8}$ " dia. x $\frac{3}{8}$ " long	...	...	...					DTD204	C	
28Q/	AS.457/404	Rivet, snaphead, $\frac{1}{8}$ " dia. x $\frac{1}{2}$ " long ...	...	...	...					DTD204	C	
28Q/	AS.457/405	Rivet, snaphead, $\frac{1}{8}$ " dia. x $\frac{5}{16}$ " long	...	...	...					DTD204	C	
28Q/	AS.457/406	Rivet, snaphead, $\frac{1}{8}$ " dia. x $\frac{3}{8}$ " long ...	...	...	...					DTD204	C	
28Q/7647	AS.457/407	Rivet, snaphead, $\frac{1}{8}$ " dia. x $\frac{1}{16}$ " long	...	...	...					DTD204	C	
28Q/	AS.457/504	Rivet, snaphead, $\frac{5}{32}$ " dia. x $\frac{1}{4}$ " long	...	...	...					DTD204	C	
28Q/	AS.457/505	Rivet, snaphead, $\frac{5}{32}$ " dia. x $\frac{5}{16}$ " long	...	...	...					DTD204	C	
28Q/	AS.457/506	Rivet, snaphead, $\frac{5}{32}$ " dia. x $\frac{3}{4}$ " long	...	...	...					DTD204	C	
28Q/	AS.457/507	Rivet, snaphead, $\frac{5}{32}$ " dia. x $\frac{7}{16}$ " long	...	...	...					DTD204	C	
28Q/	AS.457/508	Rivet, snaphead, $\frac{5}{32}$ " dia. x $\frac{1}{2}$ " long ...	...	...	...					DTD204	C	
28Q/	AS.457/509	Rivet, snaphead, $\frac{5}{32}$ " dia. x $\frac{3}{32}$ " long	...	...	...					DTD204	C	
28Q/	AS.457/510	Rivet, snaphead, $\frac{5}{32}$ " dia. x $\frac{5}{8}$ " long ...	...	...	...					DTD204	C	
28Q/	AS.457/603	Rivet, snaphead, $\frac{3}{16}$ " dia. x $\frac{3}{16}$ " long	...	...	...					DTD204	C	
28Q/	AS.457/605	Rivet, snaphead, $\frac{3}{16}$ " dia. x $\frac{5}{8}$ " long	...	...	...					DTD204	C	
28Q/	AS.457/606	Rivet, snaphead, $\frac{5}{16}$ " dia. x $\frac{1}{8}$ " long	...	...	...					DTD204	C	
28Q/	AS.457/607	Rivet, snaphead, $\frac{3}{16}$ " dia. x $\frac{7}{16}$ " long	...	...	...					DTD204	C	
28Q/	AS.457/608	Rivet, snaphead, $\frac{3}{16}$ " dia. x $\frac{1}{2}$ " long	...	...	...					DTD204	C	
28Q/1509	AS.459/304	Rivet, snaphead, $\frac{3}{32}$ " dia. x $\frac{1}{4}$ " long ...	...	...	...					Copper	C	
28Q/9143889	AS.460/203	Rivet, c'sk 90°, $\frac{1}{16}$ " dia. x $\frac{3}{16}$ " long	...	...	...					BS1109	C	
28Q/7598	AS.460/206	Rivet, c'sk 90°, $\frac{1}{16}$ " dia. x $\frac{3}{8}$ " long ...	...	...	...					BS1109	C	
28Q/9912	AS.460/208	Rivet, c'sk 90°, $\frac{1}{16}$ " dia. x $\frac{1}{2}$ " long ...	...	...	...					BS1109	C	
28Q/9466446	AS.460/305	Rivet, c'sk 90°, $\frac{3}{32}$ " dia. x $\frac{3}{16}$ " long ...	...	...	...					BS1109	C	
28Q/9157280	AS.460/306	Rivet, c'sk 90°, $\frac{3}{32}$ " dia. x $\frac{3}{8}$ " long ...	...	...	...					BS1109	C	
28Q/1790	AS.460/404	Rivet, c'sk 90°, $\frac{1}{8}$ " dia. x $\frac{1}{2}$ " long ...	...	...	...					BS1109	C	
28Q/9447649	AS.460/405	Rivet, c'sk 90°, $\frac{1}{8}$ " dia. x $\frac{5}{16}$ " long ...	...	...	...					BS1109	C	
28Q/9133936	AS.460/406	Rivet, c'sk 90°, $\frac{1}{8}$ " dia. x $\frac{3}{8}$ " long ...	...	...	...					BS1109	C	
28Q/1840	AS.460/410	Rivet, c'sk 90°, $\frac{1}{8}$ " dia. x $\frac{3}{8}$ " long ...	...	...	...					BS1109	C	
28Q/	AS.460/614	Rivet, c'sk 90°, $\frac{3}{16}$ " dia. x $\frac{3}{8}$ " long ...	...	...	...					BS1109	C	
28Q/	AS.460/615	Rivet, c'sk 90°, $\frac{3}{16}$ " dia. x $\frac{15}{16}$ " long	...	...	...					BS1109	C	
28Q/	AS.462/303	Rivet, c'sk 90°, $\frac{3}{32}$ " dia. x $\frac{3}{16}$ " long ...	...	...	...					DTD204	C	
28Q/9854	AS.463/303	Rivet, c'sk 120°, $\frac{3}{32}$ " dia. x $\frac{3}{16}$ " long	...	...	...					BS1109	C	
28Q/	AS.463/403	Rivet, c'sk 120°, $\frac{1}{8}$ " dia. x $\frac{3}{16}$ " long	...	...	...					BS1109	C	
28Q/	AS.463/608	Rivet, c'sk 120°, $\frac{3}{16}$ " dia. x $\frac{1}{2}$ " long	...	...	...					BS1109	C	
28Q/14488	AS.465/303	Rivet, c'sk 120°, $\frac{3}{32}$ " dia. x $\frac{3}{16}$ " long	...	...	...					DTD204	C	
28Q/13622	AS.465/304	Rivet, c'sk 120°, $\frac{3}{32}$ " dia. x $\frac{1}{4}$ " long	...	...	...					DTD204	C	
28Q/13872	AS.465/305	Rivet, c'sk 120°, $\frac{3}{32}$ " dia. x $\frac{5}{16}$ " long	...	...	...					DTD204	C	
28Q/	AS.465/403	Rivet, c'sk 120°, $\frac{1}{8}$ " dia. x $\frac{3}{16}$ " long	...	...	...					DTD204	C	
28Q/14489	AS.465/404	Rivet, c'sk 120°, $\frac{1}{8}$ " dia. x $\frac{1}{4}$ " long ...	...	...	...					DTD204	C	
28Q/11437	AS.465/405	Rivet, c'sk 120°, $\frac{1}{8}$ " dia. x $\frac{5}{16}$ " long	...	...	...					DTD204	C	
28Q/14490	AS.465/406	Rivet, c'sk 120°, $\frac{1}{8}$ " dia. x $\frac{3}{8}$ " long	...	...	...					DTD204	C	
28Q/14645	AS.465/407	Rivet, c'sk 120°, $\frac{1}{8}$ " dia. x $\frac{7}{16}$ " long	...	...	...					DTD204	C	
28Q/	AS.465/504	Rivet, c'sk 120°, $\frac{5}{32}$ " dia. x $\frac{1}{4}$ " long	...	...	...					DTD204	C	
28Q/11436	AS.465/505	Rivet, c'sk 120°, $\frac{5}{32}$ " dia. x $\frac{5}{16}$ " long	...	...	...					DTD204	C	
28Q/	AS.465/506	Rivet, c'sk 120°, $\frac{5}{32}$ " dia. x $\frac{3}{8}$ " long	...	...	...					DTD204	C	
28Q/11702	AS.465/507	Rivet, c'sk 120°, $\frac{5}{32}$ " dia. x $\frac{7}{16}$ " long	...	...	...					DTD204	C	
28Q/15041	AS.465/508	Rivet, c'sk 120°, $\frac{5}{32}$ " dia. x $\frac{1}{2}$ " long ...	...	...	...					DTD204	C	
28Q/	AS.467/202	Rivet, c'sk 90°, $\frac{1}{16}$ " dia. x $\frac{1}{2}$ " long ...	...	...	...					Copper	C	
28Q/9153139	AS.467/303	Rivet, c'sk 90°, $\frac{3}{32}$ " dia. x $\frac{3}{16}$ " long ...	...	...	...					Copper	C	
28Q/	AS.467/409	Rivet, c'sk 90°, $\frac{1}{8}$ " dia. x $\frac{5}{16}$ " long ...	...	...	...					Copper	C	
28Q/10861	AS.467/608	Rivet, c'sk 90°, $\frac{3}{16}$ " dia. x $\frac{1}{2}$ " long ...	...	...	...					Copper	C	

LIGHTNING F. MK. 2 AND MK. 2A

SUMMARY OF STANDARD ITEMS

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6	7				
28Q/	AS.469/303	Rivet, flathead,	$\frac{3}{32}$ "	dia.	$\times$	$\frac{3}{16}$ "	long	...	...	...	Copper	C
28Q/10604	AS.469/304	Rivet, flathead,	$\frac{3}{32}$ "	dia.	$\times$	$\frac{1}{4}$ "	long	...	...	...	Copper	C
28Q/9709534	AS.469/406	Rivet, flathead,	$\frac{1}{8}$ "	dia.	$\times$	$\frac{3}{8}$ "	long	...	...	...	Copper	C
28Q/6664	AS.2227/304	Rivet, snaphead,	$\frac{3}{32}$ "	dia.	$\times$	$\frac{1}{4}$ "	long	...	...	...	L69	C
28Q/	AS.2227/305	Rivet, snaphead,	$\frac{3}{32}$ "	dia.	$\times$	$\frac{5}{16}$ "	long	...	...	...	L69	C
28Q/	AS.2227/403	Rivet, snaphead,	$\frac{1}{8}$ "	dia.	$\times$	$\frac{5}{16}$ "	long	...	...	...	L69	C
28Q/	AS.2227/404	Rivet, snaphead,	$\frac{1}{8}$ "	dia.	$\times$	$\frac{1}{4}$ "	long	...	...	...	L69	C
28Q/	AS.2227/405	Rivet, snaphead,	$\frac{1}{8}$ "	dia.	$\times$	$\frac{5}{16}$ "	long	...	...	...	L69	C
28Q/	AS.2227/408	Rivet, snaphead,	$\frac{1}{8}$ "	dia.	$\times$	$\frac{1}{2}$ "	long	...	...	...	L69	C
28Q/15230	AS.2228/409	Rivet, mushroom head,	$\frac{1}{8}$ "	dia.	$\times$	$\frac{1}{4}$ "	long	...	...	...	L69	C
28Q/9137403	AS.2229/303	Rivet, c'sk 90°,	$\frac{3}{32}$ "	dia.	$\times$	$\frac{3}{16}$ "	long	...	...	...	L69	C
28Q/9137404	AS.2229/304	Rivet, c'sk 90°,	$\frac{3}{16}$ "	dia.	$\times$	$\frac{1}{4}$ "	long	...	...	...	L69	C
28Q/9137142	AS.2229/305	Rivet, c'sk 90°,	$\frac{3}{32}$ "	dia.	$\times$	$\frac{5}{16}$ "	long	...	...	...	L69	C
28Q/1011907	AS.2229/306	Rivet, c'sk 90°,	$\frac{3}{32}$ "	dia.	$\times$	$\frac{3}{8}$ "	long	...	...	...	L69	C
28Q/9451835	AS.2229/307	Rivet, c'sk 90°,	$\frac{3}{32}$ "	dia.	$\times$	$\frac{7}{16}$ "	long	...	...	...	L69	C
28Q/9137406	AS.2229/309	Rivet, c'sk 90°,	$\frac{3}{32}$ "	dia.	$\times$	$\frac{1}{4}$ "	long	...	...	...	L69	C
28Q/9135416	AS.2230/303	Rivet, c'sk 90°,	$\frac{3}{16}$ "	dia.	$\times$	$\frac{3}{32}$ "	long	...	...	...	L69	C
28Q/9140305	AS.2230/304	Rivet, c'sk 90°,	$\frac{3}{32}$ "	dia.	$\times$	$\frac{1}{4}$ "	long	...	...	...	L69	C
28Q/9140376	AS.2230/305	Rivet, c'sk 90°,	$\frac{3}{32}$ "	dia.	$\times$	$\frac{5}{16}$ "	long	...	...	...	L69	C
28Q/9129592	AS.2230/404	Rivet, c'sk 90°,	$\frac{1}{8}$ "	dia.	$\times$	$\frac{1}{4}$ "	long	...	...	...	L69	C
28Q/9129594	AS.2230/405	Rivet, c'sk 90°,	$\frac{1}{8}$ "	dia.	$\times$	$\frac{5}{16}$ "	long	...	...	...	L69	C
28Q/	AS.2918/205	Rivet, c'sk 90°,	$\frac{1}{16}$ "	dia.	$\times$	$\frac{5}{16}$ "	long	...	...	...	L37	C
28Q/	AS.2918/303	Rivet, c'sk 90°,	$\frac{3}{32}$ "	dia.	$\times$	$\frac{3}{16}$ "	long	...	...	...	L37	C
28Q/	AS.2918/304	Rivet, c'sk 90°,	$\frac{3}{32}$ "	dia.	$\times$	$\frac{1}{4}$ "	long	...	...	...	L37	C
28Q/	AS.2918/308	Rivet, c'sk 90°,	$\frac{3}{32}$ "	dia.	$\times$	$\frac{5}{16}$ "	long	...	...	...	L37	C
28Q/	AS.2918/306	Rivet, c'sk 90°,	$\frac{3}{32}$ "	dia.	$\times$	$\frac{3}{8}$ "	long	...	...	...	L37	C
28Q/	AS.2918/307	Rivet, c'sk 90°,	$\frac{3}{32}$ "	dia.	$\times$	$\frac{7}{16}$ "	long	...	...	...	L37	C
28Q/	AS.2918/308	Rivet, c'sk 90°,	$\frac{3}{32}$ "	dia.	$\times$	$\frac{1}{2}$ "	long	...	...	...	L37	C
28Q/	AS.2918/309	Rivet, c'sk 90°,	$\frac{3}{32}$ "	dia.	$\times$	$\frac{9}{16}$ "	long	...	...	...	L37	C
28Q/	AS.2918/312	Rivet, c'sk 90°,	$\frac{3}{32}$ "	dia.	$\times$	$\frac{3}{8}$ "	long	...	...	...	L37	C
28Q/	AS.2918/403	Rivet, c'sk 90°,	$\frac{1}{8}$ "	dia.	$\times$	$\frac{3}{16}$ "	long	...	...	...	L37	C
28Q/19725	AS.2918/404	Rivet, c'sk 90°,	$\frac{1}{8}$ "	dia.	$\times$	$\frac{1}{4}$ "	long	...	...	...	L37	C
28Q/18744	AS.2918/405	Rivet, c'sk 90°,	$\frac{1}{8}$ "	dia.	$\times$	$\frac{5}{16}$ "	long	...	...	...	L37	C
28Q/	AS.2918/406	Rivet, c'sk 90°,	$\frac{1}{8}$ "	dia.	$\times$	$\frac{3}{8}$ "	long	...	...	...	L37	C
28Q/	AS.2918/407	Rivet, c'sk 90°,	$\frac{1}{8}$ "	dia.	$\times$	$\frac{7}{16}$ "	long	...	...	...	L37	C
28Q/15152	AS.2918/408	Rivet, c'sk 90°,	$\frac{1}{8}$ "	dia.	$\times$	$\frac{1}{2}$ "	long	...	...	...	L37	C
28Q/	AS.2918/409	Rivet, c'sk 90°,	$\frac{1}{8}$ "	dia.	$\times$	$\frac{9}{16}$ "	long	...	...	...	L37	C
28Q/	AS.2918/410	Rivet, c'sk 90°,	$\frac{1}{8}$ "	dia.	$\times$	$\frac{5}{8}$ "	long	...	...	...	L37	C
28Q/	AS.2918/411	Rivet, c'sk 90°,	$\frac{1}{8}$ "	dia.	$\times$	$\frac{11}{16}$ "	long	...	...	...	L37	C
28Q/	AS.2918/412	Rivet, c'sk 90°,	$\frac{1}{8}$ "	dia.	$\times$	$\frac{3}{4}$ "	long	...	...	...	L37	C
28Q/	AS.2918/413	Rivet, c'sk 90°,	$\frac{1}{8}$ "	dia.	$\times$	$\frac{13}{16}$ "	long	...	...	...	L37	C
28Q/	AS.2918/414	Rivet, c'sk 90°,	$\frac{1}{8}$ "	dia.	$\times$	$\frac{7}{8}$ "	long	...	...	...	L37	C
28Q/	AS.2918/415	Rivet, c'sk 90°,	$\frac{1}{8}$ "	dia.	$\times$	$\frac{15}{16}$ "	long	...	...	...	L37	C
28Q/	AS.2918/504	Rivet, c'sk 90°,	$\frac{5}{32}$ "	dia.	$\times$	$\frac{1}{4}$ "	long	...	...	...	L37	C
28Q/	AS.2918/505	Rivet, c'sk 90°,	$\frac{5}{32}$ "	dia.	$\times$	$\frac{5}{16}$ "	long	...	...	...	L37	C
28Q/19726	AS.2918/506	Rivet, c'sk 90°,	$\frac{5}{32}$ "	dia.	$\times$	$\frac{3}{8}$ "	long	...	...	...	L37	C
28Q/15894	AS.2918/507	Rivet, c'sk 90°,	$\frac{5}{32}$ "	dia.	$\times$	$\frac{7}{16}$ "	long	...	...	...	L37	C
28Q/15153	AS.2918/508	Rivet, c'sk 90°,	$\frac{5}{32}$ "	dia.	$\times$	$\frac{1}{2}$ "	long	...	...	...	L37	C
28Q/19869	AS.2918/509	Rivet, c'sk 90°,	$\frac{5}{32}$ "	dia.	$\times$	$\frac{9}{16}$ "	long	...	...	...	L37	C
28Q/19870	AS.2918/510	Rivet, c'sk 90°,	$\frac{5}{32}$ "	dia.	$\times$	$\frac{3}{8}$ "	long	...	...	...	L37	C
28Q/	AS.2918/511	Rivet, c'sk 90°,	$\frac{5}{32}$ "	dia.	$\times$	$\frac{11}{16}$ "	long	...	...	...	L37	C
28Q/	AS.2918/512	Rivet, c'sk 90°,	$\frac{5}{32}$ "	dia.	$\times$	$\frac{3}{4}$ "	long	...	...	...	L37	C
28Q/	AS.2918/513	Rivet, c'sk 90°,	$\frac{5}{32}$ "	dia.	$\times$	$\frac{13}{16}$ "	long	...	...	...	L37	C
28Q/	AS.2918/514	Rivet, c'sk 90°,	$\frac{5}{32}$ "	dia.	$\times$	$\frac{7}{8}$ "	long	...	...	...	L37	C
28Q/	AS.2918/516	Rivet, c'sk 90°,	$\frac{5}{32}$ "	dia.	$\times$	1"	long	...	...	...	L37	C
28Q/	AS.2918/519	Rivet, c'sk 90°,	$\frac{5}{32}$ "	dia.	$\times$	1 $\frac{3}{16}$ "	long	...	...	...	L37	C
28Q/	AS.2918/521	Rivet, c'sk 90°,	$\frac{5}{32}$ "	dia.	$\times$	1 $\frac{5}{16}$ "	long	...	...	...	L37	C

SUMMARY OF STANDARD ITEMS

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
28Q/	AS.2918/522	Rivet, c'sk 90°, $\frac{5}{32}$ " dia. × $1\frac{3}{8}$ " long	...	L37	C	
28Q/	AS.2918/604	Rivet, c'sk 90°, $\frac{3}{16}$ " dia. × $\frac{1}{4}$ " long ...	...	L37	C	
28Q/	AS.2918/605	Rivet, c'sk 90°, $\frac{3}{16}$ " dia. × $\frac{5}{16}$ " long	...	L37	C	
28Q/19037	AS.2918/606	Rivet, c'sk 90°, $\frac{3}{16}$ " dia. × $\frac{3}{8}$ " long ...	...	L37	C	
28Q/20479	AS.2918/607	Rivet, c'sk 90°, $\frac{3}{16}$ " dia. × $\frac{7}{16}$ " long	...	L37	C	
28Q/19038	AS.2918/608	Rivet, c'sk 90°, $\frac{3}{16}$ " dia. × $\frac{1}{2}$ " long ...	...	L37	C	
28Q/19039	AS.2918/609	Rivet, c'sk 90°, $\frac{3}{16}$ " dia. × $\frac{9}{16}$ " long	...	L37	C	
28Q/	AS.2918/610	Rivet, c'sk 90°, $\frac{3}{16}$ " dia. × $\frac{3}{8}$ " long ...	...	L37	C	
28Q/	AS.2918/611	Rivet, c'sk 90°, $\frac{3}{16}$ " dia. × $\frac{11}{16}$ " long	...	L37	C	
28Q/	AS.2918/612	Rivet, c'sk 90°, $\frac{3}{16}$ " dia. × $\frac{3}{4}$ " long ...	...	L37	C	
28Q/	AS.2918/613	Rivet, c'sk 90°, $\frac{3}{16}$ " dia. × $\frac{13}{16}$ " long	...	L37	C	
28Q/	AS.2918/614	Rivet, c'sk 90°, $\frac{3}{16}$ " dia. × $\frac{7}{8}$ " long ...	...	L37	C	
28Q/	AS.2918/615	Rivet, c'sk 90°, $\frac{3}{16}$ " dia. × $\frac{15}{16}$ " long	...	L37	C	
28Q/	AS.2918/616	Rivet, c'sk 90°, $\frac{3}{16}$ " dia. × $1$ " long ...	...	L37	C	
28Q/	AS.2918/617	Rivet, c'sk 90°, $\frac{3}{16}$ " dia. × $1\frac{1}{16}$ " long	...	L37	C	
28Q/	AS.2918/618	Rivet, c'sk 90°, $\frac{3}{16}$ " dia. × $1\frac{1}{8}$ " long	...	L37	C	
28Q/	AS.2918/624	Rivet, c'sk 90°, $\frac{3}{16}$ " dia. × $1\frac{1}{4}$ " long	...	L37	C	
28Q/	AS.2918/628	Rivet, c'sk 90°, $\frac{3}{16}$ " dia. × $1\frac{3}{8}$ " long	...	L37	C	
28Q/	AS.2918/807	Rivet, c'sk 90°, $\frac{1}{4}$ " dia. × $\frac{7}{16}$ " long ...	...	L37	C	
28Q/	AS.2918/808	Rivet, c'sk 90°, $\frac{1}{4}$ " dia. × $\frac{1}{2}$ " long ...	...	L37	C	
28Q/	AS.2918/809	Rivet, c'sk 90°, $\frac{1}{4}$ " dia. × $\frac{5}{8}$ " long ...	...	L37	C	
28Q/20480	AS.2918/810	Rivet, c'sk 90°, $\frac{1}{4}$ " dia. × $\frac{3}{4}$ " long ...	...	L37	C	
28Q/	AS.2918/811	Rivet, c'sk 90°, $\frac{1}{4}$ " dia. × $\frac{11}{16}$ " long ...	...	L37	C	
28Q/20481	AS.2918/812	Rivet, c'sk 90°, $\frac{1}{4}$ " dia. × $\frac{3}{4}$ " long ...	...	L37	C	
28Q/	AS.2918/813	Rivet, c'sk 90°, $\frac{1}{4}$ " dia. × $\frac{13}{16}$ " long ...	...	L37	C	
28Q/	AS.2918/814	Rivet, c'sk 90°, $\frac{1}{4}$ " dia. × $\frac{7}{8}$ " long ...	...	L37	C	
28Q/	AS.2918/815	Rivet, c'sk 90°, $\frac{1}{4}$ " dia. × $\frac{15}{16}$ " long ...	...	L37	C	
28Q/	AS.2918/816	Rivet, c'sk 90°, $\frac{1}{4}$ " dia. × $1$ " long ...	...	L37	C	
28Q/	AS.2918/817	Rivet, c'sk 90°, $\frac{1}{4}$ " dia. × $1\frac{1}{16}$ " long	...	L37	C	
28Q/	AS.2918/818	Rivet, c'sk 90°, $\frac{1}{4}$ " dia. × $1\frac{1}{8}$ " long ...	...	L37	C	
28Q/	AS.2918/819	Rivet, c'sk 90°, $\frac{1}{4}$ " dia. × $1\frac{1}{4}$ " long	...	L37	C	
28Q/	AS.2918/820	Rivet, c'sk 90°, $\frac{1}{4}$ " dia. × $1\frac{1}{2}$ " long	...	L37	C	
28Q/	AS.2918/821	Rivet, c'sk 90°, $\frac{1}{4}$ " dia. × $1\frac{5}{8}$ " long	...	L37	C	
28Q/	AS.2918/822	Rivet, c'sk 90°, $\frac{1}{4}$ " dia. × $1\frac{3}{4}$ " long ...	...	L37	C	
28Q/	AS.2918/823	Rivet, c'sk 90°, $\frac{1}{4}$ " dia. × $1\frac{7}{8}$ " long	...	L37	C	
28Q/	AS.2918/1010	Rivet, c'sk 90°, $\frac{5}{16}$ " dia. × $\frac{5}{8}$ " long ...	...	L37	C	
28Q/	AS.2918/1011	Rivet, c'sk 90°, $\frac{5}{16}$ " dia. × $\frac{11}{16}$ " long	...	L37	C	
28Q/	AS.2918/1012	Rivet, c'sk 90°, $\frac{5}{16}$ " dia. × $\frac{3}{4}$ " long ...	...	L37	C	
28Q/	AS.2918/1013	Rivet, c'sk 90°, $\frac{5}{16}$ " dia. × $\frac{13}{16}$ " long	...	L37	C	
28Q/	AS.2918/1014	Rivet, c'sk 90°, $\frac{5}{16}$ " dia. × $\frac{7}{8}$ " long ...	...	L37	C	
28Q/	AS.2918/1016	Rivet, c'sk 90°, $\frac{5}{16}$ " dia. × $1$ " long ...	...	L37	C	
28Q/	AS.2918/1017	Rivet, c'sk 90°, $\frac{5}{16}$ " dia. × $1\frac{1}{16}$ " long	...	L37	C	
28Q/	AS.2918/1018	Rivet, c'sk 90°, $\frac{5}{16}$ " dia. × $1\frac{1}{8}$ " long	...	L37	C	
28Q/	AS.2918/1019	Rivet, c'sk 90°, $\frac{5}{16}$ " dia. × $1\frac{1}{4}$ " long	...	L37	C	
28Q/	AS.2918/1212	Rivet, c'sk 90°, $\frac{3}{8}$ " dia. × $\frac{3}{4}$ " long ...	...	L37	C	
28Q/	AS.2919/204	Rivet, c'sk 120°, $\frac{1}{16}$ " dia. × $\frac{1}{4}$ " long	...	L37	C	
28Q/16978	AS.2919/303	Rivet, c'sk 120°, $\frac{3}{32}$ " dia. × $\frac{5}{16}$ " long	...	L37	C	
28Q/16842	AS.2919/304	Rivet, c'sk 120°, $\frac{3}{32}$ " dia. × $\frac{1}{4}$ " long	...	L37	C	
28Q/19582	AS.2919/305	Rivet, c'sk 120°, $\frac{3}{32}$ " dia. × $\frac{5}{16}$ " long	...	L37	C	
28Q/	AS.2919/306	Rivet, c'sk 120°, $\frac{3}{32}$ " dia. × $\frac{3}{8}$ " long	...	L37	C	
28Q/	AS.2919/307	Rivet, c'sk 120°, $\frac{3}{32}$ " dia. × $\frac{7}{16}$ " long	...	L37	C	
28Q/	AS.2919/312	Rivet, c'sk 120°, $\frac{3}{32}$ " dia. × $\frac{3}{4}$ " long	...	L37	C	
28Q/	AS.2919/403	Rivet, c'sk 120°, $\frac{1}{8}$ " dia. × $\frac{3}{16}$ " long	...	L37	C	
28Q/15885	AS.2919/404	Rivet, c'sk 120°, $\frac{1}{8}$ " dia. × $\frac{1}{4}$ " long	...	L37	C	
28Q/19583	AS.2919/404.5	Rivet, c'sk 120°, $\frac{1}{8}$ " dia. × $\frac{3}{32}$ " long	...	L37	C	
28Q/16843	AS.2919/405	Rivet, c'sk 120°, $\frac{1}{8}$ " dia. × $\frac{5}{16}$ " long	...	L37	C	
28Q/16844	AS.2919/406	Rivet, c'sk 120°, $\frac{1}{8}$ " dia. × $\frac{3}{8}$ " long	...	L37	C	

LIGHTNING F. MK. 2 AND MK. 2A

SUMMARY OF STANDARD ITEMS

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6	7				
28Q/17168	AS.2919/407	Rivet, c'sk 120°										
28Q/15154	AS.2919/408	Rivet, c'sk 120°								L37	C	
28Q/17187	AS.2919/409	Rivet, c'sk 120°								L37	C	
28Q/	AS.2919/410	Rivet, c'sk 120°								L37	C	
28Q/	AS.2919/411	Rivet, c'sk 120°								L37	C	
28Q/18231	AS.2919/412	Rivet, c'sk 120°								L37	C	
28Q/	AS.2919/413	Rivet, c'sk 120°								L37	C	
28Q/	AS.2919/414	Rivet, c'sk 120°								L37	C	
28Q/	AS.2919/415	Rivet, c'sk 120°								L37	C	
28Q/	AS.2919/416	Rivet, c'sk 120°								L37	C	
28Q/	AS.2919/417	Rivet, c'sk 120°								L37	C	
28Q/18232	AS.2919/418	Rivet, c'sk 120°								L37	C	
28Q/	AS.2919/503	Rivet, c'sk 120°								L37	C	
28Q/	AS.2919/504	Rivet, c'sk 120°								L37	C	
28Q/18982	AS.2919/505	Rivet, c'sk 120°								L37	C	
28Q/19584	AS.2919/505.5	Rivet, c'sk 120°								L37	C	
28Q/18983	AS.2919/506	Rivet, c'sk 120°								L37	C	
28Q/18984	AS.2919/507	Rivet, c'sk 120°								L37	C	
28Q/15155	AS.2919/508	Rivet, c'sk 120°								L37	C	
28Q/	AS.2919/509	Rivet, c'sk 120°								L37	C	
28Q/19201	AS.2919/510	Rivet, c'sk 120°								L37	C	
28Q/19585	AS.2919/511	Rivet, c'sk 120°								L37	C	
28Q/	AS.2919/512	Rivet, c'sk 120°								L37	C	
28Q/	AS.2919/513	Rivet, c'sk 120°								L37	C	
28Q/1275810	AS.2919/514	Rivet, c'sk 120°								L37	C	
28Q/	AS.2919/515	Rivet, c'sk 120°								L37	C	
28Q/	AS.2919/518	Rivet, c'sk 120°								L37	C	
28Q/	AS.2919/522	Rivet, c'sk 120°								L37	C	
28Q/	AS.2919/604	Rivet, c'sk 120°								L37	C	
28Q/	AS.2919/605	Rivet, c'sk 120°								L37	C	
28Q/18985	AS.2919/606	Rivet, c'sk 120°								L37	C	
28Q/18986	AS.2919/607	Rivet, c'sk 120°								L37	C	
28Q/18987	AS.2919/608	Rivet, c'sk 120°								L37	C	
28Q/	AS.2919/608.5	Rivet, c'sk 120°								L37	C	
28Q/18988	AS.2919/609	Rivet, c'sk 120°								L37	C	
28Q/19202	AS.2919/610	Rivet, c'sk 120°								L37	C	
28Q/	AS.2919/610.5	Rivet, c'sk 120°								L37	C	
28Q/	AS.2919/611	Rivet, c'sk 120°								L37	C	
28Q/	AS.2919/612	Rivet, c'sk 120°								L37	C	
28Q/18707	AS.2919/613	Rivet, c'sk 120°								L37	C	
28Q/1209954	AS.2919/617	Rivet, c'sk 120°								L37	C	
28Q/	AS.2919/709	Rivet, c'sk 120°								L37	C	
28Q/	AS.2919/710	Rivet, c'sk 120°								L37	C	
28Q/	AS.2919/711	Rivet, c'sk 120°								L37	C	
28Q/18989	AS.2919/808	Rivet, c'sk 120°								L37	C	
28Q/	AS.2919/809	Rivet, c'sk 120°								L37	C	
28Q/19203	AS.2919/810	Rivet, c'sk 120°								L37	C	
28Q/	AS.2919/811	Rivet, c'sk 120°								L37	C	
28Q/	AS.2919/812	Rivet, c'sk 120°								L37	C	
28Q/18990	AS.2919/813	Rivet, c'sk 120°								L37	C	
28Q/	AS.2919/814	Rivet, c'sk 120°								L37	C	
28Q/	AS.2919/1015	Rivet, c'sk 120°								L37	C	
28Q/	AGS.501/D/25	Rivet, tubular								—	C	
28Q/	AGS.501/H/29	Rivet, tubular								—	C	
28Q/5819	AGS.501/J/153	Rivet, tubular. $\frac{3}{16}$ " dia. x 2" long								Nickel Alloy 20 SWG	C	

SUMMARY OF STANDARD ITEMS

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.	
							1
28Q/9521685	AGS.2040/306	Rivet, snaphead, $\frac{3}{32}$ " dia. x $\frac{3}{16}$ " long	...	...	...	DTD720	C
28Q/	AGS.2040/308	Rivet, snaphead, $\frac{3}{32}$ " dia. x $\frac{1}{4}$ " long	...	...	...	DTD720	C
28Q/9526	AGS.2040/404	Rivet, snaphead, $\frac{1}{8}$ " dia. x $\frac{1}{8}$ " long	...	...	...	DTD720	C
28Q/7853	AGS.2040/406	Rivet, snaphead, $\frac{1}{8}$ " dia. x $\frac{1}{16}$ " long	...	...	...	DTD720	C
28Q/9709374	AGS.2040/408	Rivet, snaphead, $\frac{1}{8}$ " dia. x $\frac{1}{4}$ " long	...	...	...	DTD720	C
28Q/9527	AGS.2040/410	Rivet, snaphead, $\frac{1}{8}$ " dia. x $\frac{5}{16}$ " long	...	...	...	DTD720	C
28Q/9489966	AGS.2040/506	Rivet, snaphead, $\frac{5}{32}$ " dia. x $\frac{9}{16}$ " long	...	...	...	DTD720	C
28Q/9458	AGS.2040/609	Rivet, snaphead, $\frac{3}{16}$ " dia. x $\frac{9}{32}$ " long	...	...	...	DTD720	C
28Q/11837	AGS.2040/611	Rivet, snaphead, $\frac{3}{16}$ " dia. x $\frac{11}{32}$ " long	...	...	...	DTD720	C
28Q/11870	AGS.2040/613	Rivet, snaphead, $\frac{3}{16}$ " dia. x $\frac{13}{32}$ " long	...	...	...	DTD720	C
28Q/10751	AGS.2040/615	Rivet, snaphead, $\frac{3}{16}$ " dia. x $\frac{15}{32}$ " long	...	...	...	DTD720	C
28Q/13465	AGS.2040/617	Rivet, snaphead, $\frac{3}{16}$ " dia. x $\frac{17}{32}$ " long	...	...	...	DTD720	C
28Q/13466	AGS.2040/619	Rivet, snaphead, $\frac{3}{16}$ " dia. x $\frac{19}{32}$ " long	...	...	...	DTD720	C
28Q/9435640	AGS.2040/809	Rivet, snaphead, $\frac{1}{4}$ " dia. x $\frac{3}{32}$ " long	...	...	...	DTD720	C
28Q/9482319	AGS.2040/811	Rivet, snaphead, $\frac{1}{4}$ " dia. x $\frac{11}{32}$ " long	...	...	...	DTD720	C
28Q/	AGS.2040/813	Rivet, snaphead, $\frac{1}{4}$ " dia. x $\frac{13}{32}$ " long	...	...	...	DTD720	C
28Q/10825	AGS.2040/815	Rivet, snaphead, $\frac{1}{4}$ " dia. x $\frac{15}{32}$ " long	...	...	...	DTD720	C
28Q/10803	AGS.2040/817	Rivet, snaphead, $\frac{1}{4}$ " dia. x $\frac{17}{32}$ " long	...	...	...	DTD720	C
28Q/	AGS.2040/819	Rivet, snaphead, $\frac{1}{4}$ " dia. x $\frac{19}{32}$ " long	...	...	...	DTD720	C
28Q/	AGS.2040/821	Rivet, snaphead, $\frac{1}{4}$ " dia. x $\frac{21}{32}$ " long	...	...	...	DTD720	C
28Q/	AGS.2040/823	Rivet, snaphead, $\frac{1}{4}$ " dia. x $\frac{23}{32}$ " long	...	...	...	DTD720	C
28Q/	AGS.2040/1015	Rivet, snaphead, $\frac{5}{16}$ " dia. x $\frac{15}{32}$ " long	...	...	...	DTD720	C
28Q/	AGS.2040/1017	Rivet, snaphead, $\frac{5}{16}$ " dia. x $\frac{17}{32}$ " long	...	...	...	DTD720	C
28Q/	AGS.2040/1019	Rivet, snaphead, $\frac{5}{16}$ " dia. x $\frac{19}{32}$ " long	...	...	...	DTD720	C
28Q/	AGS.2040/1021	Rivet, snaphead, $\frac{5}{16}$ " dia. x $\frac{21}{32}$ " long	...	...	...	DTD720	C
28Q/9518	AGS.2041/404	Rivet, c'sk, $\frac{1}{8}$ " dia. x $\frac{1}{8}$ " long	...	...	...	DTD720	C
28Q/9519	AGS.2041/406	Rivet, c'sk, $\frac{1}{8}$ " dia. x $\frac{3}{16}$ " long	...	...	...	DTD720	C
28Q/9130073	AGS.2041/408	Rivet, c'sk, $\frac{1}{8}$ " dia. x $\frac{1}{4}$ " long	...	...	...	DTD720	C
28Q/9521	AGS.2041/410	Rivet, c'sk, $\frac{1}{8}$ " dia. x $\frac{5}{16}$ " long	...	...	...	DTD720	C
28Q/9524	AGS.2041/508	Rivet, c'sk, $\frac{5}{32}$ " dia. x $\frac{1}{4}$ " long	...	...	...	DTD720	C
28Q/9525	AGS.2041/510	Rivet, c'sk, $\frac{5}{32}$ " dia. x $\frac{5}{16}$ " long	...	...	...	DTD720	C
28Q/	AGS.2041/519	Rivet, c'sk, $\frac{5}{32}$ " dia. x $\frac{15}{32}$ " long	...	...	...	DTD720	C
28Q/11871	AGS.2041/605	Rivet, c'sk, $\frac{3}{16}$ " dia. x $\frac{5}{32}$ " long	...	...	...	DTD337	C
28Q/10645	AGS.2041/609	Rivet, c'sk, $\frac{1}{16}$ " dia. x $\frac{9}{32}$ " long	...	...	...	DTD720	C
28Q/	AGS.2041/610	Rivet, c'sk, $\frac{3}{16}$ " dia. x $\frac{1}{16}$ " long	...	...	...	DTD720	C
28Q/10821	AGS.2041/611	Rivet, c'sk, $\frac{3}{16}$ " dia. x $\frac{11}{32}$ " long	...	...	...	DTD720	C
28Q/10823	AGS.2041/613	Rivet, c'sk, $\frac{3}{16}$ " dia. x $\frac{13}{32}$ " long	...	...	...	DTD720	C
28Q/15765	AGS.2041/615	Rivet, c'sk, $\frac{3}{16}$ " dia. x $\frac{15}{32}$ " long	...	...	...	DTD720	C
28Q/16288	AGS.2041/617	Rivet, c'sk, $\frac{3}{16}$ " dia. x $\frac{17}{32}$ " long	...	...	...	DTD720	C
28Q/9709373	AGS.2041/619	Rivet, c'sk, $\frac{3}{16}$ " dia. x $\frac{19}{32}$ " long	...	...	...	DTD720	C
28Q/15395	AGS.2041/809	Rivet, c'sk, $\frac{1}{4}$ " dia. x $\frac{9}{32}$ " long	...	...	...	DTD720	C
28Q/19470	AGS.2041/811	Rivet, c'sk, $\frac{1}{4}$ " dia. x $\frac{11}{32}$ " long	...	...	...	DTD720	C
28Q/9505077	AGS.2041/813	Rivet, c'sk, $\frac{1}{4}$ " dia. x $\frac{13}{32}$ " long	...	...	...	DTD720	C
28Q/10810	AGS.2041/815	Rivet, c'sk, $\frac{1}{4}$ " dia. x $\frac{15}{32}$ " long	...	...	...	DTD720	C
28Q/10812	AGS.2041/817	Rivet, c'sk, $\frac{1}{4}$ " dia. x $\frac{17}{32}$ " long	...	...	...	DTD720	C
28Q/10814	AGS.2041/819	Rivet, c'sk, $\frac{1}{4}$ " dia. x $\frac{19}{32}$ " long	...	...	...	DTD720	C
28Q/10816	AGS.2041/821	Rivet, c'sk, $\frac{1}{4}$ " dia. x $\frac{21}{32}$ " long	...	...	...	DTD720	C
28Q/	AGS.2041/1021	Rivet, c'sk, $\frac{5}{16}$ " dia. x $\frac{21}{32}$ " long	...	...	...	DTD720	C
28Q/	AGS.2041/1023	Rivet, c'sk, $\frac{5}{16}$ " dia. x $\frac{23}{32}$ " long	...	...	...	DTD720	C
28Q/	AGS.2041/1221	Rivet, c'sk, $\frac{3}{8}$ " dia. x $\frac{21}{32}$ " long	...	...	...	DTD720	C
28Q/	AGS.2042/403	Rivet, sealing pin, $\frac{1}{8}$ " dia. x $\frac{5}{32}$ " long	...	...	...	S1	C
28Q/8299	AGS.2042/406	Rivet, sealing pin, $\frac{1}{8}$ " dia. x $\frac{3}{16}$ " long	...	...	...	S1	C
28Q/15095	AGS.2042/504	Rivet, sealing pin, $\frac{5}{32}$ " dia. x $\frac{1}{8}$ " long	...	...	...	S1	C
28Q/8050	AGS.2042/506	Rivet, sealing pin, $\frac{5}{32}$ " dia. x $\frac{3}{16}$ " long	...	...	...	S1	C
28Q/8051	AGS.2042/508	Rivet, sealing pin, $\frac{5}{32}$ " dia. x $\frac{1}{4}$ " long	...	...	...	S1	C
28Q/	AGS.2042/603	Rivet, sealing pin, $\frac{3}{16}$ " dia. x $\frac{5}{32}$ " long	...	...	...	S1	C
28Q/11841	AGS.2042/607	Rivet, sealing pin, $\frac{3}{16}$ " dia. x $\frac{7}{32}$ " long	...	...	...	S1	C

LIGHTNING F. MK. 2 AND MK. 2A

SUMMARY OF STANDARD ITEMS

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
28Q/11842	AGS.2042/609	Rivet, sealing pin, $\frac{3}{16}$ " dia. x $\frac{9}{32}$ " long	...	S1	C	
28Q/10843	AGS.2042/611	Rivet, sealing pin, $\frac{3}{16}$ " dia. x $\frac{11}{32}$ " long	...	S1	C	
28Q/10845	AGS.2042/613	Rivet, sealing pin, $\frac{3}{16}$ " dia. x $\frac{13}{32}$ " long	...	S1	C	
28Q/13296	AGS.2042/615	Rivet, sealing pin, $\frac{3}{16}$ " dia. x $\frac{15}{32}$ " long	...	S1	C	
28Q/9710127	AGS.2042/617	Rivet, sealing pin, $\frac{3}{16}$ " dia. x $\frac{17}{32}$ " long	...	S1	C	
28Q/13468	AGS.2042/619	Rivet, sealing pin, $\frac{1}{4}$ " dia. x $\frac{19}{32}$ " long	...	S1	C	
28Q/13739	AGS.2042/807	Rivet, sealing pin, $\frac{1}{4}$ " dia. x $\frac{7}{16}$ " long	...	S1	C	
28Q/9435638	AGS.2042/809	Rivet, sealing pin, $\frac{1}{4}$ " dia. x $\frac{9}{16}$ " long	...	S1	C	
28Q/9482318	AGS.2042/811	Rivet, sealing pin, $\frac{1}{4}$ " dia. x $\frac{11}{16}$ " long	...	S1	C	
28Q/10831	AGS.2042/813	Rivet, sealing pin, $\frac{1}{4}$ " dia. x $\frac{13}{16}$ " long	...	S1	C	
28Q/10833	AGS.2042/815	Rivet, sealing pin, $\frac{1}{4}$ " dia. x $\frac{15}{16}$ " long	...	S1	C	
28Q/10835	AGS.2042/817	Rivet, sealing pin, $\frac{1}{4}$ " dia. x $\frac{17}{16}$ " long	...	S1	C	
28Q/10837	AGS.2042/819	Rivet, sealing pin, $\frac{1}{4}$ " dia. x $\frac{19}{16}$ " long	...	S1	C	
28Q/10839	AGS.2042/821	Rivet, sealing pin, $\frac{1}{4}$ " dia. x $\frac{21}{16}$ " long	...	S1	C	
28Q/	AGS.2042/823	Rivet, sealing pin, $\frac{1}{4}$ " dia. x $\frac{23}{16}$ " long	...	S1	C	
28Q/	AGS.2042/1015	Rivet, sealing pin, $\frac{5}{16}$ " dia. x $\frac{15}{16}$ " long	...	S1	C	
28Q/	AGS.2042/1017	Rivet, sealing pin, $\frac{5}{16}$ " dia. x $\frac{17}{16}$ " long	...	S1	C	
28Q/	AGS.2042/1019	Rivet, sealing pin, $\frac{5}{16}$ " dia. x $\frac{19}{16}$ " long	...	S1	C	
28Q/	AGS.2042/1021	Rivet, sealing pin, $\frac{5}{16}$ " dia. x $\frac{21}{16}$ " long	...	S1	C	
28Q/	AGS.2042/1023	Rivet, sealing pin, $\frac{5}{16}$ " dia. x $\frac{23}{16}$ " long	...	S1	C	
28Q/	AGS.2042/1219	Rivet, sealing pin, $\frac{3}{8}$ " dia. x $\frac{13}{16}$ " long	...	S1	C	
28Q/6245	AGS.2043/404	Rivet, snaphead, $\frac{1}{8}$ " dia. x $\frac{1}{8}$ " long	...	L37	C	
28Q/6246	AGS.2043/406	Rivet, snaphead, $\frac{1}{8}$ " dia. x $\frac{3}{16}$ " long	...	L37	C	
28Q/9466457	AGS.2043/408	Rivet, snaphead, $\frac{1}{8}$ " dia. x $\frac{1}{4}$ " long	...	L37	C	
28Q/6636	AGS.2043/410	Rivet, snaphead, $\frac{1}{8}$ " dia. x $\frac{5}{16}$ " long	...	L37	C	
28Q/6854	AGS.2043/506	Rivet, snaphead, $\frac{5}{32}$ " dia. x $\frac{3}{16}$ " long	...	L37	C	
28Q/6724	AGS.2043/508	Rivet, snaphead, $\frac{5}{32}$ " dia. x $\frac{1}{4}$ " long	...	L37	C	
28Q/6822	AGS.2043/510	Rivet, snaphead, $\frac{5}{32}$ " dia. x $\frac{5}{16}$ " long	...	L37	C	
28Q/19415	AGS.2043/512	Rivet, snaphead, $\frac{5}{32}$ " dia. x $\frac{3}{8}$ " long	...	L37	C	
28Q/19416	AGS.2043/514	Rivet, snaphead, $\frac{5}{32}$ " dia. x $\frac{7}{16}$ " long	...	L37	C	
28Q/	AGS.2043/516	Rivet, snaphead, $\frac{5}{32}$ " dia. x $1"$ long	...	L37	C	
28Q/11833	AGS.2043/607	Rivet, snaphead, $\frac{3}{16}$ " dia. x $\frac{7}{32}$ " long	...	L37	C	
28Q/9466456	AGS.2043/609	Rivet, snaphead, $\frac{3}{16}$ " dia. x $\frac{9}{32}$ " long	...	L37	C	
28Q/11835	AGS.2043/611	Rivet, snaphead, $\frac{3}{16}$ " dia. x $\frac{11}{32}$ " long	...	L37	C	
28Q/15537	AGS.2043/613	Rivet, snaphead, $\frac{3}{16}$ " dia. x $\frac{13}{32}$ " long	...	L37	C	
28Q/15538	AGS.2043/615	Rivet, snaphead, $\frac{3}{16}$ " dia. x $\frac{15}{32}$ " long	...	L37	C	
28Q/15344	AGS.2043/617	Rivet, snaphead, $\frac{3}{16}$ " dia. x $\frac{17}{32}$ " long	...	L37	C	
28Q/16026	AGS.2043/619	Rivet, snaphead, $\frac{3}{16}$ " dia. x $\frac{19}{32}$ " long	...	L37	C	
28Q/	AGS.2043/817	Rivet, snaphead, $\frac{1}{4}$ " dia. x $\frac{17}{32}$ " long	...	L37	C	
28Q/	AGS.2043/1009	Rivet, snaphead, $\frac{5}{16}$ " dia. x $\frac{9}{32}$ " long	...	L37	C	
28Q/6366	AGS.2044/406	Rivet, c'sk, $\frac{1}{8}$ " dia. x $\frac{3}{16}$ " long	...	L37	C	
28Q/9466458	AGS.2044/408	Rivet, c'sk, $\frac{1}{8}$ " dia. x $\frac{1}{4}$ " long	...	L37	C	
28Q/6818	AGS.2044/410	Rivet, c'sk, $\frac{1}{8}$ " dia. x $\frac{5}{16}$ " long	...	L37	C	
28Q/6751	AGS.2044/506	Rivet, c'sk, $\frac{5}{32}$ " dia. x $\frac{3}{16}$ " long	...	L37	C	
28Q/6752	AGS.2044/508	Rivet, c'sk, $\frac{5}{32}$ " dia. x $\frac{1}{4}$ " long	...	L37	C	
28Q/6819	AGS.2044/510	Rivet, c'sk, $\frac{5}{32}$ " dia. x $\frac{5}{16}$ " long	...	L37	C	
28Q/	AGS.2044/512	Rivet, c'sk, $\frac{5}{32}$ " dia. x $\frac{3}{8}$ " long	...	L37	C	
28Q/9709377	AGS.2044/514	Rivet, c'sk, $\frac{5}{32}$ " dia. x $\frac{7}{16}$ " long	...	L37	C	
28Q/11830	AGS.2044/607	Rivet, c'sk, $\frac{3}{16}$ " dia. x $\frac{7}{32}$ " long	...	L37	C	
28Q/11831	AGS.2044/609	Rivet, c'sk, $\frac{3}{16}$ " dia. x $\frac{9}{32}$ " long	...	L37	C	
28Q/11832	AGS.2044/611	Rivet, c'sk, $\frac{3}{16}$ " dia. x $\frac{11}{32}$ " long	...	L37	C	
28Q/	AGS.2044/613	Rivet, c'sk, $\frac{3}{16}$ " dia. x $\frac{13}{32}$ " long	...	L37	C	
28Q/18428	AGS.2044/615	Rivet, c'sk, $\frac{3}{16}$ " dia. x $\frac{15}{32}$ " long	...	L37	C	
28Q/14723	AGS.2044/617	Rivet, c'sk, $\frac{3}{16}$ " dia. x $\frac{17}{32}$ " long	...	L37	C	
28Q/19353	AGS.2044/619	Rivet, c'sk, $\frac{3}{16}$ " dia. x $\frac{19}{32}$ " long	...	L37	C	
28Q/	AGS.2044/809	Rivet, c'sk, $\frac{1}{4}$ " dia. x $\frac{9}{32}$ " long	...	L37	C	
28Q/	AGS.2044/811	Rivet, c'sk, $\frac{1}{4}$ " dia. x $\frac{11}{32}$ " long	...	L37	C	

SUMMARY OF STANDARD ITEMS

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
28Q/	AGS.2044/813	Rivet, c'sk, 1/4" dia. x 3/32" long	...	L37	C	
28Q/18781	AGS.2044/815	Rivet, c'sk, 1/4" dia. x 3/32" long	...	L37	C	
28Q/	AGS.2044/821	Rivet, c'sk, 1/4" dia. x 3/32" long	...	L37	C	
28Q/	AGS.2044/1011	Rivet, c'sk, 5/16" dia. x 11/32" long	...	L37	C	
28Q/	AGS.2044/1013	Rivet, c'sk, 5/16" dia. x 3/32" long	...	L37	C	
28Q/	AGS.2044/1015	Rivet, c'sk, 5/16" dia. x 11/32" long	...	L37	C	
28Q/	AGS.2045/606	Rivet, snaphead	...	L69	C	
28Q/1013417	AGS.2047/404	Rivet, sealing pin, 1/8" dia. x 1/8" long	...	L64 or DTD423	C	
28Q/1012676	AGS.2047/406	Rivet, sealing pin, 1/8" dia. x 3/16" long	...	L64 or DTD423	C	
28Q/9710126	AGS.2047/408	Rivet, sealing pin, 1/8" dia. x 1/4" long	...	L64 or DTD423	C	
28Q/6753	AGS.2047/410	Rivet, sealing pin, 1/8" dia. x 5/16" long	...	L64 or DTD423	C	
28Q/6763	AGS.2047/504	Rivet, sealing pin, 5/32" dia. x 1/8" long	...	L64 or DTD423	C	
28Q/9564476	AGS.2047/506	Rivet, sealing pin, 5/32" dia. x 3/16" long	...	L64 or DTD423	C	
28Q/9564475	AGS.2047/508	Rivet, sealing pin, 5/32" dia. x 1/4" long	...	L64 or DTD423	C	
28Q/1012677	AGS.2047/510	Rivet, sealing pin, 5/32" dia. x 5/16" long	...	L64 or DTD423	C	
28Q/9710125	AGS.2047/512	Rivet, sealing pin, 5/32" dia. x 3/8" long	...	L64 or DTD423	C	
28Q/9642	AGS.2047/514	Rivet, sealing pin, 5/32" dia. x 7/16" long	...	L64 or DTD423	C	
28Q/15077	AGS.2047/516	Rivet, sealing pin, 5/32" dia. x 1" long	...	L64 or DTD423	C	
28Q/14205	AGS.2047/605	Rivet, sealing pin, 3/16" dia. x 5/32" long	...	L64 or DTD423	C	
28Q/1013418	AGS.2047/607	Rivet, sealing pin, 3/16" dia. x 7/32" long	...	L64 or DTD423	C	
28Q/11839	AGS.2047/609	Rivet, sealing pin, 3/16" dia. x 9/32" long	...	L64 or DTD423	C	
28Q/11840	AGS.2047/611	Rivet, sealing pin, 3/16" dia. x 11/32" long	...	L64 or DTD423	C	
28Q/14814	AGS.2047/613	Rivet, sealing pin, 3/16" dia. x 13/32" long	...	L64 or DTD423	C	
28Q/15345	AGS.2047/615	Rivet, sealing pin, 3/16" dia. x 15/32" long	...	L64 or DTD423	C	
28Q/17291	AGS.2047/617	Rivet, sealing pin, 3/16" dia. x 17/32" long	...	L64 or DTD423	C	
28Q/	AGS.2047/619	Rivet, sealing pin, 3/16" dia. x 19/32" long	...	L64 or DTD423	C	
28Q/16046	AGS.2047/807	Rivet, sealing pin, 1/4" dia. x 7/32" long	...	L64 or DTD423	C	
28Q/16047	AGS.2047/809	Rivet, sealing pin, 1/4" dia. x 9/32" long	...	L64 or DTD423	C	
28Q/9508755	AGS.2047/811	Rivet, sealing pin, 1/4" dia. x 11/32" long	...	L64 or DTD423	C	
28Q/16185	AGS.2047/813	Rivet, sealing pin, 1/4" dia. x 13/32" long	...	L64 or DTD423	C	
28Q/17765	AGS.2047/815	Rivet, sealing pin, 1/4" dia. x 15/32" long	...	L64 or DTD423	C	

LIGHTNING F. MK. 2 AND MK. 2A

SUMMARY OF STANDARD ITEMS

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
28Q/9435639	AGS.2047/817	Rivet, sealing pin, $\frac{1}{4}$ " dia. $\times$ $\frac{17}{32}$ " long	...	L64 or DTD423	C	
28Q/	AGS.2047/819	Rivet, sealing pin, $\frac{1}{4}$ " dia. $\times$ $\frac{13}{32}$ " long	...	L64 or DTD423	C	
28Q/	AGS.2047/1009	Rivet, sealing pin, $\frac{5}{16}$ " dia. $\times$ $\frac{9}{32}$ " long	...	L64 or DTD423	C	
28Q/	AGS.2047/1011	Rivet, sealing pin, $\frac{5}{16}$ " dia. $\times$ $\frac{11}{32}$ " long	...	L64 or DTD423	C	
28Q/	AGS.2047/1013	Rivet, sealing pin, $\frac{5}{16}$ " dia. $\times$ $\frac{13}{32}$ " long	...	L64 or DTD423	C	
28Q/	AGS.2047/1015	Rivet, sealing pin, $\frac{5}{16}$ " dia. $\times$ $\frac{5}{16}$ " long	...	L64 or DTD423	C	
28Q/	AGS.2048/410	Rivet	...	—	C	
28Q/	AGS.2050/410BH	Rivet, tucker, domed, $\frac{1}{8}$ " dia. $\times$ 0".1 long	...	DTD10	C	
28Q/9417223	AGS.2050/413BH	Rivet, tucker, domed, $\frac{1}{8}$ " dia. $\times$ 0".13 long	...	DTD10	C	
28Q/	AGS.2050/423BH	Rivet, tucker, domed, $\frac{1}{8}$ " dia. $\times$ 0".23 long	...	DTD10	C	
28Q/9417225	AGS.2050/424BH	Rivet, tucker, domed, $\frac{1}{8}$ " dia. $\times$ 0".24 long	...	DTD10	C	
28Q/9417226	AGS.2050/429BH	Rivet, tucker, domed, $\frac{1}{8}$ " dia. $\times$ 0".29 long	...	DTD10	C	
28Q/9417228	AGS.2050/440BH	Rivet, tucker, domed, $\frac{1}{8}$ " dia. $\times$ 0".4 long	...	DTD10	C	
28Q/9417229	AGS.2050/519BH	Rivet, tucker, domed, $\frac{5}{32}$ " dia. $\times$ 0".19 long	...	DTD10	C	
28Q/9417230	AGS.2050/524BH	Rivet, tucker, domed, $\frac{5}{32}$ " dia. $\times$ 0".24 long	...	DTD10	C	
28Q/9417231	AGS.2050/530BH	Rivet, tucker, domed, $\frac{5}{32}$ " dia. $\times$ 0".3 long	...	DTD10	C	
28Q/9417232	AGS.2050/537BH	Rivet, tucker, domed, $\frac{5}{32}$ " dia. $\times$ 0".37 long	...	DTD10	C	
28Q/9417233	AGS.2050/540BH	Rivet, tucker, domed, $\frac{5}{32}$ " dia. $\times$ 0".4 long	...	DTD10	C	
28Q/	AGS.2050/542BH	Rivet, tucker, domed, $\frac{5}{32}$ " dia. $\times$ 0".42 long	...	DTD10	C	
28Q/9417234	AGS.2050/545BH	Rivet, tucker, domed, $\frac{5}{32}$ " dia. $\times$ 0".45 long	...	DTD10	C	
28Q/9417235	AGS.2050/624BH	Rivet, tucker, domed, $\frac{3}{16}$ " dia. $\times$ 0".24 long	...	DTD10	C	
28Q/9417236	AGS.2050/630BH	Rivet, tucker, domed, $\frac{3}{16}$ " dia. $\times$ 0".3 long	...	DTD10	C	
28Q/9417237	AGS.2050/636BH	Rivet, tucker, domed, $\frac{3}{16}$ " dia. $\times$ 0".36 long	...	DTD10	C	
28Q/9417238	AGS.2050/639BH	Rivet, tucker, domed, $\frac{3}{16}$ " dia. $\times$ 0".39 long	...	DTD10	C	
28Q/9417239	AGS.2050/650BH	Rivet, tucker, domed, $\frac{3}{16}$ " dia. $\times$ 0".5 long	...	DTD10	C	
28Q/9417265	AGS.2050/413BS	Rivet, tucker, domed, $\frac{1}{8}$ " dia. $\times$ 0".13 long	...	DTD10	C	
28Q/9417266	AGS.2050/419BS	Rivet, tucker, domed, $\frac{1}{8}$ " dia. $\times$ 0".19 long	...	DTD10	C	
28Q/9417267	AGS.2050/424BS	Rivet, tucker, domed, $\frac{1}{8}$ " dia. $\times$ 0".24 long	...	DTD10	C	
28Q/9417268	AGS.2050/429BS	Rivet, tucker, domed, $\frac{1}{8}$ " dia. $\times$ 0".29 long	...	DTD10	C	
28Q/9417269	AGS.2050/435BS	Rivet, tucker, domed, $\frac{1}{8}$ " dia. $\times$ 0".35 long	...	DTD10	C	
28Q/9417272	AGS.2050/524BS	Rivet, tucker, domed, $\frac{5}{32}$ " dia. $\times$ 0".24 long	...	DTD10	C	
28Q/9417273	AGS.2050/530BS	Rivet, tucker, domed, $\frac{5}{32}$ " dia. $\times$ 0".30 long	...	DTD10	C	
28Q/	AGS.2050/536BS	Rivet, tucker, domed, $\frac{5}{32}$ " dia. $\times$ 0".36 long	...	DTD10	C	
28Q/9417274	AGS.2050/537BS	Rivet, tucker, domed, $\frac{5}{32}$ " dia. $\times$ 0".37 long	...	DTD10	C	
28Q/9417278	AGS.2050/630B3	Rivet, tucker, domed, $\frac{3}{16}$ " dia. $\times$ 0".3 long	...	DTD10	C	
28Q/9417279	AGS.2050/636BS	Rivet, tucker, domed, $\frac{3}{16}$ " dia. $\times$ 0".36 long	...	DTD10	C	
28Q/9417280	AGS.2050/639BS	Rivet, tucker, domed, $\frac{3}{16}$ " dia. $\times$ 0".39 long	...	DTD10	C	
28Q/	AGS.2051/403BH	Rivet, tucker, c'sk 120°, $\frac{1}{8}$ " dia. $\times$ 0".03 long	...	DTD10	C	
28Q/9417202	AGS.2051/413BH	Rivet, tucker, c'sk 120°, $\frac{1}{8}$ " dia. $\times$ 0".13 long	...	DTD10	C	
28Q/9417203	AGS.2051/419BH	Rivet, tucker, c'sk 120°, $\frac{1}{8}$ " dia. $\times$ 0".19 long	...	DTD10	C	
28Q/9417204	AGS.2051/424BH	Rivet, tucker, c'sk 120°, $\frac{1}{8}$ " dia. $\times$ 0".24 long	...	DTD10	C	
28Q/9417205	AGS.2051/429BH	Rivet, tucker, c'sk 120°, $\frac{1}{8}$ " dia. $\times$ 0".29 long	...	DTD10	C	
28Q/9417208	AGS.2051/519BH	Rivet, tucker, c'sk 120°, $\frac{5}{32}$ " dia. $\times$ 0".19 long	...	DTD10	C	
28Q/9417209	AGS.2051/524BH	Rivet, tucker, c'sk 120°, $\frac{5}{32}$ " dia. $\times$ 0".24 long	...	DTD10	C	
28Q/9417210	AGS.2051/530BH	Rivet, tucker, c'sk 120°, $\frac{5}{32}$ " dia. $\times$ 0".30 long	...	DTD10	C	
28Q/9417265	AGS.2051/413BS	Rivet, tucker, c'sk 120°, $\frac{1}{8}$ " dia. $\times$ 0".13 long	...	DTD10	C	
28Q/9417266	AGS.2051/419BS	Rivet, tucker, c'sk 120°, $\frac{1}{8}$ " dia. $\times$ 0".19 long	...	DTD10	C	
28Q/9417267	AGS.2051/424BS	Rivet, tucker, c'sk 120°, $\frac{1}{8}$ " dia. $\times$ 0".24 long	...	DTD10	C	
28Q/9417268	AGS.2051/429BS	Rivet, tucker, c'sk 120°, $\frac{1}{8}$ " dia. $\times$ 0".29 long	...	DTD10	C	
28Q/9417271	AGS.2051/519BS	Rivet, tucker, c'sk 120°, $\frac{5}{32}$ " dia. $\times$ 0".19 long	...	DTD10	C	
28Q/9417272	AGS.2051/524BS	Rivet, tucker, c'sk 120°, $\frac{5}{32}$ " dia. $\times$ 0".24 long	...	DTD10	C	

SUMMARY OF STANDARD ITEMS

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
28Q/9417277	AGS.2051/624BS	Rivet, tucker, c'sk 120°, $\frac{3}{16}$ " dia. × 0".24 long	...	...	DTD10	C
28Q/9417278	AGS.2051/630BS	Rivet, tucker, c'sk 120°, $\frac{3}{16}$ " dia. × 0".3 long	...	...	DTD10	C
28Q/9417279	AGS.2051/636BS	Rivet, tucker, c'sk 120°, $\frac{3}{16}$ " dia. × 0".36 long	...	...	DTD10	C
28Q/9417280	AGS.2051/639BS	Rivet, tucker, c'sk 120°, $\frac{3}{16}$ " dia. × 0".39 long	...	...	DTD10	C
28U/14789	SP35/C	Rod, tension, 2 BA	...	...	Steel	C
28S/	4100/2 $\frac{1}{2}$ "	Screw, self-tapping, c'sk	...	...	Steel	—
28S/11429	4100/4 $\frac{1}{16}$ "	Screw, self-tapping, c'sk	...	...	Steel	C
28S/6233	4100/4 $\frac{1}{4}$ "	Screw, self-tapping, c'sk	...	...	Steel	C
28S/6810	4100/4 $\frac{3}{8}$ "	Screw, self-tapping, c'sk	...	...	Steel	C
28S/9486521	4100/6 $\frac{1}{16}$ "	Screw, self-tapping, c'sk	...	...	Steel	C
28S/7812	4100/6 $\frac{5}{16}$ "	Screw, self-tapping, c'sk	...	...	Steel	C
28S/7813	4100/6 $\frac{3}{8}$ "	Screw, self-tapping, c'sk	...	...	Steel	C
28S/6811	4100/6 $\frac{1}{2}$ "	Screw, self-tapping, c'sk	...	...	Steel	C
28S/7187	4100/8 $\frac{1}{16}$ "	Screw, self-tapping, c'sk	...	...	Steel	C
28S/6776	4100/8 $\frac{3}{8}$ "	Screw, self-tapping, c'sk	...	...	Steel	C
28S/1214078	4100/10 $\frac{3}{8}$ "	Screw, self-tapping, c'sk	...	...	Steel	C
28S/9506990	4101/2 $\frac{1}{16}$ "	Screw, self-tapping, round head	...	...	Steel	C
28S/9019735	4101/4 $\frac{5}{16}$ "	Screw, self-tapping, round head	...	...	Steel	C
28S/6239	4101/4 $\frac{3}{8}$ "	Screw, self-tapping, round head	...	...	Steel	C
28S/9489570	4101/6 $\frac{3}{16}$ "	Screw, self-tapping, round head	...	...	Steel	C
28S/9463125	4101/6 $\frac{3}{8}$ "	Screw, self-tapping, round head	...	...	Steel	C
28S/1018882	4101/6 $\frac{1}{4}$ "	Screw, self-tapping, round head	...	...	Steel	C
28S/1214062	4101/6 $\frac{5}{16}$ "	Screw, self-tapping, round head	...	...	Steel	C
28S/9156114	4101/6 $\frac{1}{2}$ "	Screw, self-tapping, round head	...	...	Steel	C
28S/	4101/7 $\frac{3}{8}$ "	Screw, self-tapping, round head	...	...	Steel	—
28S/1214072	4101/8 $\frac{3}{8}$ "	Screw, self-tapping, round head	...	...	Steel	C
28S/1214095	4104/6 $\frac{1}{4}$ "	Screw, self-tapping, mushroom head	...	...	Steel	C
28S/	4104/6 $\frac{5}{16}$ "	Screw, self-tapping, mushroom head	...	...	Steel	—
28S/9413436	A31/A6	Screw, cheesehead, 6 BA × $\frac{3}{16}$ " long	...	...	Steel	C
28S/9436892	A31/A8	Screw, cheesehead, 6 BA × $\frac{1}{4}$ " long	...	...	Steel	C
28S/1200045	A31/A10	Screw, cheesehead, 6 BA × $\frac{5}{16}$ " long	...	...	Steel	C
28S/1200049	A31/A12	Screw, cheesehead, 6 BA × $\frac{3}{8}$ " long	...	...	Steel	C
28S/1200044	A31/A14	Screw, cheesehead, 6 BA × $\frac{7}{16}$ " long	...	...	Steel	C
28S/9419437	A31/A16	Screw, cheesehead, 6 BA × $\frac{1}{2}$ " long	...	...	Steel	C
28S/1200043	A31/A18	Screw, cheesehead, 6 BA × $\frac{9}{16}$ " long	...	...	Steel	C
28S/1200050	A31/A20	Screw, cheesehead, 6 BA × $\frac{5}{8}$ " long	...	...	Steel	C
28S/1200041	A31/A24	Screw, cheesehead, 6 BA × $\frac{3}{4}$ " long	...	...	Steel	C
28S/1200051	A31/A28	Screw, cheesehead, 6 BA × $\frac{7}{8}$ " long	...	...	Steel	C
28S/9435714	A31/A32	Screw, cheesehead, 6 BA × 1" long	...	...	Steel	C
28S/9140640	A31/A40	Screw, cheesehead, 6 BA × 1 $\frac{1}{4}$ " long	...	...	Steel	C
28S/9140641	A31/A44	Screw, cheesehead, 6 BA × 1" long	...	...	Steel	C
28S/1008152	A31/B6	Screw, cheesehead, 4 BA × $\frac{3}{16}$ " long	...	...	Steel	C
28S/9435712	A31/B8	Screw, cheesehead, 4 BA × $\frac{1}{4}$ " long	...	...	Steel	C
28S/1201448	A31/B10	Screw, cheesehead, 4 BA × $\frac{5}{16}$ " long	...	...	Steel	C
28S/9419435	A31/B12	Screw, cheesehead, 4 BA × $\frac{3}{8}$ " long	...	...	Steel	C
28S/9419453	A31/B14	Screw, cheesehead, 4 BA × $\frac{7}{16}$ " long	...	...	Steel	C
28S/1200034	A31/B16	Screw, cheesehead, 4 BA × $\frac{1}{2}$ " long	...	...	Steel	C
28S/1200036	A31/B18	Screw, cheesehead, 4 BA × $\frac{9}{16}$ " long	...	...	Steel	C
28S/1200040	A31/B20	Screw, cheesehead, 4 BA × $\frac{5}{8}$ " long	...	...	Steel	C
28S/1200033	A31/B24	Screw, cheesehead, 4 BA × $\frac{3}{4}$ " long	...	...	Steel	C
28S/1005622	A31/B28	Screw, cheesehead, 4 BA × $\frac{7}{8}$ " long	...	...	Steel	C
28S/1200039	A31/B32	Screw, cheesehead, 4 BA × 1" long	...	...	Steel	C
28S/9140642	A31/B36	Screw, cheesehead, 4 BA × 1 $\frac{1}{8}$ " long	...	...	Steel	C
28S/9435912	A31/B44	Screw, cheesehead, 4 BA × 1 $\frac{3}{8}$ " long	...	...	Steel	C
28S/1011479	A31/B48	Screw, cheesehead, 4 BA × 1 $\frac{1}{2}$ " long	...	...	Steel	C
28S/9129439	A31/C10	Screw, cheesehead, 2 BA × $\frac{5}{16}$ " long	...	...	Steel	C
28S/9437020	A31/C12	Screw, cheesehead, 2 BA × $\frac{3}{8}$ " long	...	...	Steel	C

LIGHTNING F. MK. 2 AND MK. 2A

SUMMARY OF STANDARD ITEMS

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
28S/9131095	A31/C14	Screw, cheesehead, 2 BA x 7/16" long	...	Steel	C	
28S/9997545	A31/C16	Screw, cheesehead, 2 BA x 1/8" long	...	Steel	C	
28S/9992997	A31/C18	Screw, cheesehead, 2 BA x 9/16" long	...	Steel	C	
28S/9435713	A31/C20	Screw, cheesehead, 2 BA x 3/8" long	...	Steel	C	
28S/1200047	A31/C24	Screw, cheesehead, 2 BA x 3/8" long	...	Steel	C	
28S/9436921	A31/C28	Screw, cheesehead, 2 BA x 3/8" long	...	Steel	C	
28S/9419411	A31/C32	Screw, cheesehead, 2 BA x 1" long	...	Steel	C	
28S/1007752	A31/C36	Screw, cheesehead, 2 BA x 1 1/8" long	...	Steel	C	
28S/9446549	A31/C44	Screw, cheesehead, 2 BA x 1 1/8" long	...	Steel	C	
28S/1006981	A31/Z4	Screw, cheesehead, 8 BA x 1/2" long	...	Steel	C	
28S/9995193	A31/Z8	Screw, cheesehead, 8 BA x 1/2" long	...	Steel	C	
28S/9132086	A31/Z12	Screw, cheesehead, 8 BA x 3/4" long	...	Steel	C	
28S/1200052	A31/Z14	Screw, cheesehead, 8 BA x 7/16" long	...	Steel	C	
28S/9992524	A32/A8	Screw, roundhead, 6 BA x 1/4" long...	...	Steel	C	
28S/1006979	A32/A10	Screw, roundhead, 6 BA x 5/16" long	...	Steel	C	
28S/1006948	A32/A12	Screw, roundhead, 6 BA x 3/8" long	...	Steel	C	
28S/1017747	A32/A14	Screw, roundhead, 6 BA x 7/16" long	...	Steel	C	
28S/9995324	A32/A16	Screw, roundhead, 6 BA x 1/2" long ..	...	Steel	C	
28S/1200081	A32/A18	Screw, roundhead, 6 BA x 9/16" long	...	Steel	C	
28S/1011484	A32/A20	Screw, roundhead, 6 BA x 5/8" long	...	Steel	C	
28S/1011486	A32/A24	Screw, roundhead, 6 BA x 3/4" long...	...	Steel	C	
28S/2882	A32/A28	Screw, roundhead, 6 BA x 3/4" long	...	Steel	C	
28S/18849	A32/A44	Screw, roundhead, 6 BA x 1 1/8" long	...	Steel	C	
28S/1009986	A32/B6	Screw, roundhead, 4 BA x 3/16" long	...	Steel	C	
28S/1200080	A32/B8	Screw, roundhead, 4 BA x 1/8" long ..	...	Steel	C	
28S/1012450	A32/B10	Screw, roundhead, 4 BA x 1/8" long	...	Steel	C	
28S/9992525	A32/B12	Screw, roundhead, 4 BA x 9/16" long	...	Steel	C	
28S/1008327	A32/B14	Screw, roundhead, 4 BA x 7/16" long	...	Steel	C	
28S/9992522	A32/B16	Screw, roundhead, 4 BA x 15/16" long ..	...	Steel	C	
28S/9995376	A32/B20	Screw, roundhead, 4 BA x 1" long	...	Steel	C	
28S/	A32/B22	Screw, roundhead, 4 BA x 1 1/16" long	...	Steel	—	
28S/1007817	A32/B24	Screw, roundhead, 4 BA x 3/4" long...	...	Steel	C	
28S/1011488	A32/B28	Screw, roundhead, 4 BA x 7/8" long	...	Steel	C	
28S/1008085	A32/B32	Screw, roundhead, 4 BA x 1" long...	...	Steel	C	
28S/	A32/B34	Screw, roundhead, 4 BA x 1 1/16" long	...	Steel	—	
28S/1009187	A32/B36	Screw, roundhead, 4 BA x 1 1/8" long	...	Steel	C	
28S/5694	A32/B40	Screw, roundhead, 4 BA x 1 1/4" long	...	Steel	C	
28S/9133016	A32/C12	Screw, roundhead, 2 BA x 3/8" long	...	Steel	C	
28S/1007405	A32/C14	Screw, roundhead, 2 BA x 7/16" long	...	Steel	C	
28S/1011490	A32/C16	Screw, roundhead, 2 BA x 1/2" long...	...	Steel	C	
28S/1007443	A32/C18	Screw, roundhead, 2 BA x 5/8" long	...	Steel	C	
28S/9992533	A32/C20	Screw, roundhead, 2 BA x 3/4" long	...	Steel	C	
28S/1011491	A32/C24	Screw, roundhead, 2 BA x 4/4" long...	...	Steel	C	
28S/1011492	A32/C28	Screw, roundhead, 2 BA x 9/8" long	...	Steel	C	
28S/9137828	A32/C32	Screw, roundhead, 2 BA x 1" long...	...	Steel	C	
28S/9148309	A32/Z6	Screw, roundhead, 8 BA x 3/16" long	...	Steel	C	
28S/1006960	A32/Z8	Screw, roundhead, 8 BA x 1/4" long...	...	Steel	C	
28S/9135420	A32/Z12	Screw, roundhead, 8 BA x 3/8" long	...	Steel	C	
28S/9706440	A32/Z16	Screw, roundhead, 8 BA x 1/2" long...	...	Steel	C	
28S/1213424	A32/Z18	Screw, roundhead, 8 BA x 5/8" long	...	Steel	C	
28S/1200055	A33/A6	Screw, c'sk, 6 BA x 3/16" long	...	Steel	C	
28S/1200057	A33/A8	Screw, c'sk, 6 BA x 1/4" long	...	Steel	C	
28S/1200056	A33/A10	Screw, c'sk, 6 BA x 5/16" long	...	Steel	C	
28S/1200058	A33/A12	Screw, c'sk, 6 BA x 3/8" long	...	Steel	C	
28S/1200059	A33/A14	Screw, c'sk, 6 BA x 7/16" long	...	Steel	C	
28S/1200060	A33/A16	Screw, c'sk, 6 BA x 1/2" long	...	Steel	C	
28S/1200061	A33/A18	Screw, c'sk, 6 BA x 5/8" long	...	Steel	C	

SUMMARY OF STANDARD ITEMS

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6	7				
28S/1200062	A33/A20	Screw, c'sk, 6 BA × $\frac{5}{8}$ " long	...	...	...	...	...	...	Steel	C		
28S/9710659	A33/A22	Screw, c'sk, 6 BA × $\frac{11}{16}$ " long	...	...	...	...	...	...	Steel	C		
28S/9992531	A33/A24	Screw, c'sk, 6 BA × $\frac{3}{4}$ " long	...	...	...	...	...	...	Steel	C		
28S/	A33/A25	Screw, c'sk, 6 BA × $\frac{33}{32}$ " long	...	...	...	...	...	...	Steel	C		
28S/1011497	A33/A40	Screw, c'sk, 6 BA × $1\frac{1}{4}$ " long	...	...	...	...	...	...	Steel	C		
28S/	A33/B4	Screw, c'sk, 4 BA × $\frac{1}{8}$ " long	...	...	...	...	...	...	Steel	—		
28S/9131780	A33/B6	Screw, c'sk, 4 BA × $\frac{3}{16}$ " long	...	...	...	...	...	...	Steel	C		
28S/9995325	A33/B8	Screw, c'sk, 4 BA × $\frac{1}{2}$ " long	...	...	...	...	...	...	Steel	C		
28S/9419438	A33/B10	Screw, c'sk, 4 BA × $\frac{5}{16}$ " long	...	...	...	...	...	...	Steel	C		
28S/9435716	A33/B12	Screw, c'sk, 4 BA × $\frac{3}{8}$ " long	...	...	...	...	...	...	Steel	C		
28S/1007469	A33/B14	Screw, c'sk, 4 BA × $\frac{7}{16}$ " long	...	...	...	...	...	...	Steel	C		
28S/9435715	A33/B16	Screw, c'sk, 4 BA × $\frac{1}{2}$ " long	...	...	...	...	...	...	Steel	C		
28S/1200066	A33/B20	Screw, c'sk, 4 BA × $\frac{5}{8}$ " long	...	...	...	...	...	...	Steel	C		
28S/9992521	A33/B24	Screw, c'sk, 4 BA × $\frac{3}{4}$ " long	...	...	...	...	...	...	Steel	C		
28S/1200065	A33/B28	Screw, c'sk, 4 BA × $\frac{7}{8}$ " long	...	...	...	...	...	...	Steel	C		
28S/1011499	A33/B32	Screw, c'sk, 4 BA × $1$ " long	...	...	...	...	...	...	Steel	C		
28S/1006947	A33/B36	Screw, c'sk, 4 BA × $1\frac{1}{8}$ " long	...	...	...	...	...	...	Steel	C		
28S/1011501	A33/C6	Screw, c'sk, 2 BA × $\frac{3}{16}$ " long	...	...	...	...	...	...	Steel	C		
28S/1202639	A33/C8	Screw, c'sk, 2 BA × $\frac{1}{2}$ " long	...	...	...	...	...	...	Steel	C		
28S/1008081	A33/C10	Screw, c'sk, 2 BA × $\frac{5}{16}$ " long	...	...	...	...	...	...	Steel	C		
28S/9140929	A33/C12	Screw, c'sk, 2 BA × $\frac{3}{8}$ " long	...	...	...	...	...	...	Steel	C		
28S/7002444	A33/C14	Screw, c'sk, 2 BA × $\frac{7}{16}$ " long	...	...	...	...	...	...	Steel	C		
28S/1200053	A33/C16	Screw, c'sk, 2 BA × $\frac{1}{2}$ " long	...	...	...	...	...	...	Steel	C		
28S/9435717	A33/C20	Screw, c'sk, 2 BA × $\frac{5}{8}$ " long	...	...	...	...	...	...	Steel	C		
28S/9435718	A33/C24	Screw, c'sk, 2 BA × $\frac{3}{4}$ " long	...	...	...	...	...	...	Steel	C		
28S/9135205	A33/C28	Screw, c'sk, 2 BA × $\frac{7}{8}$ " long	...	...	...	...	...	...	Steel	C		
28S/1011504	A33/C32	Screw, c'sk, 2 BA × $1$ " long	...	...	...	...	...	...	Steel	C		
28S/9132684	A33/C40	Screw, c'sk, 2 BA × $1\frac{1}{4}$ " long	...	...	...	...	...	...	Steel	C		
28S/9140104	A33/Y10	Screw, c'sk, 10 BA × $\frac{5}{8}$ " long	...	...	...	...	...	...	Steel	C		
28S/1006961	A33/Z10	Screw, c'sk, 8 BA × $\frac{5}{16}$ " long	...	...	...	...	...	...	Steel	C		
28S/9132084	A33/Z12	Screw, c'sk, 8 BA × $\frac{3}{8}$ " long	...	...	...	...	...	...	Steel	C		
28S/1011507	A33/Z24	Screw, c'sk, 8 BA × $\frac{3}{4}$ " long	...	...	...	...	...	...	Steel	C		
28S/	A34/C14	Screw, raised head, c'sk, 2 BA × $\frac{7}{16}$ " long	...	...	...	...	...	...	Steel	C		
28S/9139156	A35/A20	Screw, cheesehead, 6 BA × $\frac{5}{8}$ " long	...	...	...	...	...	...	S. Steel	C		
28S/9131733	A35/A24	Screw, cheesehead, 6 BA × $\frac{3}{4}$ " long	...	...	...	...	...	...	S. Steel	C		
28S/9473783	A36/B16	Screw, roundhead, 4 BA × $\frac{1}{2}$ " long	...	...	...	...	...	...	S. Steel	C		
28S/9473863	A36/B24	Screw, roundhead, 4 BA × $\frac{3}{4}$ " long	...	...	...	...	...	...	S. Steel	C		
28S/9130668	A36/C12	Screw, roundhead, 2 BA × $\frac{3}{8}$ " long	...	...	...	...	...	...	S. Steel	C		
28S/9141855	A37/A8	Screw, c'sk, 6 BA × $\frac{1}{4}$ " long	...	...	...	...	...	...	S. Steel	C		
28S/9139152	A37/A14	Screw, 6 BA × $\frac{7}{16}$ " long	...	...	...	...	...	...	S. Steel	C		
28S/9144890	A39/A10	Screw, cheesehead, 6 BA × $\frac{5}{16}$ " long	...	...	...	...	...	...	Alum. Alloy	C		
28S/	A39/B2	Screw, cheesehead, 4 BA × $\frac{1}{16}$ " long	...	...	...	...	...	...	Alum. Alloy	—		
28S/1011785	A39/B10	Screw, cheesehead, 4 BA × $\frac{5}{16}$ " long	...	...	...	...	...	...	Alum. Alloy	C		
28S/9144891	A39/B12	Screw, cheesehead, 4 BA × $\frac{3}{8}$ " long	...	...	...	...	...	...	Alum. Alloy	C		
28S/1214674	A39/B14	Screw, cheesehead, 4 BA × $\frac{7}{16}$ " long	...	...	...	...	...	...	Alum. Alloy	C		
28S/1008078	A39/B16	Screw, cheesehead, 4 BA × $\frac{1}{2}$ " long	...	...	...	...	...	...	Alum. Alloy	C		
28S/1214675	A39/B20	Screw, cheesehead, 4 BA × $\frac{5}{8}$ " long	...	...	...	...	...	...	Alum. Alloy	C		
28S/1214676	A39/B24	Screw, cheesehead, 4 BA × $\frac{3}{4}$ " long	...	...	...	...	...	...	Alum. Alloy	C		
28S/1214677	A39/B28	Screw, cheesehead, 4 BA × $\frac{7}{8}$ " long	...	...	...	...	...	...	Alum. Alloy	C		
28S/	A39/B30	Screw, cheesehead, 4 BA × $\frac{15}{16}$ " long	...	...	...	...	...	...	Alum. Alloy	—		
28S/1214678	A39/B32	Screw, cheesehead, 4 BA × $1$ " long	...	...	...	...	...	...	Alum. Alloy	C		
28S/	A39/B44	Screw, cheesehead, 4 BA × $1\frac{3}{8}$ " long	...	...	...	...	...	...	Alum. Alloy	—		
28S/1214603	A39/C10	Screw, cheesehead, 2 BA × $\frac{5}{16}$ " long	...	...	...	...	...	...	Alum. Alloy	C		
28S/1012359	A39/C14	Screw, cheesehead, 2 BA × $\frac{7}{16}$ " long	...	...	...	...	...	...	Alum. Alloy	C		
28S/1214606	A39/C20	Screw, cheesehead, 2 BA × $\frac{5}{8}$ " long	...	...	...	...	...	...	Alum. Alloy	C		
28S/1212427	A40/A8	Screw, roundhead, 6 BA × $\frac{1}{4}$ " long	...	...	...	...	...	...	Light Alloy	C		
28S/1212428	A40/A10	Screw, roundhead, 6 BA × $\frac{5}{16}$ " long	...	...	...	...	...	...	Light Alloy	C		

LIGHTNING F. MK. 2 AND MK. 2A

SUMMARY OF STANDARD ITEMS

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6	7				
28S/1212430	A40/A16	Screw, roundhead, 6 BA × 1/2" long	...	...	...					Light Alloy	C	
28S/	A40/A18	Screw, roundhead, 6 BA × 9/16" long	...	...	...					Light Alloy	C	
28S/1212433	A40/A24	Screw, roundhead, 6 BA × 3/4" long	...	...	...					Light Alloy	C	
28S/1212425	A40/B6	Screw, roundhead, 4 BA × 3/16" long	...	...	...					Light Alloy	C	
28S/9440345	A40/B8	Screw, roundhead, 4 BA × 1/4" long	...	...	...					Light Alloy	C	
28S/1212705	A40/B10	Screw, roundhead, 4 BA × 5/16" long	...	...	...					Light Alloy	C	
28S/1212706	A40/B12	Screw, roundhead, 4 BA × 3/8" long	...	...	...					Light Alloy	C	
28S/	A40/B36	Screw, roundhead, 4 BA × 1 1/8" long	...	...	...					Light Alloy	—	
28S/1212717	A40/C16	Screw, roundhead, 2 BA × 1/2" long	...	...	...					Light Alloy	C	
28S/1008079	A41/A8	Screw, c'sk, 6 BA × 1/4" long	...	...	...					Alum. Alloy	C	
28S/1214597	A41/A10	Screw, c'sk, 6 BA × 5/16" long	...	...	...					Alum. Alloy	C	
28S/1009188	A41/A16	Screw, 6 BA × 1/2" long	...	...	...					Alum. Alloy	C	
28S/9132919	A41/B14	Screw, c'sk, 4 BA × 7/16" long	...	...	...					Alum. Alloy	C	
28S/1008075	A41/B16	Screw, c'sk, 4 BA × 1/2" long	...	...	...					Alum. Alloy	C	
28S/1213961	A41/B24	Screw, c'sk, 4 BA × 3/4" long	...	...	...					Alum. Alloy	C	
28S/1213962	A41/B28	Screw, c'sk, 4 BA × 7/8" long	...	...	...					Alum. Alloy	C	
28S/	A41/C8	Screw, c'sk, 2 BA × 1/4" long	...	...	...					Alum. Alloy	—	
28S/1213966	A41/C16	Screw, c'sk, 2 BA × 1/2" long	...	...	...					Alum. Alloy	C	
28S/9131781	A43/A6	Screw, cheesehead, 6 BA × 3/16" long	...	...	...					Brass	C	
28S/9137407	A43/A8	Screw, cheesehead, 6 BA × 1/4" long	...	...	...					Brass	C	
28S/9148119	A43/A10	Screw, cheesehead, 6 BA × 5/16" long	...	...	...					Brass	C	
28S/9134012	A43/A12	Screw, cheesehead, 6 BA × 3/8" long	...	...	...					Brass	C	
28S/9993003	A43/B8	Screw, cheesehead, 4 BA × 1/4" long	...	...	...					Brass	C	
28S/9148118	A43/B10	Screw, cheesehead, 4 BA × 5/16" long	...	...	...					Brass	C	
28S/9130752	A43/B24	Screw, cheesehead, 4 BA × 3/4" long	...	...	...					Brass	C	
28S/9446305	A43/B28	Screw, cheesehead, 4 BA × 7/8" long	...	...	...					Brass	C	
28S/1012361	A43/B32	Screw, cheesehead, 2 BA × 1" long	...	...	...					Brass	C	
28S/9442375	A43/C36	Screw, cheesehead, 2 BA × 1 1/8" long	...	...	...					Brass	C	
28S/1213081	A44/A6	Screw, roundhead, 6 BA × 3/16" long	...	...	...					Brass	C	
28S/9464738	A44/A10	Screw, roundhead, 6 BA × 5/16" long	...	...	...					Brass	C	
28S/1009988	A44/A12	Screw, roundhead, 6 BA × 3/8" long	...	...	...					Brass	C	
28S/9505800	A44/A16	Screw, roundhead, 6 BA × 1/2" long	...	...	...					Brass	C	
28S/1213086	A44/A32	Screw, roundhead, 6 BA × 1" long	...	...	...					Brass	C	
28S/9134791	A44/B6	Screw, roundhead, 4 BA × 3/16" long	...	...	...					Brass	C	
28S/1214164	A44/B14	Screw, roundhead, 4 BA × 7/16" long	...	...	...					Brass	C	
28S/9474082	A44/B16	Screw, roundhead, 4 BA × 1/2" long	...	...	...					Brass	C	
28S/1013430	A44/B20	Screw, roundhead, 4 BA × 5/8" long	...	...	...					Brass	C	
28S/1017078	A44/B24	Screw, roundhead, 4 BA × 3/4" long	...	...	...					Brass	C	
28S/1214166	A44/B28	Screw, roundhead, 4 BA × 7/8" long	...	...	...					Brass	C	
28S/1214167	A44/B32	Screw, roundhead, 4 BA × 1" long	...	...	...					Brass	C	
28S/9473255	A44/C16	Screw, roundhead, 2 BA × 1/2" long	...	...	...					Brass	C	
28S/1214175	A44/C32	Screw, roundhead, 2 BA × 1" long	...	...	...					Brass	C	
28S/9474079	A44/Z6	Screw, round head, 8 BA × 3/16" long	...	...	...					Brass	C	
28S/1013103	A44/Z8	Screw, roundhead, 8 BA × 1/4" long	...	...	...					Brass	C	
28S/9446590	A45/C28	Screw, c'sk, 2 BA × 7/8" long	...	...	...					Brass	C	
28S/1008070	A55/A4	Screw, grub, 6 BA × 1/4" long	...	...	...					Steel	C	
28S/9446737	A55/A8	Screw, grub, 6 BA × 3/8" long	...	...	...					Steel	C	
28S/	A55/A10	Screw, grub, 6 BA × 1/2" long	...	...	...					Steel	C	
28S/1013561	A55/B4	Screw, grub, 4 BA × 1/4" long	...	...	...					Steel	C	
28S/13722	A55/C5	Screw, grub, 2 BA × 5/16" long	...	...	...					Steel	C	
28S/9453453	A56/A3	Screw, grub, 6 BA × 3/16" long	...	...	...					S. Steel	C	
28S/9451792	A56/B4	Screw, grub, 4 BA × 1/4" long	...	...	...					S. Steel	C	
28S/9435595	A204/B16	Screw, c'sk, 6 UNC × 1/2" long	...	...	...					Steel	C	
28S/1201330	A205/B10	Screw, panhead, 6 UNC × 5/16" long	...	...	...					Steel	C	
28S/1201335	A205/B16	Screw, panhead, 6 UNC × 1/2" long	...	...	...					Steel	C	
28S/1008262	A205/B20	Screw, panhead, 6 UNC × 5/8" long	...	...	...					Steel	C	
28S/1008161	A205/B24	Screw, panhead, 6 UNC × 3/4" long	...	...	...					Steel	C	

SUMMARY OF STANDARD ITEMS

Ref. No.	Part No.	Description	No. off							Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
			1	2	3	4	5	6	7			
28S/9998415	A205/B28	Screw, panhead, 6 UNC x 7/8" long	...	...	...					Steel	C	
28S/1012446	A205/B32	Screw, panhead, 6 UNC x 1" long	...	...	...					Steel	C	
28S/1008158	A205/24C	Screw, panhead, 8 UNC x 3/4" long	...	...	...					Steel	C	
28S/2169	AGS.250/19	Screw, wood, c'sk, 4 gauge x 3/8" long	...	...	...					Brass	C	
28S/2657	AGS.253/38	Screw, wood, roundhead, 6 gauge x 5/8" long	...	...	...					MS	C	
28S/5439	AGS.894/20	Screw, wood, roundhead, 4 gauge x 1/2" long	...	...	...					S. Steel	C	
28S/	AGS.894/37	Screw, wood, roundhead, 6 gauge x 1/2" long	...	...	...					S. Steel	C	
28F/9128952	AGS.1174	Screw, bleeder, 1/4" BSF	...	...	...					S14	C	
28U/9482591	AS.2426	Screw, clamping	...	...	...					HTS	C	
28S/1215862	SP63/C4	Screw, recessed, c'sk	...	...	...					Steel	C	
28S/1215186	SP63/D6	Screw, recessed, c'sk	...	...	...					Steel	C	
28S/9435796	SP64/C4	Screw, recessed, roundhead	...	...	...					Steel	C	
	Z.28614	Screw	...	...	...					—	—	
28F/9428452	AGS.1186/A	Seal, bonded, 1/8" BSP	...	...	...					—	C	
28F/9428453	AGS.1186/B	Seal, bonded, 1/8" BSP	...	...	...					—	C	
28F/9429527	AGS.1186/BB	Seal, bonded, 19 T.P.I., 0".6 o/d	...	...	...					—	C	
28F/9429532	AGS.1186/C	Seal, bonded, 3/8" BSP	...	...	...					—	C	
28F/9428454	AGS.1186/CC	Seal, bonded, 14 T.P.I. 0".75 o/d	...	...	...					—	C	
28F/9428455	AGS.1186/D	Seal, bonded, 1/8" BSP	...	...	...					—	C	
28F/9434374	AGS.1186/E	Seal, bonded, 3/8" BSP	...	...	...					—	C	
28F/9428456	AGS.1186/F	Seal, bonded, 3/8" BSP	...	...	...					—	C	
28F/1011903	AGS.1186/G	Seal, bonded, 3/8" BSP	...	...	...					—	C	
28F/9434375	AGS.1186/H	Seal, bonded, 1" BSP	...	...	...					—	C	
28F/8016813	AGS.1186/J	Seal, bonded, 1 1/4" BSP	...	...	...					—	C	
28F/9433484	AGS.1186/1	Seal, bonded, 6 BA	...	...	...					—	C	
28F/9433483	AGS.1186/2	Seal, bonded, 4 BA	...	...	...					—	C	
28F/9429636	AGS.1186/3	Seal, bonded, 2 BA	...	...	...					—	C	
28F/9428450	AGS.1186/4	Seal, bonded, 1/4" dia.	...	...	...					—	C	
28F/8016869	AGS.1186/5	Seal, bonded, 1/4" dia.	...	...	...					—	C	
28F/9429526	AGS.1186/6	Seal, bonded, 5/16" dia. (Mk.6)	...	...	...					—	C	
28F/9434373	AGS.1186/9	Seal, bonded, 7/16" dia.	...	...	...					—	C	
28F/9429637	AGS.1186/10	Seal, bonded, 9/16" long	...	...	...					—	C	
5X/	HV.3249	Seal	...	...	...					—	C	
27Q/	SP.815/1	Seal, bonded	...	...	...					—	C	
27Q/	SP.815/2	Seal, bonded	...	...	...					—	C	
27Q/	SP.815/3	Seal, bonded	...	...	...					—	C	
27Q/	SP.815/4	Seal, bonded	...	...	...					—	C	
27Q/	SP.815/5	Seal, bonded	...	...	...					—	C	
27Q/	SP.815/6	Seal, bonded	...	...	...					—	C	
27Q/	SP815/13	Seal, bonded	...	...	...					—	C	
5X/284	Z.1275	Shroud, plug, size B	...	...	...					Aluminium	C	
5X/285	Z.1688	Shroud, plug, size C	...	...	...					Aluminium	C	
5X/286	Z.1690	Shroud, plug, size D	...	...	...					Aluminium	C	
5X/3155	Z.27445	Shroud, plug, size D	...	...	...					Aluminium	C	
28F/9128936	AGS.904/A	Sleeve, outer	...	...	...					Light Alloy	C	
28F/8011819	AGS.904/B	Sleeve, outer	...	...	...					Light Alloy	C	
28F/1015879	AGS.904/BB	Sleeve, outer	...	...	...					Light Alloy	C	
28F/9140970	AGS.904/C	Sleeve, outer	...	...	...					Light Alloy	C	
28F/8011820	AGS.904/D	Sleeve, outer	...	...	...					Light Alloy	C	
28F/8011821	AGS.904/E	Sleeve, outer	...	...	...					Light Alloy	C	
28F/8011822	AGS.904/F	Sleeve, outer	...	...	...					Light Alloy	C	
28F/8011823	AGS.904/H	Sleeve, outer	...	...	...					Light Alloy	C	
28F/11931	AGS.904/K	Sleeve, outer	...	...	...					Light Alloy	C	
28F/5602	AGS.905/F	Sleeve, inner	...	...	...					Light Alloy	C	
28F/5719	AGS.905/H	Sleeve, inner	...	...	...					Light Alloy	C	
28F/8011891	AGS.954/A	Sleeve, outer	...	...	...					Steel	C	
28F/9439527	AGS.954/B	Sleeve, outer	...	...	...					Steel	C	

LIGHTNING F. MK. 2 AND MK. 2A

SUMMARY OF STANDARD ITEMS

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6	7				
28F/8011888	AGS.954/C	Sleeve	outer	...	...	...	...	...	...	Steel	C	
28F/9439535	AGS.954/D	Sleeve	outer	...	...	...	...	...	...	Steel	C	
28F/8011880	AGS.954/E	Sleeve	outer	...	...	...	...	...	...	Steel	C	
28F/8011881	AGS.954/F	Sleeve	outer	...	...	...	...	...	...	Steel	C	
28F/8011882	AGS.954/H	Sleeve	outer	...	...	...	...	...	...	Steel	C	
28F/9155212	AGS.954/K	Sleeve	outer	...	...	...	...	...	...	Steel	C	
28F/12432	AGS.955/B	Sleeve	inner	...	...	...	...	...	...	Steel	C	
28F/12374	AGS.955/C	Sleeve	inner	...	...	...	...	...	...	Steel	C	
28F/9536298	AGS.955/D	Sleeve	inner	...	...	...	...	...	...	Steel	C	
28F/1051099	AGS.955/E	Sleeve	inner	...	...	...	...	...	...	Steel	C	
28F/14531	AGS.955/F	Sleeve	inner	...	...	...	...	...	...	Steel	C	
28F/9436539	AGS.955/H	Sleeve	inner	...	...	...	...	...	...	Steel	C	
28F/15767	AGS.955/K	Sleeve	inner	...	...	...	...	...	...	Steel	C	
28F/1014969	AGS.1218/B	Sleeve	inner	...	...	...	...	...	...	Light Alloy	C	
28F/9441611	AGS.1218/C	Sleeve	inner	...	...	...	...	...	...	Light Alloy	C	
28F/11285	AGS.1218/D	Sleeve	inner	...	...	...	...	...	...	Light Alloy	C	
28F/11286	AGS.1218/E	Sleeve	inner	...	...	...	...	...	...	Light Alloy	C	
28F/11287	AGS.1218/F	Sleeve	inner	...	...	...	...	...	...	Light Alloy	C	
28F/	AGS.1218/H	Sleeve	inner	...	...	...	...	...	...	Light Alloy	C	
5K/24	AGS.1651/1	Sleeve	plain cable, circular	...	...	...	...	...	...	—	C	
5K/26	AGS.1651/3	Sleeve	plain cable, circular	...	...	...	...	...	...	—	C	
5K/27	AGS.1651/4	Sleeve	plain cable, circular	...	...	...	...	...	...	—	C	
5K/37	AGS.1652/2	Sleeve	plain cable, oval	...	...	...	...	...	...	—	C	
5K/9134478	AGS.1652/3	Sleeve	plain cable, oval	...	...	...	...	...	...	—	C	
5K/41	AGS.1653/1	Sleeve	bonding, circular	...	...	...	...	...	...	—	C	
5K/45	AGS.1653/5	Sleeve	bonding, circular	...	...	...	...	...	...	—	C	
5K/1008392	AGS.1654/1	Sleeve	bonding	...	...	...	...	...	...	—	C	
5K/54	AGS.1654/5	Sleeve	bonding	...	...	...	...	...	...	—	C	
5K/	AGS.1732/3	Sleeve	bonding	...	...	...	...	...	...	—	C	
28F/9717654	AGS.2111	Sleeve	outer	...	...	...	...	...	...	Alum. Alloy	C	
5F/9133797	HT.20	Sleeve	...	...	...	...	...	...	...	—	C	
5F/9133798	HT.30	Sleeve	...	...	...	...	...	...	...	—	C	
5F/9133799	HT.50	Sleeve	...	...	...	...	...	...	...	—	C	
5F/9133801	HT.100	Sleeve	...	...	...	...	...	...	...	—	C	
5F/9133802	HT.150	Sleeve	...	...	...	...	...	...	...	—	C	
5K/4403	HV.4381	Sleeve	...	...	...	...	...	...	...	—	C	
5K/4024	NL.8140	Sleeve	...	...	...	...	...	...	...	—	C	
5K/3685	NL.8141	Sleeve	...	...	...	...	...	...	...	—	C	
5K/3686	NL.8142	Sleeve	...	...	...	...	...	...	...	—	C	
5K/3687	NL.8143	Sleeve	...	...	...	...	...	...	...	—	C	
5K/3688	NL.8144	Sleeve	...	...	...	...	...	...	...	—	C	
5X/7518	Z.138950	Sleeve	...	...	...	...	...	...	...	—	C	
5X/	Z.139621	Sleeve	...	...	...	...	...	...	...	—	C	
5X/	Z.139622	Sleeve	...	...	...	...	...	...	...	—	C	
5X/	Z.139623	Sleeve	...	...	...	...	...	...	...	—	C	
5X/	Z.139626	Sleeve	...	...	...	...	...	...	...	—	C	
5X/	Z.139627	Sleeve	...	...	...	...	...	...	...	—	C	
5X/	Z.139628	Sleeve	...	...	...	...	...	...	...	—	C	
5X/	Z.140476	Sleeve	...	...	...	...	...	...	...	—	C	
5X/	Z.140477	Sleeve	...	...	...	...	...	...	...	—	C	
5X/3146	Z.49397	Sleeve	...	...	...	...	...	...	...	—	C	
5X/1005131	Z.49428	Sleeve	...	...	...	...	...	...	...	—	C	
10H/0970117	Z.62242	Sleeve	...	...	...	...	...	...	...	—	C	
5X/	CZ.71751	Socket	...	...	...	...	...	...	...	—	B	
5X/	2CZ.84795	Socket	...	...	...	...	...	...	...	—	B	
5X/7038	2CZ.84872	Socket	...	...	...	...	...	...	...	—	B	
5X/7039	2CZ.84873	Socket	...	...	...	...	...	...	...	—	B	

SUMMARY OF STANDARD ITEMS

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6	7				
5X/7128	2CZ.84874	Socket	...	...	...	...	...	...	—	B		
5X/7045	2CZ.84875	Socket	...	...	...	...	...	...	—	B		
5X/7047	2CZ.84876	Socket	...	...	...	...	...	...	—	B		
5X/7048	2CZ.84877	Socket	...	...	...	...	...	...	—	B		
10H/9118174	2CZ.84962	Socket	...	...	...	...	...	...	—	B		
10H/23270	2CZ.84968	Socket	...	...	...	...	...	...	—	B		
10H/23310	2CZ.84983/1	Socket	...	...	...	...	...	...	—	B		
10H/23317	2CZ.84985	Socket	...	...	...	...	...	...	—	B		
10H/23595	2CZ.84987	Socket	...	...	...	...	...	...	—	B		
10H/23322	2CZ.84991	Socket	...	...	...	...	...	...	—	B		
10H/13325	2CZ.84993	Socket	...	...	...	...	...	...	—	B		
	2CZ.108470	Socket	...	...	...	...	...	...	—	B		
5X/7042	2CZ.108945	Socket	...	...	...	...	...	...	—	B		
5X/7041	2CZ.108950	Socket	...	...	...	...	...	...	—	B		
10H/22945	2CZ.110092	Socket	...	...	...	...	...	...	—	B		
5X/8044	2CZ.110421	Socket	...	...	...	...	...	...	—	B		
5X/8140	2CZ.110421/W	Socket	...	...	...	...	...	...	—	B		
5X/	2CZ.110421/X	Socket	...	...	...	...	...	...	—	B		
5X/8076	2CZ.110466	Socket	...	...	...	...	...	...	—	B		
5X/8142	2CZ.110480	Socket	...	...	...	...	...	...	—	B		
5X/8276	2CZ.110480/X	Socket	...	...	...	...	...	...	—	B		
5X/8079	2CZ.110482	Socket	...	...	...	...	...	...	—	B		
5X/8279	2CZ.110492/W	Socket	...	...	...	...	...	...	—	B		
5X/7174	2CZ.111233	Socket	...	...	...	...	...	...	—	B		
5X/5805564	2CZ.111234	Socket	...	...	...	...	...	...	—	B		
5X/7187	2CZ.111237	Socket	...	...	...	...	...	...	—	B		
5X/7181	2CZ.111439	Socket	...	...	...	...	...	...	—	B		
5X/8039	2CZ.111517	Socket	...	...	...	...	...	...	—	B		
5X/	2CZ.111519	Socket	...	...	...	...	...	...	—	B		
5X/	2CZ.111519/Z	Socket	...	...	...	...	...	...	—	B		
5X/7973	2CZ.111750	Socket	...	...	...	...	...	...	—	B		
10H/22873	2CZ.111909	Socket	...	...	...	...	...	...	—	B		
10H/22875	2CZ.111913	Socket	...	...	...	...	...	...	—	B		
10H/22878	2CZ.111917	Socket	...	...	...	...	...	...	—	B		
10H/22888	2CZ.111925	Socket	...	...	...	...	...	...	—	B		
10H/22889	2CZ.111925/1	Socket	...	...	...	...	...	...	—	B		
10H/22893	2CZ.111925/5	Socket	...	...	...	...	...	...	—	B		
10H/23533	2CZ.111929	Socket	...	...	...	...	...	...	—	B		
10H/22900	2CZ.111933	Socket	...	...	...	...	...	...	—	B		
10H/22901	2CZ.111933/1	Socket	...	...	...	...	...	...	—	B		
10H/22902	2CZ.111933/2	Socket	...	...	...	...	...	...	—	B		
10H/22817	2CZ.111934/0	Socket	...	...	...	...	...	...	—	B		
10H/22818	2CZ.111934/1	Socket	...	...	...	...	...	...	—	B		
10H/22819	2CZ.111934/2	Socket	...	...	...	...	...	...	—	B		
10H/22907	2CZ.111935/1	Socket	...	...	...	...	...	...	—	B		
10H/22912	2CZ.111937	Socket	...	...	...	...	...	...	—	B		
10H/22913	2CZ.111937/1	Socket	...	...	...	...	...	...	—	B		
10H/22823	2CZ.111938/0	Socket	...	...	...	...	...	...	—	B		
10H/22824	2CZ.111938/1	Socket	...	...	...	...	...	...	—	B		
10H/22825	2CZ.111938/2	Socket	...	...	...	...	...	...	—	B		
10H/22826	2CZ.111938/3	Socket	...	...	...	...	...	...	—	B		
10H/22827	2CZ.111938/4	Socket	...	...	...	...	...	...	—	B		
5X/7967	2CZ.138122	Socket	...	...	...	...	...	...	—	B		
5X/8268	2CZ.138122/W	Socket	...	...	...	...	...	...	—	B		
5X/7233	2CZ.138244	Socket	...	...	...	...	...	...	—	B		
5X/	2CZ.138245	Socket	...	...	...	...	...	...	—	B		
5X/	2CZ.138527	Socket	...	...	...	...	...	...	—	B		



SUMMARY OF STANDARD ITEMS

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6	7				
5X/8144	2CZ.139664/W	Socket	...	...	...	...	...	...	—	B		
5X/8136	2CZ.139666	Socket	...	...	...	...	...	...	—	B		
5X/	2CZ.139666/X	Socket	...	...	...	...	...	...	—	B		
5X/8280	2CZ.139705	Socket	...	...	...	...	...	...	—	B		
5X/	2CZ.139705/W	Socket	...	...	...	...	...	...	—	B		
5X/8417	2CZ.139705/X	Socket	...	...	...	...	...	...	—	B		
5X/8272	2CZ.139707	Socket	...	...	...	...	...	...	—	B		
5X/8273	2CZ.139707/W	Socket	...	...	...	...	...	...	—	B		
5X/8274	2CZ.139707/X	Socket	...	...	...	...	...	...	—	B		
5X/	2CZ.139707/Y	Socket	...	...	...	...	...	...	—	B		
5X/	2CZ.139707/Z	Socket	...	...	...	...	...	...	—	B		
5X/8038	2CZ.140092	Socket	...	...	...	...	...	...	—	B		
5CW/6704	7CZ.107794	Socket	...	...	...	...	...	...	—	B		
5X/	UK-AN-12S-35W	Socket	...	...	...	...	...	...	—	—		
5X/8075	UK-AN-9000-12S	Socket	...	...	...	...	...	...	—	B		
	508/1/00509/301	Socket	...	...	...	...	...	...	—	—		
	681(ET)16/25S/CT	Socket	...	...	...	...	...	...	—	—		
	681(ET)16/25SX/C	Socket	...	...	...	...	...	...	—	—		
	681(ET)16/25SZ/C	Socket	...	...	...	...	...	...	—	—		
	681(ET)22/42SX/S	Socket	...	...	...	...	...	...	—	—		
	681(ET)22/55S/CT	Socket	...	...	...	...	...	...	—	—		
	681(ET)22/55SW/CT	Socket	...	...	...	...	...	...	—	—		
	681(ET)22/55SY/C	Socket	...	...	...	...	...	...	—	—		
	681(ET)22/55SZ/C	Socket	...	...	...	...	...	...	—	—		
10H/9465750	691(ET)22/42SW	Socket	...	...	...	...	...	...	—	B		
10H/9465749	691(ET)22/42SX	Socket	...	...	...	...	...	...	—	B		
10H/9465748	691(ET)22/42SY	Socket	...	...	...	...	...	...	—	B		
	508/1/07000/320	Socket	...	...	...	...	...	...	—	—		
5X/7310	HC.1290	Splice, in-line	...	...	...	...	...	...	—	C		
5X/7018	HC.1300	Splice, in-line	...	...	...	...	...	...	—	C		
5X/7019	HC.2300	Splice, in-line	...	...	...	...	...	...	—	C		
28FP/1200486	S3/150	Spring, dzus	...	...	...	...	...	...	—	C		
28FP/9434091	S3/175	Spring, dzus	...	...	...	...	...	...	—	C		
28FP/9527578	S3/200	Spring, dzus	...	...	...	...	...	...	—	C		
28FP/9429530	S3/225	Spring, dzus	...	...	...	...	...	...	—	C		
28FP/9455495	S4/250	Spring, dzus	...	...	...	...	...	...	—	C		
28FP/9438491	S4/275	Spring, dzus	...	...	...	...	...	...	—	C		
28FP/1201748	S5/200	Spring, dzus	...	...	...	...	...	...	—	C		
5F/9434858	HV.3254	Strap	...	...	...	...	...	...	—	C		
5F/9454141	NY.18007	Strap	...	...	...	...	...	...	—	C		
5F/9138822	HV.3242	Stud	...	...	...	...	...	...	—	C		
5F/9138822	NY.3342	Stud	...	...	...	...	...	...	—	C		
5F/9138823	HV.3255	Stud	...	...	...	...	...	...	—	C		
5F/9138823	NY.3355	Stud	...	...	...	...	...	...	—	C		
5F/	OP.3255	Stud	...	...	...	...	...	...	—	C		
5F/	OP.3342	Stud	...	...	...	...	...	...	—	C		
5CW/6698	7CZ.107791	Switch, magnetic relay	...	...	...	...	...	...	—	A		
5X/7294	HC.290	Tag, ring tongue	...	...	...	...	...	...	—	C		
5X/9450393	HC.292	Tag, ring tongue	...	...	...	...	...	...	—	C		
5X/9462951	HC.294	Tag, ring tongue	...	...	...	...	...	...	—	C		
5X/7552	HC.294C	Tag, ring tongue	...	...	...	...	...	...	—	C		
5X/7593	HC.294D	Tag, ring tongue	...	...	...	...	...	...	—	C		
5X/	HC.294E	Tag, ring tongue	...	...	...	...	...	...	—	C		
5X/7363	HC.295	Tag, ring tongue	...	...	...	...	...	...	—	C		
5X/1010324	HC.296	Tag, ring tongue	...	...	...	...	...	...	—	C		
5X/9718093	HC.296B	Tag, ring tongue	...	...	...	...	...	...	—	C		

LIGHTNING F. MK. 2 AND MK. 2A

SUMMARY OF STANDARD ITEMS

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6	7				
5X/7424	HC.296D	Tag,	ring	tongue	...	...	...	...	...	—	C	
5X/9709526	HC.298D	Tag,	ring	tongue	...	...	...	...	...	—	C	
5X/9014365	HC.300	Tag,	ring	tongue	...	...	...	...	...	—	C	
5X/9462952	HC.302	Tag,	ring	tongue	...	...	...	...	...	—	C	
5X/9462745	HC.304	Tag,	ring	tongue	...	...	...	...	...	—	C	
5X/7880	HC.304A	Tag,	ring	tongue	...	...	...	...	...	—	C	
5X/9713735	HC.305	Tag,	ring	tongue	...	...	...	...	...	—	C	
5X/9462953	HC.306	Tag,	ring	tongue	...	...	...	...	...	—	C	
5X/9713736	HC.306A	Tag,	ring	tongue	...	...	...	...	...	—	C	
5X/9462954	HC.306B	Tag,	ring	tongue	...	...	...	...	...	—	C	
5X/7533	HC.306D	Tag,	ring	tongue	...	...	...	...	...	—	C	
5X/9709524	HC.310	Tag,	ring	tongue	...	...	...	...	...	—	C	
5X/9450380	HC.312	Tag,	ring	tongue	...	...	...	...	...	—	C	
5X/9462956	HC.314	Tag,	ring	tongue	...	...	...	...	...	—	C	
5X/7220	HC.314A	Tag,	ring	tongue	...	...	...	...	...	—	C	
5X/9462957	HC.316A	Tag,	ring	tongue	...	...	...	...	...	—	C	
5X/7595	HC.316D	Tag,	ring	tongue	...	...	...	...	...	—	C	
5X/9450396	HC.490	Tag,	quick	release	...	...	...	...	...	—	C	
5X/9482491	HC.500	Tag,	quick	release	...	...	...	...	...	—	C	
5X/9450224	HC.510	Tag,	quick	release	...	...	...	...	...	—	C	
5X/7316	HC.1187	Tag,	cranked	...	...	...	...	...	...	—	C	
5X/7214	HC.1189	Tag,	cranked	...	...	...	...	...	...	—	C	
5X/	HC.1280	Tag	...	...	...	...	...	...	...	—	C	
5X/7299	HC.4010	Tag,	ring	tongue	...	...	...	...	...	—	C	
28F/1046308	AGS.838/2	Tee	...	...	...	...	...	...	...	—	C	
28U/9482426	AS.2430	Trunnion	...	...	...	...	...	...	...	MS	C	
28U/14002	AS.2432	Trunnion	...	...	...	...	...	...	...	MS	C	
28U/14774	SP33/B	Turnbarrel,	4	BA	...	...	...	...	...	Steel	C	
28U/14790	SP33/C	Turnbarrel,	2	BA	...	...	...	...	...	Steel	C	
28U/14696	SP35/CE	Turnbuckle,	2	BA	...	...	...	...	...	HTS	C	
28U/14789	SP35/C	Turnbuckle,	2	BA	...	...	...	...	...	HTS	C	
28F/1046307	AGS.838/1	Union,	straight	...	...	...	...	...	...	—	C	
28F/9877	AGS.1103/E	Union,	body	...	...	...	...	...	...	Light Alloy	C	
28F/8011908	AGS.1105/D	Union,	adaptor	...	...	...	...	...	...	Light Alloy	C	
28F/9439107	AGS.1105/F	Union,	adaptor	...	...	...	...	...	...	Light Alloy	C	
28F/9440880	AGS.1106/A	Union,	body	...	...	...	...	...	...	Light Alloy	C	
28F/1010341	AGS.1106/B	Union,	body	...	...	...	...	...	...	Light Alloy	C	
28F/12959	AGS.1108/C	Union,	reducing	...	...	...	...	...	...	Light Alloy	C	
28F/15008	AGS.1109/P	Union,	reducing	...	...	...	...	...	...	Light Alloy	C	
28F/2000878	AGS.1112/A	Union,	body	...	...	...	...	...	...	Light Alloy	C	
28F/9157962	AGS.1112/B	Union,	body	...	...	...	...	...	...	Light Alloy	C	
28F/9157486	AGS.1112/F	Union,	body	...	...	...	...	...	...	Light Alloy	C	
28F/8011887	AGS.1113/B	Union,	body	...	...	...	...	...	...	Light Alloy	C	
28F/1010159	AGS.1113/C	Union,	body	...	...	...	...	...	...	Light Alloy	C	
28F/9476129	AGS.1113/D	Union,	body	...	...	...	...	...	...	Light Alloy	C	
28F/9489760	AGS.1125/4	Union,	piece	...	...	...	...	...	...	Light Alloy	C	
28F/9504828	AGS.1147/A	Union,	body	...	...	...	...	...	...	Light Alloy	C	
28F/9130662	AGS.1147/B	Union,	body	...	...	...	...	...	...	Light Alloy	C	
28F/9140972	AGS.1147/C	Union,	body	...	...	...	...	...	...	Light Alloy	C	
28W/703	AGS.194/3	Washer,	tab,	straight	...	...	...	...	...	—	C	
28W/704	AGS.194/4	Washer,	tab,	straight	...	...	...	...	...	—	C	
28W/9440351	AGS.567/B	Washer,	jointing	...	...	...	...	...	...	Fibre	C	
28W/6659	AGS.568/B	Washer,	jointing	...	...	...	...	...	...	Aluminium	C	
28W/9454066	AGS.568/C	Washer,	jointing	...	...	...	...	...	...	Aluminium	C	
28W/9454067	AGS.568/F	Washer,	jointing	...	...	...	...	...	...	Aluminium	C	
28W/6316	AGS.585/C	Washer,	spring,	thin	...	...	...	...	...	Steel	C	
28W/6308	AGS.586/D	Washer,	spring,	thin	...	...	...	...	...	Steel	C	

SUMMARY OF STANDARD ITEMS

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6	7				
28F/1046310	AGS.838/9	Washer, union	...	...	...	...	...	...	Rubber	C		
28F/9152415	AGS.1115/1	Washer, plate	...	...	...	...	...	...	Steel	C		
28F/9128928	AGS.1115/2	Washer, plate	...	...	...	...	...	...	Steel	C		
28F/11492	AGS.1115/3	Washer, plate	...	...	...	...	...	...	Steel	C		
28F/9128929	AGS.1115/4	Washer, plate	...	...	...	...	...	...	Steel	C		
28F/10603	AGS.1115/6	Washer, plate	...	...	...	...	...	...	Steel	C		
28F/8872	AGS.1115/7	Washer, plate	...	...	...	...	...	...	Steel	C		
28F/8014021	AGS.1138/B	Washer, jointing	...	...	...	...	...	...	Aluminium	C		
28F/1202393	AGS.1138/C	Washer, jointing	...	...	...	...	...	...	Aluminium	C		
28F/1200995	AGS.1138/D	Washer, jointing	...	...	...	...	...	...	Aluminium	C		
28F/1200994	AGS.1138/E	Washer, jointing	...	...	...	...	...	...	Aluminium	C		
28F/1000161	AGS.1139/B	Washer, jointing	...	...	...	...	...	...	Copper	C		
28F/1201324	AGS.1139/E	Washer, jointing	...	...	...	...	...	...	Copper	C		
28F/9157965	AGS.1149/1	Washer, plate	...	...	...	...	...	...	Aluminium	C		
28F/9130664	AGS.1149/2	Washer, plate	...	...	...	...	...	...	Aluminium	C		
28F/9140974	AGS.1149/4	Washer, plate	...	...	...	...	...	...	Aluminium	C		
28F/11081	AGS.1149/6	Washer, plate	...	...	...	...	...	...	Aluminium	C		
28F/11537	AGS.1149/8	Washer, plate	...	...	...	...	...	...	Aluminium	C		
28W/1007776	AGS.2034/B	Washer, shakeproof	...	...	...	...	...	...	Steel	C		
28W/1006940	AGS.2034/C	Washer, shakeproof	...	...	...	...	...	...	Steel	C		
28W/1007777	AGS.2034/E	Washer, shakeproof	...	...	...	...	...	...	Steel	C		
28W/1006941	AGS.2034/G	Washer, shakeproof	...	...	...	...	...	...	Steel	C		
28W/1206040	AGS.2035/A	Washer, shakeproof	...	...	...	...	...	...	Steel	C		
28W/1206039	AGS.2035/AA	Washer, shakeproof	...	...	...	...	...	...	Steel	C		
28W/1206041	AGS.2035/B	Washer, shakeproof	...	...	...	...	...	...	Steel	C		
28W/1006946	AGS.2035/C	Washer, shakeproof	...	...	...	...	...	...	Steel	C		
28W/1006945	AGS.2035/E	Washer, shakeproof	...	...	...	...	...	...	Steel	C		
28W/1010187	AGS.2035/G	Washer, shakeproof	...	...	...	...	...	...	Steel	C		
28W/9129583	AGS.2035/J	Washer, shakeproof	...	...	...	...	...	...	Steel	C		
28W/9129584	AGS.2035/N	Washer, shakeproof	...	...	...	...	...	...	Steel	C		
28W/1013428	AGS.2036/C	Washer, shakeproof	...	...	...	...	...	...	Steel	C		
28W/9137412	AGS.2037/A	Washer, shakeproof	...	...	...	...	...	...	Phos. Bronze	C		
28W/1200328	AGS.2037/B	Washer, shakeproof	...	...	...	...	...	...	Phos. Bronze	C		
28W/9457027	AGS.2037/C	Washer, shakeproof	...	...	...	...	...	...	Phos. Bronze	C		
28W/9419446	SP10/A	Washer, thick, 6 BA	...	...	...	...	...	...	Steel	C		
28W/9419401	SP10/B	Washer, thick, 4 BA	...	...	...	...	...	...	Steel	C		
28W/9419454	SP10/C	Washer, thick, 2 BA	...	...	...	...	...	...	Steel	C		
28W/9418920	SP10/E	Washer, thick, 1/4" BSF	...	...	...	...	...	...	Steel	C		
28W/9419455	SP10/G	Washer, thick, 5/16" BSF	...	...	...	...	...	...	Steel	C		
28W/9419456	SP10/J	Washer, thick, 3/8" BSF	...	...	...	...	...	...	Steel	C		
28W/9132080	SP11/B	Washer, thick, 4 BA	...	...	...	...	...	...	S. Steel	C		
28W/9436805	SP11/C	Washer, thick, 2 BA	...	...	...	...	...	...	S. Steel	C		
28W/9419464	SP13/A	Washer, thick, 6 BA	...	...	...	...	...	...	MS	C		
28W/9419465	SP13/B	Washer, thick, 4 BA	...	...	...	...	...	...	MS	C		
28W/9419402	SP13/C	Washer, thick, 2 BA	...	...	...	...	...	...	MS	C		
28W/9418921	SP13/E	Washer, thick, 1/4" BSF	...	...	...	...	...	...	MS	C		
28W/9419403	SP13/G	Washer, thick, 5/16" BSF	...	...	...	...	...	...	MS	C		
28W/9419466	SP13/J	Washer, thick, 3/8" BSF	...	...	...	...	...	...	MS	C		
28W/9419467	SP13/L	Washer, thick, 7/16" BSF	...	...	...	...	...	...	MS	C		
28W/9419468	SP13/N	Washer, thick, 1/2" BSF	...	...	...	...	...	...	MS	C		
28W/9419469	SP13/P	Washer, thick, 9/16" BSF	...	...	...	...	...	...	MS	C		
28W/9419470	SP13/Q	Washer, thick, 5/8" BSF	...	...	...	...	...	...	MS	C		
28W/9419471	SP13/S	Washer, thick, 3/4" BSF	...	...	...	...	...	...	MS	C		
28W/9419429	SP13/U	Washer, thick, 7/8" BSF	...	...	...	...	...	...	MS	C		
28W/1011086	SP14/A	Washer, thick, 6 BA	...	...	...	...	...	...	S. Steel	C		

LIGHTNING F. MK. 2 AND MK. 2A

SUMMARY OF STANDARD ITEMS

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6	7				
28W/9143227	SP14/B	Washer, thick, 4 BA	...	...	...	...	...	...	S. Steel	C		
28W/9128924	SP14/C	Washer, thick, 2 BA	...	...	...	...	...	...	S. Steel	C		
28W/7000392	SP14/E	Washer, thick, 1/4" BSF	...	...	...	...	...	...	S. Steel	C		
28W/1007697	SP14/G	Washer, thick, 5/16" BSF	...	...	...	...	...	...	S. Steel	C		
28W/1007698	SP14/J	Washer, thick, 3/8" BSF	...	...	...	...	...	...	S. Steel	C		
28W/12678	SP14/L	Washer, thick, 7/16" BSF	...	...	...	...	...	...	S. Steel	C		
28W/1010403	SP14/N	Washer, thick, 1/2" BSF	...	...	...	...	...	...	S. Steel	C		
28W/9419473	SP15/A	Washer, thick, 6 BA	...	...	...	...	...	...	Alum. Alloy	C		
28W/9419474	SP15/B	Washer, thick, 4 BA	...	...	...	...	...	...	Alum. Alloy	C		
28W/9419475	SP15/C	Washer, thick, 2 BA	...	...	...	...	...	...	Alum. Alloy	C		
28W/9419405	SP15/E	Washer, thick, 1/4" BSF	...	...	...	...	...	...	Alum. Alloy	C		
28W/9419476	SP15/G	Washer, thick, 5/16" BSF	...	...	...	...	...	...	Alum. Alloy	C		
28W/9419477	SP15/J	Washer, thick, 3/8" BSF	...	...	...	...	...	...	Alum. Alloy	C		
28W/9419478	SP15/L	Washer, thick, 7/16" BSF	...	...	...	...	...	...	Alum. Alloy	C		
28W/9419479	SP15/N	Washer, thick, 1/2" BSF	...	...	...	...	...	...	Alum. Alloy	C		
28W/9419480	SP15/P	Washer, thick, 9/16" BSF	...	...	...	...	...	...	Alum. Alloy	C		
28W/9419481	SP15/Q	Washer, thick, 5/8" BSF	...	...	...	...	...	...	Alum. Alloy	C		
28W/9419482	SP15/S	Washer, thick, 3/4" BSF	...	...	...	...	...	...	Alum. Alloy	C		
28W/9419485	SP16/A	Washer, thick, 6 BA	...	...	...	...	...	...	Alum. Alloy	C		
28W/9419486	SP16/B	Washer, thick, 4 BA	...	...	...	...	...	...	Alum. Alloy	C		
28W/9419404	SP16/C	Washer, thick, 2 BA	...	...	...	...	...	...	Alum. Alloy	C		
28W/9419487	SP16/E	Washer, thick, 1/4" BSF	...	...	...	...	...	...	Alum. Alloy	C		
28W/9419488	SP16/G	Washer, thick, 5/16" BSF	...	...	...	...	...	...	Alum. Alloy	C		
28W/9419489	SP16/J	Washer, thick, 3/8" BSF	...	...	...	...	...	...	Alum. Alloy	C		
28W/9419490	SP16/L	Washer, thick, 7/16" BSF	...	...	...	...	...	...	Alum. Alloy	C		
28W/9419491	SP16/N	Washer, thick, 1/2" BSF	...	...	...	...	...	...	Alum. Alloy	C		
28W/9419494	SP16/S	Washer, thick, 3/4" BSF	...	...	...	...	...	...	Alum. Alloy	C		
28W/9418683	SF22/A	Washer, 6 BA	...	...	...	...	...	...	Brass	C		
28W/1010006	SF22/B	Washer, 4 BA	...	...	...	...	...	...	Brass	C		
28W/1010007	SF22/C	Washer, 2 BA	...	...	...	...	...	...	Brass	C		
28W/1200073	SF23/B	Washer, 4 BA	...	...	...	...	...	...	Steel	C		
28W/1200071	SF23/C	Washer, 2 BA	...	...	...	...	...	...	Steel	C		
28W/1005697	SF23/Z	Washer, 8 BA	...	...	...	...	...	...	Steel	C		
28W/9995407	SP25/A	Washer, 6 BA	...	...	...	...	...	...	Brass	C		
28W/9437455	SF25/B	Washer, 4 BA	...	...	...	...	...	...	Brass	C		
28W/1009752	SP25/C	Washer, 2 BA	...	...	...	...	...	...	Brass	C		
28W/9403514	SP26/C	Washer, 2 BA	...	...	...	...	...	...	Steel	C		
28W/1200072	SP26/Z	Washer, 8 BA	...	...	...	...	...	...	Steel	C		
28W/9419447	SP41/C	Washer, tab, 2 BA	...	...	...	...	...	...	Steel	C		
28W/9416316	SP41/E	Washer, tab, 1/4" BSF	...	...	...	...	...	...	Steel	C		
28W/9416192	SF41/G	Washer, tab, 5/16" BSF	...	...	...	...	...	...	Steel	C		
28W/9419502	SF41/J	Washer, tab, 3/8" BSF	...	...	...	...	...	...	Steel	C		
28W/9419136	SP42/E	Washer, tab, 1/4" BSF and 1/4" UNF	...	...	...	...	...	...	Steel	C		
28W/12799	SF42/L	Washer, tab, 7/16" BSF	...	...	...	...	...	...	Steel	C		
28W/9419450	SP43/E	Washer, tab, 1/4" BSF	...	...	...	...	...	...	Steel	C		
28W/9419408	SP43/G	Washer, tab, 5/8" BSF	...	...	...	...	...	...	Steel	C		
28W/7000366	SP44/C	Washer, tab, 2 BA	...	...	...	...	...	...	Steel	C		
28W/15445	SP44/J	Washer, tab, 3/8" BSF	...	...	...	...	...	...	Steel	C		
28W/9419451	SP45/E	Washer, tab, 1/4" BSF and 1/4" UNF	...	...	...	...	...	...	Steel	C		
28W/9419407	SF45/G	Washer, tab, 5/16" BSF	...	...	...	...	...	...	Steel	C		
28W/9419515	SP45/N	Washer, tab, 1/2" BSF	...	...	...	...	...	...	Steel	C		
28W/9416641	SP47/A	Washer, spring, 6 BA	...	...	...	...	...	...	Steel	C		
28W/9416642	SP47/B	Washer, spring, 4 BA	...	...	...	...	...	...	Steel	C		
28W/9416643	SP47/C	Washer, spring, 2 BA	...	...	...	...	...	...	Steel	C		
28W/9416644	SP47/E	Washer, spring, 1/4" BSF	...	...	...	...	...	...	Steel	C		
28W/9416645	SP47/G	Washer, spring, 5/16" BSF	...	...	...	...	...	...	Steel	C		
28W/9416646	SP47/J	Washer, spring, 3/8" BSF	...	...	...	...	...	...	Steel	C		

SUMMARY OF STANDARD ITEMS

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
28W/9416650	SP47/Q	Washer, spring, $\frac{3}{8}$ " BSF	...	Steel	C	
28W/9128181	SP55/A	Washer, spring, $\frac{1}{8}$ " i/d	...	Steel	C	
28W/9128182	SP55/B	Washer, spring, $\frac{3}{32}$ " i/d	...	Steel	C	
28W/1009699	SP55/C	Washer, spring, $\frac{3}{16}$ " i/d	...	Steel	C	
28W/7002438	SP55/G	Washer, spring, $\frac{5}{16}$ " i/d	...	Steel	C	
28W/9452620	SP56/A	Washer, spring, $\frac{1}{2}$ " i/d	...	Phos. Bronze	C	
28W/9129100	SP56/B	Washer, spring, 4 BA	...	Phos. Bronze	C	
28W/5806394	SP125/D	Washer, packing	...	Alum. Alloy	C	
5X/	2Z.139594	Washer	...	—	C	
5X/	2Z.139596	Washer	...	—	C	
5X/	2Z.139597	Washer	...	—	C	
5X/	2Z.139598	Washer	...	—	C	
5X/	2Z.139599	Washer	...	—	C	
5X/	2Z.139600	Washer	...	—	C	
5X/	2Z.139601	Washer	...	—	C	
5X/	2CZ.139602	Washer	...	—	C	
5X/	2Z.139603	Washer	...	—	C	

This file was downloaded  
from the RTFM Library.

Link: [www.scottbouch.com/rtfm](http://www.scottbouch.com/rtfm)

Please see site for usage terms,  
and more aircraft documents.

