

FUSELAGE  
FRONT FUSELAGE

739

Ref. No.	Part No.	Description	No. off	Mtl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.B4.00.25	FRONT FUSELAGE, ASSEMBLY	1	-	-	
8412	E.B4.15.357	Consisting of:- BOLT, special, canopy operating jack attachment	1	S95	C	11/1
	-	EQUIPMENT, assembly (E.B4.83.1)	-	-	-	11/2
	-	Consisting of:- BOX, first aid, installation (E.B4.83.289)	-	-	-	11/3
8413	E.B4.83.371	Spares for:- BOX, first aid	1	L44	C	11/4
	E.B4.83.287	BRACKET, fire extinguisher on pressure bulkhead, assembly	1	-	-	11/5
28D/9709461 11B/180	AS.1242/3C	Consisting of:- BOLT, 2 BA, c'sk head	5	-	C	11/6
	GRAVINER	BRACKET	1	-	C	11/7
8414	E.B4.80.27	CASE, map, and pilot's notes stowage, assembly	1	-	-	11/8
	E.B4.80.205	Spares for:- CASE, map, assembly	1	-	-	11/9
8415	CARR FASTENER 248	Spares for:- STUD, 'lift-the-dot'	1	-	-	11/10
	E.B4.80.81	STRAP-PLATE, map case, assembly	1	-	C	11/11
	CARR FASTENER 708A	Spares for:- PLATE, clinch, 'lift-the-dot'	3	-	-	11/12
	CARR FASTENER N.609	SOCKET, 'lift-the-dot'	3	-	-	11/13
	E.B4.80.201	STRAP, map case	1	Webbing F53	-	11/4
28D/9133011 28W/9419475	A25/2C	Attachments:- Bolt, 2 BA, hex. head	4	-	C	11/15
	SP15/C	Washer, 2 BA, plain	4	-	C	11/16
8416	-	CRATE, spine, assembly (E.B4.83.601)	-	-	-	
	E.B4.83.605	Spares for:- CRATE, assembly	1	-	C	12/1
	-	Spares for:- BASE, assembly (E.B4.83.609)	-	-	-	12/2
	E.B4.83.747	Spares for:- HOUSING, bolt, forward	1	L56	MR	12/3
26FZ/1468	EEAS.1/2C	Attachments:- Bolt, 2 BA, 120 deg. c'sk head	1	S96	C	12/4
26FZ/1028	EEAS.1/3C	Bolt, 2 BA, 120 deg. c'sk head	1	S96	C	12/5
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	-	C	12/6
28W/9419402	SP13/C	Washer, 2 BA, plain	2	-	C	12/7
	E.B4.83.749	HOUSING, bolt, aft	1	L65	-	12/8
26FZ/1029	EEAS.1/4C	Attachments:- Bolt, 2 BA, 120 deg. c'sk head	1	S96	C	12/9
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	1	-	C	12/10
28W/9419402	SP13/C	Washer, 2 BA, plain	1	-	C	12/11
8417	E.B4.83.751	SPIGOT, crate, forward	1	L65	C	12/12
28M/1278190	AGS.2001/C/1	Attachments:- Nut, stiff, 2 BA	1	-	C	12/13
28W/9419402	SP13/C	Washer, 2 BA, plain	1	-	C	12/14

FUSELAGE  
FRONT FUSELAGE

740

Ref. No.	Part No.	Description							No. off	Mtrl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
8418	E.B4.83.155								2	L64 or L65	C	12/15
8419	E.B4.83.157								2	L64 or L65	C	12/16
	E.B4.83.51								1	-	-	12/17
5875	E.B2.81.3131								4	-	C	12/18
28M/9433473	AGS.2002/C/1								4	-	C	12/19
28W/9419475	SP15/C								4	-	C	12/20
8420	E.B4.83.203								2	-	C	12/21
27H/2952	-								4	-	C	12/22
28S/9419435	A31/B12								16	-	C	12/23
28D/1011006	A25/5B								4	-	C	12/24
8421	E.B4.83.159								2	-	C	12/25
28Q/1840	AS.460/410								2	-	C	12/26
8422	E.B4.83.825								1	L.A. Alumn.	C	12/27
8423	E.B4.83.703								1	L65	C	12/28
28D/9133013	A25/5C								2	-	C	12/29
28M/9433473	AGS.2002/C/1								2	-	C	12/30
	E.B4.83.807								1	L.A. Alumn.	-	12/31
28W/9419402	SP13/C								1	-	C	12/32
28W/9419404	SP16/C								1	-	C	12/33
	E.B4.83.603								1	-	-	12/34
	E.B4.10.2339								1	L64 or L65	-	12/35
28D/1214034	AS.1242/12C								2	-	C	12/36
28M/9403520	A27/CP								2	-	C	12/37
28W/9419402	SP13/C								2	-	C	12/38
	E.B4.10.2340								1	L64 or L65	-	12/39
28D/1214034	AS.1242/12C								2	-	C	12/40
28M/9403520	A27/CP								2	-	C	12/41
28W/9419402	SP13/C								2	-	C	12/42
	E.B4.10.4683								6	L64 or L65	-	12/43
	E.B4.83.623								1	EEDX.63	-	12/44
28D/1214091	AS.1242/2C								4	-	C	12/45
28M/1278190	AGS.2001/C/1								2	-	C	12/46
	E.B4.83.851								1	Light Alloy	-	12/47
28W/9419402	SP13/C								4	-	C	12/48
	E.B4.83.619								1	L65	-	12/49
28D/9133012	A25/3C								2	-	C	12/50
28M/9403520	A27/CP								2	-	C	12/51
28W/9419402	SP13/C								2	-	C	12/52

FUSELAGE  
FRONT FUSELAGE

41

Ref. No.	Part No.	Description	No. off	Mati. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.B4.83.620	BRACKET, spigot, rear	1	L65	-	12/53
28D/9133012	A25/3C	Attachments:-	2	-	C	12/54
28M/9403520	A27/CP	Bolt, 2 BA, hex. head	2	-	C	12/55
28W/9419402	SP13/C	Nut, 2 BA, plain	2	-	C	12/56
	E.B4.10.4503	Washer, 2 BA, plain	2	-	C	12/56
	E.B4.10.4503	LUG, rear	1	-	-	12/57
	E.B4.10.4503	Attachments:-	2	-	C	12/58
28D/9133011	A25/2C	Bolt, 2 BA, hex. head	2	-	C	12/58
	E.B4.10.4809	Shim, laminated	1	Light Alloy	-	12/59
	E.B4.10.4803	PIECE, distance, spine crate rails	6	L64 or L65	-	12/60
	E.B4.83.615	RAIL, support, aft	1	L65	-	12/61
	E.B4.10.4803	Attachments:-	3	-	C	12/62
28D/9140644	A25/9C	Bolt, 2 BA, hex. head	3	-	C	12/62
28D/1214041	AS.1242/20C	Bolt, 2 BA, c'sk head	3	-	C	12/63
28W/9419402	SP13/C	Washer, 2 BA, plain	3	-	C	12/64
	E.B4.83.617	RAIL, support, forward	1	L65	-	12/65
	E.B4.83.617	Attachments:-	3	-	C	12/66
28D/9140644	A25/9C	Bolt, 2 BA, hex. head	3	-	C	12/66
28D/1214041	AS.1242/20C	Bolt, 2 BA, c'sk head	3	-	C	12/67
28W/9419402	SP13/C	Washer	3	-	C	12/68
	E.B4.10.4759	SHIM, spigot bracket	2	Light Alloy	-	12/69
	E.B4.10.4761	SHIM, packing block	6	Light Alloy	-	12/70
27N/70	†	EXTINGUISHER, fire, trigger type, Mk. 27H	1	-	B	11/17
or	†	EXTINGUISHER, fire, trigger type, Mk. 34H	1	-	B	11/18
27N/299	†	JACKET, safety equipment retaining	1	-	-	11/19
	MARTIN BAKER MBEU.15019	MOUNTING, equipment in spine, assembly (E.B4.83.21)	-	-	-	-
	-	Spares for:-	-	-	-	-
	-	STRUCTURE, battery mounting, assembly (E.B4.81.2729)	-	-	-	11/41
	-	Spares for:-	-	-	-	-
22576	E.B4.81.2885	ANGLE	1	L73	C	-
13305	E.B4.81.2785	BOLT, holding down	2	S95	C	-
22578	E.B4.81.2771	BRACKET	2	L73	C	-
22579	E.B4.81.2772	BRACKET	2	L73	C	-
22580	E.B4.81.2883	BRACKET	2	L73	C	-
9A/04230	†	OUTLET, first aid (See A.P.3130)	1	-	C	11/20
	-	UNIT, artificial horizon control, installation (E.B4.83.25)	-	-	-	11/21
	-	Spares for:-	-	-	-	-
8424	E.B4.83.27	BOX, assembly	1	-	C	11/22
	E.B4.83.27	Attachments:-	1	-	C	-
28D/1010658	A25/1B	Bolt, 4 BA, hex. head	1	-	C	-
28D/9133011	A25/2C	Bolt, 2 BA, hex. head	3	-	C	11/23
28D/9133012	A25/3C	Bolt, 2 BA, hex. head	1	-	C	11/24
28M/9403519	A27/BP	Nut, 4 BA, plain	2	-	C	-
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	4	-	C	11/25
8425	E.B4.83.33	Washer, special	5	L72	C	11/26
8426	E.B4.83.35	Washer, special	1	L72	C	11/27
28W/9419475	SP15/C	Washer, 2 BA, plain	2	-	C	11/28
28W/9419474	SP15/B	Washer, 2 BA, plain	2	-	C	-

FUSELAGE  
FRONT FUSELAGE

742

Ref. No.	Part No.	Description	No. off	Mtrl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	—	WALLET, document stowage, assembly (E.B4.83.961) (Mod. 2040)	—	—	—	11/42
31398	E.B3.10.2075	WALLET, turn round servicing schedule	1	—	C	
		Attachments:—				
28D/15571	A25/1-1/2C	Bolt, 2 BA, hex. head	1	—	C	
28D/1214033	AS.1242/11C	Bolt, 2 BA, c'sk head	3	—	C	
28M/9433473	AGS.2002/C/1	Nut, stiff, 2 BA	3	—	C	
	AS.2811/5/1	Tube, distance	3	—	—	
28W/9419402	SP15/C	Washer, 2 BA, plain	4	—	C	
	E.B4.15.851	INTERLOCK, canopy ejector seat, assembly	2	—	—	11/29
		Consisting of:—				
8427	E.B4.15.841	CABLE, assembly	1	—	C	11/30
		Spares for:—				
36569	E.B2.15.1791	CHAIN, 16 SWG, single link	1	—	C	11/31
28FP/7002000	AVIA'N DEVEL'S A.403	PIN, 'pip'	1	—	C	11/32
	28N/5548	COLLAR	1	—	C	11/33
	28P/16019	PIN, shackle, 5/16" dia.	1	—	C	11/34
	28P/1202460	PIN, split	1	—	C	11/35
	2261	WASHER	1	—	C	11/36
28M/1011467	A27/ES	NUT, 1/4" BSF, slotted, canopy operating jack attachment bolt	1	—	C	11/37
	—	PIPES, starter, at frame 24, port side, assembly (E.B4.53.129)	—	—	—	13/1
		Spares for:—				
5399	E.B2.53.273	COUPLING, flange, between air pipe joint at longeron and elbow, aft of frame 24	1	L64	C	13/2
8428	E.B2.53.535	FAIRLEAD, on diaphragm aft of frame 24	1	L44	C	13/3
		Attachments:—				
28D/9436920	A25/1C	Bolt, 2 BA, hex. head	2	—	C	13/4
28M/11957	AGS.2007/C/1	Nut, stiff, 2 BA	2	—	C	13/5
28W/9419402	SP13/C	Washer, 2 BA, plain	2	—	C	13/6
	7585	NIPPLE, fuel pipe coupling aft of frame 24	1	BAC.M37	C	13/7
28F/10772	AGS.1170/E	NIPPLE, air pipe coupling aft of frame 24	1	—	C	13/8
	7396	PIPE, flexible, from elbow connection aft of frame 24 to No. 1 engine fuel connection	1	—	C	13/9
12892	E.B4.53.127	PIPE, assembly, starter air, from special connection at frame 25 to coupling aft of frame 24	1	L56	C	13/10
7583	E.B2.53.503	PIPE, flexible, from ignition switch elbow to No. 1 engine air connection	1	601/F	C	13/11
12893	E.B4.53.125	PIPE, assembly, starter air, between couplings aft of frame 24	1	L56	C	13/2
12894	E.B4.53.121	PIPE, assembly, starter fuel, from special coupling at frame 25 to coupling aft of frame 24	1	T55 or DTD.743	C	13/13
12895	E.B4.53.123	PIPE, assembly, starter fuel, between couplings aft of frame 24	1	T55 or DTD743	C	13/14
37F/20036	PLESSEY CK.13230	SWITCH, ignition, Mk. 7	1	—	A	13/15
28P/1007741	SP9/C8	PIN, split, canopy operating jack attachment bolt	1	—	C	13/38

FUSELAGE  
FRONT FUSELAGE

743

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	—	SEATING, assembly (E.B4.16.1) Spares for:—	—	—	—	13/16
8429	E.B4.16.3	BOLT, special, seat attachment to upper bracket	2	S99	C	13/17
5979	E.B2.16.335	BOLT, special, seat attachment to lower bracket	2	S95	C	13/18
12K/1399	MARTIN BAKER	CARTRIDGE, guillotine, No. 2, Mk. 2 (Mod. 4011)	2	—	C	12/25
27L/1290	MARTIN BAKER B/MBEU/8912	CONNECTOR, personal equipment	2	—	B	13/19
6D/2526	†	CONNECTOR, remote, charging and gauge, OP.5400	2	—	C	12/26
6D/2284	†	CYLINDER, emergency oxygen, Mk. 1 (Pre-Mod. 4190)	2	—	A	13/27
6D/2896	†	CYLINDER, emergency oxygen, Mk. 4 (Mod. 4190)	2	—	A	13/28
15A/936	MARTIN BAKER MBB.117160	PARACHUTE, and safety harness combined, back type Mk. 28 (Pre-Mod. 4011)	2	—	A	12/29
15A/1328	MARTIN BAKER DMBEU/4047PA	PARACHUTE, and safety harness combined, back type, Mk. 45 (Mod. 4011)	2	—	A	13/30
28P/5412	AGS.1551/2	PIN, locking (Mod. 4011)	2	—	C	13/31
6D/2285	†	REGULATOR, oxygen	2	—	A	13/32
27L/50109	MARTIN BAKER	SEAT, ejection, lightweight, Mk. 4 BST (Pre-Mod. 4011)	2	—	A	13/20
27L/50159	MARTIN BAKER	SEAT, ejection, type 4, BSF/Mk. 2 (Mod. 4011)	2	—	A	12/33
6D/2186	†	SET, oxygen emergency, Mk. 8	2	—	C	13/21
12K/426	MARTIN BAKER	SET, cartridge seat, No. 11, Mk. 1 Consisting of:—	2	—	A	
12K/1392	MARTIN BAKER	CARTRIDGE, primary, No. 5, Mk. 2	2	—	C	13/22
12K/1334	MARTIN BAKER	CARTRIDGE, secondary, No. 5, Mk. 1	2	—	C	13/23
12K/1371	MARTIN BAKER	CARTRIDGE, drogue, No. 3, Mk. 1	2	—	C	13/24
8430	E.B4.15.359	STOP, canopy operating jack attachment bolt	1	DTD124	C	11/39
28W/9418921	SP13/E	WASHER, 1/4" BSF, plain, canopy operating jack, attachment bolt	1	—	C	11/40

This file was downloaded  
from the RTFM Library.

Link: [www.scottbouch.com/rtfm](http://www.scottbouch.com/rtfm)

Please see site for usage terms,  
and more aircraft documents.



LIGHTNING MK. 1  
COVER PITOT HEAD  
EB2-88-511