

FUSELAGE
FRONT FUSELAGE STRUCTURE

745

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.B4.07.5	STRUCTURE FRONT FUSELAGE ASSEMBLY (E.B4.10.1) Spares for:—	1	—	—	
	—	ATTACHMENT, nose ring, assembly (E.B4.10.6579) Spares for:—	—	—	—	
17145	E.B2.10.19257	CLAMP, pitot and static probe (Mod. 2042)	1	—	C	14/1
	E.B4.10.6577	RING, nose, assembly Spares for:—	1	—	—	14/2
5321	E.B2.10.16009	CLAMP, pitot head mounting tube	1	S95	C	14/3
2361	E.B2.10.17499	TUBE, pitot head support	1	—	C	14/4
	—	BRACKETS, armament alignment projector, installation (E.B2.10.16579) Spares for:—	—	—	—	
17146	E.B2.10.17305	BRACKET, clamp screw, assembly Attachments:—	1	—	C	17/42
28D/9133012	A25/3C	Bolt; 2:BA, hex. head	3	—	C	17/31
28M/9433473	AGS.2002/C/1	Nut; stiff; 2 BA	3	—	C	17/32
17149	E.B2.10.17311	MOUNTING, aft, starboard, assembly Attachments:—	1	—	C	17/34
28D/9133012	A25/3C	Bolt; 2:BA, hex. head	2	—	C	17/33
28M/9433473	AGS.2002/C/1	Nut; stiff; 2 BA	2	—	C	17/35
17147	E.B2.10.17315	MOUNTING, forward, port, assembly Attachments:—	1	—	C	17/36
28D/9133011	A25/2C	Bolt; 2:BA, hex. head	2	—	C	17/37
28M/9433473	AGS.2002/C/1	Nut; stiff; 2 BA	2	—	C	17/38
17148	E.B2.10.17316	MOUNTING, forward, starboard, assembly Attachments:—	1	—	C	17/39
28D/9133011	A25/2C	Bolt; 2:BA, hex. head	2	—	C	17/37
28M/9433473	AGS.2002/C/1	Nut; stiff; 2 BA	2	—	C	17/38
1440609	E.B2.10.18493	PACKING	1	L73	C	
17150	E.B2.10.18277	SHIM, laminated aluminium, clamp screw bracket	1	—	C	17/40
17151	E.B2.10.18279	SHIM, laminated aluminium, starboard aft mounting	1	—	C	17/41
	—	DOORS, and hatches, assembly (E.B4.10.15) Spares for:—	—	—	—	
7448	E.B4.10.2189	DOOR, access, forward equipment hatch, assembly Spares for:—	1	—	C	14/5
8550	E.B4.10.7525	BRACKET, support strut stowage	1	—	C	14/6
28FP/739	ODDIE 936/A	FASTENER, male	4	—	C	14/7
8551	E.B4.10.2255	HINGE	2	—	C	14/8
23342	E.B4.10.7959	PACKING, hinge	1	L73	C	14/9
23343	E.B4.10.7961	PACKING, hinge	1	L73	C	14/10
8554	E.B4.10.4801	SHIM, hinge alignment	1	L.A. Lam.	C	14/11
8555	E.B4.10.6101	STRUT, door support, assembly Spares for:—	1	—	C	14/12
8556	E.B4.10.6231	END-BOLT, assembly	1	—	C	14/13

FUSELAGE
FRONT FUSELAGE STRUCTURE

746

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
8557	E.B4.10.6225	EYE BOLT	1	L65	C	14/4
28M/1006473	A27/CT	Attachments:— Nut, 2 BA, thin	1	—	C	14/15
28W/9419475	SP15/C	Washer, 2 BA, thin	1	—	C	14/16
28M/1007403	A27/ET	NUT, 1/4" BSF, thin, end bolt locking	1	—	C	14/17
8558	E.B4.10.6105	PLATE, swivel	1	L65	C	14/18
28P/17048	SP113/8-1/2E	Attachments:— Pin, shear	2	—	C	14/19
28P/1006943	SP9/C6	Pin, split	2	—	C	14/20
28W/9418921	SP13/E	Washer, 1/4" BSF, plain	2	—	C	14/21
7451	E.B4.10.3945	DOOR, access, oxygen charging valve, port, assembly	1	—	C	14/22
28FP/839	F3-1/2/T/12	Spares for:— FASTENER, dzus	5	—	C	14/23
28FP/1002561	GH3-1/2	GROMMET, dzus	5	—	C	14/24
	E.B4.10.3955	HINGE, assembly	1	—	—	14/25
28M/9433473	AGS.2002/C/1	Attachments:— Nut, stiff, 2 BA	4	—	C	14/26
26FZ/1468	EEAS.1/2C	Screw, 2 BA, 120 deg. c'sk head	4	S96	C	14/27
28W/9419402	SP13/C	Washer, 2 BA, plain	4	—	C	14/28
7453	E.B4.10.4223	DOOR, access, spine equipment, port, assembly	1	—	C	14/29
8559	E.B4.10.4659	Spares for:— ARM, hinge, rib No. 1	1	L65	C	14/30
11690	E.B4.10.7713	Attachments:— Bolt, 2 BA, special	4	S95	C	14/31
8560	E.B4.10.4661	ARM, hinge, rib No. 2	1	L65	C	14/32
11690	E.B4.10.7713	Attachments:— Bolt, 2 BA, special	4	S95	C	14/33
8561	E.B4.10.4663	ARM, hinge, rib No. 3	1	L65	C	14/34
11690	E.B4.10.7713	Attachments:— Bolt, 2 BA, special	4	S95	C	14/35
	E.B4.10.7493	BRACKET, door strut stowage, assembly	1	—	—	14/36
5674	E.B2.10.16305	Spares for:— STRAP, assembly	1	—	C	14/37
28D/1008973	AS.1242/2B	Attachments:— Bolt, c'sk head	1	—	C	14/38
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	1	—	C	14/39
8562	E.B2.10.16307	Plate, stiffening	1	EEJ.247	C	14/40
28W/9419465	SP13/B	Washer, 4 BA, plain	1	—	C	14/41
8563	KING A/C C.8670	FASTENER, upper body, assembly	8	—	C	14/42
37096	D.19030	Spares for:— PIN, and spring, assembly	1	—	C	
37097	D.4900	WASHER, pin, retaining	1	—	C	

FUSELAGE
FRONT FUSELAGE STRUCTURE

47

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
8564	E.B4.10.4665								1	L65	C	14/43
28D/9419397	A25/12C								2	—	C	14/44
28M/9403520	A27/CP								2	—	C	14/45
28W/9419402	SP13/C								2	—	C	14/46
11689	E.B4.10.7709								6	L73	C	14/47
	E.B4.10.7737								1	—	LM	14/48
	E.B4.10.7739								1	—	LM	14/49
	E.B4.10.7741								1	—	LM	14/50
11687	E.B4.10.7705								1	Aluminium Alloy	C	14/51
11688	E.B4.10.7707								2	Aluminium Alloy	C	14/52
8565	E.B4.10.6383								1	—	C	14/53
8556	E.B4.10.6231								1	—	C	14/54
8557	E.B4.10.6225								1	L56	C	14/55
28M/1006473	A27/CT								1	—	C	14/56
28W/9419475	SP15/C								1	—	C	14/57
28M/1007403	A27/ET								1	—	C	14/58
8566	E.B4.10.6387								1	L65	C	14/59
28D/7002440	A25/18E								2	—	C	14/60
28D/12550	A25/22E								1	—	C	14/61
28M/1011467	A27/ES								3	—	C	14/62
28P/1006943	SP9/C6								3	—	C	14/63
8567	E.B4.10.4765								3	S91	C	14/64
28W/9418921	SP13/E								3	—	C	14/65
7463	E.B4.10.7259								1	—	C	15/1
8568	FAIREY FS.430/E								2	—	C	15/2
8569	E.B4.10.4243								1	—	C	15/3
28M/10328	AGS.2002/C/1								4	—	C	15/4
26FZ/1025	EEAS.1/1C								2	S96	C	15/5
26FZ/1468	EEAS.1/2C								2	S96	C	15/6
28W/9419402	SP13/C								2	—	C	15/7
7454	E.B4.10.7495								1	—	C	15/8
8559	E.B4.10.4659								1	L65	C	15/9
11690	E.B4.10.7713								4	S95	C	15/10
8560	E.B4.10.4661								1	L65	C	15/11
11690	E.B4.10.7713								4	S95	C	15/12

FUSELAGE
FRONT FUSELAGE STRUCTURE

748

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
8561	E.B4.10.4663	ARM, hinge, rib No. 3	1	L65	C	15/13
11690	E.B4.10.7713	Attachments:—	2	S95	C	15/14
28W/1200119	A25/4C	Bolt; 2:BA, special	2	—	C	15/15
		Bolt; 2:BA	2	—	C	15/15
	E.B4.10.7493	BRACKET, door strut stowage, assembly	1	—	—	15/16
		Spares for:—				
5674	E.B2.10.16305	STRAP, assembly	1	—	C	15/17
		Attachments:—				
28D/1007973	AS.1242/2B	Bolt; 4 BA, c'sk head	1	—	C	15/18
28M/1278189	AGS.2001/B/1	Nut; stiff, 4 BA	1	—	C	15/19
8562	E.B2.10.16307	Plate, stiffening	1	EEJ.247	C	15/20
28W/9419465	SP13/B	Washer, 4 BA, plain	1	—	C	15/21
8570	E.B4.83.353	CORD; safety equipment retaining jacket stowage, assembly	1	—	C	15/22
8563	KING A/C C.8670	FASTENER, upper body, assembly	8	—	C	15/23
		Spares for:—				
37096	D.19030	PIN, and spring, assembly	1	—	C	
37097	D.4900	WASHER, pin retaining	1	—	C	
8571	E.B4.10.4666	PICK-UP, strut	1	L65	C	15/24
		Attachments:—				
28D/9419397	A25/12C	Bolt; 2:BA, hex. head	2	—	C	15/25
28M/9403520	A27/CP	Nut; 2 BA, plain	2	—	C	15/26
28W/9419402	SP13/C	Washer, 2 BA, plain	2	—	C	15/27
11689	E.B4.10.7709	PLATE, profile, for hinges	6	L73	C	15/28
	E.B4.10.7737	SEAL, forward edge, 28" long (Make from EEAS.293, Ref. No. 9284)	1	—	LM	15/29
	E.B4.10.7739	SEAL, top, 32" long (Make from EEAS.293, Ref. No. 9284)	1	—	LM	15/30
	E.B4.10.7741	SEAL, aft edge, 22" long (Make from EEAS.293, Ref. No. 9284)	1	—	LM	15/31
11687	E.B4.10.7705	SHIM, centre hinge, laminated	1	Aluminium Alloy	C	15/32
11688	E.B4.10.7707	SHIM, forward and aft hinge, laminated	2	Aluminium Alloy	C	15/33
8572	E.B4.10.6384	STRUT, door support, assembly	1	—	C	15/34
		Spares for:—				
8556	E.B4.10.6231	END-BOLT, assembly	1	—	C	15/35
8557	E.B4.10.6225	EYE-BOLT	1	L65	C	15/36
		Attachments:—				
28M/1006473	A27/CT	Nut; 2 BA, thin	1	—	C	15/37
28W/9419475	SP15/C	Washer, 2 BA, plain	1	—	C	15/38
28M/1007403	A27/ET	NUT, 1/4" BSF, thin, end bolt locking	1	—	C	15/39
8573	E.B4.10.6388	PLATE, swivel	1	L65	C	15/40
		Attachments:—				
28D/7002440	A25/18E	Bolt; 1/4" BSF, hex. head	2	—	C	15/41
28D/12550	A25/22E	Bolt; 1/4" BSF, hex. head	1	—	C	15/42
28M/1011467	A27/ES	Nut; 1/4" BSF, slotted	3	—	C	15/42
28P/1006943	SP9/C6	Pin, split	3	—	C	15/44
8567	E.B4.10.4765	Tube, distance	3	S91	C	15/45
28W/9418921	SP13/E	Washer, 1/4" BSF, plain	3	—	C	15/46

FUSELAGE
FRONT FUSELAGE STRUCTURE

749

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
21774	E.B4.10.9365	DOOR, access, armament master switch, assembly (Mod. 2199) Spares for:—	1	—	C	15/55
22023	E.B4.10.7871	BUFFER, rubber	1	S/H 40/45	C	
33687	E.B4.10.9411	BUFFER, rubber	1	S/H 40/45	C	
22022	E.B4.10.9369	CLEAT	1	20 SWG L72	C	
35046	E.B4.10.9415	COVER, pouch	1	L59	C	
28FP/839	F.3-1/2/T/12	FASTENER, dzus	5	—	C	15/47
28FP/1002561	GH.3-1/2	GROMMET	5	—	C	15/48
	E.B4.10.3955	HINGE, assembly	1	—	—	15/49
		Attachments:—				
28M/9433473	AGS.2002/C/1	Nut, stiff; 2 BA	4	—	C	15/50
26FZ/1468	EEAS.1/2C	Screw; 2 BA, 120 deg. c'sk head	4	S96	C	15/51
28W/9419402	SP13/C	Washer, 2 BA, plain	4	—	C	15/52
7248	E.B2.10.17721	LANYARD, assembly Spares for:—	2	—	C	15/53
8574	E.B2.10.17723	CLIP, spring	1	DTD215	C	15/54
7449	E.B4.10.3743	PANEL, access, between frames 22 and 23, port, assembly Spares for:—	1	—	C	16/1
17082	E.B2.11.5617	BRACKET	4	L72	C	16/2
2194	KING A/C C.5892	FASTENER, upper body, assembly	12	—	C	16/3
37080	KING A/C C.17792	FASTENER, upper body, assembly Spares for:—	12	—	C	
37085	D.17368	PIN, and spring, assembly	1	—	C	
21752	D.4957	WASHER, pin retaining	1	—	C	
2195*	KING A/C C.5892X	FASTENER, upper body, assembly	8	—	C	16/4
37081	KING A/C C.17792X	FASTENER, upper body, assembly Spares for:—	8	—	C	
37086	D.17368X	PIN, and spring, assembly	1	—	C	
21752	D.4957	WASHER, pin retaining	1	—	C	
34348	EEAS.315/10	LANYARD	2	—	C	16/5
2196	E.B2.11.7263	PAD, rubber	4	Bostik 2100	C	16/6
9285	EEAS.291	PIECE, joint	1	—	C	16/7
8576	EEAS.290	SEAL	1	Neoprene	C	16/8
7450	E.B4.10.3744	PANEL, access, between frames 22 and 23, starboard, assembly Spares for:—	1	—	C	16/9
17082	E.B2.11.5617	BRACKET	4	L72	C	16/10
2194*	KING A/C C.5892	FASTENER, upper body, assembly	12	—	C	16/11
37080	KING A/C C.17792	FASTENER, upper body, assembly Spares for:—	12	—	C	
37085	D.17368	PIN, and spring, assembly	1	—	C	
21752	D.4957	WASHER, pin retaining	1	—	C	

FUSELAGE
FRONT FUSELAGE STRUCTURE

750

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
2195*	KING A/C C.5892X	FASTENER, upper body, assembly	8	-	C	16/12
37081	KING A/C C.17792X	FASTENER, upper body, assembly	8	-	C	
37086	D.17368X	Spares for:- PIN, and spring, assembly	1	-	C	
21752	D.4957	WASHER, pin retaining	1	-	C	
34348	EEAS 315/10	LANYARD	2	-	C	16/13
2196	E.B2.11.7263	PAD, rubber	4	Bostik 2100	C	16/14
9285	EEAS.291	PIECE, joint	1	-	C	16/15
8576	EEAS.290	SEAL	1	Neoprene	C	16/16
7464	E.B4.10.4775	PANEL, access, wing pick-up bolt, port	1	L73	C	16/17
26FZ/1026	EEAS 1/1-1/2C	Attachments:- Screw, 2 BA, 120 deg. c'sk head	10	S96	C	16/18
7465	E.B2.10.4776	PANEL, access, wing pick-up bolt, starboard	1	L73	C	16/19
26FZ/1026	EEAS 1/1-1/2C	Attachments:- Screw, 2 BA, 120 deg. c'sk head	10	S96	C	16/20
7466	E.B4.10.4849	PANEL, access, canopy hinge pin, port and starboard	2	-	C	16/21
26FZ/1025	EEAS 1/1C	Attachments:- Screw, 2 BA, 120 deg. c'sk head	20	S96	C	16/22
7457	E.B4.10.5027	PANEL, access, cold air unit and engine controls, port, group	1	-	C	16/23
3424	E.B2.11.12501	Spares for:- COVER, inspection	1	-	C	16/24
2009	E.B2.10.8229	DOOR, access, and submerged, intake, group	1	-	B	16/25
28FP/76	F4-45	Spares for:- FASTENER, dzus	1	-	C	16/26
2187	E.B2.10.8241	HINGE, assembly	1	-	C	16/27
28FP/333	S4-250	SPRING, dzus	4	-	C	16/28
2214	EEAS.99/2-1/2E	Attachments:- Bolt, 1/4" BSF, 120 deg. c'sk head	50	S97	C	16/29
7458	E.B4.10.5039	PANEL, access, cold air unit and engine controls, starboard, group	1	-	C	17/1
8575	E.B2.10.17817	Spares for:- DOOR, access, and submerged air intake, group	1	-	C	17/2
28FP/76	F4-45	Spares for:- FASTENER, dzus	4	-	C	17/3
7878	E.B2.10.18627	HINGE, assembly	1	-	C	17/4
28FP/	S4/275	SPRING, dzus	4	-	C	17/5
2214	EEAS.99/2-1/2E	Attachments:- Bolt, 1/4" BSF, 120 deg. c'sk head	50	S97	C	17/6
7459	E.B4.10.6519	PANEL, access, equipment between frames 18 and 21, port, group	1	-	C	17/7
	E.B4.10.7513	Spares for:- FASTENER, special (Make from C.6884, Ref. No. 2204 or C.17793 Ref. 34093)	20	-	-	17/8

FUSELAGE
FRONT FUSELAGE STRUCTURE

751

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
2204*	KING A/C C.6884								17	-	C	17/9
34093	KING A/C C.17793								17	-	C	
37087	D.18311								1	-	C	
23057	C.17802								1	-	C	
35044	D.4872								1	-	C	
21752	D.4957								1	-	C	
2205*	KING A/C C.6884X								3	-	C	17/10
34094	KING A/C C.17793X								3	-	C	
37088	D.18311X								1	-	C	
23057	C.17802X								1	-	C	
35044	D.4872								1	-	C	
21752	D.4957								1	-	C	
9285	EEAS.291								1	-	C	17/11
8576	EEAS.290								1	-	C	17/12
7460	E.B4.10.6520								1	-	C	17/13
	E.B4.10.7513								20	-	-	17/8
2204*	KING A/C C.6884								17	-	C	17/9
34093	KING A/C C.17793								17	-	C	
37087	D.18311								1	-	C	
23057	C.17802								1	-	C	
35044	D.4872								1	-	C	
21752	D.4957								1	-	C	
2205*	KING A/C C.6884X								3	-	C	17/10
23094	KING A/C C.17793X								3	-	C	
37088	D.18311X								1	-	C	
23058	C.17802X								1	-	C	
35044	D.4872								1	-	C	
21752	D.4957								1	-	C	
9285	EEAS.291								1	-	C	17/11
8576	EEAS.290								1	-	C	17/12
8577	E.B4.10.6687								1	L73	C	17/14
8578	EEAS.297/20/50C								16	S96	C	17/15

FUSELAGE
FRONT FUSELAGE STRUCTURE

752

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
7444	E.B4.10.6859	PANEL, knock-off, canopy hinge, port							1	L44	C	17/16
26FZ/1026	EEAS.1/1-1/2C	Attachments:— Screw, 2 BA, 120 deg. c'sk head							4	S96	C	17/17
12458	E.B4.10.7931	PANEL, access, equipment, between frames 16 and 17, starboard (Mod. 1586)							1	—	C	17/18
8596	EEAS.297/10/40C	Attachments:— Bolt, 2 BA, 120 deg. c'sk head							10	—	C	17/19
7445	E.B4.10.6860	PANEL, knock-off, canopy hinge, starboard							1	L44	C	17/30
26FZ/1026	EEAS.1/1-1/2C	Attachments:— Screw, 2 BA, 120 deg. c'sk head							4	S96	C	17/20
7461	E.B4.10.6905	PANEL, access, spine battery, port, group							1	—	C	17/21
2194*	KING A/C C.5892	Spares for:— FASTENER, upper body, assembly							4	—	C	17/22
37080	KING A/C C.17792	FASTENER, upper body, assembly							4	—	C	
37085	D.17368	Spares for:— PIN, and spring, assembly							1	—	C	
21752	D.4957	WASHER, pin retaining							1	—	C	
8579*	KING A/C C.11784X	FASTENER, upper body, assembly							10	—	C	17/23
37082	C.17798X	FASTENER, upper body, assembly							10	—	C	
37086	D.17368X	Spares for:— PIN, and spring, assembly							1	—	C	
21752	D.4957	WASHER, pin retaining							1	—	C	
9285	EEAS.291	PIECE, joint							1	—	C	17/24
8576	EEAS.290	SEAL							1	Neoprene	C	17/25
7462	E.B4.10.6906	PANEL, access, spine battery, starboard, group							1	—	C	17/26
2194*	KING A/C C.5892	Spares for:— FASTENER, upper body, assembly							4	—	C	17/22
37080	C.17792	FASTENER, upper body, assembly							4	—	C	
37085	D.17368	Spares for:— PIN, and spring, assembly							1	—	C	
21752	D.4957	WASHER, pin retaining							1	—	C	
8579*	KING A/C C.11784X	FASTENER, upper body, assembly							10	—	C	17/23
37082	C.17798X	FASTENER, upper body, assembly							10	—	C	
37086	D.17368X	Spares for:— PIN, and spring, assembly							1	—	C	
21752	D.4957	WASHER, pin retaining							1	—	C	
9285	EEAS.291	PIECE, joint							1	—	C	17/24
8576	EEAS.290	SEAL							1	Neoprene	C	17/25
8581	E.B4.10.7509	PANEL, access, between frames 15 and 16, port, assembly							1	—	C	17/27
3180	EEAS.177/1	Spares for:— NUT, retaining							8	—	C	17/28
3181	GEO. SALTER 5103-31	RING, retaining							8	—	C	17/29

FUSELAGE
FRONT FUSELAGE STRUCTURE

753

Ref. No.	Part No.	Description	No. off	Mati. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
8582	E.B4.10.7973	PANEL, access, between frames 15 and 16, starboard, assembly Spares for:—	1	—	C	18/1
3180	EEAS.177/1	NUT, retaining	8	—	C	18/2
3181	GEO. SALTER 5103-31	RING, retaining	8	—	C	18/3
8580	E.B4.10.9053	PANEL, access, rain dispersal equipment, between frames 4A and 6 Attachments:—	1	L73	C	18/4
10043	E.B2.10.16905	Bolt, 2 BA, 120 deg. c'sk head	44	S96	C	18/5
2024	E.B2.10.8131	PANEL, access, pitot head clamp Attachments:—	1	—	C	18/6
7708	EEAS.296/15/60C	Screw, 2 BA, 90 deg. c'sk head	4	30/147 or S97	C	18/7
2216	E.B2.10.11139	PANEL, access, heat exchanger, group (Pre-Mod. 2388) Spares for:—	1	—	B	18/8
2217	E.B2.10.11201	BLOCK, fairing, heat exchanger outlet duct spacing Attachments:—	1	L44	C	18/9
28M/9403520	A27/CP	Nut, 2 BA, plain	1	—	C	18/10
26FZ/1029	EEAS.1/4C	Screw, 2 BA, 120 deg. c'sk head	1	S96	C	18/11
28W/9419402	SP13/C	Washer, 2 BA, plain	1	—	C	18/12
2204*	KING A/C C.6884	FASTENER, upper body, assembly	20	—	C	18/13
34093	C.17793	FASTENER, upper body, assembly Spares for:—	20	—	C	
37087	D.18311	PIN, and spring, assembly Spares for:—	1	—	C	
23057	C.17802	PIN	1	—	C	
35044	D.4872	SPRING	1	—	C	
21752	D.4957	WASHER, pin retaining	1	—	C	
2205*	KING A/C C.6884X	FASTENER, upper body, assembly	10	—	C	18/14
34094	C.17793X	FASTENER, upper body, assembly Spares for:—	10	—	C	
37088	D.18311X	PIN, and spring, assembly Spares for:—	1	—	C	
23058	C.17802X	PIN	1	—	C	
35044	D.4872	SPRING	1	—	C	
21752	D.4957	WASHER, pin retaining	1	—	C	
8576	EEAS.290	SEAL, 39" long, approx.	1	Neoprene	C	18/15
23055	E.B2.10.19439	PANEL, access, heat exchanger, group (Mod. 2388) Spares for this group are identical with those for Pt. No. E.B2.10.11139 above	1	—	C	
2213	E.B2.10.11929	PANEL, access, L.H., nose undercarriage pin Attachments:—	1	L73	C	18/16
2214	EEAS.99/2-1/2E	Bolt, 1/4" BSF, 90 deg. c'sk head	34	S97	C	18/17

FUSELAGE
FRONT FUSELAGE STRUCTURE

Ref. No.	Part No.	Description	No. off	Mtl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
2215	E.B2.10.11930	PANEL, access, R.H., nose undercarriage pin Attachments:—	1	L73	C	18/18
2214	EEAS.99/2-1/2E	Bolt, 1/4" BSF, 90 deg. c'sk head	34	S97	C	18/19
4958	E.B2.10.14909	PANEL, access, No. 1 engine duct Attachments:—	1	—	C	18/20
2198	E.B2.10.8215	Bolt, special (May be made from A25/14G)	4	S96	C	18/21
7249	E.B2.10.17669	PANEL, access, nose undercarriage 'up' lock Attachments:—	1	L73	C	18/22
2209	EEAS.99/3E	Bolt, 1/4" BSF, 90 deg. c'sk head	15	S97	C	18/23
2199	E.B2.10.18503	PANEL, access, upper engine duct, assembly (Pre-Mod. 2388) Spares for:—	1	—	B	18/A/1
2201	E.B2.10.19121	BLOCK, assembly	1	—	—	18A/2
	E.B2.10.5987	BOLT, special, 1/4" BSF, 90 deg. c'sk head	2	S94, 95 or 96	C	18A/3
2202	E.B2.10.5989	BOLT, special, 1/4" BSF, 90 deg. c'sk head	2	S94, 95 or 96	C	18A/4
2203	E.B2.10.5991	CIRCLIP	4	DTD215	C	18A/5
2004*	KING A/C C.6884	FASTENER, upper body, assembly	6	—	C	18A/6
34093	C.17793	FASTENER, upper body, assembly Spares for:—	6	—	C	
37087	D.18311	PIN, and spring, assembly Spares for:—	1	—	C	
23057	C.17802	PIN	1	—	C	
35044	D.4872	SPRING	1	—	C	
21752	D.4957	WASHER, pin retaining	1	—	C	
2205*	KING A/C C.6884X	FASTENER, upper body, assembly	12	—	C	18A/7
34094	C.17793X	FASTENER, upper body, assembly Spares for:—	12	—	C	
37088	D.18311X	PIN, and spring, assembly Spares for:—	1	—	C	
23058	C.17802X	PIN	1	—	C	
35044	D.4892	SPRING	1	—	C	
21752	D.4957	WASHER, pin retaining	1	—	C	
7931*	KING A/C C.11031	FASTENER, upper body, assembly	6	—	C	18A/8
34095	C.17796	FASTENER, upper body, assembly Spares for:—	6	—	C	
37087	D.18311	PIN, and spring, assembly Spares for:—	1	—	C	
23057	C.17802	PIN	1	—	C	
35044	D.4872	SPRING	1	—	C	
21752	D.4957	WASHER, pin retaining	1	—	C	
28N/1031012	AS.4601/26	INSERT, wire thread, 2 BA x ".36 long	6	DTD239	—	18A/9
9343	EEAS.292	PIECE, corner	4	Neoprene	C	18A/10
4938	E.B2.10.14721	SCREW, special	6	—	C	18A/11
8576	EEAS.290	SEAL, .50" long approx.	1	Neoprene	C	18A/12
	PR.611	SEALANT, PRC	QR	—	—	18A/13

754

FUSELAGE
FRONT FUSELAGE STRUCTURE

755

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
23056	E.B2.10.19441	PANEL, access, upper engine duct (Mod. 2388) Spares for this assembly are identical with those for Pt. No. E.B2.10.18503 on Page HH10	1	-	C	18A/1A
33765	E.B5.10.7195	PANEL, access, adjustment of canopy emergency jettison control (Mod. 2274) Spares for:-	1	-	C	18A/24
2218*	KING A/C C.5330	FASTENER, assembly	4	-	C	
36549	C.17366	FASTENER, upper body, assembly Spares for:-	4	-	C	
37085	D.17368	PIN, and spring, assembly	1	-	C	
21752	D.4957	WASHER, pin retaining	1	-	C	
2219*	KING A/C C.5330X	FASTENER, assembly	2	-	C	
36550	C.17366X	FASTENER, upper body, assembly Spares for:-	2	-	C	
37086	D.17368X	PIN, and spring, assembly	1	-	C	
21752	D.4957	WASHER, pin retaining	1	-	C	
33767	E.B5.10.7197	PANEL, access, lower, canopy emergency jettison control (Mod. 2274) Spares for:-	1	-	C	18A/25
	E.B5.10.7133	BRACKET, handle pivot Attachments:-	1	L73	-	
	EEAS.297/27/25C	Bolt, 2 BA, special	2	-	-	
28M/9433473	E.B5.10.7123	Doupler	1	L73	-	
	AGS.2002/C/1	Nut, stiff, 2 BA, thin	2	-	C	
	E.B5.10.7125	Packing	1	L72	-	
	E.B5.10.7193	CABLE, assembly, lower Attachments:-	1	-	-	
28P/9429619	E.B5.10.7105	Pin	1	S94	-	
	SP9/C5	Pin, split	1	-	C	
	E.B5.10.7107	Washer, special	2	L65	-	
2218*	KING A/C C.5330	FASTENER, assembly	5	-	C	
36549	C.17366	FASTENER, upper body, assembly Spares for:-	5	-	C	
37085	D.17368	PIN, and spring, assembly	1	-	C	
21752	D.4957	WASHER, pin retaining	1	-	C	
2219	KING A/C C.5330X	FASTENER	7	-	C	
	E.B5.10.7139	HANDLE Attachments:-	1	L65	-	
2306	E.B2.15.1189	Pin, 5/32" dia.	1	S94	C	
28P/9143877	SP9/C4	Pin, split	1	-	C	
28W/9419474	SP15/B	Washer, 4 BA, plain	1	-	C	
33861	E.B5.10.7109	HOOK Attachments:-	1	S510	C	
2306	E.B2.15.1189	Pin, 5/32" dia.	1	S94	C	
28P/9143877	SP9/C4	Pin, split	1	-	C	

FUSELAGE
FRONT FUSELAGE STRUCTURE

756

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
33862	E.B5.10.7137	HOUSING, plunger, assembly	2	-	C	
2A/9500567	HOFFMANN RFAVA	Spares for:- BALL, 3/16" dia.	1	-	C	
	E.B5.10.7155	HOUSING, plunger	1	S1	-	
	E.B5.10.7087	PLUG	1	S1	-	
	E.B5.10.7149	SPRING	1	DTD215	-	
34423	EEAS.297/15/30C	Attachments:- Bolt, special, 2 BA	4	30/147	C	
28M/9433473	AGS.2002/C/1	Nut, stiff, 2 BA, thin	4	-	C	
	E.B5.10.7135	LEVER, assembly	1	-	-	
28M/9153393	AGS.899/4	Attachments:- Cpillar	1	-	C	
28P/871	SP4Y/D13	Pin, 1/4" dia.	1	-	C	
28P/1007741	SP9/C8	Pin, split, 1/16"	1	-	C	
28M/1006502	A27/AT	NUT, 6 BA, thin, handle adjusting screw	1	-	C	
	E.B5.10.7147	ROLLER	1	S1	-	
28P/1013110	SP4Y/B18	Attachments:- Pin, 3/16" dia.	1	-	C	
28P/9429619	SP9/C5	Pin, split	1	-	C	
28W/9419404	SP16/C	Washer, 2 BA, plain	1	-	C	
20930	UNBRAKO SERIES SD	SCREW, set, socket handle adjusting, 6 BA x 1/2"	1	-	C	
8583	E.B4.10.4253	STOP, pin, forward equipment door hinge	2	DTD124	C	18A/14
	E.B2.10.18701	TUBE, blast, lower, port, group Consisting of:-	1	-	-	18A/15
7335	E.B2.10.14961	COUPLING	1	-	-	18A/16
7331	E.B2.10.14963	RING, 'O' sealing, silicone rubber	1	Shore Hardness 65-75	C	18A/17
8584	E.B2.10.14871	SECTION, forward	1	-	C	18A/18
8585	E.B2.10.18693	SECTION, aft, assembly	1	-	C	18A/19
13002	E.B2.10.9295	Spares for:- RING, piston, ring retaining (Mod. 1874)	1	S521	C	
8586	WELLWORTHY C.725	RING, piston	1	-	C	18A/20
30A/3055	†	WIRE, locking, 22 SWG	QR	DTD189	C	18A/21
	E.B2.10.18702	TUBE, blast, lower, starboard, group Consisting of:-	1	-	C	18A/22
7335	E.B2.10.14961	COUPLING	1	S80	C	18A/16
7331	E.B2.10.14963	RING, 'O' sealing, silicone rubber	1	Shore Hardness 67-75	C	18A/17
7334	E.B2.10.14872	SECTION, forward	1	-	C	18A/23
8585	E.B2.10.18693	SECTION, aft, assembly	1	-	C	18A/19
13002	E.B2.10.9295	Spares for:- RING, piston, ring retaining (Mod. 1874)	1	S521	C	
8586	WELLWORTHY C.725	RING, piston	1	-	C	18A/20
30A/3055	†	WIRE, locking, 22 SWG	QR	DTD189	C	18A/21

FUSELAGE
FRONT FUSELAGE STRUCTURE

57

Ref. No.	Part No.	Description	No. off	Mati. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	-	PANELS, removable, in cockpit, assembly (E.B4.83.9) Consisting of:-	-	-	-	
	-	ANGLE, floor, pedestal side panel attachment, port, assembly (E.B4.10.5419) Spares for:-	-	-	-	19/1
	E.B4.10.5175	ANGLE, floor (To be drilled on assembly)	1	L73	-	19/2
	-	ANGLE, floor, pedestal side panel attachment starboard, assembly (E.B4.10.5420) Spares for:-	-	-	-	19/3
	E.B4.10.5176	ANGLE, floor (To be drilled on assembly)	1	L73	-	19/4
	-	COVERS; flying controls, assembly (E.B4.45.431) Spares for:-	-	-	-	19/5
8589	E.B4.45.425	COVER, frames 11 to 14 Attachments:-	1	L44	C	19/6
28D/1013173	AS.1242/10C	Bolt; 2 BA, 90 deg. c'sk head	5	-	C	19/7
28D/1007982	AS.1248/1C	Bolt; 2 BA, mushroom head	2	-	C	19/8
28D/1013284	AS.1248/2C	Bolt; 2 BA, mushroom head	4	-	C	19/9
8590	E.B4.45.429	COVER, frames 15 and 16 Attachments:-	1	L72	C	19/10
28D/9436920	A25/1C	Bolt; 2 BA, hex. head	3	-	C	19/11
28D/1007982	AS.1248/1C	Bolt; 2 BA, mushroom head	5	-	C	19/12
8591	E.B4.81.4771	COVER, cable duct, assembly Attachments:-	1	-	C	19/13
28D/1214038	AS.1242/16C	Bolt; 2 BA, 90 deg. c'sk head	5	-	C	19/14
8592	E.B4.83.361	COVER, assembly Spares for:-	2	-	C	19/15
	E.B4.98.107	ANGLE, air drying unit mounting, assembly Spares for:-	1	-	-	19/16
5K/2894	SP40/B6	GROMMET, rubber	2	-	C	19/17
	E.B4.83.853	COVER, forward	1	L72	-	19/18
	E.B4.83.855	COVER, aft	1	L72	-	19/19
	-	Attachments:-				
28D/9436920	A25/1C	Bolt; 2 BA, hex. head	3	-	C	19/20
28D/1007975	AS.1242/1C	Bolt; 2 BA, 90 deg. c'sk head	4	-	C	19/21
	-	Attachments:-				
28D/9436920	A25/1C	Bolt; 2 BA, hex. head	6	-	C	19/22
26FZ/1025	EEAS.1/1C	Screw; 2 BA, 120 deg. c'sk head	8	S96	C	19/23
28W/9419402	SP13/C	Washer; 2 BA, thick	6	-	C	19/24
7456	E.B4.10.2163	PANEL, pedestal side, frames 10 to 12, port Attachments:-	1	-	C	19/25
26FZ/1025	EEAS.1/1C	Screw; 2 BA, 120 deg. c'sk head	4	S96	C	19/26
26FZ/1026	EEAS.1/1-1/2C	Screw; 2 BA, 120 deg. c'sk head	3	S96	C	19/27
26FZ/1468	EEAS.1/2C	Screw; 2 BA, 120 deg. c'sk head	2	S96	C	19/28
7468	E.B4.10.2164	PANEL, pedestal side, frames 10 to 12, starboard Attachments:-	1	-	C	19/29
26FZ/1025	EEAS.1/1C	Screw; 2 BA, 120 deg. c'sk head	4	S96	C	19/26
26FZ/1026	EEAS.1/1-1/2C	Screw; 2 BA, 120 deg. c'sk head	3	S96	C	19/27
26FZ/1468	EEAS.1/2C	Screw; 2 BA, 120 deg. c'sk head	2	S96	C	19/28

FUSELAGE
FRONT FUSELAGE STRUCTURE

758

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
7470	E.B4.10.4089	PANEL, side, port console, frames 10 to 12	1	-	C	19/30
28D/1007982	AS.1248/1C	Attachments:- Bolt, 2 BA, mushroom head	7	-	C	19/31
28D/1212790	AS.1248/1-1/2C	Bolt, 2 BA, mushroom head	5	-	C	19/32
	E.B4.10.9269	PANEL, side, port console, frames 8 and 9, assembly	1	-	-	20/1
		Spares for:-				
13376	E.B4.10.7929	PLATE, cover	1	-	C	
		Attachments:-				
26FZ/1025	EEAS.1/1C	Screw, 2 BA, 120 deg. c'sk head	3	S96	C	
		Attachments:-				
26FZ/1025	EEAS.1/1C	Screw, 2 BA, 120 deg c'sk head	8	S96	C	20/2
7472	E.B4.10.4095	PANEL, side, port console frames 6 to 8	1	-	C	20/3
		Attachments:-				
26FZ/1025	EEAS.1/1C	Screw, 2 BA, 120 deg. c'sk head	10	-	C	20/4
7473	E.B4.10.4779	PANEL, side, starboard console, frames 9 to 11	1	-	C	20/5
		Attachments:-				
28D/1007982	AS.1248/1C	Bolt, 2 BA, mushroom head	6	-	C	20/6
28D/9353	AS.1248/8-1/2C	Bolt, 2 BA, mushroom head	1	-	C	20/7
12901	E.B4.10.7725	PANEL, top, port console, frames 13 and 14	1	-	C	20/8
		Attachments:-				
28D/9436920	A25/1C	Bolt, 2 BA, hex. head	2	-	C	20/9
28D/1007982	AS.1248/1C	Bolt, 2 BA, mushroom head	3	-	C	20/10
7474	E.B4.10.4823	PANEL, top, port console, frames 10 to 13	1	-	C	20/11
		Attachments:-				
26FZ/1025	EEAS.1/1C	Screw, 2 BA, 120 deg. c'sk head	6	S96	C	20/12
7476	E.B4.10.5385	PANEL, pedestal side, frames 6 to 10, port (Pre-Mod. 1858)	1	-	C	20/13
		Attachments:-				
26FZ/1025	EEAS.1/1C	Screw, 2 BA, 120 deg. c'sk head	9	S96	C	20/14
26FZ/1026	EEAS.1/1-1/2C	Screw, 2 BA, 120 deg. c'sk head	4	S96	C	20/15
26FZ/1468	EEAS.1/2C	Screw, 2 BA, 120 deg. c'sk head	2	S96	C	20/16
7477	E.B4.10.5391	PANEL, pedestal side, frames 6 to 10, starboard (Pre-Mod. 1858)	1	-	C	20/17
		Attachments:-				
26FZ/1025	EEAS.1/1C	Screw, 2 BA, 120 deg. c'sk head	9	S96	C	20/18
26FZ/1026	EEAS.1/1-1/2C	Screw, 2 BA, 120 deg. c'sk head	4	S96	C	20/19
26FZ/1468	EEAS.1/2C	Screw, 2 BA, 120 deg. c'sk head	2	S96	C	20/20
7469	E.B4.10.5531	PANEL, side, port console, frames 12 to 14	1	-	C	20/21
		Attachments:-				
28D/1007982	AS.1248/1C	Bolt, 2 BA, mushroom head	8	-	C	20/22
7478	E.B4.10.6181	PANEL, top, port console, frames 8 to 10	1	-	C	20/23
		Attachments:-				
28D/1007982	AS.1248/1C	Bolt, 2 BA, mushroom head	3	-	C	20/24
26FZ/1025	EEAS.1/1C	Screw, 2 BA, 120 deg. c'sk head	3	S96	C	20/25

FUSELAGE
FRONT FUSELAGE STRUCTURE

759

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
7479	E.B4.10.6315	PANEL, side, port console, frames 9 and 10							1	-	C	
28D/1007982	AS.1248/1C	Attachments:-							8	-	C	
28D/1212790	AS.1248/1-1/2C	Bolt, 2 BA, mushroom head							1	-	C	
13634	E.B4.10.7529	PANEL, forward side, port, assembly (Mod. 1858)							1	-	C	20/27
		Spares for:-										
22501	E.B4.10.7937	PLATE, joint							1	L73	C	
		Attachments:-										
12241	E.B4.10.7941	Bolt, special							4	-	C	20/31
8594	E.B4.10.7943	Bolt, special							1	-	C	20/32
12240	E.B4.10.7945	Bolt, special							1	-	C	20/33
13636	E.B4.10.7543	PANEL, aft, side, port (Mod. 1858)							1	-	C	20/28
		Attachments:-										
12241	E.B4.10.7941	Bolt, special							6	-	C	20/31
8594	E.B4.10.7943	Bolt, special							4	-	C	20/32
12240	E.B4.10.7945	Bolt, special							1	-	C	20/33
13635	E.B4.10.7535	PANEL, forward, side, starboard, assembly (Mod. 1858)							1	-	C	20/29
		Spares for:-										
22502	E.B4.10.7939	PLATE, joint							1	L73	C	
		Attachments:-										
12241	E.B4.10.7941	Bolt, special							4	-	C	20/31
8594	E.B4.10.7943	Bolt, special							1	-	C	20/32
12240	E.B4.10.7945	Bolt, special							1	-	C	20/33
13637	E.B4.10.7549	PANEL, aft, side, starboard (Mod. 1858)							1	-	C	20/30
		Attachments:-										
12241	E.B4.10.7941	Bolt, special							6	-	C	20/31
8594	E.B4.10.7943	Bolt, special							5	-	C	20/32
12240	E.B4.10.7945	Bolt, special							1	-	C	20/33
8593	E.B4.10.4083	SECTION, tee, pilot's floor, flying control cover and floor panel pick-up, starboard							1	-	C	20/26
		SKINNING, pilot's floor, assembly (E.B4.10.6717)							-	-	-	
		Spares for:-										
7455	E.B4.10.4355	PANEL, floor, frames 9 to 11, inboard, port							1	-	C	21/1
		Attachments:-										
8594	E.B4.10.7943	Bolt, special, 2 BA, 120 deg. c'sk head							1	30/147 or S97	C	21/2
12240	E.B4.10.7945	Bolt, special, 2 BA, 120 deg. c'sk head							1	30/147 or S97	C	21/3
8595	E.B4.10.7951	Bolt, special, 2 BA, 120 deg. c'sk head							4	30/147 or S97	C	21/4

FUSELAGE
FRONT FUSELAGE STRUCTURE

761

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
8598	E.B4.10.6805								1	—	C	22/4
8594	E.B4.10.7943								4	30/147 or S97	C	22/5
12240	E.B4.10.7945								5	30/147 or S97	C	22/6
12243	E.B4.10.7949								6	30/147 or S97	C	22/7
8599	E.B4.10.6806								1	—	C	22/8
8594	E.B4.10.7943								4	30/147 or S97	C	22/5
12240	E.B4.10.7945								5	30/147 or S97	C	22/6
12243	E.B4.10.7949								6	30/147 or S97	C	22/7
8601	E.B4.10.6809								1	—	C	22/9
12241	E.B4.10.7941								1	30/147 or S97	C	22/2
8594	E.B4.10.7943								3	30/147 or S97	C	22/5
12240	E.B4.10.7945								4	30/147 or S97	C	22/6
12243	E.B4.10.7949								4	30/147 or S97	C	22/7
8602	E.B4.10.6810								1	—	C	22/10
12241	E.B4.10.7941								1	30/147 or S97	C	22/2
8594	E.B4.10.7943								3	30/147 or S97	C	22/5
12240	E.B4.10.7945								4	30/147 or S97	C	22/6
12243	E.B4.10.7949								4	30/147 or S97	C	22/7
36578	E.B4.10.7143								1	—	C	22/11
8594	E.B4.10.7943								16	30/147 or S97	C	22/5
2235	E.B2.10.17717								1	—	C	23/1
10368	E.B2.10.17873								1	S116	C	23/2
5677	E.B2.10.17718								1	—	C	23/3
10368	E.B2.10.17873								1	S116	C	23/4

FUSELAGE
FRONT FUSELAGE STRUCTURE

762

Ref. No.	Part No.	Description	No. off	Mtl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	—	SEAL, canopy, and clamping strip, assembly (E.B4.15.155) Consisting of:—	—	—	—	23/5
2240	E.B2.15.1459	BOLT, special, clamping strip attachment	29	S96 or EN.111T	C	23/6
8604	E.B4.15.389	BOLT, special, clamping strip attachment	21	S96 or EN111T	C	23/7
8605	E.B4.15.391	BOLT, special, clamping strip attachment	16	S96 or EN111T	C	23/8
8606	E.B4.15.919	BOLT, special, clamping strip attachment	2	S96 or EN111T	C	23/9
7698	EEAS.296/50/38C	BOLT, special, clamping strip attachment	2	30/147 or S97	C	23/10
28M/1278190	AGS.2001/C/1	NUT, stiff, 2 BA, clamping strip attachment bolt	8	—	C	23/11
8607	E.B4.15.385	PLATE, slotted, forward, port Attachments:—	1	S521	C	23/12
7872	EEAS.296/40/38C	Bolt, 2 BA, 90 deg. c'sk head	2	30/147 or S97	C	23/13
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	23/14
	E.B4.15.921	Tube, distance	2	T35	—	23/15
8608	E.B4.15.386	PLATE, slotted, forward, starboard Attachments:—	1	S521	C	23/16
7872	EEAS.296/40/38C	Bolt, 2 BA, 90 deg. c'sk head	2	30/147 or S97	C	23/13
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	23/14
	E.B4.15.921	Tube, distance	2	T35	—	23/15
8609	E.B4.15.387	PLATE, slotted, aft, port Attachments:—	1	S521	C	23/17
7872	EEAS.296/40/38C	Bolt, 2 BA, 90 deg. c'sk head	2	30/147 or S97	C	23/18
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	23/19
	E.B4.15.921	Tube, distance	1	S521	C	23/20
8610	E.B4.15.388	PLATE, slotted, aft, starboard Attachments:—	1	S521	C	23/21
7872	EEAS.296/40/38C	Bolt, 2 BA, 90 deg. c'sk head	2	30/147 or S97	C	23/18
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	23/19
	E.B4.15.921	Tube, distance	2	T35	—	23/20
8611	E.B4.15.153	SEAL, canopy pressure	1	Dunlop Inflatable Seal	C	23/22
8612	E.B4.15.373	STRIP, clamping	1	L72	C	23/23
8613	E.B4.15.375	STRIP, clamping, port	1	L72	C	23/24
8614	E.B4.15.376	STRIP, clamping, starboard	1	L72	C	23/25
8615	E.B4.15.377	STRIP, clamping, port	1	L72	C	23/26
8616	E.B4.15.378	STRIP, clamping, starboard	1	L72	C	23/27
8617	E.B4.15.379	STRIP, clamping, port	1	L72	C	23/28
8618	E.B4.15.380	STRIP, clamping, starboard	1	L72	C	23/29
8619	E.B4.15.381	STRIP, clamping	1	L72	C	23/30
8620	E.B4.15.383	STRIP, clamping	1	L72	C	23/31

FUSELAGE
FRONT FUSELAGE STRUCTURE

763

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	-	STRUCTURE, port and starboard, assembly (E.B4.10.5) Spares for:-							-	-	-	
	-	MECHANISM, canopy actuating, assembly (E.B4.15.103) Spares for:-							-	-	-	
	E.B4.15.177	BEARING, and housing, assembly							1	-	-	24/1
	E.B4.15.1531	BEARING, mainshaft, port, assembly Spares for:-							1	-	-	24/2
28N/9796	† E.B4.15.1533	NIPPLE, lubricating (Mod. 2004)							1	-	C	
		BEARING, mainshaft, starboard, assembly Spares for:-							1	-	-	24/3
28N/9796	† E.B4.15.293	NIPPLE, lubricating (Mod. 2004)							1	-	C	
		BLOCK, canopy hook box fixing, port Attachments:-							1	-	-	24/4
28D/ 28M/9480017 28W/9418921	A25/7-1/2E AGS.2001/E/1 SP13/E	Bolt, 1/4" BSF, hex. head							4	-	C	24/5
		Nut, stiff, 1/4" BSF							4	-	C	24/6
		Washer, 1/4" BSF, plain							4	-	C	24/7
	E.B4.15.294	BLOCK, canopy hook box fixing, starboard Attachments:-							1	-	-	24/8
28D/ 28M/9480017 28W/9418921	A25/7-1/2E AGS.2001/E/1 SP13/E	Bolt, 1/4" BSF, hex. head							4	-	C	24/5
		Nut, stiff, 1/4" BSF							4	-	C	24/6
		Washer, 1/4" BSF, plain							4	-	C	24/7
	E.B4.15.229	BDX, canopy hook, port, assembly Spares for:-							1	-	-	24/9
28N/2001542	AGS.2031/9	CIRCLIP							1	-	C	24/10
28N/2001543	AGS.2031/12	CIRCLIP							1	-	C	24/11
	8621 E.B4.15.275	CONNECTION, drain							1	L65	C	24/12
	8622 E.B4.15.219	HOOK, canopy locking							1	S96	C	24/13
	8623 E.B4.15.221	LEVER, lock-link Attachments:-							1	S96	C	24/14
28D/1011247	A25/13E	Bolt, 1/4" BSF, hex. head							1	-	C	24/15
28M/9480017	AGS.2001/E/1	Nut, stiff, 1/4" BSF							1	-	C	24/16
28W/9418921	SP13/E	Washer, 1/4" BSF, plain							1	-	C	24/17
	8624 E.B4.15.223	LEVER, manual operating, assembly Spares for:-							1	-	C	24/18
	CT15-121412	BRUSH, oilite							1	-	-	24/19
28N/13511	HOFFMANN CJ.1	JOINT, self-aligning							2	-	C	24/20
	TORRINGTON B.2010	RACE, needle bearing							2	-	-	24/21
27QA/252	DOWTY SP900-23	SEAL, 'O' ring							2	-	C	24/22
	8625 E.B4.15.225	SHAFT, canopy hook							1	S96	C	24/23
	8626 E.B4.15.277	WASHER, special							1	S510	C	24/24
28F/1000161	AGS.1139/B	WASHER, sealing, drain connection Attachments:-							1	-	C	24/25
28D/1213597	A59/19E	Bolt, 1/4" BSF, hex. head							2	-	C	24/26
28D/1011256	A25/5G	Bolt, 5/32" BSF, hex. head							1	-	C	24/27
28D/7002427	A25/6G	Bolt, 5/32" BSF, hex. head							1	-	C	24/28
28M/1006939	A27/GP	Nut, 5/32" BSF, plain							2	-	C	24/29
28W/9418921	SP13/E	Washer, 1/4" BSF, plain							2	-	C	24/30
28W/9419403	SP13/G	Washer, 5/32" BSF, plain							2	-	C	24/31

FUSELAGE
FRONT FUSELAGE STRUCTURE

764

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.B4.15.231	BDX, canopy hook, starboard, assembly	1	—	—	24/32
		Spares for:—				
28N/2001543	AGS.2031/12	CIRCLIP	1	—	C	24/11
8621	E.B4.15.275	CONNECTION, drain	1	L65	C	24/13
8622	E.B4.15.219	HOOK, canopy locking	1	S96	C	24/14
8627	E.B4.15.222	LEVER, lock-link	1	S96	C	24/33
		Attachments:—				
28D/1011247	A25/13E	Bolt, 1/4" BSF, hex. head	1	—	C	24/15
28M/9480017	AGS.2001/E/1	Nut, stiff, 1/4" BSF	1	—	C	24/16
28W/9418921	SP13/E	Washer, 1/4" BSF, plain	1	—	C	24/17
	TORRINGTON B.2010	RACE, needle bearing	2	—	—	24/21
27Q/252	DOWTY SP900--23	SEAL, 'O' ring	2	—	C	24/22
8628	E.B4.15.227	SHAFT, canopy hook	1	S96	C	24/34
28F/1000161	AGS 1139/B	WASHER, sealing, drain connection	1	—	C	24/25
		Attachments:—				
28D/1213597	A59/19E	Bolt, 1/4" BSF, hex. head	2	—	C	24/26
28D/1011256	A25/5G	Bolt, 5/32" BSF, hex. head	1	—	C	24/27
28D/7002427	A25/6G	Bolt, 5/32" BSF, hex. head	1	—	C	24/28
28M/1006939	A27/GP	Nut, 5/32" BSF, plain	2	—	C	24/29
28W/9418921	SP13/E	Washer, 1/4" BSF, plain	2	—	C	24/30
28W/9419403	SP13/G	Washer, 5/32" BSF, plain	2	—	C	24/31
	E.B4.15.251	BRACKET, bearing, breech unit shaft operating suspension	3	—	—	25/1
		Attachments:—				
28D/	A25/3-1/2C	Bolt, 2 BA, hex. head	6	—	C	25/2
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	6	—	C	25/3
	E.B4.15.269	Washer, profile	6	L73	—	25/4
	E.B4.15.307	Washer, profile	3	L73	—	25/5
28W/9419404	SP16/C	Washer, 2 BA, plain	3	—	C	25/6
	E.B4.15.259	BRACKET, bearing, canopy hinge release camshaft suspension, assembly	1	—	—	25/7
		Spares for:—				
	E.B4.15.1077	CHANNEL, retaining, rubber stop	1	L73	—	25/8
8629	E.B4.15.1079	SPRING, cable retaining	1	S513	C	25/9
8630	E.B4.15.1075	STOP, rubber	1	Shore Hardness 40-45	C	25/10
		Attachments:—				
28D/9133012	A25/3C	Bolt, 2 BA, hex. head	4	—	C	25/11
	E.B4.15.269	Washer, profile	4	L73	—	25/12
8631	E.B4.15.367	BRACKET, micro switch mounting	2	L73	C	25/13
		Attachments:—				
28D/1010658	A25/1B	Bolt, 4 BA, hex. head	4	—	C	25/14
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	4	—	C	25/15
28W/9419465	SP13/B	Washer, 4 BA, plain	4	—	C	25/16
8632	E.B4.15.265	CABLE, mainshaft to joint rear of bulkhead, assembly	1	—	C	25/17
		Spares for:—				
	E.B4.15.1297	SEAL, pressure, assembly	1	—	—	25/18
		Spares for:—				
2323	GEO. SALTER 5000-43	RING, truarc retaining	1	—	C	25/19
2325	E.B2.15.1277	WASHER, sealing	1	L17	C	25/20
2326	E.B2.15.1281	WASHER, sealing	1	L17	C	25/21

FUSELAGE
FRONT FUSELAGE STRUCTURE

765

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
8633	E.B4.15.267								1	—	C	25/22
12K/1405	MARTIN BAKER AEC.716-30								1	—	C	25/23
8634	E.B4.15.413								1	—	C	25/24
28D/9436920	A25/1C								6	—	C	25/25
28W/9419402	SP13/C								6	—	C	25/26
	E.B4.15.241								1	—	—	25/27
7348	E.B2.15.2065								2	L65	C	25/28
	E.B2.15.1471								24	S96	LM	25/29
	E.B4.15.1073								1	—	—	25/30
	E.B4.15.243								2	T45	—	25/31
	E.B4.15.245								1	T45	—	25/32
	E.B4.15.247								1	T45	—	25/33
	E.B4.15.249								1	T45	—	25/34
	EEAS.38/1A								12	—	—	25/35
8635	E.B4.15.263								1	L73	C	25/36
28D/1008149	A25/2B								6	—	C	25/37
28W/9419465	SP13/B								6	—	C	25/38
27L/5168	MARTIN BAKER MBCJ/953								2	—	A	25/39
28D/1213596	A59/18E								4	—	C	25/40
28M/9480017	AGS.2001/E/1								4	—	C	25/41
28W/9418921	SP13/E								4	—	C	25/42
	E.B2.15.1059								1	—	—	26/1
5X/6630	Z.72441								1	—	B	26/2
28S/1011486	A32/A24								2	—	C	26/3
2288	E.B2.15.1149								2	S95	C	26/4
28M/1278190	AGS.2001/C/1								2	—	C	26/5
28P/9429619	SP9/C5								2	—	C	26/6
28W/9419475	SP15/C								2	—	C	26/7
28W/9418921	SP13/E								2	—	C	26/8
	E.B2.15.889								1	—	—	26/9
28D/9435710	A25/11C								1	—	C	26/10
28D/1214091	AS.1242/2C								2	—	C	26/11
28M/5808573	A27/CS								1	—	C	26/12
28P/1007741	SP9/C8								1	—	C	26/13
28W/9419475	SP15/C								1	—	C	26/14

FUSELAGE
FRONT FUSELAGE STRUCTURE

766

Ref. No.	Part No.	Description							No. off	Mtl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
2289	E.B2.15.1621								1	01/005	C	26/15
28D/9133011	A25/2C								3	—	C	26/16
28D/1214091	AS.1242/2C								1	—	C	26/17
10753	E.B2.15.2505								1	—	C	26/18
2290	E.B2.15.901								1	L72	C	26/19
28D/1010658	A25/1B								4	—	C	26/20
28W/9419474	SP15/B								4	—	C	26/21
2292	E.B2.15.1145								1	LFS.23 or 26	C	26/22
2291	E.B2.15.1147								1	L65	C	26/23
2293	E.B2.15.1061								1	—	A	26/24
8636	E.B2.15.1153								1	L72	C	26/25
28D/9706372	A25/2A								1	—	C	26/26
28M/10326	AGS.2002/A/1								1	—	C	26/27
2294	E.B2.15.1093								1	L44	C	26/28
2295	E.B2.15.1091								1	L65	C	26/29
2296	E.B2.15.1617								1	—	C	26/30
6071	E.B2.15.1779								1	DTD197	C	26/31
2297	E.B2.15.1087								1	L65	C	26/32
28D/1212805	AS.1248/9C								1	—	C	26/33
28M/10328	AGS.2002/C/1								1	—	C	26/34
2298	E.B2.15.1095								3	S96	C	26/35
2299	E.B2.15.1089								1	L65	C	26/36
2300	E.B2.15.1077								1	—	C	26/37
8637	E.B2.15.1717								1	DTD215 5A or 239	C	26/38
5CW/6419	DUNLOP AC.14714								1	—	A	26/39
5E/3223	†								1	—	C	26/40
	EEAS.146/A1								4	—	—	26/41
	EEAS.146/O								4	—	—	26/42
	DUNLOP								1	—	—	—
5X/6419	Z.54079								4	—	C	26/43
5X/6418	Z.54066								4	—	C	26/44
2302	E.B2.15.881								1	S97	C	26/45
2303	E.B2.15.883								4	S514	C	26/46
2304	E.B2.15.893								2	S514	C	26/47
	EEAS.265								1	L44	—	26/48

FUSELAGE
FRONT FUSELAGE STRUCTURE

767

Ref. No.	Part No.	Description							No. off	Mtl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
2305	E.B2.15.1187								2	S94	C	26/49
28P/1202460	SP9/C4								2	—	C	26/50
28W/9419465	SP13/B								2	—	C	26/51
28W/9132080	SP11/B								1	—	C	26/52
2306	E.B2.15.1189								2	S94	C	26/53
28P/1202460	SP9/C4								2	—	C	26/54
28W/9419465	SP13/B								2	—	C	26/55
7823	EEAS.256								1	L72	C	26/56
2307	E.B2.15.895								1	S96	C	26/57
	EEAS.146/C								4	—	—	26/58
27VB/5177	HYMATIC TYPE SV19/2								1	—	A	26/59
	EEAS.198/11B								2	—	—	26/60
28M/1278189	AGS.2001/B/1								2	—	C	26/61
28W/9419474	SP15/B								2	—	C	26/62
8638	EEAS.165/4/50								1	DTD625 Type Z	C	27/1
16814	E.B2.15.229								1	—	C	27/2
27L/5013	MARTIN BAKER T476S/MB								1	—	C	27/3
	E.B4.15.189								1	—	—	27/4
8639	E.B4.15.165								1	S95	C	27/5
8640	E.B4.15.197								1	L65	C	27/6
8641	E.B4.15.191								1	—	C	27/7
28N/13511	HOFFMANN CJ.1								1	—	C	27/8
8075	RANSOME & MARLES B.10291								1	—	C	27/9
8642	E.B4.15.125								1	Oilite	C	27/10
	E.B4.15.193								1	L65	—	27/11
28M/9403520	A27/CP								1	—	C	27/12
28W/9419402	SP13/C								1	—	C	27/13
28D/9133012	A25/3C								4	—	C	27/14
28M/1278190	AGS.2001/C/1								4	—	C	27/15
28W/9419402	SP13/C								4	—	C	27/16
8643	E.B4.15.297								2	L65	C	27/17
28D/1010031	A25/8E								2	—	C	27/18
28M/1007403	A27/ET								2	—	C	27/19
36041	E.B5.15.10029								4	L64	C	

FUSELAGE
FRONT FUSELAGE STRUCTURE

768

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
8644	E.B4.15.299	LEVER	1	L65	C	27/20
28D/1010031	A25/8E	Attachments:- Bolt, 1/4" BSF, hex. head (Mod. 2598)	1	-	C	27/21
28M/1007403	A27/ET	Nut, 1/4" BSF, thin (Mod. 2598)	1	-	C	27/22
36041	E.B5.15.10029	Washer, saddle (Mod. 2598)	2	L64	C	
	E.B5.15.7091	LEVER (Mod. 2274)	1	L65	C	27/23
28D/1010031	A25/8E	Attachments:- Bolt, 1/4" BSF, hex. head (Mod. 2598)	2	-	C	27/21
28M/1007403	A27/ET	Nut, 1/4" BSF, thin (Mod. 2598)	2	-	C	27/22
36042	E.B5.15.10031	Washer, saddle (Mod. 2598)	4	L64	C	
8646	E.B4.15.405	LEVER, layshaft, assembly	1	-	C	27/24
28N/13511	HOFFMANN CJ.1	Spares for:- BEARING, self-aligning	2	-	C	27/25
8647	M.B. & BRASS CT.51/081010	BUUSH	1	Oilite	C	27/26
28M/1011476	A27/JS	Attachments:- Nut, 3/8" BSF, slotted	1	-	C	27/27
28P/1007741	SP9/C8	Pin, split	1	-	C	27/28
28W/9419466	SP13/J	Washer, 3/8" BSF, plain	1	-	C	27/29
8648	E.B4.15.475	LEVER, and boss, centre spigot operating, aft, assembly	1	-	C	27/30
	E.B4.15.183	Spares for:- LEVER, assembly	1	-	-	27/31
28N/13511	HOFFMANN CJ.1	Spares for:- BEARING, self-aligning	2	-	C	27/32
26FZ/1095	EEAS.37/14A EEAS.38/2A	Attachments:- Nipple	4	S96	C	27/33
		Spoke (Make from 28R/6124)	2	S96	LM	27/34
8649	E.B4.15.931	LEVER, and boss, centre spigot operating, assembly	1	-	C	28/1
	E.B4.15.929	Spares for:- LEVER, assembly	1	-	-	28/2
28N/13511	HOFFMANN CJ.1	Spares for:- BEARING, self-aligning	1	-	C	28/3
26FZ/1095	EEAS.37/14A EEAS.38/2A	Attachments:- Nipple	4	S96	C	28/4
		Spoke (Make from 28R/6124)	2	S96	LM	28/5
8650	E.B4.15.209	LINK, centre spigot operating, aft	1	-	C	28/6
28P/865	SP4Y/D7	Attachments:- Pin, shackle	2	-	C	28/7
28P/1202460	SP9/C4	Pin, split	2	-	C	28/8
28W/9418921	SP13/E	Washer, 1/4" BSF, plain	2	-	C	28/9
8651	E.B4.15.415	LINK, manual control, lower, assembly	1	-	C	28/10
		Spares for:- FORK-END	1	L65	C	28/11
8652	E.B4.15.425	NUT, 3/8" BSF, thin	1	-	C	28/12
28M/1007404	A27/JT					

FUSELAGE
FRONT FUSELAGE STRUCTURE

169

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
28P/830	SP4Y/B4	Attachments:- Pin, shackle	1	-	C	28/13
28P/865	SP4Y/D7	Pin, shackle	1	-	C	28/14
28P/1202460	SP9/C4	Pin, split	2	-	C	28/15
28W/9419402	SP13/C	Washer, 2 BA, plain	1	-	C	28/16
28W/9418921	SP13/E	Washer, 1/4" BSF, plain	1	-	C	28/17
36040	E.B5.15.10023	LINK, breach unit operating (Mod. 2598)	1	-	C	28/43
28P/1009706	SP4Y/A2	Attachments:- Pin	1	-	C	28/49
28P/1202460	SP9/C4	Pin, split	1	-	C	28/50
28W/9419465	SP13/B	Washer, 4 BA, plain	1	-	C	28/51
8653	E.B4.15.417	LINK, manual control, upper, assembly	1	-	C	28/18
8654	E.B4.15.431	Spares for:- FORK-END, threaded	1	L65	C	28/19
28M/1007404	A27/JT	NUT, 3/8" BSF, thin	1	-	C	28/20
28P/865	SP4Y/D7	Attachments:- Pin, shackle	1	-	C	28/21
28P/1015710	SP4Y/D8	Pin, shackle	1	-	C	28/22
28P/1202460	SP9/C4	Pin, split	2	-	C	28/23
28W/9418921	SP13/E	Washer, 1/4" BSF, plain	4	-	C	28/24
21782	E.B4.15.1573	LINK, canopy hook operating	1	L65	C	28/25
28P/865	SP4Y/D7	Attachments:- Pin, shackle	2	-	C	28/26
28P/9429619	SP9/C5	Pin, split	2	-	C	28/27
28W/9418921	SP13/E	Washer, 1/4" BSF, plain	2	-	C	28/28
8656	E.B4.15.997	LINK, lock, assembly	2	-	C	28/29
8657	E.B4.15.323	Spares for:- EYE-END, assembly	1	-	C	28/30
28N/13512	HOFFMANN CJ.2	Spares for:- JOINT, self-aligning	1	-	C	28/31
28M/1007404	A27/JT	NUT, 3/8" BSF, thin	1	-	C	28/32
28P/896	SP4Y/F6	Attachments:- Pin, shackle	4	-	C	28/33
28P/9429619	SP9/C5	Pin, split	4	-	C	28/34
28W/9419403	SP13/G	Washer, 5/16" BSF, plain	4	-	C	28/35
8658	E.B4.15.1135	LINK, centre spigot operating, forward of bulkhead, assembly	1	-	C	28/36
8659	E.B4.15.203	Spares for:- FORK-END	1	L65	C	28/37
28M/1007404	A27/JT	NUT, 3/8" BSF, thin	1	-	C	28/38
28P/865	SP4Y/D6	Attachments:- Pin, shackle	1	-	C	28/39
28P/1015710	SP4Y/D8	Pin, shackle	1	-	C	28/40
28P/1202460	SP9/C4	Pin, split	2	-	C	28/41
28W/9418921	SP13/E	Washer, 1/4" BSF, plain	2	-	C	28/42

FUSELAGE
FRONT FUSELAGE STRUCTURE

173

Ref. No.	Part No.	Description							No. off	Mati. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
10027	E.B2.15.2355								2	—	C	
28E/8018279	AS.3180/4C								2	—	C	
28D/9436920	A25/1C								1	—	C	
28D/9133011	A25/2C								2	—	C	
28M/1278190	AGS.2001/C/1								3	—	C	
28W/9419475	SP15/C								3	—	C	
28E/9471024	AS.5418/24								2	—	C	
28E/14240	AS.5418/3								2	—	C	
28D/9138768	A25/1/2C								2	—	C	
28M/9433473	AGS.2002/C/1								2	—	C	
28W/9419475	SP15/C								2	—	C	
	E.B4.15.955								1	—	—	29/21
8663	E.B4.15.957								1	L65	C	29/22
8664	E.B4.15.959								1	L65	C	29/23
8665	E.B4.15.961								1	L65	C	29/24
8666	E.B4.15.987								1	S94	C	29/25
8667	E.B4.15.989								1	S94	C	29/26
8668	E.B4.15.1067								1	S513 or Comm. Steel	C	29/27
26FZ/1468	EEAS.1/2C								4	S96	C	29/28
8669	E.B4.15.973								2	L73	C	29/29
33760	E.B5.10.7169								1	S1	C	
28R/13498	AS.1151/1								1	—	C	29/30
28D/1010031	A25/8E								1	—	C	29/31
28M/7002430	AGS.2001/E/1								1	—	C	29/32
28W/9418921	SP13/E								1	—	C	29/33
	E.B5.10.7147								1	S1	—	
28P/1013110	SP4Y/B18								1	—	C	
28P/1007741	SP9/C8								1	—	C	
28W/9419404	SP16/C								2	—	C	
	E.B5.10.7189								1	—	—	
8670	E.B4.15.975								1	—	C	29/34
28D/913301	A25/2C								4	—	C	29/35
28M/1278190	AGS.2001/C/1								4	—	C	29/36
28W/9419402	SP13/C								4	—	C	29/37
8671	E.B4.48.281								1	Laminum	C	29/38
	—								—	—	—	
	E.B4.15.1003								1	—	—	29/39

FUSELAGE
FRONT FUSELAGE STRUCTURE

774

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6				
8672	E.B4.15.1585							1	—	C	29/40
28N/9156370	SP21							2	—	C	29/15
11706	E.B2.15.2539							2	EEJ404	C	29/16
28D/1213052	AS.4566/1C							4	—	C	29/17
28E/16949	AGS.2080/3							4	—	C	29/18
28M/9433473	AGS.2002/C/1							4	—	C	29/19
28W/9419475	SP15/C							4	—	C	29/20
	E.B4.15.1011							1	—	—	29/41
8673	E.B4.15.1583							1	—	C	29/42
28N/9156370	SP21							1	—	C	29/15
11706	E.B2.15.2539							1	EEJ404	C	29/16
28D/1213052	AS.4566/1C							2	—	C	29/17
28E/16949	AGS.2080/3							2	—	C	29/18
28M/9433473	AGS.2002/C/1							2	—	C	29/19
28W/9419475	SP15/C							2	—	C	29/20
	E.B4.15.1823							1	—	—	
28D/7002428	A25/6C							1	—	C	
28M/9433473	AGS.2002/C/1							1	—	C	
28W/9419475	SP15/C							1	—	C	
	E.B4.15.1829							1	—	—	
10027	E.B2.15.2355							1	—	C	
	E.B4.15.1029							1	L72	—	29/43
	E.B4.15.1031							1	L72	—	29/44
8674	E.B4.15.1039							1	—	C	29/45
8675	E.B4.15.1241							1	L72	C	29/46
28D/9436920	A25/1C							4	—	C	29/47
8676	E.B4.15.1035							1	L65	C	29/48
28M/1011467	A27/ES							1	—	C	29/49
28P/1006943	SP9/C6							1	—	C	29/50
28W/9418921	SP13/E							1	—	C	29/51
	—							—	—	—	30/1
	E.B4.15.1229							1	—	—	30/2
8677	E.B4.15.1207							2	S117	C	30/3
28D/	A25/10-1/2C							1	—	—	30/4
	E.B4.15.1181							1	L65	—	30/5
8678	E.B4.15.1195							1	—	C	30/6
8679	E.B4.15.1205							1	Oilite	C	30/7
	E.B4.15.1197							1	—	—	30/8

FUSELAGE
FRONT FUSELAGE STRUCTURE

771

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
8680	E.B4.15.1459								1	—	—	30/9
28N/13511	HOFFMANN CJ.1								1	—	C	30/10
8679	E.B4.15.1205								1	Oilite	C	30/11
28M/9403520	A27/CP								2	—	C	30/12
28M/1278190	AGS.2001/C/1								1	—	C	30/13
28W/9419402	SP13/C								2	—	C	30/14
28W/9419404	SP16/C								1	—	C	30/15
28D/9133011	A25/2C								3	—	C	30/16
28D/9133012	A25/3C								1	—	C	30/17
28M/9403520	A27/CP								4	—	C	30/18
28W/9419402	SP13/C								4	—	C	30/19
8681	E.B4.15.1209								1	—	C	30/20
8654	E.B4.15.431								1	—	C	30/21
28M/1007404	A27/JT								1	—	C	30/22
									—	—	—	30/23
10F/Z.510576	†								1	—	B	30/24
8683	E.B4.15.1215								1	L65	C	30/25
28D/9133011	A25/2C								2	—	C	30/26
28M/9403520	A27/CP								2	—	C	30/27
28W/9419402	SP13/C								2	—	C	30/28
5F/	†								QR	—	—	
	AS.2810/4/025								1	—	—	
23257	AS.2811/5/060								1	—	C	
8685	E.B4.15.369								1	L73	C	30/29
27L/5174	MARTIN BAKER MBCJ/958								2	—	C	30/30
27L/5171	MARTIN BAKER MBCJ/1135								1	—	C	30/31
27L/5172	MARTIN BAKER MBCJ/1136								1	—	C	30/32
27L/5173	MARTIN BAKER MBCJ/1137								1	—	C	30/33
28R/13498	AS.1151/1								1	—	C	30/34
28D/1010031	A25/8E								1	—	C	30/35
28M/7002430	AGS.2001/E/1								1	—	C	30/36
28W/9418921	SP13/E								1	—	C	30/37
27QA/12685	DOWTY SP.900-16								1	—	C	30/38
36039	E.B5.15.10021								1	L62	C	30/49
8687	E.B4.15.477								1	S96	C	30/39
8688	E.B4.15.283								1	Laminum	C	30/40

FUSELAGE
FRONT FUSELAGE STRUCTURE

772

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
8689	E.B4.15.285								2	Laminum	C	30/41
8690	E.B4.15.287								2	Laminum	C	30/42
8691	E.B4.15.289								2	Laminum	C	30/43
8692	E.B4.15.361								4	Laminum	C	30/44
8693	E.B4.15.363								1	Laminum	C	30/45
8694	E.B4.15.365								2	Laminum	C	30/46
8695	E.B4.15.1085								12	Laminum	C	30/47
8696	E.B4.15.175								1	L62	C	30/48
2280	E.B2.15.1377								2	-	B	31/1
28D/9128783	A25/4A								3	-	C	31/2
2281	E.B2.15.1381								1	S96	C	31/3
10382	E.B2.15.1379								1	-	C	31/4
28M/1006504	A27/BT								1	-	C	31/5
28M/1278189	AGS.2001/B/1								1	-	C	31/6
28M/10326	AGS.2002/A/1								3	-	C	31/7
	E.B2.15.1419								1	BSS216	-	31/8
	E.B2.15.1425								1	BSS.216	-	31/9
2282	E.B1.15.1279								1	S96	C	31/10
28S/1200044	A31/A14								1	-	C	31/11
2283	E.B1.10.10501								1	L40	C	31/12
2285	E.B2.15.1383								1	DTD187	C	31/13
2284	E.B1.10.10491								1	DTD215	C	31/14
5CW/4615	BURGESS V.3								1	-	C	31/15
5F/	TENAPLAS A/00282/15								1	-	-	31/16
28D/1010658	A25/1B								2	-	C	31/17
28W/9419465	SP13/B								2	-	C	31/18
37014	E.B4.15.1479								1	-	C	31/19
	E.B4.15.1485								1	-	-	31/20
	E.B4.15.1486								1	-	-	31/21
	E.B4.15.1481								1	-	-	31/22
	E.B4.15.1523								1	-	-	31/23
	E.B4.15.1267								1	S96	-	31/24
	E.B4.15.1483								1	-	-	31/25
	E.B4.15.1239								1	L65	-	31/26
	E.B4.15.1235								1	L65	-	31/27
28M/1006473	A27/CT								1	-	C	31/28
32233	E.B4.15.1237								1	-	C	31/29
	E.B4.15.1269								1	L65	-	31/30
	E.B4.15.1271								1	-	-	31/31
1440857	E.B4.15.1579								1	30/158	C	
8697	E.B4.15.1273								1	S97	C	31/32
8698	E.B4.15.1233								1	L65	C	31/33
28M/1011470	A27/GT								1	-	C	31/34
8699	EEAS.28/23/BU								1	-	C	31/35
8701	E.B4.15.1487								1	DTD5518	C	31/36
8702	E.B4.15.1488								1	DTD5518	C	31/37

FUSELAGE
FRONT FUSELAGE STRUCTURE

775

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
8703	E.B4.15.1489								1	DTD5518	C	31/38
8704	E.B4.15.1491								1	DTD5518	C	31/39
8705	E.B4.15.1493								1	DTD5518	C	31/40
8706	E.B4.15.1494								1	DTD5518	C	31/41
8707	E.B4.15.1495								1	L73	C	31/42
8708	E.B4.15.1497								1	L73	C	31/43
	E.B4.15.115								1	L65	-	31/44
	E.B4.15.123								1	L65	-	31/45
26FZ/1573	EEAS.37/13A								4	S96	C	31/46
	EEAS.38/1A								2	S96	LM	31/47
	E.B4.15.1145								1	-	-	31/48
28N/13511	HOFFMANN CJ.1								1	-	C	31/49
	EEAS.37/13A								4	-	-	31/50
	EEAS.38/1A								2	-	-	31/51
8709	E.B4.15.1231								1	S96	C	32/1
8710	E.B4.15.1245								1	-	C	32/2
2273	E.B2.15.1117								1	-	-	32/3
2275	E.B2.15.1333								1	L65	-	32/4
28P/1014687	SP4Z/B5								1	-	C	32/5
28P/1007741	SP9/C8								1	-	C	32/6
28W/9419402	SP13/C								1	-	C	32/7
	E.B4.15.1599								1	Lam. Alum.	-	
8711	E.B4.15.117								1	-	C	32/8
28N/13511	HOFFMANN CJ.1								1	-	C	32/9
	EEAS.37/13A								4	S96	-	32/10
	EEAS.38/1A								2	S96	LM	32/11
8712	E.B4.15.119								1	L65	C	32/12
	EEAS.37/13A								4	S96	-	32/13
	EEAS.38/1A								2	S96	LM	32/14
8713	E.B4.15.1103								1	DTD.239 or 215	C	32/15
8714	E.B4.15.131								2	S95	C	32/16
28D/1011006	A25/2B								2	-	C	32/17
	E.B4.15.1513								1	T35	-	32/18
2274	AS.2806/5/110								1	-	C	32/19

FUSELAGE
FRONT FUSELAGE STRUCTURE

776

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
27L/5270	MARTIN BAKER MBCJ/1131								1	—	A	32/20
28D/ 28M/1278190	A25/4-1/2C AGS.2001/C/1								4	—	—	32/21
	E.B4.15.859								4	—	C	32/22
	E.B4.15.859								1	L72	C	32/23
28W/9419402	SP13/C								4	—	C	32/24
27L/5177	MARTIN BAKER MBCJ/951								1	—	C	32/25
27L/5176	MARTIN BAKER MBCJ/952								1	—	C	32/26
	—								—	—	—	32/27
24057	E.F2.10.3153								5	—	C	32/42
24058	E.F2.10.3155								18	—	C	32/43
	E.F2.10.3131								2	L72	—	32/44
	E.F2.10.3133								1	L72	—	32/45
	E.F2.10.3135								1	L72	—	32/46
24052	E.B4.10.9345								2	Neoprene Shore Hardness 35-40	C	32/28
13424	E.B2.10.11651								1	Shore Hardness 35-40	C	32/29
13421	E.F2.10.3161								1	Shore Hardness 41-50	C	32/30
13420	E.F2.10.3159								1	Shore Hardness 41-50	C	32/31
	E.B4.10.9335								1	L44	—	32/40
	E.B4.10.9333								1	L44	—	32/41
	E.F3.10.3143								1	L44	—	32/39
	—								—	—	—	32/32
	E.B4.10.7407								1	L72	—	32/33
28D/9436920 28W/9419475	A25/1C SP15/C								2	—	C	32/34
	E.B4.10.7409								2	—	C	32/35
									1	L72	—	32/36
28D/9436920 28W/9419475	A25/1C SP15/C								2	—	C	32/37
									2	—	C	32/38

FUSELAGE
FRONT FUSELAGE STRUCTURE

177

Ref. No.	Part No.	Description						No. off	Mati. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6				
	-					SKINNING, external, nose fuselage, assembly (E.B4.10.7) Spares for:-	-	-	-		
	-					SKINNING, duct, port, assembly (E.B4.10.9) Spares for:-	-	-	-		
	-					SKIN, duct, frames 18-25, assembly (E.B4.10.6365) Spares for:-	-	-	-		
3182	EEAS.175/B1					CAGE, assembly	20	-	C		
16495	E.B4.10.7121					CAGE, assembly	3	-	C		
16496	E.B4.10.7122					CAGE, assembly	2	-	C		
37313	E.B4.75.783					FLANGE, assembly	1	-	C		
	-					STRUCTURE, half stage, port, assembly (E.B4.10.11) Spares for:-	-	-	-		
	E.B2.10.961					BEAM, nose wheel, port, assembly Spares for:-	1	-	-		
16559	E.B2.10.2993					STOP	1	LFS26	C		
16560	E.B2.10.2995					STOP	1	LFS26	C		
	E.B4.10.815					LONGERON, botton, assembly, frame 13-22 Spares for:-	1	-	-		
1439680	E.B4.10.1745					BOLT, special	11	S97	C		
	E.B4.10.821					LONGERON, bottom, assembly, frame 22-25 Spares for:-	1	-	-		
1439680	E.B4.10.1745					BOLT, special	8	-	C		
	E.B4.10.6253					LONGERON, top, assembly, frame 13-16, port Spares for:-	1	-	-		
36857	E.B4.15.1505					SEAL, rubber	1	-	C		
36843	E.B4.15.1511					SEAL, stiffener, assembly	1	-	C		
	-					SKELETON, nose, frames 14 to 16, port, assembly (E.B4.10.137) Spares for:-	-	-	-		
8715	E.B2.98.3089					GEARBOX, armament hoisting, group Consisting of:-	1	-	A	33/1	
28D/15161	A25/1-1/2B					BOLT, 4 BA, hex. head	2	-	C	33/2	
	A25/12-1/2B					BOLT, 4 BA, hex. head, drum shroud retaining	2	-	C	33/3	
8717	E.B2.98.379					BUSH, worm gear inner	1	DTD265	C	33/4	
8718	E.B2.98.381					BUSH, worm gear, outer	1	DTD265	C	33/5	
8719	E.B2.98.383					BUSH, gear spindle, inner	1	DTD265	C	33/6	
8720	E.B2.98.385					BUSH, gear spindle, outer	1	DTD265	C	33/7	
8721	E.B2.98.387					BUSH, gear spindle, outer	1	DTD265	C	33/8	
8722	E.B2.98.3093					CABLE, gun hoisting	1	-	C	33/9	
	E.B2.98.357					CASING, gearbox	1	DTD721	C	33/10	
8723	GEO. SALTER 5100/43					CIRCLIP, 7/16" external truarc, gear wheel and drum spindle retaining	2	-	C	33/11	
8724	E.B2.98.359					COVER, gearbox	1	L65	C	33/12	
8725	E.B2.98.365					DRUM, split	1	L65	C	33/13	
8726	E.B2.98.366					DRUM, split	1	L65	C	33/14	
8727	E.B2.98.369					END-PLATE	1	DTD721	C	33/15	

FUSELAGE
FRONT FUSELAGE STRUCTURE

778

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
8728	E.B2.98.361								1	Permanite	C	33/16
28M/1278189	AGS.2001/B/1								5	-	C	33/17
28P/1202460	SP9/C4								1	-	C	33/18
2A/9500490	RANSOME & MARLES FT.5/16"								1	RTM	C	33/19
28S/1200066	A33/B20								3	-	C	33/20
8729	E.B2.98.371								1	DTD721	C	33/21
8730	E.B2.98.389								1	S96	C	33/22
8731	E.B2.98.391								1	S96	C	33/23
8732	E.B2.98.375								1	LA3	C	33/24
8733	E.B2.98.377								1	S96	C	33/25
28W/9128924	SP14/C								1	-	C	33/26
8734	E.B2.98.395								1	DTD265	C	33/27
8735	E.B2.98.393								1	S15	C	33/28
28D/9436920	A25/1C								3	-	C	33/29
28D/9133011	A25/2C								3	-	C	33/30
28W/9416643	SP47/C								1	-	C	33/31
8736	E.B2.10.7141								1	-	C	34/1
	E.B2.10.7161								1	LFS00	-	34/2
28D/1007319	AS.1242/4B								2	-	C	34/3
28M/9403519	A27/BP								2	-	C	34/4
10419	E.B2.10.7159								1	S95	C	34/5
10420	E.B2.10.7153								1	DTD546	C	34/6
10421	E.B2.10.7157								2	BSS369	C	34/7
28M/1278190	AGS.2001/C/1								1	-	C	34/8
10422	E.B2.10.7155								2	L64, L65 L40	C	34/9
28W/9419402	SP13/C								1	-	C	34/10
4414	EEAS.28/10/DU								1	S515	C	34/11
28D/	A25/1-1/2B								6	-	-	34/12
28M/9403519	A27/BP								6	-	C	34/13
28W/9419465	SP13/B								6	-	C	34/14
8737	E.B2.10.7137								1	-	C	34/15
	E.B2.10.7147								2	BSS269	-	34/16
10042	E.B2.10.19021								6	-	C	
8738	E.B2.10.7139								1	S95	C	34/17
28D/9133011	A25/2C								3	-	C	34/18
8739	E.B2.10.7140								1	S95	C	34/19
28D/9133011	A25/2C								3	-	C	34/20

FUSELAGE
FRONT FUSELAGE STRUCTURE

780

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	-								-	-	-	35/2
7488	E.B4.10.3211								1	L73	C	35/3
26FZ/1025	EEAS.1/1C								12	S96	C	35/4
26FZ/1026	EEAS.1/1-1/2C								5	S96	C	35/5
7489	E.B4.10.5251								1	-	C	35/6
28D/1007981	AS.1248/ 1/2C								2	-	C	35/7
28D/1007982	AS.1248/1C								1	-	C	35/8
7490	E.B4.10.6247								1	-	C	35/9
28D/1007981	AS.1248/ 1/2C								4	-	C	35/10
28D/1007982	AS.1248/1C								2	-	C	35/11
7491	E.B4.10.6955								1	-	C	35/12
28D/1007981	AS.1248/ 1/2C								6	-	C	35/13
	-								-	-	-	
36589	E.B2.73.6911								1	-	-	
36590	E.B2.73.6915								1	L65	C	
28D/9436920	A25/1C								2	-	C	
28M/1278190	AGS.2001/C/1								2	-	C	
28W/9419475	SP15/C								2	-	C	
	-								-	-	-	
8715	E.B2.98.3089								1	-	A	33/1
8739	E.B2.10.7140								1	S95	C	34/19
8742	E.B2.98.3090								1	-	A	33/32

FUSELAGE
FRONT FUSELAGE STRUCTURE

781

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
8724	E.B2.98.357								1	DTD721	-	33/10
	E.B2.98.359								1	L65	C	33/12
8743	E.B2.98.358								1	DTD721	-	33/33
	E.B2.98.360								1	L65	C	33/34
8744	E.B2.10.18989								1	S95	C	33/35
28D/1214091	AS.1242/2C								3	-	C	34/26
	-								-	-	-	35/14
7885	E.B2.10.7197								1	S96	C	35/15
7886	E.B2.10.6557								1		C	35/16
28D/1200119 28M/9403520	A25/4C								4	-	C	35/17
	A27/CP								4	-	C	35/18
10422	E.B2.10.7157								1	BSS269	-	35/19
	E.B2.10.7155								1	L64, L65 or L40	C	35/20
7887	E.B2.10.7199								2	L72	C	35/21
1439680	-								-	-	-	-
	E.B4.10.1745								9	S97	C	-
7879 28M/1278190 28W/9419402	E.B2.11.2987								2	L65	-	35/22
	EEAS.299/10/40C								12	BAC.M37	C	35/23
	AGS.2001/C/1								12	-	C	35/24
	SP13/C								12	-	C	35/25
4550	E.B2.11.10055								2	Neoprene	C	35/26
	-								-	-	-	-

FUSELAGE
FRONT FUSELAGE STRUCTURE

782

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		STRUCTURE, bullet to fuselage, assembly (E.B3.10.99) Spares for:—	—	—	—	36/1
21262	E.B2.10.19269	BOLT, 1/4" BSF, eccentric bush, inner	1	S97	C	36/2
	E.B2.10.19265	BUSH, eccentric, inner, assembly Spares for:—	1	—	—	36/3
21263	E.B2.10.19267	BUSH, eccentric, inner	1	—	C	36/4
10433	E.B2.10.4785	SLEEVE, bearing	1	S82	C	36/5
21264	E.B2.10.19277	BUSH, eccentric, outer	1	L65	C	36/6
2340	E.B2.10.7277	BRACE, strut	1	—	C	36/7
	E.B2.10.4873	DOME, nosewheel, housing	1	L59	C	36/8
21266*	E.B2.10.19293	FAIRING, bullet rear pick-up, assembly Spares for:—	1	—	C	36/27
21267	E.B2.10.19279	PIECE, nose, assembly Spares for:—	1	—	C	
	E.B2.10.19281	SPIGOT	1	S117	—	
23397	E.B2.10.19413	FAIRING, bullet rear pick-up, assembly	1	—	C	36/28
28D/13371	AS.1242/2-1/2C	Attachments:— Bolt, 2 BA, c'sk head	4	—	C	36/29
2359	E.B2.10.6443	SEAL, duct, between frames 6 and 7	1	S/H 35-40	C	36/9
	E.B3.10.163	STRUCTURE, radome strut, assembly Spares for:—	1	—	—	36/10
26344	E.B2.10.4399	DIAPHRAGM, top	1	L73	C	
20841	E.B2.10.16341	PLATE, seal	1	L72	C	
20840	E.B2.10.16342	PLATE, seal	1	L72	C	
		STRUT, locking, auxiliary air doors, assembly (E.B2.10.18309) Spares for:—	—	—	—	36/11
5973	E.B2.10.3083	BOLT, shoulder, 1/4" BSF, door hinge	2	S95	C	36/12
2035	E.B2.10.4057	DOOR, L.H. air auxiliary, group Spares for:—	1	—	B	36/13
2347	E.B2.10.4093	BRACKET, door hinge, group Spares for:—	2	—	C	36/14
2348	E.B2.10.4251	BUSH Attachments:—	2	BSS369	C	36/15
28D/9133013	A25/5C	Bolt, 2 BA, hex. head	8	—	C	36/16
2349*	E.B2.10.4233	SHIM, door hinge bracket	2	L73	C	36/17
10771	E.B2.10.9277	SHIM, door hinge bracket	2	Lamin. Shim.	C	36/18
2036	E.B2.10.4059	DOOR, R.H. air auxiliary, group Spares for:—	1	—	B	36/19
2347	E.B2.10.4093	BRACKET, door hinge, group Spares for:—	2	—	C	36/14
2348	E.B2.10.4251	BUSH Attachments:—	2	BSS369	C	36/15
28D/9133013	A25/5C	Bolt, 2 BA, hex. head	8	—	C	36/16
2349*	E.B2.10.4233	SHIM, door hinge bracket	2	L73	C	36/17
10771	E.B2.10.9277	SHIM, door hinge bracket	1	Lamin. Shim	C	36/18
28N/9156370	SP21	NIPPLE, lubricating, door hinge bolt	2	—	C	36/20

A.P.101B-1004-3A

Page HH39

FUSELAGE
FRONT FUSELAGE STRUCTURE

783

Ref. No.	Part No.	Description							No. off	Mtl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	E.B2.10.18293								1	—	—	36/21
28D/1011245	A25/10E								2	—	C	36/22
28M/1011467	A27/ES								2	—	C	36/23
28P/1006943	SP9/C6								2	—	C	36/24
28W/9418921	SP13/E								2	—	C	36/25
21265	E.B2.10.19271								1	S94	C	36/26
	—								—	—	—	
8848	E.B4.10.6689								2	—	C	37/1
	—								—	—	—	37/2
	E.B4.10.3597								1	—	—	37/3
8849	E.B4.10.3937								1	S96	C	37/4
8850	E.B4.10.3939								1	S96	C	37/5
5392	E.B1.15.555								1	—	C	37/6
	E.B2.10.17107								1	DTD215	—	
8852	E.B4.10.3931								1	L62	C	37/7
28D/1011021	A25/16C								1	—	C	37/8
28M/1278190	AGS.2001/C/1								1	—	C	37/9
28W/9419475	SP15/C								1	—	C	37/10
8853	E.B4.10.3933								1	T35 or S92	C	37/11
8854	E.B4.10.3935								1	T35 or S92	C	37/12
	E.B4.10.3598								1	—	—	37/13
8849	E.B4.10.3937								1	S96	C	37/4
8850	E.B4.10.3939								1	S96	C	37/5
5392	E.B1.15.555								1	—	C	37/34
	E.B2.10.17108								1	DTD215	C	
8852	E.B4.10.3931								1	L62	C	37/7
28D/1011021	A25/16C								1	—	C	37/8
28M/1278190	AGS.2001/C/1								1	—	C	37/9
28W/9419475	SP15/C								1	—	C	37/10
8853	E.B4.10.3933								1	T35 or S92	C	37/11
8854	E.B4.10.3935								1	T35 or S92	C	37/12
8856	E.B4.10.6691								2	—	C	37/14
	—								—	—	—	37/33
8857	E.B4.10.6393								1	L73	C	37/15
28D/1010658	A25/1B								5	—	C	37/16
28M/1278189	AGS.2001/B/1								5	—	C	37/17
28W/9419474	SP15/B								5	—	C	37/18

FUSELAGE
FRONT FUSELAGE STRUCTURE

784

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
8858	E.B4.10.6394	BRACKET, spine hatch support strut, attachment, starboard	1	L73	C	37/19
28D/1010658	A25/1B	Attachments:-	5	-	C	37/20
28M/1278189	AGS.2001/B/1	Bolt, 4 BA, hex. head	5	-	C	37/21
28W/9419474	SP15/B	Nut, stiff, 4 BA	5	-	C	37/22
		Washer, 4 BA, plain	5	-	C	37/22
	E.B4.10.2887	HOUSING, hinge spine door, port	4	L65	-	
37026	E.B4.10.2888	HOUSING, hinge spine door, starboard	4	L65	C	
3404	E.B1.10.9543	WASHER, sealing drain connection	2	Neo-K-Tex	C	37/23
	E.B4.10.6729	TUBE, drain, 3/8" o/d x 32" long	2	DTD251	-	37/24
	-	STRUCTURE, port and starboard, frames 1 to 5, assembly (E.B4.10.145)	-	-	-	
		Spares for:-				
32115	E.B4.10.7467	FAIRING, top, radome strut	1	-	C	
	E.B2.10.4173	LOCATION, bullet forward top, group	1	-	-	37/25
		Consisting of:-				
28D/9419397	A25/12C	BOLT, 2 BA, hex. head	1	-	C	37/26
	-	CORDAGE, hemp, size 8025 x 12" long	QR	F32	-	37/27
10434	E.B2.10.6301	HOUSING, pin	1	L65	C	37/28
5947	E.B2.10.4177	PIN	1	S96	C	37/29
28FP/10	AVIA'N DEVEL'S A.417	PIN, 'pip'	1	-	C	37/30
1439977	E.B4.10.9347	PLATE, nut, assembly	1	-	C	
5948	E.B2.10.4179	SPRING	1	DTD239	C	37/31
5946	EEAS.20/3EU	TAB, locking	1	S515	C	37/32
	E.B2.10.5819	RING, sealing	1	S/H 40/45	-	
	-	STRUCTURE, port and starboard, frames 10 to 13, assembly (E.B4.10.149)	-	-	-	38/1
		Spares for:-				
	E.B2.10.14131	BRACKET, nose undercarriage 'down' lock	1	-	-	38/2
		Spares for:-				
3299	E.B2.10.2259	ADAPTOR, greaser	2	S1	C	38/3
3297	E.B2.10.2251	BUSH	1	Phos. Bronze	C	38/4
3298	E.B2.10.2253	BUSH	1	Phos. Bronze	C	38/5
26587	E.B2.10.7419	SEAL, landing, 20 SWG	1	L73	C	
	-	STRUCTURE, fuselage halves, frames 18-21, assembly (E.B4.10.153)	-	-	-	
		Spares for:-				
9573	E.B2.10.17065	FAIRING, pre-cooler inlet	1	-	C	
	-	STRUCTURE, seat support, port, assembly (E.B4.10.7053)	-	-	-	38/6
		Spares for:-				
	-	CHANNEL, port, assembly (E.B4.10.7055)	-	-	-	38/7
		Spares for:-				
	E.B4.10.4437	BRACKET, seat pick-up	1	L65	-	38/8
		Attachments:-				
28D/1007976	AS.1242/4C	Bolt, 2 BA, c'sk head	1	-	C	
28D/1200119	A25/4C	Bolt, 2 BA, hex. head	5	-	C	38/9
	EEAS.95/5G	Bolt, 5/16" BSF, hex. head	4	S97	C	38/10
33136	EEAS.100/5G	Bolt, 5/16" BSF, c'sk head	2	S97	C	38/11
28M/9403520	A27/CP	Nut, 2 BA, plain	3	-	C	38/12
28M/1006939	A27/GP	Nut, 5/16" BSF, plain	6	-	C	38/13
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	3	-	C	38/14
28W/9419475	SP15/C	Washer, 2 BA, plain	6	-	C	38/15

FUSELAGE
FRONT FUSELAGE STRUCTURE

785

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.B4.10.7051	PLATE, profile	2	L73	-	38/16
	-	TUBE, seat support, assembly (E.B4.10.7043) Spares for:-	-	-	-	38/17
	E.B4.10.4177	END-FITTING, seat pick-up Attachments:-	1	BAC.M37	-	38/18
28D/9453970	A25/15C	Bolt, 2 BA, hex. head	3	-	C	38/19
28M/9403520	A27/CP	Nut, 2 BA, plain	3	-	C	38/20
28W/9419402	SP13/C	Washer, 2 BA, plain	3	-	C	38/21
	-	STRUCTURE, seat support, starboard, assembly (E.B4.10.7054) Spares for:-	-	-	-	38/22
	-	CHANNEL, starboard, assembly (E.B4.10.7115) Spares for:-	-	-	-	38/23
	E.B4.10.4437	BRACKET, seat pick-up Attachments:-	1	L65	-	38/8
28D/1007976	AS.1242/4C	Bolt, 2 BA, c'sk head	1	-	C	
28D/1200119	A25/4C	Bolt, 2 BA, hex. head	5	-	C	38/9
	EEAS.95/5G	Bolt, 5/16" BSF, hex. head	4	S97	-	38/10
33136	EEAS.100/5G	Bolt, 5/16" BSF, 90 deg. c'sk head	2	S97	C	38/11
28M/9403520	A27/CP	Nut, 2 BA, plain	3	-	C	38/12
28M/1006939	A27/GP	Nut, 5/16" BSF, plain	6	-	C	38/13
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	3	-	C	38/14
28W/9419475	SP15/C	Washer, 2 BA, plain	6	-	C	38/15
	E.B4.10.7051	PLATE, profile	1	L73	-	38/16
	-	TUBE, seat support, assembly (E.B4.10.7043) Spares for:-	-	-	-	38/17
	E.B4.10.4177	END-FITTING, seat pick-up Attachments:-	1	BAC.M37	-	38/18
28D/9453970	A25/15C	Bolt, 2 BA, hex. head	3	-	C	38/19
28M/9403520	A27/CP	Nut, 2 BA, plain	3	-	C	38/20
28W/9419402	SP13/C	Washer, 2 BA, plain	3	-	C	38/21
	-	TRAY, cable, installation (E.B4.10.2923) Consisting of:-	-	-	-	38/24
	E.B4.10.2925	TRAY, cable, assembly Attachments:-	1	-	-	38/25
28D/1007982	AS.1248/1C	Bolt, 2 BA, mushroom head	1	-	C	38/26
28D/9436920	A25/1C	Bolt, 2 BA, hex. head	2	-	C	38/27
26FZ/1025	EEAS.1/1C	Screw, 2 BA, 120 deg. c'sk head	1	S96	C	38/28
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	-	C	38/29
28W/9419475	SP15/C	Washer, 2 BA, plain	2	-	C	38/30
	-	STRUCTURE, gunsight, assembly (E.B4.10.1319) Spares for:-	-	-	-	
	-	BEAM, longitudinal, gunsight, assembly (E.B4.10.1399) Spares for:-	-	-	-	
	E.B4.10.7179	BRACKET, attention-getter mounting Attachments:-	1	-	-	39/1
28D/1212941	A61/3C	Bolt, 2 BA, hex. head	2	-	C	39/2
28M/10319	AGS.2002/C/3	Nut, stiff, 2 BA	2	-	C	39/3
28W/9419475	SP15/C	Washer, 2 BA, plain	2	-	C	39/4

FUSELAGE
FRONT FUSELAGE STRUCTURE

786

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
10A/17598	†	MOUNTING, anti-vibration, light type No. 634, CRT bracket, inner, forward, port	1	—	B	39/5
28S/1200080	A32/8B	Attachments:— Screw, 4 BA, round head	2	S96	C	39/6
28S/9992522	A32/16B	Screw, 4 BA, round head	2	S96	C	39/7
28W/9419448	AGS.2035/1B	Washer, 4 BA, shakeproof	2	—	C	39/8
10A/17598	†	MOUNTING, anti-vibration, light type No. 634, CRT bracket, outer, forward, port	1	—	B	39/9
28D/1007979	AS.1246/1B	Attachments:— Bolt, 4 BA, round head	4	—	C	39/10
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	4	—	C	39/11
28W/9419465	SP13/B	Washer, 4 BA, plain	4	—	C	39/12
10A/17598	†	MOUNTING, anti-vibration, light type No. 634, CRT bracket inner, aft, port	1	—	B	39/24
28D/1007979	AS.1246/1B	Attachments:— Bolt, 4 BA, round head	4	—	C	39/10
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	4	—	C	39/11
28W/9419465	SP13/B	Washer, 4 BA, plain	4	—	C	39/12
10A/17597	†	MOUNTING, anti-vibration, light type No. 634, CRT bracket, outer, aft, port	1	—	B	39/13
28D/1214865	AS.1246/2B	Attachments:— Bolt, 4 BA, round head	4	—	C	39/14
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	4	—	C	39/15
28W/9419465	SP13/B	Washer, 4 BA, plain	4	—	C	39/16
10A/17598	†	MOUNTING, anti-vibration, light type No. 634, CRT bracket, outer, forward, starboard	1	—	B	39/25
28D/1007979	AS.1246/1B	Attachments:— Bolt, 4 BA, round head	4	—	C	39/10
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	4	—	C	39/11
28W/9419465	SP13/B	Washer, 4 BA, plain	4	—	C	39/12
10A/17598	†	MOUNTING, anti-vibration, light type No. 634, CRT bracket, inner, forward, starboard	1	—	B	39/17
28D/1214866	AS.1246/4B	Attachments:— Bolt, 4 BA, round head	2	—	C	39/18
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	2	—	C	39/19
28S/9992525	A32/B12	Screw, 4 BA, round head	2	—	C	39/20
28W/9419465	SP13/B	Washer, 4 BA, plain	2	—	C	39/21
28W/1206041	AGS.2035/B	Washer, 4 BA, shakeproof	2	—	C	39/22
10A/17598	†	MOUNTING, anti-vibration, light type No. 634, CRT bracket, inner, aft, starboard	1	—	B	39/23
28D/1214866	AS.1246/4B	Attachments:— Bolt, 4 BA, round head	4	—	C	39/18
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	4	—	C	39/19
28W/9419465	SP13/B	Washer, 4 BA, plain	4	—	C	39/21

FUSELAGE
FRONT FUSELAGE STRUCTURE

787

Ref. No.	Part No.	Description	No. off	Mtl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
10A/17598	†	MOUNTING, anti-vibration, light type No. 634, CRT bracket, outer, aft, starboard	1	—	B	39/26
28D/1214865	AS.1246/2B	Attachments:— Bolt, 4 BA, round head	4	—	C	39/14
28M/1278190	AGS.2001/B/1	Nut, stiff, 4 BA	4	—	C	39/15
28W/9419465	SP13/B	Washer, 4 BA, plain	4	—	C	39/16
	E.B4.10.6493	PACKING, anti-vibration mounting CRT bracket, inner, aft, starboard	1	L73	—	39/27
	—	PANEL, bridge plug, assembly (E.B4.10.1931)	—	—	—	—
		Spares for:—				
10AJ/143	†	MOUNTING, anti-vibration, type 952, 10 lb. rating	1	—	C	40/1
		Attachments:—				
28D/1010658	A25/1B	Bolt, 4 BA, hex. head	4	—	C	40/2
28M/9403519	A27/BP	Nut, 4 BA, plain	4	—	C	40/3
28W/9419465	SP13/B	Washer, 4 BA, plain	4	—	C	40/4
10AJ/169	†	MOUNTING, anti-vibration, type 978, 14 lb. rating	1	—	C	40/5
		Attachments:—				
28D/1010658	A25/1B	Bolt, 4 BA, hex. head	4	—	C	40/2
28M/9403519	A27/BP	Nut, 4 BA, plain	4	—	C	40/3
28W/9419465	SP13/B	Washer, 4 BA, plain	4	—	C	40/4
	—	SHROUD, assemblies (E.B4.80.963) (Pre-Mod. 1960)	—	—	—	40/0
		Spares for:—				
8875	E.B4.10.4921	ANGLE, panel retaining, beam 2	1	L72	C	40/6
8876	E.B4.10.4923	ANGLE, panel retaining, beam 3	1	L72	C	40/7
	E.B4.10.4941	ANGLE, rubber, beam 2 (Make from EEAS.236, Ref. No. 8877)	1	—	LM	40/8
	E.B4.10.4943	ANGLE, rubber, beam 3 (Make from EEAS.236, Ref. No. 8877)	1	—	LM	40/9
8878	E.B4.80.1147	BRACKET, rudder trim switch mounting (Pre-Mod. 1960)	1	—	C	40/10
		Attachments:—				
28D/1212964	A61/1B	Bolt, 4 BA, hex. head	3	—	C	40/11
28M/1956039	AGS.2001/B/3	Nut, stiff, 4 BA	3	—	C	40/12
28W/9419474	SP15/B	Washer, 4 BA, plain	3	—	C	40/13
8879	E.B4.80.943	SHROUD, extension, port (Pre-Mod. 1960)	1	L44	C	40/14
		Attachments:—				
28D/1212965	A61/2B	Bolt, 4 BA, hex. head	8	—	C	40/15
28M/1956039	AGS.2001/B/3	Nut, stiff, 4 BA	1	—	C	40/16
28W/9419474	SP15/B	Washer, 4 BA, plain	8	—	C	40/17
8880	E.B4.80.945	SHROUD, extension, starboard	1	L44	C	40/18
		Attachments:—				
28D/1212965	A61/2B	Bolt, 4 BA, hex. head	8	—	C	40/15
28M/1956039	AGS.2001/B/3	Nut, stiff, 4 BA	1	—	C	40/16
28W/9419474	SP15/B	Washer, 4 BA, plain	8	—	C	40/17
	E.B4.10.4945	STRIP, capping, rubber angle retaining, beam 2	1	L72	—	40/19
	E.B4.10.4947	STRIP, capping, rubber angle retaining, beam 3	1	L72	—	40/20

FUSELAGE
FRONT FUSELAGE STRUCTURE

788

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		SHROUD, assembly (E.B4.80.2141) (Mod. 1960) Spares for:—	1	—	—	
8875	E.B4.81.4921	ANGLE, panel, retaining, beam 2	1	L72	C	40/6
8876	E.B4.10.4923	ANGLE, panel retaining, beam 3	1	L72	C	40/7
	E.B4.10.4941	ANGLE, rubber, beam 2 (Make from EEAS.236, Ref. 8877)	1	—	LM	40/8
	E.B4.10.4943	ANGLE, rubber, beam 3 (Make from EEAS.236, Ref. 8877)	1	—	LM	40/9
	E.B4.80.2173	SHROUD, assembly, port (Mod. 1960) (Pre-Mod. 4011) Spares for:—	1	—	—	40/21
5X/6630	—	BLOCK, terminal, 5-way Attachments:—	1	—	C	
28M/10286	AGS.2001/A/1	Nut, stiff, 6 BA	2	—	C	
28S/1011484	A32/A20	Screw, 6 BA, round head	2	—	C	
5CW/8570	DOWTY ROTOL C.5162Y Mk. 13	BUTTON, push, type 'B' Attachments:—	1	—	C	
28M/9403517	A47/Z	Nut, 8 BA, plain	2	—	C	
28S/1213423	A32/Z14	Screw, 8 BA, round head	2	—	C	
28W/16716	SP23/Z	Washer, 8 BA	2	—	C	
28E/14056	AS.3180/9C	CLIP, 'P' Attachments:—	1	—	C	
28D/9140202	AS.1246/1C	Bolt, 2 BA, round head	1	—	C	
28M/9433473	AGS.2002/1/C	Nut, stiff, 2 BA	1	—	C	
28W/9419475	SP15/C	Washer, 2 BA, plain	1	—	C	
9553	E.B2.87.10967	CONNECTOR, assembly	1	—	C	
11998	E.B2.81.2183	KNOB, flap switch, assembly Spares for:—	1	—	C	
8897	E.B2.81.2125	SCREW, grub	3	—	C	
5L/9959118	†	LAMP, filament, 28v, 0.4A	3	—	C	
	EEAS.273/2	LINK, 3-way	1	—	C	
	EEAS.265	PIECE, insulating	1	L44	—	
5X/7429	A.M.P. 41664 or	PINS, taper	3	—	C	
5X/7339	HC.1280	PINS, taper	3	—	C	
5CX/5364	—	PILLAR, lamp, short stem	3	—	C	
5836	EEAS.200	PLATE, locking	2	Nylon	C	
5X/1010324	HC.296	RING, tongue tag	3	—	C	
	EEAS.146/8	SLEEVE, 3/8" long	2	—	—	
	EEAS.146/Q	SLEEVE, 1" long	QR	—	—	
5CW/7540	XD.778	SWITCH	1	—	C	
8942	E.B2.80.1123	SWITCH, assembly Consisting of:—	1	—	C	
9493	E.B2.81.6473	KEY	1	—	C	
9495	E.B2.81.6475	NUT, special	1	—	C	
9494	E.B2.80.1129	SWITCH, dolly, assembly	1	—	C	
5CW/6512	E.B2.81.6477	SWITCH	1	—	C	
28W/9419447	SP41/C	WASHER, tab	1	—	C	

This file was downloaded
from the RTFM Library.
Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

