

FUSELAGE
PILOT'S CANOPY

799

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
92	E.B4.15.503	CANOPY, PILOT'S, ASSEMBLY	-	-	A	
8172	E.B4.15.589	ARM, canopy hinge, aft, port, group Spares for:-	1	-	C	46/1
2128	E.B1.15.565	BUSH, hinge pin	1	S96	C	46/2
2129	E.B2.15.1553	BUSH, catch pivot	1	S96	C	46/3
7693	E.B2.15.2131	CATCH	1	S97 or S98	C	46/4
2131	E.B2.15.2255	HOOK	1	S97 or S98	C	46/5
2132	EEAS.1/4G	SCREW, 5/16" BSF, 120 deg. c'sk head, catch bush retaining and hook pivot	2	S96	C	46/6
4572	E.B2.15.1625	SHIM, catch pivot	1	L72	C	46/7
2133	E.B1.15.1057	WASHER, friction, catch	1	LFS21 or 23 or LFB89	C	46/8
2134	TERRY 554R	WASHER, spring, hook thrust	2	-	C	46/9
8173	EEAS.95/9E	Attachments:- Bolt, 1/4" BSF, hex. head	3	S97	C	46/10
28M/9480017	AGS.2001/E/1	Nut, stiff, 1/4" BSF	3	-	C	46/11
8174	E.B4.15.590	ARM, canopy hinge, aft, starboard, group Spares for:-	1	-	C	46/12
2128	E.B1.15.565	BUSH, hinge pin	1	S96	C	46/2
2129	E.B2.15.1553	BUSH, catch pivot	1	S96	C	46/3
7693	E.B2.15.2131	CATCH	1	S97 or S98	C	46/4
2131	E.B2.15.2255	HOOK	1	S97 or S98	C	46/5
2132	EEAS.1/4G	SCREW, 5/16" BSF, 120 deg. c'sk head, bush retaining and hook pivot	2	S96	C	46/6
4572	E.B2.15.1625	SHIM, catch pivot	1	L72	C	46/7
2133	E.B1.15.1057	WASHER, friction, catch	1	LFS21 or 23 or LFB89	C	46/8
2134	TERRY 554R	WASHER, spring, hook thrust	2	-	C	46/9
8173	EEAS.95/9E	Attachments:- Bolt, 1/4" BSF, hex. head	3	S97	C	46/10
28M/9480017	AGS.2001/E/1	Nut, stiff, 1/4" BSF	3	-	C	46/11
8175	E.B4.15.643	BAR, locking, canopy top	1	Titanium ICI318A	C	46/13
8176	E.B4.15.641	BEARING, operating rod support, canopy top	1	L65	C	46/14
28D/9435710	A25/1C	Attachments:- Bolt, 2 BA, hex. head	2	-	C	46/13
28M/1278190	AGS.2001/C/1	Nut, 2 BA, stiff	2	-	C	46/16
8177	E.B4.15.725	BEARING, pressure seal, assembly	1	-	C	46/17
8057	E.B4.15.671	BOLT, 5/16" BSF, hex. head, front "Z" member to centre member attachment	1	Titanium ICI314A	C	47/1
	AS.1242/5-1/2C	BOLT, 2 BA, 90 deg. c'sk head, aerial attachment	12	-	-	47/13
	E.B4.15.693	BOLT, 2 BA, 90 deg. c'sk head, special	9	-	-	-
8059	E.B4.15.695	BOLT, 2 BA, 90 deg. c'sk head, clamping plate and transparency retaining	128	Titanium ICI314A	C	47/14
8060	E.B4.15.697	BOLT, 2 BA, 90 deg. c'sk head, clamping plate and transparency retaining	5	Titanium ICI314A	C	47/2
8061	E.B4.15.699	BOLT, 2 BA, 90 deg. c'sk head, clamping plate and transparency retaining	16	Titanium ICI314A	C	47/15

FUSELAGE
PILOT'S CANOPY

800

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
8062	E.B4.15.701	BDLT, 2 BA, 90 deg. c'sk head, clamping plate and transparency retaining	112	Titanium ICI314A	C	47/16
8063	E.B4.15.705	BDLT, 2 BA, 90 deg. c'sk head, clamping plate and transparency retaining	88	Titanium ICI314A	C	47/17
8064	E.B4.15.1309	BDLT, banjo, flexible hose attachment, canopy demisting	2	DTD423	C	47/3
8065	E.B4.15.1335	BDLT, 1/4" BSF, 90 deg. c'sk head, top clamping and pipe clip attachment	1	Titanium	C	47/4
8066	E.B4.15.1337	BDLT, 1/4" BSF, 90 deg. c'sk head, top clamping plate attachment	10	Titanium ICI314A	C	47/5
8067	E.B4.15.1373	BDLT, 2 BA, 90 deg. c'sk head, clamping plate and transparency retaining	6	Titanium ICI314A	C	47/6
8068	E.B4.15.1375	BDLT, 2 BA, 90 deg. c'sk head, top clamping plate attachment	25	Titanium ICI314A	C	47/18
8069	E.B4.15.1377	BDLT, 2 BA, 90 deg. c'sk head, top clamping plate attachment	5	Titanium ICI314A	C	47/7
8070	E.B4.15.1379	BDLT, 1/4" BSF, 90 deg. c'sk head, top clamping plate attachment	2	Titanium ICI314A	C	47/8
8071	E.B4.15.523	BRACKET, roller, locking bolt suspension, top, group Consisting of:—	1	—	C	46/18
	E.B4.15.519	BRACKET	1	L65	—	46/19
28P/5508	SP4Z/D6	PIN, shear	2	—	C	46/20
28P/9429619	SP9/C5	PIN, split	2	—	C	46/21
8072	E.B4.15.521	ROLLER	2	L65	C	46/22
28W/9419405	SP15/E	WASHER, 1/4" BSF, plain	2	—	C	46/23
		Attachments:—				
8073	E.B4.15.1339	Bolt, 1/4" BSF, 90 deg. c'sk head	2	Titanium ICI314A	C	46/24
28M/13017	A24/ET	Nut, 1/4" BSF, thin	2	—	C	46/25
8074	E.B4.15.533	BRACKET, roller, locking bolt suspension, forward, top, group Consisting of:—	1	—	C	46/26
8075	RANSOME & MARLES B.10291	BEARING, roller	4	—	C	46/27
	E.B4.15.531	BRACKET	1	L65	—	46/28
8076	GEO. SALTER 5000-31	CIRCLIP, internal	8	—	C	46/29
		Attachments:—				
8077	E.B4.15.777	Bolt, 5/16" BSF, 90 deg. c'sk head	2	Titanium ICI314A	C	46/30
8078	E.B4.15.1381	Bolt, 5/16" BSF, 90 deg. c'sk head	3	Titanium ICI314A	C	46/31
28M/1011470	A27/GT	Nut, 5/16" BSF, thin	2	—	C	64/32
28M/13017	A24/ET	Nut, 1/4" BSF, thin	3	—	C	46/33
8079	E.B4.15.739	BRACKET, canopy jack pick-up	1	L40	C	46/34
2152	E.B2.15.551	BUSH, rubber, ".4 long transparency securing bolt sealing	174	—	C	47/9
8080	E.B4.15.719	BUSH, rubber, ".56 long, transparency securing bolt sealing	174	—	C	47/10
	E.B4.15.1883	CASTING, lower edge, port, assembly (Mod. 4292) Spares for:—	1	—	—	48/1
8081	E.B4.15.565	ARROW, canopy "locked"/"unlocked" indicating	1	L59	C	48/2

FUSELAGE
PILOT'S CANOPY

801

Ref. No.	Part No.	Description	No. off	Mati. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
8082	E.B4.15.567	COVER, access, canopy locking mechanism adjustment, assembly	1	—	C	48/3
28S/1008081	A33/C10	Attachments:— Screw, 2 BA, c'sk head	8	—	C	48/4
28N/17103	AS.4601/2	INSERT, wire thread, 2 BA x ".18 long	34	—	C	48/5
28N/17955	AS.4601/7	INSERT, wire thread, 1/2" BSF x ".49 long	1	—	C	48/6
28N/18252	AS.4601/4	INSERT, wire thread, 5/16" BSF x ".3 long	1	—	C	48/7
28N/1484469	AS.4601/25 E.B4.15.1875	INSERT, wire thread, 4 BA x ".27 long LEVER, canopy locking mechanism, port, group (Mod. 4292) Consisting of:—	10 1	— —	C C	48/7
2589	GEO. SALTER 5100-25	CIRCLIP, pin retaining	3	—	C	48/8
8084	E.B4.15.1345	LEVER	1	S97	C	48/9
8085	E.B4.15.1343	PIN, shackle	3	S94	C	48/10
8086	E.B4.15.537	ROLLER	2	S98	C	48/11
	E.B4.15.1877	TUBE, assembly (Mod. 4292) Attachments:—	1	—	—	—
8088	E.B4.15.673	Bolt, special, 5/16" BSF, hex. head	1	S96	C	48/12
28M/13464	A27/GTL	NUT, 5/16" BSF, L.H. thread, thin, turnbuckle locking	1	—	C	48/13
28M/1011470	A27/GT	NUT, 5/16" BSF, thin, turnbuckle and indicating arrow locking	1	—	C	48/14
8089	E.B4.15.571	ROLLER, canopy hook engagement Attachments:—	1	S98	C	48/15
8090	E.B4.15.569	Bolt, special, 5/16" BSF, c'sk head	1	S97	C	48/16
28M/1011470	A27/GT	Nut, 5/16" BSF, thin	1	—	C	48/17
	AGS.1186/6	Washer, sealing, 5/16" dia.	1	—	—	48/18
8091	E.B4.15.573	SHIM, laminated, front spigot assembly alignment	2	Lamin. Alum.	C	48/19
8092	E.B4.15.1537	SPIGOT, front, port, group Consisting of:—	1	—	C	48/20
8094	E.B4.15.555	BOLT, front, canopy locking	1	S82	C	48/21
28S/9419453	A31/B14	BOLT, 4 BA, cheese head	1	—	C	48/22
6125	GEO. SALTER 5100-31	CIRCLIP, truarc, roller pivot pin retaining	4	—	C	48/23
8095	E.B4.15.553	FORK-END, screwed, turnbuckle pick-up	1	S97	C	48/24
12313	E.B4.15.1535	HOUSING, roller	1	S97	C	48/25
28M/1006504	A27/BT	NUT, 4 BA, thin	1	—	C	48/26
8096	E.B4.15.1325	PIN, roller pivot	4	S82	C	48/27
28P/862	SP4Y/D4	PIN, fork-end attachment	1	—	C	48/29
28P/1202460	SP9/C4	PIN, split, fork-end attachment	1	—	C	48/30
8075	RANSOME & MARLES B.10291	ROLLER	4	—	C	48/28
8097	E.B4.15.557	SPRING, locking bolt tension	1	DTD215	C	48/31
28W/9419405	SP15/E	WASHER, 1/4" BSF, thin Attachments:—	1	—	C	48/32
8098	E.B4.15.647	Bolt, 1/4" BSF, 90 deg. c'sk head	2	Titanium ICI314A	C	48/33
8099	E.B4.15.649	Bolt, 1/4" BSF, 90 deg. c'sk head	1	Titanium ICI314A	C	48/34
8100	E.B4.15.593	Nut, special, 1/4" BSF (Make from A27/EP)	3	—	C	48/35
	AGS.1186/4	Washer, sealing, 1/4" dia.	3	—	—	48/36

FUSELAGE
PILOT'S CANOPY

802

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
8101	E.B4.15.563	SPIGOT, canopy locating, front	1	S95	C	48/37
1484471	E.B4.15.1879	STOP, spring (Mod. 4292)	1	S517	C	
8102	E.B4.15.551	TURNBUCKLE, canopy locking mechanism adjustment	1	S95	C	48/38
28W/9419476	SP15/G	WASHER, 5/16" BSF, plain	1	-	C	48/39
	E.B4.15.1884	CASTING, lower edge, starboard, assembly (Mod. 4292)	1	-	-	48/40
		Spares for:-				
8081	E.B4.15.565	ARROW, canopy "locked/unlocked" indicating	1	L59	C	48/2
8103	E.B4.15.568	COVER, access, canopy locking mechanism adjustment	1	-	C	48/41
		Attachments:-				
28S/14548	A33/C10	Screw, 2 BA, c'sk head	8	-	C	48/4
28N/17103	AS.4601/2	INSERT, wire thread, 2 BA x ".18 long	34	-	C	48/5
28N/17955	AS.4601/7	INSERT, wire thread, 1/2" BSF x ".49 long	1	-	C	48/6
28N/18252	AS.4601/4	INSERT, wire thread, 5/16" BSF x ".3 long	1	-	C	
28N/1484470	AS.4601/25	INSERT, wire thread, 4 BA x ".27 long	10	-	-	48/7
	E.B4.15.1876	LEVER, canopy locking mechanism, group (Mod. 4292)	1	-	C	
		Consisting of:-				
2589	GEO. SALTER 5100-25	CIRCLIP, pin retaining	3	-	C	48/8
8105	E.B4.15.1346	LEVER	1	S97	C	48/42
8085	E.B4.15.1343	PIN, shackle	3	S94	C	48/10
8086	E.B4.15.537	ROLLER	2	S98	C	48/11
	E.B4.15.1877	TUBE, assembly (Mod. 4292)	1	-	C	
		Attachments:-				
8088	E.B4.15.673	Bolt, special, 5/16" BSF, hex. head	1	S96	C	48/12
28M/13464	A27/GTL	NUT, 5/16" BSF, L.H. thread, thin turn-buckle locking	1	-	C	48/13
28M/1011470	A27/GT	NUT, 5/16" BSF, thin, turnbuckle and indicating arrow locking	1	-	C	48/14
8089	E.B4.15.571	ROLLER, canopy hook engagement	1	S98	C	48/15
		Attachments:-				
8090	E.B4.15.569	Bolt, special, 5/16" BSF, c'sk head	1	S97	C	48/16
28M/1011470	A27/GT	Nut, 5/16" BSF, thin	1	-	C	48/17
	AGS.1186/6	Washer, sealing, 5/16" dia.	1	-	-	48/18
8091	E.B4.15.573	SHIM, laminated, front spigot assembly alignment	2	Lamin. Alum.	C	48/19
8093	E.B4.15.1538	SPIGOT, front, starboard, group	1	-	C	48/43
		Consisting of:-				
8094	E.B4.15.555	BOLT, front, canopy locking	1	S82	C	48/21
28S/9419453	A31/B14	SCREW, 4 BA, cheesehead	1	-	C	48/22
6125	GEO. SALTER 5100-31	CIRCLIP, truar, roller pivot pin retaining	4	-	C	48/23
8095	E.B4.15.553	FORK-END, screwed, turnbuckle pick-up	1	S97	C	48/24
12314	E.B4.15.1536	HOUSING, roller	1	S97	C	48/44
28M/1006504	A27/BT	NUT, 4 BA, thin	1	-	C	48/26
8096	E.B4.15.1325	PIN, roller pivot	4	S82	C	48/27
28P/862	SP4Y/D4	PIN, fork-end attachment	1	-	C	48/28
28P/1202460	SP9/C4	PIN, split, fork-end attachment	1	-	C	48/29
8075	RANSOME & MARLES B.10291	ROLLER	4	-	C	48/30

FUSELAGE
PILOT'S CANOPY

803

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
8097 28W/9419405	E.B4.15.557 SP15/E	SPRING, locking bolt tension	1	DTD215	C	48/31
		WASHER, 1/4" BSF, thin	1	-	C	48/32
8098	E.B4.15.647	Attachments:- Bolt, 1/4" BSF, 90 deg. c'sk head	2	Titanium ICI314A	C	48/33
8099	E.B4.15.649	Bolt, 1/4" BSF, 90 deg. c'sk head	1	Titanium ICI314A	C	48/34
8100 28F/9428450	E.B4.15.593 AGS.1186/4	Nut, special, 1/4" BSF	3	-	C	48/35
		Seal, bonded, 1/4" dia.	3	-	C	
8101	E.B4.15.563	SPIGOT, canopy locating, front	1	S95	C	48/37
1484471	E.B4.15.1879	STOP, spring (Mod. 4292)	1	S517	C	
8102	E.B4.15.551	TURNBUCKLE, canopy locking mechanism adjustment	1	S95	C	48/38
28W/9419476	SP15/G	WASHER, 5/16" BSF, plain	1	-	C	48/39
8106	E.B4.15.655	CHANNEL, sealing, rear, lower edge casting, port Attachments:-	1	L65	C	49/1
8107	E.B4.15.683	Bolt, 2 BA, hex. head	17	-	C	49/2
8108	E.B4.15.685	Bolt, 2 BA, hex. head	1	-	C	49/3
8109	E.B4.15.687	Bolt, 2 BA, hex. head	2	-	C	49/4
8110	E.B4.15.713	Bolt, 4 BA, hex. head	2	-	C	49/5
28M/10338	AGS.2002/B/2	Nut, stiff, 4 BA, thin	19	-	C	49/6
8111	E.B4.15.715	Screw, 4 BA, 90 deg. c'sk head	8	-	C	49/7
8112	E.B4.15.717	Screw, 4 BA, 90 deg. c'sk head	19	-	C	49/8
28W/9419474	4101/6/ 1/4 SP15/B	Screw, PK, self-tapping	2	-	-	49/9
		Washer, 4 BA, thin	10	-	C	49/10
8113	E.B4.15.656	CHANNEL, sealing, rear, lower edge casting, starboard Attachments:-	1	L65	C	49/11
8107	E.B4.15.683	Bolt, 2 BA, hex. head	17	-	C	49/17
8108	E.B4.15.685	Bolt, 2 BA, hex. head	1	-	C	49/3
8109	E.B4.15.687	Bolt, 2 BA, hex. head	2	-	C	49/4
8110	E.B4.15.713	Bolt, 4 BA, hex. head	2	-	C	49/5
28M/10338	AGS.2002/B/2	Nut, stiff, 4 BA, thin	19	-	C	49/6
8111	E.B4.15.715	Screw, 4 BA, 90 deg. c'sk head	8	-	C	49/7
8112	E.B4.15.717	Screw, 4 BA, 90 deg. c'sk head	19	-	C	49/8
28W/9419474	4101/6/ 1/4 SP15/B	Screw, PK, self-tapping	2	-	-	49/9
		Washer, 4 BA, thin	10	-	C	49/10
8114	EEAS.143/7 E.B4.15.1305	CLIP, pipe canopy demisting pipes attachment	5	L72	C	50/1
		CONNECTION, special bulkhead, canopy demisting	4	L65	C	50/2
8115	E.B4.15.677	COUPLING, pipe, inner transparencies, canopy demisting	4	L65	C	50/9
8116	E.B4.15.1463	FORK-END, screwed, canopy locking mechanism, top	1	S96	C	50/4
8117	E.B4.15.1307	GASKET, sealing, special bulkhead pipe connection	4	Neo-K-Tex Grade Am	C	50/5
8118	E.B4.15.1221	HOSE, flexible, canopy demisting	2	-	C	50/6
	-	MEMBER, centre, assembly (E.B4.15.513) Spares for:-	-	-	-	
8119	E.B4.15.517	BUSH	1	L40	C	49/12
28N/	AS.4614/15	INSERT, 1/4" BSF	1	-	-	49/13

FUSELAGE
PILOT'S CANOPY

804

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
28M/14766	A24/JT	NUT, locking, 3/8" BSF, thin, canopy locking mechanism, top	1	-	C	50/7
8120	E.B1.15.469	NUT, special, 7/8" BSF, demisting pipe coupling retaining	4	L65	C	50/8
8121	E.B4.15.709	NUT, special, 2 BA, clamping plate and transparency attachment bolt securing	36	BAC.M37	C	47/19
8122	E.B4.15.711	NUT, special, 2 BA, clamping plate and transparency attachment bolt securing	54	BAC.M37	C	47/20
8123	E.B4.15.1383	NUT, special, 1/4" BSF, top clamping plate attachment bolt securing	10	BAC.M37	C	47/21
8124	E.B4.15.729	PACKING, operating rod support bearing, top	1	L72	C	46/35
8125	E.B4.15.1393	PACKING, roller bracket assembly, top	1	L72	C	46/36
	E.B4.15.667	PIPE, air, between inner and outer transparencies, port	1	L54	-	50/3
	E.B4.15.668	PIPE, air, between inner and outer transparencies, starboard	1	L54	-	50/10
8126	E.B4.15.679	PIPE, assembly, demisting return, canopy top	1	L54	C	50/11
8127	E.B4.15.1303	PIPE, assembly, demisting supply, canopy top, rear	1	L54	C	50/12
	E.B4.15.651	PLATE, clamping, outer, transparency retaining, port	1	L65	-	49/14
	E.B4.15.652	PLATE, clamping, outer, transparency retaining, starboard	1	L65	-	49/15
	E.B4.15.1593	PLATE, back, jettison gun ramp, port	1	S510	-	50/16
	E.B4.15.1594	PLATE, back, jettison gun ramp, starboard	1	S510	-	50/17
	E.B4.15.1385	PLATE, clamping, outer, transparency retaining, canopy top	1	L65	-	49/16
	E.B4.15.1395	PLATE, sealing, jettison gun ramp, port	1	L72	-	50/18
	E.B4.15.1396	PLATE, sealing, jettison gun ramp, starboard	1	L72	-	50/19
8128	E.B4.15.1333	PLUG, canopy slinging point sealing	3	L65	C	49/17
8129	E.B2.15.1485	PLUG, sealing, canopy interspace cleaning (Pre-Mod. 2392)	2	DTD846 or 838	C	49/18
21759	E.F3.15.605	PLUG, sealing, canopy interspace cleaning (Mod. 2392)	2	Neoprene	C	49/19
	E.B4.15.1327	POCKET, air inlet, canopy demisting	2	Bostik	-	50/20
	-	POINT, slinging, port (E.B4.15.1329)	-	-	-	-
	-	Spares for:-	-	-	-	-
28N/	AS.4614/15	INSERT, wire thread, 1/4" BSF x ".37 long	1	-	-	49/20
	-	POINT, slinging, starboard (E.B4.15.1330)	-	-	-	-
	-	Spares for:-	-	-	-	-
28N/	AS.4614/15	INSERT, wire thread, 1/4" BSF x ".37 long	1	-	-	49/13
	E.B4.15.1283	RAMP, canopy jettison gun, port	1	S1	-	50/21
	-	Attachments:-	-	-	-	-
8059	E.B4.15.695	Bolt, 2 BA, 90 deg. c'sk head	2	Titanium IC1314A	C	50/22
10092	EEAS.134/1B	Bolt, 4 BA, 90 deg. c'sk head	4	S97	C	50/23
28M/1006504	A27/BT	Nut, 4 BA, thin	4	-	C	50/24
28W/9419486	SP16/B	Washer, 4 BA, plain	1	-	C	50/25

FUSELAGE
PILOT'S CANOPY

805

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.B4.15.1284	RAMP, canopy jettison gun, starboard	1	S1	-	50/26
8059	E.B4.15.695	Attachments:- Bolt, 2 BA, 90 deg. c'sk head	2	Titanium ICI314A	C	50/22
3210	EEAS.134/2F	Bolt, 4 BA, 90 deg. c'sk head	4	S97	C	50/27
28M/1006504	A27/BT	Nut, 4 BA, thin	4	-	C	50/24
28W/9419486	SP16/B	Washer, 4 BA, plain	1	-	C	50/25
8130	E.B4.15.1161	RING, sealing, aerial mounting	1	Natural Rubber S/H 40-45	C	50/28
8131	E.B4.15.1281	RING, packing, aerial mounting	1	L65	C	50/29
8132	E.B4.15.835	ROD, operating, canopy locking bolt, top	1	-	C	50/30
8133	E.B4.15.579	SPIGOT, rear, canopy locating	2	S97	C	49/21
8134	E.B4.15.663	SPIGOT, side, canopy locating	4	S97	C	49/22
28M/13017	A24/ET	Attachments:- Nut, 1/4" BSF, thin	4	-	C	49/23
8135	E.B4.15.721	SPRING, operating rod thrust, canopy top	1	DTD239	-	50/31
	E.B4.15.807	TRANSPARENCY, port, assembly	1	-	-	47/11
	E.B4.15.808	TRANSPARENCY, starboard, assembly	1	-	-	47/12
8136	E.B4.15.525	TUBE, forward, canopy locking mechanism, top	1	-	C	50/32
28FP/5508	SP4Z/D6	Attachments:- Pin, shear, 1/4" dia.	2	-	C	50/33
28P/1202460	SP9/C4	Pin, split	2	-	C	50/34
28W/9418921	SP13/E	Washer, 1/4" BSF, plain	2	-	C	50/35
8137	E.B4.15.629	TUBE, canopy locking mechanism, top	1	-	C	50/36
2173	E.B2.15.1499	WASHER, special, canopy demisting pipe connection	4	Natural Rubber	C	50/37
8138	E.B4.15.1359	WASHER, special, canopy demisting pipe connection	4	L44	C	50/38

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.



LIGHTNING MK. 1
COVER PITOT HEAD
EB2-88-5111