

FUSELAGE
REAR FUSELAGE

807

Ref. No.	Part No.	Description	No. off	Mtl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.B4.07.1	REAR FUSELAGE, ASSEMBLY (E.B3.00.27) Spares for:—	1	—	—	
	—	DRAINS, No. 2 engine, assembly (E.B3.50.15) Spares for:—	—	—	—	86/1
	—	DRAINS, fuel cooled oil cooler and fuel control unit, at frame 48, assembly (E.B3.50.189) Spares for:—	—	—	—	86/2
7623	BRIT. REFRASIL ARF.59-61-6	CLIP, pipe attachment	1	—	C	86/3
7621	E.B3.50.193	COUPLING, pipe, fuel control unit drain, through firefloor	1	S110	C	86/4
13654	E.B3.50.351	PIPE, flexible, oil cooler drain (Mod. 1908)	1	S110	C	86/5
3814	E.B2.50.193	PIPE, flexible, from fuel control unit drain connection to connection at firefloor, forward of frame 48	1	S110	C	86/6
	E.B3.50.291	PIPE, assembly, fuel control unit drain, from connection at firefloor forward of frame 48 to outlet connection	1	T55	—	86/7
3815	E.B2.50.201	WASHER, sealing, oil cooler drain outlet Attachments:—	1	Hycar	C	86/6
28M/9433473	AGS.2002/C/1	Nut, stiff, 2 BA	3	—	C	86/9
26FZ/1468	EEAS.1/2C	Screw, 2 BA, c'sk head, 120 deg.	3	S96	C	86/10
28W/9419402	SP13/C	Washer, 2 BA, plain	3	—	C	86/11
	—	DRAIN, combustion chamber, assembly (E.B3.50.197) (Pre-Mod. 95) Spares for:—	—	—	—	86/12
7625	BRIT. REFRASIL ARF.59-61-2	CLIP, pipe attachment	1	—	C	86/13
7291	E.B3.50.199	CONNECTION, combustion chamber drain	1	T55	C	86/14
7624	E.B3.50.213	NIPPLE, special, pipe connection aft of frame 50	1	BAC.M37	C	86/15
3808	E.B3.50.209	PIPE, assembly, from combustion chamber drain connection to connection aft of frame 50	1	T55	C	86/16
3809	E.B3.50.211	PIPE, assembly, combustion chamber drain, from connection aft of frame 50 through firefloor to outlet connection	1	T55	C	86/17
	—	DRAIN, combustion chamber, assembly (E.B3.50.333) (Mod. 95) Spares for:—	—	—	—	86/18
7625	BRIT. REFRASIL ARF.59-61-2	CLIP, pipe attachment	1	—	C	86/19
7291	E.B3.50.199	CONNECTION, combustion chamber drain	1	T55	C	86/20
10287	E.B3.50.221	FAIRLEAD, assembly Attachments:—	1	Syndano	C	86/21
28D/1008149	A25/2B	Bolt, 2 BA, hex. head	4	—	C	86/22
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	4	—	C	86/23
28W/9419475	SP13/B	Washer, 4 BA, plain	4	—	C	86/24
7624	E.B3.50.213	NIPPLE, special, pipe connection aft of frame 50	1	BAC.M37	C	86/25

FUSELAGE
REAR FUSELAGE

808

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
10288	E.B3.50.327	PIPE, assembly, from combustion chamber drain connection to connection aft of frame 50	1	T55	C	86/26
10289	E.B3.50.329	PIPE, assembly, from connection aft of frame 50 through firefloor to outlet connection	1	T55	C	86/27
	-	DRAIN, jet pipe joint, assembly (E.B3.50.223) Spares for:-	-	-	-	86/28
7626	E.B3.50.243	CLIP, pipe, special	1	S520	C	86/29
7623	BRIT. REFRASIL ARF.59-61-6	CLIP, pipe attachment	2	-	C	86/30
7629	E.B3.50.227	FAIRLEAD, at firefloor, forward of frame 53 Attachments:-	1	Sindanyo	C	86/31
28D/9436770	A26/2C	Bolt, 2 BA, hex. head	2	-	C	86/32
28M/9436836	AGS.2001/C/2	Nut, stiff head, 2 BA	2	-	C	86/33
28W/9128924	SP14/C	Washer, 2 BA, plain	2	-	C	86/34
19017	E.B3.50.245	N)PPLE	1	-	C	86/35
3811	E.B3.50.233	PIPE, assembly, jet pipe joint drain, from connection forward of frame 53 to outlet	1	T55	C	86/36
9743	E.B3.50.237	PIPE, assembly, jet pipe joint drain, from flexible connection through firefloor to connection forward of frame 53	1	T55	C	86/37
7627	E.B3.50.225	SADDLE, pipe support	1	Sindanyo	C	86/38
7628	EEAS.237/7B	WASHER, "D"	2	L72	C	86/39
	-	DRAIN, jet reheat pipe, engine No. 2, aft, assembly (E.B2.50.133) Spares for:-	-	-	-	87/1
2659	E.B2.50.135	PIPE, flexible	1	601/F	C	87/2
2660	E.B2.50.139	PIPE, assembly	1	T55	C	87/3
	E.B3.50.179	DRAIN, jet reheat pipe, No. 2 engine, forward assembly Spares for:-	1	-	-	87/4
7741	E.B3.50.75	BOLT, special (Make from A25/ 1/2C)	3	-	C	87/5
7745	BRIT. REFRASIL ARF.59-61-11	CLIP, pipe	4	-	C	87/6
7262	E.B3.50.69	INSULATOR, assembly Spares for:-	1	-	C	87/7
	E.B3.50.67	INSULATOR	1	-	-	87/8
28N/9143897	AS.4736/26	INSERT, wire, 2 BA	3	-	C	87/9
	-	Attachments:-				
28M/9433473	AGS.2002/C/1	Nut, stiff, 2 BA	3	-	C	87/10
26FZ/1027	EEAS.1/2-1/2C	Screw, 2 BA, 120 deg. c'sk head	3	-	C	87/11
2661	E.B3.50.295	PIPE, assembly	1	T55	C	87/12
9655	E.B3.50.337	PIPE, flexible	1	-	C	87/13
12159*	E.B3.50.313	PIPE, flexible	1	-	C	87/14
	E.F2.55.59	DUCT, bleed valve, lower engine, assembly Consisting of:-	1	-	-	88/1
2665	E.B2.55.51	BOLT, special, duct attachment to structure (Make from A25/1C)	3	-	C	88/2

FUSELAGE
REAR FUSELAGE

809

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
8027	E.F.2.55.61								1	—	C	88/3
2666	E.F.2.55.85								1	—	C	88/4
8025	K. S. PAUL E.F.2.55.71								QR	—	—	88/5
									2	DTD488 or DTD187A	C	88/6
8026	E.F.2.55.73								2	DTD488 or DTD187A	C	88/7
2668	E.F.2.55.65								1	—	C	88/8
									QR	—	—	88/9
8023	K. S. PAUL GRADE 100 AUTOMOTIVE PRODUCTS								2	—	C	88/10
28M/5808573	A27/CS								2	—	C	88/11
28P/1007741	SP9/C8								2	—	C	88/12
									1	—	—	88/13
28D/9436920	A25/1C								6	—	C	88/14
28D/9133011	A25/2C								3	—	C	88/15
10290	E.B.2.55.417								1	—	C	88/16
2670	E.B.2.55.139								1	BACM37	C	88/17
2671	E.B.2.55.175								1	—	C	88/18
28M/1006473	A27/CT								1	—	C	88/19
28P/1007741	SP9/C8								1	—	C	88/20
									1	—	C	88/21
2672	E.B.2.55.283								1	—	C	88/22
2670	E.B.2.55.415								1	—	C	88/22
2674	E.B.2.55.143								1	—	C	88/23
2675	E.B.2.55.157								1	L65	C	88/24
2676	E.B.2.55.157								1	DTD215	C	88/25
2677	E.B.2.55.165								1	T35	C	88/26
28M/1278190	AGS.2001/C/1								9	—	C	88/27
									2	L72	—	88/28
8022	E.B.2.55.533								1	Laminated Aluminium	C	
28W/9419475	SP15/C								3	—	C	88/29
									1	—	—	88/30
28D/9436920	A25/1C								6	—	C	88/14
28D/9133011	A25/2C								3	—	C	88/15
10291	E.B.2.55.418								1	—	C	88/31
2670	E.B.2.55.139								1	BACM37	C	88/17
2671	E.B.2.55.175								1	—	C	88/18
28M/1006473	A27/CT								1	—	C	88/19
28P/1007741	SP9/C8								1	—	C	88/20
									1	—	C	88/23
2678	E.B.2.55.284								1	—	C	88/23
3611	E.B.2.55.416								1	—	C	88/33
2674	E.B.2.55.143								1	—	C	88/23
2675	E.B.2.55.157								1	L65	C	88/24

FUSELAGE
REAR FUSELAGE

810

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
2676	E.B2.55.153	SPRING, helical, self-aligning flange	1	DTD215	C	88/25
2677	E.B2.55.165	TUBE, self-aligning guide	1	T35	C	88/26
28M/1278190	AGS.2001/C/1	NUT, stiff, 2 BA	9	-	C	88/27
	E.B2.55.429	PACKING, cooling air duct	2	L72	C	88/28
	or					
8022	E.B2.55.533	PACKING, cooling air duct	1	Laminated Aluminium	C	
28W/9419475	SP15/C	WASHER, 2 BA, plain	3	-	C	88/29
	E.B2.55.133	DUCT, L.H., cooling air, lower, assembly	1	-	-	89/1
		Spares for:-				
8481	E.B2.55.421	DUCT, cooling air, group	1	-	C	89/2
		Spares for:-				
2670	E.B2.55.139	BAR, guide tube retaining, ".48 long	1	BACM37	C	89/3
2680	E.B2.55.173	NOZZLE, injector	1	-	C	89/4
28M/1006473	A27/CT	NUT, 2 BA, thin, for spindle	1	-	C	89/5
28P/1007741	SP9/C8	PISTON, split, spindle nut retaining	1	-	C	89/6
3612	E.B2.55.419	PIPE, assembly	1	-	C	89/7
2674	E.B2.55.143	RING, sealing, self-aligning	1	-	C	89/8
2675	E.B2.55.157	SPINDLE, self-aligning ring guide tube anchor	1	L65	C	89/9
2676	E.B2.55.153	SPRING, helical, self-aligning flange	1	DTD215	C	89/10
2677	E.B2.55.165	TUBE, self-aligning flange guide	1	-	C	89/11
5355	E.B2.55.595	DUCT, at frame 55	1	-	C	89/12
8029	E.B2.55.583	STRUT, upper, pipe mounting at frame 55	1	-	C	89/13
		Attachments:-				
28D/9436920	A25/1C	Bolt, 2 BA, hex. head	1	-	C	89/14
28D/9133012	A25/3C	Bolt, 2 BA, hex. head	1	-	C	89/15
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	-	C	89/16
28W/9419402	SP13/C	Washer, 2 BA, plain	2	-	C	89/17
5359	E.B2.55.433	STRUT, lower, pipe mounting at frame 55	1	-	C	89/18
		Attachments:-				
28D/9436920	A25/1C	Bolt, 2 BA, hex. head	2	-	C	89/19
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	-	C	89/20
28W/9419402	SP13/C	Washer, 2 BA, plain	1	-	C	89/21
	E.B2.55.134	DUCT, R.H., cooling air, lower, assembly	1	-	-	89/22
		Spares for:-				
8480	E.B2.55.422	DUCT, cooling air, group	1	-	C	89/23
		Spares for this group are identical with those for group Pt. No. E.B2.55.421, except for the following deletions and additions				
		Delete:-				
2680	E.B2.55.173	NOZZLE, injector	1	-	C	89/4
3612	E.B2.55.419	PIPE, assembly	1	-	C	89/7
		Add:-				
2685	E.B2.55.174	NOZZLE, injector	1	-	C	89/24
3613	E.B2.55.420	PIPE, assembly	1	-	C	89/25
2682	E.B2.55.151	DUCT, at frame 55	1	-	C	89/26

FUSELAGE
REAR FUSELAGE

811

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
1439703	E.B2.07.845	STRUT, upper, pipe mounting at frame 55 (E B2 55.589)	1	—	C	89/27
28D/9436920	A25/1C	Attachments:— Bolt; 2:BA, hex. head	1	—	C	89/14
28D/9133012	A25/3C	Bolt; 2:BA, hex. head	1	—	C	89/15
28M/1278190	AGS.2001/C/1	Nut, stiff; 2 BA	2	—	C	89/16
28W/9419402	SP13/C	Washer; 2:BA, plain	2	—	C	89/17
5359	E.B2.55.433	STRUT, lowr, pipe mounting at frame 55	1	—	C	89/28
28D/9436920	A25/1C	Attachments:— Bolt; 2:BA, hex. head	2	—	C	89/14
28M/1278190	AGS.2001/C/1	Nut, stiff; 2 BA	2	—	C	89/16
28W/9419402	SP13/C	Washer; 2:BA, plain	1	—	C	89/17
—	—	DUCT, cooling air, accessory gearbox, assembly (E.B2.55.617)	—	—	—	90/1
7841	KING A/C C.5642/3/E	Spares for:— CLAMP, pipe, Mk. 9, gearbox	1	—	C	90/2
2687	E.B2.55.75	CLIP, pipe, lower, at frame 53	1	S3	C	90/3
28D/9436920	A25/1C	Attachments:— Bolt; 2:BA, hex. head	2	—	C	90/4
28M/1278190	AGS.2001/C/1	Nut, stiff; 2 BA	2	—	C	90/5
2689	E.B2.55.77	CLIP, pipe, at frame 54	1	S3	C	90/6
28D/9436920	A25/1C	Attachments:— Bolt; 2:BA, hex. head	2	—	C	90/4
28M/1278190	AGS.2001/C/1	Nut, stiff; 2 BA	2	—	C	90/5
10293	E.B2.55.109	CLIP, bonding, pipe and non-return valve, 2".52 i/d	4	L72	C	90/7
28D/1008149	A25/2B	Attachments:— Bolt; 4:BA, hex. head	4	—	C	90/8
28M/1086618	AGS.2002/B/1	Nut, stiff; 4 BA	4	—	C	90/9
2691	E.B2.55.113	Washer, "D"	8	L72	C	90/10
28W/9419465	SP13/B	Washer, 4:BA, plain	4	—	C	90/11
10294	E.B2.55.111	CLIP, bonding, pipe, 3".02 i/d	4	L72	C	90/12
28D/1008149	A25/2B	Attachments:— Bolt; 4:BA, hex. head	4	—	C	90/8
28M/1086618	AGS.2002/B/1	Nut, stiff; 4 BA	4	—	C	90/9
2691	E.B2.55.113	Washer, "D"	8	L72	C	90/10
28W/9419465	SP13/B	Washer, 4:BA, plain	4	—	C	90/11
8014	E.B2.55.593	CLIP, pipe, upper, at frame 53	1	S510	C	90/13
28D/9436920	E.B2.55.561 A25/1C	Attachments:— Bolt, special, 2 BA	1	S21	—	90/14
28M/1278190	AGS.2001/C/1	Bolt; 2:BA, hex. head	1	—	C	90/15
28W/9419402	SP13/C	Nut, stiff; 2 BA	2	—	C	90/16
		Washer, 2:BA, plain	2	—	C	90/17

FUSELAGE
REAR FUSELAGE

812

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
10295	E.B2.55.327	CLIP, bonding, pipe, 1".77 i/d	2	L72	LM	90/18
28D/1008149	A25/2B	Attachments:— Bolt; 4;BA, hex. head	2	—	C	90/19
28M/1086618	AGS.2002/B/1	Nut, stiff; 4 BA	2	—	C	90/20
2691	E.B2.55.113	Washer, "D"	4	L72	C	90/21
28W/9419465	SP13/B	Washer, 4;BA, plain	2	—	C	90/22
7995	E.B3.55.67	CLIP, pipe, forward of frame 53	1	S521	C	90/23
28D/9133011	A25/2C	Attachments:— Bolt; 2;BA, hex. head	1	—	C	90/24
28M/1278190	AGS.2001/C/1	Nut, stiff; 2 BA	2	—	C	90/25
26FZ/1025	EEAS.1/1C	Screw 2 BA, c'sk head, 120 deg.	1	L65	C	90/26
8015	E.B2.55.579	CLIP, bonding, pipe, 2".75 i/d	1	—	C	90/27
28D/1008149	A25/2B	Attachments:— Bolt; 4;BA, hex. head	1	—	C	90/19
28M/1086618	AGS.2002/B/1	Nut, stiff; 4 BA	1	—	C	90/20
2691	E.B2.55.113	Washer, "D"	2	L72	C	90/21
28W/9419465	SP13/B	Washer, 4 BA, plain	1	—	C	90/22
27F/	FLIGHT REFUELLING LTD. 175/P, Series 5	CONNECTOR,Pipe,non-return (For spares see A.P.4515u, Vol.3,Part 1, Chap.12)	2	—	—	90/28
27F/	FLIGHT REFUELLING LTD. 175/R, Series 5	CONNECTOR,pipe (For spares see A.P.4515U,Vol.3, Pt.1, Chap.12.)	2	—	—	90/29
6085	E.B2.55.435	FILTER, between pipe and gearbox flanges	1	—	C	90/30
5436	DUNLOP DAS.393/28/2-1/2	HOSE, silicone glass fabric, pipe connection at frame 54	1	—	C	90/31
2693	DUNLOP DAS.393/48/3	HOSE, silicone glass fabric, pipe connection aft of frame 53	1	—	C	90/32
	EEAS.164/6/25	HOSE, rubber, 3/4" i/d x 1-1/8" o/d x 2-1/2" long (Make from 32C/375)	2	DTD625 Type 1	LM	90/33
6113*	E.B2.81.9271	MOUNTING, rectifier, assembly	1	—	A	90/34
10718	E.B2.81.15943	MOUNTING, rectifier, assembly	1	—	A	90/35
24467	E.F3.55.63	PACKING, pipe bracket, frame 55 (Mod. 2506)	1	LA3	C	90/36
10299	E.B2.55.299	PIPE, assembly, from fin hose connection to rectifier connection at frame 54 (Pre-Mod. 2506)	1	—	C	90/37
34122	E.B2.55.759	PIPE, assembly, from fin hose connection to rectifier connection at frame 54 (Mod. 2506)	1	—	C	90/38
10300	E.B2.55.345	PIPE, assembly, from rectifier forward of frame 54 to hose connection aft of frame 53	1	—	C	90/39
10475	E.B2.55.607	Pipe, water drain junction, accessory gear box	1	—	C	90/40
10474	E.B2.55.611	PIPE, drain, from junction pipe to outlet	1	L54	C	90/41
10476	E.B2.55.613	PIPE, branch, from water drain junction pipe to accessory gear box and non-return valve connections	1	—	C	90/42

FUSELAGE
REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
10301	E.B2.55.619	PIPE, assembly, between hose connection aft of frame 53 and water drain junction pipe hose connection	1	—	C	90/43
28F/17516	AS.5406	RING, sealing, pipe clamp	1	—	C	90/44
10302	E.B2.55.591	SADDLE, pipe, at frame 53	1	Fibreglass	C X	90/45
28D/9133012	A25/3C	Attachments:— Bolt, 2 BA, hex. head	2	—	C	90/46
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	90/47
28W/9419402	SP13/C	Washer, 2 BA, plain	2	—	C	90/48
27F/3492	FLIGHT REFUELLING LTD. B.9807100/7	VALVE, non-return (For spares see A.P. 4515U, Vol. 3, Pt.1, Chap.12).	1	—	A	90/49
10303	EEAS.240/1A	WASHER, "D"	3	L72	C	90/50
	—	DUCT SECTIONS, external, assembly to fuselage, frames 25B to 54, port (E B3.11.1601) Spares for:—	—	—	—	91/1
7492	E.B3.11.1859	DUCT SECTION, frames 25B to 48, port	2	—	C	91/2
7494	E.B3.11.1863	DUCT SECTION, frames 48 to 52, port	1	—	C	91/3
7495	E.B3.11.1901	FAIRING, rear, frames 52 to 53, port	1	—	C	91/4
26FZ/1025	EEAS.1/1C	SCREW, 2 BA, c'sk head, 120 deg.	69	S96	C	91/5
26FZ/1026	EEAS.1/1-1/2C	SCREW, 2 BA, c'sk head, 120 deg.	6	S96	C	91/6
	—	DUCT SECTIONS, external assembly to fuselage, frames 25B to 54, starboard (E.B3.11.1602) Spares for:—	—	—	—	91/7
7493	E.B3.11.1860	DUCT SECTION, frames 25B to 48, starboard	2	—	C	91/8
7494	E.B3.11.1863	DUCT SECTION, frames 48 to 52, starboard	1	—	C	91/3
7496	E.B3.11.1902	FAIRING, rear, frames 52 to 63, starboard	1	—	C	91/9
26FZ/1025	EEAS.1/1C	SCREW, 2 BA, c'sk head, 120 deg.	69	S96	C	91/5
26FZ/1026	EEAS.1/1-1/2C	SCREW, 2 BA, c'sk head, 120 deg.	6	S96	C	91/6
129	E.B3.11.2641	HATCH, upper engine, assembly Spares for:—	1	—	A	91/10
	E.B3.11.2101	BOLT, engine hatch attachment, arrangement Consisting of:—	20	—	—	91/11
2701	E.B1.11.1967	ANGLE, stop	1	—	C	91/11A
9053	E.B3.11.2265	BOLT, special	1	S120	C	91/12
28D/9140202	AS.1246/1C	BOLT, 2 BA, round head	2	—	C	91/13
	E.B1.11.2351	CHAIN, retaining	1	—	LM	91/14
28M/1006473	A27/CT	NUT, 2 BA, thin	2	—	C	91/15
2727	E.B1.11.619	PAD, thrust	1	L65	C	91/16
2077	E.B2.11.3741	PLATE, cover, group Spares for:—	1	—	B	91/17
2718	E.B2.11.3745	FASTENER, assembly Spares for:—	1	—	C	
	E.B2.11.3747	NUT, wedge	1	L65	—	
10278	E.B1.11.3853	SPRING	1	Spring Steel	C	
	E.B2.11.3743	SPIGOT (Pre-Mod. 298)	1	S97	—	91/18
10085	E.B2.11.17563	SPIGOT (Mod. 298)	1	S97	C	91/19
28W/9419402	SP15/C	WASHER, 2 BA, plain	2	—	C	91/20

FUSELAGE
REAR FUSELAGE

814

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	-	PANELS, access, H.E. ignition units, assembly (E.B3.11.2065) Consisting of:-	-	-	-	91/21
7925	E.B3.11.1651	PANEL, access	1	-	C	91/22
26FZ/1025	EEAS.1/1C	Attachments:- Screw, 2 BA, c'sk head, 120 deg.	20	S96	C	91/23
7926	E.B3.11.1653	PANEL, access	1	-	C	91/24
26FZ/1025	EEAS.1/1C	Attachments:- Screw, 2 BA, c'sk head, 120 deg.	20	S96	C	91/23
10743	E.B3.11.2371	PANEL, detachable, spine, forward, group	1	-	C	91/25
2715	KING A/C C.8493	Spares for:- HOUSING, fastener	4	-	C	91/26
8159	E.B3.11.2395	PANEL, detachable, spine, aft, group	1	-	C	91/27
2715	KING A/C C.8493	Spares for:- HOUSING, fastener	4	-	C	91/28
2075	E.B2.11.3595 E.B3.11.2235	PANEL, access, to special bolts	4	-	C	91/29
10305	E.B3.11.2233	PIECE, closing, arrangement Consisting of:- PIECE, closing, assembly Consisting of:-	18	-	C	91/30
5682	E.B2.11.15191	PIECE, hinge	1	L64	C	91/31
2716	E.B1.11.977	PIN, hinge	1	S92	C	91/32
2717	E.B2.11.8181	SPRING	1	DTD215	C	91/33
28D/1007285	AS.1242/1B	BDLT, 4 BA, c'sk head	2	-	C	91/34
36822	E.B3.11.2299 E.B2.11.3641	SKIN, forward inner, assembly (E.B3.11.37) Consisting of:- PLATE, tie	1	DL65	C	94/1
	E.B2.11.3645	SEAL, engine hatch, 135" long (Make from EEAS.121, Stores Ref. 26FZ/12713)	2	Neoprene	LM	94/2
	E.B2.11.3645	SEAL, engine hatch, 56" long (Make from EEAS.121, Stores Ref. 26FZ/12713)	1	Neoprene	LM	94/3
	-	SKIN, aft inner, assembly (E.B3.11.39) Spares for:-	-	-	-	94/4
33C/	HELLERMANN LEC.164	ADHESIVE	QR	-	-	94/5
2704	E.B2.11.3615	BLOCK, end, engine hatch firewall	2	LFS26	C	94/6
	S9716R/ 1/4	Attachments:- Screw, self-tapping	4	-	-	94/7
34339	E.B3.11.2323 E.B2.11.3645	PLATE, tie	1	DTD689	C	94/8
	E.B2.11.3645	SEAL, engine hatch, 56" long (Make from EEAS.121, Stores Ref. 26FZ/12713)	1	Neoprene	LM	94/8
10317	HELLERMANN E.E.11/2	SECTION, rubber, Helsyn 100	QR	-	C	94/9
	-	SHIELD, heat, No. 2 engine hatch attachment (E.B3.11.2473) Consisting of:-	-	-	-	94/10
	E.B3.11.2471	SHIELD, heat, assembly	1	-	-	94/11
28D/1213334	AS.2923/1C or	Attachments:- Bolt, 2 BA, mushroom head	16	-	C	94/12
28D/1007981 28W/9418921	AS.1248/ 1/2C SP13/E	Washer	16	-	C	94/13

FUSELAGE
REAR FUSELAGE

815

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	—	SKIN, outer, assembly (E.B3.11.2643)	—	—	—	94/14
	—	Spares for:—				
	—	ANGLES, spine boundary, assembly to hatch (E.B3.11.2645)	—	—	—	94/15
	—	Spares for:—				
33C/	HELLERMANN	ADHESIVE	QR	—	—	94/16
	LEC.164					
2712	KING A/C	FASTENER, toggle	12	—	C	94/17
	D.8693					
7927	E.B3.81.1619	PIPE, vent, port, assembly	1	—	C	94/18
7928	E.B3.81.1623	PIPE, vent, starboard, assembly	1	—	C	94/19
		Attachments:—				
28M/1006504	A27/BT	Nut, 4 BA, thin	1	—	C	94/20
28W/9419474	SP15/B	Washer, 4 BA, plain	1	—	C	94/21
10317	HELLERMANN	SECTION, rubber, Helsyn 100	1	—	C	94/22
	EE.11/2					
1439546	E.B2.07.833	LOUVRE, exhaust, assembly (E.B2.11.3581)	2	—	—	
	E.B3.11.1631	SPINE, assembly	1	—	—	94/23
		Spares for:—				
	E.B1.11.2351	CHAIN, retaining	1	—	LM	94/24
11283	E.B3.11.2779	PANEL, access, group	1	—	C	94/25
		Spares for:—				
28FP/83	DZUS	FASTENER	1	—	C	94/26
	F5-35					
	—	STRUCTURE, hatch, assembly (E.B3.11.1403)	—	—	—	
	—	Spares for:—				
	—	MEMBER, edge, assembly, to hatch, port (E.B3.11.1399)	—	—	—	92/1
		Spares for:—				
27545	E.B2.11.3605	ANGLE, support	2	L65	—	92/2
2702	E.B2.11.3599	BLOCK, hinge bolt housing spring	2	LFS21	C	92/3
13728	E.B2.07.605	BLOCK, screw, for hatch raising (E.B2.11.3611)	2	L6F	C	92/4
2705	E.B1.11.577	BOLT, special, engine hatch side fastening	9	S97	C	92/5
2707	E.B2.11.3597	BOLT, special hinge, L.H., aft	1	—	C	92/6
2708	E.B2.11.3598	BOLT, special hinge, R.H., forward	1	—	C	92/7
5299	E.B2.11.14705	BOLT, special, hatch raising	2	S95	C	92/8
2710	E.B2.11.3607	BUSH, hinge bolts	2	(L65	C	92/9
2711	E.B2.11.3609	COLLAR, hinge bolts	2	(L65	C	92/10
	E.B2.07.881	GUIDE, L.H. (E.B2.11.3613)	1	L65	C	92/11
	E.B2.07.882	GUIDE, R.H. (E.B2.11.3614)	1	L65	C	92/12
	—	MEMBER, edge, assembly (E.B3.11.695)	—	—	—	92/13
		Spares for:—				
	E.B2.11.3227	PLATE, bearing	1	DTD138	—	
	E.B2.11.3229	PLATE, bearing	1	DTD138	—	
10280*	E.B1.11.569	SPIGOT, engine hatch side fastening, assembly	9	—	C	
21462	E.B2.07.745	SPIGOT, engine hatch side fastening, assembly (E.B1.11.569)	9	—	C	92/14
		Consisting of:—				
2719*	E.B1.11.575	CAP, retaining	2	0L65	C	92/15
7994	E.B2.11.16797	CAP, retaining	2	S1 or S21	C	92/16
13719	E.B2.07.651	FITTING, spigot (E.B1.11.1053)	1	S97	C	92/17

FUSELAGE
REAR FUSELAGE

816

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
2720	E.B1.11.571	PLUNGER	2	S95	C	92/18
2721	E.B1.11.573	SPRING	2	Spring Steel	C	92/19
		Attachments:-				
28D/1212339	A60/2G	Bolt, 5/16" BSF, shear	36	-	C	92/20
28M/14877	A58/GT	Nut, 5/16" BSF, thin	36	-	C	92/21
28W/9419476	SP15/G	Washer, 5/16" BSF, plain	16	-	C	92/22
28W/9419488	SP16/G	Washer, 5/16" BSF, plain	20	-	C	92/23
2722	E.B2.11.3601	SPRING, hinge bolt housing	2	Spring Steel	C	92/24
		Attachments:-				
28D/1215080	AS.1246/7C	Bolt, 2 BA, round head	2	-	C	92/25
28M/1006473	A27/CT	Nut, 2 BA, thin	2	-	C	92/26
28W/9419475	SP15/C	Washer, 2 BA, plain	4	-	C	92/27
		MEMBER, edge, assembly to hatch, starboard (E.B3.11.1401)	-	-	-	92/28
		Spares for:-				
13728	E.B2.07.605	BLOCK, screw, for hatch raising (E.B2.11.3611)	2	0 L65	C	92/4
2705	E.B1.11.577	BOLT, special, engine hatch side fastening	9	S97	C	92/5
5299	E.B2.11.14705	BOLT, special, hatch raising	2	S95	C	92/8
	E.B2.07.881	GUIDE, L.H. (E.B2.11.3613)	1	L65	C	92/11
	E.B2.07.882	GUIDE, R.H. (E.B2.11.3614)	1	L65	C	92/12
	-	MEMBER, edge, assembly (E.B3.11.697)	-	-	-	92/29
		Spares for:-				
	E.B2.11.3227	PLATE, bearing	1	DTD138	-	
	E.B2.11.3229	PLATE, bearing	1	DTD138	-	
10280*	E.B1.11.569	SPIGOT, engine hatch side fastening, assembly	9	-	C	
21462	E.B2.07.745	SPIGOT, engine hatch side fastening, assembly (E.B1.11.569)	9	-	C	92/14
		Consisting of:-				
2719*	E.B1.11.575	CAP, retaining	2	0 L65	C	92/15
7994	E.B2.11.16797	CAP, retaining	2	S1 or S21	C	92/16
13719	E.B2.07.651	FITTING, spigot (E.B1.11.1053)	1	S97	C	92/17
2720	E.B1.11.571	PLUNGER	2	S95	C	92/18
2721	E.B1.11.573	SPRING	2	Spring Steel	C	92/19
		Attachments:-				
28D/1212339	A60/2G	Bolt, 5/16" BSF, shear	36	-	C	92/20
28M/14877	A58/GT	Nut, 5/16" BSF, thin	36	-	C	92/21
28W/9419476	SP15/G	Washer, 5/16" BSF, plain	16	-	C	92/22
28W/9419488	SP16/G	Washer, 5/16" BSF, plain	20	-	C	92/23
		STRINGER, assembly (E.B3.11.667)	-	-	-	92/30
		Spares for:-				
1439603	E.B2.07.835	FITTING, spigot, engine hatch end fastening (E.B2.11.3221)	11	L65	C	
		STRINGER, assembly (E.B3.11.669)	-	-	-	92/31
		Spares for:-				
1439604	E.B2.07.839	FITTING, spigot, engine hatch end fastening (E.B2.11.3223)	1	L65	C	
		STRINGER, assembly (E.B3.11.671)	-	-	-	92/32
		Spares for:-				
1439603	E.B2.07.835	FITTING, spigot, engine hatch end fastening (E.B2.11.3221)	1	L65	C	

FUSELAGE
REAR FUSELAGE

817

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	-								-	-	-	92/33
1429603	E.B2.07.835								1	L65	C	
1439604	E.B2.07.839								1	L65	C	
	-								-	-	-	92/34
1439603	E.B2.07.835								1	L65	C	
1439604	E.B2.07.839								1	L65	C	
	-								-	-	-	92/35
1439603	E.B2.07.835								1	L65	C	
1439604	E.B2.07.839								1	L65	C	
	-								-	-	-	92/36
1439603	E.B2.07.835								1	L65	C	
1439604	E.B2.07.839								1	L65	C	
	-								-	-	-	92/37
1439603	E.B2.07.835								1	L65	C	
1439604	E.B2.07.839								1	L65	C	
	-								-	-	-	92/38
1439603	E.B2.07.835								1	L65	C	
	-								-	-	-	92/39
1439603	E.B2.07.835								1	L65	C	
1439604	E.B2.07.839								1	L65	C	
	-								-	-	-	92/40
1439604	E.B2.07.839								1	L65	C	
	-								-	-	-	92/41
1439603	E.B2.07.835								1	L65	C	
	-								-	-	-	92/42
1439603	E.B2.07.835								1	L65	C	
1439604	E.B2.07.839								1	L65	C	

FUSELAGE
REAR FUSELAGE

818

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	-	VALVE, air bleed, No. 2 engine, assembly (E.B2.55.629) (Pre-Mod. 2413) Consisting of:-	1	-	-	H97
10773	E.B2.55.631	LOUVRE, group Consisting of:-	1	-	B	97/1
	E.B2.55.661	BUSH	4	L34	-	97/2
	E.B2.55.199	CASTING, bleed valve	1	DTD721	-	97/3
10774	E.B2.55.633	FLAP, assembly	1	-	C	97/4
10775	E.B2.55.635	FLAP, assembly	2	-	C	97/5
10776	E.B2.55.637	FLAP, assembly	1	-	C	97/6
28M/9403519	A27/BP	NUT, 4 BA, plain	2	-	C	97/7
	E.B2.55.655	PAD, sliding, and frame	1	-	-	97/8
28P/9429652	SP9/E10	PIN, split	4	-	C	97/9
28S/9419435	A31/B12	SCREW, 4 BA, cheese head	-	-	C	97/10
10777	E.B2.55.651	SPINDLE, assembly	4	-	C	97/11
2667	E.B2.55.27	SPRING, leaf	4	DTD488	C	97/12
2726	E.B2.55.213	SPRING, torsion	4	DTD215	C	97/13
	E.B2.55.209	STOP	4	S1	-	97/14
28W/9419474	SP15/B	WASHER, 4 BA, plain	2	-	C	97/15
30A/3055	†	WIRE, locking, 22 SWG	QR	DTD189	C	97/16
		Attachments:-				
28M/9433473	AGS.2002/C/1	Nut, stiff, 2 BA	18	-	C	97/17
26FZ/1027	EEAS.1/2-1/2C	Screw, 2 BA, c'sk head, 120 deg.	18	S96	C	97/18
28W/9419402	SP13/C	Washer, 2 BA, plain	18	-	C	97/19
	-	VALVE, air bleed, No. 2 engine, assembly (E.B2.55.749) (Mod. 2413) Consisting of:-	-	-	-	
23063	E.B2.55.717	LOUVRE, group Spares for:-	1	-	B	97/20
33415	E.B2.55.733	BUSH	4	L34	C	97/21
	E.B2.55.199	CASTING, bleed valve	1	DTD721	-	97/3
33410	E.B2.55.719	FLAP, assembly	2	-	C	97/22
33417	E.B2.55.721	FLAP, assembly	1	-	C	97/23
33418	E.B2.55.723	FLAP, assembly	1	-	C	97/24
28M/9403519	A27/BP	NUT, 4 BA, plain	2	-	C	97/7
	E.F3.55.93	PAD, sliding, and frame	1	-	-	97/25
28S/9419435	A31/B12	SCREW, 4 BA, cheese head	2	-	C	97/10
33413	E.B2.55.737	SPINDLE, assembly	4	-	C	97/26
2667	E.B2.55.27	SPRING, leaf	4	DTD488	C	97/12
2726	E.B2.55.213	SPRING, torsion	4	DTD215	C	97/13
33414	E.B2.55.731	STOP	4	S1	C	97/27
28W/9419474	SP15/B	WASHER, plain	2	-	C	97/15
33416	EEAS.28/18/BQ	WASHER	4	SS	C	
30F/3055	†	WIRE, locking, 22 SWG	QR	DTD189	C	97/16
		Attachments:-				
28M/9433473	AGS.2002/C/1	Nut, stiff, 2 BA	18	-	C	97/17
26FZ/1027	EEAS.1/2-1/2C	Screw, 2 BA, 120 deg. c'sk head	18	S96	C	97/18
28W/9419402	SP13/C	Washer, 2 BA, plain	18	-	C	97/19
	-	MOUNTINGS, engine trunnion, assembly (E.B3.11.139) Consisting of:-	-	-	-	93/1
7260	E.B2.11.17151	BOLT, special, top and bottom engine trunnion mounting, port	2	S98	C	93/2

FUSELAGE
REAR FUSELAGE

819

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
7261	E.B2.11.17157	BOLT, special, top and bottom engine trunnion mounting, starboard	2	S98	C	93/3
7259	E.B2.11.17149	PIN, internal taper, top and bottom engine trunnion mounting, port and starboard	4	S98	C	93/4
7258	E.B2.11.16615	SLEEVE, taper pin, top and bottom engine trunnion mounting, port	2	S95	C	93/5
2730	E.B2.11.16617	SLEEVE, taper pin, top engine trunnion mounting, starboard	1	S95	C	93/6
10021	E.B2.11.17515	SLEEVE, taper pin, bottom engine trunnion mounting, starboard	1	S95	C	93/7
2737	E.B2.11.1667	WASHER, special, tab, engine trunnion mounting bolt locking, port	2	S84	C	93/8
2738	E.B2.11.1669	WASHER, special tab, engine trunnion mounting bolt locking, starboard	2	S84	C	93/9
1439553	E.B3.11.2267	PANEL	1	Gl L44ith	C	93/10
18	E.B2.11.14583	PANEL, detachable, spine, aft, group Spares for:—	1	—	B	93/11
2715	KING A/C CO. C.8493	HOUSING, fastener	4	—	C	93/12
19153	E.B2.11.4237	STRIP, seal retaining	1	—	C	93/13
19	E.B2.07.375	SPINE, removable, upper engine hatch attachment bolts access, group (E.B2.11.9391) Spares for:—	1	—	A	93/14
28FP/108	DZUS FJ4/35	FASTENER	4	—	C	93/15
5953	E.B2.11.15261 E.B2.11.18143	PEG, locating SEAL, neoprene (Make from EEAS.123, Stores Ref. 26FZ/443)	4 2	0 L655 Shore Hardness 40/50	C LM	93/16 93/17
8576	EEAS.290 —	SEAL, stickstrip, 25" long UNIT, rudder power, installation (E.B3.00.51) Consisting of:—	2 —	Neoprene —	C —	93/18 97/20
6058	E.B3.11.753	BOLT, shouldered, rudder power unit to rudder "King" lever attachment	1	S98	C	97/21
28M/1011476	A27/JS	NUT, 3/8" BSF, slotted, for shouldered bolt	1	—	C	97/22
6059	E.B3.11.1259	PIN, special, rudder power unit anchor	1	S95	C	97/23
28P/1007741	SP9/C8	PIN, split	2	—	C	97/24
28W/9419466	SP13/J	WASHER	1	—	C	97/25

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

