

FUSELAGE
REAR FUSELAGE STRUCTURE

821

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	-	STRUCTURE, REAR FUSELAGE, ASSEMBLY (E.B3.11.1) Spares for:-	-	-	-	
	-	DOORS, hinged, attachments to fuselage (E.B3.11.49) Spares for:-	-	-	-	51/1
95	E.B3.11.137	DOOR, hinged, jet pipe access, aft of frame 62, port, group Spares for:-	1	-	B	51/2
1439917	E.B2.07.849	BRACKET, hinge, lower (E.B2.11.15487)	1	EEDX224	C	
2194*	KING A/C C.5892	FASTENER, assembly	6	-	C	51/3
37080	C.17792	FASTENER, upper body, assembly Spares for:-	6	-	C	
37085	D.17368	PIN, and spring, assembly	1	-	C	
21752	D.4957	WASHER, pin retaining	1	-	C	
2195*	KING A/C C.5892X	FASTENER, assembly	3	-	C	51/4
37081	C.17792X	FASTENER, upper body, assembly Spares for:-	3	-	C	
37086	D.17368X	PIN, and spring, assembly	1	-	C	
21752	D.4957	WASHER, pin retaining	1	-	C	
	E.B2.11.6301	PANEL, hinged door, steel end, assembly Spares for:-	1	-	-	51/5
5284	E.B2.11.6359	BOLT, special	1	S92	C	51/6
5285	E.B1.12.281	CLIP, spring, parachute cable retaining	12	Spring Steel	C	51/7
5286	E.B2.11.6361	HOUSING, special bolt Attachments:-	1	S92	C	51/8
28D/9436920	A25/1C	Bolt, 2 BA, hex. head	2	-	C	51/9
5287	E.B2.11.6375	Shim, laminated	1	-	C	51/10
5288	E.B2.11.6369	PEG, locating Attachments:-	1	S92	C	51/11
	S971-6R 5/16	Screw, self-tapping	3	-	-	51/12
5289	E.B2.11.6377	Shim, laminated	1	-	C	51/13
5290	E.B2.11.6371	PEG, locating Attachments:-	1	S92	C	51/14
	S971-6R 5/16	Screw, self-tapping	3	-	-	51/12
5291	E.B2.11.6373	Shim, laminated	1	-	C	51/15
28R1052548	AS.4575/1	RING, retaining, 2 BA	1	-	C	51/16
26FZ/1026	EEAS.1/1-1/2C	SCREW, 2 BA, 120 deg. c'sk head	1	S96	C	51/17
96	E.B3.11.2063	DOOR, hinged, rear, jet pipe access, aft of frame 62, starboard, group Spares for:-	1	-	B	51/18
26FZ/1026	EEAS.1/1-1/2C	BOLT, 2 BA, 120 deg. c'sk head	1	-	C	51/17
1439751	E.B2.07.850	BRACKET, hinge, lower (E.B2.11.15488)	1	EEDX224	C	
2194*	KING A/C C.5892	FASTENER, assembly	6	-	C	51/19
37080	C.17792	FASTENER, upper body, assembly Spares for:-	6	-	C	
37085	D.17368	PIN, and spring, assembly	1	-	C	
21752	D.4957	WASHER, pin retaining	1	-	C	

FUSELAGE
REAR FUSELAGE STRUCTURE

822

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
2195*	KING A/C C.5892X	FASTENER, assembly	3	—	C	51/4
37081	C.17792X	FASTENER, upper body, assembly	3	—	C	
37086	D.17368X	Spares for:— PIN, and spring, assembly	1	—	C	
21752	D.4957	WASHER, pin retaining	1	—	C	
	E.B2.11.6302	PANEL, hinged door, steel end, assembly	1	—	—	51/20
		Spares for:—				
5285	E.B1.12.281	CLIP, spring, parachute cable retaining	12	Spring Steel	C	51/21
5292	E.B2.11.6379	HOUSING, nut	1	—	C	51/22
		Attachments:—				
28D/9436920	A25/1C	Bolt, 2 BA, hex. head	2	—	C	51/23
5293	E.B2.11.6393	Shim, laminated	1	—	C	51/24
5294	E.B2.11.6387	HOUSING, peg	1	S92	C	51/25
		Attachments:—				
	S971—6R 5/16	Screw, self-tapping	3	—	—	51/26
5295	E.B2.11.6391	Shim, laminated	1	—	C	51/27
5296	E.B2.11.6389	HOUSING, peg	1	S92	C	51/28
		Attachments:—				
	S971—6R 5/16	Screw, self-tapping	3	—	—	51/26
5297	E.B2.11.6395	Shim, laminated	1	—	C	51/29
28R/18361	AS.4575/1	RING, retaining, 2 BA	1	—	—	51/16
15884	E.B2.11.13623	PIN, door hinge	4	—	C	
	—	DRAINAGE, firefloor, assembly (E.B2.11.16721)	—	—	—	
		Spares for:—				
	—	PIPES, drain, firefloor, assembly (E.B2.11.16705)	—	—	—	
		Spares for:—				
10667	E.B3.11.2203	PIPE, drain, assembly, between stub pipe on drain pipe and drain in firefloor forward of frame 51, starboard	1	L67	C	52/1
		Attachments:—				
28D/1007285	AS.1242/1E	Bolt, 4 BA, hex. head	2	—	C	52/2
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	2	—	C	52/3
	E.F3.11.7295	Plate, packing (Mod. 4300)	1	L72	—	
28W/9419475	SP15/B	Washer, 4 BA, plain	2	—	C	52/4
10668	E.B2.11.16695	PIPE, drain, assembly, between drain hole in firefloor forward of frame 51 starboard and outlet in fuselage skin between stringers 16 and 17	1	L67 or L54	C	52/5
		Attachments:—				
28D/1010658	A25/1B	Bolt, 4 BA, hex. head	2	—	C	52/6
2647	EEAS.196/1C	Bolt, 2 BA	3	S94 or S95	C	52/7
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	2	—	C	52/8
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	3	—	C	52/9
28W/9419474	SP15/B	Washer, 4 BA, plain	2	—	C	52/10
28W/9419475	SP15/C	Washer, 2 BA, plain	3	—	C	52/11

FUSELAGE
REAR FUSELAGE STRUCTURE

824

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
4349	EEAS.196/2 1/2C	BOLT, 2 BA, 120 deg. c'sk head	1	S94 or S95	C	53/17
4350	EEAS.196/3C	BDLT, 2 BA, 120 deg. c'sk head	4	S94 or S95	C	53/18
4351	EEAS.196/3-1/2C	BOLT, 2 BA, 120 deg. c'sk head	10	S94 or S95	C	53/19
4352	EEAS.196/4-1/2C	BDLT, 2 BA, 120 deg. c'sk head	5	S94 or S95	C	53/20
4353	EEAS.196/5C	BOLT, 2 BA, 120 deg. c'sk head	2	S94 or S95	C	53/21
4354	EEAS.196/5-1/2C	BDLT, 2 BA, 120 deg. c'sk head	4	S94 or S95	C	53/22
4355	EEAS.196/6C	BOLT, 2 BA, 120 deg. c'sk head	2	S94 or S95	C	53/23
5676	EEAS.196/6-1/2C	BDLT, 2 BA, 120 deg. c'sk head	1	S94 or S95	C	53/24
4356	EEAS.196/7C	BOLT, 2 BA, 120 deg. c'sk head	1	S94 or S95	C	53/25
4357	EEAS.196/8-1/2C	BDLT, 2 BA, 120 deg. c'sk head	2	S94 or S95	C	53/26
28D/9436920	A25/1C	BOLT, 2 BA, hex. head	3	-	C	53/28
28D/9133012	A25/3C	BDLT, 2 BA, hex. head	1	-	C	53/29
28D/1009984	A25/7B	BOLT, 4 BA, hex. head	1	-	C	53/27
28D/1212374	AS.1248/5E	BDLT, 1/4" BSF, mushroom head	1	-	C	53/30
	E.B2.11.9797	FAIRING, assembly Spares for:-	1	-	-	53/2
10673	E.B2.11.16143	COVER, inspection	1	-	C	53/3
	E.B2.11.17029	COVER, assembly Spares for:-	1	-	-	53/4
7998	E.B2.11.17041	COVER Attachments:-	1	-	C	53/5
4360	EEAS.99/1-1/2E	Bolt, 1/4" BSF, 120 deg. c'sk head	2	S97	C	53/6
26FZ/1025	EEAS.1/1C	Screw, 2 BA, 120 deg. c'sk head	5	S96	C	53/7
1439924	E.B2.07.851	FORMER, assembly (E.B2.11.9777)	1	-	C	
	E.B2.11.11687	MEMBER, boundary, assembly Spares for:-	1	-	-	
1440008	E.B1.07.3	MEMBER, boundary (E.B1.11.4465)	1	-	C	
	E.B2.11.11689	MEMBER, boundary, assembly Spares for:-	1	-	-	
1441074	E.B2.07.869	MEMBER, boundary (E.B2.11.9839)	1	-	C	
4361	E.B2.11.6131	SEAL, air, tailplane root fairing	1	Boscoprene 2100	C	53/8
33C/1568	PR.205	SEALANT, to P.S.61	QR	-	C	53/9
28M/9433473	AGS.2002/C/1	NUT, stiff, 2 BA	148	-	C	53/35
28M/7002430	AGS.2002/E/1	NUT, stiff, 1/4" BSF	1	-	C	53/36
4363	E.B2.11.9949	WASHER, 2 BA, taper	16	L72	B	53/34
28W/9419475	SP15/C	WASHER, 2 BA, plain	32	-	C	53/31
28W/9419405	SP15/E	WASHER, 1/4" BSF, plain	1	-	C	53/33
28W/9419487	SP16/C	WASHER, 2 BA, plain	100	-	C	53/32
	-	FAIRING, tailplane, assembly to structure, starboard (E.B2.11.9682) Consisting of:-	-	-	-	53/10
2647	EEAS.196/1C	BOLT, 2 BA, 120 deg. c'sk head	116	S94 or S95	C	53/14
4347	EEAS.196/1-1/2C	BDLT, 2 BA, 120 deg. c'sk head	6	S94 or S95	C	53/15
4348	EEAS.196/2C	BOLT, 2 BA, 120 deg. c'sk head	1	S94 or S95	C	53/16
4349	EEAS.196/2-1/2C	BDLT, 2 BA, 120 deg. c'sk head	1	S94 or S95	C	53/17
4350	EEAS.196/3C	BOLT, 2 BA, 120 deg. c'sk head	4	S94 or S95	C	53/18
4351	EEAS.196/3-1/2C	BDLT, 2 BA, 120 deg. c'sk head	10	S94 or S95	C	53/19
4352	EEAS.196/4-1/2C	BOLT, 2 BA, 120 deg. c'sk head	5	S94 or S95	C	53/20
4353	EEAS.196/5C	BOLT, 2 BA, 120 deg. c'sk head	2	S94 or S95	C	53/21
4354	EEAS.196/5-1/2C	BOLT, 2 BA, 120 deg. c'sk head	4	S94 or S95	C	53/22
4355	EEAS.196/6C	BOLT, 2 BA, 120 deg. c'sk head	2	S94 or S95	C	53/23
5676	EEAS.196/6-1/2C	BOLT, 2 BA, 120 deg. c'sk head	1	S94 or S95	C	53/24
4356	EEAS.196/7C	BOLT, 2 BA, 120 deg. c'sk head	1	S94 or S95	C	53/25

FUSELAGE
REAR FUSELAGE STRUCTURE

825

Ref. No.	Part No.	Description	No. off	Mati. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
4357	EEAS.196/8-1/2C	BOLT, 2 BA, 120 deg. c'sk head	2	S94 or S95	C	53/26
28D/9436920	A25/1C	BOLT, 2 BA, hex. head	3	—	C	53/28
28D/9133012	A25/3C	BOLT, 2 BA, hex. head	1	—	C	53/29
28D/1009984	A25/7B	BOLT, 4 BA, hex. head	1	—	C	53/27
28D/1212374	AS 1248/5E	BOLT, 1/4" BSF, mushroom head	1	—	C	53/30
	E.B2.11.9798	FAIRING, assembly	1	—	—	53/11
		Spares for:—				
10673	E.B2.11.16143	COVER, inspection	1	—	C	53/3
	E.B2.11.17030	COVER, assembly	1	—	—	53/12
		Spares for:—				
7999	E.B2.11.17042	COVER	1	—	C	53/13
		Attachments:—				
4360	EEAS 99/1-1/2E	Bolt, 1/4" BSF, 120 deg. c'sk head	2	S97	C	53/6
26FZ/1025	EEAS 1/1C	Screw, 2 BA, 120 deg. c'sk head	5	S96	C	53/7
1439844	E.B2.07.852	FORMER, assembly (E B2.11.9778)	1	—	C	
	E.B2.11.11688	MEMBER, boundary, assembly	1	—	—	
		Spares for:—				
1440009	E.B1.07.4	MEMBER, boundary (E.B1.11.4466)	1	—	C	
	E.B2.11.11690	MEMBER, boundary, assembly	1	—	—	
		Spares for:—				
1441075	E.B2.07.870	MEMBER, boundary (E.B2.11.9840)	1	—	C	
4361	E.B2.11.6131	SEAL, air, tailplane root fairing	1	Boscoprene 2100	C	53/8
33C/1568	PR.205	SEALANT, to P.S 61	QR	—	C	53/9
28M/10339	AGS.2002/C/2	NUT, stiff, 2 BA	142	—	C	53/35
28M/7002430	AGS.2002/E/1	NUT, stiff, 1/4" BSF	1	—	C	53/36
4363	E.B2.11.9949	WASHER, 2 BA, taper	16	L72	C	53/34
28W/9419475	SP15/C	WASHER, 2 BA, plain	32	—	C	53/31
28W/9419405	SP15/E	WASHER, 1/4" BSF, plain	1	—	C	53/33
28W/9419404	SP16/C	WASHER, 2 BA, plain	99	—	C	53/32
	—	PANELS, access, port, assembly (E.B3.11.129)	—	—	—	65/1
		Spares for:—				
10677	E.B2.11.17827	BOLT, special, pressure door spring retaining	2	—	C	65/2
3182	EEAS.175/B/1	CAGE, assembly	4	—	C	65/3
4466	EEAS.175/B/2	CAGE, assembly	11	—	C	65/4
4530	E.B2.11.17737	COVER, access, fuelling identification lamps	1	—	C	65/5
		Attachments:—				
28FZ/6217	EEAS.1/1E	Screw 1/4" BSF, 120 deg. c'sk head	10	S96	C	65/6
12226	E.B3.07.31	DOOR, pressure, upper, assembly (E B3.11.2765)	1	—	C	65/7
		Attachments:—				
28M/1006473	A27/CT	Nut, 2 BA, thin	14	—	C	65/8
26FZ/1468	EEAS 1/2C	Screw, 2 BA, 120 deg. c'sk head	14	S96	C	65/9
12225	E.B3.07.33	DOOR, pressure, lower, assembly (E B3.11.2763)	1	—	C	65/10
		Attachments:—				
28M/10328	AGS.2002/C/1	Nut, stiff, 2 BA	14	—	C	65/11
26FZ/1026	EEAS.1/1-1/2C	Screw, 2 BA, 120 deg. c'sk head	12	S96	C	65/12
26FZ/1468	EEAS.1/2C	Screw, 2 BA, 120 deg. c'sk head	2	S96	C	65/13
28W/9419475	SP15/C	Washer, 2 BA, plain	14	—	C	65/14

FUSELAGE
REAR FUSELAGE STRUCTURE

826

Ref. No.	Part No.	Description	No. off	Mati. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
3358	KING A/C C 7809	FASTENER	24	-	C	65/15
9652	E B2.11.17389	PANEL, access, hydraulic pump, group Spares for:-	1	-	B	61/1
2218*	KING A/C C 5330	FASTENER, assembly	24	-	C	61/2
36549	C 17366	FASTENER, upper body, assembly Spares for:-	24	-	C	
37085	D 17368	PIN, and spring, assembly	1	-	C	
21752	D 4957	WASHER, pin retaining	1	-	C	
2219*	KING A/C C 5330X	FASTENER, assembly	22	-	C	61/3
36550	C 17366X	FASTENER, upper body, assembly	22	-	C	
37086	D 17368X	PIN, and spring, assembly	1	-	C	
21752	D.4957	WASHER, pin retaining	1	-	C	
34348	EEAS.315'10	LANYARD	2	-	C	61/4
2196	E.B2.11.7263	PAD, moulded rubber	4	Butyl Rubber	C	61/5
9343	EEAS.292	PIECE, corner	4	-	C	61/6
8576	EEAS.290	SEAL, 32' long	1	-	C	61/7
4629	E B2.11.4151	PANEL, access, jet pipe drain, group Spares for:-	1	-	B	65/16
4537	EEAS.177/1A	NUT, retained	4	S97	C	65/17
3181	GEO. SALTER 5103/31	RING, truarc retaining	4	-	C	65/18
11	E B2.11.4351	PANEL, access, hydraulic reservoir and electrical equipment, group Consisting of:-	1	-	B	64/1
17082	E B2.11.5617	BRACKET	8	L72	C	64/2
2194*	KING A/C C 5892	FASTENER, assembly	28	-	C	64/3
37080	C.17792	FASTENER, upper body, assembly Spares for:-	28	-	C	
37085	D.17368	PIN, and spring, assembly	1	-	C	
21752	D.4957	WASHER, pin retaining	1	-	C	
2195*	KING A/C C.5892X	FASTENER, assembly	24	-	C	64/4
37081	C.17792X	FASTENER, upper body, assembly Spares for:-	24	-	C	
37086	D.17368X	PIN, and spring, assembly	1	-	C	
21752	D.4957	WASHER, pin retaining	1	-	C	
	EEAS 315/13	LANYARD, c/w tabs, 13" long	2	Nylon	-	64/5
2196	E B2.11.7263	PAD, moulded rubber	8	Butyl FL65 or	C	64/6
	E B2.11.8785	PANEL	1	DTD687	-	64/7
	E B2.11.6421	PIECE, corner	8	D L72	-	64/8
9285	EEAS 291	PIECE, jointing	2	Neoprene	C	64/9
8576	EEAS 290	SEAL, 45" long	2	Neoprene	C	64/10
	E B2.11.8787	STIFFENER	1	D L72	-	64/11
	E.B2.11.8789	STIFFENER	2	L72	-	64/12
	E.B2.11.8791	STIFFENER	4	L72	-	64/13
	E B2.11.8793	STIFFENER	2	L73	-	64/14
	E B2.11.8795	STIFFENER	2	L73	-	64/15
	E B2.11.14783	STIFFENER	1	L73	-	64/16

FUSELAGE
REAR FUSELAGE STRUCTURE

827

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
9327	E.B2.11.17171	PANEL, access, electrical equipment, group Spares for:—	1	—	B	77/1
9328	E.B2.11.17165	COVER, access, assembly Spares for:—	1	—	C	77/2
	E.B2.11.17167	COVER, access	1	—	—	77/3
28FP/888	F5/T13	FASTENER, dzus supersonic	4	—	C	77/4
28FP/612	GH/5	GROMMET, dzus	4	—	C	77/5
2194*	KING A/C C.5892	FASTENER, assembly	36	—	C	77/6
37080	C.17792	FASTENER, upper body, assembly Spares for:—	36	—	C	
37085	D.17368	PIN, and spring, assembly	1	—	C	
21752	D.4957	WASHER, pin retaining	1	—	C	
2195*	KING A/C C.5892X	FASTENER, assembly	23	—	C	77/7
37081	C.17792X	FASTENER, upper body, assembly Spares for:—	23	—	C	
37086	D.17368X	PIN, and spring, assembly	1	—	C	
21752	D.4957	WASHER, pin retaining	1	—	C	
2196	E.B2.11.7263	PAD, moulded rubber	11	Butyl Rubber	C	77/8
9285	EEAS.291	PIECE, jointing	2	—	C	77/9
28FP/611	TYPE R5	RECEPTACLE, dzus fastener	4	—	C	77/10
8576	EEAS.290	SEAL, 102" long	1	Neoprene	C	77/11
4547	HOWARD CLAYTON	SEAL, stickastrip, 13" .5 long	1	—	C	77/12
4520	HOWARD CLAYTON WRIGHT A4015	SEAL, stickastrip, 12" .5 long	1	—	C	77/13
33C/1369) 33C/1470) 33C/1468)	PR.1221.BT	SEALANT, P.R.C.	QR	—	C	77/14
2043	E.B2.11.4377	PANEL, access, reheat fuel pump, group Spares for:—	1	—	B	61/8
2194*	KING A/C C.5892	FASTENER, assembly	10	—	C	61/9
37080	C.17792	FASTENER, upper body, assembly Spares for:—	10	—	C	
37085	D.17368	PIN, and spring, assembly	1	—	C	
21752	D.4957	WASHER, pin retaining	1	—	C	
2195*	KING A/C C.5892X	FASTENER, assembly	6	—	C	61/10
37081	C.17792X	FASTENER, upper body, assembly Spares for:—	6	—	C	
37086	D.17368X	PIN, and spring, assembly	1	—	C	
21752	D.4957	WASHER, pin retaining	1	—	C	
4519	E.B1.20.6685	PAD, moulded rubber	4	Bostik	C	61/11
9285	EEAS.291	PIECE, joint	1	Neoprene	C	61/12
8576	EEAS.290	SEAL, 20 deg. long	1	Neoprene	C	61/13
33C/1369) 33C/1470) 33C/1468)	PR.1221.BT	SEALANT, P.R.C.	QR	—	C	61/14

FUSELAGE
REAR FUSELAGE STRUCTURE

828

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
2044	E.B2.11.4379	PANEL, access, reheat fuel pump filter, group Spares for:—	1	—	B	61/15
2194*	KING A/C C.5892	FASTENER, assembly	4	—	C	61/16
37080	C.17792	FASTENER, upper body, assembly Spares for:—	4	—	C	
37085	D.17368	PIN, and spring, assembly	1	—	C	
21752	D.4957	WASHER, pin retaining	1	—	C	
2195*	KING A/C C.5892X	FASTENER, assembly	5	—	C	61/17
37081	C.17792X	FASTENER, upper body, assembly Spares for:—	5	—	C	
37086	D.17368X	PIN, and spring, assembly	1	—	C	
21752	D.4957	WASHER, pin retaining	1	—	C	
2196	E.B2.11.7263	PAD, moulded rubber	1	Butyl Rubber	C	61/18
9285	EEAS.291	PIECE, joint	1	Neoprene	C	61/19
8576	EEAS.290	SEAL, 14" long Attachments:—	1	Neoprene	C	61/20
33C/1369) 33C/1470) 33C/1468)	PR.1221.BT	Sealant, P.R.C.	QR	—	C	61/21
4520	HOWARD CLAYTON WRIGHT A4015	SEAL, stickastrip	QR	—	C	61/22
2047	E.B2.11.4381	PANEL, access, engine trunnion Attachments:—	1	—	C	61/23
4360	EEAS.99/1-1/2E	Bolt, 1/4" BSF, 120 deg. c'sk head	4	S97	C	61/24
2048	E.B2.11.4411	PANEL, access, electrical junction box, group Spares for:—	1	—	B	68/1
2194*	KING A/C C.5892	FASTENER, assembly	10	—	C	68/2
37080	C.17792	FASTENER, upper body, assembly Spares for:—	10	—	C	
37085	D.17368	PIN, and spring, assembly	1	—	C	
21752	D.4957	WASHER, pin retaining	1	—	C	
2195*	KING A/C C.5892X	FASTENER, assembly	6	—	C	68/3
37081	C.17792X	FASTENER, upper body, assembly Spares for:—	6	—	C	
37086	D.17368X	PIN, and spring, assembly	1	—	C	
21752	D.4957	WASHER, pin retaining	1	—	C	
2196	E.B2.11.7263	PAD, moulded rubber	4	Butyl Rubber	C	68/4
9285	EEAS.291	PIECE, joint	1	Neoprene	C	68/5
8576	EEAS.290	SEAL, 28" long Attachments:—	1	Neoprene	C	68/6
33C/1369) 33C/1470) 33C/1468)	PR.1221.BT	Sealant, P.R.C.	QR	—	C	68/7

FUSELAGE
REAR FUSELAGE STRUCTURE

829

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
2049	E.B2.11.4413	PANEL, access, reheat fuel pump, group Spares for:—	1	—	B	68/8
2195*	KING A/C C.5892X	FASTENER, assembly	4	—	C	68/9
37081	C.17792X	FASTENER, upper body, assembly Spares for:—	4	—	C	
37086	D.17368X	PIN, and spring, assembly	1	—	C	
21752	D.4957	WASHER, pin retaining	1	—	C	
2196	E.B2.11.7263	PAD, moulded rubber	3	Butyl Rubber	C	68/10
9285	EEAS.291	PIECE, joint	1	Neoprene	C	68/11
8576	EEAS.290	SEAL, 19" long Attachments:—	1	Neoprene	C	68/12
33C/1369) 33C/1470) 33C/1468)	PR.1221.BT	Sealant, P.R.C.	QR	—	C	68/13
2050	E.B2.11.4415	PANEL, access, oil pressure transistor, group Spares for:—	1	—	B	68/14
2194*	KING A/C C.5892	FASTENER, assembly	9	—	C	68/15
37080	C.17792	FASTENER, upper body, assembly Spares for:—	9	—	C	
37085	D.17368	PIN, and spring, assembly	1	—	C	
21752	D.4957	WASHER, pin retaining	1	—	C	
2195*	KING A/C C.5892X	FASTENER, assembly	10	—	C	68/16
37081	C.17792X	FASTENER, upper body, assembly Spares for:—	10	—	C	
37086	D.17368X	PIN, and spring, assembly	1	—	C	
21752	D.4957	WASHER, pin retaining	1	—	C	
2196	E.B2.11.7263	PAD, moulded rubber	4	Butyl Rubber	C	68/17
9285	EEAS.291	PIECE, joint	1	Neoprene	C	68/18
8576	EEAS.290	SEAL, 28" long Attachments:—	1	Neoprene	C	68/19
33C/1369) 33C/1470) 33C/1468)	PR.1221.BT	Sealant, P.R.C.	QR	—	C	68/20
2051	E.B2.11.4417	PANEL, access, engine idling adjustment, group Spares for:—	1	—	B	68/21
2195*	KING A/C C.5892X	FASTENER, assembly	6	—	C	68/22
37081	C.17792X	FASTENER, upper body, assembly Spares for:—	6	—	C	
37086	D.17368X	PIN, and spring, assembly	1	—	C	
21752	D.4957	WASHER, pin retaining	1	—	C	
2196	E.B2.11.7263	PAD, moulded rubber	4	Butyl Rubber	C	68/23
9285	EEAS.291	PIECE, joint	1	Neoprene	C	68/24
8576	EEAS.290	SEAL, 32" long Attachments:—	1	Neoprene	C	68/25
33C/1369) 33C/1470) 33C/1468)	PR.1221.BT	Sealant, P.R.C.	QR	—	C	68/26

FUSELAGE
REAR FUSELAGE STRUCTURE

830

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
2039	E.B2.11.4433	PANEL, cover, engine trunnion	1	-	C	
4360	EEAS.99/1-1/2E	Attachments:- Bolt, 1/4" BSF, 120 deg. c'sk head	4	S97	C	
9653	E.B2.11.17351	PANEL, access, generator, group	1	-	B	66/1
		Spares for:-				
2194*	KING A/C C.5892	FASTENER, assembly	22	-	C	66/2
37080	C.17792	FASTENER, upper body, assembly	22	-	C	
		Spares for:-				
37085	D.17368	PIN, and spring, assembly	1	-	C	
21752	D.4957	WASHER, pin retaining	1	-	C	
2195*	KING A/C C.5892X	FASTENER, assembly	16	-	C	66/3
37081	D.17792X	FASTENER, upper body, assembly	16	-	C	
		Spares for:-				
37086	D.17368X	PIN, and spring, assembly	1	-	C	
21752	D.4957	WASHER, pin retaining	1	-	C	
2196	E.B2.11.7263	PAD, moulded rubber	4	Butyl Rubber	C	66/4
12916	HOWARD CLAYTON WRIGHT A.4023	SEAL, stickastrip	1	-	C	66/23
		Attachments:-				
33C/	PR.1422.BT	Sealant, P.R.C.	QR	-	C	66/24
8576	EEAS.290	SEAL, 53" long (Approx.)	1	Neoprene	C	66/25
		Attachments:-				
33C/1588	PR.1422BT	Sealant, P.R.C.	QR	-	C	66/26
28FP/1200486	S3-150	SPRING, dzus	4	-	C	66/5
2065	E.B2.11.4469	PANEL, access, reheat fuel connections, group	1	-	B	66/6
		Spares for:-				
2194*	KING A/C C.5892	FASTENER, assembly	14	-	C	66/7
37080	C.17792	FASTENER, upper body, assembly	14	-	C	
		Spares for:-				
37085	D.17368	PIN, and spring, assembly	1	-	C	
21752	D.4957	WASHER, pin retaining	1	-	C	
2195*	KING A/C C.5892X	FASTENER, assembly	10	-	C	66/8
37081	C.17792X	FASTENER, upper body, assembly	10	-	C	
		Spares for:-				
37086	D.17368X	PIN, and spring, assembly	1	-	C	
21752	D.4957	WASHER, pin retaining	1	-	C	
2196	E.B2.11.7263	PAD, moulded, rubber	4	Butyl Rubber	C	66/9
9285	EEAS.291	PIECE, joint	1	-	C	66/10
8576	EEAS.290	SEAL, 32" long	1	-	C	66/11
		Attachments:-				
33C/1369) 33C/1470) 33C/1468)	PR.1221.BT	Sealant, P.R.C.	QR	-	C	66/12

FUSELAGE
REAR FUSELAGE STRUCTURE

831

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
8164	E.B2.11.17135	PANEL, access, hydraulic reservoir, group	1	—	B	70/1
2056	E.B2.11.4479	or				
		Spares for:—				
2194*	KING A/C	FASTENER, assembly	14	—	C	70/2
	C.5892					
37080	C.17792	FASTENER, upper body, assembly	14	—	C	
		Spares for:—				
37085	D.17368	PIN, and spring, assembly	1	—	C	
21752	D.4957	WASHER, pin retaining	1	—	C	
2195*	KING A/C	FASTENER, assembly	4	—	C	70/3
	C.5892X					
37081	C.17792X	FASTENER, upper body, assembly	4	—	C	
		Spares for:—				
37086	D.17368X	PIN, and spring, assembly	1	—	C	
21752	D.4957	WASHER, pin retaining	1	—	C	
9285	EEAS 291	PIECE, joint	1	—	C	70/4
8576	EEAS 290	SEAL, 27" long	1	—	C	70/5
		Attachments:—				
33C/1369)						
33C/1470)	PR.1221.BT	Sealant, P R C.	QR	—	C	70/6
33C/1468)						
2058	E.B2.11.4483	PANEL, access, air brake synchroniser, group	1	—	B	62/1
		Spares for:—				
4537	EEAS.177/1A	NUT, retained	12	S97	C	62/2
2196	E.B2.11.7263	PAD, moulded rubber	4	Butyl Rubber	C	62/3
3181	GEO. SALTER	RING, truarc retaining	12	—	C	62/4
	5103/31					
2060	E.B2.11.4485	PANEL, access, air brake locking jack, group	1	—	B	62/5
		Spares for:—				
4537	EEAS.177/1A	NUT, retained	12	S97	C	62/6
2196	E.B2.11.7263	PAD, moulded rubber	3	Butyl Rubber	C	62/7
3181	GEO. SALTER	RING, truarc retaining	12	—	C	62/8
	5103/31					
2074	E.B2.11.5947	PANEL, access, jet pipe drain, group	1	—	B	70/7
4537	EEAS.177/1A	NUT, retained	4	S97	C	70/8
3181	GEO. SALTER	RING, truarc retaining	4	—	C	70/9
	5103/31					
13617	E.B2.11.17989	PANEL, access, tailplane, group (Mod. 1813)	1	—	B	70/10
		Spares for:—				
2194*	KING A/C	FASTENER, assembly	10	—	C	70/11
	C.5892					
37080	C.17792	FASTENER, upper body, assembly	10	—	C	
		Spares for:—				
37085	D.17368	PIN, and spring, assembly	1	—	C	
21752	D.4957	WASHER, pin retaining	1	—	C	
2195*	KING A/C	FASTENER, assembly	8	—	C	70/12
	C.5892X					
37081	C.17792X	FASTENER, upper body, assembly	8	—	C	
		Spares for:—				
37086	D.17368X	PIN, and spring, assembly	1	—	C	
21752	D.4957	WASHER, pin retaining	1	—	C	

FUSELAGE
REAR FUSELAGE STRUCTURE

832

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
4537	EEAS 177/1A	NUT, retained	6	S97	C	70/13
3181	GEO. SALTER	RING, truarc retaining	6	-	C	
13618	E.B2.11.17991	PANEL, access, tailplane actuator drain filler and level, group (Mod. 1813)	1	-	B	70/14
2194*	KING A/C	Spares for:-				
	C.5892	FASTENER, assembly	6	-	C	70/15
37080	C.17792	FASTENER, upper body, assembly	6	-	C	
		Spares for:-				
37085	D.17368	PIN, and spring, assembly	1	-	C	
21752	D.4957	WASHER, pin retaining	1	-	C	
2195*	KING A/C	FASTENER, assembly	6	-	C	70/16
	C.5892X					
37081	C.17792X	FASTENER, upper body, assembly	6	-	C	
		Spares for:-				
37086	D.17368X	PIN, and spring, assembly	1	-	C	
21752	D.4957	WASHER, pin retaining	1	-	C	
4537	EEAS 177/1A	NUT, retained	5	S97	C	70/17
3181	GEO. SALTER	RING, truarc retaining	5	-	C	70/18
	5103/31					
8576	EEAS.290	SEAL, 75" long	1	Neoprene	C	70/19
2069	E.B2.11.10435	PANEL, access, gearbox, group	1	-	B	66/13
		Spares for:-				
2194*	KING A/C	FASTENER, assembly	6	-	C	66/14
	C.5892					
37080	C.17792	FASTENER, upper body, assembly	6	-	C	
		Spares for:-				
37085	D.17368	PIN, and spring, assembly	1	-	C	
21752	D.4957	WASHER, pin retaining	1	-	C	
2195*	KING A/C	FASTENER, assembly	6	-	C	66/15
	C.5892X					
37081	C.17792X	FASTENER, upper body, assembly	8	-	C	
		Spares for:-				
37086	D.17368X	PIN, and spring, assembly	1	-	C	
21752	D.4957	WASHER, pin retaining	1	-	C	
2196	E.B2.11.7263	PAD, moulded rubber	4	Butyl Rubber	C	66/16
9285	EEAS 291	PIECE, joint	1	-	C	66/17
8576	EEAS.290	SEAL, 22" long	1	-	C	66/18
		Attachments:-				
33C/1369)						
33C/1470)	PR.1221.BT	Sealant, P R C.	QR	-	C	66/19
33C/1468)						
5652	E.B2.11.14401	PANEL, access, micro-switch adjusting, group	1	-	B	62/9
		Spares for:-				
4537	EEAS 177/1A	NUT, retained	2	S97	C	62/10
3181	GEO. SALTER	RING, truarc retaining	2	-	C	62/11
	5103/31					
2067	E.B2.11.14659	PANEL, access, gearbox drain, group	1	-	B	66/20
		Spares for:-				
4537	EEAS 177/1A	NUT, retained	24	S97	C	66/21
3181	GEO. SALTER	RING, truarc retaining	24	-	C	66/22
	5103/31					

FUSELAGE
REAR FUSELAGE STRUCTURE

833

Ref. No.	Part No.	Description	No. off	Mati. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
2057	E.B2.11.15529	PANEL, access, hydraulic hand pump, group	1	—	B	70/20
2194*	KING A/C	Spares for:— FASTENER, assembly	11	—	C	70/21
37080	C.17792	FASTENER, upper body, assembly	11	—	C	
37085	D.17368	Spares for:— PIN, and spring, assembly	1	—	C	
21752	D.4957	WASHER, pin retaining	1	—	C	
2195*	KING A/C	FASTENER, assembly	4	—	C	70/22
37081	C.17792X	FASTENER, upper body, assembly	4	—	C	
37086	D.17368X	Spares for:— PIN, and spring, assembly	1	—	C	
21752	D.4957	WASHER, pin retaining	1	—	C	
7208	E.B2.11.15801	PANEL, access	1	—	C	70/23
13673	E.F3.11.3659	PANEL, access, reheat fuel control and micro jet (Mod. 1947)	2	L65	C	
13674	EEAS.297/12/40C	Attachments:— Bolt; 2; BA, special, 120 deg. c'sk head	10	30/147 or S97	C	
2052	E.B2.11.16665	PANEL, access, refuelling connection, group	1	—	B	68/27
4531	FAIREY	Spares for:— FASTENER	4	—	C	68/28
10682	E.B2.11.17825	SPRING, venting duct doors retaining	2	—	C	65/19
26FZ/33729	EEAS.27/15/EU	WASHER, pressure door special bolt attachment (Mod. 2564)	2	S515	C	
10677	E.B2.11.17827	PANELS, access, starboard, assembly (E.B3.11.131)	—	—	—	
4482	EEAS.175/A/1	Spares for:— BOLT, special, pressure door spring retaining	2	—	C	77/15
7990	E.B2.11.16783	CAGE, assembly	28	—	C	77/16
7991	E.B2.11.16785	CAGE, assembly	6	—	C	77/17
2038	E.B2.11.15699	CAGE, assembly	3	—	C	77/18
2218*	KING A/C	COVER, access, differential relay and contactor, group (Pre-Mod. 2829)	1	—	B	65/20
36549	C.17366	Spares for:— FASTENER, assembly	16	—	C	65/21
37085	D.17368	FASTENER, upper body, assembly	16	—	C	
21752	D.4957	Spares for:— PIN, and spring, assembly	1	—	C	
2219*	KING A/C	WASHER, pin retaining	1	—	C	
36550	C.17366X	FASTENER, assembly	8	—	C	65/22
37086	D.17368X	FASTENER, upper body, assembly	8	—	C	
21752	D.4957	Spares for:— PIN, and spring, assembly	1	—	C	
2196	E.B2.11.7263	WASHER, pin retaining	1	—	C	
9285	EEAS.291	PAD, moulded rubber	4	Butyl Rubber	C	65/23
8576	EEAS.290	PIECE, joint	1	Neoprene	C	
		SEAL, 38" long	1	Neoprene	C	

FUSELAGE
REAR FUSELAGE STRUCTURE

834

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
12341	E.B2.11.16393	COVER, access, differential relay and contactor, group (Mod. 1829) Spares for:—	1	—	C	
2218*	KING A/C C.5330	FASTENER, assembly	16	—	C	
36549	C.17366	FASTENER, upper body, assembly Spares for:—	16	—	C	
37085	D.17368	PN, and spring, assembly	1	—	C	
21752	D.4957	WASHER, pin retaining	1	—	C	
2219*	KING A/C C.5330X	FASTENER, assembly	8	—	C	
36550	C.17366X	FASTENER, upper body, assembly Spares for:—	8	—	C	
37086	D.17368X	PN, and spring, assembly	1	—	C	
21752	D.4957	WASHER, pin retaining	1	—	C	
2196	E.B2.11.7263	PAD, moulded rubber	4	Butyl Rubber	C	
9285	EEAS.291	PIECE, joint	1	Neoprene	C	
8576	EEAS.290	SEAL, 38" long	1	Neoprene	C	
4597	E.B2.11.16417	COVER, marker aerial, assembly Spares for:—	1	—	C	77/19
4598	E.B2.11.16421	PLATE, access Attachments:—	1	—	C	77/20
28D/1214091	AS.1242/2C	Bolt, 2 BA, c'sk head	22	—	C	77/21
28D/9709461	AS.1242/3C	Bolt, 2 BA, c'sk head	6	—	C	77/22
12227	E.B3.07.34	DOOR, pressure, lower, assembly (E.B3.11.2764) Attachments:—	1	—	B	77/23
26FZ/1026	EEAS.1/1-1/2C	Bolt, 2 BA, 120 deg. c'sk head	12	S96	C	77/24
26FZ/1468	EEAS.1/2C	Bolt, 2 BA, 120 deg. c'sk head	2	S96	C	77/25
28M/9433473	AGS.2002/C/1	Nut, stiff, 2 BA	14	—	C	77/26
28W/9419475	SP15/C	Washer, 2 BA, plain	14	—	C	77/27
12226	E.B3.07.31	DOOR, pressure, upper, assembly (E.B3.11.2765) Attachments:—	1	—	B	77/28
26FZ/1026	EEAS.1/1-1/2C	Bolt, 2 BA, 120 deg. c'sk head	12	S96	C	77/29
26FZ/1468	EEAS.1/2C	Bolt, 2 BA, 120 deg. c'sk head	2	S96	C	77/30
28M/1006473	A27/CT	Nut, 2 BA, thin	14	—	C	77/31
7501	E.B3.11.1251	PANEL, access, rudder power unit, group Spares for:—	1	—	C	77/32
3180	EEAS.177/1	NUT, retained	27	S97	C	77/33
4546	EEAS.177/2	NUT, retained	2	S97	C	77/34
3181	GEO. SALTER 5103/31	RING, truarc retaining Attachments:—	29	—	C	77/35
3071	EEAS.99/2E	Bolt, 1/4" BSF, 120 deg. c'sk head	10	S97	C	77/36
	E.B3.11.1525	PANEL, access, hydraulic reservoir, group Attachments:—	1	—	—	77/37
2209	EEAS.99/3E	Bolt, 1/4" BSF, 120 deg. c'sk head	14	S97	C	77/38

FUSELAGE
REAR FUSELAGE STRUCTURE

835

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
7500	E.B3.11.1555								1	—	—	69/1
4360	EEAS.99/1-1/2E								10	S97	C	69/2
2047	E.B2.11.4381								1	—	C	62/12
4360	EEAS.99/1-1/2E								4	S97	C	62/13
2045	E.B2.11.4385								1	—	B	62/14
2195*	KING A/C C.5892X								6	—	C	62/15
37081	C.17792X								6	—	C	
37086	D.17368X								1	—	C	
21752	D.4957								1	—	C	
2196	E.B2.11.7263								3	Butyl Rubber	C	62/16
9285	EEAS.291								1	Neoprene	C	62/17
8576	EEAS.290								1	Neoprene	C	62/18
33C/1369) 33C/1470) 33C/1468)	PR.1221.BT								QR	—	C	62/19
2046	E.B2.11.4387								1	—	B	62/20
2195*	KING A/C C.5892X								6	—	C	62/21
37081	C.17792X								6	—	C	
37086	D.17368X								1	—	C	
21752	D.4957								1	—	C	
2196	E.B2.11.7263								3	Butyl Rubber	C	62/22
2053	E.B2.11.4409								1	—	B	69/3
2194*	KING A/C C.5892								12	—	C	69/4
37080	C.17792								12	—	C	
37085	D.17368								1	—	C	
21752	D.4957								1	—	C	
2195*	KING A/C C.5892X								10	—	C	69/5
37081	C.17792X								10	—	C	
37086	D.17368X								1	—	C	
21752	D.4957								1	—	C	
2196	E.B2.11.7263								4	Butyl Rubber	C	69/6
9285	EEAS.291								1	—	C	69/7

FUSELAGE
REAR FUSELAGE STRUCTURE

836

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
8576	EEAS.290								1	—	C	69/8
33C/1369) 33C/1470) 33C/1468)	PR.1221.BT								QR	—	C	69/9
2055	E.B2.11.4427								1	—	B	69/10
2195*	KING A/C C.5892X								8	—	C	69/5
37081	C.17792X								8	—	C	
37086	D.17368X								1	—	C	
21752	D.4957								1	—	C	
2196	E.B2.11.7263								4	Butyl Rubber	C	69/11
9285	EEAS.291								1	Neoprene	C	69/12
8576	EEAS.290								1	Neoprene	C	69/13
33C/1369) 33C/1470) 33C/1468)	PR.1221.BT								QR	—	C	69/14
2039	E.B2.11.4433								1	DL65 7	C	69/24
4360	EEAS.99/1-1/2E								4	S97	C	65/25
2040	E.B2.11.4461								1	—	B	65/26
2195*	KING A/C C.5892X								4	—	C	65/27
37081	C.17792X								4	—	C	
37086	D.17368X								1	—	C	
21752	D.4957								1	—	C	
2196	E.B2.11.7263								3	Butyl Rubber	C	65/28
9285	EEAS.291								1	Neoprene	C	65/29
8576	EEAS.290								1	Neoprene	C	65/30
33C/1369) 33C/1470) 33C/1468)	PR.1221.BT								QR	—	C	65/31
13015	E.F2.11.3203								1	—	B	63/1
4549	E.B2.11.4437								1	—	C	63/2
2194*	KING A/C C.5892								14	—	C	63/3
37080	C.17792								14	—	C	
37085	D.17368								1	—	C	
21752	D.4957								1	—	C	
2195*	KING A/C C.5892X								10	—	C	63/4

FUSELAGE
REAR FUSELAGE STRUCTURE

837

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
37081	C.17792X								10	-	C	
37086	D.17368X								1	-	C	
21752	D.4957								1	-	C	
2196	E.B2.11.7263								4	Butyl Rubber	C	63/5
9285	EEAS.291								1	Neoprene	C	63/6
8576	EEAS.290								1	Neoprene	C	63/7
33C/1369)												
33C/1470)	PR.1221.BT								QR	-	C	63/8
33C/1468)												
2068	E.B2.11.4475								1	-	B	63/9
2194*	KING A/C								10	-	C	63/10
	C.5892											
37080	C.17792								10	-	C	
37085	D.17368								1	-	C	
21752	D.4957								1	-	C	
2195*	KING A/C								10	-	C	63/11
	C.5892X											
37081	C.17792X								10	-	C	
27086	D.17368X								1	-	C	
21752	D.4957								1	-	C	
2196	E.B2.11.7263								4	Butyl Rubber	C	63/12
9285	EEAS.291								1	Neoprene	C	63/13
8576	EEAS.290								1	Neoprene	C	63/14
33C/1369)												
33C/1470)	PR.1221.BT								QR	-	C	63/15
33C/1468)												
4538	E.B2.11.4477								1	-	B	70/24
2194*	KING A/C								12	-	C	70/25
	C.5892											
37080	C.17792								2	-	C	
37085	D.17368								1	-	C	
21752	D.4957								1	-	C	
2195*	KING A/C								4	-	C	70/26
	C.5892X											
37081	C.17792X								4	-	C	
37086	D.17368X								1	-	C	
21752	D.4957								1	-	C	
9285	EEAS.291								1	Neoprene	C	70/27
8576	EEAS.290								1	Neoprene	C	70/28
33C/1369)												
33C/1470)	PR.1221.BT								QR	-	C	70/29
33C/1468)												

FUSELAGE
REAR FUSELAGE STRUCTURE

838

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
2059	E.B2.11.4484	PANEL, access, air brake synchroniser, group Spares for:—	1	—	B	63/16
4537	EEAS.177/1A	NUT, retained	12	S97	C	63/17
2196	E.B2.11.7263	PAD, moulded rubber	4	Butyl Rubber	C	63/18
3181	GEO. SALTER 5103/31	RING, truarc retaining	12	—	C	63/19
2060	E.B2.11.4485	PANEL, access, air brake locking jack, group Spares for:—	1	—	B	63/20
4537	EEAS.177/1A	NUT, retained	12	S97	C	63/17
2196	E.B2.11.7263	PAD, moulded rubber	3	Butyl Rubber	C	63/18
3181	GEO. SALTER 5103/31	RING, truarc retaining	12	—	C	63/19
13619	E.B2.11.17987	PANEL, access, elevator stabiliser jack, group (Mod. 1813) Spares for:—	1	—	B	67/41
3180	EEAS.177/1	NUT, retained	9	S97	C	
4537	EEAS.177/1A	NUT, retained	10	S97	C	67/42
13620	E.F2.11.3145	NUT, retained, special	1	S97	C	
3181	GEO. SALTER 5103/31	RING, truarc retaining	20	—	C	67/43
2062	E.B2.11.5941	PANEL, access, feel unit, group Spares for:—	1	—	B	63/21
4537	EEAS.177/1A	NUT, retained	16	S97	C	63/17
2196	E.B2.11.7263	PAD, moulded rubber	4	Butyl Rubber	C	63/18
3181	GEO. SALTER 5103/31	RING, truarc retaining	16	—	C	63/19
2063	E.B2.11.5943	PANEL, access, feel unit, group Spares for:—	2	—	B	63/22
4537	EEAS.177/1A	NUT, retained	22	S97	C	63/17
2196	E.B2.11.7263	PAD, moulded rubber	4	Butyl Rubber	C	63/18
3181	GEO. SALTER 5103/31	RING, truarc retaining	22	—	C	63/19
2072	E.B2.11.5945	PANEL, access, parachute jack, group Spares for:—	1	—	B	64/17
4537	EEAS.177/1A	NUT, retained	22	S97	C	64/18
2196	E.B2.11.7263	PAD, moulded rubber	4	Butyl Rubber	C	64/19
3181	GEO. SALTER 5103/31	RING, truarc retaining	22	—	C	64/20
5652	E.B2.11.14401	PANEL, access, micro-switch adjustment, group Spares for:—	1	—	B	63/23
4537	EEAS.177/1A	NUT, retained	2	S97	C	63/17
3181	GEO. SALTER 5103/31	RING, truarc retaining	2	—	C	63/19
2054	E.B2.11.14863	PANEL, access, fuel filter, group Spares for:—	1	—	B	69/15
2195*	KING A/C C.5892X	FASTENER, assembly	8	—	C	69/5
37081	C.17792X	FASTENER, upper body, assembly Spares for:—	8	—	C	
37086	D.17368X	PIN, and spring, assembly	1	—	C	
21752	D.4957	WASHER, pin retaining	1	—	C	

FUSELAGE
REAR FUSELAGE STRUCTURE

839

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
9285	EEAS.291	PIECE, joint	1	Neoprene	C	69/16
8576	EEAS.290	SEAL, 28" long	1	Neoprene	C	69/17
33C/1369) 33C/1470) 33C/1468)	PR.1221.BT	Attachments:— Sealant, P.R.C.	QR	—	C	69/18
10473	E.B2.11.17523	PANEL, access, main air system RotoI valve ground test point, assembly Spares for:—	1	—	C	63/24
2219	KING A/C C.5330X	FASTENER, assembly	4	—	C	63/25
36550	C.17366X	FASTENER, upper body, assembly Spares for:—	4	—	C	
37086	D.17368X	PIN, and spring, assembly	1	—	C	
21752	D.4957	WASHER, pin retaining	1	—	C	
2070	E.B2.11.6113	PLATE, cover, parachute jettison gear Attachments:—	1	L65	C	64/21
26FZ/1025	EEAS.1/1C	Screw, 2 BA, 120 deg. c'sk head	12	S96	C	64/22
10683	E.B2.11.17826	SPRING, retaining, venting duct doors	2	DTD215 or 319	C	67/1
9293	E.B3.11.2219	WASHER, sealing, marker aerial	1	BS.2751	C	67/2
26FZ/37729	EEAS.27/15/EU	WASHER, pressure door special bolt attachment (Mod. 2564)	2	S515	C	
	—	PANEL, skin, frames 25B to 34, port, assembly (E.B3.11.501) Spares for:—	—	—	—	67/3
2874	E.B2.11.1307	CONNECTION, drain, 1/8" BSP Attachments:—	1	DTD423	C	67/4
28D/1007285	AS.1242/1B	Bolt, 4:BA, c'sk head	3	—	C	67/5
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	3	—	C	67/6
26FZ/981	EEAS.20/2DR	TAB, locking, drain connection	1	L72	C	67/7
2889	E.B2.11.1311	WASHER, sealing, drain connection	1	Butyl Rubber	C	67/8
	—	PANEL, skin, frames 25B to 34, starboard, assembly (E.B3.11.503) Spares for:—	—	—	—	62/23
10317	HELLERMANN EE.11/2	BEADING, Helsyn 100 Attachments:—	QR	—	C	62/24
33C/	M.M.M. EC.776	Adhesive	QR	—	—	62/25
8024	E.F2.55.81	OUTLET, engine bleed valve casting (Pre-Mod. 1893) Attachments:—	1	—	C	62/26
28M/10319	AGS.2002/C/3	Nut, stiff, 2 BA	24	—	C	62/27
26FZ/1039	EEAS.2/2C	Screw, 2 BA, 120 deg. c'sk head	24	S96	C	62/28
28W/9419475	SP15/C	Washer, 2 BA, plain	24	—	C	62/29

FUSELAGE
REAR FUSELAGE STRUCTURE

840

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
13003	E.B3.55.91	OUTLET, engine bleed valve, casting (Mod. 1893)	1	-	C	62/26/A
28M/10319	AGS.2002/C/3	Attachments: - Nut, stiff; 2 BA	24	-	C	62/27
26FZ/1039	EEAS.2/2C	Screw, 2 BA, 120 deg. c'sk head	24	S96	C	62/28
28W/9419475	SP15/C	Washer, 2 BA, plain	24	-	C	62/29
-	-	PANEL, skin, frames 34 to 44, port, assembly (E.B3.11.505) Spares for: -	-	-	-	67/9
12292	E.B2.50.373	COWL, between frames 43 and 44 (Mod. 1568)	1	-	C	67/10
4347	EEAS.196/1-1/2C	Attachments: - Bolt, 2 BA	5	-	C	67/11
28M/1278189	AGS.2001/C/1	Nut, stiff; 2 BA, hex. head	5	-	C	67/12
28W/9419475	SP15/C	Washer, 2 BA, plain	5	-	C	67/13
7262	E.B3.50.69	INSULATOR, between frames 43 and 44, group	1	-	C	67/14
28N/9143897	AS.4736/26	Consisting of: - INSERT, wire thread, 2 BA	3	-	C	67/15
-	E.B3.50.67	INSULATOR	1	Sindanyo	-	67/16
28D/1007976	AS.1242/4C	Attachments: - Bolt, 2 BA, c'sk head	3	-	C	67/17
28M/1278189	AGS.2001/C/1	Nut, stiff; 2 BA	3	-	C	67/18
28W/9419402	SP13/C	Washer, 2 BA, plain	3	-	C	67/19
-	-	PANEL, skin, frames 34 to 44, starboard, assembly (E.B3.11.507) Spares for: -	-	-	-	62/30
4521	E.B2.11.5723	GASKET, engine breather outlet pipe	1	DTD416	C	62/31
4528	E.B2.11.5725	P(PE, flanged, engine breather outlet (Pre-Mod. 4229)	1	-	C	62/32
1484409	E.F3.11.7201	P(PE, flanged, engine breather outlet (Mod. 4229)	1	-	C	62/32A
28M/10319	AGS.2002/C/3	Attachments: - Nut, stiff; 2 BA	3	-	C	62/33
26FZ/4307	EEAS.2/1-1/2C	Screw, 2 BA, 120 deg. c'sk head	3	L65	C	62/34
28W/9419475	SP15/C	Washer, 2 BA, plain	3	-	C	62/35
-	-	PANEL, skin, frames 37 to 44, port, assembly (E.B3.11.509) Spares for: -	-	-	-	54/1
10742	E.B2.11.17971	COVER, inspection, inertia switch, assembly (Pre-Mod. 2549) Spares for: -	1	-	C	54/2
-	E.B2.11.17723	CLEAT, lanyard attachment	1	L72	-	54/3
-	E.B2.11.17715	PLATE, cover	1	L73	-	54/4
-	E.B2.11.17717	PLATE, locking	2	L73	-	54/5
-	E.B2.11.18087	SHIM	1	L72	-	54/6
-	E.B2.11.17969	SPRING	1	DTD215	-	54/7
-	E.B2.11.17719	TURNBUTTON	1	L65	-	54/8

FUSELAGE
REAR FUSELAGE STRUCTURE

841

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
35329	E.B2.11.18255	COVER, inspection, inertia switch, assembly (Mod. 2549) Spares for:-	1	-	C	54/9
	E.B2.11.18275	HOUSING, spring	1	S511	-	54/10
	E.B2.11.18273	PIECE, bridge	1	-	-	54/11
	E.B2.11.17715	PLATE, cover	1	L73	-	54/12
	E.B2.11.17717	PLATE, locking	2	L73	-	54/13
	E.B2.11.18087	SHIM	1	L72	-	54/14
	E.B2.11.18277	SPRING	1	DTD215	-	54/15
	E.B2.11.18281	STOP	1	L72	-	54/16
	E.B2.11.17719	TURNBUTTON	1	L65	-	54/17
	-	PANEL, skin, frames 37 to 44, starboard, assembly (E.B3.11.511) Spares for:-	-	-	-	54/18
10742	E.B2.11.17971	COVER, inspection, inertia switch, assembly (Pre-Mod. 2549) Spares for:-	1	-	C	54/19
	E.B2.11.17723	CLEAT, lanyard attachment	1	L72	-	54/3
	E.B2.11.17715	PLATE, cover	1	L73	-	54/4
	E.B2.11.17717	PLATE, locking	2	L73	-	54/5
	E.B2.11.17969	SPRING	1	DTD215	-	54/7
	E.B2.11.18089	SHIM	1	L72	-	54/20
	E.B2.11.17719	TURNBUTTON	1	L65	-	54/8
35329	E.B2.11.18255	COVER, inspection, inertia switch, assembly (Mod. 2549) Spares for:-	1	-	C	54/21
	E.B2.11.18275	HOUSING, spring	1	S511	-	54/10
	E.B2.11.18273	PIECE, bridge	1	-	-	54/11
	E.B2.11.17715	PLATE, cover	1	L73	-	54/12
	E.B2.11.17717	PLATE, locking	2	L73	-	54/13
	E.B2.11.18087	SHIM	1	L72	-	54/14
	E.B2.11.18277	SPRING	1	DTD215	-	54/15
	E.B2.11.18281	STOP	1	L72	-	54/16
	E.B2.11.17719	TURNBUTTON	1	L65	-	54/17
	-	PANEL, skin, frames 44 to 51, port, assembly (E.B3.11.513) Spares for:-	-	-	-	67/20
	E.B1.11.3349	BRACKET, fire extinguisher mounting	1	-	-	67/21
2874	E.B2.11.1307	CONNECTION, drain, 1/8" BSP Attachments:-	2	L65	C	67/4
28D/1007285	AS.1242/1B	Bolt, 4 BA, c'sk head	6	-	C	67/5
28M/1278189	AGS.2001/B/1	Nut, stiff; 4 BA	6	-	C	67/6
	E.B2.57.1917	CONNECTION, oil replenishing, group Consisting of:-	1	-	-	67/22
28D/1010658	A25/1B	BOLT, 4 BA, hex. head	4	-	C	67/23
	E.B2.57.1877	BOX, assembly	1	-	-	67/24
7263	E.B2.57.1873	MOUNTING, oil connection, group Consisting of:-	1	-	C	67/25
28D/1011030	A25/2E	BOLT, 1/4" BSF, hex. head	4	-	C	67/26
27BA/11399	LOCKHEED AVX.1491	CONNECTION, bayonet	1	-	C	67/27
7265	E.B2.57.1869	COUPLING, pipe, 1/4" BSP	1	S94	C	67/28
28M/9480017	AGS.2001/E/1	NUT, stiff, 1/4" BSF	4	-	C	67/29
	E.B2.57.1867	PLATE, mounting	1	L72	-	67/30
7266	E.B2.57.1871	SEAL, 1/32" thick	1	Oilite	C	67/31
28W/9419405	SP15/E	WASHER, 1/4" BSF, plain	4	-	C	67/32
26FZ/981	EEAS.20/2DR	TAB, locking	1	L72	C	67/33
28W/9419474	SP15/B	WASHER, 4 BA, plain	3	-	C	67/34
4358	E.B1.10.5205	COVER, inspection	2	-	C	67/35
	E.B2.55.95	EXTRACTOR, compressor seal vent outlet, assembly Spares for:-	1	-	MR	67/36
13108	E.B2.55.473	EXTRACTOR, compressor seal vent outlet (Pre-Mod. 2538)	1	-	C	67/37
33827	E.B2.55.757	EXTRACTOR, compressor seal vent outlet (Mod. 2538)	1	-	C	

FUSELAGE
REAR FUSELAGE STRUCTURE

842

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
13109	E.B2.55.311	INSULATOR	1	DTD378A	C	67/38
13110	E.B2.55.313	INSULATOR	1	DTD378A	C	67/39
13111	E.B2.55.315	INSULATOR	1	DTD378A	C	67/40
		MOUNTING, hydraulic reservoir on frame 46 (E.B2.11.17881) (Mod. 1823) Spares for:—	—	—	—	66/27
12951	E.B2.57.2469	BLOCK, fuel pipe support	1	BS.2572 Type F3	C	
		Attachments:—				
28D/9133013	A25/5C	Bolt, 2 BA, hex. head	2	—	C	
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	
28W/9419402	SP13/C	Washer, 2 BA, plain	2	—	C	
12952	E.B2.73.5639	PLATE, stabiliser, removable, lower, assembly	1	—	C	
		Attachments:—				
28D/9136768	A25/ 1/2C	Bolt, 2 BA, hex. head	7	—	C	
28D/9133011	A25/2C	Bolt, 2 BA, hex. head	2	—	C	
12953	E.B2.73.5651	PLATE, attachment, removable, upper	1	L73	C	
		Attachments:—				
28D/9136768	A25/ 1/2C	Bolt, 2 BA, hex. head	4	—	C	
		Attachments:—				
	E.B2.11.16573	PLATE, serrated	2	L65	—	
	E.B2.11.16571	STIFFNUT, assembly, for serrated plate	2	—	—	
	E.B2.11.16577	STIFFNUT, assembly	1	—	—	
27N/272	GRAVINER B.343	STRAP, assembly, extinguisher bottle mounting	1	—	C	
		Attachments:—				
28FP/1013112	SP4Y/F19	Pin, split	2	—	C	
28FP/1007739	SP9/E5	Pin, split	2	—	C	
26FZ/981	EEAS.20/2DR	TAB, locking	2	L72	C	
2889	E.B2.11.1311	WASHER, sealing, drain connection	2	Butyl Rubber	C	
		PANEL, skin, frames 44 to 51, starboard, assembly (E.B3.11.515) Spares for:—	—	—	—	H69
10317	HELLERMANN EE.11/2	BEADING, Helsyn 100	QR	—	C	69/19
		Attachments:—				
33H/18	EEC.776	Adhesive	QR	—	C	69/20
	E.B1.11.3350	BRACKET, fire extinguisher mounting	1	—	—	69/21
4358	E.B1.10.5205	COVER, inspection	4	—	C	69/22
13017	E.F2.11.3125	DISC, fire, assembly (Mod. 1911)	1	—	C	69/23
		Attachments:—				
28D/1007285	AS.1242/1B	Bolt, 4 BA, c'sk head	4	—	C	69/24
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	4	—	C	69/25
34424	E.B3.07.79	Tab, fastener (E.B1.11.5563)	2	—	C	69/26
4534	E.B2.11.5719	GASKET, engine breather flanged outlet	1	DTD416	C	69/27
4535	E.B2.11.5721	OUTLET, flanged, engine breather, assembly	1	—	C	69/28
		Spares for:—				
2476	PIONEER PO.17515013	RING, 'O'	1	—	C	69/29
		Attachments:—				
28M/10281	AGS.2002/C/3	Nut, stiff, 2 BA	4	—	C	69/30
26FZ/1039	EEAS.2/2C	Screw, 2 BA, 120 deg. c'sk head	4	L65	C	69/31
28W/9419475	SP15/C	Washer, 2 BA, plain	4	—	C	69/32

FUSELAGE
REAR FUSELAGE STRUCTURE

843

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
27N/272	E.B2.11.16573								2	L65	C	69/33
	E.B2.11.16571								2	-	-	69/34
	E.B2.11.16577								1	-	-	69/35
	GRAVINER B.343								1	-	C	69/36
28P/1013112	SP4Y/F19								2	-	C	69/37
28P/1007739	SP9/E5								2	-	C	69/38
34424	E.B3.07.79								2	-	C	69/39
13651	E.B3.50.363								1	L65	C	78/1
28M/1278190	AGS.2001/C/1								3	-	C	78/2
26FZ/1026	EEAS.1/1-1/2C								3	S96	C	78/3
28W/9419402	SP13/C								2	-	C	78/4
4358	E.B1.10.5205								1	-	C	78/5
8948	E.B2.11.17555								1	S94	C	78/6
26FZ/1026	EEAS.1/1-1/2C								4	S96	C	78/7
8502	EEAS.27/8/9A								4	-	C	78/8
26FZ/22334	EEAS.20/3CO								1	L59	C	78/9
4533	E.B2.11.7365								1	Hycar	C	78/10
4497	E.B2.11.1309								1	L65	C	78/11
4347	EEAS.196/1-1/2C								3	S94 or S95	C	78/12
28M/9433473	AGS.2002/C/1								3	-	C	78/13
4358	E.B1.10.5205								1	-	C	78/5
4543	E.B2.61.79								1	DTD378A	C	78/14
	E.B3.55.63								1	-	-	78/15
4544	E.B2.55.129								2	DTD378A	C	78/16
10676	E.F2.55.163								1	-	C	78/17
15795	E.B2.61.77								1	-	B	78/41
	E.B2.61.133								1	L72	-	78/18
28M/9433473	AGS.2002/C/1								14	-	C	78/19
26FZ/1468	EEAS.1/2C								12	S96	C	78/20
26FZ/1026	EEAS.1/1-1/2C								2	S96	C	78/20A
	E.B2.61.135								1	L72	-	78/21
28M/9433473	AGS.2002/C/1								14	-	C	78/19
26FZ/1468	EEAS.1/2C								12	S96	C	78/20
26FZ/1026	EEAS.1/1-1/2C								2	S96	C	78/20A

FUSELAGE
REAR FUSELAGE STRUCTURE

844

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
26FZ/22334	EEAS.20/3CO	TAB, locking, drain connection	1	-	C	78/22
4515	E.B2.11.1313	WASHER, sealing, drain connection	1	-	C	78/23
		PANEL, skin, frames 51 to 56, starboard, assembly (E.B3.11.521)	-	-	-	63/26
		Spares for:-				
37377	E.B2.07.821	BRACKET (E.B2.60.209)	1	-	-	
4358	E.B1.10.5205	COVER, inspection	1	-	C	63/27
13016	E.F2.11.3119	DISC, fire, assembly (Mod. 1911)	1	-	C	63/28
		Attachments:-				
28D/1007285	AS.1242/1B	Bolt, 4:BA, c'sk head	4	-	C	63/29
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	4	-	C	63/30
34424	E.B3.07.79	Tab, fastener (E.B1.11.5563)	2	-	C	63/31
	E.B2.11.2987	HOUSING, gauge	2	L65	-	63/32
		Attachments:-				
7879	EEAS.299/10/40C	Bolt, 2:BA	12	-	C	63/33
28M/9436836	AGS.2001/C/2	Nut, stiff, 2 BA	12	-	C	63/34
28W/9419402	SP13/C	Washer, 2 BA, plain	12	-	C	63/35
	E.B2.55.249	PIPE, zone 2 ventilation, outlet, assembly	1	-	-	65/32
		Spares for:-				
4544	E.B2.55.129	PACKING	2	DTD378A	C	65/33
10684	E.B2.55.495	PIPE, outlet	1	-	C	65/34
3290	E.B1.11.4259	PLUG, datum	1	L65	C	65/35
4550	E.B2.11.10055	SEAL, gauge housing, 1/16" thick	2	Neoprene	C	65/36
		PANEL, skin, frames 49 to 54, port and starboard, assembly (E.B3.11.523)	-	-	-	
		Spares for:-				
10317	HELLERMANN EE.11/2	BEADING, Helsen 100	QR	-	C	70/30
		Attachments:-				
33H/18	EEC.776	Adhesive	QR	-	C	70/31
13653	E.B3.50.359	CONNECTION, drain, 1/4" BSP, starboard (Mod. 1908)	1	L65	C	70/32
		Attachments:-				
28D/1007285	AS.1242/1B	Bolt, 4:BA, c'sk head	3	-	C	70/33
28M/1278189	AGS.2001/B/1	Nut, stiff, 2 BA	3	-	C	70/34
13651	E.B3.50.363	CONNECTION, drain, 1/2" BSP, starboard (Mod. 1908)	1	S80	C	70/35
		Attachments:-				
26FZ/1027	EEAS.1/2-1/2C	Bolt, 2:BA, 120 deg. c'sk head	3	S96	C	70/36
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	3	-	C	70/37
28W/9419402	SP13/C	Washer, 2 BA, plain	3	-	C	70/38
4548	E.B2.11.14059	DOOR, access, starboard	2	-	C	70/39
	E.B2.11.2987	HOUSING, gauge, starboard	1	L65	-	70/40
		Attachments:-				
7879	EEAS.299/10/40C	Bolt, 2:BA	6	BACM37	C	70/41
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	6	-	C	70/42
28W/9419402	SP13/C	Washer, 2 BA, plain	6	-	C	70/43

FUSELAGE
REAR FUSELAGE STRUCTURE

845

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
4542	E.B2.11.16067	RJNG, packing, for breakaway connection, port	1	-	C	70/44
26FZ/1029	EEAS.1/4C	SCREW, 2 BA, 120 deg. c'sk head	3	S96	C	70/45
4550	E.B2.11.10055	SEAL, gauge housing, 1/16" thick	1	Neoprene	C	70/46
26FZ/981	EEAS.20/2DR	TAB, locking, drain connection	1	L72	C	70/47
7993	E.B3.11.2253	WASHER, sealing, drain connection, 1/8" thick	1	Syndanyo	C	70/48
21336	E.B2.11.18089	WASHER, sealing, drain connection	1	-	C	70/49
-	-	PANEL, skin, frames 53 to 59, port, assembly (E.B3.11.525) Spares for:-	-	-	-	63/36
2682	E.B2.55.151	DUCT, submerged air intake	1	-	C	63/37
4541	E.B2.11.13373	FLAP, hinged, air brake	1	-	C	63/38
28D/1007973	AS.1242/2B	Attachments:- Bolt, 4 BA, c'sk head	3	-	C	63/39
-	-	PANEL, skin, frames 53 to 59, starboard, assembly (E.B3.11.527) Spares for:-	-	-	-	63/40
2682	E.B2.55.151	DUCT, submerged air intake	1	-	C	63/37
4541	E.B2.11.13373	FLAP, hinged, air brake	1	-	C	63/38
28D/1007973	AS.1242/2B	Attachments:- Bolt, 4 BA, c'sk head	3	-	C	63/39
-	-	PANEL, skin, frames 56 to 62, port, assembly (E.B3.11.529) Spares for:-	-	-	-	-
-	E.B2.11.2987	HOUSING, gauge Attachments:-	1	L65	-	78/24
7879	EEAS.299/10/40C	Bolt, 2 BA	6	BACM37	C	78/25
28M/9436836	AGS.2001/C/2	Nut, stiff, 2 BA	6	-	C	78/26
28W/9419402	SP13/C	Washer, 2 BA, plain	6	-	C	78/27
4550	E.B2.11.10055	SEAL, gauge housing, 1/16" thick	1	Neoprene	C	78/28
37370	E.B2.07.825	SKIN (E.B2.11.10923)	1	L65	C	-
-	-	PANEL, skin, frames 54 to 60, port and starboard, assembly (E.B3.11.533) Spares for:-	-	-	-	-
4595	E.B2.11.6871	CONNECTION, drain, starboard Attachments:-	1	L65	C	78/29
26FZ/1025	EEAS.1/1C	Bolt, 2 BA, 120 deg. c'sk head	3	S96	C	78/30
28M/9433473	AGS.2002/C/1	Nut, stiff, 2 BA	3	-	C	78/31
12293	E.B3.11.2781	COWL, jet pipe drain outlets (Mod. 1568) Attachments:-	1	-	C	78/32
26FZ/1025	EEAS.1/1C	Bolt, 2 BA, 120 deg. c'sk head	7	S96	C	78/33
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	7	-	C	78/34
28W/9419475	SP13/C	Washer, 2 BA	7	-	C	78/35
13733	E.B2.07.619	PACKING, for aerial (E.B2.11.12967)	1	L72	C	78/36
3290	E.B1.11.4259	PLUG, datum, port and starboard	2	L65	C	78/37
-	E.B1.11.5533	SEAL, at frame 60 (Make from EEAS.121, Ref. 26FZ/4432)	1	-	LM	78/38
4631	E.B1.11.5535	STRIP, seal retaining, at frame 60	1	L72	C	78/39
26FZ/3412	EEAS.20/3DR	TAB, locking, drain connection	1	L72	C	78/40

FUSELAGE
REAR FUSELAGE STRUCTURE

846

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	-	PANEL, skin, frame 59 to end, port, assembly (E.B3.11.535) Spares for:-	-	-	-	64/23
7502	E.B2.11.7105	PLATE, cover, button switch, at frame 62 Attachments:-	1	DL72 10	C	64/24
28S/1200060	A33/A16	Screw 5 BA, c'sk head	4	-	C	64/25
5CW/5060	DOWTY ROTOL D.5194Y	SHROUD, button switch Attachments:-	1	-	C	64/26
28S/9132086	A31/Z12	Screw, 8 BA, cheese head	2	-	C	64/27
	E.B2.11.6741	SUPPORT, button switch, group Spares for:-	1	-	-	64/28
	SP48/A8	GROMMET	1	-	-	64/29
11040	E.B2.11.17497	DIAPHRAGM, rubber, 1/16" thick, parachute jettison test switch at frame 62, port	1	Neoprene S/H 35-40	C	64/30
	-	PANEL, skin, frame 59 to end, starboard, assembly (E.B3.11.537) Spares for:-	-	-	-	71/1
9862	E.B3.11.1257	PLATE, cover Attachments:-	1	0 L65	C	71/2
9863	E.B3.11.1517	Bolt, special	1	-	C	71/3
	-	PANEL, skin, frame 60 to end, port and starboard, assembly (E.B3.11.539) Spares for:-	-	-	-	71/4
2073	E.B2.11.7245	BUMPER, tail, assembly	1	-	C	71/5
4596	E.B2.11.16479	COVER, tail light, port and starboard Attachments:-	2	-	C	71/6
26FZ/1468	EEAS.1/2C	Bolt, 2 BA, 120 deg. c'sk head	4	S96	C	71/7
15856	E.B2.03.529	MEMBER, boundary parachute door (E.B2.11.15387)	1	-	C	
15857	E.B2.03.530	MEMBER, boundary parachute door (E.B2.11.15388)	1	-	C	
	E.B1.11.5531	SEAL, at frame 61 (Make from EEAS.121, Ref. 26FZ/4432)	1	-	LM	71/8
1439702	E.B1.07.001	STRIP, seal retaining, at frame 61 (E.B1.11.5537)	1	DL72 0	C	71/9
	-	SHROUDS, in rear fuselage, assembly (E.B2.11.4645) Spares for:-	-	-	-	
	-	BLANKETING, for equipment compartment between frames 49 and 53, assembly (E.B2.11.9115) Spares for:-	-	-	-	55/1
15944	E.B2.11.15551	BLANKET, upper, aft on frame 53 Attachments:-	1	-	B	55/2
28D/8337	AS.1248/1B	Bolt, 4 BA, mushroom head	7	-	C	55/3
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	7	-	C	55/4
28W/9419474	SP15/B	Washer, 4 BA, plain	7	-	C	55/5

FUSELAGE
REAR FUSELAGE STRUCTURE

847

Ref. No.	Part No.	Description							No. off	Mtl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
15945	E.B2.11.15553	BLANKET, lower, aft on frame 53							1	—	B	55/6
28D/8337	AS.1248/1B	Attachments:—							9	—	C	55/3
28M/1278189	AGS.2001/B/1	Bolt; 4 BA, mushroom head							9	—	C	55/4
28W/9419474	SP15/B	Nut; stiff, 4 BA							9	—	C	55/5
		Washer, 4 BA, plain										
15947	E.B2.11.15573	BLANKET, lower, forward on frame 49							1	—	B	55/7
28D/8337	AS.1248/1B	Attachments:—							3	—	C	55/3
28M/1278189	AGS.2001/B/1	Bolt; 4 BA, mushroom head							3	—	C	55/4
28W/9419474	SP15/B	Nut; stiff, 4 BA							3	—	C	55/5
		Washer, 4 BA, plain										
3316	E.B2.11.15703	BLANKET, upper, frame 52-53							1	—	B	55/8
28D/8337	AS.1248/1B	Attachments:—							20	—	C	55/3
28M/1278189	AGS.2001/B/1	Bolt; 4 BA, mushroom head							20	—	C	55/4
28W/9419474	SP15/B	Nut; stiff, 4 BA							20	—	C	55/5
		Washer, 4 BA, plain										
3315	E.B2.11.15705	BLANKET, lower, frame 52-53							1	—	B	55/9
28D/8337	AS.1248/1B	Attachments:—							12	—	C	55/3
28M/1278189	AGS.2001/B/1	Bolt; 4 BA, mushroom head							12	—	C	55/4
28W/9419474	SP15/B	Nut; stiff, 4 BA							12	—	C	55/5
		Washer, 4 BA, plain										
3314	E.B2.11.15707	BLANKET, upper, frame 51-52							1	—	C	55/10
28D/8337	AS.1248/1B	Attachments:—							20	—	C	55/3
28M/1278189	AGS.2001/B/1	Bolt; 4 BA, mushroom head							20	—	C	55/4
28W/9419474	SP15/B	Nut; stiff, 4 BA							20	—	C	55/5
		Washer, 4 BA, plain										
3313	E.B2.11.15709	BLANKET, lower, frame 51-52							1	—	C	55/11
28D/8337	AS.1248/1B	Attachments:—							20	—	C	55/3
28M/1278189	AGS.2001/B/1	Bolt; 4 BA, mushroom head							20	—	C	55/4
28W/9419474	SP15/B	Nut; stiff, 4 BA							20	—	C	55/5
		Washer, 4 BA, plain										
3312	E.B2.11.15711	BLANKET, top, frame 50-51							1	—	C	55/12
28D/8337	AS.1248/1B	Attachments:—							8	—	C	55/3
28M/1278189	AGS.2001/B/1	Bolt; 4 BA, mushroom head							8	—	C	55/4
28W/9419474	SP15/B	Nut; stiff, 4 BA							8	—	C	55/5
		Washer, 4 BA, plain										
3311	E.B2.11.15713	BLANKET, upper, frame 50-51							1	—	B	55/13
28D/8337	AS.1248/1B	Attachments:—							17	—	C	55/3
28M/1278189	AGS.2001/B/1	Bolt; 4 BA, mushroom head							17	—	C	55/4
28W/9419474	SP15/B	Nut; stiff, 4 BA							17	—	C	55/5
		Washer, 4 BA, plain										
3310	E.B2.11.15715	BLANKET, lower, frame 50-51							1	—	B	55/14
28D/8337	AS.1248/1B	Attachments:—							6	—	C	55/3
28M/1278189	AGS.2001/B/1	Bolt; 4 BA, mushroom head							6	—	C	55/4
28W/9419474	SP15/B	Nut; stiff, 4 BA							6	—	C	55/5
		Washer, 4 BA, plain										

FUSELAGE
REAR FUSELAGE STRUCTURE

848

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
3309	E.B2.11.15717	BLANKET, lower, frame 50-51 Attachments:—	1	—	B	55/15
28D/8337	AS.1248/1B	Bolt, 4 BA, mushroom head	10	—	C	55/3
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	10	—	C	55/4
28W/9419474	SP15/B	Washer, 4 BA, plain	10	—	C	55/5
3306	E.B2.11.15733	BLANKET, lower, frame 49-50 Attachments:—	1	—	B	55/16
28D/8337	AS.1248/1B	Bolt, 4 BA, mushroom head	11	—	C	55/3
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	11	—	C	55/4
28W/9419474	SP15/B	Washer, 4 BA, plain	11	—	C	55/5
3308	E.B2.11.15841	BLANKET, frames 49-50 Attachments:—	1	—	B	55/17
28D/8337	AS.1248/1B	Bolt, 4 BA, mushroom head	6	—	C	55/3
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	6	—	C	55/4
28W/9419474	SP15/B	Washer, 4 BA, plain	6	—	C	55/5
3307	E.B2.11.15843	BLANKET, upper, frame 49-50 Attachments:—	1	—	B	55/18
28D/8337	AS.1248/1B	Bolt, 4 BA, mushroom head	18	—	C	55/3
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	18	—	C	55/4
28W/9419474	SP15/B	Washer, 4 BA, plain	18	—	C	55/5
29H/	CARR FASTENER No. 18	EYELET	140	—	—	55/19
3317	EEAS.208	TAB, for tyglass blankets	140	—	C	55/20
	—	BLANKET, heat resistant, between jet pipes No. 1 and 2, frames 53 to 55, installation (E.B2.11.17567) (Mod. 344) (Pre-Mod. 1843) Consisting of:—	—	—	—	56/1
10688	E.B.2.11.17585	BLANKET, assembly	1	—	B	56/2
29H/2096	CARR FASTENER 708A	Spares for:— PLATE, clinch	26	—	C	56/3
29H/2098	CARR FASTENER N608	SOCKET, "lift-the-dot"	26	—	C	56/4
	—	BLANKET, heat resistant, between jet pipes No. 1 and 2, frames 53 to 55, installation (E.F3.11.3583) (Mod. 1843) Consisting of:—	—	—	—	56/1A
10688	E.F3.11.3249	BLANKET, assembly	1	—	B	56/2A
29H/2096	CARR FASTENER 708A	Spares for:— PLATE, clinch	26	—	C	56/3
29H/2098	CARR FASTENER N608	SOCKET, "lift-the-dot"	26	—	C	56/4

FUSELAGE
REAR FUSELAGE STRUCTURE

849

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		FIREWALL, between frames 51 and 52, starboard, assembly (E.B2.11.3107)	-	-	-	56/5
3335	E.B2.11.15887	Spares for:- BLANKET, side	1	-	C	56/6
28D/9128739	AS.1248/1/2B	Attachments:-				
28D/8337	AS.1248/1B	Bolt, 4 BA, mushroom head	3	-	C	56/29
28M/1278189	AGS.2001/B/1	Bolt, 4 BA, mushroom head	13	-	C	56/30
28M/1086618	AGS.2002/B/1	Nut, stiff, 4 BA	13	-	C	56/32
28W/9419474	SP15/B	Nut, stiff, 4 BA	3	-	C	56/33
		Washer, 4 BA, plain	16	-	C	56/31
3334	E.B2.11.15889	BLANKET, top	1	-	C	56/7
28D/8337	AS.1248/1B	Attachments:-				
28M/1278189	AGS.2001/B/1	Bolt, 4 BA, mushroom head	8	-	C	56/30
28W/9419474	SP15/B	Nut, stiff, 4 BA	8	-	C	56/32
		Washer, 4 BA, plain	8	-	C	56/31
6081	E.B2.11.15883	SHIELD, heat, assembly	1	-	C	56/8
3336	E.B2.11.15885	Spares for:- BLANKET, assembly	1	-	C	56/9
28D/8337	AS.1248/1B	Attachments:-				
28M/1278189	AGS.2001/B/1	Bolt, 4 BA, mushroom head	8	-	C	56/30
28W/9419974	SP15/B	Nut, stiff, 4 BA	8	-	C	56/32
		Washer, 4 BA, plain	8	-	C	56/31
4367	E.B2.11.16013	PANEL, removable, assembly	1	-	B	56/10
28FP/9520205	A3-20	Spares for:- FASTENER, dzus	6	-	C	56/11
28FP/1014631	A3-25	FASTENER, dzus	4	-	C	56/12
28FP/9144248	A4-25	FASTENER, dzus	6	-	C	56/13
28FP/9138002	GA3-175	GROMMET, dzus	10	-	C	56/14
28FP/9430915	GA4-250	GROMMET	6	-	C	56/15
28FP/1200486	S3-150	SPRING, dzus	10	-	C	56/16
		INSULATION, rudder power unit, assembly (E.B3.11.769)	-	-	-	56/17
3320	E.B3.11.771	Spares for:- BLANKET, lower, frame 60	1	-	C	56/18
28D/8337	AS.1248/1B	Attachments:-				
28M/1278189	AGS.2001/B/1	Bolt, 4 BA, mushroom head	6	-	C	56/30
28W/9419474	SP14/B	Nut, stiff, 4 BA	6	-	C	56/32
		Washer, 4 BA, plain	6	-	C	56/31
3319	E.B2.11.9337	BLANKET, lower, frame 60-61	1	-	C	56/21
28D/8337	AS.1248/1B	Attachments:-				
28M/1278189	AGS.2001/B/1	Bolt, 4 BA, mushroom head	3	-	C	56/30
28W/9419474	SP15/B	Nut, stiff, 4 BA	3	-	C	56/32
		Washer, 4 BA, plain	3	-	C	56/31
3321	E.B2.11.9341	BLANKET, upper, frame 60	1	-	C	56/22
28D/8337	AS.1248/1B	Attachments:-				
28M/1278189	AGS.2001/B/1	Bolt, 4 BA, mushroom head	5	-	C	56/30
28W/9419474	SP15/B	Nut, stiff, 4 BA	4	-	C	56/32
		Washer, 4 BA, plain	4	-	C	56/31
3322	E.B2.11.9343	BLANKET, frame 61	1	-	C	56/23
28D/8337	AS.1248/1B	Attachments:-				
28M/1278189	AGS.2001/B/1	Bolt, 4 BA, mushroom head	8	-	C	56/30
28W/9419474	SP15/B	Nut, stiff, 4 BA	8	-	C	56/32
		Washer, 4 BA, plain	8	-	C	56/31

FUSELAGE
REAR FUSELAGE STRUCTURE

850

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
9860	E.B3.11.787									C	56/24	
3318	E.B2.11.9335									C	56/25	
28D/8337	AS.1248/1B									C	56/30	
28M/1086618	AGS.2002/B/1									C	56/33	
28W/9419474	SP15/B									C	56/31	
	E.B3.11.1267										56/26	
28FP/9520205	A3-20									C	56/11	
28FP/1014631	A3-25									C	56/12	
28FP/9703273	A3-30									C	56/27	
28FP/9704085	A3/35									C		
28FP/1115	A3/40									C		
28FP/9138002	GA3-175									C	56/14	
28FP/1200486	S3-150									C	56/17	
28FP/325	S3-175									C	56/28	
											57/1	
	E.B2.11.14375										57/2	
4369*	E.B2.11.12679								L72	C	57/3	
21474	E.B2.07.715								L72	C	57/3A	
28D/1007971	A25/ 1/2B									C	57/4	
28M/1278189	AGS.2001/B/1									C	57/5	
28W/9419474	SP15/B									C	57/6	
	E.B3.11.2111										57/7	
28D/1010658	A25/1B									C	57/8	
28D/1007971	A25/ 1/2B									C	57/9	
5954	E.B3.11.927									B	57/10	
5955	E.B3.11.1237									C	57/11	
28M/8337	AS.1248/1B									C	57/12	
28M/1086618	AGS.2002/B/1									C	57/13	
28W/9419474	SP15/B									C	57/14	
26FZ/15496	EEAS.28/7ER								L72	C		
5960	E.B3.11.2113									B	57/15	
5961	E.B2.11.8703									C	57/16	
28D/8337	AS.1248/1B									C	57/17	
28M/1086618	AGS.2002/B/1									C	57/18	
28W/9419474	SP15/B									C	57/19	
	E.B3.11.2117										57/20	
28FP/1014631	A3-25									C	57/21	
28FP/1115	A3-40									C	57/22	

FUSELAGE
REAR FUSELAGE STRUCTURE

851

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
28FP/9138002	GA3-175								18	-	C	57/23
5956	E.B3.11.2115								1	-	B	57/24
5957	E.B3.11.2171								1	-	C	57/25
28D/8337	AS.1248/1B								6	-	C	57/26
28M/1086618	AGS.2002/B/1								6	-	C	57/27
28W/9419474	SP13/B								6	-	C	57/28
	E.B3.11.2119								1	-	-	57/29
28FP/1014631	A3-25								5	-	C	57/21
28FP/9138002	GA3-175								5	-	C	57/23
5958	E.B2.11.14941								1	-	B	57/30
5959	E.B2.11.14647								1	-	C	57/31
28D/8337	AS.1248/1B								6	-	C	57/26
28M/1086618	AGS.2002/B/1								6	-	C	57/32
28W/9419474	SP13/B								6	-	C	57/33
	E.B2.11.16003								1	-	-	57/34
28FP/1014631	A3-25								2	-	C	57/21
28FP/9138002	GA3-175								2	-	C	57/23
28FP/325	S3-175								25	-	C	57/35
	-								-	-	-	58/1
4793	E.B2.57.1173								1	-	C	58/2
	E.B2.57.1697								1	-	C	
28D/1008149	A25/2B								9	-	C	58/3
28M/1278189	AGS.2001/B/1								9	-	C	58/4
28W/9419465	SP13/B								9	-	C	58/5
8775	E.B2.57.2113								1	-	C	58/6
28D/1010658	A25/1B								29	-	C	58/7
28M/1278189	AGS.2001/B/1								16	-	C	58/8
28W/9419465	SP13/B								29	-	C	58/9
20710	E.F2.07.711								1	-	C	58/10
28D/1010658	A25/1B								4	-	C	58/11
28D/1008149	A25/2B								2	-	C	58/12
28W/9419465	SP13/B								6	-	C	58/13
8774*	E.B2.57.2031								1	-	B	58/14
20185	E.B2.07.703								1	-	B	58/15
28D/1008149	A25/2B								5	-	C	58/16
28W/9419465	SP13/B								5	-	C	58/17

FUSELAGE
REAR FUSELAGE STRUCTURE

852

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
8773	E.B2.57.2021	SHIELD, heat	1	—	B	58/18
21485	E.B2.07.719	SHIELD, heat (E.B2.57.2021)	1	—	B	58/19
		Attachments:—				
28D/1010658	A25/1B	Bolt, 4:BA, hex. head	11	—	C	58/20
28D/1008149	A25/2B	Bolt, 4:BA, hex. head	3	—	C	58/21
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	1	—	C	58/22
28W/9419465	SP13/B	Washer, 4 BA, plain	14	—	C	58/23
	—	SHIELD, heat, at air brake, structure, port (E.B2.11.17627) (Mod. 1843)	—	—	—	58/24
		Spares for:—				
33825	E.B2.11.17621	BLOCK, packing	2	—	C	
12919	E.B2.11.17615	SHIELD, heat, assembly	1	—	C	58/25
		Spares for:—				
10694	E.B2.11.17623	STUD, "lift-the-dot"	5	—	C	58/26
		Attachments:—				
28D/1007982	AS.1248/1C	Bolt, 2:BA, mushroom head	1	—	C	58/27
28D/1013284	AS.1248/2C	Bolt, 2:BA, mushroom head	2	—	C	58/28
28D/1212800	AS.1248/5C	Bolt, 2:BA, mushroom head	4	—	C	58/29
28M/9433473	AGS.2002/C/1	Nut, stiff, 2 BA	7	—	C	58/30
4371	E.B2.11.6545	Piece, distance	4	Tufnol	C	58/31
10693	E.B2.11.17603	Washer	7	—	C	58/32
28W/9419475	SP15/C	Washer, 2 BA, plain	7	—	C	58/33
	—	SHIELD, heat, at air brake structure, starboard, assembly (E.B2.11.17625) (Mod. 1843)	—	—	—	58/34
		Spares for:—				
12920	E.B2.11.17613	SHIELD, heat, assembly	1	—	C	58/35
		Attachments:—				
28D/1007982	AS.1248/1C	Bolt, 2:BA, mushroom head	2	—	C	58/27
28D/1212800	AS.1248/5C	Bolt, 2:BA, mushroom head	4	—	C	58/29
28M/9433473	AGS.2002/C/1	Nut, stiff, 2 BA	6	—	C	58/30
4371	E.B2.11.6545	Piece, distance	4	—	C	58/31
10693	E.B2.11.17603	Washer	6	—	C	58/32
28W/9419475	SP15/C	Washer, 2 BA, plain	6	—	C	58/33
	—	SHIELD, heat, parachute door jack, assembly (E.B2.11.11403)	—	—	—	59/1
		Spares for:—				
	E.B2.11.17111	DIAPHRAGM, upper, assembly	1	—	—	59/2
		Spares for:—				
28FP/325	S3-175	SPRING, dzus	7	—	C	59/3
	E.B2.11.17113	DIAPHRAGM, lower, assembly	1	—	—	59/4
		Spares for:—				
28FP/325	S3-175	SPRING, dzus	7	—	C	59/3
10028	E.B2.11.17109	PANEL, inboard, assembly	1	—	C	59/5
		Spares for:—				
28FP/1014631	A3-25	FASTENER, dzus	14	—	C	59/6
28FP/9318002	GA3-175	GROMMET, dzus	14	—	C	59/7

FUSELAGE
REAR FUSELAGE STRUCTURE

853

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	-								-	-	-	59/8
	-								-	-	-	59/9
10695	E.B2.11.15967								1	-	C	59/10
28D/9436920	A25/1C								8	-	C	59/11
28W/9419402	SP13/C								8	-	C	59/12
	3333	E.B2.11.14505							1	-	C	59/13
		E.B2.11.13305							1	-	-	59/14
	3331	E.B2.11.13311							10	L62	C	59/15
		E.B2.11.15423							1	-	-	59/16
28FP/9520205	A3-20								11	-	C	59/17
28FP/1014631	A3-25								5	-	C	59/18
28FP/9704085	A3-35								5	-	C	59/19
	3332	EEAS.27/40ER							10	L72	C	59/20
	4385	E.B2.11.14527							1	-	C	59/21
		E.B2.11.13307							1	-	-	59/22
	3331	E.B2.11.13311							8	L62	C	59/23
		E.B2.11.16007							1	-	-	59/24
28FP/9520205	A3-20								12	-	C	59/25
	3332	EEAS.27/40ER							8	L72	C	59/26
28FP/1200486	S3-150								28	-	C	59/27
28FP/325	S3-175								5	-	C	59/28
	-								-	-	-	59/29
6041	E.B2.11.15919								1	-	C	59/30
6043	E.B2.11.15921								1	-	C	59/31
6042	E.B2.11.16041								1	-	C	59/32
6044	E.B2.11.16055								1	-	C	59/33
		E.B2.11.15915							1	-	-	59/34
	3324	E.B2.11.15917							1	-	C	59/35
28D/8337	AS.1248/1B								15	-	C	59/36
28M/1086618	AGS.2002/B/1								15	-	C	59/37
28W/9419474	SP15/B								15	-	C	59/38
	4377	E.B2.11.16015							1	-	B	59/39
	3326*	E.B1.11.4969							13	L72	C	59/40
	21476	E.B2.07.757							13	L72	C	59/41
28FP/9520205	A3-20								6	-	C	59/42
28FP/1014631	A3-25								14	-	C	59/43
28FP/9138002	GA3-175								20	-	C	59/44
28FP/325	S3-175								19	-	C	59/45

FUSELAGE
REAR FUSELAGE STRUCTURE

854

Ref. No.	Part No.	Description	No. off	Mati. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
3327	E.B1.11.4887	STRAP, accumulator and air bottle mounting, group Consisting of:—	1	—	B	59/46
4378	E.B1.11.4991	COLLAR	2	L65	C	59/47
4379	E.B1.11.4985	ROD, tension	1	S1 or S95	C	59/48
4380	E.B1.11.4993	STRAP	2	L72	C	59/49
4381	E.B1.11.4987	TRUNNION, R.H.	1	S1 or S95	C	59/50
4382	E.B1.11.4989	TRUNNION, L.H.	1	S1 or S95	C	59/51
28D/9140645	A25/10C	Attachments:— Bolt, 2 BA, hex. head	2	—	C	59/52
28M/9403520	A27/CP	Nut, 2 BA, plain	2	—	C	59/53
28W/9419402	SP13/C	Washer, 2 BA, plain	4	—	C	59/54
—	—	SHROUD, tailplane accumulator and air bottle, starboard, assembly (E.B2.11.6455) Spares for:—	—	—	—	60/1
3329	E.B2.11.15513	BLANKET, forward Attachments:—	1	—	C	60/2
28D/8337	AS.1248/1B	Bolt, 4 BA, mushroom head	9	—	C	60/3
28M/1086618	AGS.2002/B/1	Nut, stiff, 4 BA	9	—	C	60/4
28W/9419474	SP15/B	Washer, 4 BA, plain	9	—	C	60/5
6039	E.B2.11.15545	BLANKET, rear Attachments:—	1	—	C	60/6
28D/8337	AS.1248/1B	Bolt, 4 BA, mushroom head	7	—	C	60/3
28M/1086618	AGS.2002/B/1	Nut, stiff, 4 BA	7	—	C	60/4
28W/9419474	SP15/B	Washer, 4 BA, plain	7	—	C	60/5
6040	E.B2.11.15547	BLANKET Attachments:—	1	—	C	60/7
28D/8337	AS.1248/1B	Bolt, 4 BA, mushroom head	5	—	C	60/8
28M/1086618	AGS.2002/B/1	Nut, stiff, 4 BA	5	—	C	60/9
28W/9419474	SP15/B	Washer, 4 BA, plain	5	—	C	60/10
—	E.B2.11.15505	SHIELD, heat, assembly Spares for:—	1	—	—	60/11
3328	E.B2.11.15507	BLANKET Attachments:—	1	—	C	60/12
28D/8337	AS.1248/1B	Bolt, 4 BA, mushroom head	12	—	C	60/13
28M/1086618	AGS.2002/B/1	Nut, stiff, 4 BA	12	—	C	60/14
28W/9419474	SP15/B	Washer, 4 BA, plain	12	—	C	60/15
4383	E.B2.11.16011	PANEL, assembly Spares for:—	1	—	C	60/16
3326*	E.B1.11.4969	BLADE, fastener ejector	12	—	C	60/17
21476	E.B2.07.737	BLADE, fastener ejector (E.B1.11.4969)	12	—	C	60/18
28FP/9520205	A3-20	FASTENER, dzus	11	—	C	60/19
28FP/1014631	A3-25	FASTENER, dzus	8	—	C	60/20
28FP/9138002	GA3-175	GROMMET, dzus	19	—	C	60/21
28FP/1200486	S3 150	SPRING, dzus	12	—	C	60/22

FUSELAGE
REAR FUSELAGE STRUCTURE

855

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
3327	E.B1.11.4887								1	—	B	60/23
4378	E.B1.11.4991								2	L65	C	60/24
4379	E.B1.11.4985								1	S1 or S95	C	60/25
4380	E.B1.11.4993								2	L72	C	60/26
4381	E.B1.11.4987								1	S1 or S95	C	60/27
4382	E.B1.11.4989								1	S1 or S95	C	60/28
28D/9435710	A25/11C								2	—	C	60/29
28M/9403520	A27/CP								2	—	C	60/30
28W/9419402	SP13/C								4	—	C	60/31
	E.B2.11.17981								1	—	—	60/32
18000	E.B2.11.17995								1	—	B	60/33
15971	E.B2.11.17936								1	—	C	60/34
4386	E.B2.11.15339								1	—	C	60/35
28D/1010658	A25/1B								4	—	C	60/36
28M/1278189	AGS.2001/B/1								4	—	C	60/37
28W/9419486	SP16/B								4	—	C	60/38
18002	E.B2.11.17997								1	—	B	60/39
15973	E.B2.11.17930								1	—	B	60/40
15972	E.B2.11.15341								1	—	C	60/41
28D/1010658	A25/1B								4	—	C	60/42
28M/1086618	AGS.2002/B/1								4	—	C	60/43
28W/9419486	SP16/B								4	—	C	60/44
28D/9436920	A25/1C								17	—	C	60/45
	E.B2.11.17983								1	—	—	60/46
18001	E.B2.11.17996								1	—	B	60/47
15974	E.B2.11.17935								1	—	C	60/48
4387	E.B2.11.15340								1	—	C	60/49
28D/1010658	A25/1B								4	—	C	60/36
28M/10327	AGS.2002/B/1								4	—	C	60/37
28M/1086618	SP16/B								4	—	C	60/38
18003	E.B2.11.17999								1	—	B	60/50
15976	E.B2.11.17929								1	—	C	60/51
17975	E.B2.11.16833								1	—	C	60/52
28D/1010658	A25/1B								4	—	C	60/42
28M/1086618	AGS.2002/B/1								4	—	C	60/43
28W/9419486	SP16/B								4	—	C	60/44
28D/9436920	A25/1C								17	—	C	60/45

FUSELAGE
REAR FUSELAGE

856

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	—	SKINNING, frame 25B to 42, equipment in spine, assembly (E.B3.11.985) Spares for:—	—	—	—	
24960	E.B3.11.781	BRACKET	1	L72	C	
36817	E.B2.07.789	MOUNTING, bracket, assembly (E.B2.11.15875)	1	—	C	
34501	E.B3.07.83	MOUNTING, starter pump, assembly (E.B3.53.121) Spares for:—	1	—	C	
	E.B2.11.5165	PACKING, pump strap, 1/16" x ".3 x 2".75 long (Make from 32B/1013)	2	DTD762	LM	61/25
	E.B2.11.5167	PACKING, pump strap, 1/16" x ".7 x 2".7 long (Make from 32B/1013)	2	DTD762	LM	61/26
7381	E.B2.11.14579	STRAP, half, pump retaining, assembly Spares for:—	8	—	C	61/27
	E.B2.11.6453	TRUNNION, plain Attachments:—	1	L65	—	61/28
28D/1215088	AS.1246/15C	Bolt, 2 BA, round head	4	—	C	61/29
28M/5808573	A27/CS	Nut, 2 BA, slotted	4	—	C	61/30
28W/9419402	SP13/C	Washer, 2 BA, plain	4	—	C	61/31
	E.B3.53.123	TUBE, strap retaining	4	L62	—	61/32
	AS.2309/045	TUBE, distance	4	—	—	61/33
10674	AS.2309/04	TUBE, distance	4	—	C	61/34
	—	MOUNTING, switch, magnetic relays, assembly (E.F2.81.1639) Spares for:—	—	—	—	61/35
7907	E.B3.81.1851	STUD, earth, assembly Attachments:—	1	—	C	61/36
28M/10277	AGS.2001/G/4	Nut, stiff, 5/16" BSF	1	—	C	61/37
7908	E.B3.81.1857	WASHER, special	1	—	C	61/38
	—	STRAP, rubbing, brake parachute door aperture, frame 61, attachment (E.B2.11.18287) (Mod. 4031) Spares for:—	—	—	—	
	E.B2.07.785	STRAP, rubbing (E.B2.11.18283) Attachments:—	1	L65	—	
28D/1007468	AS.1242/3B	Bolt, 4 BA, c'sk head	18	—	C	
28M/1086618	AGS.2002/B/1	Nut, stiff, 4 BA	18	—	C	
1484688	E.B3.07.117	MOUNTING, solenoid valve, assembly (E.B3.11.2663)	1	—	C	
	—	STRUCTURE, main fuselage, assembly (E.B3.11.9) Spares for:—	—	—	—	71/31
	E.B3.11.79	BRACKET, elevator auto-stabiliser and feel unit mounting, assembly Spares for:—	1	—	—	71/10
2A/9501380	SKEFCO 402266	BALLRACE	1	—	B	71/11
	—	CHANNEL, lever mounting, assembly (E.B2.11.10023) Spares for:—	—	—	—	71/12
4402	E.B2.11.5889	BUSH Attachments:—	1	L65	C	71/13
28D/9133011	A25/2C	Bolt, 2 BA, hex. head	4	—	C	71/14
28M/9403520	A27/CP	Nut, 2 BA, plain	4	—	C	H71

FUSELAGE
REAR FUSELAGE STRUCTURE

857

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	—								—	—	—	71/16
4402	E.B2.11.5889								1	L65	C	71/17
28D/9133011	A25/2C								4	—	C	71/18
28M/9403520	A27/CP								4	—	C	71/19
	—								—	—	—	71/20
	E.B2.45.2809								1	—	—	71/21
2A/9501380	SKEFCO 402266								1	—	C	71/22
28N/2001688	AGS.2030/22								1	—	C	71/23
	E.B2.45.2813								1	L65	—	71/24
	E.B2.45.2811								1	L62	—	71/25
26FZ/1468	EEAS.1/2C								4	S96	C	71/26
28M/1278190	AGS.2001/C/1								4	—	C	71/27
	E.B2.11.10035								1	L65	—	71/28
28D/1214091	AS.1242/2C								4	—	C	71/29
4403	E.B2.11.10037								1	L65	C	71/30
	—								—	—	—	
7	E.B2.11.14951								1	—	B	73A/1
17683	E.B2.11.14961								1	L73	C	
4599	E.B1.11.3723								1	—	C	73A/2
2A/9500560	SKEFCO								4	—	C	73A/3
	SKF.400737 or											
12548	RANSOME & MARLES								4	—	C	
	B.11720											
13722	E.B2.07.607								1	L65	C	73A/4
28D/1013173	AS.1242/10C								3	—	C	73A/5
28M/9403520	A27/CP								3	—	C	73A/6
27233	E.B2.07.797								1	—	C	73A/7
13724	E.B2.07.609								1	L65	C	73A/8
28D/1214031	AS.1242/8C								4	—	C	73A/9
28M/9403520	A27/CP								4	—	C	73A/10
28W/9419475	SP15/C								4	—	C	73A/11

FUSELAGE
REAR FUSELAGE STRUCTURE

858

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
13726	E B2 07 617								1	L65	C	73A/12
28D/1214032	AS.1242/9C								1	—	C	73A/13
28D/1013173	AS 1242/10C								2	—	C	73A/14
28M/9403520	A27/CP								3	—	C	73A/15
	E B2 07 799								1	—	C	73A/16
1441126	E B2 07 873								1	—	C	74A/1
28D/9133012	A25/3C								2	—	C	74A/2
28D/1214032	AS 1242/9C								2	—	C	74A/3
28M/9403520	A27/CP								4	—	C	74A/4
4601	E B2 11 14927								1	—	C	74A/5
4602	E B2 11 15085								1	—	C	74A/6
5644	E B2 11 14933								1	L72	C	74A/7
1441128	E B2 07 871								1	—	C	74A/8
28D/9133012	A25/3C								2	—	C	74A/9
28D/1214032	AS 1242/9C								2	—	C	74A/10
28M/9403520	A27/CP								4	—	C	74A/11
4601	E B2 11.14927								1	—	C	74A/12
4607	E B2 11.15087								1	—	C	74A/13
5645	E B2 11.14955								1	L72	C	74A/14
4611	E B1.11.3751								1	—	C	73A/17
4612	E B2 11.10573								1	L65	C	74A/15
28D/1214031	AS.1242/8C								4	—	C	74A/16
28M/9403520	A27/CP								4	—	C	74A/17
13732	E B2 07 645								1	L65	C	74A/18
28D/1214031	AS.1242/8C								4	—	C	74A/16
28M/9403520	A27/CP								4	—	C	74A/17
4614	E B1.11.3737								4	L65	C	74A/18
4615	E B1.11.3739								2	S95	C	73A/19
4616	E B1.11.3741								2	S95	C	74A/20
5646	E B2.11.14929								1	S514	C	74A/21
5647	E B2.11.14931								1	S514	C	74A/22
15449	E B2 11 16447								1	S521	C	
	E B2.11 15089								QR	Linatex KO109	LM	74A/23
4618	E B1.11.4059								1	L73	C	74A/24
4619	E B1.11.3867								2	BS249	C	73A/20
8	E B2.11 14952								1	—	B	73A/21
17684	E B2 11 14962								1	L73	C	
4599	E B1.11 3723								1	—	C	73A/2

FUSELAGE
REAR FUSELAGE STRUCTURE

859

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
2A/9500560	SKEFCO SKF.400737								4	—	C	73A/22
12548	or RANSOME & MARLES B.11720								4	—	C	
13723	E.B2.07.608								1	L65	C	73A/23
28D/1013173	AS.1242/10C								3	—	C	73A/24
28M/9403520	A27/CP								3	—	C	73A/6
37402	E.B2.07.798								1	—	C	73A/25
13725	E.B2.07.610								1	L65	C	73A/26
28D/1214031	AS.1242/8C								4	—	C	73A/9
28M/9403520	A27/CP								4	—	C	73A/10
28W/9419475	SP15/C								4	—	C	73A/11
13727	E.B2.07.667								1	L65	C	73A/27
28D/1214032	AS.1242/9C								1	—	C	73A/13
28D/1013173	AS.1242/10C								2	—	C	73A/14
28M/9403520	A27/CP								3	—	C	73A/15
	E.B2.07.800								1	—	C	73A/16
1441127	E.B2.07.874								1	—	C	74A/25
28D/9133012	A25/3C								2	—	C	74A/2
28D/1214032	AS.1242/9C								2	—	C	74A/3
28M/9403520	A27/CP								4	—	C	74A/4
4601	E.B2.11.14927								1	—	C	74A/5
4602	E.B2.11.15085								1	—	C	74A/6
5648	E.B2.11.14934								1	L72	C	74A/26
1441129	E.B2.07.872								1	—	C	74A/27
28D/9133012	A25/3C								2	—	C	74A/9
28D/1214032	AS.1242/9C								2	—	C	74A/10
28M/9403520	A27/CP								4	—	C	74A/11
4601	E.B2.11.14927								1	—	C	74A/12
4607	E.B2.11.15087								1	—	C	74A/13
5649	E.B2.11.14956								1	—	C	74A/28
4611	E.B1.11.3751								1	—	C	73A/17
4612	E.B2.11.10573								1	L65	C	74A/15
28D/1214031	AS.1242/8C								4	—	C	74A/16
28M/9403520	A27/CP								4	—	C	74A/17

FUSELAGE
REAR FUSELAGE STRUCTURE

860

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
13732	E.B2.07.645								1	L65	C	H74A
28D/1214031	AS.1242/8C								4	—	C	H74A
28M/9403520	A27/CP								4	—	C	H74A
4614	E.B1.11.3737								4	L65	C	74A/19
4615	E.B1.11.3739								2	S95	C	73A/28
4616	E.B1.11.3741								2	S95	C	73A/29
5650	E.B2.11.14930								1	—	C	74A/30
5651	E.B2.11.14932								1	—	C	74A/31
15451	E.B2.11.16448								1	S521	C	
4619	E.B1.11.3867								2	BS249	C	73A/20
	—								—	—	—	
13122	E.B2.11.8777								1	Titanium 314	C	
36837	E.B2.11.8783								1	—	C	
	—								—	—	—	72/1
	E.B2.53.575								1	—	—	72/26
33829	E.B2.53.573								1	S110	C	72/25
4390	E.B2.53.319								1	DTD124	C	72/2
28D/9133011	A25/2C								2	—	C	72/3
28M/10339	AGS.2002/C/2								2	—	C	72/4
4391	E.B2.53.329								2	L72	C	72/5
4392	E.B2.53.363								1	DTD124	C	72/6
28D/9436920	A25/1C								1	—	C	72/7
28M/9436836	AGS 2001/C/2								1	—	C	72/8
28W/9419402	SP13/C								1	—	C	72/9
4393	E.B2.53.403								1	S521	C	72/10
28D/9133011	A25/2C								1	—	C	72/11
28M/10339	AGS.2002/C/2								1	—	C	72/12
4394	E.B2.53.399								2	S521	C	72/13
4396	E.B2.53.325								2	DTD378A	C	72/14
	—								—	—	—	
	E.F3.53.197								1	S521	—	72/27
28D/1013284	AS.1248/2C								4	—	C	

FUSELAGE
REAR FUSELAGE STRUCTURE

861

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
4397	E.B2.53.323								1	S110	C	72/15
28D/1214567	AS.2920/2C								4	—	C	72/16
28M/10298	AGS.2001/C/2								4	—	C	72/17
4398	E.B2.53.321								1	LA4	C	72/18
33828	E.B2.53.565								1	—	B	72/26A
4400	E.B2.53.401								1	T55 or S521	C	72/19
	E.B3.11.2839								1	—	—	
	E.B3.11.865								1	L72	—	
	E.B3.11.2841								1	—	—	
	—								—	—	—	72/20
37237	E.B3.07.97								1	L72	C	
37308	E.B2.07.811								1	L72	C	
37240	E.B3.07.93								1	L72	C	
37245	E.B2.07.813								1	L72	C	
37246	E.B2.07.814								1	L72	C	
37307	E.B2.07.809								1	L72	C	
	—								—	—	—	72/21
4388	E.B3.11.303								1	—	B	72/22
28FP/1114	A3-1/2-T10								2	—	C	72/23
28FP/1002561	GH3-1/2								2	—	C	72/24
	—								—	—	—	77/39
1439841	E.B2.07.855								1	L65	C	
	E.B2.73.5923								1	L73	—	
37479	E.B2.07.841								1	L65	C	
	—								—	—	—	77/40
36163	E.B2.07.783								1	S515	C	
	E.B2.11.13475								1	—	—	
37243	E.B3.07.99								1	L73	C	
36784	E.B2.11.18247								1	L73	C	
	—								—	—	—	77/41
	—								—	—	—	
9277	E.B2.07.675								1	EEDX283	C	
28D/9133011	A25/2C								2	—	C	
	E.B2.73.4433								1	L72	—	
28M/1278190	AGS.2001/C/1								2	—	C	
28W/9419475	SP15/C								2	—	C	

FUSELAGE
REAR FUSELAGE STRUCTURE

862

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
13681	E.B2 73.6073								1	S514	C	
28D/9133011	A25/3C								4	-	C	
	E.B2 73.6429								1	L72	-	
28M/1278190	AGS 2001/C/1								4	-	C	
13682	E.B2 73.6075								2	L72	C	
13683	E.B2 73.6077								1	L72	C	
28W/9419475	SP15/C								4	-	C	
	-								-	-	-	77/42
7831	E.B3 11.2329								1	-	B	
7832	E.B3 11.2333								15	-	C	
7833	E.B3 11.2347								1	-	C	
7834	E.B3 11.2335								16	-	C	
7835	E.B3.11.2419								24	-	C	
28M/1278189	AGS.2001/B/1								24	-	C	
	E.B2.11.13291								1	-	-	
13972	E.B2.11.10727								1	Titanium	B	
28D/9138768	A25/ 1/2C								14	-	C	
	-								-	-	-	77/43
2793	E.B1.30.677								4	S1	C	
2795	E.B1.30.675								4	-	C	
22484	E.F3.11.4273								4	S94	C	
	-								-	-	-	77/44
3343	E.B2.11.3767								1	-	C	
	-								-	-	-	77/45
4404	E.B1.11.2683								2	-	B	
28D/1214091	AS.1242/2C								4	-	C	
28P/1006943	SP9/C6								4	-	C	
	E.B2.11.13343								1	-	-	
28D/1008145	A25/6E								1	-	C	
13721	E.B2.07.689								1	-	C	
28R/13498	AS.1151								1	-	C	
4405	E.B1.11.6523								2	S96	C	
28M/1011475	A27/EP								2	-	C	
4406	E.B1.11.5293								2	L65	C	
4407	E.B1.11.5329								2	L65	C	

FUSELAGE
REAR FUSELAGE STRUCTURE

864

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
4420	E.B1.11.2615	STOP, rubber	1	Synthetic Rubber	C	
28D/9140644	A25/9C	Attachments:— Bolt; 2 BA, hex. head	1	—	C	
28M/9403520	A27/CP	Nut; 2 BA, plain	1	—	C	
4412	AS.2806/4/074	Piece, distance	1	—	C	
3354	E.B1.11.2657	STOP, rubber	2	Synthetic Rubber	C	
4421	E.B2.11.4583	STRUT, waist, assembly	1	—	C	
28D/1212316	A60/3E	Attachments:— Bolt; shear, 1/4" BSF	2	—	C	
28M/13935	A58/ES	Nut; 1/4" BSF, slotted	2	—	C	
28P/1007741	SP9/C8	Pin, split	2	—	C	
	—	FRAME 62, assembly (E.B2.11.111)	—	—	—	
		Spares for:—				
21587	E.B2.03.75	ANGLE (E.B2.11.4757)	1	L65	C	
26FZ/20790	EEAS.95/3E	BOLT, 1/4" BSF, hex. head	10	S97	C	76A/1
1439752	E.B2.07.847	BRACKET (E.B2.11.13909)	2	L65	C	
1439753	E.B2.07.848	BRACKET (E.B2.11.13910)	2	L65	C	
3359	E.B2.11.6635	BUSH	4	DTD525	C	76A/2
3360	E.B2.11.6637	BUSH	4	S94	C	76A/3
3357	E.B2.11.5389	DWEL	4	S65	C	76A/4
21588	E.B2.03.453	DOUBLING (E.B2.11.4765)	1	L65	C	
3358	KING A/C CO. C.7809	FASTENER, custodian	6	—	C	76A/5
21589	E.B2.03.457	FRAME, segment, lower (E.B2.11.4753)	1	L65	C	
5997	E.B2.11.15491	HINGE	2	S98	C	76A/6
5998	E.B2.11.15493	HINGE	2	S98	C	76A/7
3356	E.B2.11.15991	HOUSING, jet pipe mounting	4	—	C	76A/8
3363	E.B2.11.11633	NUT, special, 3/8" BSF	4	S111	C	76A/9
5215	E.B2.11.15349	NUT, special	8	S114	C	76A/10
3364	E.B2.11.6639	SPRING	4	DTD215 or 239	C	76A/11
3355	E.B2.11.4789	STUD	8	S97	C	76A/12
	—	FRAME 61, assembly (E.B3.11.745)	—	—	—	77A/1
		Spares for:—				
4422	E.B1.11.2603	BEARING, port, c/w ballrace	1	—	B	77A/2
28D/9436920	A25/1C	Attachments:— Bolt; 2 BA, hex. head	1	—	C	77A/3
28D/9133011	A25/2C	Bolt; 2 BA, hex. head	2	—	C	77A/4
28M/5808573	A27/CS	Nut; 2 BA, slotted	3	—	C	77A/5
28P/1007741	SP9/C8	Pin, split	3	—	C	77A/6
28W/9419402	SP13/C	Washer, 2 BA, plain	1	—	C	77A/7
4423	E.B1.11.2604	BEARING, starboard, c/w ballrace	1	—	B	77A/8
28D/9436920	A25/1C	Attachments:— Bolt; 2 BA, hex. head	1	—	C	77A/3
28D/9133011	A25/2C	Bolt; 2 BA, hex. head	2	—	C	77A/4
28M/5808573	A27/CS	Nut; 2 BA, slotted	3	—	C	77A/5
28P/1007741	SP9/C8	Pin, split	3	—	C	77A/6
28W/9419402	SP13/C	Washer, 2 BA, plain	1	—	C	77A/7

FUSELAGE
REAR FUSELAGE STRUCTURE

865

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
1439842	E.B1.07.007	BRACKET, attachment, port (E.B1.11.2605)	1	DTD546	C	
1439843	E.B1.07.008	BRACKET, attachment, starboard (E.B1.11.2606)	1	DTD546	C	
4413	E.B1.11.2609	PIN, hinge, quadrant rail Attachments:—	2	S11	C	77A/9
28P/1006943	SP9/C6	Pin, sp fit	2	—	C	77A/10
28W/9418921	SP13/E	Washer, 1/4" BSF, plain	2	—	C	77A/11
4424	E.B1.11.4849	RAIL, quadrant, port	1	—	C	77A/12
4425	E.B1.11.4850	RAIL, quadrant, starboard	1	—	C	77A/13
4419	E.B1.11.6221	SPRING, quadrant rail extension	2	DTD215	C	77A/14
4426	E.B2.11.4845	STRUT, waist, assembly Attachments:—	1	—	C	77A/15
28D/1011238	A25/3E	Bolt, 1/4" BSF, hex. head	2	—	C	77A/16
28M/1011475	A27/EP	Nut, 1/4" BSF, plain	2	—	C	77A/17
—	—	FRAME 53, assembly (E.B3.11.2001) Spares for:—	—	—	—	77A/18
7836	E.B3.11.2417	ANGLE	1	—	C	77A/19
—	—	MEMBER, "Z", blanket landing, assembly (E.B2.11.17593) (Mod. 344) (Mod. 1843) Spares for:—	—	—	—	
29G/2180	CARR FASTENER Type 882	STUD	7	—	C	
3449	E.B2.11.15335	PANEL, access, jet pipe support link, group Spares for:—	1	—	B	77A/20
28FP/154	A5-30	FASTENER, dzus	4	—	C	77A/21
7831	E.B3.11.2329	SEAL, bulkhead, assembly Spares for:—	1	—	B	77A/22
7832	E.B3.11.2333	SEGMENT, assembly	15	—	C	77A/23
7833	E.B3.11.2347	SEGMENT, assembly	1	—	C	77A/24
—	E.B2.11.2807	WEB, frame 53, centre, assembly Spares for:—	1	—	—	
37244	E.B2.07.817	GUSSET (E.B2.11.17507)	1	L73	C	
37411	E.B2.07.818	GUSSET (E.B2.11.17508)	1	L73	C	
37310	E.B2.07.815	STABILISER (E.B2.11.17505)	1	L73	C	
37311	E.B2.07.816	STABILISER (E.B2.11.17506)	1	L73	C	
—	E.B2.11.13529	WEB, frame 53, lower, assembly Spares for:—	1	—	—	
18919	E.B2.11.8053	DIAPHRAGM	1	L73	C	
—	E.B2.11.13525	WEB, frame 53, upper, assembly Spares for:—	1	L73	—	
1439547	E.B2.07.831	ANGLE (E.B2.11.13751)	1	L73	C	
7834	E.B3.11.2335	SPRING, segment retaining Attachments:—	16	—	C	77A/25
7835	E.B3.11.2419	Bolt, special	28	—	C	77A/26
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	24	—	C	77A/27
28M/1086618	AGS.2002/B/1	Nut, stiff, 4 BA	4	—	C	77A/28

FUSELAGE
REAR FUSELAGE STRUCTURE

866

Ref. No.	Part No.	Description	No. off	Mati. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	-	FRAME 43, assembly (E.B3.11.1857)	-	-	-	
	-	Spares for:-				
	-	FRAME 43, port, assembly (E.B3.11.1909)	-	-	-	
	-	Spares for:-				
3447	E.B2.11.4219	PANEL, access, wing attachment bolts at frame 43, group	1	-	B	
	-	Spares for:-				
27FP/9520205	A3-20	FASTENER, dzus	10	-	C	
27FP/9138002	GA3-175	GROMMET, dzus	10	-	C	
	-	FRAME 43, starboard, assembly (E.B3.11.1911)	-	-	-	
	-	Spares for:-				
3448	E.B2.11.4220	PANEL, access, wing attachment bolts at frame 43, group	1	-	B	
	-	Spares for:-				
27FP/9520205	A3-20	FASTENER, dzus	10	-	C	
27FP/9138002	GA3-175	GROMMET, dzus	10	-	C	
	-	FRAME 49, assembly (E.B2.11.11883)	-	-	-	
	-	Spares for:-				
	-	MEMBER, side, assembly, starboard (E.B2.11.13953)	-	-	-	
	-	Spares for:-				
36164	E.B2.07.771	BRACKET, hydraulic filter (E.B2.73.6869) (Mod. 2556)	1	-	C	
	-	Attachments:-				
28D/1010658	A25/1B	Bolt, 4 BA, hex. head	6	-	C	
28M/9493519	A27/BP	Nut, 4 BA, plain	6	-	C	
28W/9419486	SP16/B	Washer, 4 BA, plain	6	-	C	
13743	E.B2.07.655	BRACKET, hydraulic filter (E.B2.11.17387) (Pre-Mod. 2499)	1	-	C	
	-	Attachments:-				
28D/1010658	A25/1B	Bolt, 4 BA, hex. head	6	-	C	
28M/9403519	A27/BP	Nut, 4 BA, plain	6	-	C	
28W/9419486	SP16/B	Washer, 4 BA, plain	6	-	C	
34319	E.B2.07.773	BRACKET, hydraulic filter (E.B2.73.6871) (Mod. 2499)	1	S515	C	
	-	Attachments:-				
28D/1010658	A25/1B	Bolt, 4 BA, hex. head	7	-	C	
28M/9403519	A27/BP	Nut, 4 BA, plain	7	-	C	
28W/9419474	SP15/B	Washer, 4 BA, plain	7	-	C	
	E.F3.11.3663	LONGERON, upper engine hatch, port, assembly	1	-	-	
	-	Spares for:-				
28878	E.B2.11.14619	PAD, jacking, assembly	1	-	C	
	E.B2.11.9188	LONGERON, upper engine hatch, starboard, assembly	1	-	-	
	-	Spares for:-				
28879	E.B2.11.14620	PAD, jacking, assembly	1	-	C	
	-	MECHANISM, parachute door operating, assembly (E.B2.11.16311)	-	-	-	80A/1
	-	Spares for:-				
4427	E.B1.11.4405	BRACKET, spindle	1	S95	C	80A/2
4428	E.B1.11.4399	CABLE, assembly, camshaft operating	1	-	C	79A/1

FUSELAGE
REAR FUSELAGE STRUCTURE

867

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
4429	E.B2.11.14567	CAMSHAFT, port, group	1	-	B	79A/2
2A/9500462	SKEFCO CBA.0	Spares for:- BALLRACE, self-aligning	2	-	C	79A/3
5317	E.B2.11.14569	BOLT, special	2	S95	C	79A/4
5318	E.B2.11.14571	BUSH, eccentric	2	S95	C	79A/5
4430	E.B1.11.4367	END-PIECE	1	L65	C	79A/6
26FZ/1095	EEAS.37/14A	Attachments:- Nipple, 6 BA	4	S96	C	79A/7
	EEAS.38/2A	Spoke, 6 BA (Make from 28R/6124)	2	S96	LM	79A/8
5319	E.B2.11.15543	WASHER, lock	2	S514	C	79A/9
5320	E.B2.11.14575	WASHER, special	2	L72	C	79A/10
4432	E.B2.11.14568	CAMSHAFT, starboard, group	1	-	B	79A/11
2A/9500462	SKEFCO CBA.0	Spares for:- BALLRACE, self-aligning	2	-	C	79A/3
5317	E.B2.11.14569	BOLT, special	2	S95	C	79A/4
5318	E.B2.11.14571	BUSH, eccentric	2	S95	C	79A/5
4430	E.B1.11.4367	END-PIECE	2	L65	C	79A/6
26FZ/1095	EEAS.37/14A	Attachments:- Nipple, 6 BA	4	S96	C	79A/7
	EEAS.38/2A	Spoke, 6 BA (Make from 28R/6124)	2	S96	LM	79A/8
5319	E.B2.11.15543	WASHER, lock	2	S514	C	79A/9
5320	E.B2.11.14575	WASHER, special	2	L72	C	79A/10
7372	E.B2.11.16451	CATCH, spring, port	1	-	C	79A/12
7373	E.B2.11.16452	CATCH, spring, starboard	1	-	C	79A/13
4434	E.B1.11.4393	EYE-BOLT, three-way selector pulley segment tension spring anchor	1	S95	C	80A/33
28M/9403520	A27/CP	Attachments:- Nut, 2 BA, plain	1	-	C	80A/34
4435	E.B1.11.5321	FAIRLEAD, three-way selector separating cable	1	LFS26	C	79A/14
28D/9133011	A25/2C	Attachments:- Bolt, 2 BA, hex. head	4	-	C	79A/15
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	4	-	C	79A/16
28W/9419402	SP13/C	Washer, 2 BA, plain	4	-	C	79A/17
4436*	E.B1.11.4789	GUARD, segment, pulley	1	DTD124	C	80A/3
21478	E.B2.07.731	GUARD, segment, pulley (E.B1.11.4789)	1	DTD124	-	-
4437	E.B2.11.15273	LINK, slotted, camshaft and selector mechanism connecting	1	L65	C	80A/4
4438	E.B1.11.4787	PLATE, pulley segment spindle locking	1	L72	C	80A/5
4439	E.B1.11.4369	PULLEY, segment separating cable guide, port, group	1	-	B	80A/6
	E.B2.11.7129	Consisting of:- ARM	1	L73 or DTD546	-	80A/7
28D/9709461	AS.1242/3C	BOLT, 2 BA, c'sk head	1	-	C	80A/8
28M/1006473	A27/CT	NUT, 2 BA, thin	2	-	C	80A/9
	E.B1.11.4389	PLATE	1	L72	-	80A/10
10708	E.B1.11.4781	PULLEY	1	L65	C	80A/11

FUSELAGE
REAR FUSELAGE STRUCTURE

868

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
4440	E.B1.11.4375	STUD	1	S95	C	80A/12
28P/9524884	SP28/G6	Attachments:— Pin, taper	2	—	C	80A/13
4441	E.B1.11.4377	PULLEY, operating, cable guide, starboard, group	1	—	B	80A/14
		Consisting of:—				
	E.B1.11.4381	ARM	1	L72	—	80A/15
28D/9133012	A25/3C	BOLT, 2 BA, hex. head	1	—	C	80A/16
28M/1006473	A27/CT	NUT, 2 BA, thin	1	—	C	80A/17
	E.B1.11.4389	PLATE	1	L72	—	80A/18
10709	E.B1.11.4783	PULLEY	1	L65	C	80A/19
		Attachments:—				
28P/9524884	SP28/G6	Pin, split	1	—	C	80A/20
1439974	E.B2.07.853	RAIL, parachute container support (E.B2.11.16323)	1	DTD546	C	
1439975	E.B2.07.854	RAIL, parachute container support (E.B2.11.16324)	1	DTD546	C	
28FP/611	DZUS Type R5	RECEPTACLE	4	—	C	79A/18
		Attachments:—				
4442	E.B1.11.5241	Plate, packing	4	DTD546	C	79A/19
28Q/18744	AS.2918/405	Rivet	8	—	C	79A/20
4443*	E.B2.11.15281	SEGMENT, pulley, operating arm and cable guide for Messier three-way door jack selector (E.B2.11.15281)	1	—	C	80A/21
36782	E.B2.07.747	SHIELD, heat (E.B2.11.9703)	1	—	C	
4444	E.B1.11.4407	SPINDLE, pulley segment operating Messier three-way selector	1	S95	C	80A/22
4445	E.B2.11.15079	SPRING, three-way selector pulley tension	1	DTD215	C	80A/23
4446	E.B1.11.4825	SPRING, camshaft torsion, port	1	DTD215	C	79A/21
4447	E.B1.11.4826	SPRING, camshaft torsion, starboard	1	DTD215	C	79A/22
4448	E.B1.11.4387	STUD, selector operating link and pulley arm connecting	1	S95	C	80A/24
		Attachments:—				
28M/12929	A27/CP	Nut, 2 BA, plain	1	—	C	80A/25
4449	AUT'VE ENG.	Twiclip, 1/8" dia.	1	—	C	80A/26
4450	E.B1.11.4791	TRUNNION, camshaft and selector mechanism connecting link	1	S95	C	80A/27
		Attachments:—				
29D/1013173	AS.1242/10C	Bolt, 2 BA, c'sk head	1	—	C	80A/28
28M/5808573	A27/CS	Nut, 2 BA, slotted	1	—	C	80A/29
28P/1007741	SP9/C8	Pin, split	1	—	C	80A/30
4451	E.B1.11.4363	Washer	2	DTD124A or S92	C	80A/31
28W/9419402	SP13/C	Washer, 2 BA, plain	1	—	C	80A/32

FUSELAGE
REAR FUSELAGE STRUCTURE

870

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
4454	E.B2.11.12743	BLOCK, lower, door stop	2	LFS26	C	73/7
10711	E.B2.11.17843	BLOCK, upper, door stop	2	LFS26	C	73/8
4457	E.B2.11.533	PIECE, venting door spring locating	1	L65 DTD423 or 363	C	73/9
4460	E.B2.11.531	WASHER, upper venting door spring packing	2	L65 DTD423 or 363	C	73/10
-	-	STRUCTURE, rear fuselage, between frames 25 and 34, assembly (E.B3.11.51) Spares for:-	-	-	-	73/11
7702	E.B2.73.4479	CONNECTION, drain, 1/4" BSP	1	S21	C	73/12
28D/1010658	A25/1B	Attachments:- Bolt, 4 BA, hex. head	3	-	C	73/13
28M/1086618	AGS.2002/B/1	Nut, stiff, 4 BA	3	-	C	73/14
28W/9419465	SP13/B	Washer, 4 BA, plain	1	-	C	73/15
7703	E.B2.73.5753	CONNECTION, drain, 1/4" BSP	1	S21	C	73/16
28D/1010658	A25/1B	Attachments:- Bolt, 4 BA, hex. head	2	-	C	73/17
28D/15161	A25/1-1/2B	Bolt, 4 BA, hex. head	1	-	C	73/18
28M/1086618	AGS.2002/B/1	Nut, stiff, 4 BA	3	-	C	73/19
28W/9419465	SP13/B	Washer, 4 BA, plain	1	-	C	73/20
9640	E.B2.11.17683	SHIELD, oil	1	-	C	73/21
28D/9436920	A25/1C	Attachments:- Bolt, 2 BA, hex. head	4	-	C	73/22
26FZ/981	EEAS.20/2DR	TAB, locking, drain connection	2	L72	C	73/23
7379*	E.B2.11.17121	TRAY, drip, at frame 31	1	L59	C	73/24
21484	E.B2.07.727	TRAY, drip, at frame 31 (E.B2.11.17121)	1	L59	C	
28D/1007971	A25/ 1/2B	Attachments:- Bolt, 4 BA, hex. head	4	-	C	73/25
28M/1086618	AGS.2002/B/1	Nut, stiff, 4 BA	4	-	C	73/26
7380*	E.B2.11.17123	TRAY, drip, at frame 31	1	L59	C	73/27
21458	E.B2.07.725	TRAY, drip, at frame 31 (E.B2.11.17123)	1	L59	C	
28D/1007971	A25/ 1/2B	Attachments:- Bolt, 4 BA, hex. head	3	-	C	73/28
28D/9138768	A25/ 1/2C	Bolt, 2 BA, hex. head	1	-	C	73/29
28M/1086618	AGS.2002/B/1	Nut, stiff, 4 BA	3	-	C	73/30
28M/9433473	AGS.2002/C/1	Nut, stiff, 2 BA	1	-	C	73/31
-	-	STRUCTURE, duct end, No. 2 engine, assembly (E.B3.11.81) Spares for:-	-	-	-	73/32
E.B3.11.135	E.B3.11.135	CONDUIT, assembly	1	-	-	
36386	E.B2.11.14325	Attachments:- CABLE, conduit, assembly	1	-	C	
36387	E.B2.11.14327	CABLE, conduit, assembly	1	-	C	
36547	E.B2.11.15515	CLIP, half	1	-	C	
37235	E.B2.07.807	CLIP, half (E.B2.11.15517)	1	-	C	
E.B2.11.1671	E.B2.11.1671	PANEL, duct, upper, assembly	1	-	-	
15635*	E.B2.11.1703	Attachments:- SEAL, strip retaining	1	-	C	
21473	E.B2.07.723	SEAL, strip retaining (E.B2.11.1703)	1	-	C	

FUSELAGE
REAR FUSELAGE STRUCTURE

871

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	-								-	-	-	73/33
7840	E.B3.53.231								1	LFS21	C	73/34
28D/9133012	A25/3C								6	-	C	73/35
4464	E.B3.53.15								1	T55	C	73/36
4465	E.B3.53.17								1	T55	C	73/37
	-								-	-	-	
	E.B2.11.8929								1	L73	-	74/1
	E.B2.11.8939								1	Titanium	-	74/2
	E.B2.11.8935								1	L65	-	74/3
28D/1010658	A25/1B								2	-	C	74/4
	E.B2.11.8937								1	L73	-	74/5
	E.B2.11.16071								1	-	-	74/6
28M/1278189	AGS.2001/B/1								2	-	C	74/7
	E.B3.11.2309								1	-	-	74/8
	E.B3.11.2313								1	-	-	74/9
	E.B2.11.8885								1	Titanium	-	74/10
	E.B2.11.8887								1	Titanium	-	74/11
	E.B2.11.8889								1	Titanium	-	74/12
	E.B2.11.8891								1	Titanium	-	74/13
	E.B2.11.8893								1	Titanium	-	74/14
	E.B2.11.8895								1	Titanium	-	74/15
	E.B2.11.8897								1	Titanium	-	74/16
	E.B2.11.8899								1	Titanium	-	74/17
	E.B2.11.8901								1	Titanium	-	74/18
	E.B2.11.8907								1	L73	-	74/19
	E.B2.11.8911								1	L73	-	74/20
	E.B2.11.10925								1	-	-	74/21
	E.B2.11.11169								1	L73	-	74/22
	E.B2.11.8941								2	L73	-	74/23
	E.B2.11.11539								1	-	-	74/24
	E.B2.11.8913								1	L73	-	74/25

FUSELAGE
REAR FUSELAGE STRUCTURE

872

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.B2.11.8921	STIFFENER	1	Titanium 314	-	74/26
	E.B2.11.8923	STIFFENER	1	Titanium 314	-	74/27
	E.B2.11.8925	STIFFENER	1	Titanium 314	-	74/28
	E.B2.11.9577	STIFFENER	1	Titanium 314	-	74/29
	E.B2.11.8931	SUPPORT	1	L73	-	74/30
	E.B2.11.8933	SUPPORT	1	L73	-	74/31
	E.B2.11.8927	STRIP, reinforcing	1	Titanium 314	-	74/32
	E.B2.11.11587	VALVE, flap, assembly Spares for:-	1	-	-	74/33
4478	E.B2.11.11589	FLAP	1	L72	C	74/34
4479	E.B2.11.11593	PIN, hinge	1	L65	C	74/35
28P/1202460	SP9/C4	PIN, split	1	-	C	74/36
28W/9419474	SP15/B	WASHER, 4 BA, plain	1	-	C	74/37
	-	STRUCTURE, fuselage, between frames 59 and 62, assembly (E.B3.11.121) Spares for:-	-	-	-	79/1
36840	E.B2.45.3011	BOLT, special, assembly Spares for:-	1	-	C	
	E.B2.45.3013	BOLT, special	1	-	-	
	E.B2.45.3015	DISC, rubber	1	-	-	
4480	E.B1.11.2423	BUSH, shouldered, rudder power unit attachment spindle	2	DTD412	C	79/2
4481	E.B1.11.2433	BUSH, shouldered	2	S96	C	79/3
	E.B3.11.711	HINGE, rudder lower, assembly Spares for:-	1	-	-	79/4
2A/9501185	RANSOME & MARLES KLNJ.1-1/2	BALLRACE	1	-	C	79/5
4485	E.B1.11.2041	BUSH, shouldered	1	S1	C	79/6
9864	E.B3.11.933	BUSH, special screwed shouldered	1	S95	C	79/7
28N/2001712	AGS.2030/14	CIRCLIP, internal	1	-	C	79/8
9865	E.B3.11.775	COLLAR, retaining	1	L65	C	79/9
9866	E.B3.11.931	PIN, shouldered, ballrace mounting	1	S95	C	79/10
4489	E.B1.11.2051	PIN, screwed, shouldered bush locking	1	-	C	79/11
9867	E.B3.11.757	RING, ballrace retaining Attachments:-	1	S1 or S510	C	79/12
28D/1212807	AS.1248/7C	Bolt, 2 BA, mushroom head	3	-	C	79/13
28M/5808573	A27/CS	Nut, 2 BA, slotted	3	-	C	79/14
28P/1006943	SP9/C6	Pin, split	3	-	C	79/15
4491	E.B2.11.8757	RING, locking	1	L65	C	79/16
9868	E.B3.11.761	STOP, rudder, assembly	2	-	C	79/17
9869	E.B3.11.939	WASHER, special, .003 laminated	2	LA3	C	79/18
9873	E.B3.11.1261	NUT, special anchor, assembly Attachments:-	1	-	C	79/19
28D/9133012	A25/3C	Bolt, 2 BA, hex. head	2	-	C	79/20
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	-	C	79/21
28W/9419402	SP13/C	Washer, 2 BA, plain	2	-	C	79/22

FUSELAGE
REAR FUSELAGE STRUCTURE

873

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	-	STRUCTURE, between frames 53 and 57, port, assembly (E.B.3.11.85) Spares for:-	-	-	-	75/35
	-	STRUCTURE, at air brake, assembly (E.B.3.11.123) Spares for:-	-	-	-	75/36
4325	E.B.2.11.12803	BEARING, spherical	2	S97	C	
12664	E.B.2.11.12789	HOUSING, bearing	1	S97	C	
12667	EEAS.251/42/49G	Attachments:- Bolt, 5/16" BSF, c'sk head	6	S97 or 30/147	C	
12665	E.B.2.11.12790	HOUSING, bearing Attachments:-	1	S97	C	
12667	EEAS.251/42/49G	Bolt, 5/16" BSF, c'sk head	6	S97 or 30/147	C	
37230	E.B.3.07.91	PAD, bearing, special (E.B.2.81.18123)	1	L65	C	
12666	E.B.2.11.15347	SHIM, at bearing housing	2	Aluminium Alloy	C	
12663	E.B.2.11.12807	TRUNNION, air brake jack, anchor (Pre-Mod. 2044)	1	S99	C	
	E.B.2.11.18081	TRUNNION, air brake jack anchor (Mod. 2044) Spares for:-	1	-	-	
28N/9156370	SP21	NIPPLE, grease	2	-	C	
20260	E.B.2.11.18091	PLUG	2	S92	C	
18694	E.B.2.11.18083	TRUNNION	1	S99	C	
	-	STRUCTURE, rear fuselage, between frames 53 and 57, starboard, assembly (E.B.3.11.87) Spares for:-	-	-	-	75/1
	-	BEAM, blanket mounting, assembly (E.B.2.11.17595) (Mod. 344) and (Mod. 1843) Spares for:-	-	-	-	
29G/2180	CARR FASTENER Type 882	STUD	5	-	C	
	-	STRUCTURE, at air brake, assembly (E.B.3.11.124) Spares for:-	-	-	-	75/37
4325	E.B.2.11.12803	BEARING, spherical	2	S97	C	
12664	E.B.2.11.12789	HOUSING, bearing	1	S97	C	
12667	EEAS.251/42/49G	Attachments:- Bolt, 5/16" BSF, c'sk head	6	S97 or 30/147	C	
12665	E.B.2.11.12790	HOUSING, bearing Attachments:-	1	S97	C	
12667	EEAS.251/42/49G	Bolt, 5/16" BSF, c'sk head	6	S97 or 30/147	C	
37230	E.B.3.07.91	PAD, bearing, special (E.B.2.81.18123)	1	L65	C	
12666	E.B.2.11.15347	SHIM, at bearing housing	2	Aluminium Alloy	C	

FUSELAGE
REAR FUSELAGE STRUCTURE

874

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
12663	E.B2.11.12807	TRUNNION, air brake jack anchor (Pre-Mod. 2044)	1	S99	C	
	E.B2.11.18081	TRUNNION, air brake jack anchor (Mod. 2044)	1	-	-	
28N/9156370	SP21	Spares for:- NIPPLE, grease	2	-	C	
	E.B2.11.18091	PLUG	2	S92	-	
18694	E.B2.11.18083	TRUNNION	1	S99	C	
	-	STRUCTURE, for mounting of rudder feel unit and lever, assembly (E.B3.11.125)	-	-	-	75/2
	-	Spares for:-				
36255	E.B2.07.781	BRACKET, rudder feel unit mounting, assembly (E.B2.45.2781)	1	-	C	75/3
	-	Spares for:-				
7855	E.B2.45.2907	SCREW, cap (Make from Unbrako series C, 2 BA x 7/8" long)	2	-	C	75/4
6056	E.B2.45.2783	BRACKET, rudder feel unit mounting, assembly	1	-	C	75/5
	-	Spares for:-				
7855	E.B2.45.2907	SCREW, cap (Make from Unbrako series C, 2 BA x 7/8" long)	2	-	C	75/6
	-	STRUCTURE, rear fuselage, between frames 42 and 48, port, assembly (E.B3.11.67)	-	-	-	75/7
	-	Spares for:-				
	-	BRACKET, engine mounting, assembly, arrangement (E.B2.47.791)	-	-	-	
	-	Spares for:-				
13741	E.B2.07.647	CLEAT (E.B2.11.11125)	1	-	C	
	-	STRUCTURE, high pressure refuelling valve, between frames 47 and 48, assembly (E.B2.11.3019)	-	-	-	75/8
	-	Spares for:-				
7803	E.B2.11.16893	SOCKET, earth, fuelling point, assembly	1	-	C	75/9
	-	Spares for:-				
28M/10333	AGS.2002/L/1	NUT, stiff, 7/16" BSF	1	-	C	75/10
	E.B1.11.5787	PLATE, mounting	1	L72	-	75/11
14079	E.B2.81.7579	SOCKET, earth	1	BS249	C	75/12
10014	E.B2.81.7581	SPRING	1	Spring Steel	C	75/13
	-	STRUCTURE, rear fuselage, between frames 44 and 49, assembly (E.B3.11.75)	-	-	-	75/14
	-	Spares for:-				
28494	E.B2.11.11299	ANGLE	1	L65	C	
28495	E.B2.11.11300	ANGLE	1	L65	C	
2A/9500417	HOFFMANN CS.7	BEARING, ballrace	2	-	C	75/15
	-	BRACKET, support, for hydraulic regulator, assembly (E.B2.11.18071)	-	-	-	
	-	Spares for:-				
19173	E.F3.73.2175	BRACKET, support hydraulic regulator	1	L73	C	
19174	E.F3.73.2177	CLIP, hydraulic regulator securing	1	S514	C	
	-	Attachments:-				
28D/9133011	A25/2C	Bolt, 2 BA, hex. head	2	-	C	
	E.F3.73.2179	Washer, pad	2	L73	-	

FUSELAGE
REAR FUSELAGE STRUCTURE

875

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
34499	E.B2.07.777	FITTING, bush (E.B2.11.15199)	1	—	C	
13729	E.B2.07.637	HOUSING, bearing (E.B2.11.4127)	2	L65	C	75/16
28D/9436920	A25/1C	Attachments:—	6	—	C	75/17
28M/1006473	A27/CT	Bolt, 2 BA, hex. head	6	—	C	75/18
		Nut, 2 BA, thin	6	—	C	
4462	E.B2.11.4129	HOUSING, bearing	1	L65	C	75/19
28D/9436920	A25/1C	Attachments:—	4	—	C	75/20
28M/1006473	A27/CT	Bolt, 2 BA, hex. head	4	—	C	75/21
28W/9419402	SP13/C	Nut, 2 BA, thin	4	—	C	75/22
	—	Washer, 2 BA, thin	4	—	C	
	—	MOUNTING, fire extinguisher bottle, port, assembly (E.B3.11.133)	—	—	—	75/23
	—	Spares for:—	—	—	—	
13731	E.B2.07.661	BRACKET, fire extinguisher bottle, mounting, assembly (E.B2.11.10355)	1	—	C	75/24
	—	Spares for:—	—	—	—	
9995	E.B2.11.17217	CUP, retaining	1	S515	C	75/25
9996	E.B2.11.17219	NUT, retaining	2	—	C	75/26
6011	E.B2.11.15765	PLATE	1	S515	C	75/27
	—	Attachments:—	—	—	—	
28D/1007973	AS.1242/2B	Bolt, 4 BA, c'sk head	1	—	C	75/28
28M/1086618	AGS.2001/B/1	Nut, stiff, 4 BA	1	—	C	75/29
28W/9419465	SP13/B	Washer, 4 BA, plain	2	—	C	75/30
	—	MOUNTING, fire extinguisher bottle mounting, assembly (E.B3.11.134)	—	—	—	75/31
	—	Spares for:—	—	—	—	
13793	E.B2.07.662	BRACKET, fire extinguisher bottle mounting, assembly (E.B2.11.10356)	1	—	C	75/32
	—	Spares for:—	—	—	—	
9995	E.B2.11.17217	CUP, retaining	1	S515	C	75/25
9996	E.B2.11.17219	NUT, retaining	2	—	C	75/26
6011	E.B2.11.15765	PLATE	1	S515	C	75/27
	—	Attachments:—	—	—	—	
28D/1007973	AS.1242/2B	Bolt, 4 BA, c'sk head	1	—	C	75/28
28M/1086618	AGS.2001/B/1	Nut, stiff, 4 BA	1	—	C	75/29
28W/9419465	SP13/B	Washer, 4 BA, plain	2	—	C	75/30
	—	STRUCTURE, frames 42-49, assembly (E.B3.11.59)	1	—	—	
	—	Spares for:—	—	—	—	
1439558	E.B2.11.11749	BRACKET, steady, assembly (Pre-Mod. 4253)	1	—	C	
1484110	E.B2.11.18319	BRACKET, steady, assembly (Mod. 4253)	1	—	C	
	—	Spares for:—	—	—	—	
	E.B2.11.18311	ANGLE	1	L73	—	
	E.B2.11.18313	ANGLE	1	L73	—	
	E.B2.11.18345	PLATE, mounting	1	L73	—	

FUSELAGE
REAR FUSELAGE STRUCTURE

876

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	-	STRUCTURE, rear fuselage, between frames 53 and 56, assembly (E.B3.11.101) Spares for:-	-	-	-	76/1
	-	STRUCTURE, at ventral tank rear supports, assembly (E.B3.11.963) Spares for:-	-	-	-	76/2
36113	E.B3.11.2745	BLOCK, rubbing, L.H., ventral tank Attachments:-	1	L44	C	76/3
28D/1215671	A59/15C	Bolt; 2 BA, hex. head	1	-	C	76/4
28M/9433473	AGS.2002/C/1	Nut; stiff, 2 BA	1	-	C	76/5
28W/9419475	SP15/C	Washer, 2 BA, plain	1	-	C	76/6
35058	E.B3.11.2746	BLOCK, rubbing, R.H., ventral tank Attachments:-	1	L44	C	76/7
28D/1215671	A59/15C	Bolt; 2 BA, hex. head	1	-	C	76/4
28M/9433473	AGS.2002/C/1	Nut; stiff, 2 BA	1	-	C	76/5
28W/9419475	SP15/C	Washer, 2 BA, plain	1	-	C	76/6
4472	E.B2.11.9823	BLOCK, bearing Attachments:-	2	LFS21 or LFS23	C	76/8
28D/1011019	A25/8C	Bolt; 2 BA, hex. head	4	-	C	76/9
28M/9433473	AGS.2002/C/1	Nut; stiff, 2 BA	4	-	C	76/10
28W/9419475	SP15/C	Washer, 2 BA, plain	4	-	C	76/11
4474	E.B3.11.2413	PICK-UP, ventral tank, rear, port Attachments:-	1	-	C	76/12
28D/1215659	A59/3C	Bolt; 2 BA, hex. head	6	-	C	76/13
28D/1215672	A59/16C	Bolt; 2 BA, hex. head	1	-	C	76/14
28M/9433473	AGS.2002/C/1	Nut; stiff, 2 BA	7	-	C	76/15
28W/9419975	SP15/C	Washer, 2 BA, plain	1	-	C	76/16
4475	E.B3.11.2414	PICK-UP, ventral tank, rear, starboard Attachments:-	1	-	C	76/17
28D/1215659	A59/3C	Bolt; 2 BA, hex. head	6	-	C	76/13
28D/1215672	A59/16C	Bolt; 2 BA, hex. head	1	-	C	76/14
28M/9433473	AGS.2002/C/1	Nut; stiff, 2 BA	7	-	C	76/15
28W/9419475	SP15/C	Washer, 2 BA, plain	1	-	C	76/16
4476	E.B1.11.5557	SPRING	2	DTD5A or DTD215	C	76/18
10960*	E.B2.11.9805	TUBE, support	2	-	C	76/19
21477	E.B2.07.699	TUBE, support (E.B2.11.9805) Attachments:-	2	-	C	
28D/9436920	A25/1C	Bolt; 2 BA, hex. head	4	-	C	76/20
28M/9433473	AGS.2002/C/1	Nut; stiff, 2 BA	4	-	C	76/21
28W/9419475	SP15/C	Washer, 2 BA, plain	4	-	C	76/22
4477	EEAS.28/16EU	WASHER, spring seating	2	-	C	76/23

FUSELAGE
REAR FUSELAGE STRUCTURE

877

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	-	STRUCTURE, rear fuselage, between frames 56 and 60, assembly (E.B3.11.103)							-	-	-	76/24
4470	E.B2.11.14533	BRACKET, picketing, assembly							1	-	C	76/25
28N/17504	AS.4601/6	INSERT, wire thread, 7/16" BSF x ".5							1	-	C	76/26
28D/1200119	A25/4C	Attachments: -							2	-	C	76/27
28D/	A25/4-1/2C	Bolt: 2:BA, hex. head							4	-	C	76/28
28D/	AS.1242/4-1/2C	Bolt: 2:BA, c'sk head							2	-	C	76/29
28M/10288	AGS.2001/C/1	Nut, stiff, 2 BA							8	-	C	76/30
4468	E.B2.11.13695	PLUG, picketing							1	-	C	76/31
	-	STRUCTURE, rear fuselage, between frames 53 and 63, assembly (E.B3.11.83)							-	-	-	
	-	GEAR, parachute jettison, assembly (E.B2.11.6649)							-	-	-	183/1
2739	E.B2.11.6675	ARM, balance weight lever							1	S95	C	83/2
2741	E.B2.11.6689	BOLT, stop, cam							1	S96	C	83/3
10717	E.B2.11.14191	BOLT, special							4	S95	C	83/4
7232	E.B2.11.15913	BOLT, special, cam, assembly							2	S95	C	83/5
2742	E.B2.11.6663	BOX, inner, spring							1	L65	C	83/6
2743	E.B2.11.6665	BOX, outer, spring							1	L65	C	83/7
2744	E.B2.11.6691	BUFFER, hook, assembly							1	LFS21	C	83/8
7233	E.B2.11.15911	BUSH, bearing, stirrup							2	DTD265	C	83/9
2746	E.B2.11.6659	CAM, assembly							1	-	B	83/10
2A/9500409	SKEFCO CBS.0	Consisting of: -										
		BALLRACE							1	-	C	83/11
2747	E.B2.11.6727	BOLT, special							1	S95	C	83/12
2748	E.B2.11.6721	HALF-CAM, R.H.							1	S82	C	83/13
2749	E.B2.11.6723	HALF-CAM, L.H.							1	S97	C	83/14
23371	E.B2.11.6695	CHANNEL, hook							1	L72	C	
2750	E.B2.11.6725	PIECE, distance							1	L65	C	83/15
2751	E.B2.11.6705	COLLAR, retaining, for stirrup and mass balance weight arm pivot pins							2	S95	C	83/16
28P/1007741	SP9/C8	Attachments: -										
		Pin, split							2	-	C	83/17
2752	E.B2.11.6711	COLLAR, retaining, for spring box pivot pins							2	S95	C	83/18
28P/1007741	SP9/C8	Attachments: -										
		Pin, split							2	-	C	83/19
2753	E.B2.11.7123	DISC, shock absorber							1	S95	C	83/20
2754	E.B2.11.6673	FORK-END, solenoid stirrup attachment							1	S95	C	83/21
2755	E.B2.11.6655	HOOK, assembly							1	-	B	83/22
12548	RANSOME & MARLES B.11720	Consisting of: -										
		BEARING, roller							1	-	C	83/23
2756	E.B2.11.6731	BUSH							1	DTD265	C	83/24
2757	SALTER 5100/28	CLIP, truarc							2	-	C	83/25

FUSELAGE
REAR FUSELAGE STRUCTURE

878

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
2758	E.B2.11.14033								1	S82	C	83/26
2759	E.B2.11.7117								1	S82	C	83/27
2760	E.B2.11.7111								1	-	C	83/28
2761	EEAS.95/5-1/2E								4	S97	C	83/29
2762	E.B2.11.6715								1	S95	C	83/30
2763	E.B2.11.6679								2	S95	C	83/31
33830	E.B2.11.13173								2	L65	C	
2764	E.B2.11.6701								1	S95	C	83/32
2765	E.B2.11.6703								1	S95	C	83/33
2766	E.B2.11.6707								1	S95	C	83/34
2767	E.B2.11.6709								1	S95	C	83/35
2768	E.B2.11.6717								1	S95	C	83/36
2769	E.B2.11.6719								1	S99	C	83/37
23370	E.B2.11.6693								1	L72	C	
2770	E.B2.11.6713								2	S96	C	83/38
2771	E.B2.81.1261								1	-	B	83/48
2772	E.B2.81.1299								1	Y84	C	83/39
1440852	E.B2.81.1269								1	S80	C	
36606	E.B2.11.18293								2	S94, 95 or 96	C	
2773	E.B2.11.6667								1	DTD215	C	83/40
2774	E.B2.11.6699								2	DTD215	C	83/41
2775	E.B2.11.13287								1	S97	C	83/42
2776	E.B2.11.6735								24	P.T.F.E.	C	83/43
2777	E.B2.11.6737								26	Red Fibre	C	83/44
	E.B2.11.6677								1	S95	-	83/45
28M/1007404	A27/JT								2	-	C	83/46
28P/9451803	SP28/E6								1	-	C	83/47
	-								-	-	-	
37403	E.B2.07.795								1	EEDX271	C	
31437	E.B3.11.929								1	-	C	
	E.B3.11.930								1	-	-	
	-								1	-	-	
37403	E.B2.07.795								4	EEDX271	C	
1439701	E.B2.07.843								2	EEDX271	C	
25784	E.B2.11.6619								1	L65	C	
25785	E.B2.11.6620								1	L65	C	
1439970	E.B2.07.863								1	L73	C	
1439971	E.B2.07.864								1	L73	C	
1439759	E.B2.07.859								1	L65	C	
1439758	E.B2.07.860								1	L65	C	

FUSELAGE
REAR FUSELAGE STRUCTURE

879

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
1439968	E.B2.07.865								1	L73	C	
1439969	E.B2.07.866								1	L73	C	
24951	E.B3.07.77								1	—	C	
5258	E.B1.12.281								5	Spring Steel	C	
5298	E.B2.11.10547								1	Spring Steel	C	
24952	E.B3.07.78								1	—	C	
5258	E.B1.12.281								5	Spring Steel	C	
5298	E.B2.11.10547								1	Spring Steel	C	
1439972	E.B2.07.861								1	L65	C	
1439967	E.B2.07.867								1	L65	C	

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rftm

Please see site for usage terms,
and more aircraft documents.

