

FUSELAGE
WINDSCREEN

887

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	—	WINDSCREEN, ASSEMBLY (E.B4.15.1001)	—	—	—	
		Spares for:—				
	E.B4.15.1289	ARCH	1	L65	—	84/1
	E.B4.10.4207	BLOCK, corner, port	1	L65	—	84/2
	E.B4.10.4208	BLOCK, corner, starboard	1	L65	—	84/3
1439687	E.B4.15.965	BLOCK, sealing, arch and centre member, port	1	L44	C	84/4
1439688	E.B4.15.966	BLOCK, sealing, arch and centre member, starboard	1	L44	C	84/5
	—	BOSCOPYRENE, 2102	QR	—	—	
	E.B4.15.19	CLEAT, centre member to arch attachment, port	1	L65	—	84/6
		Attachments:—				
	E.B4.15.335	Bolt, special, 2 BA, 90 deg. c'sk head	2	Monel K	—	84/7
				Grade F or B		
12349	E.B2.15.391	Nut, special, 2 BA	2	Monel K	C	84/8
28W/9419475	SP15/C	Washer, 2 BA, plain	2	—	C	84/43
	E.B4.15.20	CLEAT, centre member to arch attachment, starboard	1	L65	—	84/9
		Attachments:—				
	E.B4.15.335	Bolt, special, 2 BA, 90 deg. c'sk head	2	Monel K	—	84/7
				Grade F or B		
12349	E.B2.15.391	Nut, special, 2 BA	2	Monel K	C	84/10
28W/9419475	SP15/C	Washer, 2 BA, plain	2	—	C	84/8
	E.B4.15.25	CLEAT, outer member to arch attachment, port	1	L65	—	84/11
		Attachments:—				
28D/1214031	AS.1242/BC	Bolt, 2 BA, 90 deg. c'sk head	2	—	C	84/35
28M/1006473	A27/CT	Nut, 2 BA, thin	2	—	C	84/46
28W/9419475	SP15/C	Washer, 2 BA, plain	2	—	C	84/43
	E.B4.15.26	CLEAT, outer member to arch attachment, starboard	1	L65	—	84/12
		Attachments:—				
28D/1214031	AS.1242/BC	Bolt, 2 BA, 90 deg. c'sk head	2	—	C	84/35
28M/1006473	A27/CT	Nut, 2 BA, thin	2	—	C	84/46
28W/9419475	SP15/C	Washer, 2 BA, plain	2	—	C	84/43
	E.B4.15.27	CLEAT, outer member to arch attachment, port	1	L65	—	84/13
		Attachments:—				
28D/1214031	AS.1242/BC	Bolt, 2 BA, 90 deg. c'sk head	2	—	C	84/35
28M/1006473	A27/CT	Nut, 2 BA, thin	2	—	C	84/46
28W/9419475	SP15/C	Washer, 2 BA, plain	2	—	C	84/43
	E.B4.15.28	CLEAT, outer member to arch attachment, starboard	1	L65	—	84/14
		Attachments:—				
28D/1214031	AS.1242/BC	Bolt, 2 BA, 90 deg. c'sk head	2	—	C	84/35
28M/1006473	A27/CT	Nut, 2 BA, thin	2	—	C	84/46
28W/9419475	SP15/C	Washer, 2 BA, plain	2	—	C	84/43
	E.B4.15.49	CLEAT, side panel support member attachment, lower, port	1	L65	—	84/15
		Attachments:—				
28D/7002428	A25/6C	Bolt, 2 BA, hex. head	2	—	C	84/37
28M/9403520	A27/CP	Nut, 2 BA, plain	2	—	C	84/47
	E.B4.10.3771	Washer, profile	1	L73 or L65	—	84/33

FUSELAGE
WINDSCREEN

888

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.B4.15.50	CLEAT, side panel support member attachment, lower, starboard	1	L65 5	-	84/16
28D/7002428	A25/6C	Attachments:- Bolt; 2 BA, hex. head	2	-	C	84/37
28M/9403520	A27/CP	Nut; 2 BA, plain	2	-	C	84/47
	E.B4.10.3771	Washer, profile	1	L73 or L65	-	84/17
	E.B4.15.51	CLEAT, side panel support member attachment, upper, port	1	L65 or EEDX275	-	84/18
28D/1204937	AS.1242/6C	Attachments:- Bolt; 2 BA, 90 deg. c'sk head	1	-	C	84/34
28D/1214033	AS.1242/11C	Bolt; 2 BA, 90 deg. c'sk head	1	-	C	84/36
28M/9403520	A27/CP	Nut; 2 BA, plain	2	-	C	84/47
28W/9419402	SP13/C	Washer, 2 BA, plain	2	-	C	84/42
	E.B4.15.52	CLEAT, side panel support member attachment, upper, starboard	1	L65 or EEDX275	-	84/19
28D/1204937	AS.1242/6C	Attachments:- Bolt; 2 BA, 90 deg. c'sk head	1	-	C	84/34
28D/1214033	AS.1242/11C	Bolt; 2 BA, 90 deg. c'sk head	1	-	C	84/36
28M/9403520	A27/CP	Nut; 2 BA, plain	2	-	C	84/47
28W/9419402	SP13/C	Washer, 2 BA, plain	2	-	C	84/42
	E.B4.03.65	MEMBER, centre (E.B4.15.13)	1	L65	-	84/20
	E.B4.15.339	Attachments:- Bolt, special, 1/4" BSF	2	Monel K Grade F or B	-	84/21
28D/9403520	A25/15C	Bolt; 2 BA, hex. head	3	-	C	84/40
	E.B4.15.341	Nut, special, 1/4" BSF	2	Monel K Grade F or B	-	84/22
28M/9403520	A27/CP	Nut; 2 BA, plain	3	-	C	84/47
	AS.156/522	Rivet, 5/32" snap head	12	-	-	84/33
28W/9419402	SP13/C	Washer, 2 BA, plain	3	-	C	84/42
28W/9419405	SP15/E	Washer, 1/4" BSF, plain	2	-	C	84/45
	E.B4.03.67	MEMBER, outer, port (E.B4.15.1291)	1	S95 or S96	-	84/24
28D/1010031	A25/8E	Attachments:- Bolt; 1/4" BSF, hex. head	2	-	C	84/41
28D/9140645	A25/10C	Bolt; 2 BA, hex. head	2	-	C	84/38
28M/9403520	A27/CP	Nut; 2 BA, plain	2	-	C	84/47
28M/1011475	A27/EP	Nut; 1/4" BSF, plain	2	-	C	84/48
28Q/9631	AS.156/513	Rivet, 5/32" snap head	7	-	C	84/25
28W/9419402	SP13/C	Washer, 2 BA, plain	2	-	C	84/42
28W/9418921	SP13/E	Washer, 1/4" BSF, plain	2	-	C	84/44
	E.B4.03.68	MEMBER, outer, starboard (E.B4.15.1292)	1	S95 or S96	-	84/26
28D/1010031	A25/8E	Attachments:- Bolt; 1/4" BSF, hex. head	2	-	C	84/41
28D/9140645	A25/10C	Bolt; 2 BA, hex. head	2	-	C	84/38
28M/9403520	A27/CP	Nut; 2 BA, plain	2	-	C	84/47
28M/1011475	A27/EP	Nut; 1/4" BSF, plain	2	-	C	84/48
28Q/9631	AS.156/513	Rivet, 5/32" snap head	7	-	C	84/27
28W/9419402	SP13/C	Washer, 2 BA, plain	2	-	C	84/42
28W/9418921	SP13/E	Washer, 1/4" BSF, plain	2	-	C	84/44

FUSELAGE
WINDSCREEN

889

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.B4.15.1293	MEMBER, side panel support, port	1	L65	-	84/28
28D/9419397	A25/12C	Attachments:- Bolt, 2 BA, hex. head	2	-	C	84/39
28D/1204937	AS.1242/6C	Bolt, 2 BA, 90 deg. c'sk head	2	-	C	84/34
28M/9403520	A27/CP	Nut, 2 BA, plain	4	-	C	84/47
28W/9419402	SP13/C	Washer, 2 BA, plain	4	-	G	84/42
	E.B4.15.1294	MEMBER, side panel support, starboard	1	L65	-	84/29
28D/9419397	A25/12C	Attachments:- Bolt, 2 BA, hex. head	2	-	C	84/39
28D/1204937	AS.1242/6C	Bolt, 2 BA, 90 deg. c'sk head	2	-	C	84/34
28M/9403520	A27/CP	Nut, 2 BA, plain	4	-	C	84/47
28W/9419402	SP13/C	Washer, 2 BA, plain	4	-	C	84/42
93	E.B4.15.35	PANEL, centre, port	1	-	B	85/1
94	E.B4.15.36	PANEL, centre, starboard	1	-	B	85/2
119	E.B4.15.905	PANEL, side, port	1	-	B	85/3
120	E.B4.15.907	PANEL, side, starboard	1	-	B	85/4
8860	E.B4.15.1045	PIVOT, canopy ground release handle	1	-	C	84/30
	E.B4.15.493	PLATE, deflection stop	1	Titanium 314A	-	84/31
28S/1213966	A41/C16	Attachments:- Screw, 2 BA, 90 deg. c'sk head	2	-	C	84/32
8861	E.B4.15.1423	PLATE, capping, side panel, forward, port	1	-	C	85/5
28D/1214090	AS.1242/1-1/2C	Attachments:- Bolt, 2 BA, 90 deg. c'sk head	10	-	C	85/15
28D/1214091	AS.1242/2C	Bolt, 2 BA, 90 deg. c'sk head	4	-	C	85/16
28D/613371	AS.1242/2-1/2C	Bolt, 2 BA, 90 deg. c'sk head	7	-	C	85/17
8862	E.B4.15.1424	PLATE, capping, side panel, forward, starboard	1	-	C	85/6
28D/1214090	AS.1242/1-1/2C	Attachments:- Bolt, 2 BA, 90 deg. c'sk head	10	-	C	85/15
28D/1214091	AS.1242/2C	Bolt, 2 BA, 90 deg. c'sk head	4	-	C	85/16
28D/13371	AS.1242/2-1/2C	Bolt, 2 BA, 90 deg. c'sk head	7	-	C	85/17
8863	E.B4.15.1577	SHIM, deflection stop plate, .002 lamination	1	Lam. Alum.	-	
	E.B4.15.69	STRIP, capping, centre panels, forward	1	L73	C	85/7
28D/13371	AS.1242/2-1/2C	Attachments:- Bolt, 2 BA, 90 deg. c'sk head	18	-	C	85/17
8864	E.B4.15.333	Screw, special, 2 BA, 90 deg. c'sk head	2	Monel K	C	85/23
8865	E.B4.15.71	STRIP, capping, centre member	1	Grade F or B L73	C	85/8
8864	E.B4.15.333	Attachments:- Screw, special, 2 BA, 90 deg. c'sk head	19	Monel K	C	85/23
8866	E.B4.15.83	Strip, capping, centre windscreen arch	1	-	C	85/9
8867	E.B4.15.331	Attachments:- Screw, special, 2 BA, 90 deg. c'sk head	26	Monel K	C	85/21
8864	E.B4.15.333	Screw, special, 2 BA, 90 deg. c'sk head	7	Grade F or B Monel K	C	85/23

FUSELAGE
WINDSCREEN

890

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
8868	E.B4.15.991	STRIP; capping, windscreen longeron, port	1	D L65 7	C	85/10
28D/1214091	AS.1242/2C	Attachments:— Bolt; 2 BA, 90 deg. c'sk head	1	—	C	85/16
28D/13371	AS.1242/2-1/2C	Bolt; 2 BA, 90 deg. c'sk head	5	—	C	85/17
28D/9709461	AS.1242/3C	Bolt; 2 BA, 90 deg. c'sk head	4	—	C	85/18
28D/	AS.1242/3-1/2C	Bolt; 2 BA, 90 deg. c'sk head	12	—	C	85/19
28D/	AS.1242/5-1/2E	Bolt; 1/4" BSF, 90 deg. c'sk head	4	—	C	85/20
8869	E.B4.15.992	STRIP; capping, windscreen longeron, starboard	1	C L65	C	85/11
28D/1214091	AS.1242/2C	Attachments:— Bolt; 2 BA, 90 deg. c'sk head	1	—	C	85/16
28D/13371	AS.1242/2-1/2C	Bolt; 2 BA, 90 deg. c'sk head	5	—	C	85/17
28D/9709461	AS.1242/3C	Bolt; 2 BA, 90 deg. c'sk head	4	—	C	85/18
28D/	AS.1242/3-1/2C	Bolt; 2 BA, 90 deg. c'sk head	12	—	C	85/19
28D/	AS.1242/5-1/2E	Bolt; 1/4" BSF, 90 deg. c'sk head	4	—	C	85/20
8870	E.B4.15.1421	STRIP; capping, outer member, port and starboard	2	—	C	85/12
28D/14999	AS.1242/1-1/2C	Attachments:— Bolt; 2 BA, 90 deg. c'sk head	42	—	C	85/17
8871	E.B4.15.1425	STRIP; capping, side panel, aft, port	1	—	C	85/13
28D/1214090	AS.1242/1-1/2C	Attachments:— Bolt; 2 BA, 90 deg. c'sk head	1	—	C	85/15
28D/1214091	AS.1242/2C	Bolt; 2 BA, 90 deg. c'sk head	3	—	C	85/16
28D/13371	AS.1242/2-1/2C	Bolt; 2 BA, 90 deg. c'sk head	2	—	C	85/17
8867	E.B4.15.331	Screw, special, 2 BA, 90 deg. c'sk head	14	Monel K Grade F or B	C	85/21
8872	E.B4.15.1101	Screw, special, 1/4" BSF, 90 deg. c'sk head	3	Monel K Grade F or B	C	85/22
8873	E.B4.15.1426	STRIP; capping, side panel, aft, starboard	1	—	C	85/14
28D/1214090	AS.1242/1-1/2C	Attachments:— Bolt; 2 BA, 90 deg. c'sk head	1	—	C	85/15
28D/1214091	AS.1242/2C	Bolt; 2 BA, 90 deg. c'sk head	3	—	C	85/16
28D/13371	AS.1242/2-1/2C	Bolt; 2 BA, 90 deg. c'sk head	2	—	C	85/17
8867	E.B4.15.331	Screw, special, 2 BA, 90 deg. c'sk head	14	Monel K Grade F or B	C	85/21
8872	E.B4.15.1101	Screw, special, 1/4" BSF, 90 deg. c'sk head	3	Monel K Grade F or B	C	85/22

This file was downloaded
from the RTFM Library.
Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

