

MAIN PLANE  
HALF WING, PORT

1153

Ref. No.	Part No.	Description	No. off	Mtl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.B3.07.27	HALF-WING, PORT, ASSEMBLY (E.B3.00.11) Spares for:—	—	—	—	
	—	WING, structure, assembly (E.B3.20.1) Spares for:—	—	—	—	
	E.B2.20.3067	BOLT, special, bracket and skin attachment to spar at rib 11	2	S97	—	14/1
3053	E.B2.20.7877	BOLT, closing, leading edge attachment	2	L65	C	14/2
	E.B2.20.9041	BOLT, special, bracket and skin attachment to spar at rib 11	2	S97	—	14/3
10053	EEAS.99/6EE	BOLT, special, skin attachment, trailing edge rib 2	1	—	C	14/4
10040	EEAS.296/20/40C	BOLT, special, skin attachment	1	S95, S96 or EN.111	C	14/5
	EEAS.296/50/35C	BOLT, special, skin attachment	1	S95 or S96	—	14/6
10041	EEAS.297/15/24C	BOLT, special, for flap and aileron structure and outboard trailing edge structure	6	S97	C	14/7
10039	EEAS.297/18/38C	BOLT, special, skin securing	241	S95 or S96	C	14/8
	E.B3.20.99	BRACKET, assembly to spar No. 1 Spares for:—	1	—	—	14/9
3054	E.B2.20.1949	BRACKET, pipe support on spar No. 1 between ribs 8 and 9	1	—	C	14/10
3057	E.B2.20.1957	BRACKET, aileron control, on spar No. 1 between ribs 11 and 12, group Spares for:—	1	—	B	14/11
3059	E.B1.45.1593	BEARING, roller (Fairey FS.515) Attachments:—	1	—	B	14/12
	A25/2A	Bolt, 6 BA, hex. head	4	—	C	14/13
28D/9706373 28M/10326	AGS.2002/A/1	Nut, 6 BA, stiff	4	—	C	14/14
	A25/1B	Bolt, 4 BA, hex. head	2	—	C	14/15
28D/1010658 28D/9436920	A25/1C	Bolt, 2 BA, hex. head	4	—	C	14/16
3058	E.B2.20.1959	BRACKET, aileron control, on spar No. 1 between ribs 9 and 10, group Spares for:—	1	—	B	14/17
3059	E.B1.45.1593	BEARING, roller (Fairey FS.515) Attachments:—	1	—	B	14/12
	A25/2A	Bolt, 6 BA, hex. head	4	—	C	14/13
28D/9706373 28M/10326	AGS.2002/A/1	Nut, 6 BA, stiff	4	—	C	14/14
	A25/1B	Bolt, 4 BA, hex. head	2	—	C	14/15
28D/1010658 28D/9436920	A25/1C	Bolt, 2 BA, hex. head	4	—	C	14/16
3061	E.B2.20.2249	BRACKET, aileron control on spar No. 1 between ribs 12 and 13, group Spares for:—	1	—	B	14/18
3059	E.B1.45.1593	BEARING, roller (Fairey FS.515) Attachments:—	1	—	B	14/12
	A25/1A	Bolt, 6 BA, hex. head	4	—	C	14/13
28D/1008147 28M/10326	AGS.2002/A/1	Nut, stiff, 6 BA	4	—	C	14/14
	A25/1B	Bolt, 4 BA, hex. head	2	—	C	14/15
28D/1010658 28D/9436920	A25/1C	Bolt, 2 BA, hex. head	4	—	C	14/16

MAIN PLANE  
HALF WING, PORT

115

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
3068	E B2.20.4431	BRACKET, aileron control on spar No. 1 between ribs 5 and 6, group	1	-	B	14/19
3059	E.B1.45.1593	BEARING, roller (Fairey FS.515)	1	-	B	14/12
28D/1008147	A25/1A	Attachments:- Bolt; 6 BA, hex. head	4	-	C	
28M/10326	AGS 2002/A/1	Nut; stiff, 6 BA	4	-	C	14/14
28D/1010658	A25/1B	Attachments:- Bolt; 4 BA, hex. head	2	-	C	14/15
28D/9436920	A25/1C	Bolt; 2 BA, hex. head	4	-	C	14/16
3063	E B2.20.4853	BRACKET, pipe support on spar No. 1 between ribs 4 and 5	1	-	C	14/20
28D/9436920	A25/1C	Attachments:- Bolt; 2 BA, hex. head	3	-	C	14/21
3065	E B2.20.4927	BRACKET, aileron control on spar No. 1 between ribs 2 and 3, group	1	-	B	14/22
3059	E.B1.45.1593	BEARING, roller (Fairey FS 515)	1	-	B	14/12
28D/9706373	A25/2A	Attachments:- Bolt; 6 BA, hex. head	4	-	C	14/13
28M/10326	AGS 2002/A/1	Nut; stiff, 6 BA	4	-	C	14/14
28D/1010658	A25/1B	Attachments:- Bolt; 4 BA, hex. head	2	-	C	14/15
28D/9436920	A25/1C	Bolt; 2 BA, hex. head	4	-	C	14/16
3062	E.B2.20.4929	BRACKET, pipe support on spar No. 1 between ribs 3 and 4	1	-	C	15/1
28D/9436920	A25/1C	Attachments:- Bolt; 2 BA, hex. head	3	-	C	15/2
3066	E.B2.20.4931	BRACKET, aileron control, on spar No. 1 between ribs 4 and 5, group	1	-	B	15/3
3059	E.B1.45.1593	BEARING, roller (Fairey FS.515)	1	-	B	15/4
28D/1008147	A25/1A	Attachments:- Bolt; 6 BA, hex. head	4	-	C	15/5
28M/10326	AGS 2002/A/1	Nut; stiff, 6 BA	4	-	C	15/39
28D/1010658	A25/1B	Attachments:- Bolt; 4 BA, hex. head	2	-	C	15/6
28D/9436920	A25/1C	Bolt; 2 BA, hex. head	4	-	C	15/7
3056	E.B2.20.4933	BRACKET, pipe support, on spar No. 1 between ribs 6 and 7	1	-	C	15/8
28D/9436920	A25/1C	Attachments:- Bolt; 2 BA, hex. head	3	-	C	15/9
3055	E.B2.20.4935	BRACKET, pipe support on spar No. 1 between ribs 8 and 9	1	-	C	15/10
28D/9436920	A25/1C	Attachments:- Bolt; 2 BA, hex. head	6	-	C	15/11

A.P.101B-1004-3A

Page JN3

MAIN PLANE  
HALF WING, PORT

1155

Ref. No.	Part No.	Description							No. off	Mtl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
3060	E.B2.20.4941								1	—	B	15/12
3059	E.B1.45.1593								1	—	B	15/13
28D/1008147	A25/1A								6	—	C	15/14
28M/9403518	A27/AP								6	—	C	15/15
28W/9419473	SP15/A								2	—	C	15/16
28D/1010658	A25/1B								1	—	C	15/17
28D/9133011	A25/2C								5	—	C	15/18
3064	E.B1.57.175								1	—	B	15/19
3059	E.B1.45.1593								1	—	B	15/20
28D/1008147	A25/1A								4	—	C	15/21
28M/13026	AGS.2002/A/1								4	—	C	15/41
28D/1010658	A25/1B								2	—	C	15/22
28D/9133011	A25/1C								7	—	C	15/23
3067	E.B1.57.739								1	—	B	15/24
3059	E.B1.45.1593								1	—	B	15/25
28D/1008147	A25/1A								4	—	C	15/26
28M/10326	AGS.2002/A/1								4	—	C	15/41
28D/1010658	A25/1B								2	—	C	15/27
28D/9133011	A25/1C								4	—	C	15/28
100	E.B2.07.59								1	—	A	16/1
3073	EEAS.99/4E								78	S97	C	16/2
40	E.B2.07.61								1	—	A	16/3
2079	E.B1.20.5685								1	—	C	16/4
4360	EEAS.99/1-1/2E								8	S97	C	16/5
	E.B2.82.1505								1	—	—	16/6
10178	E.B2.82.1509								1	—	C	16/7
	E.B2.82.1789								1	—	—	—
19792	E.B2.82.1791								1	S513 26 SWG	C	—
3073	EEAS.99/4E								12	S97	C	16/8

MAIN PLANE  
HALF WING, PORT

115

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
205	E.B3.07.75	PANEL, detachable, leading edge, between rib 11 and 19, group (E.B3.20.2029) (Mod. 2210) Spares for: -	1	-	A	16/9
29485	E.B2.20.4048	ANGLE, leading edge attachment	1	-	C	
	E.B3.20.1967	PANEL, detachable, rib 16 to leading edge stiffener, port, group Spares for: -	1	-	-	16/10
2081	E.B2.20.2967	COVER, aerial, assembly Spares for: -	1	-	C	16/11
3070	E.B2.20.4111	BUSH Attachments: -	30	-	C	
7725	EEAS.296/30/35C	Bolt, special, 2 BA	30	30/127 or S97	C	16/12
2083	E.B2.20.4059	PANEL, access, plug Attachments: -	1	-	C	16/13
3071	EEAS.99/2E	Bolt, 1/4" BSF, 120 deg. c'sk head	10	S97	C	16/14
13345	E.B3.20.1977	PANEL, access, aileron autostabiliser Attachments: -	1	-	C	
4360	EEAS.99/1-1/2E	Bolt, 1/4" BSF, 120 deg. c'sk head	18	-	C	
3072	E.B2.20.4085	SEAL, aerial cover	1	-	C	16/15
	-	PANEL, detachable, leading edge between rib 14 and 16 (E.B3.20.1983) (Mod. 1903) Spares for: -	-	-	-	
13006	E.F3.20.981	PANEL, access, autostabiliser adjustment and bleed Attachments: -	1	L73	C	
3071	EEAS.99/2E	Bolt, 1/4" BSF, 120 deg. c'sk head	28	S97	C	16/16
	-	PANEL, detachable, aileron restrictor access, leading edge rib 13-14, assembly (E.F3.20.2943) (Mod. 2210) Spares for: -	-	-	-	
	EEAS.315/6	LANYARD	1	-	-	
33569	E.B2.20.9785	PANEL, access Attachments: -	1	L65	C	
26FZ/1032	EEAS.1/2E	Screw, 1/4" BSF, 120 deg. c'sk head	13	S96	C	
26FZ/1034	EEAS.1/3E	Screw, 1/4" BSF, 120 deg. c'sk head Attachments: -	6	S96	C	
3073	EEAS.99/4E	Bolt, 1/4" BSF, 120 deg. c'sk head	104	S97	C	
36	E.B2.07.65	PANEL, detachable, inboard, leading edge, between ribs 5 and 10 (E.B2.20.4307) Attachments: -	1	-	A	16/17
3073	EEAS.99/4E	Bolt, 1/4" BSF, 120 deg. c'sk head	78	S97	C	16/18
56	E.B2.07.67	PANEL, detachable, leading edge (E.B2.20.4309) Attachments: -	78	S97	C	16/19
3073	EEAS.99/4E	Bolt, 1/4" BSF, 120 deg. c'sk head	90	S97	C	16/20

MAIN PLANE  
HALF WING, PORT

157

Ref. No.	Part No.	Description							No. off	Mati. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
2085	E.B1.20.5101								1	—	B	16/21
28FP/684	ODDIE 756/C								10	—	C	16/22
2087	E.B1.20.5103								1	—	B	16/23
28FP/684	ODDIE 756/C								10	—	C	16/22
9641	E.B2.20.15485								1	—	C	16/24
9630	EEAS.296/18/36C								22	—	C	16/25
2148	EEAS.99/2EE								1	—	C	16/26
2214	EEAS.99/2-1/2E								4	—	C	16/27
9578	EEAS.99/2-1/2EE								3	—	C	16/28
28R/17665	AS4573/1								22	—	—	16/29
	E.F3.20.2989								8	—	LM	16/30
	E.B2.20.8869								1	—	MR	16/31
	E.F3.20.4367								1	Linatex	LM	16/32
	—								—	—	—	17/1
	—								—	—	—	17/2
	E.B2.20.6963								2	S94, S95 or S96	—	17/54
	E.B1.20.3985								1	—	MR	17/3
	E.B1.20.4075								1	—	MR	17/4
	E.B2.20.7037								1	—	MR	17/5
	E.B1.20.3371								4	L65	MR	17/6
28D/	A25/4-1/2E								8	—	—	17/7
28M/1011475	A27/EP								8	—	C	17/8
3080	E.B1.20.3379								8	—	C	17/9
3081	E.B1.20.3381								8	—	C	17/10
	E.B2.20.7029								1	—	MR	17/11
3405	E.B2.07.7								2	Clevite 10	C	17/12
3406	E.B2.07.9								2	Clevite 10	C	17/13
3075	EEAS.134/7E								2	S97	C	17/14
28D/9133012	A25/3C								4	—	C	17/15
28D/1008151	A25/4E								2	—	C	17/16
28D/1202771	A25/4G								2	—	C	17/17
28M/1011467	A27/ES								4	—	C	17/18
28M/5808571	A27/GS								2	—	C	17/19
28P/1007741	SP9/C8								6	—	C	17/20
3076	E.B1.20.4001								1	—	C	17/21
10636	E.B2.20.7143								1	—	C	17/22
28W/9418921	SP13/E								4	—	C	17/23
28W/9419403	SP13/G								2	—	C	17/24

MAIN PLANE  
HALF WING, PORT

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index	
		1	2	3	4	5	6	7					
	E.B2.20.7027								HINGE, No. 2 aileron (fixed) assembly	1	—	MR	18/1
									Spares for:—				
3405	E B2 07.7								BUSH, plain (E.B2.20.7039)	2	Clevite 10	C	18/2
3406	E.B2.07.9								BUSH, plain (E.B2.20.7041)	2	Clevite 10	C	18/3
									Attachments:—				
7272	EEAS.135/7J								Bolt, sealing, 3/8" BSF	4	S97	C	18/4
28D/	A25/4-1/2E								Bolt, 1/4" BSF, hex. head	4	—	—	18/5
28M/1011475	A27/EP								Nut, 1/4" BSF, plain	4	—	C	18/6
28M/1011476	A27/JS								Nut, 3/8" BSF, slotted	4	—	C	18/7
28P/1007741	SP9/C8								Pin, split, 1/16" dia. x 1" long	4	—	C	18/8
10637	E.B2.20.7145								Shim laminated	1	—	C	18/9
3616	E.B2.20.6871								Strip, laminated shim	1	—	C	18/10
3080	E.B1.20.3379								Washer, special, 'D'	4	—	C	18/11
3081	E.B1.20.3381								Washer, special tab	4	—	C	18/12
28W/9419466	SP13/J								Washer, 3/8" BSF, plain	4	—	C	18/13
	E.B2.20.7025								HINGE, No. 3 aileron (fixed), assembly	1	—	MR	18/14
									Spares for:—				
3405	E B2 07.7								BUSH, plain (E.B2.20.7039)	2	Clevite 10	C	18/15
3406	E B2.07.9								BUSH, plain (E.B2.20.7041)	2	Clevite 10	C	18/16
									Attachments:—				
3075	EEAS.134/7E								Bolt, sealing, 1/4" BSF	2	S97	C	18/17
28D/	A25/3-1/2C								Bolt, 2 BA, hex. head	4	—	—	18/18
28D/1008151	A25/4E								Bolt, 1/4" BSF, hex. head	2	—	C	18/19
28D/1202771	A25/4G								Bolt, 5/16" BSF, hex. head	2	—	C	18/20
28M/1011467	A27/ES								Nut, 1/4" BSF, slotted	4	—	C	18/21
28M/5808571	A27/GS								Nut, 5/16" BSF, slotted	2	—	C	18/22
28P/1007741	SP9/C8								Pin, split, 1/16" dia. x 1" long	6	—	C	18/23
3076	E.B1.20.4001								Shim laminated	1	—	C	18/24
10636	E.B2.20.7143								Shim laminated	1	—	C	18/25
28W/9418921	SP13/E								Washer, 1/4" BSF, plain	4	—	C	18/26
28W/9419403	SP13/G								Washer, 5/16" BSF, plain	2	—	C	18/27
	E.B2.20.7023								HINGE, No. 4, aileron (fixed), assembly	1	—	MR	18/28
									Spares for:—				
3405	E B2.07.7								BUSH, plain (E.B2.20.7039)	2	Clevite 10	C	18/2
3406	E B2.07.9								BUSH, plain (E.B2.20.7041)	2	Clevite 10	C	18/3
									Attachments:—				
7272	EEAS.135/7J								Bolt, sealing, 3/8" BSF	4	S97	C	18/4
28D/	A25/4-1/2E								Bolt, 1/4" BSF, hex. head	4	—	C	18/5
28M/1011475	A27/EP								Nut, 1/4" BSF, plain	4	—	C	18/6
28M/1011476	A27/JS								Nut, 3/8" BSF, slotted	4	—	C	18/7
28P/1007741	SP9/C8								Pin, split, 1/16" dia. x 1" long	4	—	C	18/8
10635	E.B2.20.7555								Shim laminated	1	—	C	18/29
3616	E.B2.20.6871								Strip, laminated shim	1	—	C	18/10
3080	E.B1.20.3379								Washer, special, 'D'	4	—	C	18/11
3081	E.B1.20.3381								Washer, special tab	4	—	C	18/12
28W/9419466	SP13/J								Washer, 3/8" BSF, plain	4	—	C	18/13
	E.B2.20.7021								HINGE, No. 5 aileron (fixed), assembly	1	—	—	18/30
									Spares for:—				
3405	E.B2.07.7								BUSH, plain (E.B2.20.7039)	2	Clevite 10	C	18/31

MAIN PLANE  
HALF WING, PORT

1159

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
3406	E.B2.07.9								2	Clevite 10	C	18/32
7273	EEAS.135/6-1/2G								2	S97	C	18/33
7271	EEAS.135/7G								2	S97	C	18/34
28D/7002427	A25/6G								6	—	C	18/35
28M/5808571	A27/GS								4	S510	C	18/36
28P/100,741	SP9/CB								4	—	C	18/37
3617	E.B2.20.6873								1	—	C	18/38
10634	E.B2.20.7147								1	—	C	18/39
28W/9419403	SP13/G								4	—	C	18/40
	—								—	—	—	17/25
	E.B1.20.3365								1	—	—	17/26
17360	E.B2.20.6837								1	—	C	
28D/1200119	A25/4C								6	—	C	
28M/9403520	A27/CP								6	—	C	
28W/9419475	SP15/C								6	—	C	
28D/	A25/2-1/2C								12	—	C	17/27
28D/1200119	A25/4C								6	—	C	17/28
28D/9133013	A25/5C								6	—	C	17/29
28M/9403520	EEAS.134/3-1/2E								12	—	—	17/30
28M/1011475	A27/CP								24	—	C	17/31
28M/1007403	A27/EP								12	—	C	17/32
28Q/	AS.2918/809								2	—	C	17/33
28W/9419402	SP13/C								2	—	—	17/34
28W/9418921	SP13/E								24	—	C	17/35
	E.B1.20.3455								12	—	C	17/36
	—								1	—	—	17/37
17361	E.B2.20.6827								1	—	C	
28D/1200119	A25/4C								6	—	C	
28M/9403520	A27/CP								6	—	C	
28W/9419475	SP15/C								6	—	C	
28D/	EEAS.134/3-1/2E								12	—	—	17/38
28M/4403520	A25/2-1/2C								12	—	C	17/39
28M/1011475	A27/CP								12	—	C	17/40
28W/9419402	A27/EP								12	—	C	17/41
28W/9418921	SP13/C								12	—	C	17/42
	SP13/E								12	—	C	17/43
	—								—	—	—	19/1
16879	EEAS.297/15/31C								1	S97	C	
10039	EEAS.297/18/38C								3	S97	C	19/2

MAIN PLANE  
HALF WING, PORT

1160

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
11771	EEAS 297/15/45C	BOLT, special, skin attachment	60	S97	C	19/3
29463	E.B2.20.3843	CLEAT	1	L72	C	
2097	E.B2.20.5303	PANEL, top skin	1	—	C	19/4
8167	E.B2.20.9421	PANEL, access, between trailing edge ribs 1 and 4, assembly	1	—	C	19/5
		Spares for:—				
21637	E.B2.57.2459	FUNNEL	1	L17	C	
7503	E.B3.20.1597	PANEL, access, between trailing edge ribs 4 and 8, assembly	1	—	C	19/6
		Spares for:—				
33C/1369 )						
33C/1470 )	PR.1221	COMPOUND, sealing	QR	—	C	19/7
33C/1468 )						
9993	E.B2.20.7909	PANEL, access, between trailing edge ribs 6 and 7, assembly	1	—	C	19/34
		Spares for:—				
9630	EEAS.296/18/36C	BOLT, special, 2 BA, c'sk head	14	S97	C	19/8
28R/17665	AS.4573/1	RING, retaining	14	—	C	19/9
9643	EEAS.295	STRIP, sealing, 35'42 long	1	—	C	19/10
11594	E.B3.20.1883	PANEL, inspection	1	—	C	19/11
		Spares for:—				
12500	EEAS.296/18/38C	BOLT, special	10	S95 or S96	C	19/12
28R/17665	AS.4573/1	RING, retaining	10	Steel	C	19/13
11595	E.B3.20.1603	PANEL, access between trailing edge ribs 5 and 6, assembly	1	—	C	19/14
		Spares for:—				
9630	EEAS.296/18/36C	BOLT, special	8	S97	C	19/15
28R/17665	AS.5473/1	RING, retaining	8	—	C	19/16
		STRUCTURE, outboard, trailing edge, assembly (E.B3.20.15)	—	—	—	19/17
		Spares for:—				
10039	EEAS.297/18/38C	BOLT, special, skin attachment	29	S95 or S97	C	19/18
37023	EEAS.297/21/23C	BOLT, special, skin attachment	2	30/147 or S97	C	
33C/1369 )						
33C/1468 )	PR.1221	COMPOUND, sealing	QR	—	C	19/19
33C/1470 )						
2099	E.B2.20.15463	PANEL, access, centre hinge, group	1	—	B	19/20
		Spares for:—				
9630	EEAS.296/18/36C	BOLT, special, skin securing	38	S95 or S96	C	19/21
33C/1369 )						
33C/1468 )	PR.1221	COMPOUND, sealing	QR	—	C	19/22
33C/1470 )						
28R/17665	AS.4573/1	RING, retaining	38	—	C	19/23
9643	EEAS.295	STRIP, sealing	1	—	C	19/24
2101	E.B2.20.15451	PANEL, access	2	L73	C	19/25
		RIB, No. 11, assembly (E.B2.20.9095)	—	—	—	19/26
		Spares for:—				
	E.B2.20.3061	BRACKET, flap centre hinge, outboard	1	—	—	19/27
	E.B2.20.3063	BRACKET, flap centre hinge, inboard	1	—	—	19/28
9643	EEAS.295	STRIP, sealing	QR	—	C	19/29
		STRUCTURE, between flap and aileron, assembly (E.B3.20.21)	—	—	—	
		Spares for:—				
10039	EEAS.297/18/38C	BOLT, special, skin attachment	2	S97	C	20/1

MAIN PLANE  
HALF WING, PORT

161

Ref. No.	Part No.	Description							No. off	Mtrl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	-	TANK UNIT, assembly (E.B3.20.5)							-	-	-	
	-	Spares for:-										
	-	BRACKET, flight refuelling probe attachment at spar 5, assembly (E.B3.20.1515)							-	-	-	
	-	Spares for:-										
	E.B3.20.1521	BRACKET, probe attachment, assembly							1	-	-	20/2
	-	Spares for:-										
	AS.4736/4	INSERT, wire thread							1	-	C	20/3
	-	Attachments:-										
	E.B3.20.1817	Bolt, special							1	S94	-	20/4
	E.B3.20.1821	Bolt, special							1	S94	-	20/5
	E.B3.20.1823	Bolt, special							1	S94	-	20/6
	-	Attachments:-										
	E.B3.20.1851	BRACKET, probe attachment at spar 5, outboard							1	S95	-	20/7
	-	Attachments:-										
	E.B3.20.1819	Bolt, special							1	S94	-	20/8
	E.B3.20.1825	Bolt, special							2	S94	C	20/9
	-	Attachments:-										
	E.B3.20.1535	PACKING, laminated							1	-	C	
	E.B3.20.1537	PACKING, laminated							1	-	C	
	PIONEER 3/110	SEAL, 'O' ring, 5/16" dia.							6	MP802 or 806	C	20/10
	E.B3.20.1867	SHIM, laminated							2	Alum.	-	20/11
	AGS.1186/6	SEAL, bonded, 5/16" dia.							6	-	C	20/12
	-	BRACKET, flight refuelling probe attachment at spar 1, assembly (E.B3.20.1517)							-	-	-	
	-	Spares for:-										
	E.B3.20.1525	BRACKET, probe attachment, at spar 1, inboard, assembly							1	-	C	20/13
	-	Spares for:-										
	AS.4736/27	INSERT, wire thread							1	-	C	20/14
	-	Attachments:-										
	EEAS.95/8E	Bolt, 1/4" BSF, hex. head							1	-	C	20/15
	EEAS.95/9E	Bolt, 1/4" BSF, hex. head							1	-	C	20/16
	EEAS.95/13E	Bolt, 1/4" BSF, hex. head							1	-	-	20/17
	-	Attachments:-										
	E.B3.20.1853	BRACKET, probe attachment at spar 1, outboard, assembly							1	S95	C	20/18
	-	Attachments:-										
	EEAS.95/7-1/2E	Bolt, 1/4" BSF, hex. head							2	-	C	20/19
	EEAS.95/13E	Bolt, 1/4" BSF, hex. head							1	-	-	20/20
	-	Attachments:-										
	PIONEER 3/107	SEAL, 'O' ring, 1/4" BSF							6	MP802 or 806	C	20/21
	AGS.1186/4	SEAL, 1/4" BSF							6	-	C	20/22
	E.B3.20.1745	SHIM, laminated							2	Alum.	-	20/23
	E.B2.20.7631	BRACKET, attachment, tank unit to trailing edge rib 2, assembly							1	-	-	20/24
	-	Spares for:-										
	E.B2.07.687	ANGLE, assembly, top (E.B2.20.3791)							1	-	C	20/25

MAIN PLANE  
HALF WING, PORT

110

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
17998	E B2 07.691	ANGLE, assembly, bottom (E.B2.20.3793)	1	—	C	20/26
10641	E.B1 20.7491	Attachments:— Bolt, special	2	—	C	20/27
10642	EEAS.252/60/55E	Bolt, special, 1/4" BSF	2	—	C	20/28
28D/9133011	A25/2C	Bolt, 2 BA, hex. head	2	—	C	20/29
28M/7002430	AGS.2002/E/1	Nut, 1/4" BSF, plain	2	—	C	20/30
28F/9429636	AGS.1186/3	Seal, bonded, 2 BA	2	—	C	20/31
28F/9429526	AGS.1186/6	Seal, bonded, 5/16" dia.	2	—	C	20/32
28W/9419487	SP16/E	Washer, 1/4" BSF, plain	2	—	C	20/33
—	—	DIAPHRAGM, 'A', assembly (E.B2.20.1399)	—	—	—	21/1
26FZ/5542	EEAS 143/6	Spares for:— CLIP, pipe	1	—	C	21/2
28D/1010658	A25/1B	Attachments:— Bolt, 4 BA, hex. head	1	—	C	21/3
28M/9403519	A27/BP	Nut, 4 BA, plain	1	—	C	21/4
—	E.B2 57.1117	PIPE, assembly	1	L56	—	21/5
—	—	RIB, No 8, assembly (E.B2.20.4703)	—	—	—	—
1439537	E.B2 20.3893	Spares for:— BRACKET, pipe, rib 8	1	—	C	—
—	—	RIB, No 10, assembly (E.B2.20.1453)	—	—	—	21/6
—	—	Spares for:— RIB:WEB, assembly (E.B1.20.5953)	—	—	—	21/7
—	E.B2.57.411	Spares for:— VALVE, non-return	1	—	—	21/8
28D/9133011	A25/2C	Attachments:— Bolt, 2 BA, hex. head	4	—	C	21/9
28M/9433473	AGS.2002/C/1	Nut, stiff, 2 BA	4	—	C	21/10
—	—	RIB:WEB, assembly (E.B2.20.4667)	—	—	—	21/11
1440587	E.B1.57.397	Spares for:— VALVE, non-return	2	—	C	21/12
28D/9133011	A25/2C	Attachments:— Bolt, 2 BA, hex. head	8	—	C	21/13
28M/9433473	AGS.2002/C/1	Nut, stiff, 2 BA	8	—	C	21/14
—	—	RIB, No. 13, assembly (E.B2.20.1461)	—	—	—	21/15
—	—	Spares for:— RIB:WEB, assembly (E.B2.20.495)	—	—	—	21/16
2479	E.B1.57.825	Spares for:— SLEEVE, flanged, inward vent non-return valve coupling	1	L65	C	21/17
26FZ/980	EEAS.20/1DR	TAB, locking	1	—	C	21/18
2492	E.B1.20.6133	WASHER, sealing, inward vent non-return valve coupling flanged sleeve	1	Neo-K-Tex	C	21/19
—	—	RIB, No. 15, assembly (E.B2.20.3783)	—	—	—	21/20
3087	E.B1.20.1619	Spares for:— PIVOT, main undercarriage latch, c/w grease nipple	2	—	C	21/21
28D/1011030	A25/2E	Attachments:— Bolt, 1/4" BSF, hex. head	8	—	C	21/22
28M/7002430	AGS.2001/E/1	Nut, stiff, 1/4" BSF	4	—	C	21/23
28M/1011475	A27/EP	Nut, 1/4" BSF, plain	4	—	C	21/24

MAIN PLANE  
HALF WING, PORT

163

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
10643	E.B2.20.9323								1	L65	C	21/25
28D/9709461	AS.1242/3C								4	-	C	21/26
28M/10291	AGS.2001/G/1								4	-	C	21/27
28W/9419402	SP13/C								4	-	C	21/28
3089	E.B1.20.6711								1	L65	C	21/29
28D/9709461	AS.1242/3C								4	-	C	21/30
28M/1278190	AGS.2001/C/1								4	-	C	21/31
28W/9419402	SP13/C								4	-	C	21/32
-	-								-	-	-	-
-	-								-	-	-	-
10783	E.B2.20.9405								1	-	C	22/1
1439698	E.B1.57.275								1	-	C	22/2
28D/9133012	A25/3C								3	-	C	22/3
28M/9403520	A27/CP								3	-	C	22/4
-	E.B2.57.411								2	-	-	22/5
28D/9133012	A25/3C								8	-	C	22/6
28M/9403520	A27/CP								8	-	C	22/7
-	-								-	-	-	-
1439698	E.B1.57.275								1	-	C	22/2
28D/9133011	A25/2C								3	-	C	22/3
28M/9403520	A27/CP								3	-	C	22/4
1440587	E.B1.57.397								3	-	C	22/8
28D/9133011	A25/2C								12	-	C	22/9
28M/9403520	A27/CP								12	-	C	22/10
-	-								-	-	-	-
-	-								-	-	-	-
10644	E.B2.20.9419								1	-	C	22/11
28D/9436920	A25/1C								4	-	C	22/12
10645	E.B1.20.7325								2	DTD546	-	22/13
10646	E.B1.20.7333								2	DTD546	C	22/14

**Restricted**

Page JN12

MAIN PLANE  
HALF WING, PORT

116

Ref. No.	Part No.	1	2	3	4	5	6	7	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
28M/1278190	AGS.2001/C/1								NUT, 2 BA, stiff, thick	4	—	C	22/15
10811	EEAS.252/50/50G								Attachments:— Bolt, special, 5/16" BSF, 90 deg. c'sk head	18	S97	C	22/16
28M/10291	AGS.2001/G/1								Nut, stiff, 5/16" BSF	18	—	C	22/17
10069	EEAS.152/G								Washer, sealing	18	—	C	22/18
	E.B2.20.4557								PIPE, vent	1	—	—	22/19
	—								SKIN, top, rib 2 to rib 7, assembly (E.B3.20.153)	—	—	—	
									Spares for:—				
3205	E.B2.20.7221								CAP, filler, group	1	—	B	22/20
									Spares for:—				
3206	E.B2.20.7225								CABLE, assembly	1	—	C	22/21
	E.B1.20.3495								CAP, filler	1	—	—	22/22
	S97/6/1/4H								SCREW, self-tapping	2	—	—	22/23
10647	E.B1.20.3491								SPRING	1	DTD166	C	22/24
10648	E.B1.20.8355								WASHER, special tab	2	—	C	22/25
	E.B1.57.221								HOUSING, vent valve, assembly	1	—	—	22/26
									Spares for:—				
28N/1031011	AS.4601/14								INSERT, wire thread, 2 BA x ".27 long	3	—	C	22/27
28N/1031012	AS.4601/26								INSERT, wire thread, 2 BA x ".36 long	13	—	—	22/28
	2117								PANEL, access, main wing tank fuel pump	1	—	C	22/29
	E.B2.20.6857								PIPE, vent	1	—	—	22/30
									Attachments:—				
28D/9133012	A25/3C								Bolt, 2 BA, hex. head	7	—	C	22/31
28E/9129092	AGS.605/2								Clip, pipe	3	—	C	22/32
3094	E.B1.20.6669								Connection, rubber hose, 1-1/2" i/d x 1-7/8" o/d x 2".5 long	1	DTD625 Type 1	C	22/33
28M/9403520	A27/CP								Nut, 2 BA, plain	7	—	C	22/34
	E.B2.57.411								VALVE, non-return	3	—	—	22/35
									Attachments:—				
28D/9133012	A25/3C								Bolt, 2 BA, hex. head	12	—	C	22/6
28M/9403520	A27/CP								Nut, 2 BA, plain	12	—	C	22/7
	—								SKIN, top, rib 8 and outboard, assembly (E.B3.20.155)	—	—	—	
									Spares for:—				
17408	E.B2.20.7995								BRACKET, for actuating link	1	—	C	22/50
									Attachments:—				
15514	EEAS.134/7C								Bolt, sealing, 2 BA, c'sk head	1	S97	C	22/51
17409	EEAS.134/11C								Bolt, sealing, 2 BA, c'sk head	1	S97	C	22/52
28M/9403520	A27/CP								Nut, 2 BA, plain	2	—	C	22/53
28W/9419402	SP13/C								Washer, 2 BA, plain	1	—	C	22/54
	3090								FITTING, slinging, in top skin	1	S96	C	22/36
									Attachments:—				
3091	EEAS.134/5C								Bolt, sealing, 2 BA	8	S97	C	22/37
28M/9403520	A27/CP								Nut, 2 BA, plain	8	—	C	22/38
28W/9419402	SP13/C								Washer, 2 BA, plain	8	—	C	22/39

MAIN PLANE  
HALF WING, PORT

165

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
2116	E.B1.20.3567								1	-	C	22/40
10811	EEAS.252/50/50G								18	30/147 or S97	C	22/41
28M/10291	AGS.2001/G/1								18	-	C	22/42
10069	EEAS.152/G								18	-	C	22/43
3092	E.B1.20.6367								1	-	C	22/44
1440587	E.B1.57.397								2	-	C	22/45
28D/9133011	A25/2C								8	-	C	22/9
28M/9403520	A27/CP								8	-	C	22/10
	-								-	-	-	23/1
3100	E.B1.20.7365								10	S95 or S96	C	
17708	E.F3.20.415								10	-	C	
3096	E.B2.20.4017								18	-	C	23/2
4941	E.B2.20.7209								2	-	C	23/3
35048	E.B2.20.9209								1	-	C	
3095	E.B2.20.1165								1	-	C	23/4
3097	E.B1.20.145								2	-	C	23/5
28M/9480017	AGS.2001/E/1								2	-	C	23/6
3098	E.B2.20.1166								1	-	C	23/7
3097	E.B1.20.145								2	-	C	23/5
28M/9480017	AGS.2001/E/1								2	-	C	23/6
	E.B1.20.3773								1	-	-	23/8
	E.B1.20.3775								2	S11	-	23/9
28D/1011240	A25/5E								4	-	C	23/10
28D/1011244	A25/9E								4	-	C	23/11
28D/1011257	A25/7G								4	-	C	23/12
28D/1018884	A25/9G								7	-	C	23/13
28D/1213586	A25/9L								2	-	C	23/14
28D/1213621	A60/13L								1	-	C	23/15
28D/	A60/14L								1	-	-	23/16
	EEAS.100/9G								1	-	-	23/17
28M/1011475	A27/EP								8	-	C	23/18
28M/1006939	A27/GP								9	-	C	23/19
28M/13553	A27/LP								4	-	C	23/20
28M/15496	A58/LT								1	-	C	23/21
28F/9428450	AGS.1186/4								8	-	C	23/22
28F/9429526	AGS.1186/6								8	-	C	23/23
	EEAS.31/12R								2	-	-	23/24
10349	EEAS.152/E								8	-	-	23/25
10069	EEAS.152/G								8	-	-	23/26
28W/9418921	SP13/E								8	-	C	23/27

MAIN PLANE  
HALF WING, PORT

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
3099	E B1 20 3153	PANEL, removable, at rib 12	1	—	C	23/28
		Attachments:—				
28D/1011238	A25/3E	Bolt, 1/4" BSF, hex. head	10	—	C	23/29
28D/1008151	A25/4E	Bolt, 1/4" BSF, hex. head	20	—	C	23/30
28D/1008145	A25/6E	Bolt, 1/4" BSF, hex. head	4	—	C	23/31
28W/9418921	SP13/E	Washer, 1/4" BSF, plain	20	—	C	23/32
8169	E B2 4001	PANEL, access	1	—	C	23/33
3102	E B1 20 2595	PLATE, fuel pump mounting, between ribs 10 and 11	1	—	C	23/34
		Attachments:—				
3103	E B2 20 6747	Bolt, 1/4" BSF, special	2	S95 or S96	C	23/35
28D/1008151	A25/4E	Bolt, 1/4" BSF, hex. head	35	—	C	23/36
28D/1011240	A25/5E	Bolt, 1/4" BSF, hex. head	6	—	C	23/37
28F/9428450	AGS 1186/4	Seal, for 1/4" bolts	43	—	C	23/38
3101	E B2 20 3989	PLATE, access, fuel pump	1	—	C	23/39
		Attachments:—				
28D/	A25/3-1/2E	Bolt, 1/4" BSF, hex. head	10	—	C	23/40
28D/1008145	A25/6E	Bolt, 1/4" BSF, hex. head	14	—	C	23/41
28F/9428450	AGS 1186/4	Seal, for 1/4" bolts	24	—	C	34/42
13497	E B1 20 773	SEAL	16	—	C	23/43
	E B2 20 4011	WEB, removable, assembly	1	—	—	23/44
	—	SPAR, No. 3, assembly (E B2 20.1029)	—	—	—	23/45
		Spares for:—				
	E B2 20 1483	BLOCK, corner sealing	1	Hycatrol HE/4	—	23/46
	E B2 20.1484	BLOCK, corner sealing	1	Hycatrol HE/4	—	23/47
	E B1 20 4205	BOLT, special, main undercarriage bracket attachment	5	S95	—	23/48
28D/	A25/8-1/2L	BOLT, 7/16" BSF, main undercarriage bracket attachment	10	—	C	23/49
28M/13641	A27/LT	NUT, 7/16" BSF, thin main undercarriage bracket attachment	4	—	C	23/50
3104	E B2 20 1689	PANEL, removable, c/w rubber moulding	1	—	C	23/51
		Attachments:—				
28D/1011238	A25/3E	Bolt, 1/4" BSF, hex. head	28	—	C	23/52
28F/9428450	AGS 1186/4	Seal, for 1/4" BSF bolts	28	—	C	23/53
	E B1 20 1569	SEAL, rubber	2	Hycatrol HE/4	—	23/54
28F/9434373	AGS 1186/9	SEAL, main undercarriage bracket attachment	10	—	C	23/55
	—	SPAR, No. 4, assembly (E B2 20.1031)	—	—	—	24/1
		Spares for:—				
	E B2 20 10017	ANGLE (Mod 4225)	1	L72	—	—
	E B2 20.10021	ANGLE (Mod 4225)	1	L72	—	—
	E B1 20.4917	BOLT, special, main undercarriage bracket attachment	7	S96	—	24/2
	E B1 20.4919	BOLT, special, main undercarriage bracket attachment	3	S96	—	24/3

MAIN PLANE  
HALF WING, PORT

167

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	E.B2.20.10019								1	L72	-	
28M/9433473	AGS.2002/C/1								2	-	C	
26FZ/1025	EEAS.1/1C								2	S96	C	
28W/9419475	SP15/C								2	-	C	
	-								-	-	-	24/4
	-								-	-	-	24/5
	E.B2.20.9197								1	L64 or L65	-	24/6
	E.B2.20.9199								1	L64 or L65	-	24/7
	E.B2.20.9239								1	L65	-	24/8
3105	E.B2.20.3755								1	L65	C	24/9
3106	E.B2.20.3735								1	S95 or S96	C	24/10
28D/1011030	A25/2E								1	-	C	24/11
28M/1007403	A27/ET								1	-	C	24/12
3107	E.B2.20.3757								1	L65	C	24/13
3106	E.B2.20.3735								1	-	C	24/14
28D/1011030	A25/2E								1	-	C	24/15
28M/1007403	A27/ET								1	-	C	24/16
22951	E.B2.20.9817								1	-	B	
22952	E.B2.20.9815								1	-	C	
3106	E.B2.20.3735								1	-	C	
28D/1011030	A25/2E								1	-	C	
28M/1007403	A27/ET								1	-	C	
22953	E.B2.20.9819								1	-	B	
22952	E.B2.20.9815								1	-	C	
3106	E.B2.20.3735								1	-	C	
28D/1011030	A25/2E								1	-	C	
28M/1007403	A27/ET								1	-	C	
16831	E.B1.20.447								52	S94, S95 or S96	C	24/17
16893	E.B1.20.1387								16	S94, S95 or S96	C	24/18
3108	E.B1.20.5935								4	S96	C	24/19
	E.B2.20.9229								1	-	-	24/20
17471	E.B2.20.9221								1	-	C	24/21

Restricted

MAIN PLANE  
HALF WING, PORT

116

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
17472	E B2 20 9279	BUSH	1	—	C	24/22
	E B1 20 777	NUT, special	4	—	—	24/23
10651	E B1 20 1087	PACKING, for rear pick-up bracket	1	L65	C	24/24
	E B1 20 2805	PACKING, for rear pick-up bracket	1	L65	—	24/25
	E B1 20 2807	PACKING, for rear pick-up bracket	1	L65	—	24/26
2120	E B1 20 6745	PANEL, access	1	L65	C	24/27
		Attachments:—				
28D/1202771	A25/4G	Bolt, 5/16" BSF, hex. head	8	—	C	24/28
28D/1011299	A25/6J	Bolt, 3/8" BSF, hex. head	5	—	C	24/29
28F/9428452	AGS 1186/A	Seal, for 3/8" BSF bolts	5	—	C	24/30
28F/9429526	AGS 1186/6	Seal, for 5/16" BSF bolts	8	—	C	24/31
	—	PLATE, web, removable, assembly (E B2 20 3151)	—	—	—	24/32
		Spares for:—				
33130	EEAS 135/5E	BDLT, special	8	—	C	24/33
	E B2 20 7561	COUPLING, flanged	2	S1	—	24/34
11034	E B2 20 15559	PIN, mounting (Mod. 1595)	2	—	C	24/35
	E B2 57 1661	PIPE, fuel branch	1	—	—	24/36
	E B2 20 2911	PLATE, web	1	—	—	24/37
	E B2 57 1295	RING, clamping, flanged coupling	2	S510	—	24/38
	E B2 20 7849	STUD, special	8	S95 or S96	—	24/39
7382	EEAS 154/C	WASHER, seating	4	—	C	24/40
	—	PLATE, removable web, assembly (E B3 20 1747) (Mod. 94)	—	—	—	24/41
		Spares for:—				
12172	E B3 20 1715	ADAPTOR, for recuperator valve	1	—	C	24/42
13497	E B1 20 773	SEAL	6	—	C	24/43
13496	E B1 20 741	STRIP, nut, assembly	2	—	C	24/44
26FZ/1877	EEAS 28/30/EU	WASHER, special	4	—	C	24/45
	—	STRUCTURE, main undercarriage bay, assembly (E B3 20.31)	—	—	—	—
		Spares for:—				
	E B1 20 1883	ARCH-MEMBER, and main undercarriage door hinge (Pre-Mod. 1907)	1	DTD721	MR	25/1
		Attachments:—				
	EEAS 134/6E	Bolt, sealing, 1/4" BSF	4	S97	—	25/2
	EEAS 134/7-1/2E	Bolt, sealing, 1/4" BSF	2	S97	—	25/3
	EEAS 134/8G	Bolt, sealing, 5/16" BSF	2	S97	—	25/4
28M/1007403	A27/ET	Nut, 1/4" BSF, thin	6	—	C	25/5
28M/1011470	A27/GT	Nut, 5/16" BSF, thin	2	—	C	25/6
	E B2 20 9625	ARCH-MEMBER, main undercarriage door hinge, assembly (Mod. 1907)	1	—	MR	25/7
		Consisting of:—				
	E B1 20 1883	ARCH-MEMBER, rib 12A	1	DTD721	MR	25/8
13647	E F2 20 1007	BUSH	2	S124	C	25/9
		Attachments:—				
	EEAS 134/6E	Bolt, sealing, 1/4" BSF	4	S97	—	25/2
	EEAS 134/7-1/2E	Bolt, sealing, 1/4" BSF	2	S97	—	25/3
	EEAS 134/8G	Bolt, sealing, 5/16" BSF	2	S97	—	25/4
28M/1007403	A27/ET	Nut, 1/4" BSF, thin	6	—	C	25/5
28M/1011470	A27/GT	Nut, 5/16" BSF, thin	2	—	C	25/6

MAIN PLANE  
HALF WING, PORT

169

Ref. No.	Part No.	Description	No. off	Mati. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
20908	E.B1.20.4929 E.B3.03.10	BDX, special BOX, torsion, outboard jack, leading edge, group (E.B3.20.1693)	2 1	— —	C —	25/10
3109	E.B2.20.7709	Spares for:— PANEL, access, group Consisting of:—	1	—	B	25/11
28D/9133011	A25/2C	BOLT, 2 BA, hex. head	14	—	C	25/12
5653	E.B2.20.7707	PANEL, access	1	—	C	25/13
	AS.4573/1	RING, reinforcing	16	—	—	25/14
26FZ/1468	EEAS.1/2C	SCREW, 2 BA, c'sk head	2	S96	C	25/15
28W/9419475	SP15/C	WASHER, 2 BA, plain	16	—	C	25/16
28D/1011244	A25/9E	Attachments:— Bolt, 1/4" BSF, hex. head	4	—	C	26/17
28M/1011475	A27/EP	Nut, 1/4" BSF, plain	4	—	C	25/18
	E.B2.03.567	BRACKET, main undercarriage, group (E.B2.20.2855)	1	—	MR	25/19
25141	E.B1.20.1457	Spares for:— BOLT, special, 9/16" BSF	2	S99 or EN26 Range Y	C	25/20
25142	E.B1.20.1459	BOLT, special, 9/16" BSF	1	S99 or EN26 Range Y	C	25/21
3110	E.B1.20.2551	CATCH, main undercarriage fairing flap, group Consisting of:—	1	—	B	25/22
	E.B1.20.2553	BODY, main	1	L65	—	25/23
3111	E.B1.20.2555	CLAW	1	S96	C	25/24
28M/1011467	A27/ES	NUT, 1/4" BSF, slotted	1	—	C	25/25
28P/12410	DP9/B8	PIN, 1/16" dia. x 1" long	1	—	C	25/26
3112	E.B1.20.2557	SCREW, adjusting	1	S96	C	25/27
3113	E.B1.20.2559	SCREW, set	1	S96	C	25/28
28W/9416643	SP47/C	WASHER, 2 BA, spring	1	—	C	25/29
28W/6308	AGS.586/D	WASHER, 1/4" BSF, spring	1	—	C	25/30
	E.B5.20.10013	WASHER, special	1	—	—	
28D/1008151	A25/4E	Attachments:— Bolt, 1/4" BSF, hex. head	1	—	C	25/31
28D/1010031	A25/8E	Bolt, 1/4" BSF, hex. head	1	—	C	25/32
	E.B1.20.1463	NUT, special	1	S99 or DTD331	—	25/33
	E.B2.20.2843	NUT, special	1	S96	—	25/34
	E.B2.20.2845	NUT, special	1	S96	—	25/35
	E.B1.20.4935	Attachments:— Bolt, special	5	S96	—	25/36
	EEAS.134/4-1/2N	Bolt, sealing, 1/2" BSF	1	S97	—	25/37
	EEAS.134/5N	Bolt, sealing, 1/2" BSF	1	S97	—	25/38
	EEAS.134/6N	Bolt, sealing, 1/2" BSF	1	S97	—	25/39
	EEAS.134/8N	Bolt, sealing, 1/2" BSF	12	S97	—	25/40
	EEAS.134/9N	Bolt, sealing, 1/2" BSF	18	S97	—	25/41
	EEAS.134/11N	Bolt, sealing, 1/2" BSF	7	S97	—	25/42
	E.F3.20.1247	Nut, special, 1/2" BSF	1	S95	—	25/43
	E.B1.20.6047	Nut, special, 1/2" BSF	1	S95	—	25/44
28M/9452621	A27/NT	Nut, 1/2" BSF, thin	37	—	C	25/45
28M/1202769	A58/NT	Nut, shear, 1/2" BSF	1	—	C	25/46
28FP/1264	AVIAN. DEVELS. S.5258	Pin, "pip", slinging point, 13/16" dia. variable grip	1	—	—	25/47

MAIN PLANE  
HALF WING, PORT

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E B1 20 1527	BRACKET, main undercarriage door aft hinge (Pre-Mod. 1907)	1	-	-	26/1
28D/1011242	A25/7E	Attachments:- Bolt, 1/4" BSF, hex. head	10	-	C	26/2
	E.B1 20 5679	Packing, laminated	1	Laminated Alum.	-	26/3
	E B2 20 9623	BRACKET, main undercarriage door aft hinge, assembly (Mod. 1907)	1	-	-	26/4
13646	E.B1 20.1527	Consisting of:- BRACKET, aft hinge	1	-	-	26/5
	E.F2 20.1009	BUSH	1	S124	C	26/6
28D/1011242	A25/7E	Attachments:- Bolt, 1/4" BSF, hex. head	10	-	C	26/7
	E B1 20.5679	Packing, laminated	1	Laminated Alum.	-	26/8
	E B1 20.1629	BRACKET, side stay, assembly	1	L65	-	26/9
6001	E B1.20.1633	Spares for:- BUSH	1	DTD412	C	26/10
	E B1 20.1635	BUSH	1	DTD412	C	26/11
1484397	E B2.20.10011	BRACKET, main undercarriage radius rod stop, assembly (Mod. 4225)	1	-	-	26/51
1485918	E B2.20 10047	Consisting of:- BLOCK	1	BS2572 F3	C	26/52
		BOLT, 2 BA, hex. head	1	-	C	26/53
28D/1214311	A25/17C	BOLT, 2 BA, hex. head	1	-	C	26/54
28D/9140649	A25/23C	BRACKET (Mod. 4225)	1	S97	-	26/55
28M/9403520	A27/CP	NUT, 2 BA, plain	2	-	C	26/56
	28W/9419475	WASHER, 2 BA, plain	2	-	C	26/57
28D/1008145	EEAS.222/6G	Attachments:- Bolt, 5/16" BSF, hex. head	2	HTS	-	26/58
	A25/6E	Bolt, 1/4" BSF, hex. head	2	-	C	26/59
28D/1011242	A25/7E	Bolt, 1/4" BSF, hex. head	2	-	C	26/60
28M/1011475	A27/EP	Nut, 1/4" BSF, plain	4	-	C	26/61
	1484402	Packing	1	L65	C	26/62
1485919	E B2 20 10045	Pad, anti-fretting	1	Neoprene	C	26/63
28Q/	AS.2918/615	Rivet, 3/16" dia., c'sk head	1	-	-	26/64
33H/132	PR.1422/BT	Sealant, P.R.C.	QR	-	C	
30A/9437135	†	Wire, locking, 22 SWG	QR	-	C	
17519	E B1.20.7189	BRACKET, mounting, assembly	2	-	C	26/65
1484401	E B2 20.10023	CLEAT (Mod. 4225)	1	S95	C	
1484399	E B2 20 10027	CLEAT (Mod. 4225)	1	S95	C	
28D/1008151	A25/4E	Attachments:- Bolt, 1/4" BSF, hex. head	2	-	C	
	28M/1011467	Nut, 1/4" BSF, slotted	2	-	C	
28P/19227	SP90/C6	Pin, split	2	-	C	
17512	E B1 20.8059	NIPPLE, adaptor	1	-	C	
	E.B2.20.2613	HINGE, main undercarriage door, assembly	1	-	-	26/12
28D/1212835		Spares for:- BOLT, 1/4" BSF, c'sk head, hinge bracket to skin attachment	5	-	C	26/13



MAIN PLANE  
HALF WING, PORT

11

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	E B2.20.9869								1	S514	-	26A/4
28D/1213583	A25/4L								1	-	C	26A/5
28D/1212835	AS.1242/4E								1	-	C	26A/6
28N/17869	100FH.190/7								2	-	C	26A/7
28M/13553	A27/LP								1	-	C	26A/8
28M/1011475	A27/EP								1	-	C	26A/9
28W/9419405	SP15/E								1	-	C	26A/10
28W/9419478	SP15/L								1	-	C	26A/11
	E.B2.20.9969								1	S515 or S514	-	26A/12
1439679	EEAS.1/ 1/2C								3	S96	C	26A/13
8752	E.B3.20.1785								1	S510	C	26A/14
28D/1007468	AS.1242/3B								2	-	C	26A/15
28M/1006504	A27/BT								2	-	C	26A/16
8750	E.B3.20.1787								1	L72	C	26A/17
	E.B3.20.1789								QR	L72	C	26A/18
	E.B2.20.9987								1	S94, S95, S96 or S114	-	26A/19
33136	EEAS.100/5G								2	S97	C	26A/20
	E.B2.20.9915								1	S97	-	26A/21
	or											
	E.B2.20.10001											
	E B2.20.9919								1	S97	-	26A/22
36678	E.B2.20.9989								2	S97	C	26A/23
36677	E.B2.20.9923								2	S97	C	26A/24
	E.B2.20.9975								1	S97	-	26A/25
28M/9446651	A27/SP								1	-	C	26A/26
	E.B2.20.9973								1	S97	-	26A/27
	E.B2.20.9933								1	LA3	-	26A/28
	E.B2.20.9935								1	LA3	-	26A/29
	E.B2.20.9889								1	LA3	-	26A/30
	E.B2.20.9879								1	LA3	-	26A/31
36685	E.B2.20.9885								1	LA3	C	26A/32
	E.B2.20.9931								1	L65 or L72	-	26A/33
	E.B2.20.9993								1	S515 or S94, S95	-	26A/34
	E.B2.20.9991								1	S515	-	26A/35
	or											
	EEAS.28/42/EY											

MAIN PLANE  
HALF WING, PORT

173

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	E.B2.20.9867								1	S97	-	26A/36
28D/1202326	A25/14J								1	-	C	26A/37
36689	E.B2.20.9875								3	S97	C	26A/38
36690	EEAS.100/6J								2	-	C	26A/39
36691	EEAS.100/6G								3	-	C	26A/40
33136	EEAS.100/5G								2	-	C	26A/20
36692	EEAS.100/5L								1	-	C	26A/41
28M/10292	AGS.2001/J/1								1	-	C	26A/42
28M/1011475	A27/EP								3	-	C	26A/43
28M/1011473	A27/JP								2	-	C	26A/44
28M/1006939	A27/GP								3	-	C	26A/45
	E.B2.20.9871								1	LA3	-	26A/46
	E.B2.20.9887								1	LA3	-	26A/47
36695	E.B2.20.9929								1	L65 or L72	C	26A/48
28W/9419488	SP16/G								6	-	C	26A/49
28W/9419489	SP16/J								2	-	C	26A/50
36696	E.B2.20.9971								2	S95, S96 or S114	C	26A/51
36697	E.B2.20.9981								1	-	B	26A/52
10AR/0519005	BURGESS VLR.1								1	-	B	26A/53
28M/10326	AGS.2002/A/1								2	-	C	26A/54
8754	E.B3.20.1775								2	L64	C	26A/55
28S/1200051	A31/A28								2	-	C	26A/56
36698	E.B2.20.9883								1	S514	C	26A/57
36699	E.B2.20.9985								1	-	C	26A/58
8748	E.B3.20.1771								1	L44	C	26A/59
28S/1200045	A31/A10								1	-	C	26A/60
28W/9419464	SP13/A								1	-	C	26A/61
10317	HELLERMANN EE.11/2								1	-	C	26A/62
8753	E.B3.20.1869								1	L44	C	26A/63
28M/10326	AGS.2002/A/1								1	-	C	26A/64
28S/1200045	A31/A10								1	-	C	26A/65
8747	E.B3.20.1773								1	S94		26A/66
28M/1086618	AGS.2002/B/1								1	-	C	26A/67
2283	E.B1.10.10501								1	L65	C	26A/68
2284	E.B1.10.10491								1	DTD215	C	26A/69
5CW/4615	BURGESS V3								1	-	B	26A/70
28D/9709461	AS.1242/3C								1	-	C	26A/71
28M/9433473	AGS.2002/C/1								1	-	C	26A/72
28W/9419475	SP15/C								1	-	C	26A/73

MAIN PLANE  
HALF WING, PORT

115

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		SYSTEM, tank unit internal fuel, assembly (E B3 20.29)	—	—	—	27/1
		Spares for:—				
6A/5263	SMITH CO 152	CONNECTOR, gauge	1	—	A	27/2
6A/5265	SMITH CO 157	CONNECTOR, gauge	1	—	A	27/3
6A/5557	SMITH CO 216	CONNECTOR, gauge	1	—	A	27/4
6A/5558	SMITH CO 217	CONNECTOR, gauge	1	—	A	27/5
6A/5559	SMITH CO 219	CONNECTOR, gauge	1	—	A	27/6
6A/5563	SMITH CO 222	CONNECTOR, gauge	1	—	A	27/7
6A/5979	SMITH CO 228	CONNECTOR, gauge	1	—	B	27/8
6A/5981	SMITH CO 230	CONNECTOR, gauge	1	—	B	27/9
6A/5983	SMITH CO 232	CONNECTOR, gauge	1	—	B	27/10
6A/5985	SMITH CO 234	CONNECTOR, gauge	1	—	B	27/11
6A/5987	SMITH CO 236	CONNECTOR, gauge	1	—	B	27/12
6A/5989	SMITH CO 238	CONNECTOR, gauge	1	—	B	27/13
36769	E B2 20.3885	PIPE, fuel, assembly	1	—	C	27/64
1439501	E B2 20 3889	PIPE, fuel, rib 7, spar 4	1	—	C	27/65
37466	E B2 20 3917	PIPE, fuel, assembly	1	—	C	27/66
	E B2 20 9345	PIPE, assembly, air	1	—	—	27/14
	GEO ANGUS R 110/P5 or	RING, 'O' sealing	1	—	—	
27QA/9429516	DOWTY SP.900B/7	RING, 'O' sealing	1	—	C	27/15
10750	E B2 20 9455	SHIELD, fuel gauge unit, assembly	1	—	C	27/16
		Attachments:—				
10752	E B2 20 9459	Bolt, special	4	—	C	27/17
10751	E B2 20 9465	SHIELD, fuel gauge unit, assembly	1	—	C	27/18
		Attachments:—				
28D/1007981	AS 1248/ 1/2C	Bolt. 2 BA, mushroom head	6	—	C	27/19
6A/5990	SMITH TB 220	UNIT, fuel gauge	1	—	A	27/20
6A/5991	SMITH TB 221	UNIT, fuel gauge	1	—	A	27/21
6A/5992	SMITH TB 222	UNIT, fuel gauge	1	—	A	27/22
6A/5993	SMITH TB 223	UNIT, fuel gauge	1	—	A	27/23
6A/5994	SMITH TB 224	UNIT, fuel gauge	1	—	A	27/24
6A/5995	SMITH TB 225	UNIT, fuel gauge	1	—	A	27/25

MAIN PLANE  
HALF WING, PORT

1175

Ref. No.	Part No.	Description							No. off	Mati. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	-								-	-	-	27/67
12346	E.B2.20.8403								1	L77 or L65	C	27/26
12348	EEAS.134/8E								4	S97 or S119	C	27/27
28M/1011475	A27/EP								4	-	C	27/28
	-								-	-	-	27/69
19486	E.B1.20.5563								1	-	C	27/29
28D/1008151	A25/4E								2	-	C	27/30
28M/9480017	AGS.2001/E/1								2	-	C	27/31
19488	EEAS.21/7FR								2	L72	C	27/32
1441429	E.B2.20.9519								1	L73	C	27/71
28D/9436920	A25/1C								4	-	C	27/72
28M/9403520	A27/CP								4	-	C	27/73
28W/9457834	SP124/D								4	-	C	27/74
22503	E.B1.20.807								2	-	C	
33691	E.F2.20.1097								1	-	C	27/75
	E.B2.20.9749								2	S1	-	
28M/1278190	AGS.2001/C/1								2	-	C	
	E.B2.20.9715								2	L65	-	
28W/9419475	SP15/C								2	-	C	
	E.B2.20.9743								1	L65	-	
	E.B2.20.9735								2	L72	-	
	E.B2.20.9737								2	L72	-	
	E.B2.20.9745								2	L72	-	
	E.F2.20.1101								1	L65	-	
	E.F3.20.2679								2	LA3	-	
	E.F3.20.2681								2	LA3	-	
	E.F3.20.2683								2	LA3	-	
	E.B2.20.9711								1	L72 or L65	-	
28D/1013172	AS.1242/5C								1	-	C	
28D/1007978	AS.1242/7C								1	-	C	
28M/1278190	AGS.2001/C/1								2	-	C	
	E.B2.20.9729								2	L65	-	

MAIN PLANE  
HALF WING, PORT

117

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
33692	E F2 20.1099	PANEL, access, assembly (Mod. 2497)	1	-	C	27/76
	E.F.20.1105	Spares for:- BUTTSTRAP	1	L73	-	
28D/1011238	A25/3E	Attachments:- Bolt, 1/4" BSF, hex. head	5	-	C	
28M/1007403	A27/ET	Nut, 1/4" BSF, thin	5	-	C	
28W/9419405	SP15/E	Washer, 1/4" BSF, plain	5	-	C	
	E F2 20.1103	PANEL, access	1	L65	-	
1441430	E.B2.20 9511	RETAINER, spring (Mod. 4211)	1	L34	C	27/77
		Attachments:-				
28D/9436920	A25/1C	Bolt, 2 BA, hex. head	4	-	C	
28M/9403520	A27/CP	Nut, 2 BA, plain	4	-	C	
28W/9457834	SP124/D	Washer, packing, 10 UNF	4	-	C	
	-	TIP, lower skin, to wing, assembly (E B3.20.23)	-	-	-	27/33
	-	Spares for:-				
	-	TIP, lower skin, assembly (E.B1.20.4405)	-	-	-	27/34
	-	Spares for:-				
2114	E B2.20 3641	PANEL, access	1	L65	C	27/35
2111	E B1.20 4421	PANEL, access, group	1	-	B	27/36
		Spares for:-				
28FP/684	ODDIE 756C	FASTENER, female	6	-	C	27/37
2112	E.B1.20 4425	PANEL, access, hydraulic jack fixing	2	L65	C	27/38
		Attachments:-				
10638	EEAS 251/20/50E	Bolt, 1/4" BSF, 120 deg. c'sk head	24	S97	C	27/39
2113	E.B1.20 4435	PANEL, access	2	L65	C	27/40
		Attachments:-				
10639	EEAS 251/30/50E	Bolt, 1/4" BSF, 120 deg. c'sk head	28	S97	C	27/41
17382	E.B2 20 3477	SECTION, Z, undercarriage door sealing	1	L72	C	27/42
17383	E.B1 20.5639	SECTION, Z, undercarriage door sealing	1	L72	C	27/43

This file was downloaded  
from the RTFM Library.

Link: [www.scottbouch.com/rtfm](http://www.scottbouch.com/rtfm)

Please see site for usage terms,  
and more aircraft documents.

