

SERVICES
CANOPY DE-MISTING SYSTEM

1117

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	-	CANOPY DE-MISTING SYSTEM, ASSEMBLY (E B4.76.1)	-	-	-	34/1
		Spares for:-				
8968	E.B4.76.57	BLOCK, spacing, between drying agent containers	1	-	C	34/2
8969	E.B4.76.25	BODY, flanged union, static vent connection, sloping bulkhead	1	L65	C	34/3
		Attachments:-				
28D/1008149	A25/2B	Bolt; 4:BA, hex. head	6	-	C	34/4
28M/1278189	AGS.2001/B/1	Nut, stiff; 4 BA	6	-	C	34/5
26FZ/9760	EEAS.20/2/DU	Tab, locking	1	S515	C	34/6
28W/9419474	SP15/B	Washer; 4:BA, plain	5	-	C	34/7
8970	E.B4.76.27	BODY, flanged union, canopy supply and return pipe connection, sloping bulkhead	2	L65	C	34/8
		Attachments:-				
28D/9133011	A25/2C	Bolt; 2:BA, hex. head	6	-	C	34/9
28M/1278190	AGS.2001/C/1	Nut, stiff; 2 BA	6	-	C	34/10
4762	EEAS.20/3/DU	Tab, locking	2	S515	C	34/11
28W/9419475	SP15/C	Washer; 2:BA, plain	2	-	C	34/12
4768	E.B2.76.235	CARTRIDGE, drying agent, group	2	-	B	34/13
		Consisting of:-				
4769	E.B2.76.245	CAP-END, and filter	1	-	C	34/14
4770	E.B2.76.237	CARTRIDGE, tube, assembly	1	-	C	34/13
		Spares for:-				
4771	E.B2.76.243	GAUZE, wire strip, 36 SWG, 40-mesh, 3''9 long	1	Stainless Steel	C	34/16
4772	E.B2.76.241	WINDOW, observation, 1/16'' thick	1	Cellastoid	C	34/17
4773	E.B2.76.345	SEPARATOR, wire gauge, 36 SWG, 40-mesh	1	Stainless Steel	B	34/18
8971	E.B2.76.393	CONTAINER, drying agent, group	2	-	C	34/19
		Spares for:-				
4765	E.B2.76.217	RING, sealing rubber	1	DS53	C	34/20
4766	E.B2.76.219	VALVE	1	L65	C	34/21
4767	E.B2.76.221	WASHER, sealing	2	-	C	34/22
10820	E.B2.76.257	DISC, blanking	1	L65 L72	C	34/45
4756	E.B2.76.227	LID, drying agent container, group	2	-	C	34/23
		Spares for:-				
3530	PIONEER PO.200.17513 or 11919 5-004	RING, 'O', sealing	1	-	C	34/24
4751	E.B2.76.259	NUT, special union, canopy supply pipe and blower unit supply pipe to drying agent container connections	2	L65	C	34/25
8972	E.B4.76.9	PIPE, assembly, from blower unit outlet connection to drying agent container connection	1	L54	C	34/26
8973	E.B4.76.11	PIPE, assembly, blower unit return, from union coupling at sloping bulkhead to blower unit connection	1	L54	C	34/27

SERVICES
CANOPY DE-MISTING SYSTEM

1418

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
8974	E.B4.76.13	PIPE, assembly, canopy supply from drying agent container connection to union coupling at sloping bulkhead	1	L54	C	34/28
8975	E.B4.76.21	PIPE, interconnection, between drying agent containers	1	L54	C	34/29
8976	E.B4.76.23	PIPE, static vent, from drying agent container lower connection to union connection, sloping bulkhead	1	L54	C	34/30
8977	E.B4.76.33	PIPE, assembly, static vent, from coupling at frame 12 to coupling aft of frame 8	1	L54	C	34/31
8978	E.B4.76.49	PIPE, assembly, static vent on forward face of sloping bulkhead, from union connection to pipe coupling	1	L54	C	34/32
19255	E.B4.76.69	PIPE, assembly, static vent, from coupling on forward face of sloping bulkhead to coupling at frame 16	1	L54	C	34/33
19256	E.B4.76.67	PIPE, assembly, static vent, from coupling at frame 16 to coupling aft of frame 15	1	L54	C	34/34
12216	E.B4.76.65	PIPE, assembly, static vent, from coupling aft of frame 14 to coupling at frame 12	1	L54	C	34/35
8983	E.B4.76.37	PLATE, nut; drying agent containers support	2	-	C	34/36
28D/1010658	A25/1B	Attachments:- Bolt, 4 BA, hex. head	6	-	C	34/37
4758	E.B2.76.263	SPRING, drying agent container valve	2	DTD215 or 239	C	34/38
4759	E.B2.76.267	SPRING, drying agent cartridge	2	DTD215 or 239	C	34/39
8984	E.B4.76.7	STRAP, drying agent container mounting	1	L72	C	34/40
28D/9133013	A25/5C	Attachments:- Bolt, 2 BA, hex. head	1	-	C	34/41
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	1	-	C	34/42
8985	EEAS.21/9/HX	Washer, 'D'	2	L73	C	34/43
5UD/6674	E.E. CO. B'FORD AE.6001	UNIT, blower, Mk. 2	1	-	A	34/44

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

