

SERVICES  
FUEL SYSTEM IN REAR FUSELAGE

1423

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		FUEL SYSTEM IN REAR FUSELAGE, ASSEMBLY (E B2.57.1007) (PRE-MOD. 1577) Spares for:—	—	—	—	
4780	E.B2.57.155	ADAPTOR, fuel filter to reheat pump No. 2	1	S110	C	37/1
4781	E.B2.57.235	ADAPTOR, No. 1 engine low pressure switch assembly on frames 29 and 46	2	S110	C	38/1
4852	E B2.57.809 or	ADAPTOR, reheat fuel pipe to flexible hose connection at frame 56	1	BAC.M37	C	39/1
7679	E B2.57.1239	ADAPTOR, reheat fuel pipe to flexible hose connection aft of frame 55	1	BAC.M37	C	39/2
7850	E B2.57.1939					
4783	E.B1.57.1119	BOLT-RING, aircraft refuelling unit mounting in fuselage side between frames 47 and 48	1	—	C	37/2
13734	E B2.07.621	BRACKET, 2" dia. fuel pipe clip mounting at frames 31 and 34 (E.B2.57.275)	2	—	C	38/2
		Attachments:—				
28D/1010658	A25/1B	Bolt, 4 BA, hex. head	4	—	C	38/3
28M/1278189	AGS 2001/B/1	Nut, stiff, 4 BA	4	—	C	38/4
28W/9419465	SP13/B	Washer, 4 BA, plain	4	—	C	38/5
13735	E B2.07.615	BRACKET, fuel filter mounting at frame 27 (E.B2.57.325)	1	L72	C	38/6
		Attachments:—				
28D/7002428	A25/6C	Bolt, 2 BA, hex. head	3	—	C	38/7
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	3	—	C	38/8
28W/9419402	SP13/C	Washer, 2 BA, plain	3	—	C	38/9
13762	E B2.07.657	BRACKET, (E.B2.57.543)	1	L72	C	39/3
9049	E B2.57.2201	BRACKET, No. 1 engine low pressure switch mounting	1	L73	—	38/10
		Attachments:—				
26FZ/1025	EEAS.1/1C	Screw, 2 BA, c'sk head, 120 deg.	4	S96	C	38/11
27UA/	SIR G. GODFREY 50092 or	CLAMP, half, 2"	10	—	C	40/1
27UA/1206	50096	CLAMP, half, 1-1/2"	4	—	C	38/12
27UA/	SIR G. GODFREY 50093 or					
27UA/1209	50097	CLIP, pipe, at frames 31 and 34 (E.B1.55.91)	4	L72	C	38/13
1484683	E B1.07.19					
		Attachments:—				
28D/9133012	A25/3C	Bolt, 2 BA, hex. head	4	—	C	38/14
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	4	—	C	38/15
28W/9419402	SP13/C	Washer, 2 BA, plain	4	—	C	38/16
2449	E.B2.57.335	CLIP, pipe, special	3	L72	C	37/3

SERVICES  
FUEL SYSTEM IN REAR FUSELAGE

1424

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
10295	E.B2.55.327	CLIP, bonding, flow sensing valve	1	L72	C	37/4
28D/1010658	A25/1B	Attachments:— Bolt; 4:BA, hex. head	1	—	C	37/5
	AS.3360/B/6/C	Lead, bonding	1	—	—	37/6
28M/1278189	AGS.2001/B/1	Nut, stiff; 4 BA	1	—	C	37/7
28W/9419465	SP13/B	Washer; 4:BA, plain	1	—	C	37/8
	—	CLIPPING, at frames 50 and 51 (E.B2.57.1777) Spares for:—	—	—	—	39/4
12683	E.B2.07.659	BRACKET (E.B2.57.1765)	1	—	C	39/5
12684	E.B2.07.660	BRACKET (E.B2.57.1766)	1	—	C	39/6
	E.B2.57.2537	PACKING, pipe clip, frame 50	1	Neoprene	—	—
27F/2523	FLIGHT REFUELLING LTD. FRS.73L	COLLAR, split	1	—	C	37/83
4789	E.B2.57.211	CONNECTOR, bulkhead, special, on forward face of engine beam	1	S110	C	40/2
12474	E.B2.57.2487	CONNECTOR, 6 pin break-away (Mod. 1892)	1	—	C	39/7
27ZA/	EXACTOR 12768	CONNECTOR, 1", slipper tank	1	—	—	39/8
	or					
27ZA/59	C17512					
27ZA/	EXACTOR 16429	CONNECTOR, 'O' ring, pipe	1	—	—	39/9
27ZA/	EXACTOR C17527A	CONNECTOR, assembly	1	—	B	39/10
		Spares for:—				
7439	EXACTOR C17008	SEAL, valve, assembly	1	—	C	39/11
	or					
27ZA/103		Spares for:—				
13370	EXACTOR C17574	SEAL, valve	1	—	C	39/12
27FR/2327	F.R. LTD. FRS.110H/1	CONNECTOR, 1" pipe	2	—	B	40/3
27FR/2329	F.R. LTD. FRS.110K/1	CONNECTOR, 1-1/2" pipe	3	—	B	38/17
27FR/2330	F.R. LTD. FRS.110L/1	CONNECTOR, 1-3/4" pipe	1	—	B	37/9
27FR/2331	F.R. LTD. FRS.110M/1	CONNECTOR, 2" pipe	7	—	B	38/18
27FR/3012	F.R. LTD. FRS.122M/1	CONNECTOR, bulkhead, at frame 43	1	—	B	40/4
27FR/30169	F.R. LTD. FRS.380K/1	CONNECTOR, 'O' ring pipe	1	—	B	37/10
27FR/30171	F.R. LTD. FRS.380M	CONNECTOR, 'O' ring pipe	1	—	B	38/19
27F/2228	AVERY HARDOLL FC109	DUST-CAP, refuelling unit	1	—	C	37/11
27B/3127	MARSTON D237/1A	EXCHANGER, heat, fuel pumps No. 1 and No. 2, at frames 29 and 46	2	—	A	40/5

SERVICES  
FUEL SYSTEM IN REAR FUSELAGE

1425

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
13755	E.B2.07.641	FAIRLEAD, at frame 45 (E.B2.57.575)	4	LFS21	C	37/12
28D/9133012	A25/3C	Attachments:-- Bolt, 2 BA, hex. head	16	--	C	37/13
2E 1/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	16	--	C	37/14
28W/9419402	SP13/C	Washer, 2 BA, plain	16	--	C	37/15
4792	E.B2.57.1159	FAIRLEAD, for ventral and rocket fuel pipes through fire floor between frames 45 and 46	1	Ferobestos	C	37/16
28D/9133011	A25/2C	Attachments:-- Bolt, 2 BA, hex. head	6	--	C	37/17
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	6	--	C	37/18
	E.B2.57.1421	FAIRLEAD, at frame 46	2	LFS21	--	37/19
28D/9706373	A25/2A	Attachments:-- Bolt, 6 BA, hex. head	4	--	C	37/20
28M/10286	AGS.2001/A/1	Nut, stiff, 6 BA	4	--	C	37/21
28W/9419473	SP15/A	Washer, 6 BA, plain	4	--	C	37/22
6095	E.B2.57.593	FILTER, fuel, reheat pumps No. 1 and No. 2	2	--	B	38/20
4794	E.B2.57.527	PACKING, for filter attachment bracket	1	LFS21	C	38/21
	E.B2.57.2299	PACKING, fuel pipe clip at frame 46, starboard	1	LFS21	--	37/23
4795	E.B2.57.127	PIPE, feed, between reheat pump No. 1 and fuel filter	1	T55 or DTD743	C	38/22
4796	E.B2.57.131	PIPE, feed, through frame 31	1	T55	C	38/23
4798	E.B2.57.135	PIPE, feed, through frame 34, 2" dia. x 24 SWG	1	T55	C	38/24
4800	E.B2.57.139	PIPE, feed, from heat exchanger connection at frame 39 to bulkhead connection at frame 43, 2" dia. x 24 SWG	1	T55 or DTD743	C	40/6
4825	E.B2.57.233	PIPE, flexible, from No. 2 reheat pump to heat exchanger	1	T55	C	37/24
4797	E.B2.57.505	PIPE, branch, through frame 29	1	T55	C	38/25
4808	E.B2.57.1113	PIPE, fuel transfer, from coupling aft of frame 45 to port wing refuelling valve connection, 1-1/2" dia. x 24 SWG	1	T55	C	37/25
4809	E.B2.57.1115	PIPE, fuel transfer, from coupling aft of frame 45 to starboard wing refuelling valve connection, 1-1/2" dia. x 22 SWG	1	T55	C	37/26
4806	E.B2.57.1123	PIPE, fuel transfer, from branch pipe connection to connection aft of frame 45, starboard side	1	T55 or DTD743	C	37/27
4805	E.B2.57.1131	PIPE, feed, from transverse pipe connection to starboard 3-way valve, 2" dia. x 24 SWG	1	T55 or DTD743	C	37/28
4810	E.B2.57.1199	PIPE, refuelling unit to connection forward of frame 47	1	T55	C	37/29
19278	E.F3.57.499	PIPE, from refuelling valve line connection forward of frame 47 to branch pipe connection (Mod. 2194)	1	T55	C	37/30
12730	E.B2.57.1377	PIPE, assembly, from No. 1 reheat pump to connection aft of frame 31	1	DTD743	C	38/26
13055	E.B2.57.1379	PIPE, assembly, reheat pump No. 1 line continuation from connection aft of frame 31 to connection at frame 34	1	DTD743	C	38/27

SERVICES  
FUEL SYSTEM IN REAR FUSELAGE

1426

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
13057	E.B2.57.1381	PIPE, assembly, reheat pump No. 1 line continuation from connection at frame 34 to bulkhead union on forward face of engine beam	1	DTD743	C	38/28
13058	E.B2.57.1383	PIPE, assembly, reheat pump No. 1 line continuation from bulkhead union on forward face of engine beam to connection aft of frame 42	1	T55	C	40/7
	E.B2.57.1385	PIPE, assembly, reheat pump No. 1 line continuation from connection aft of frame 42 to connection at frame 44	1	30/166	-	40/8
17960	E.B2.57.2411	PIPE, assembly, reheat pump No. 1 line continuation from connection at frame 44 to connection aft of frame 46 (Mod. 1823)	1	30/166	C	37/31
11956	E.B2.57.1389	PIPE, assembly, from No. 2 reheat pump to connection aft of frame 54	1	DTD743	C	37/32
12987	E.B2.57.2409	PIPE, assembly, reheat pump No. 1 line continuation from connection aft of frame 46 to connection aft of frame 48 (Mod. 1823)	1	30/166	C	37/33
11957	E.B2.57.1393	PIPE, assembly, reheat pump No. 1 line continuation from connection aft of frame 48 to connection aft of frame 52	1	DTD743	C	39/13
11958	E.B2.57.1395	PIPE, assembly, reheat pump No. 1 line continuation from connection aft of frame 52 to connection aft of frame 54	1	DTD743	C	39/14
11964	E.B2.57.1397	PIPE, assembly, reheat pump No. 2 line continuation from connection at frame 56 to connection aft of frame 54	1	DTD743	C	39/15
13056	E.B2.57.1399	PIPE, assembly, reheat pump No. 1 line continuation from connection aft of frame 55 to flexible pipe coupling connection forward of frame 56	1	DTD743	C	39/16
4803	E.B2.57.1451	PIPE, feed, from transverse pipe connection at frame 45 to 3-way valve, starboard wing, 2" dia. x 24 SWG	1	T55 or DTD743	C	40/9
4804	E.B2.57.1453	PIPE, feed, transverse, port and starboard, 3-way valve connection, 2" dia. x 24 SWG	1	T55 or DTD743	C	37/34
4807	E.B2.57.1671	PIPE, fuel transfer, pipe connections aft of frame 45, port side, assembly Spares for:-	1	-	B	37/35
7787	E.B2.57.1675	PISTON	1	S110	C	37/36
7788	E.B2.57.1681	PLUG	1	S110	C	37/37
7789	E.B2.57.1677	SLEEVE, valve	1	S110	C	37/38
7790	E.B2.57.1673	SPRING	1	DTD215	C	37/39
7791	E.B2.57.1923	TUBE, drain	1	L65	C	37/40
7792	E.B2.57.2157	WASHER, sealing	1	L17	C	37/41
7395	E.B2.57.1755	PIPE, feed, from heat exchanger connection aft of frame 36 to coupling aft of frame 34, 2" dia. x 24 SWG	1	-	C	38/29

SERVICES  
FUEL SYSTEM IN REAR FUSELAGE

1427

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
11965	E.B2.57.1757	PIPE, assembly, reheat pump No. 1 line continuation, between connections forward and aft of frame 55	1	T55	C	39/17
4802	E.B2.57.1759	PIPE, fuel transfer, transverse on frame 45, 2" dia. x 24 SWG	1	T55 or DTD743	C	40/10
4801	E.B2.57.1849	PIPE, fuel transfer branch, from bulkhead connection at frame 43 to 3-way valve pipe and transverse pipe connections	1	T55 or DTD743	C	40/11
9048	E.B2.57.2023	PIPE, No. 2 engine, low pressure switch	—	—	—	37/42
4826	E.B2.57.2025	PIPE, assembly, No. 1 engine, low pressure switch	1	T55 or DTD743	—	38/30
8759	E.B2.57.2033	PIPE, fuel transfer, from flow sensing valve to branch pipe between frames 45 and 46	1	T55 or DTD743	C	37/43
27FR/	FLIGHT REFUELLING LTD. 360/J	PIPE, blank	2	—	C	39/18
4831	E.B2.57.249	PLATE, seal backing, for 2" dia. pipe seal through firewall on frame 42	1	L72	C	40/12
4832	E.B2.57.269	RING, reinforcing, for seal at fire floor between frames 45 and 46	1	L72	C	37/44
4833	E.B2.57.273	RING, reinforcing, for seal at fire floor aft of frame 46	1	L72	C	37/45
4834	E.B2.57.425	RING, spacing, for bulkhead connection at frame 43	1	—	C	40/13
4837	PIONEER 3-161	RING, sealing, 2"	5	—	C	37/46
11919	PIONEER 5-004	RING, sealing, 1-1/2"	2	—	C	38/31
7678	PIONEER 5-007	RING, sealing	2	—	C	37/47
11951	PIONEER 5-016	RING, sealing	1	—	C	37/48
26FZ/1468	EEAS.1/2C	SCREW, 2 BA, 120 deg. c'sk head, for ventral tank 2" connection	12	S96	C	39/19
26FZ/1028	EEAS.1/3C	SCREW, 2 BA, 120 deg. c'sk head, for ventral tank attachment	6	S96	C	39/20
4339	E.B2.57.267	SEAL, at fire floor between frames 45 and 46	1	Y436	C	37/49
37369	E.B2.07.823	SEAL, at fire floor aft of frame 46 (E.B2.57.271)	1	Twill Weave Knitted Glasscloth	C	37/50
28D/1010658	A25/1B	Attachments:— Bolt, 4 BA, hex. head	5	—	C	37/51
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	5	—	C	37/52
28W/9419465	SP13/B	Washer, 4 BA, plain	5	—	C	37/53
4841	E.B1.57.701	SEAL, for 2" dia. pipe through firewall on frame 42	1	L44	C	40/14
28D/1010658	A25/1B	Attachments:— Bolt, 4 BA, hex. head	4	—	C	40/15
28M/12781899	AGS.2001/B/1	Nut, stiff, 4 BA	4	—	C	40/16
28W/9419465	SP13/B	Washer, 4 BA, plain	4	—	C	40/17

SERVICES  
FUEL SYSTEM IN REAR FUSELAGE

1428

Ref. No.	Part No.	Description	No. off	Mati. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
27FR/3008	F.R. LTD. FRS.151L/1	SEAL, rubber	1	-	C	37/84
4842	E.B2.57.261	SHIELD, flame, heat exchanger at frame 39	1	-	C	40/18.
4843	E.B2.57.263	SHIELD, flame, heat exchanger at frame 39	1	-	C	40/19
4844	E.B2.57.265	SHIELD, flame, heat exchanger at frame 46	1	-	C	37/54
28D/9436920	A25/1C	Attachments:- Bolt, 2 BA, hex. head	4	-	C	37/55
4845	EEAS.31/1P	Washer, coner	4	-	C	37/56
	E.B1.57.557	SHIELD, flame, heat exchanger at frames 39 and 46	2	Titanium	-	40/20
28D/1010658	A25/1B	Attachments:- Bolt, 4 BA, hex. head	2	-	C	40/21
28D/9436920	A25/1C	Bolt, 2 BA, hex. head	2	-	C	40/22
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	-	C	40/23
4846	BELLS ASBESTOS P30	Packing	QR	-	C	40/24
4847	E.B2.57.259	Washer, radius	2	L65	C	40/25
4848	E.B1.57.559	SHIELD, flame, heat exchanger at frames 39 and 46	2	-	C	40/26
7963	E.B2.57.2017	SHIELD, heat, pipe connection	2	-	C	38/32
27FR/3013	F.R. LTD. FRS.185H	SHIELD, flame, 1"	2	-	C	40/27
27FR/2423	F.R. LTD. FRS.185K	SHIELD, flame, 1-1/2"	5	-	C	38/33
27FR/2424	F.R. LTD. FRS.185M	SHIELD, flame, 2"	7	-	C	38/34
27FR/3526	F.R. LTD. FRS.425	SHIELD, flame, at frame 43	1	-	C	40/28
27FR/3528	F.R. LTD. FRS.152L	SLEEVE, outer, 1-3/4"	1	-	C	37/57
5CW/6298	THERMAL CONTROL T.P.1278	SWITCH, low pressure at frames 29 and 46 for reheat pumps No. 1 and No. 2	2	-	A	38/35
4851	EEAS.20/1ER	TAB, locking	5	L72	C	40/29
27F/2370	AVERY HARDOLL FC.113 Mk. 2	UNIT, 1-1/2" a/c refuelling	1	-	A	37/58
8758	E.B2.57.2075	VALVE, flow sensing, assembly Spares for:-	1	-	B	37/59
8762	E.B2.57.2221	BLOCK, terminal, assembly Spares for:-	1	-	C	37/60
8763	E.B2.57.2219	COVER, terminal block Attachments:-	1	GIL44	C	37/61
28S/1214674	A39/B14	Screw, 4 BA, cheese head	2	-	C	37/62
28W/9419474	SP15/B	Washer, 4 BA, plain	2	-	C	37/63
28W/1200328	AGS.2037/B	Washer, shakeproof	2	-	C	37/64
8760	E.B2.57.2137	CLIP, spring	1	DTD215	C	37/65
8761	E.B2.57.2139	CLIP, spring	1	DTD215	C	37/66
33H/126	PR.1221/BT	COMPOUND, sealing	QR	-	C	37/67
	E.F2.07.51	COVER, switch (E.B2.57.2211)	1	L59	-	37/68
8765	E.B2.57.2111	GUIDE, spindle	1	-	C	37/69

SERVICES  
FUEL SYSTEM IN REAR FUSELAGE

1429

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
8766	PIONEER 3-162	RING, 'O' sealing	1	-	C	37/70
	EEAS.146/A1	SLEEVE, 3/4" long	1	-	-	37/71
	EEAS.146/O	SLEEVE, 1/2" long	1	-	-	37/72
	E.B2.57.2303	SPINDLE, assembly	1	-	B	37/73
		Spares for:-				
8769	E.B2.57.2103	SPRING, compression	1	DTD215	C	37/74
8771	E.B2.57.2251	SPRING, compression	1	DTD215	C	37/75
8767	E.B2.57.2109	SPRING, compression	1	DTD215	C	37/76
8770	E.B2.57.2265	SWITCH, assembly	1	-	C	37/77
		Attachments:-				
28D/1212938	A61/ 1/2C	Bolt, 2 BA, hex. head	10	-	C	37/78
28W/9419475	SP15/C	Washer, 2 BA, plain	2	-	C	37/79
28W/9419404	SP16/C	Washer, 2 BA, plain	8	-	C	37/80
5X/9462951	HC294	TONGUE, ring, twin grip	2	-	C	37/81
4854	EEAS.28/8BR	WASHER, for heat exchanger and flame shield mounting at frame 46	1	L72	C	37/82

SERVICES  
FUEL SYSTEM IN REAR FUSELAGE

1430

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	-	FUEL SYSTEM IN REAR FUSELAGE, ASSEMBLY (E.B2.57.2437) (MOD. 1577) Spares for:-	-	-	-	
	-	FUEL SYSTEM, frames 25B to 31 (E.B2.57.2423) Spares for:-	-	-	-	41/1
4781	E.B2.57.235	ADAPTOR, No. 1 engine low pressure switch, assembly	1	S110	C	41/2
19309	E.F2.57.739	BODY, banjo, No. 1 reheat pump (Mod. 2179)	1	-	C	
13734	E.B2.07.621	BRACKET, 2" dia. fuel pipe clip mounting at frame 31 (E.B2.57.275) Attachments:-	1	-	C	41/3
28D/1010658	A25/1B	Bolt, 4 BA, hex. head	2	-	C	41/4
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	2	-	C	41/5
28W/9419474	SP15/B	Washer, 4 BA, plain	2	-	C	41/6
13735	E.B2.07.615	BRACKET, fuel filter mounting at frame 27 (E.B2.57.325) Attachments:-	1	L72	C	41/7
28D/7002428	A25/6C	Bolt, 2 BA, hex. head	3	-	C	41/8
28M/9433473	AGS.2002/C/1	Nut, stiff, 2 BA	3	-	C	41/9
4794	E.B2.57.527	Packing	1	LFS21	C	41/10
28W/9419475	SP15/C	Washer, 2 BA, plain	3	-	C	41/11
9049	E.B2.57.2201	BRACKET, No. 1 engine low pressure switch mounting Attachments:-	1	L73	C	41/12
26FZ/1025	EEAS.1/1C	Bolt, 2 BA, 120 deg. c'sk head	4	-	C	41/13
27UA/	GODFREY 50093 or 50097	CLAMP, half, 1-1/2"	2	-	C	41/14
27UA/1209 1484683	E.B1.07.19	CLIP, pipe, at frame 31 (E.B1.55.91) Attachments:-	1	L72	C	41/15
28D/9133012	A25/3C	Bolt, 2 BA, hex. head	2	-	C	41/16
28M/9433473	AGS.2002/C/1	Nut, stiff, 2 BA	2	-	C	41/17
28W/9419475	SP15/C	Washer, 2 BA, plain	2	-	C	41/18
4847	E.B2.57.259	Washer, radius	2	EEDX/60	C	41/19
19795	E.B2.57.2321	CDNE, union, with restrictor, at bleed pipe on reheat pump (Pre-Mod. 2179)	1	30/158	C	41/20
27FR/2329	F.R. LTD. FRS.110K/1	CONNECTOR, 1-1/2" pipe	1	-	B	41/21
27FR/2331	F.R. LTD. FRS.110M/1	CONNECTOR, 2" pipe	1	-	C	41/22
6095	E.B2.57.593	FILTER, fuel reheat Attachments:-	1	-	B	41/23
28E/9129563	AGS.605/5	Clip, hose	1	-	C	41/24
4795	E.B2.57.127	PIPE, feed, between reheat pump No. 1 and fuel filter	1	T55 or DTD743	C	41/25

SERVICES  
FUEL SYSTEM IN REAR FUSELAGE

1431

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
4796	E.B2.57.131	PIPE, fuel, through frame 31	1	T55	C	41/26
4797	E.B2.57.505	PIPE, branch, through frame 29	1	T55	C	41/27
12730	E.B2.57.1377	PIPE, assembly, from No. 1 reheat pump to connection aft of frame 31	1	DTD743	C	41/28
4826	E.B2.57.2025	PIPE, assembly, No. 1 engine low pressure switch	1	T55 or DTD743	C	41/29
	E.B2.57.2513	PIPE, bleed, No. 1 reheat pump to connection between frames 27 and 29 (Pre-Mod. 2179)	1	30/166	C	41/30
21447	E.B2.57.2543	PIPE, bleed, No. 1 reheat pump to connection between frames 27 and 29 (Mod. 2179)	1	30/166	C	41/31
17961	E.B2.57.2333	PIPE, assembly, bleed, reheat pump line continuation from connection between frames 27 and 29 to connection aft of frame 34	1	30/166	C	41/32
11919	PIONEER 5-004	RING, sealing, 1-1/2"	1	-	C	41/33
7678	PIONEER 5-007	RING, sealing	1	-	C	41/34
27FR/2423	F.R. LTD. FRS.185/K	SHIELD, heat, 1-1/2"	1	-	C	41/35
27FR/2424	F.R. LTD. FRS.185/M	SHIELD, heat, 2"	1	-	C	41/36
5CW/6298	THERMAL CONTROL TP.1278	SWITCH, low pressure for heat pump No. 1 at frame 29	1	-	A	41/37
	-	FUEL SYSTEM, frames 31 to 42 (E.B2.57.2425)	-	-	-	-
	-	Spares for:-	-	-	-	-
13734	E.B2.07.621	BRACKET, 2" dia. fuel pipe clip mounting at frame 34 (E.B2.57.275)	1	-	C	42/1
		Attachments:-				
28D/1010658	A25/1B	Bolt, 4 BA, hex. head	4	-	C	42/2
28M/1086618	AGS.2002/B/1	Nut, stiff, 4 BA	4	-	C	42/3
28W/9419474	SP15/B	Washer, 4 BA, plain	4	-	C	42/4
27UA/	GODFREY 50092	CLAMP, half, 2"	4	-	C	42/5
	or					
27UA/1206	50096					
1484683	E.B1.07.19	CLIP, pipe, at frame 34 (E.B1.55.91)	1	L72	C	42/6
		Attachments:-				
28D/9133012	A25/3C	Bolt, 2 BA, hex. head	2	-	C	42/7
28M/9433473	AGS.2002/C/1	Nut, stiff, 2 BA	2	-	C	42/8
4847	E.B2.57.259	Washer, radius	2	-	C	42/9
28W/9419475	SP15/C	Washer, 2 BA, plain	2	-	C	42/10
4789	E.B2.57.211	CONNECTOR, bulkhead special, on forward face of engine beam	1	S110	C	42/11
		Attachments:-				
28D/9436920	A25/1C	Bolt, 2 BA, hex. head	3	-	C	42/12
28M/9433473	AGS.2002/C/1	Nut, stiff, 2 BA	3	-	C	42/13
28W/9419475	SP15/C	Washer, 2 BA, plain	3	-	C	42/14

SERVICES  
FUEL SYSTEM IN REAR FUSELAGE

1432

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
27FR/30171	F.R. LTD. FRS.380/M	CONNECTOR, 'O' ring pipe	2	—	B	42/15
27B/3127	MARSTON D.237/1A	EXCHANGER, heat, No. 1 fuel pump, at frame 39	1	—	A	42/16
4798	E.B2.57.135	PIPE, feed, through frame 34, 2" o/d x 24 SWG	1	T55	C	42/17
4800	E.B2.57.139	PIPE, feed, from heat exchanger connection at frame 39 to bulkhead connection at frame 34, 2" o/d x 24 SWG	1	T55 or DTD743	C	42/18
13055	E.B2.57.1379	PIPE, assembly, reheat pump No. 1 line continuation from connection aft of frame 31 to connection at frame 34	1	DTD743	C	42/19
13057	E.B2.57.1381	PIPE, assembly, reheat pump No. 1 line continuation from connection at frame 34 to bulkhead union on forward face of engine beam	1	DTD743	C	42/20
13059	E.B2.57.1383	PIPE, assembly, reheat pump No. 1 line continuation from bulkhead union on forward face of engine beam to connection aft of frame 42	1	DTD743	C	42/21
7395	E.B2.57.1755	PIPE, feed, from coupling aft of frame 34 to heat exchanger	1	—	C	42/22
17962	E.B2.57.2335	PIPE, bleed, reheat pump line continuation from connection at frame 34 to connection between frames 39 and 42	1	30/166	C	42/23
17963	E.B2.57.2337	PIPE, bleed, reheat pump line continuation from connection between frames 39 and 42 and connection aft of frame 44	1	30/166	C	42/24
4837	PIONEER 3-161 or ANGUS R.161/P60 R.161/P5	RING, sealing	2	MP802	C	42/25
4842	E.B2.57.261	SHIELD, flame, heat exchanger at frame 39	1	—	C	42/26
4843	E.B2.57.263	SHIELD, flame, heat exchanger at frame 39	1	—	C	42/27
	E.B1.57.557	SHIELD, flame, heat exchanger at frame 39	1	S521	—	42/28
		Attachments:—				
28D/1007971	A25/ 1/2B	Bolt, 4 BA, hex. head	2	—	C	42/29
10327	AGS.2002/B/1	Nut, stiff, 4 BA	2	—	C	42/30
4846	BELLS ASBESTOS P.30	Packing, 5/16" dia.	QR	—	C	42/31
28S/1200035	A31/B40	Screw, 4 BA, cheese head	2	—	C	42/32
28W/9419474	SP15/B	Washer, 4 BA, plain	2	—	C	42/33
4848	E.B1.57.559	SHIELD, flame, heat exchanger at frame 39	1	—	C	42/34
7963	E.B2.57.2017	SHIELD, heat, pipe connector	2	—	C	42/35
	—	FUEL SYSTEM, frames 42 to 45 (E.B2.57.2427)	—	—	—	—
		Spares for:—				
27FR/2327	F.R. LTD. FRS.110/H/1	CONNECTOR, 1" pipe	1	—	B	43/1

SERVICES  
FUEL SYSTEM IN REAR FUSELAGE

1433

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
27FR/2331	F.R. LTD. FRS.110/M/1	CONNECTOR, 2" pipe	1	—	B	43/2
27FR/3012	F.R. LTD. FRS.122/M/1	CONNECTOR, bulkhead at frame 43	1	—	B	43/3
28D/1200119	A25/4C	Attachments:— Bolt, 2 BA	5	—	C	43/4
28M/9433473	AGS.2002/C/1	Nut, 2 BA	5	—	C	43/5
4834	E.B2.57.425	Ring, spacing	1	—	C	43/6
28W/9419402	SP13/C	Washer, 2 BA, plain	5	—	C	43/7
27FR/30171	F.R. LTD. FRS.380/M/1	CONNECTOR, pipe, frame 44 (Mod. 4307)	1	—	B	43/30
17972	E.B2.57.2323	FAIRLEAD, aft of frame 43	1	Ferobestos LA4	C	43/8
28D/9133011	A25/2C	Attachments:— Bolt, 2 BA, hex. head	4	—	C	43/9
28W/9419402	SP13/C	Washer, 2 BA, plain	4	—	C	43/10
17973	E.B2.57.2361	FAIRLEAD, at frame 45	1	Ferobestos LA4	C	43/11
28D/1010658	A25/1B	Attachments:— Bolt, 4 BA, hex. head	4	—	C	43/12
28M/1086618	AGS.2002/B/1	Nut, stiff, 4 BA	4	—	C	43/13
28W/9419475	SP15'B	Washer, 4 BA, plain	4	—	C	43/14
	E.B2.57.1385	PIPE, assembly, reheat pump No. 1 line continuation from connection aft of frame 42 to connection at frame 44	1	30/166	—	43/15
4803	E.B2.57.1451	PIPE, feed, from transverse pipe connection at frame 45 to 3-way valve, starboard wing, 2" o/d x 24 SWG	1	T55 or DTD743	C	43/16
4802	E.B2.57.1759	PIPE, fuel transfer, transverse on frame 45, 2" o/d x 24 SWG	1	T55 or DTD743	C	43/17
4801	E.B2.57.1849	PIPE, fuel transfer branch, from bulkhead connection at frame 43 to 3-way pipe and transfer pipe connections	1	DTD743	C	43/18
17967	E.B2.57.2357	PIPE, bleed reheat pump line continuation from connection between frames 43 and 44 to tee joint between frames 45 and 46	1	30/166	C	43/19
12986	E.B2.57.2421	PIPE, reheat pump No. 1 line continuation from connection at frame 44 to connection aft of frame 46	1	30/166	C	43/20
20937	E.B2.57.2521	PIPE, bleed, reheat pump line connection from connection at frame 44 to tee joint connection between frames 45 and 46, 1/4" o/d x 24 SWG	1	30/166	C	43/21
4831	E.B2.57.249	PLATE, seal backing at frame 42	1	L72	C	43/22

SERVICES  
FUEL SYSTEM IN REAR FUSELAGE

1434

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
4841	E.B1.57.701	SEAL, for 2" dia. pipe through firewall on frame 42	1	Glasscloth	C	42/23
28D/1010658	A25/1B	Attachments:—	4	—	C	43/24
28M/1086618	AGS.2002/B/1	Bolt, 4 BA, hex. head	4	—	C	43/25
28W/9419474	SP15/B	Nut, stiff, 4 BA	4	—	C	43/26
27FR/3013	F.R. LTD.	Washer, 4 BA, plain	4	—	C	43/26
27FR/3013	F.R. LTD.	SHIELD, heat, 1"	1	—	C	43/27
27FR/2424	FRS.185/H	SHIELD, heat, 2"	2	—	C	43/28
27FR/3528	F.R. LTD.	SHIELD, heat, at frame 43	1	—	C	43/29
7963	FRS.425	SHIELD, heat, frame 44 (Mod. 4307)	1	—	C	43/31
	E.B2.57.2017	FUEL SYSTEM, frames 45 to 46 (E.B2.57.2429)	—	—	—	—
	—	Spares for:—	—	—	—	—
27UA/	GODFREY 50092	CLAMP, half, 2"	2	—	C	44/1
	or					
27UA/1206	50096					
10295	E.B2.55.327	CLIP, bonding, flow sensing valve	1	L72	C	44/2
2449	E.B2.57.335	CLIP, pipe special	2	L72	C	44/3
27F/2523	F.R. LTD.	COLLAR, split	2	—	C	44/4
	FRS.73/L					
4044	E.B2.73.2115	CONE, tee, 1/4" BSP	2	S94, S95 or S96	C	44/5
27ZA/	EXACTOR C.17527A	CONNECTOR, drop tank, 1".75	1	—	—	44/6
		Spares for:—				
7439	EXACTOR C.17008	SEAL, valve	1	—	C	44/7
	or					
27ZA/103						
27FR/2327	F.R. LTD.	CONNECTOR, 1" pipe	1	—	B	44/8
	FRS.110/H/1					
27FR/2329	F.R. LTD.	CONNECTOR	3	—	B	44/9
	FRS.110/K/1					
27FR/2330	F.R. LTD.	CONNECTOR	1	—	B	44/10
	FRS.110/L/1					
27FR/2331	F.R. LTD.	CONNECTOR	1	—	B	44/11
	FRS.110/M/1					
27FR/30169	F.R. LTD.	CONNECTOR, 'O' ring pipe	1	—	—	44/12
	FRS.380/K/1					
4792	E.B2.57.1159	FAIRLEAD, for fuel pipe through fire floor, between frames 45 and 46, starboard side	1	Ferobestos	C	45/1
28D/9133011	A25/2C	Attachments:—	6	—	C	45/2
28M/1278190	AGS.2001/C/1	Bolt, 2 BA, hex. head	6	—	C	45/3
		Nut, stiff, 2 BA				
	E.B2.57.1421	FAIRLEAD, at frame 46	2	LFS21	—	45/4
		Attachments:—				
28D/9706373	A25/2A	Bolt, 6 BA, hex. head	4	—	C	45/5
28M/10286	AGS.2001/A/1	Nut, stiff, 6 BA	4	—	C	45/6
28W/9419473	SP15/A	Washer, 6 BA, plain	4	—	C	45/7

SERVICES  
FUEL SYSTEM IN REAR FUSELAGE

435

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
17973	E.B2.57.2361	FAIRLEAD, for reheat bleed pipe on fire floor aft of frame 45, port side	1	Ferobestos	C	45/8
28D/1010658	A25/1B	Attachments:— Bolt, 4 BA, hex.	4	—	C	45/9
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	4	—	C	45/10
28W/9419474	SP15/B	Washer, 4 BA, plain	4	—	C	45/11
23423	EEAS.556/4	FAIRLEAD, for bleed pipe between frames 45 and 46 aft of tee joint, port side	1	DTD560	C	45/35
23424	EEAS.554/4	FAIRLEAD, for bleed pipe between frames 45 and 46 aft of tee joint, port side	1	DTD560	C	45/36
28D/7002428	A25/6C	Attachments:— Bolt, 2 BA, hex. head	1	—	C	45/37
28M/10288	AGS.2001/C/1	Nut, stiff, 2 BA	1	—	C	45/38
	EEAS.240/1A	Washer, 2 BA	1	L72	C	45/39
	E.B2.57.2299	PACKING, for special pipe clip aft of frame 45, starboard	1	LFS21	—	44/13
4808	E.B2.57.1113	PIPE, fuel transfer, from coupling aft of frame 45 to port wing refuelling valve connection, 1-1/2" o/d x 24 SWG	1	T55	C	44/14
4809	E.B2.57.1115	PIPE, fuel transfer, from coupling aft of frame 45 to starboard wing refuelling valve connection, 1-1/2" o/d x 24 SWG	1	T55	C	44/15
4805	E.B2.57.1131	PIPE, feed, from transfer pipe connection to starboard 3-way valve, 2" o/d x 24 SWG	1	T55	C	44/16
4807	E.B2.57.1671	PIPE, fuel transfer, from branch pipe connection to coupling aft of frame 45, port side, assembly Spare for:—	1	T55	C	44/17
7787	E.B2.57.1675	PISTON	1	S110	C	44/18
7788	E.B2.57.1681	PLUG	1	S110	C	44/19
7789	E.B2.57.1677	SLEEVE	1	S110	C	44/20
7790	E.B2.57.1673	SPRING	1	DTD215	C	44/21
7791	E.B2.57.1923	TUBE, drain	1	L65	C	44/22
7792	E.B2.57.2157	WASHER, sealing	1	L17	C	44/23
8759	E.B2.57.2033	PIPE, fuel transfer, from flow sensing valve to branch pipe between frames 45 and 46	1	T55	C	44/24
4804	E.B2.57.1453	PIPE, feed, transverse, port and starboard, 3-way valve connection, 2" o/d x 24 SWG	1	T55	C	44/25
20934	E.B2.57.2515	PIPE, bleed, reheat pump line continuation from tee connection between frames 45 and 46 to No. 2 reheat fuel pump, 1/4" o/d x 24 SWG (Pre-Mod. 2179)	1	30/166	C	44/26
21446	E.B2.57.2545	PIPE, bleed, reheat pump line continuation from tee connection No. 1 line to tee connection on No. 2 line, 1/4" o/d x 24 SWG (Mod. 2179)	1	30/166	C	44/58
4806	E.B2.57.1123	PIPE, fuel transfer, from branch pipe connection to connection aft of frame 45, starboard side	1	T55	C	44/47

SERVICES  
FUEL SYSTEM IN REAR FUSELAGE

1436

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
20935	E.B2.57.2517	PIPE, bleed, reheat pump line continuation from tee connection No. 1 line to tee connection No. 2 line, 1/4" o/d x 24 SWG	1	30/166	C	44/48
20936	E.B2.57.2519	PIPE, bleed, reheat pump line continuation from tee joint between frames 45 and 46 to tee joint aft of frame 46, 1/4" o/d x 24 SWG	1	30/166	C	44/49
	E.B2.57.1699	PIPE, fuel, port, between branch pipe frames 45 and 46 to drop tank connector (Mod. 2045)	1	T55 or DTD743	-	
4832	E.B2.57.269	RING, reinforcing, for seal at fire floor between frames 45 and 46	1	L72	C	44/50
4837	PIONEER 3-161	RING, sealing, 2"	1	MP802	C	44/51
4839	E.B2.57.267	SEAL, at fire floor between frames 45 and 46	1	Y436 Twill Weave	C	44/52
27FR/3008	F.R. LTD. FRS.151/L/1	SEAL, rubber (Pre-Mod. 2045)	2	-	C	
27FR/3008	F.R. LTD. FRS.151/L/1	SEAL, rubber (Mod. 2045)	1	-	C	44/53
27FR/3013	F.R. LTD. FRS.185/H	SHIELD, heat, 1"	1	-	C	44/54
27FR/2423	F.R. LTD. FRS.185/K	SHIELD, heat, 1-1/2"	4	-	C	44/55
27FR/2424	F.R. LTD. FRS.185/M	SHIELD, heat, 2"	1	-	C	44/56
27FR/3528	F.R. LTD. FRS.152/L	SLEEVE, outer, 1-3/4" (Pre-Mod. 2045)	2	-	C	
27FR/30701	F.R. LTD. FRS.353/L	SLEEVE, outer (Mod. 2045)	2	-	C	44/57
8758	E.B2.57.2075	VALVE, flow sensing, assembly (Pre-Mod. 2045) Spares for:-	1	-	B	45/12
8762	E.B2.57.2221	BLOCK, terminal, assembly Spares for:-	1	-	C	45/13
8763	E.B2.57.2219	COVER, terminal block Attachments:-	1	L44	C	43/14
28S/1214674	A39/B14	Screw, 4 BA, cheese head	2	-	C	45/15
28W/9410474	SP15/B	Washer, 4 BA, plain	2	-	C	45/16
28W/1200328	AGS.2037/B	Washer, 4 BA, shakeproof	2	-	C	45/17
8760	E.B2.57.2137	CLIP, spring	1	DTD215	C	45/18
8761	E.B2.57.2139	CLIP, spring	1	DTD215	C	45/19
33H/126	PR.1221/BT	COMPOUND, sealing	QR	-	C	45/20
	E.F2.07.51	COVER, switch (E.B2.57.2211)	1	L59	-	45/21
8765	E.B2.57.2111	GUIDE, spindle	1	-	C	45/22
8766	PIONEER 3-162 or ANGUS OR.36 EEAS.146/A1 EEAS.146/O	RING, 'O' sealing    SLEEVE, 3/4" long SLEEVE, 1/2" long	1    1 1	MP802    - -	C    - -	45/23    45/24 45/25

SERVICES  
FUEL SYSTEM IN REAR FUSELAGE

1437

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
8768	E.B2.57.2303	SPINDLE, assembly Spares for:—	1	—	C	45/26
8769	E.B2.57.2103	SPRING, compression	1	DTD215	C	45/27
8771	E.B2.57.2251	SPRING, compression	1	DTD215	C	45/28
8767	E.B2.57.2109	SPRING, compression	1	DTD215	C	45/29
8770	E.B2.57.2265	SWITCH, assembly	1	—	B	45/30
28D/1212938	A61/ 1/2C	Attachments:— Bolt, 2 BA, hex. head	10	—	C	45/31
28W/9419475	SP15/C	Washer, 2 BA, plain	2	—	C	45/32
28W/9419404	SP16/C	Washer, 2 BA, plain	8	—	C	45/33
5X/9462951	HC.294	TONGUE, ring	2	—	C	45/34
	—	FUEL SYSTEM, No. 2 engine bay, piping and clipping changes (Mod. 4307) (E.B2.57.2599) Spares for:—	—	—	—	—
	—	CLIPPING, cross-feed pipes, frame 45 (E.B2.57.2589) Spares for:—	—	—	—	—
1440917	E.B4.57.67	BRACKET, support, starboard, aft, frame 45 Attachments:—	1	L73	C	43A/1
28D/9436920	A25/1C	Bolt, 2 BA, hex. head	3	—	C	43A/2
28M/10288	AGS.2001/C/1	Nut, stiff, 2 BA	3	—	C	43A/3
28W/9457834	SP124/D	Washer, 2 BA, plain	3	—	C	43A/4
19305	E.F2.57.865	BRACKET, support, port, forward, frame 45 Attachments:—	1	S510 or S514	C	43A/5
28D/1011029	A25/1E	Bolt, 1/4" BSF, hex. head	2	—	C	43A/6
28M/10290	AGS.2001/E/1	Nut, stiff, 1/4" BSF	2	—	C	43A/7
28W/9471273	SP124/E	Washer, 1/4" BSF	2	—	C	43A/8
19304	E.F2.57.855	BRACKET, support, starboard, forward frame 45 Attachments:—	1	S510 or S514	C	43A/9
28D/1011029	A25/1E	Bolt, 1/4" BSF, hex. head	3	—	C	43A/10
28M/10290	AGS.2001/E/1	Nut, stiff, 1/4" BSF	3	—	C	43A/11
28W/9471273	SP124/E	Washer, 1/4" BSF	3	—	C	43A/12
1440918	E.B2.57.2579	FAIRLEAD Attachments:—	4	BS2572 Type F3	C	43A/13
28D/1200119	A25/4C	Bolt, 2 BA, hex. head	16	—	C	43A/14
28M/10288	AGS.2001/C/1	Nut, stiff, 2 BA	16	—	C	43A/15
1440919	E.B2.57.2581	Washer, plate	8	S510 or S515	C	43A/16
1440920	E.B2.11.18321	RING, reinforcing	1	L72	C	43A/17
7963	E.B2.57.2017	SHIELD, heat	1	—	C	43A/18
	—	FUEL SYSTEM, frames 46 to 48 (E.B2.57.2431) Spares for:—	—	—	—	—
4781	E.B2.57.235	ADAPTOR, No. 2 engine low pressure switch assembly on frame 46	1	S110	C	46/1

SERVICES  
FUEL SYSTEM IN REAR FUSELAGE

1438

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
4780	E.B2.57.155	ADAPTOR, fuel filter to reheat pump No. 2	1	S110	C	46/2
23437	EEAS.552/10	BÖBBIN, distance, .80 long, pipe clip spacing	1		C	
19309	E.F2.57.739	BÖDDY, banjo, No. 2 reheat pump (Mod. 2179)	1	or L65 S94, S95 or S96	C	
26FZ/1468	EEAS.1/2C	BÖLT, 2 BA, 120 deg. c'sk head, for vertical tank connection	8	S96	C	46/3
4783	E.B1.57.1119	BÖLT-RING, aircraft refuelling unit mounting in fuselage side between frames 47 and 48	1	S510	C	46/4
27UA/1206	GODFREY 50096	CLAMP, half, 2"	2	-	C	46/5
27UA/1209	GODFREY 50097	CLAMP, half, 1-1/2"	2	-	C	46/6
1484683	E.B1.07.19	CLIP, pipe, on frame 46 and 47 (E.B1.55.91)	2	L72	C	46/7
28D/9133012	A25/3C	Attachments:—	2	-	C	46/8
28M/1278190	AGS.2001/C/1	Bolt, 2 BA, hex. head	2	-	C	46/9
4847	E.B2.57.259	Nut, stiff, 4 BA	2	L65	C	46/10
28W/9419402	SP13/C	Washer, radius	2	-	C	46/11
4044	E.B2.73.2115	Washer, 2 BA, plain	2	-	C	46/11
		CONE, tee union, reheat bleed aft of frame 46	1	S94, S95 or S96	C	46/12
17975	E.B2.57.2321	CONE, special union, with resistor, No. 2 reheat fuel pump bleed	1	30/158	C	46/13
27ZA/59	EXACTOR C.17512 or 12768	CONNECTOR, drop tank, 1"	1	-	B	46/14
		Spares for:—				
13370	EXACTOR C.17574	SEAL, valve	1	-	C	46/15
27F/2331	F.R. LTD. FRS.110/M/1	CONNECTOR, 2"	2	-	B	46/16
12474	E.B2.57.2487	CONNECTOR, 6-pin break-away	1	-	C	46/17
		Attachments:—				
28D/9133011	A25/2C	Bolt, 2 BA, hex. head	4	-	C	46/18
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	4	-	C	46/19
28W/9419402	SP13/C	Washer, 2 BA, plain	4	-	C	46/20
27F/2228	AVERY HARDOLL FC.109	DUST-CAP, refuelling unit	1	-	C	46/21
27B/3127	MARSTON D237/1A	EXCHANGER, heat, fuel pump aft of frame 46	1	-	A	46/22
6095	E.B2.57.593	FILTER, fuel, No. 2 reheat pump	1	-	B	46/23
4825	E.B2.57.233	PIPE, flexible, from No. 2 reheat pump to heat exchanger	1	-	C	46/24
4810	E.B2.57.1199	PIPE, refuelling unit to connection forward of frame 47	1	T55	C	46/25
19278	E.F3.57.499	PIPE, from refuelling valve line connection forward of frame 47 to branch pipe connection (Mod. 2194)	1	T55	C	46/26
9048	E.B2.57.2023	PIPE, No. 2 engine low pressure switch	1	T55	C	46/27

SERVICES  
FUEL SYSTEM IN REAR FUSELAGE

1439

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
17964	E.B2.57.2343	PIPE, bleed, non-return valve reheat fuel to tee joint aft of frame 46	1	30/166	C	46/28
17959	E.B2.57.2351	PIPE, assembly, from No. 2 reheat pump to connection aft of frame 48	1	30/166	C	46/29
17958	E.B2.57.2419	PIPE, fuel, No. 1 line reheat continuation, from tee union aft of frame 46 to connection aft of frame 48	1	30/166	C	46/30
17968	E.B2.57.2473	PIPE, bleed, from tee joint connection aft of frame 46 to non-return valve aft of frame 48	1	—	C	46/31
11954	E.B2.57.2117	RING, sealing, aircraft refuelling unit mounting in fuselage side between frames 47 and 48	1	Neoprene	C	46/32
11919	PIONEER 5-004	RING, sealing, 1-1/2"	1	MP802	C	46/33
7678	PIONEER 5-007	RING, sealing	1	MP802	C	46/34
4837	PIONEER 3-161 or ANGUS R.161/P.60	RING, sealing	1	MP802	C	46/35
37369	R.161/P.5 E.B2.07.823	RING, sealing SEAL, at fire floor aft of frame 46 (E.B2.57.271)	1 1	— L44	— C	— 46/36
28D/1010658	A25/1B	Attachments:— Bolt, 4 BA, hex. head	5	—	C	46/37
28E/9128961	AGS.605/1	Clip, jubilee	1	—	C	46/38
28M/1086618	AGS.2002/B/1	Nut, stiff, 4 BA	5	—	C	46/39
4833	E.B2.57.273	Ring, reinforcing	1	—	C	46/40
28W/9419474	SP15/B	Washer, 4 BA, plain	5	—	C	46/41
	E.B1.57.557	SHIELD, flame, heat exchanger, frame 46	1	Titanium	—	46/42
28D/1007971	A25/ 1/2B	Attachments:— Bolt, 4 BA, hex. head	2	—	C	46/43
28M/1086618	AGS.2002/B/1	Nut, stiff, 4 BA	2	—	C	46/44
28S/1200035	A31/B40	Screw, 4 BA, cheese head	2	—	C	46/45
4846	BELLS ASBESTOS P.30	Packing	QR	—	C	—
28W/9419474	SP15/B	Washer, 4 BA, plain	2	—	C	46/46
4848	E.B1.57.559	SHIELD, flame, heat exchanger at frame 46	1	Titanium	C	46/47
4844	E.B2.57.265	SHIELD, flame, heat exchanger at frame 46	1	T55 or S521	C	46/48
28D/9436920	A25/1C	Attachments:— Bolt, 2 BA, hex. head	4	—	C	46/49
4845	EEAS.31/1P	Washer, radius	3	L16	C	46/50
	EEAS.28/8ER	Washer	1	L72	—	46/51
27FR/2424	F.R. LTD. FRS.185/M	SHIELD, flame, 2"	2	—	C	46/52

Restricted

SERVICES  
FUEL SYSTEM IN REAR FUSELAGE

1440

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
5CW/6298	THERMAL CONTROL TP.1278	SWITCH, low pressure at frame 46	1	—	A	46/53
28D/9436920	A25/1C	Attachments:— Bolt, 2 BA, hex. head	4	—	C	46/54
28M/1278190	AGS.2001/C/1	Nut, stiff; 2 BA	4	—	C	46/55
4851	EEAS.20/1ER	Tab, locking	1	L72	C	46/56
28W/9419475	SP15/C	Washer, 2 BA, plain	4	—	C	46/57
17974	E.B2.57.2319	UNION, with restrictor, special cone tee, reheat fuel pipe aft of frame 46	1	30/158	C	46/58
27F/2370	AVERY HARDOLL FC.113	UNIT, 1/2" a/c refuelling	1	—	A	46/59
27FR/30805	F.R. LTD. 9811245/B	VALVE, non-return, 1/4" BSP, on tee union aft of frame 46	1	—	A	46/60
	—	FUEL SYSTEM, frames 48 to 54 (E.B2.57.2433) Spares for:—	—	—	—	
13762	E.B2.07.657	BRACKET (E.B2.57.543)	1	—	C	47/1
12683	E.B2.07.659	BRACKET (E.B2.57.1765)	1	—	C	47/2
12684	E.B2.07.660	BRACKET (E.B2.57.1766)	1	—	C	47/3
11957	E.B2.57.1393	PIPE, reheat pump No. 1 line continuation aft of frame 48 to connection aft of frame 52 (Pre-Mod. 1942)	1	DTD743	C	
12687	E.B2.57.2441	PIPE, reheat pump No. 1 line continuation aft of frame 48 to connection aft of frame 50 (Mod. 1942)	1	30/166	C	47/4
12688	E.B2.57.2443	PIPE, reheat pump No. 1 line continuation aft of frame 50 to connection aft of frame 52 (Mod. 1942)	1	30/166	C	47/5
11958	E.B2.57.1395	PIPE, reheat pump No. 1 line continuation aft of frame 52 to connection aft of frame 54 (Pre-Mod. 1942)	1	DTD743	C	
12689	E.B2.57.2445	PIPE, reheat pump No. 1 line continuation aft of frame 52 to connection aft of frame 54 (Mod. 1942)	1	30/166	C	47/6
17965	E.B2.57.2349	PIPE, reheat pump No. 2 line continuation from connection aft of frame 48 to connection aft of frame 54	1	30/166	C	47/7
17974	E.B2.57.2319	UNION, with restrictor, special cone tee, No. 2 reheat pump line aft of frame 48	1	30/158	C	47/8
27FR/30805	F.R. LTD. 9811245/B	VALVE, non-return, 1/4" BSP, on tee union aft of frame 48	1	—	A	47/9
	—	FUEL SYSTEM, frames 54 to 56 (E.B2.57.2435) Spares for:—	—	—	—	
7679	E.B2.57.1239	ADAPTOR, reheat fuel pipe to flexible hose connection forward of frame 56	1	S80	C	47/10
7850	E.B2.57.1939	ADAPTOR, reheat fuel pipe to flexible hose connection aft of frame 56	1	S80	C	47/11
11964	E.B2.57.1397	PIPE, assembly, reheat pump No. 2 line continuation from connection aft of frame 54 to connection at frame 56	1	DTD743	C	47/12
11965	E.B2.57.1757	PIPE, assembly, reheat pump No. 1 line continuation between connections forward and aft of frame 55	1	DTD743	C	47/13
13056	E.B2.57.1399	PIPE, assembly, reheat pump No. 1 line continuation between frames 55 and 56	1	DTD743	C	47/14

This file was downloaded  
from the RTFM Library.

Link: [www.scottbouch.com/rtfm](http://www.scottbouch.com/rtfm)

Please see site for usage terms,  
and more aircraft documents.

