

SERVICES
HYDRAULIC EQUIPMENT IN FRONT FUSELAGE

1465

Ref. No.	Part No.	Description	No. off	Mati. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	—	HYDRAULIC EQUIPMENT IN FRONT FUSELAGE, ASSEMBLY (E.B4.73.5) Spares for:—	—	—	—	
	—	PIPES, hydraulic, at nose wheel shimmy damper, assembly (E.B3.73.19) Spares for:—	—	—	—	57/1
6399	E.B2.73.3861	BOLT, special, swivel coupling attachment to nose wheel leg	2	S95 or S96	C	57/2
6401	E.B3.73.279	PIPE, assembly, between swivel coupling connection on nose undercarriage leg and inflation valve and shimmy damper jack pipe connecting block, pressure line	1	DTD743	C	57/3
26FZ/980	EEAS.20/1DR	TAB, locking	1	L72	C	57/4
	—	PIPES, hydraulic, between frames 9 and 10, port and starboard, assembly (E.B3.73.21) Spares for:—	—	—	—	57/5
	E.B2.73.3717	ACCUMULATOR, shimmy damper, assembly Consisting of:—	1	—	—	57/6
27Q/30211	DOWTY ROTOL 8794	ACCUMULATOR	1	—	A	57/7
6296	E.B2.73.3719	BANJO, special extended	1	L65	C	57/8
3914	E.B2.73.2191	BOLT, special banjo	1	S94, S95 or S96	C	57/9
6297	E.B2.73.3721	BOLT, special, accumulator mounting	1	S94, S95 or S96	C	57/10
28R/8011898	AGS.948/A	PLUG, flanged, 1/8" BSP	1	—	C	57/11
28F/9428452	AGS.1186/A	SEAL, bonded	1	—	C	57/12
28F/9428453	AGS.1186/B	SEAL, bonded	1	—	C	57/13
28F/9429532	AGS.1186/C	SEAL, bonded	1	—	C	57/14
30A/3055	†	WIRE, locking, 22 SWG	QR	DTD189	C	57/15
6442	E.B3.73.173	BANJO, special, nose undercarriage 'down' lock jack	1	S94, S95 or S96	C	57/16
6299	E.B2.73.3729	BANJO, special, services system pressure pipe mounting	1	L65	C	57/17
4068	E.B2.73.3189	BOLT, special banjo, nose undercarriage 'down' lock jack	1	S95	C	57/18
8506	E.B2.73.5735	BOLT, special, swivel coupling to nose undercarriage leg mounting	2	S94	C	57/19
8507	E.B3.73.1595	CONNECTION, special right angle, for shimmy damper accumulator hose, bleed line	1	S94	C	57/20
9051	E.B3.73.1649	CONNECTION, damper accumulator bleed, assembly Consisting of:—	1	—	C	57/21
	E.B3.73.1591	CONNECTION, bleed	1	S94	—	57/22
28F/9128952	AGS.1174	SCREW, bleeder	1	—	C	57/23
8509	E.B3.73.1587	ELBOW, special reduction	1	S94	C	57/24
23427	EEAS.554/1	FAIRLEAD, aft of frame 12 (Mod. 2039)	1	DTD560	C	
23428	EEAS.556/1	FAIRLEAD, aft of frame 12 (Mod. 2039)	1	DTD560	C	
		Attachments:—				
28D/9133013	A25/5C	Bolt, 2 BA, hex. head	1	—	C	

SERVICES
HYDRAULIC EQUIPMENT IN FRONT FUSELAGE

1466

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
6303	E.B2.73.1399	PACKING, swivel coupling	1	L65	C	57/25
6305	E.B2.73.1409	PACKING, swivel coupling, for shimmy damper pipe	1	L65	C	57/26
6311	E.B3.73.281	PIPE, assembly, shimmy damper accumulator bleed	1	DTD743	C	57/27
6313	E.B3.73.283	PIPE, assembly, from elbow aft of frame 12 to nose undercarriage 'down' lock jack (Pre-Mod. 1875)	1	DTD743	C	57/28
6315	E.B3.73.285	PIPE, assembly, from cone plug forward of frame 13 to nose undercarriage 'up' lock jack	1	DTD743	C	57/29
20721	E.B4.73.841	PIPE, assembly, from nose wheel undercarriage jack swivel coupling forward of frame 13 to restrictor tee aft of frame 13 (Mod. 2039)	1	30/166	C	57/30
20722	E.B4.73.761	PIPE, assembly, from nose undercarriage shimmy damper accumulator to swivel pipe connection between frames 11 and 12 (Mod. 2039)	1	30/166	C	57/31
32C/618	†	STRIP, neoprene, swivel coupling packing, 1" x 1" x .75 x 1/16" thick (E.B2.73.1401)	1	Shore Hardness 40-45	C	57/32
26FZ/980	EEAS.20/1DR	TAB, locking	1	L72	C	57/33
6317	E.B2.73.1369	WASHER, special, nose wheel undercarriage jack swivel coupling	1	L72	C	57/34
		PIPES, hydraulic, between frames 13 and 16, assembly (E.B3.73.23)	—	—	—	
		Spares for:—				
3860	E.B2.73.2127	COUPLING, special tee, aft of frame 14, undercarriage 'down' and emergency lines	2	S94, S95 or S96	C	58/1
23425	EEAS 556/2	FAIRLEAD, aft of frame 15 (Mod. 2039)	4	DTD560	C	
23426	EEAS.554/2	FAIRLEAD, aft of frame 15 (Mod. 2039)	4	DTD560	C	
23427	EEAS.554/1	FAIRLEAD, aft of frame 15 (Mod. 2039)	1	DTD560	C	
23428	EEAS.556/1	FAIRLEAD, aft of frame 15 (Mod. 2039)	1	DTD560	C	
6319	E.B3.73.1449	FAIRLEAD, at frame 13	1	—	C	58/2
		Attachments:—				
28D/9140645	A25/10C	Bolt, 2:BA, hex. head	2	—	C	58/3
28W/9419475	SP15/C	Washer, 2:BA, plain	2	—	C	58/4
20723	E.B4.73.781	PIPE, assembly, from nose undercarriage 'up' line tee to relief valve at frame 14 (Mod. 2039)	1	30/166	C	58/35
6321	E.B3.73.203	PIPE, assembly, from relief valve at frame 14 to by-pass valve tee aft of frame 15, services suction line	1	DTD743	C	58/5
6324	E.B3.73.205	PIPE, assembly, between by-pass valve tee and services suction line tee aft of frame 15	1	DTD743	C	58/6
6358	E.B3.73.207	PIPE, assembly, from nose undercarriage jack tee aft of frame 14 to shuttle valve connection, emergency line	1	DTD743	C	58/7
6326	E.B3.73.209	PIPE, assembly, from undercarriage 'up' line tee aft of frame 15 to undercarriage 'down' lock jack pipe elbow	1	DTD743	C	58/8

SERVICES
HYDRAULIC EQUIPMENT IN FRONT FUSELAGE

467

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
6360	E.B3.73.211	PIPE, assembly, from nose undercarriage jack tee aft of frame 14 to shuttle valve connection aft of frame 12, 'down' line	1	DTD743	C	58/9
6354	E.B3.73.213	PIPE, assembly, from by-pass valve connection aft of frame 15 to nose undercarriage shimmy damper accumulator	1	DTD743	C	58/10
6328	E.B3.73.215	PIPE, assembly, from by-pass valve tee aft of frame 15 to shimmy damper accumulator	1	DTD743	C	58/11
6330	E.B3.73.217	PIPE, assembly, from nose undercarriage jack swivel coupling to emergency line tee aft of frame 14	1	DTD743	C	58/12
6332	E.B3.73.219	PIPE, assembly, between nose undercarriage jack tee and emergency line tee aft of frame 14	1	DTD743	C	58/13
6334	E.B3.73.221	PIPE, assembly, between nose undercarriage jack flexible coupling and nose undercarriage 'down' line by-pass valve tee	1	DTD743	C	58/14
6336	E.B3.73.223	PIPE, assembly, between nose undercarriage jack and by-pass valve tee and undercarriage 'down' line tee aft of frame 14	1	DTD743	C	58/15
20724	E.B4.73.839	PIPE, assembly, between undercarriage 'up' and relief valve tee and restrictor aft of frame 14 (Mod. 2039)	1	30/166	C	58/36
6340	E.B3.73.227	PIPE, assembly, between by-pass valve tee aft of frame 15 and restrictor aft of frame 14	1	DTD743	C	58/16
6342	E.B3.73.229	PIPE, assembly, between undercarriage 'up' line tee and by-pass valve tee aft of frame 15	1	DTD743	C	58/17
6344	E.B3.73.231	PIPE, assembly, from service suction line and relief valve tee to by-pass valve	1	DTD743	C	58/18
6346	E.B3.73.233	PIPE, assembly, from services system pressure line tee to by-pass valve	1	DTD743	C	58/19
6348	E.B3.73.235	PIPE, assembly, from restrictor and undercarriage 'up' line tee aft of frame 15 to by-pass valve	1	DTD743	C	58/20
20725	E.B4.73.783	PIPE, assembly, between nose undercarriage jack flexible coupling tee aft of frame 14 and by-pass valve, emergency line (Mod. 2039)	1	30/166	C	58/37
6352	E.B3.73.239	PIPE, assembly, from nose undercarriage flexible coupling tee aft of frame 14 to by-pass valve, undercarriage 'down' line	1	DTD743	C	58/21
6361	E.B2.73.3769	PLATE, capping, at frame 13	1	-	C	58/22
3841	E.B1.73.1003	TEE, special reduction, aft of frame 15, services suction line	1	L65	C	58/23
	E.B3.73.1639	VALVE, by-pass, assembly Consisting of:--	1	-	-	58/24
6442	E.B3.73.173	BODY, special banjo	2	S94, S95 or S96	C	58/25

SERVICES
HYDRAULIC EQUIPMENT IN FRONT FUSELAGE

1468

Ref. No.	Part No.	Description	No. off	Mati. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
28F/9439533	AGS.1129/B	BODY, banjo	3	-	C	58/26
6318	E.B2.73.2217	BOLT, special banjo	1	S94, S95 or S96	C	58/27
4068	E.B2.73.3189	BOLT, banjo	2	S94	C	58/28
28F/9423227	AGS.1135/B	BOLT, banjo	2	-	C	58/29
6322	E.B2.73.2223	PIECE, distance, banjo bolt connection	1	S94, S95 or S96	C	58/30
28F/9428452	AGS.1186/A	SEAL, bonded	4	-	C	58/31
28F/9428453	AGS.1186/B	SEAL, bonded	7	-	C	58/32
27Q/30235	DOWTY ROTOL 8521	VALVE, by-pass	1	-	B	58/33
6317	E.B2.73.1369	WASHER, special, swivel coupling sealing, aft of frame 14	2	L72	C	58/34
10303	EEAS.240/1A	WASHER, for fairleads aft of frame 15	4	L72	C	
	-	PIPES, hydraulic, frames 22 to 25, port, assembly (E.B3.73.1745) (Mod. 2416) Spares for:-	-	-	-	
	E.B2.73.1675	ACCUMULATOR, No. 2 controls aileron, at frame 22, sub-assembly Consisting of:-	1	-	-	59/1
27Q/30209	DOWTY ROTOL 8785	ACCUMULATOR	1	-	A	59/2
6425	E.B2.73.3247	BODY, special banjo	1	S94, S95 or S96	C	59/3
6426	E.B2.73.3255	BODY, special banjo	1	S94, S95 or S96	C	59/4
6427	E.B2.73.1537	BOLT, special banjo	1	S94	C	59/5
6428	E.B2.73.1549	BOLT, special banjo	1	S94	C	59/6
6429	E.B1.73.153	LUG, attachment	1	L65	C	59/7
6430	E.B2.73.1551	LUG, attachment	1	L65	C	59/8
28F/9584	AGS.1148/B	NUT, thin, 1/4" BSP	1	-	C	59/9
28F/9128915	AGS.1148/C	NUT, thin, 3/8" BSP	1	-	C	59/10
28F/9428453	AGS.1186/B	WASHER, sealing	2	-	C	59/11
28F/9429532	AGS.1186/C	WASHER, sealing	2	-	C	59/12
30A/3055	†	WIRE, locking, 22 SWG	QR	DTD189	C	
	E.B2.73.1677	ACCUMULATOR, No. 1 controls aileron, at frame 22, sub-assembly Spares for this assembly are identical with those for assembly Pt. No. E.B2.73.1675, except for the following deletions and addition Delete:-	1	-	-	59/13
6426	E.B2.73.3255	BODY, special banjo	1	S94, S95 or S96	C	59/4
6428	E.B2.73.1549	BOLT, special banjo Add:-	1	S94	C	59/6
6431	E.B2.73.3245	ADAPTOR, special	1	S94, S95 or S96	C	59/14
	E.B2.73.1679	ACCUMULATOR, No. 2 controls nitrogen bottle, at frame 22, sub-assembly Consisting of:-	1	-	-	59/15
27Q/30205	DOWTY ROTOL 8786	ACCUMULATOR	1	-	A	59/16

SERVICES
HYDRAULIC EQUIPMENT IN FRONT FUSELAGE

1469

Ref. No.	Part No.	Description							No. off	Mtl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
6432	E.B2.73.3243								1	S94, S95 or S96	C	59/17
6433	E.B2.73.3259								1	S94, S95 or S96	C	59/18
6429	E.B1.73.153								1	L65	C	59/19
28F/9584	AGS.1148/B								1	-	C	59/20
28F/9428453	AGS.1186/B								2	-	C	59/21
30A/3055	†								QR	DTD189	C	59/22
	E.B2.73.1681								1	-	-	59/23
	E.B3.73.127								1	-	-	59/24
6436	E.B2.73.3713								1	L65	C	59/25
28F/8011809	AGS.1104/B								2	-	C	59/26
28F/9428453	AGS.1186/B								4	-	C	59/27
28Y/15486	H.P. COMP. A58								2	-	C	59/28
6442	E.B3.73.173								1	S94, S95 or S96	C	59/29
4068	E.B2.73.3189								1	S94, S95 or S96	C	59/30
	E.B2.73.6087								1	L73	-	60/43
28D/9133011	A2E/2C								3	-	C	
28M/1278190	AGS.2001/C/1								3	-	C	
28W/9419475	SP15/C								3	-	C	
6447	E.B2.73.3299								1	L73	C	60/1
6448	KING A/C								2	-	C	60/2
	C.4596/3-3/8											
3860	E.B2.73.2127								1	S94, S95 or S96	C	60/3
6450	E.B2.73.2181								1	S94, S95 or S96	C	60/4
20790	E.B2.73.6651								1	S94, S95 or S96	C	60/44
20729	E.B4.73.867								1	-	C	60/45
28D/9140644	A25/9C								1	-	C	60/46
28M/1278190	AGS.2001/C/1								1	-	C	60/47
28W/9419475	SP15/C								1	-	C	60/48
8510	E.B3.73.1467								1	-	C	60/5
28D/1200119	A25/4C								5	-	C	60/6
28M/1278190	AGS.2001/C/1								5	-	C	60/7
28W/9419475	SP15/C								5	-	C	60/8

SERVICES
HYDRAULIC EQUIPMENT IN FRONT FUSELAGE

1470

Ref. No.	Part No.	Description 1 2 3 4 5 6 7	No. off	Matl. Spec.	Cl. of Equip.	Fig. and Index
					M.R. L.M.	
19236	E.B2.73.5891	FAIRLEAD, at frame 25	1	—	C	60/49
28D/9140645	A25/10C	Attachments:-- Bolt, 2 BA, hex. head	2	—	C	
28W/9419475	SP15/C	Washer, 2 BA, plain	2	—	C	
19237	E.B2.73.5943	FAIRLEAD, at frame 25	1	—	C	60/50
28D/9419397	A25/12C	Attachments:-- Bolt, 2 BA, hex. head	2	—	C	60/51
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	60/52
28W/9419475	SP15/C	Washer, 2 BA, plain	1	—	C	60/53
	EEAS.240/1A	Washer, 'D'	1	L72	—	
19238	E.B2.73.5957	FAIRLEAD, at frame 23	1	—	C	60/54
28D/9453970	A25/15C	Attachments:-- Bolt, 2 BA, hex. head	1	—	C	60/55
28D/1011021	A25/16C	Bolt, 2 BA, hex. head	1	—	C	60/56
	EEAS.240/1A	Washer, 'D'	1	L72	—	60/57
28W/9419475	SP15/C	Washer, 2 BA, plain	1	—	C	60/58
19239	E.B2.73.5971	FAIRLEAD, at frame 25	1	—	C	60/59
28D/9133014	A25/13C	Attachments:-- Bolt, 2 BA, hex. head	3	—	C	60/60
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	3	—	C	60/61
28W/9419475	SP15/C	Washer, 2 BA, plain	3	—	C	60/62
19249	E.B4.73.833	FAIRLEAD, at frame 25	1	—	C	60/63
28D/9140644	A25/9C	Attachments:-- Bolt, 2 BA, c'sk head	1	—	C	
28W/9419475	SP15/C	Washer, 2 BA, plain	1	—	C	
23421	EEAS.554/6	FAIRLEAD, aft of frame 23	3	DTD560	C	
23422	EEAS.556/6	FAIRLEAD, aft of frame 23	3	DTD560	C	
23423	EEAS.556/4	FAIRLEAD, aft of frame 23	1	DTD560	C	
23424	EEAS.554/4	FAIRLEAD, aft of frame 23	1	DTD560	C	
23425	EEAS.556/2	FAIRLEAD, aft of frame 23	1	DTD560	C	
23426	EEAS.554/2	FAIRLEAD, aft of frame 23	1	DTD560	C	
	E.B2.73.5879	FILTER, pressure, services No. 1, sub-assembly Consisting of:--	1	—	—	66/1
18899	E.B2.73.5853	BANJO, special, pipe connection	1	S94	C	66/2
18900	E.B2.73.5845	BOLT, special, banjo	1	S94	C	66/3
18901	E.B2.73.5877	CONNECTION, special drain, right- angled	1	—	C	66/4
12543	E.B2.73.4485	FILTER, pressure Spares for:--	1	—	A	66/5
	PALMER D.2100	KIT, set	1	—	—	66/6
	PALMER D.2101	Consisting of:-- CASING, inner	1	—	—	
	PALMER D.20190	COVER, outlet	1	—	—	
12140	PALMER D.2136	ELEMENT	1	—	A	

SERVICES
HYDRAULIC EQUIPMENT IN FRONT FUSELAGE

1471

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
12253	TECALEMIT 139063	SEAL, leather	2	-	C	
12254	TECALEMIT 137514	SEAL, 'O' ring	2	-	C	
18898	E.B2.73.5847	NUT, special cap	1	S94	C	66/7
28P/1006943	SP9/C6	PIN, split	1	-	C	66/8
4060	E.B2.73.2157	PLUG, blanking	1	S1	C	66/9
28F/9428455	AGS.1186/D	SEAL, bonded	4	-	C	66/10
28F/9439527	AGS.954/B	SLEEVE, outer	1	-	C	66/11
30A/3055	† E.B2.73.6655	WIRE, locking, 22 SWG	QR	DTD189	C	
		FILTER, pressure, controls No. 1, sub-assembly (Mod. 2169) Consisting of:-	1	-	-	66/12
20791	E.B2.73.6653	ADAPTOR, reducing, 1/2"-3/8" C/E	1	S94, S95 or S96	-	66/13
4048	E.B2.73.2233	BODY, special banjo	1	S94	C	66/14
6446	E.B2.73.3217	BOLT, special banjo	1	S94, S95 or S96	C	66/15
12543	E.B2.73.4485	FILTER, pressure, assembly Spares for:-	1	-	A	66/16
	PALMER D.2100	KIT, set Consisting of:-	1	-	-	66/17
	PALMER D.2101	CASING, inner	1	-	-	66/18
	PALMER D.20190	COVER, outlet	1	-	-	66/19
12140	PALMER D.2136	ELEMENT	1	-	A	66/20
12253	TECALEMIT 139063	SEAL, leather	2	-	C	66/21
12254	TECALEMIT 137514	SEAL, 'O' ring	2	-	C	66/22
28E/9428455	AGS.1186/D	SEAL, bonded	3	-	C	66/23
6452	E.B2.73.1387	PIECE, distance, protection unit mounting	2	L65	C	60/9
6493	E.B3.73.959	PIPE, assembly, from thermal control pressure switch to No. 1 control pressure filter	1	DTD743	C	60/10
19233	E.B2.73.6057	PIPE, assembly, from reduction tee aft of frame 24 to undercarriage jack tee aft of frame 14, emergency line	1	30/166	C	60/11
8511	E.B3.73.1667	PIPE, assembly, inter-connection between No. 1 controls air bottle and No. 1 controls aileron accumulator	1	DTD743	C	60/12
19224	E.B2.73.6055	PIPE, assembly, from non-return valve aft of frame 23 to thermal relief valve connection aft of frame 24, controls return line	1	30/166	C	60/13
6456	E.B2.73.2403	PIPE, assembly, from No. 1 controls air bottle to inflation valve aft of frame 23	1	DTD743	C	60/14
20727	E.B4.73.509	PIPE, assembly, inter-connection between No. 2 controls air bottle and No. 2 controls aileron accumulator (Mod. 2039)	1	30/166	C	60/15

SERVICES
HYDRAULIC EQUIPMENT IN FRONT FUSELAGE

1472

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
6459	E.B2.73.2409								1	DTD743	C	60/16
18835	E.B2.73.6067								1	30/166	C	60/17
19226	E.B2.73.6069								1	30/166	C	60/18
6462	E.B2.73.2415								1	DTD743	C	60/19
6463	E.B2.73.2417								1	DTD743	C	60/20
19227	E.B2.73.6071								1	30/166	C	60/21
6466	E.B2.73.2425								1	DTD743	C	60/22
19228	E.B2.73.6053								1	30/166	C	60/23
6471	E.B2.73.2435								1	DTD743	C	60/24
6472	E.B2.73.2437								1	DTD743	C	60/25
6473	E.B2.73.2439								1	DTD743	C	60/26
	E.B4.73.959								1	30/166	-	60/64
6476	E.B2.73.2445								1	DTD743	C	60/27
19230	E.B2.73.6031								1	30/166	C	60/65
6479	E.B2.73.2481								1	DTD743	C	60/28
6480	E.B2.73.2693								1	DTD743	C	60/29
6481	E.B2.73.2695								1	DTD743	C	60/30
6482	E.B2.73.2697								1	DTD743	C	60/31

SERVICES
HYDRAULIC EQUIPMENT IN FRONT FUSELAGE

473

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
6483	E.B2.73.2699	PIPE, assembly, from No. 1 controls air bottle tee to 0-4000 lbs. pressure gauge aft of frame 22							1	DTD743	C	60/32
6486	E.B2.73.3479	PIPE, assembly, from tee aft of frame 24 to filter connection, services pressure line							1	DTD743	C	60/33
20789	E.B2.73.6549	PIPE, assembly, from controls filter to special elbow at frame 23, No. 1 controls pump pressure line (Mod. 2169)							1	30/166	C	60/66
6487	E.B2.73.3485	PIPE, assembly, from unequal tee aft of frame 34 to starboard tee coupling aft of frame 25, services pressure line							1	DTD743	C	60/34
6491	E.B2.73.3507	PIPE, assembly, from coupling at frame 24 to canopy selector aft of frame 22, services pressure line							1	DTD743	C	60/35
34459	E.B2.73.6875	PIPE, assembly, from undercarriage selector to special non-return valve four-way fitting between frames 23 and 25, services return line							1	DTD5016	C	60/67
34461	E.B2.73.6877	PIPE, assembly, from non-return valve four-way fitting to undercarriage emergency selector, services return line							1	DTD5016	C	60/68
34464	E.B2.73.6879	PIPE, assembly, from undercarriage selector to coupling aft of frame 21, undercarriage 'up' line							1	DTD5016	C	60/69
34462	E.B2.73.6881	PIPE, assembly, from non-return valve four-way fitting to canopy selector, services return line							1	DTD5016	C	60/70
34463	E.B2.73.6883	PIPE, assembly, from undercarriage selector to coupling aft of frame 21, undercarriage 'down' line							1	DTD5016	C	60/71
34460	E.B2.73.6885	PIPE, assembly, between undercarriage selector and protection unit, services pressure line							1	DTD5016	C	60/72
19234	E.B2.73.6065	PIPE, assembly, from tapping point aft of frame 21 to coupling at frame 24, services suction line							1	30/166	C	60/73
19225	E.B2.73.6061	PIPE, assembly, from coupling aft of frame 19 to coupling aft of frame 25, port brake line							1	30/166	C	60/74
27QA/234	DOWTY ROTOL SP.900/5	SEAL, 'O' ring, air bottle connection							2	-	C	60/36
	E.B2.73.6887	SELECTOR, undercarriage, assembly (Mod. 2416) Consisting of:-							1	-	-	62/1
22116	E.F3.73.931	BODY, special banjo							1	S94, S95 or S96	C	62/2
22117	E.F3.73.1165	BODY, special banjo							1	S94, S95 or S96	C	62/3
	E.F2.73.2183	BODY, special banjo							1	S95 or S96	-	62/4
34458	E.B2.73.6889	BODY, special banjo							1	S95 or S96	C	62/5

SERVICES
HYDRAULIC EQUIPMENT IN FRONT FUSELAGE

1474

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
3881	E.B2.73.201	BOLT, special banjo	4	S94, S95 or S96	C	62/6
28F/9428455 27Q/	AGS.1186/D DOWTY ROTOL 1.00181.004 E.B3.73.1167	SEAL, bonded SELECTOR, undercarriage (Mod. 4224)	8 1	— —	C A	62/7 62/8
		SELECTOR, undercarriage emergency, assembly (Mod. 2124) Consisting of:—	1	—	C	62/9
6434	E.B2.73.2169	ADAPTOR, reducing, protection unit pipes	2	S94, S95 or S96	C	62/10
6437	E.B2.73.41	BODY, special banjo, non-return valve connection	1	S94, S95 or S96	C	62/11
6438	E.B2.73.2161	BODY, special banjo	1	S94, S95 or S96	C	62/12
6444	E.B2.73.39	BOLT, special banjo, non-return valve connection	1	S94, S95 or S96	C	62/13
6445	E.B2.73.2163	BOLT, special banjo	1	S94, S95 or S96	C	62/14
28F/9429527	AGS.1186/BB	SEAL, bonded	6	—	C	62/15
28F/9428454 27Q/70821	AGS.1186/CC DOWTY ROTOL 1.01213.001	SEAL, bonded SELECTOR, undercarriage emergency	1 1	— —	C A	62/16 62/17
27Q/30109 32C/	DOWTY ROTOL BM.8395 †	VALVE, non-return, 3/8" BSP STRIP, neoprene, 1/2" wide x 1/16" thick	1 QR	— Shore Hardness 40-45	A —	62/18 60/37
3972	EEAS.20/3CR	TAB, locking	2	L72	C	60/38
26FZ/981	EEAS.20/2DR	TAB, locking	2	L72	C	60/38
4045	E.B2.73.2117	TEE, cone, No. 1 controls pressure line, aft of frame 24	1	S94, S95 or S96	C	60/39
6497	E.B2.73.2167	TEE, special, undercarriage 'emergency' line, aft of frame 24	1	S94, S95 or S96	C	60/40
3996	E.B2.73.2173	TEE, special reduction, services pressure and return lines aft of frame 24	2	S94, S95 or S96	C	60/41
36624	E.B3.73.1747	UNIT, protection, assembly (Mod. 4056) Consisting of:—	1	—	C	61/1
6449	E.B2.73.2147	ADAPTOR, cone	1	S94, S95 or S96	C	61/2
3948	E.B2.73.2133	BODY, special banjo, 1/2" BSP	2	S94, S95 or S96	C	61/3
6440	E.B2.73.2141	BODY, special double banjo	1	S94, S95 or S96	C	61/4
3881	E.B2.73.201	BOLT, special banjo	2	S94, S95 or S96	C	61/5
3914	E.B2.73.2191	BOLT, special banjo	1	S94, S95 or S96	C	61/6
28F/9429532	AGS.1186/C	SEAL, bonded	3	—	C	61/7
28F/9428455 27Q/71239	AGS.1186/D DOWTY ROTOL 1.02507.001 E.B3.73.6805	SEAL, bonded UNIT, protection (Mod. 4056) VALVE, non-return, assembly (Mod. 2416) Consisting of:—	4 1 1	— — —	C B —	61/8 61/9 61/10
6439	E.B2.73.2131	BODY, special banjo	2	S94, S95 or S96	C	61/11

SERVICES
HYDRAULIC EQUIPMENT IN FRONT FUSELAGE

1475

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
3914	E B2.73.2191	BOLT, special banjo	2	S94, S95 or S96	C	61/12
34457	E.B2.73.6807	FITTING, four-way, special	1	S95 or S96	C	
28F/9429532	AGS.1186/C	SEAL, bonded	4	—	C	61/13
28F/9428454	AGS.1186/CC	SEAL, bonded	2	—	C	61/14
27Q/30109	DOWTY ROTOL BM.8395	VALVE, non-return, 3/8" BSP	2	—	A	61/15
30A/3055	—	WIRE, locking, 22 SWG	QR	DTD189	C	
9941	E.B3.73.71	VALVE, non-return, assembly Consisting of:—	1	—	C	61/16
6496	E.B2.73.43	TEE, special	1	S94, S95 or S96	C	61/17
28E/9428454	AGS.1186/CC	SEAL, bonded	1	—	C	61/18
27Q/30109	DOWTY ROTOL BM.8395	VALVE, non-return, 3/8" BSP	1	—	A	61/19
9942	E.B3.73.73	VALVE, non-return, assembly Consisting of:—	1	—	C	61/20
6449	E.B2.73.2147	ADAPTOR, cone	1	S94, S95 or S96	C	61/21
6451	E.B2.73.35	PIECE, junction	1	S94, S95 or S96	C	61/22
28F/9429532	AGS.1186/C	SEAL, bonded	1	—	C	61/23
28F/9428454	AGS.1186/CC	SEAL, bonded	1	—	C	61/24
27Q/30109	DOWTY ROTOL BM.8395	VALVE, non-return, 3/8" BSP	1	—	A	61/25
6499	EEAS.28/22ER	WASHER	1	L72	C	60/42
	—	PIPES, hydraulic, between frames 22 and 25, starboard, assembly (E.B4.73.929) (Mod. 2039) Spares for:—	—	—	—	
	E.B2.73.1671	ACCUMULATOR, brake pressure, sub-assembly Consisting of:—	1	—	—	63/1
27QM/30208	DOWTY ROTOL 8603	ACCUMULATOR	1	—	A	63/2
6402	E.B2.73.2151	BLOCK, spigot	1	S94, S95 or S96	C	63/3
6403	E.B2.73.3253	BODY, special banjo	1	S94, S95 or S96	C	63/4
6404	E.B2.73.1509	BOLT, special banjo	1	S94	C	63/5
6405	E.B2.73.1513	LUG, attachment	1	DTD683	C	63/6
28F/9128915	AGS.1148/C	NUT, thin, 3/8" BSP	1	—	C	63/7
28F/9128453	AGS.1186/B	WASHER, sealing	1	—	C	63/8
28F/9429532	AGS.1186/C	WASHER, sealing	2	—	C	63/9
30A/3055	†	WIRE, locking, 22 SWG	QR	DTD189	C	63/10
	E.B4.73.809	ACCUMULATOR, system, sub-assembly Consisting of:—	1	—	—	
27QM/30208	DOWTY ROTOL 8603	ACCUMULATOR	1	—	A	
6402	E.B2.73.2151	BLOCK, spigot	1	S94, S95 or S96	C	
20717	E.B4.73.807	BODY, special banjo	1	S94, S95 or S96	C	
6404	E.B2.73.1509	BOLT, special banjo	1	S94, S95 or S96	C	

SERVICES
HYDRAULIC EQUIPMENT IN FRONT FUSELAGE

1476

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
6405	E.B2.73.1513	LUG, attachment	1	L40	C	
28F/9128915	AGS.1148/C	NUT, thin, 3/8" BSP	1	-	C	
28F/9128453	AGS.1186/B	SEAL, bonded	1	-	C	
28F/9429532	AGS.1186/C	SEAL, bonded	2	-	C	
30A/3055	†	WIRE, locking, 22 SWG	QR	DTD189	C	
6407	E.B2.73.2129	BODY, banjo, accumulator charging points	2	S94, S95 or S96	C	63/11
6409	E.B2.73.2139	BOLT, special banjo, for accumulator and non-return valve special tee pipe connections	2	S94, S95 or S96	C	63/12
6410	E.B2.73.3231	BRACKET, charging valve mounting	1	-	C	63/13
		Attachments:-				
28D/9133011	A25/2C	Bolt, 2 BA, hex. head	3	-	C	63/14
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	3	-	C	63/15
28W/9419475	SP15/C	Washer, 2 BA, plain	3	-	C	63/16
6411	E.B2.73.3823	BRACKET, pipe supporting on frame 23	1	L72	C	63/17
		Attachments:-				
28D/9133011	A25/2C	Bolt, 2 BA, hex. head	2	-	C	63/18
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	-	C	63/19
28W/9419404	SP16/C	Washer, 2 BA, plain	2	-	C	63/20
3860	E.B2.73.2127	COUPLING, special tee, autostabiliser and pressure gauge connections	2	S94, S95 or S96	C	63/21
9947	E.B3.73.61	ELBOW, aft of frame 23, assembly	1	-	B	63/22
		Consisting of:-				
6406	E.B2.73.3201	BANJO, special, right angle	1	S94, S95 or S96	C	63/23
3881	E.B2.73.201	BOLT, special, for right angle banjo	1	S94, S95 or S96	C	63/24
6412	E.B2.73.3195	ELBOW, special	1	S94, S95 or S96	C	63/25
28F/9428455	AGS.1186/D	SEAL, bonded	2	-	C	63/26
13091	E.B3.73.1731	FAIRLEAD, at frame 22 (Mod. 1809)	1	-	C	63/27
		Attachments:-				
28D/9133012	A25/3C	Bolt, 2 BA, hex. head	2	-	C	63/28
28D/1200119	A25/4C	Bolt, 2 BA, hex. head	5	-	C	63/29
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	7	-	C	63/30
28W/9419475	SP15/C	Washer, 2 BA, plain	7	-	C	63/31
11636	E.B3.73.1133	PIPE, assembly, from special elbow aft of frame 23 to connection aft of frame 25, services pressure line	1	30/166	C	63/32
6414	E.B2.73.3339	PIPE, assembly, from pressure gauge connection to brake accumulator reduction tee, charging line	1	DTD743	C	63/33
6415	E.B2.73.3341	PIPE, assembly, from pressure gauge connection to system accumulator reduction tee, charging line	1	DTD743	C	63/34
6416	E.B2.73.3343	PIPE, assembly, from reduction tee to brake accumulator connection, charging line	1	DTD743	C	63/35
6417	E.B2.73.3345	PIPE, assembly, from reduction tee to system accumulator connection, charging line	1	DTD743	C	63/36

SERVICES
HYDRAULIC EQUIPMENT IN FRONT FUSELAGE

1477

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
20718	E.B4.73.905	PIPE, assembly, from non-return valve special banjo connection to system accumulator connection, services pressure line	1	30/166	C	63/37
6419	E.B2.73.3353	PIPE, assembly, from non-return valve to brake accumulator connection, services pressure line	1	DTD743	C	63/38
	E.B4.73.961	PIPE, assembly, from non-return valve special banjo connection at frame 23 to coupling forward of frame 27, canopy pressure line	1	30/166	—	63/39
6422	E.B2.73.3359	PIPE, assembly, from special elbow aft of frame 20 to special elbow aft of frame 23, services pressure line	1	DTD743	C	63/40
20720	E.B4.73.923	PIPE, assembly, from charging valve aft of frame 22 to brake accumulator reduction tee	1	30/166	C	63/41
6078	E.B2.73.4539	PIPE, assembly, from charging valve aft of frame 22 to system accumulator reduction tee	1	DTD743	C	63/42
6420	E.B2.73.5541	PIPE, assembly, from special elbow aft of frame 23 to non-return valve, services pressure line	1	DTD743	C	63/43
27QA/234	DOWTY SP.900/5	SEAL, O ring, brake accumulator spigot	2	—	C	63/44
9944	E.B3.73.05	TEE JOINT, at frame 23, assembly Consisting of:—	1	—	C	63/45
6408	E.B2.73.2135	BODY, double ended banjo, autostabiliser accumulator connections, pressure line	1	S94, S95 or S96	C	63/46
6409	E.B2.73.2139	BOLT, special banjo	1	S94, S95 or S96	C	63/47
28F/9428453	AGS.1186/B	SEAL, bonded	4	—	C	63/48
6424	E.B2.73.3197	TEE, special, non-return valve mounting	1	S94, S95 or S96	C	63/49
27QM/35266	DOWTY ROTOL H.2006	VALVE, non-return	2	—	A	63/50
9943	E.B3.73.63	VALVE, charging, assembly Consisting of:—	2	—	C	63/51
6413	E.B2.73.3267	FITTING, special bulkhead	1	S94, S95 or S96	C	63/52
28F/9428453	AGS.1186/B	SEAL, bonded	1	—	C	63/53
28Y/15486	H.P. COMP'S A.58	VALVE, charging	2	—	C	63/54
	—	PIPES, hydraulic, between frames 16 and 22, assembly (E B4.73.935) (Mod. 2039) Spares for:—	—	—	—	—
13233	E.B4.73.517	BRACKET, aft of frame 19	1	L72	C	
7813	E.B2.73.4471	COUPLING, special tee, for port tapping point pipe aft of frame 21	1	S94, S95 or S96	C	64/1

SERVICES
HYDRAULIC EQUIPMENT IN FRONT FUSELAGE

1478

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
8517	E.B2.73.5771	COVER, assembly, for pipes between frames 16 and 17	1	—	C	64/2
28D/1011006	A25/5B	Attachments:— Bolt, 4:BA, hex. head	3	—	C	64/3
28D/1007468	AS.1242/3B	Bolt, 4:BA, c'sk head	3	—	C	64/4
28M/15819	AGS.2021/B/1	Nut, stiff, 4 BA	6	—	C	64/5
28W/9419474	SP15/B	Washer, 4:BA, plain	6	—	C	64/6
	E.B4.73.651	FAIRLEAD, aft of frame 20	1	—	—	
		Attachments:—				
28D/1011019	A25/8C	Bolt, 2:BA, hex. head	2	—	C	
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	
28W/9419475	SP15/C	Washer, 2:BA	2	—	C	
	E.B4.73.677	FAIRLEAD, aft of frame 17	1	—	—	
		Attachments:—				
28D/1010030	A25/7C	Bolt, 2:BA, hex. head	2	—	C	
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	
28W/9419475	SP15/C	Washer, 2:BA	2	—	C	
8513	E.B3.73.1461	FAIRLEAD, aft of frame 20, starboard	1	—	C	64/7
		Attachments:—				
28D/8313	AS.1242/9C	Bolt, 2:BA, c'sk head	2	—	C	64/8
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	64/9
28W/9419475	SP15/C	Washer, 2:BA, plain	2	—	C	64/10
8514	E.B3.73.1473	FAIRLEAD, aft of frame 20, port	1	—	C	64/11
		Attachments:—				
28D/1214032	AS.1242/9C	Bolt, 2:BA, c'sk head	3	—	C	64/12
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	3	—	C	64/13
28W/9419475	SP15/C	Washer, 2:BA, plain	3	—	C	64/14
8515	E.B3.73.1505	FAIRLEAD, at frame 21	1	—	C	64/15
		Attachments:—				
28D/9140644	A25/9C	Bolt, 2:BA, hex. head	2	—	C	64/16
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	64/17
28W/9419404	SP16/C	Washer, 2:BA, plain	2	—	C	64/18
8516	E.B3.73.1521	FAIRLEAD, assembly, at frames 16 and 17	2	—	C	64/19
		Attachments:—				
28D/1204937	AS.1242/6C	Bolt, 2:BA, c'sk head	3	—	C	64/20
28D/1007978	AS.1242/7C	Bolt, 2:BA, c'sk head	1	—	C	
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	4	—	C	64/21
	E.B4.73.707	Packing, neoprene	2	Shore Hardness 40-45	LM	64/43
28W/9419404	SP16/C	Washer, 2:BA, plain	4	—	C	64/22
20731	E.B4.73.777	PIPE, assembly, from reduction tee aft of frame 19 to pressure transmitter elbow, brake pressure line	1	30/166	C	64/23
6535	E.B3.73.243	PIPE, assembly, from special elbow aft of frame 19 to pressure transmitter on frame 20, brake pressure line	1	DTD743	C	64/24
6525	E.B3.73.247	PIPE, assembly, from cone elbow aft of frame 20 to starboard tapping point aft of frame 21, services pressure line	1	DTD743	C	64/25

SERVICES
HYDRAULIC EQUIPMENT IN FRONT FUSELAGE

1479

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	E.B4.73.823								1	30/166	-	64/44
8518	E.B4.73.287								1	DTD743	C	64/26
8519	E.B4.73.283								1	DTD743	C	64/27
8520	E.B4.73.285								1	DTD743	C	64/28
	E.B4.73.813								1	30/166	-	64/29
6543	E.B3.73.1053								1	DTD743	C	64/30
8523	E.B3.73.1093								1	DTD743	C	64/31
8522	E.B3.73.1095								1	DTD743	C	64/32
13350	E.B3.73.1713								1	-	C	64/45
	E.B4.73.811								1	30/166	-	64/33
6531	E.B2.73.5493								1	DTD743	C	64/34
7810	E.B2.73.5505								1	DTD743	C	64/35
36592	E.B2.73.6917								1	30/166	C	64/46
36591	E.B2.73.6919								1	30/166	C	64/47
26FZ/981	EEAS.20/22DR								4	L72	C	64/36
26FZ/3412	EEAS.20/3DR								1	L72	C	64/37
3864	E.B2.73.215								1	-	C	64/48
4021	E.B2.73.3153								1	S94, S95 or S96	C	64/38
	E.B3.73.1637								1	-	-	64/39
8524	E.B3.73.1597								1	S94	C	64/40
28F/9428452	AGS.1186/A								1	-	C	64/41

SERVICES
HYDRAULIC EQUIPMENT IN FRONT FUSELAGE

1480

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
27UA/5284	DUNLOP	TRANSMITTER, signal	1	—	B	64/42
10303	ACM.18798 EEAS.240/1A	WASHER, 'D'	10	L72	C	65/1
—	—	PIPES, hydraulic, at brake differential unit, assembly (E.B4.73.43) Spares for:—	—	—	—	65/1
8525	E.B4.73.267	PIPE, assembly, from coupling aft of frame 16 to brake control unit, port brake line	1	DTD743	C	65/2
8526	E.B4.73.269	PIPE, assembly, from coupling forward of frame 18 to brake control unit, low pressure return line	1	DTD743	C	65/3
8527	E.B4.73.243	PIPE, assembly, from coupling aft of frame 16 to brake control unit, starboard brake line	1	DTD743	C	65/4
8528	E.B4.73.221	PIPE, assembly, from coupling aft of frame 16 to brake control unit, brake pressure line	1	DTD743	C	65/5
8529	E.B4.73.275	PIPE, assembly, from coupling aft of frame 16 to coupling forward of frame 18, low pressure return line	1	DTD743	C	65/6
—	—	PIPES, hydraulic, between frames 16 and 17, starboard, assembly (E.B4.73.45) Spares for:—	—	—	—	65/7
19926	E.B4.73.773	BOBBIN, pipe clip spacing, forward of frame 16 (Mod. 2039)	1	L64	C	
8535	E.B4.73.105	BRACKET, pipe attachment at lower shear web Attachments:—	1	L73	C	65/8
28D/1010658	A25/1B	Bolt, 4 BA, hex. head	2	—	C	65/9
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	2	—	C	65/10
28W/9419474	SP15/B	Washer, 4 BA, plain	2	—	C	65/11
8530	E.B4.73.211	PIPE, assembly, between cone elbow and coupling aft of frame 16, low pressure return line	1	DTD743	C	65/12
8531	E.B4.73.213	PIPE, assembly, between cone elbow and coupling aft of frame 16, port brake line	1	DTD743	C	65/13
8532	E.B4.73.215	PIPE, assembly, between cone elbow and coupling aft of frame 16, brake pressure line	1	DTD743	C	65/14
8533	E.B4.73.217	PIPE, assembly, between cone elbow and coupling aft of frame 16, starboard brake line	1	DTD743	C	65/15
8534	E.B4.73.219	PIPE, assembly, from cone elbow aft of frame 16 to services suction reduction tee aft of frame 15, low pressure return line	1	DTD743	C	65/16
10303	EEAS.240/1A	WASHER, 'D'	1	L72	C	65/17
—	—	PIPES, hydraulic, canopy jack, at pressure bulkhead, assembly (E.B4.73.47) Spares for:—	—	—	—	65/17
6544	E.B2.73.3207	GASKET, pressure bulkhead connection sealing	1	—	C	65/18

A.P. 101B-1004-3A

Page MK17

SERVICES
HYDRAULICEQUIPMENT IN FRONT FUSELAGE

1481

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
8536	E.B4.73.207	PIPE, assembly, from pressure bulkhead to operating jack connection, canopy 'open' line	1	DTD743	C	65/19
8537	E.B4.73.209	PIPE, assembly, from pressure bulkhead to operating jack connection, canopy 'shut' line	1	DTD743	C	65/20
8538	EEAS.20/2FR	TAB, locking	2	L72	C	65/21
	—	PIPES, hydraulic, between pressure bulkhead and frame 23, assembly (E.B4.73.49) Spares for:—	—	—	—	65/22
8539	E.B3.73.1479	FAIRLEAD, between frames 22 and 23	1	—	C	65/23
		Attachments:—				
28D/9133012	A25/3C	Bolt, 2:BA, hex. head	4	—	C	65/24
28W/9419475	SP15/C	Washer, 2:BA, plain	4	—	C	65/25
23427	EEAS.554/1	FAIRLEAD, at frame 20 (Mod. 2039)	1	DTD560	C	65/38
23428	EEAS.556/1	FAIRLEAD, at frame 20 (Mod. 2039)	3	DTD560	C	65/39
8540	E.B4.73.225	PIPE, assembly, from restrictor to special reducing union aft of frame 22, canopy 'shut' line	1	—	C	65/26
8541	E.B4.73.227	PIPE, assembly, from restrictor to special reducing union aft of frame 22, canopy 'open' line	1	—	C	65/27
8542	E.B4.73.233	PIPE, assembly, through spine floor, between couplings aft of frame 18, canopy 'shut' line	1	DTD743	C	65/28
8543	E.B4.73.235	PIPE, assembly, through spine floor, between couplings aft of frame 18, canopy 'open' line	1	DTD743	C	65/29
8544	E.B4.73.237	PIPE, assembly, from coupling aft of frame 18 to coupling aft of pressure bulkhead, canopy 'shut' line	1	DTD743	C	65/30
8545	E.B4.73.239	PIPE, assembly, from coupling aft of frame 18 to bulkhead connection, canopy 'open' line	1	DTD743	C	65/31
8546	E.B4.73.245	PIPE, assembly from special reducing union aft of frame 22 to coupling forward of frame 19, canopy 'shut' line	1	DTD743	C	65/32
8547	E.B4.73.247	PIPE, assembly, from special reducing union aft of frame 22 to coupling forward of frame 19 canopy 'open' line	1	DTD743	C	65/33
8548	E.B4.73.249	PIPE, assembly, between coupling and pressure bulkhead connection, canopy 'shut' line	1	DTD743	C	65/34
6559	E.B2.73.3433	PIPE, assembly, from selector to restrictor aft of frame 22, canopy 'shut' line	1	DTD743	C	65/35
6560	E.B2.73.3435	PIPE, assembly, from selector to restrictor aft of frame 22, canopy 'open' line	1	DTD743	C	65/36
8549	E.B3.73.1573	UNION, cone, reducing, aft of frame 22	1	—	C	65/37
10303	EEAS.240/1A	WASHER, 'D'	2	L72	C	



This file was downloaded from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms, and more aircraft documents.

