

SERVICES
HYDRAULIC EQUIPMENT IN REAR FUSELAGE

483

Ref. No.	Part No.	Description	No. off	Mati. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		HYDRAULIC EQUIPMENT IN REAR FUSELAGE, ASSEMBLY (E.B4.73.563) (MOD. 2039) Spares for:—	—	—	—	
		PIPES, hydraulic, at starboard air brake jack box, assembly (E.B3.73.539) Spares for:—	—	—	—	67/1
	E.B3.73.129	COUPLING, special, sub-assembly Spares for:—	1	—	—	67/2
3865	E.B2.73.211	COUPLING, special bulkhead, for air brake and lock jack pipe at frame 53A	1	L65	C	67/3
9047	E.B2.73.4473	ELBOW, special, at frame 55	1	L65	C	67/4
23425	EEAS.556/2	FAIRLEAD, aft of frame 54 (Mod. 2039)	1	DTD560	C	67/53
23426	EEAS.554/2	FAIRLEAD, aft of frame 54 (Mod. 2039) Attachments:—	1	DTD560	C	67/54
28D/7002428	A25/6C	Bolt, 2 BA, hex. head	1	—	C	67/55
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	1	—	C	67/56
28W/9419475	SP15/C	Washer, 2 BA, plain	1	—	C	67/57
3866	E.B2.73.241	GROMMET, for air brake door lock pipe between frames 54 and 55 Attachments:—	1	Neoprene Shore 40-45	C	67/5
28D/9419452	A25/3B	Bolt, 4 BA, hex. head	4	—	C	67/6
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	4	—	C	67/7
28W/9419486	SP16/B	Washer, 4 BA, plain	4	—	C	67/8
3874	E.B2.73.2451	PIPE, assembly, inter-connection between bulkhead fittings aft of frame 53, air brake door 'in' line	1	DTD743	C	67/9
3875	E.B2.73.2453	PIPE, assembly, inter-connection between bulkhead fitting aft of frame 53, air brake door 'out' line	1	DTD743	C	67/10
3868	E.B2.73.4015	PIPE, assembly, from special bulkhead connection at frame 53A to air brake door lock jack bulkhead connection on frame 55	1	DTD743	C	67/11
3872	E.B2.73.4017	PIPE, assembly, from bulkhead connection at frame 53A to air brake door jack swivel coupling connection, 'in' line	1	DTD743	C	67/12
3878	E.B2.73.4023	PIPE, assembly, from bulkhead connection to air brake jack 'in' line connection	1	DTD743	C	67/13
3877	E.B2.73.4025	PIPE, assembly, from connection at frame 55 to air brake jack 'in' line connection	1	DTD743	C	67/14
20751	E.B4.73.653	PIPE, assembly, from special connection at frame 53A to air brake jack swivel coupling connection, air brake door jack 'out' line	1	30/166	C	67/15
3870	E.B2.73.4029	PIPE, assembly, from bulkhead connection at frame 53 to special coupling at frame 53A air brake door 'out' line	1	DTD743	C	67/16
3871	E.B2.73.4031	PIPE, assembly, from bulkhead connection at frame 53 to special coupling at frame 53A, air brake 'in' line	1	DTD743	C	67/17

SERVICES
HYDRAULIC EQUIPMENT IN REAR FUSELAGE

1484

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
9045	E.B2.73.5543	PIPE, assembly, from special elbow at frame 55 to air brake door lock jack connection	1	DTD743	C	67/18
26FZ/20454	EEAS.20/5DR	TAB, locking	3	L72	C	67/19
	E.B2.73.237	WASHER, special, for bulkhead connection at frame 55 (Make from AGS.1149/2)	1	-	LM	67/20
	E.B2.73.239	WASHER, special, for bulkhead connections at frame 53A (Make from AGS.1149/6, Ref. 28F/11081)	3	-	LM	67/21
3879	E.B2.73.243	WASHER, plate, for air brake door jack pipe grommet between frames 54 and 55	1	L72	C	67/22
	E.B2.73.1319	WASHER, special, for bulkhead connection at frame 53A (Make from AGS.1149/6)	1	-	LM	67/23
9060	E.B2.73.5775	WASHER, special, for bulkhead connection at frame 53 (Make from AGS.1149/6)	4	-	C	67/24
	-	PIPES, hydraulic, at port brake jack box, assembly (E.B3.73.541) Spares for:-	-	-	-	67/25
3880	E.B2.73.257	BODY, special banjo, synchroniser valve pipe connection	1	S94, S95 or S96	C	67/26
3881	E.B2.73.201	BOLT, special banjo, synchroniser valve pipe connection	1	S94, S95 or S96	C	67/27
5990	E.B2.73.3895	BOLT, special banjo, synchroniser valve	1	S94, S95 or S96	C	67/28
	E.B3.73.129	COUPLING, special, sub-assembly Spares for:-	1	-	-	67/29
3865	E.B2.73.211	COUPLING, special, aft of frame 53A, air brake door 'out' line	1	DTD423	C	67/30
9047	E.B2.73.4473	ELBOW, special, at frame 55	1	DTD743	C	67/31
3866	E.B2.73.241	GROMMET, for air brake door lock pipe, between frames 54 and 55 Attachments:-	1	Neoprene Shore 40-45	C	67/32
28D/9419452	A25/3B	Bolt, 4 BA, hex. head	4	-	C	
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	4	-	C	
28W/9419486	SP16/B	Washer, 4 BA, plain	4	-	C	
3882	E.B2.73.3177	GROMMET, for air brake door jack pipe at frame 53A Attachments:-	1	Neoprene Shore 40-45	C	67/33
28D/1008149	A25/2B	Bolt, 4 BA, hex. head	4	-	C	67/34
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	4	-	C	67/35
28W/9419474	SP15/B	Washer, 4 BA, plain	4	-	C	67/36
5991	E.B2.73.3893	PIECE, distance, air brake synchroniser valve	1	S94, S95 or S96	C	67/37
7027	E.B3.73.999	PIPE, assembly, from synchroniser valve coupling to restrictor at frame 54, air brake 'out' line	1	DTD743	C	67/38
7028	E.B3.73.1001	PIPE, assembly, from coupling aft of frame 53 to synchroniser valve, air brake door 'out' line	1	DTD743	C	67/39
7029	E.B3.73.1003	PIPE, assembly, from air brake jack swivel connection to connection aft of frame 53, air brake door 'in' line	1	DTD743	C	67/40
7030	E.B3.73.1005	PIPE, assembly, from coupling aft of frame 53 to synchroniser valve, air brake door 'out' line	1	DTD743	C	67/41

SERVICES
HYDRAULIC EQUIPMENT IN REAR FUSELAGE

1485

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
3884	E.B2.73.4035	PIPE, assembly, from special coupling at frame 53A to air brake door lock jack bulkhead coupling on frame 55	1	DTD743	C	67/42
3892	E.B2.73.4045	PIPE, assembly, from bulkhead connection to air brake jack 'in' line connection	1	DTD743	C	67/43
3893	E.B2.73.4047	PIPE, assembly, from connection at frame 55 to air brake jack 'in' line bulkhead connection	1	DTD743	C	67/44
3885	E.B2.73.4049	PIPE, assembly, from special coupling at frame 53A to air brake swivel coupling connection air brake door 'out' line	1	DTD743	C	67/45
9046	E.B2.73.5545	PIPE, assembly, from special elbow at frame 55 to air brake door lock jack connection	1	DTD743	C	67/46
26FZ/981	EEAS.20/2DR	TAB, locking	4	L72	C	67/47
3890	E.B2.73.235	WASHER, special, for special coupling aft of frame 53A	1	L72	C	67/49
	E.B2.73.237	WASHER, special, for bulkhead coupling at frame 55 (Make from AGS.1149/2)	1	-	LM	67/50
3879	E.B2.73.243	WASHER, plate, for air brake door jack pipe grommet between frames 54 and 55	1	L72	C	67/51
3891	E.B2.73.247	WASHER, plate, for air brake door jack pipe grommet at frame 53A	1	L72	C	67/52
10303	EEAS.240/1A	WASHER, 'D'	5	L72	C	
	-	PIPES, hydraulic, between frames 56 and 57, starboard, for rudder autostabiliser and feel units, assembly (E.B4.73.939) (Mod. 2039) Spares for:-	-	-	-	
9031	E.B3.73.1575	BANJO, special, double end reduction cone, for pipe connections at frame 56, autostabiliser return line	1	S94	C	68/1
3821	E.B1.73.1263	BODY, banjo, pipe connection at frame 56, autostabiliser pressure line	1	L65	C	68/2
3895	E.B2.73.3755	BOLT, special banjo, swivel coupling connection to feel unit	1	S94, S95 or S96	C	68/3
3896	E.B2.73.2291	BRACKET, feel unit flexible pipe connection mounting forward of frame 57	1	-	C	68/4
		Attachments:-				
28D/9133012	A25/3C	Bolt, 2 BA, hex. head	3	-	C	68/5
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	3	-	C	68/6
28W/9419475	SP15/C	Washer, 2 BA, plain	3	-	C	68/7
3897	E.B2.73.3753	PIECE, distance, swivel coupling connection to feel unit pressure line	1	S94, S95 or S96	C	68/8
7038	E.B3.73.855	PIPE, assembly, from bulkhead coupling on frame 56 to feel unit flexible pipe connection forward of frame 57, autostabiliser return line	1	DTD743	C	68/9
7032	E.B3.73.857	PIPE, assembly, from bulkhead coupling on frame 56 to autostabiliser jack connection, return line (Pre-Mod. 2317)	1	DTD743	C	68/10

SERVICES
HYDRAULIC EQUIPMENT IN REAR FUSELAGE

1486

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
22485	E.F3.73.7489	PIPE, assembly, from bulkhead coupling on frame 56 to autostabiliser jack connection, return line (Mod. 2317)	1	30/166	C	
7034	E.B3.73.861	PIPE, assembly, from bulkhead connection to tee forward of frame 56, autostabiliser return line	1	DTD743	C	68/11
	E.B4.73.725	PIPE, assembly, from bulkhead connection to tee forward of frame 56, autostabiliser pressure line	1	30/166	-	68/12
7031	E.B2.73.4555	PIPE, assembly, from bulkhead coupling on frame 56 to autostabiliser jack connection, pressure line (Pre-Mod. 2317)	1	DTD743	C	
22486	E.F3.73.7491	PIPE, assembly, from bulkhead coupling on frame 56 to autostabiliser jack connection, pressure line (Mod. 2317)	1	30/166	C	68/13
	E.B4.73.973	PLATE, packing, feel unit flexible pipe connection mounting bracket	1	L72	-	
26FZ/981	EEAS.20/2DR	TAB, locking	1	L72	C	68/14
28D/1010658	A25/1B	Attachments:- Bolt, 4 BA, hex. head	1	-	C	68/15
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	1	-	C	68/16
28W/9419474	SP15/B	Washer, 4 BA, plain	1	-	C	68/17
9028	E.B3.73.1593	UNION, special bulkhead, autostabiliser return line	1	S94	C	68/18
	E.B2.73.4601	WASHER, special, swivel coupling connection at frame 56 (Make from AGS.1149/4)	1	-	LM	68/19
3898	E.B2.73.3287	WASHER, special, swivel coupling connection forward of frame 56	1	L65 or DTD546	C	68/20
	E.B3.73.161	WASHER, special, bulkhead union forward of frame 27 (Make from AGS.1149/1)	1	-	LM	68/21
10303	EEAS.240/1A	WASHER, 'D'	8	L72	C	
	-	PIPES, hydraulic, between frames 53 and 55, starboard, assembly (E.B3.73.535)	-	-	-	69/1
	-	Spares for:-				
19958	E.B4.73.795	BOBBIN, pipe clip spacing, at frame 54 (Mod. 2039)	3	L64	C	
	E.B4.73.827	FAIRLEAD, aft of frame 53 (Mod. 2039)	1	-	-	69/2
	-	Attachments:-				
28D/9435710	A25/11C	Bolt, 2 BA, hex. head	1	-	C	69/3
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	1	-	C	69/4
28W/9419475	SP15/C	Washer, 2 BA, plain	1	-	C	69/5
23421	EEAS.554/6	FAIRLEAD, 1/2" pipe (Mod. 2039)	6	DTD560	C	69/6
23422	EEAS.556/6	FAIRLEAD, 1/2" pipe (Mod. 2039)	2	DTD560	C	69/7
	-	Attachments:-				
28D/9140644	A25/9C	Bolt, 2 BA, hex. head	2	-	C	69/8
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	-	C	69/9
28W/9419475	SP15/C	Washer, 2 BA, plain	2	-	C	69/10
11645	E.B3.73.1117	PIPE, assembly, from coupling aft of frame 53 starboard to port tee aft of frame 53, air brake door 'in' line	1	DTD743	C	69/11

SERVICES
HYDRAULIC EQUIPMENT IN REAR FUSELAGE

1487

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
7666	E.B2.73.5345	PIPE, assembly, from coupling at frame 53 to connection aft of frame 54, undercarriage 'down' line	1	DTD743	C	69/12
7668	E.B2.73.5347	PIPE, assembly, from coupling at frame 53 to connection aft of frame 54, undercarriage 'up' line	1	DTD743	C	69/13
7664	E.B2.73.5349	PIPE, assembly, from coupling at frame 53 to connection aft of frame 54, undercarriage emergency line	1	DTD743	C	69/14
7667	E.B2.73.5351	PIPE, assembly, from connection aft of frame 54 to coupling at frame 56, undercarriage 'down' line	1	DTD743	C	69/15
7669	E.B2.73.5353	PIPE, assembly, from connection aft of frame 54 to coupling at frame 56, undercarriage 'up' line	1	DTD743	C	69/16
7665	E.B2.73.5355	PIPE, assembly, from connection aft of frame 54 to coupling at frame 56, undercarriage emergency line	1	DTD743	C	69/17
	E.B4.73.641	PIPE, assembly, transverse, between coupling aft of frame 53, air brake door 'out' line (Mod. 2039)	1	30/166	—	69/18
10471	E.B2.73.5555	PIPE, assembly, from bulkhead coupling at frame 53 to coupling aft of frame 53, air brake door 'out' line	1	DTD743	C	69/19
10472	E.B2.73.5557	PIPE, assembly, from coupling aft of frame 53 to bulkhead coupling at frame 53, air brake 'in' line	1	DTD743	C	69/20
4022	E.B2.73.3801	TEE, special cone, forward of frame 55, pressure controls line	1	S94, S95 or S96	C	69/21
10303	EEAS.240/1A	WASHER, 'D'	9	L72	C	—
	—	PIPES, hydraulic, at frame 57, starboard, assembly (E.B4.73.941) (Mod. 2039) Spares for:—	—	—	—	—
	E.B3.73.1671	ACCUMULATOR, feel unit, assembly Spares for:—	1	—	—	69/22
27QM/30406	DOWTY ROTOL A.1032	ACCUMULATOR, feel unit	1	—	A	69/23
3851	E.B1.73.277	ADAPTOR, special cone, air charging valve pipe to feel unit accumulator	1	L65	C	69/24
3901	E.B2.73.1471	ADAPTOR, special cone, feel unit pressure pipe to accumulator attachment	1	L65	C	69/25
3902	E.B2.73.1453	BLANKET, complete, heat shielding for hydraulic accumulator	1	—	C	69/26
20431	E.B1.73.267	LUG, attachment	1	L65	C	69/27
20432	E.B1.73.269	LUG, attachment	1	L65	C	69/28
13233	E.B4.73.517	BRACKET, pipe clip attachment (Mod. 2039)	2	L72	C	—
10303	EEAS.240/1A	WASHER, 'D'	2	L72	C	—
	—	PIPES, hydraulic, between frames 25 and 31, port, assembly (E.B3.73.565) (Mod. 1989) (Pre-Mod. 2009) Spares for:—	—	—	—	—
3903	E.B2.73.73	ADAPTOR, banjo special, flexible pipe connection, services suction line	1	S94, S95 or S96	C	70/1

SERVICES
HYDRAULIC EQUIPMENT IN REAR FUSELAGE

1488

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
3904	E.B2.73.79	ADAPTOR, banjo special, flexible pipe connection, services pump return line	1	S94, S95 or S96	C	70/2
3905	E.B2.73.85	ADAPTOR, banjo special, flexible pipe connection, services pump pressure line	1	DTD323	C	70/3
9026	E.B3.73.1569	ADAPTOR, special cone, services pump drain pipe	1	S94	C	70/4
3906	E.B2.73.75	BANJO, special, flexible pipe connection, services suction line	1	S94, S95 or S96	C	70/5
3907	E.B2.73.81	BANJO, special, flexible pipe connection, services pump return line	1	S94, S95 or S96	C	70/6
19708	E.B2.73.6099	BANJO, special, flexible pipe connection, services pump pressure line	1	S94, S95 or S96	C	70/7
3909	E.B2.73.193	BANJO, special, flexible pipe connection to pump, services return line	1	S94, S95 or S96	C	70/8
3910	E.B2.73.2185	BANJO, special, flexible pipe connection attachment, services suction line	1	S94, S95 or S96	C	70/9
6847	E.B2.73.4393	BANJO, special, flexible pipe connection to pump, services pressure line	1	S94, S95 or S96	C	70/10
3912	E.B2.73.269	BOLT, banjo, special, flexible pipe connection to pump, services return line	1	S94, S95 or S96	C	70/11
3913	E.B2.73.2187	BOLT, banjo, special, flexible pipe connection to pump, services suction line	1	S94, S95 or S96	C	70/12
	E.B2.73.6079	BRACKET, fairlead attachment at frame 25 (Mod. 1989)	1	L73	-	70/13
28D/9133011	A25/2C	Attachments:- Bolt, 2:BA, hex. head	2	-	C	70/14
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	-	C	70/15
28W/9419404	SP16/C	Washer, 2:BA, plain	2	-	C	70/16
	E.B2.73.6083	BRACKET, pipe clip attachment between frames 29 and 31 (Mod. 1989)	1	L73	-	70/17
28D/9133011	A25/2C	Attachments:- Bolt, 2:BA, hex. head	2	-	C	70/18
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	-	C	70/19
28W/9419404	SP16/C	Washer, 2:BA, plain	2	-	C	70/20
8994	E.B3.73.1407	FAIRLEAD, for pipes at frame 29	1	-	C	70/21
28D/9435710	A25/11C	Attachments:- Bolt, 2:BA, hex. head	2	-	C	70/22
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	-	C	70/23
28W/9419475	SP15/C	Washer, 2:BA, plain	2	-	C	70/24
12219	E.B3.73.1683	FAIRLEAD, aft of frame 29 (Mod. 1524)	1	-	C	70/25
28D/1215671	A59/15C	Attachments:- Bolt, 2:BA, hex. head	1	-	C	70/26
28D/1214037	AS.1242/15C	Bolt, 2:BA, c'sk head	1	-	C	70/27
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	-	C	70/28
28W/9419475	SP15/C	Washer, 2:BA, plain	2	-	C	70/29

SERVICES
HYDRAULIC EQUIPMENT IN REAR FUSELAGE

1489

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
19716	E.B2.73.5929	FAIRLEAD, at frame 27 (Mod. 1989)	1	—	C	70/30
28D/9140647	A25/14C	Attachments:— Bolt, 2 BA, hex. head	2	—	C	70/31
28W/9419475	SP15/C	Washer, 2 BA, plain	2	—	C	70/32
19713	E.B2.73.5961	FAIRLEAD, at frame 27 (Mod. 1989)	1	—	C	70/33
28D/9140645	A25/10C	Attachments:— Bolt, 2 BA, hex. head	2	—	C	70/34
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	70/35
28W/9419475	SP15/C	Washer, 2 BA, plain	2	—	C	70/36
19714	E.B2.73.5965	FAIRLEAD, at frame 29 (Mod. 1989)	1	—	C	70/37
28D/9453970	A25/15C	Attachments:— Bolt, 2 BA, hex. head	2	—	C	70/38
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	70/39
28W/9419475	SP15/C	Washer, 2 BA, plain	2	—	C	70/40
19715	E.B2.73.5977	FAIRLEAD, at frame 31 (Mod. 1989)	1	—	C	70/41
28D/9140647	A25/14C	Attachments:— Bolt, 2 BA, hex. head	1	—	C	70/42
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	1	—	C	70/43
28W/3048	AGS.157/C	Washer, special, large	1	—	C	70/44
28W/9419475	SP15/C	Washer, 2 BA, plain	1	—	C	70/45
19717	E.B2.73.6025	FAIRLEAD, at frame 25 (Mod. 1989)	1	—	C	70/46
28D/9140645	A25/10C	Attachments:— Bolt, 2 BA, hex. head	1	—	C	70/47
28D/1011026	A25/26C	Bolt, 2 BA, hex. head	2	—	C	70/48
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	3	—	C	70/49
10303	EEAS.240/1A	Washer	1	L72	C	70/50
28W/9419475	SP15/C	Washer, 2 BA, plain	3	—	C	70/51
23421	EEAS.554/6	FAIRLEAD, 1/2", aft of frame 25 (Mod. 1989)	2	DTD560	C	70/52
23422	EEAS.556/6	FAIRLEAD, 1/2", aft of frame 25 (Mod. 1989)	2	DTD560	C	70/53
28D/9140647	A25/14C	Attachments:— Bolt, 2 BA, hex. head	1	—	C	70/54
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	1	—	C	70/55
19709	E.B2.73.6109	Tube, distance	1	L65 or L34	C	70/56
28W/9419475	SP15/C	Washer, 2 BA, plain	1	—	C	70/57
	E.B2.73.6107	PIECE, packing, for fairlead at frame 29 (Mod. 1989)	5	L72	C	70/58
3917	E.B2.73.835	PIPE, assembly, pump gland leakage drain, from pump to tee aft of frame 31, services pump No. 1	1	DTD323	C	70/59
	—	PIPES, hydraulic, between frames 29 and 31, assembly (E.B4.73.937) (Mod. 2039) (Pre-Mod. 4117)	—	—	—	—
23423	EEAS.556/4	Spares for:— FAIRLEAD, half, at frame 29	5	DTD560	C	70/89

SERVICES
HYDRAULIC EQUIPMENT IN REAR FUSELAGE

1490

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
23424	EEAS.554/4								1	DTD560	C	70/90
28D/9140648	A25/19C								1	—	C	70/91
28M/1278190	AGS.2001/C/1								1	—	C	70/92
28W/9419475	SP15/C								1	—	C	70/93
	E.B4.73.735								1	30/166	—	70/94
	E.B4.73.737								1	30/166	—	70/95
	—								—	—	—	
36949	E.B3.73.1737								1	L65	C	70/96
28D/9133011	A25/2C								2	—	C	70/97
28M/1278190	AGS.2001/C/1								2	—	C	70/98
36950	E.B3.73.1739								2	L72	C	70/99
23424	EEAS.554/4								1	DTD560	C	70/100
23423	EEAS.556/4								5	DTD560	C	70/101
28D/7002428	A25/6C								1	—	C	70/102
28D/9140647	A25/14C								1	—	C	70/103
28M/1278190	AGS.2001/C/1								2	—	C	70/104
28W/9419475	SP15/C								2	—	C	70/105
19273	E.B3.73.1163								1	30/166	C	70/60
19704	E.B2.73.6095								1	30/166	C	70/61
3920	E.B2.73.2459								1	DTD743	C	70/62
20788	E.B2.73.6547								1	30/166	C	70/63
34465	E.B2.73.6891								1	DTD5016	C	70/64
34466	E.B2.73.6893								1	DTD5016	C	70/65
19567	E.B2.73.6049								1	30/166	C	70/66

SERVICES
HYDRAULIC EQUIPMENT IN REAR FUSELAGE

1491

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
19703	E.B2.73.6091	PIPE, assembly, from tee coupling aft of frame 24 to coupling at frame 31, undercarriage emergency line	1	30/166	C	70/67
3926	E.B2.73.2471	PIPE, assembly, from coupling at frame 28 to coupling aft of frame 30, undercarriage 'down' line	1	DTD743	C	70/68
3927	E.B2.73.2473	PIPE, assembly, from coupling at frame 28 to coupling aft of frame 29, control pump pressure line	1	DTD743	C	70/69
3928	E.B2.73.2477	PIPE, assembly, from hydraulic pump No. 1 to special tee at frame 28, services No. 1 suction line	1	DTD743	C	70/70
19698	E.B2.73.6029	PIPE, assembly, from coupling aft of frame 24, to special tee coupling at frame 28, services suction line	1	30/166	C	70/71
19699	E.B2.73.5985	PIPE, assembly, from pump connection to coupling aft of frame 27, services No. 1, pump pressure line	1	30/166	C	70/72
3931	E.B2.73.3447	PIPE, assembly, from tee coupling at frame 26 to coupling aft of frame 32, services pressure line	1	DTD743	C	70/73
3934	E.B2.73.3617	PIPE, assembly, from coupling aft of frame 29 to pump coupling control pump pressure line	1	DTD743	C	70/74
19707	E.B2.73.6097	PIPE, assembly, from thermal relief valve coupling forward of frame 25 to controls return line tee aft of frame 25	1	30/166	C	70/75
7989	E.B2.73.5547	PIPE, assembly, from drip tray for self-sealing couplings to atmosphere	1	DTD743	C	70/76
3932	E.B2.73.77	PLUG, special banjo, flexible pipe connection, services suction line	1	S94, S95 or S96	C	70/77
3933	E.B2.73.83	PLUG, special banjo, flexible pipe connection, services pump return line	1	S94, S95 or S96	C	70/78
3935	E.B2.73.89	PLUG, special banjo, flexible pipe connection, services pump pressure line	1	S94, S95 or S96	C	70/79
	E.B2.73.6103	PLUG, for fairlead at frame 29	1	L65 or DTD423	-	70/80
26FZ/981	EEAS.20/2DR	TAB, locking	6	L72	C	70/81
3936	E.B2.73.67	TEE, reduction, special cone at frame 26, controls return line	1	S94, S95 or S96	C	70/82
9948	E.B3.73.107	TEE-JOINT, at frame 28, services suction line, assembly Spares for:-	1	-	B	70/83
3910	E.B2.73.2185	BANJO, special, 5/8" BSP	1	S94, S95 or S96	C	70/84
3913	E.B2.73.2187	BOLT, banjo, special, 5/8" BSP	1	S94, S95 or S96	C	70/85
28F/9434374	AGS.1186/E	SEAL, bonded	2	-	C	70/86
3937	E.B2.73.65	TEE, junction, 5/8" BSP	1	S94, S95 or S96	C	70/87
3938	E.B2.73.2119	TEE, cone, at frame 28, services pressure line	1	S94, S95 or S96	C	70/88

SERVICES
HYDRAULIC EQUIPMENT IN REAR FUSELAGE

1492

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
10303	EEAS.240/1A	WASHER, 'D'	10	L72	C	
9842	EEAS.240/2A	WASHER, 'D'	2	L72	C	
	-	PIPES, hydraulic, between frames 25 and 31, port, assembly (E.B3.73.571) (Mod. 2009) Spares for this assembly are identical with those for Pt. No. E.B3.73.565 on page ML5, except for the following deletions and additions Delete:-	-	-	-	
3909	E.B2.73.193	BANJO, special, flexible pipe connection to pump, services return line	1	S94, S95 or S96	C	
3910	E.B2.73.2185	BANJO, special, flexible pipe connection to pump, services suction line	1	S94, S95 or S96	C	
6847	E.B2.73.4393	BANJO, special, flexible pipe connection to pump, services pressure line	1	S94, S95 or S96	C	
3912	E.B2.73.269	BOLT, banjo, special, flexible pipe connection to pump, services return line Add:-	1	S94, S95 or S96	C	
17697	E.F3.73.149	ADAPTOR, special union, flexible pipe connection to pump, services return line	1	S94, S95 or S96	C	
17696	E.F2.73.1625	BANJO-BODY, special, 5/8" BSP, flexible pipe connection to pump services suction line	1	S94, S95 or S96	C	
3911	E.B2.73.2189	BANJO, special, flexible pipe connection to pump, services pressure line	1	S94, S95 or S96	C	
3914	E.B2.73.2191	BOLT, banjo, special, flexible pipe connection to pump, services pressure line	1	S94, S95 or S96	C	
	-	PIPES, hydraulic, between frames 31 and 39, port, assembly (E.B4.73.931) (Mod. 2039) (Pre-Mod. 2010) Spares for:-	-	-	-	
3903	E.B2.73.73	ADAPTOR, banjo, special, flexible pipe connection, controls suction line	1	S94, S95 or S96	C	71/1
3904	E.B2.73.79	ADAPTOR, banjo, special, flexible pipe connection, controls pump return line	1	S94, S95 or S96	C	71/2
3905	E.B2.73.85	ADAPTOR, banjo, special, flexible pipe connection, controls pump pressure line	1	S94, S95 or S96	C	71/3
3946	E.B2.73.2149	ADAPTOR, cone, heat exchanger pipe connection	2	S94, S95 or S96	C	71/4
3947	E.B2.73.2159	ADAPTOR, special, bulkhead, at frame 34	2	S94, S95 or S96	C	71/5
		Attachments:-				
28D/9436920	A25/1C	Bolt, 2 BA, hex. head	6	-	C	71/6
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	6	-	C	71/7
26FZ/980	EEAS.20/1DR	Tab, locking	2	L72	C	71/8
28W/9419475	SP15/C	Washer, 2 BA, plain	6	-	C	71/9
3906	E.B2.73.75	BANJO, special, flexible pipe connection, controls suction line	1	S94, S95 or S96	C	71/10
3907	E.B2.73.81	BANJO, special, flexible pipe connection, controls pump return line	1	S94, S95 or S96	C	71/11

SERVICES
HYDRAULIC EQUIPMENT IN REAR FUSELAGE

493

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
3908	E.B2.73.87	BANJO, special, flexible pipe connection, controls pump pressure line	1	S94, S95 or S96	C	71/12
3909	E.B2.73.193	BANJO, special, flexible pipe connection to pump, controls pump return line	1	S94, S95 or S96	C	71/13
3948	E.B2.73.2133	BANJO, special, at frames 34 and 38	4	S94, S95 or S96	C	71/14
3910	E.B2.73.2185	BANJO, special, flexible pipe connection to pump, controls pump pressure line	1	S94, S95 or S96	C	71/15
3911	E.B2.73.2189	BANJO, special, flexible pipe connection to pump, controls suction line	1	S94, S95 or S96	C	71/16
6441	E.B2.73.2221	BANJO, special, drain pipe connection, controls No. 1 hydraulic pump	1	S94, S95 or S96	C	71/17
3881	E.B2.73.201	BOLT, banjo, at frames 34 and 38	4	S94, S95 or S96	C	71/18
3912	E.B2.73.269	BOLT, banjo, special, flexible pipe connection to pump, controls pump return line	1	S94, S95 or S96	C	71/19
3949	E.B1.73.1711	BOLT, banjo, special, controls No. 1 hydraulic pump gland, leakage drain attachment	1	S11	C	71/20
3913	E.B2.73.2187	BOLT, banjo, special, flexible pipe connection to pump, controls suction line	1	S94, S95 or S96	C	71/21
3914	E.B2.73.2191	BOLT, banjo, flexible pipe connection to pump, controls suction line	1	S94, S95 or S96	C	71/22
	E.B4.73.849	BRACKET, pipe clip attachment aft of frame 31	1	L72	-	
	E.F2.73.753	FAIRLEAD, for pipes aft of frame 37	1	-	-	71/54
		Attachments:-				
28D/9419397	A25/12C	Bolt, 2 BA, hex. head	2	-	C	71/55
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	-	C	71/56
28W/9419475	SP15/C	Washer, 2 BA	2	-	C	71/57
8996	E.B3.73.1319	FAIRLEAD, for pipes at frame 34	1	-	C	71/23
		Attachments:-				
28D/9133011	A25/2C	Bolt, 2 BA, hex. head	9	-	C	71/24
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	9	-	C	71/25
28W/9419475	SP15/C	Washer, 2 BA, plain	9	-	C	71/26
8997	E.B3.73.1355	FAIRLEAD, for pipes at frame 34	1	-	C	71/27
		Attachments:-				
28D/9133011	A25/2C	Bolt, 2 BA, hex. head	7	-	C	71/28
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	7	-	C	71/29
28W/9419475	SP15/C	Washer, 2 BA, plain	7	-	C	71/30
19715	E.B2.73.5977	FAIRLEAD, for pipes at frame 31	2	-	C	71/58
		Attachments:-				
28D/9140647	A25/14C	Bolt, 2 BA, hex. head	2	-	C	71/59
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	-	C	71/60
28W/9419475	SP15/C	Washer, 2 BA, plain	2	-	C	71/61
36065	E.B2.73.6903	FAIRLEAD, half, at frame 31 (Mod. 2416)	2	-	C	71/62
		Attachments:-				
28D/9140644	A25/9C	Bolt, 2 BA, hex. head	2	-	C	71/63
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	-	C	71/64
28W/9419475	SP15/C	Washer, 2 BA, plain	2	-	C	71/65
23424	EEAS.554/4	FAIRLEAD, for 3/8" pipe	1	DTD560	C	71/66
23423	EEAS.556/4	FAIRLEAD, for 3/8" pipe	1	DTD560	C	71/67
	E.B4.73.975	PACKING, pipe clip forward of frame 36	1	L72	-	

Restricted

SERVICES
HYDRAULIC EQUIPMENT IN REAR FUSELAGE

1494

Ref. No.	Part No.	Description							No. off	Mati. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
7055	E.B2.73.793	PIPE	assembly,	pump gland leakage drain,					1	DTD323	C	71/31
				from pump to tee aft of frame 31,								
				controls No. 1 hydraulic pump								
7057	E.B3.73.1043	PIPE	assembly,	pump gland leakage drain,					1	DTD743	C	71/32
				from tee aft of frame 31 to atmosphere								
3952	E.B2.73.2483	PIPE	assembly,	from coupling at frame 33 to					1	DTD743	C	71/33
				coupling aft of frame 40,								
				undercarriage 'up' line								
3953	E.B2.73.2485	PIPE	assembly,	from coupling at frame 30 to					1	DTD743	C	71/34
				coupling at frame 41, undercarriage								
				'down' line								
3954	E.B2.73.2487	PIPE	assembly,	from coupling at frame 32 to					1	DTD743	C	71/35
				tee coupling aft of frame 40,								
				services pressure line								
3955	E.B2.73.2489	PIPE	assembly,	from tee aft of frame 24 to					1	DTD743	C	71/36
				tee aft of frame 41, services								
				return line								
3956	E.B2.73.2491	PIPE	assembly,	from tee at frame 28 to					1	DTD743	C	71/37
				coupling at frame 41, services								
				suction line								
3958	E.B2.73.2495	PIPE	assembly,	from coupling aft of frame 35					1	DTD743	C	71/38
				to coupling aft of frame 40,								
				undercarriage emergency line								
3959	E.B2.73.2497	PIPE	assembly,	from coupling aft of frame 35					1	DTD743	C	71/39
				to coupling aft of frame 40, port								
				brake line								
3962	E.B2.73.2503	PIPE	assembly,	from coupling at frame 34 to					1	DTD743	C	71/40
				heat exchanger banjo connection at								
				frame 38, controls pressure return								
				line								
3963	E.B2.73.2505	PIPE	assembly,	from special connection at					1	DTD743	C	71/41
				frame 34 to heat exchanger banjo								
				connection at frame 38, services								
				pump return line								
3964	E.B2.73.2507	PIPE	assembly,	from heat exchanger connection					1	DTD743	C	71/42
				to non-return valve aft of frame 40,								
				services pump return line								
20781	E.B4.73.969	PIPE	assembly,	from heat exchanger connection					1	30/166	C	71/43
				to non-return valve aft of frame 39,								
				controls pump return line								
3966	E.B2.73.2513	PIPE	assembly,	from coupling at frame 31 to					1	DTD743	C	71/44
				coupling aft of frame 35, undercarriage								
				emergency line								
3967	E.B2.73.2515	PIPE	assembly,	from coupling at frame 31 to					1	DTD743	C	71/45
				coupling aft of frame 35, port								
				brake line								
3960	E.B2.73.5377	PIPE	assembly,	from special connection aft					1	DTD743	C	71/46
				of frame 29 to connection on frame 34,								
				services pump return line								
3961	E.B2.73.5379	PIPE	assembly,	from special connection aft					1	DTD743	C	71/47
				of frame 32 to connection on frame 34,								
				controls pump return line								
7988	E.B2.73.5461	PIPE	assembly,	from drip tray for self-sealing					1	DTD743	C	71/48
				couplings to atmosphere								
3932	E.B2.73.77	PLUG	special banjo,	flexible pipe connection,					1	S94, S95 or S96	C	71/49
				controls suction line								

SERVICES
HYDRAULIC EQUIPMENT IN REAR FUSELAGE

1495

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
3933	E.B2.73.83	PLUG, special banjo, flexible pipe connection, controls pump return line	1	S94, S95 or S96	C	71/50
3935	E.B2.73.89	PLUG, special banjo, flexible pipe connection, controls pump pressure line	1	S94, S95 or S96	C	71/51
26FZ/981	EEAS.20/2DR	TAB, locking	6	L72	C	71/52
9027	E.B3.73.1589	TEE, special, aft of frame 31, pump gland leakage drain line	1	S94	C	71/53
10303	EEAS.240/1A	WASHER, 'D'	12	L72	C	
	-	PIPES, hydraulic, between frames 31 and 39, port, assembly (E.B4.73.1011) (Mod. 2010) Spares for this assembly are identical with those for assembly Pt. No. E.B4.73.931 on page ML10, except for the following deletions and additions Delete:-	-	-	-	
3909	E.B2.73.193	BANJO, special, flexible pipe connection to pump, controls pump return line	1	S94, S95 or S96	C	
3912	E.B2.73.269	BOLT, banjo, special, flexible pipe connection Add:-	1	S94, S95 or S96	C	
3909	E.B2.73.193	BANJO, special, flexible pipe connection to pump, controls pump return line (Pre-Mod. 2305)	1	S94, S95 or S96	C	
23308	E.B2.73.2711	BANJO, special, flexible pipe connection to pump, controls pump return line (Mod. 2305)	1	S94, S96 or S96	C	
3912	E.B2.73.269	BOLT, banjo, special, flexible pipe connection to pump (Pre-Mod. 2305)	1	S94, S95 or S96	C	
23309	E.B2.73.2713	BOLT, banjo, special, flexible pipe connection to pump (Mod. 2305)	1	S94, S95 or S96	C	
	-	PIPES, hydraulic, between frames 34 and 42, starboard, assembly (E.B3.73.507) Spares for:-	-	-	-	72/1
13233	E.B4.73.517	BRACKET, at frame 42 (Mod. 2039)	1	L72	C	72/2
23421	EEAS.554/6	FAIRLEAD, 1/2" dia., aft of frame 39 (Mod. 2039)	1	DTD560	C	72/3
23422	EEAS.556/6	FAIRLEAD, 1/2" dia., aft of frame 39 (Mod. 2039)	1	DTD560	C	72/4
23425	EEAS.556/2	FAIRLEAD, 1/4" dia., aft of frame 39 (Mod. 2039)	1	DTD560	C	72/5
23426	EEAS.554/2	FAIRLEAD, 1/4" dia., aft of frame 39 (Mod. 2039)	1	DTD560	C	72/6
3968	E.B2.73.2315	PIPE, assembly, from coupling at frame 34 to coupling on aft firewall, controls No. 2 return line	1	DTD743	C	72/7
3969	E.B2.73.2317	PIPE, assembly, from coupling at frame 34 to coupling on aft firewall, controls No. 2 pressure line	1	DTD743	C	72/8
3970	E.B2.73.2319	PIPE, assembly, from coupling at frame 34 to coupling at frame 42, brake pressure line	1	DTD743	C	72/9
8784	E.B2.73.5473	PIPE, assembly, from connection forward of frame 42 to coupling at frame 34, autostabiliser pressure line	1	DTD743	C	72/10

SERVICES
HYDRAULIC EQUIPMENT IN REAR FUSELAGE

1496

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.B4.73.919	PLATE, packing, pipe clips at frame 36 (Mod. 2039)	1	L72	-	72/11
	E.B4.73.921	PLATE, packing, pipe clips at frame 39 (Mod. 2039)	1	L72	-	72/12
3971	EEAS.20/2DRH	TAB, locking	2	L72	C	72/13
8785	E.B2.73.4489	WASHER, special distance, for bulkhead coupling at frame 34	1	L72	C	72/14
10303	EEAS.240/1A	WASHER, 'D'	1	L72	C	
	-	PIPES, hydraulic, between frames 39 and 44, port, assembly (E.B3.73.509) Spares for:-	-	-	-	
3947	E.B2.73.2159	ADAPTOR, bulkhead, aft of frame 43, services return line	1	S94, S95 or S96	C	73/1
		Attachments:-				
28D/9133011	A25/2C	Bolt, 2 BA, hex. head	3	-	C	73/2
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	3	-	C	73/3
7882	EEAS.20/3DP	Tab, locking	2	L16	C	73/4
28W/9419475	SP15/C	Washer, 2 BA, plain	2	-	C	73/5
3973	E.B2.73.197	BANJO, special, flap selector pipe connection at frame 43, services return line	1	S94, S95 or S96	C	73/6
19926	E.B4.73.773	BOBBIN, pipe clip spacing at frame 39 (Mod. 2039)	1	L64	C	
3948	E.B2.73.2133	BODY, banjo, filters, controls and services return line between frames 40 and 42	2	S94, S95 or S96	C	73/7
3881	E.B2.73.201	BOLT, banjo, special, for services return line filter connection at frame 42	1	S94, S95 or S96	C	73/8
3974	E.B2.73.203	BOLT, banjo, special, with cone head connection, at frame 43, services return line	1	S94, S95 or S96	C	73/9
3975	E.B2.73.2215	BOLT, banjo, special, with cone end, at filter connections aft of frame 41, controls return line	1	S94, S95 or S96	C	73/10
13233	E.B4.73.517	BRACKET, forward of frame 42 (Mod. 2039)	1	L72	C	73/37
3977	E.B2.73.3709	COUPLING, reducing, at frame 41, services suction line	1	S94, S95 or S96	C	73/11
8998	E.B3.73.1327	FAIRLEAD, for pipes at frame 44	1	-	C	73/12
		Attachments:-				
28D/1200119	A25/4C	Bolt, 2 BA, hex. head	6	-	C	73/13
28W/9419475	SP15/C	Washer, 2 BA, plain	6	-	C	73/14
23421	EEAS.554/6	FAIRLEAD, 1/2" pipe (Mod. 2039)	1	DTD560	C	73/38
23422	EEAS.556/6	FAIRLEAD, 1/2" pipe (Mod. 2039)	1	DTD560	C	73/39
23423	EEAS.556/4	FAIRLEAD, 3/8" pipe (Mod. 2039)	1	DTD560	C	73/40
23424	EEAS.554/4	FAIRLEAD, 3/8" pipe (Mod. 2039)	1	DTD560	C	73/41
23425	EEAS.556/2	FAIRLEAD, 1/4" pipe (Mod. 2039)	6	DTD560	C	73/42
23426	EEAS.554/2	FAIRLEAD, 1/4" pipe (Mod. 2039)	6	DTD560	C	73/43
3978	E.B2.73.2517	PIPE, assembly, from special connection aft of frame 31 to connection aft of frame 42, controls suction line	1	DTD743	C	73/15
3979	E.B2.73.2519	PIPE, assembly, from bulkhead connection at frame 43 to elbow aft of frame 45, services pressure line	1	DTD743	C	73/16
3980	E.B2.73.2521	PIPE, assembly, from bulkhead connection at frame 43 to elbow aft of frame 45, services return line	1	DTD743	C	73/17

SERVICES
HYDRAULIC EQUIPMENT IN REAR FUSELAGE

1497

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
3981	E.B2.73.2523	PIPE, assembly, from filter tee aft of frame 42 to flap selector tee at frame 43, services return line	1	DTD743	C	73/18
3982	E.B2.73.2525	PIPE, assembly, from connection at frame 41 to filter connection, services return line	1	DTD743	C	73/19
3983	E.B2.73.2527	PIPE, assembly, from filter tee aft of frame 40 to elbow aft of frame 45, controls return line	1	DTD743	C	73/20
20739	E.B4.73.971	PIPE, assembly, from non-return valve aft of frame 39 to filter aft of frame 40, controls pump return line (Mod. 2039)	1	30/166	C	73/21
3985	E.B2.73.2531	PIPE, assembly, from tee aft of frame 40 to filter connection, controls return line	1	DTD743	C	73/22
3986	E.B2.73.2533	PIPE, assembly, from tee at frame 43 to trailing edge flaps selector, services return line	1	DTD743	C	73/23
20738	E.B4.73.507	PIPE, assembly, from tee aft of frame 40 to trailing edge flaps selector, services pressure line (Mod. 2039)	1	30/166	C	73/24
3988	E.B2.73.2537	PIPE, assembly, from tee aft of frame 41 to filter, services return line	1	DTD743	C	73/25
3989	E.B2.73.2539	PIPE, assembly, from filter to coupling aft of frame 43, controls No. 2 oil filling line	1	DTD743	C	73/26
3990	E.B2.73.2541	PIPE, assembly, from trailing edge flap selector aft of frame 42 to diaphragm connection aft of frame 43, flaps 'down' line	1	DTD743	C	73/27
3991	E.B2.73.2543	PIPE, assembly, from trailing edge flap selector aft of frame 42 to diaphragm connection aft of frame 43, flaps 'up' line	1	DTD743	C	73/28
3992	E.B2.73.2545	PIPE, assembly, from trailing edge selector tee aft of frame 40 to coupling at frame 43, services pressure line	1	DTD743	C	73/29
3993	E.B2.73.2547	PIPE, assembly, from connection aft of frame 42 to special elbow aft of frame 45, controls suction line	1	DTD743	C	73/30
3994	E.B2.73.2601	PIPE, assembly, from coupling aft of frame 43 to coupling aft of frame 45, controls No. 1 oil filling line	1	DTD743	C	73/31
3995	E.B2.73.2603	PIPE, assembly, from coupling aft of frame 42 to coupling aft of frame 45, controls pressure line	1	DTD743	C	73/32
	E.B2.73.71	PLATE, washer, special, for bulkhead fitting at frame 43, services return line (Make from AGS.1157/7)	2	-	LM	73/33
	E.B2.73.239	PLATE, washer, special, for bulkhead fitting at frame 43, services pressure line (Make from AGS.1149/6, Ref. 28F/11081)	2	-	LM	73/34
3938	E.B2.73.2119	TEE, cone, aft of frame 41, services return line	2	S94, S95 or S96	C	73/35

SERVICES
HYDRAULIC EQUIPMENT IN REAR FUSELAGE

1498

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
3996	E.B2.73.2173	TEE, cone, trailing edge flaps selector aft of frame 40, services pressure line	1	S94, S95 or S96	C	73/36
10303	EEAS.240/1A	WASHER, 'D'	2	L72	C	
9842	EEAS.240/2A	WASHER, 'D'	2	L72	C	
		PIPES, hydraulic, between frames 42 and 45, above firefloor, port, assembly (E.B3 73.513)	-	-	-	
		Spares for:-				
	E.F2.73.731	BRACKET, fairlead attachment at frame 45 (Mod. 2039)	1	L72	-	74/1
		Attachments:-				
28D/9436920	A25/1C	Bolt, 2 BA, hex. head	2	-	C	74/2
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	-	C	74/3
28W/9419475	SP15/C	Washer, 2 BA, plain	2	-	C	74/4
	E.B4.73.615	FAIRLEAD, between frames 44 and 45 (Mod. 2039)	1	-	-	74/5
		Attachments:-				
28D/1011027	A25/27C	Bolt, 2 BA, hex. head	1	-	C	74/6
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	1	-	C	74/7
28W/9419475	SP15/C	Washer, 2 BA, plain	1	-	C	74/8
	E.F2.73.735	FAIRLEAD, forward of frame 45 (Mod. 2039)	1	-	-	74/9
		Attachments:-				
28D/1011019	A25/8C	Bolt, 2 BA, hex. head	2	-	C	74/10
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	-	C	74/11
28W/9419475	SP15/C	Washer, 2 BA, plain	2	-	C	74/12
9005	E.B3.73.1489	FAIRLEAD, between frames 44 and 45	1	-	C	74/13
		Attachments:-				
28D/9133014	A25/13C	Bolt, 2 BA, hex. head	2	-	C	74/14
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	-	C	74/15
28W/9419475	SP15/C	Washer, 2 BA, plain	2	-	C	74/16
9007	E.B3.73.1343	FAIRLEAD, at frame 43	1	-	C	74/17
		Attachments:-				
28D/9133012	A25/3C	Bolt, 2 BA, hex. head	6	-	C	74/18
28W/9419475	SP15/C	Washer, 2 BA, plain	6	-	C	74/19
9006	E.B3.73.1335	FAIRLEAD, at frame 42	1	-	C	74/20
		Attachments:-				
28D/9133012	A25/3C	Bolt, 2 BA, hex. head	6	-	C	74/21
28W/9419475	SP15/C	Washer, 2 BA, plain	6	-	C	74/22
4026	E.B2.73.3085	PIECE, four-way, aft of frame 44	1	S94, S95 or S96	C	74/23
4028	E.B2.73.2551	PIPE, assembly, from coupling aft of frame 39 to coupling aft of frame 43, port brake pressure line	1	DTD743	C	74/24
	E.B4.73.845	PIPE, assembly, from tee aft of frame 44 to firefloor connection aft of frame 43, trailing edge flap selector 'up' line (Mod. 2039)	1	30/166	-	74/25
4030	E.B2.73.2555	PIPE, assembly, from tee aft of frame 44 to firefloor connection aft of frame 43, trailing edge flap selector 'down' line	1	DTD743	C	74/26

SERVICES
HYDRAULIC EQUIPMENT IN REAR FUSELAGE

1499

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
4034	E.B2.73.2563	PIPE, assembly, from coupling aft of frame 39 to coupling aft of frame 43, undercarriage emergency line	1	DTD743	C	74/27
4035	E.B2.73.2565	PIPE, assembly, from tee aft of frame 39 to tee aft of frame 44, undercarriage 'up' line	1	DTD743	C	74/28
4036	E.B2.73.2567	PIPE, assembly, from tee aft of frame 39 to tee aft of frame 44, undercarriage 'down' line	1	DTD743	C	74/29
4031	E.B2.73.3305	PIPE, assembly, from tee aft of frame 44 to wing connection, undercarriage emergency line	1	DTD743	C	74/30
4032	E.B2.73.3307	PIPE, assembly, from tee aft of frame 44 to wing connection, flaps 'down' line	1	DTD743	C	74/31
4033	E.B2.73.3309	PIPE, assembly, from tee aft of frame 44 to wing connection, flaps 'up' line	1	DTD743	C	74/32
4027	E.B2.73.3311	PIPE, assembly, from coupling aft of frame 43 to wing connection, port brake pressure line	1	DTD743	C	74/33
4037	E.B2.73.3313	PIPE, assembly, from tee to port wing coupling aft of frame 44, undercarriage 'down' line	1	DTD743	C	74/54
4039	E.B2.73.3315	PIPE, assembly, from tee to port wing coupling aft of frame 44, undercarriage 'up' line	1	DTD743	C	74/35
4040	E.B2.73.3317	PIPE, assembly, from four-way piece to port wing coupling aft of frame 44, maxaret return line	1	DTD743	C	74/36
4041	E.B2.73.3587	PIPE, assembly, from coupling aft of frame 39 to four-way piece aft of frame 44, service suction line	1	DTD743	C	74/37
4038	E.B2.73.3665	PIPE, assembly, from coupling aft of frame 43 to tee coupling aft of frame 44, undercarriage emergency line	1	DTD743	C	74/38
	E.B4.73.547	PIPE, assembly, from four-way piece aft of frame 44 to pump flexible connection (Mod. 2039)	1	30/166	C	74/39
4044	E.B2.73.2115	TEE, special, cone, forward of frame 45	2	S94, S95 or S96	C	74/40
4045	E.B2.73.2117	TEE, special cone, aft of frame 44	2	S94, S95 or S96	C	74/41
4043	E.B2.73.2203	TEE, special, cone, forward of frame 45	1	S94, S95 or S96	C	74/42
	—	PIPES, hydraulic, between frames 46 and 49, above firefloor, starboard, assembly (E.B4.73.925) (Mod. 2039) Spares for:—	—	—	—	—
4046	E.B2.73.199	BODY, special banjo, by-pass filter filling pipe connections	2	S94, S95 or S96	C	75/1

SERVICES
HYDRAULIC EQUIPMENT IN REAR FUSELAGE

1500

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
3974	E.B2.73.203	BOLT, special cone head banjo, for by-pass filter pipe connections, services No. 2 and controls return line	4	S94, S95 or S96	C	75/2
9008	E.B3.73.1435	FAIRLEAD	3	—	C	75/3
28D/9133013	A25/5C	Attachments:— Bolt; 2:BA, hex. head	4	—	C	75/4
28D/7002428	A25/6C	Bolt; 2:BA, hex. head	2	—	C	75/5
28M/1278190	AGS.2001/C/1	Nut; stiff; 2 BA	6	—	C	75/6
28W/9419475	SP15/C	Washer; 2:BA, plain	6	—	C	75/7
	E.B2.73.7007	FAIRLEAD, forward of frame 49 (Mod. 2556)	1	—	—	75/8
28D/1017157	A25/25C	Attachments:— Bolt; 2:BA, hex. head	2	—	C	75/9
28M/1278190	AGS.2001/C/1	Nut; stiff; 2 BA	2	—	C	75/10
28W/9419475	SP15/C	Washer; 2:BA, plain	2	—	C	75/11
	E.B2.73.7011	FAIRLEAD, at frame 48 (Mod. 2556)	1	—	—	75/12
28D/9435710	A25/11C	Attachments:— Bolt; 2:BA, hex. head	2	—	C	75/13
28M/1278190	AGS.2001/C/1	Nut; stiff; 2 BA	2	—	C	75/14
28W/9419475	SP15/C	Washer; 2:BA, plain	2	—	C	75/15
34420	EEAS.21A/8GR	Washer; 'D'	2	L72	C	75/16
	E.B2.73.7015	FAIRLEAD, aft of frame 47 (Mod. 2556)	1	—	—	75/17
28D/9435710	A25/11C	Attachments:— Bolt; 2:BA, hex. head	2	—	C	75/18
28M/1278190	AGS.2001/C/1	Nut; stiff; 2 BA	2	—	C	75/19
	E.B2.73.6859	Packing	4	L73	—	75/20
28W/9419475	SP15/C	Washer; 2 BA, plain	2	—	C	75/21
23423	EEAS.556/4	FAIRLEAD, for 3/8" pipe	3	DTD560	C	75/22
23424	EEAS.554/4	FAIRLEAD, for 3/8" pipe	3	DTD560	C	75/23
23425	EEAS.556/2	FAIRLEAD, for 1/4" pipe	2	DTD560	C	
23426	EEAS.554/2	FAIRLEAD, for 1/4" pipe	2	DTD560	C	
	E.B3.73.1727	FILTER, controls No. 2 pressure, assembly (Mod. 1865)	1	—	C	76/1
		Consisting of:—				
4047	E.B2.73.2231	BODY; double banjo, at frame 49	1	S94	C	76/2
4048	E.B2.73.2233	BODY; special banjo	1	S94	C	76/3
28F/9423231	AGS.1135/D	BOLT; banjo	2	—	C	76/4
12543	E.B2.73.4485	FILTER, pressure, assembly	1	—	A	76/5
		Spares for:—				
	PALMER D.2100	KIT; set	1	—	—	76/6
		Consisting of:—				
	PALMER D.2101	CASING, inner	1	—	—	76/7
	PALMER D.20190	COVER, outlet	1	—	—	76/8
12140	PALMER D.2136	ELEMENT	1	—	A	76/9
12253	TECALEMIT 139063	SEAL, leather	2	—	C	76/10
12254	TECALEMIT 137514	SEAL, 'O' ring	2	—	C	76/11
28P/1006943	SP9/C6	Pin, split	1	—	C	76/12

SERVICES
HYDRAULIC EQUIPMENT IN REAR FUSELAGE

301

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
4060	E.B2.73.2157	PLUG, filter banjo, at frame 49	1	S1	C	76/13
28F/9428455	AGS.1186/D	SEAL, bonded	4	—	C	76/14
28F/9439527	AGS.954/B	SLEEVE, outer	1	—	C	76/15
	E.B3.73.1725	FILTER, services No. 2 pressure, assembly (Mod. 1865) Consisting of:—	1	—	—	76/16
4048	E.B2.73.2233	BODY, special banjo	1	S94	C	76/17
4049	E.B2.73.3241	BODY, double banjo, at frame 47	1	S94, S95 or S96	C	76/18
28F/9423231	AGS.1135/D	BOLT, banjo	2	—	C	76/19
12543	E.B2.73.4485	FILTER, pressure, assembly Spares for:—	1	—	A	76/20
	PALMER D.2100	KIT, set Consisting of:—	1	—	—	
	PALMER D.2101	CASING, inner	1	—	—	
	PALMER D.20190	COVER, outlet	1	—	—	
12140	PALMER D.2136	ELEMENT	1	—	A	
12253	TECALEMIT 139603	SEAL, leather	2	—	C	
12254	TECALEMIT 137514	SEAL, 'O' ring	2	—	C	
28P/1006943	SP9/C6	PIN, split	1	—	C	
4060	E.B2.73.2157	PLUG, filter banjo, at frame 47	1	S1	C	
28F/9428455	AGS.1186/D	SEAL, bonded	4	—	C	
28F/9439527	AGS.954/B	SLEEVE, outer	1	—	C	
7058	E.B3.73.1151	PIPE, assembly, transverse, from non-return valve between frames 46 and 47 to by pass filter at frame 46, services No. 2, pump return line	1	DTD743	C	75/24
4050	E.B2.73.2351	PIPE, assembly, from firefloor coupling forward of frame 49 to tee aft of frame 51 controls No. 2 suction line	1	DTD743	C	75/25
4052	E.B2.73.2355	PIPE, assembly from non-return valve at frame 47 to by-pass filter, controls No. 2, pump return line	1	DTD743	C	75/26
4054	E.B2.73.2359	PIPE, assembly, from by-pass filter tee aft of frame 46 to firefloor connection forward of frame 47, controls No. 2, return line	1	DTD743	C	75/27
4055	E.B2.73.2361	PIPE, assembly, from tee aft of frame 46 to by pass filter connection forward of frame 47, controls No. 2, return line	1	DTD743	C	75/28
20959	E.B4.73.619	PIPE, assembly, from tee forward of frame 47 to pressure filter connection at frame 49, controls No. 2, pressure line	1	30/166	C	75/29
20960	E.B4.73.579	PIPE, assembly, from tee forward of frame 47 to firefloor connection, controls No. 2, pressure line	1	30/166	C	75/30
4058	E.B2.73.2367	PIPE, assembly, from Avery coupling at frame 49 to pressure filter, controls No. 2, pressure line	1	DTD743	C	75/31

SERVICES
HYDRAULIC EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
20961	E.B4 73 621	PIPE, assembly, from by-pass filter forward of frame 47 to filling point connect on at frame 48	1	30/166	C	75/32
7746	E B2.73.5357	PIPE, assembly, from by-pass filter connection on frame 46 to coupling at firefloor, services return line	1	DTD743	C	75/33
5989	E B2 73 3891	PLATE, packing, by-pass filter	1	LFS21	C	75/34
26FZ/3412	EEAS.20/3DR	TAB, locking	4	L72	C	75/35
4045	E.B2.73 2117	TEE, special cone, aft of frame 47, controls No 2, pressure line	1	S94, S95 or S96	C	75/36
3938	E B2.73 2119	TEE, special cone, aft of frame 46, controls No 2, return line	1	S94, S95 or S96	C	75/37
4061	E.B2.73 3807	WASHER, special, corner, for fairlead at frame 48	2	L73	C	75/38
10303	EEAS 240/1A	WASHER, 'D'	1	L72	C	75/39
	-	PIPES, hydraulic, between frames 46 and 49, starboard, assembly (E B3.73.519)	-	-	-	-
		Spares for:-				
23421	EEAS 554/6	FAIRLEAD, 1/2" pipe (Mod. 2039)	2	DTD560	C	
23422	EEAS 556/6	FAIRLEAD, 1/2" pipe (Mod. 2039)	2	DTD560	C	
23423	EEAS.556/4	FAIRLEAD, 3/8" pipe (Mod. 2039)	5	DTD560	C	
23424	EEAS 554/4	FAIRLEAD, 3/8" pipe (Mod. 2039)	1	DTD560	C	
23425	EEAS 556/2	FAIRLEAD, 1/4" pipe (Mod. 2039)	3	DTD560	C	
23426	EEAS 554/2	FAIRLEAD, 1/4" pipe (Mod. 2039)	3	DTD560	C	
	E.B4.73 829	PIPE, assembly, from connection at firefloor to elbow connection forward of frame 49 controls No 2, suction line (Mod. 2039)	1	30/166	-	77/1
7060	E.B3.73 1015	PIPE, assembly from connection at firefloor aft of frame 47 to coupling at frame 50, controls No. 2, pressure line	1	DTD743	C	77/2
7062	E B3.73.1017	PIPE, assembly from connection at firefloor forward of frame 47 to hydraulic reservoir tee connection, controls No. 2, return line	1	DTD743	C	77/3
	E B3.73.1707	PIPE, assembly transverse, from firefloor connection at frame 46, services return line	1	30/166	-	77/4
	E.B4 73 505	PIPE, assembly, from connection forward of frame 50 to connection at frame 44, autostabiliser pressure line (Mod. 2039)	1	30/166	-	77/5
10303	EEAS 240/1A	WASHER, 'D'	2	L72	C	
	-	PIPES, hydraulic, between frames 48 and 50, for tailplane feel unit and autostabiliser, assembly (E B4.73.949) (Mod. 2039)	-	-	-	-
		Spares for:-				
6079	E.B2.73.4309	BANJO, special, at frame 50, autostabiliser return line	1	S94, S95 or S96	C	78/1
7766	E B2.73.4401	BANJO, special, feel unit flexible pipe connection	1	S94, S95 or S96	C	78/2
4087	E.B2.73.2137	BOLT, special, banjo, feel unit flexible pipe connection	1	S94, S95 or S96	C	78/3

1502

SERVICES
HYDRAULIC EQUIPMENT IN REAR FUSELAGE

1503

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
4088	E.B2.73.3199	BRACKET, swivel coupling mounting at frame 49	1	L65	C	78/4
28D/9436920	A25/1C	Attachments: - Bolt, 2 BA, hex. head	2	-	C	78/5
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	-	C	78/6
28W/9419475	SP15/C	Washer, 2 BA, plain	2	-	C	78/7
9029	E.B3.73.1645	ELBOW, special, through frame 48, feel unit drain line	1	S94	C	78/8
23425	EEAS.556/2	FAIRLEAD, for 1/4" pipe	3	DTD560	C	78/9
23426	EEAS.554/2	FAIRLEAD, for 1/4" pipe	3	DTD560	C	78/10
3863	E.B2.73.295	FITTING, bulkhead, at frame 50, autostabiliser return line	1	DTD423	C	78/11
28D/1008149	A25/2B	Attachments: - Bolt, 4 BA, hex. head	3	-	C	78/12
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	3	-	C	78/13
7067	E.B3.73.713	PIPE, assembly from autostabiliser connection to connection at frame 50 return line (Pre Mod. 2317)	1	DTD743	C	78/22
22487	E.F2.73.2119	PIPE, assembly, from autostabiliser connection to connection at frame 50, return line (Mod. 2317)	1	30/166	C	78/14
7068	E.B2.73.4553	PIPE, assembly, from connection at frame 50 to autostabiliser connection, pressure line (Pre Mod. 2317)	1	DTD743	C	78/23
22488	E.F2.73.2121	PIPE, assembly from connection at frame 50 to autostabiliser connection, pressure line (Mod. 2317)	1	30/166	C	78/15
20964	E.B4.73.903	PIPE, assembly, from connection forward of frame 49, to feel unit swivel coupling, pressure line connection	1	30/166	-	78/16
	E.B4.73.693	PIPE, assembly between bulkhead connection at feel unit heat shield and coupling forward of frame 49, feel unit pressure line	1	30/166	-	78/17
11884	E.B2.73.4399	PLATE, washer, bulkhead fitting at frame 50	1	S510	C	78/18
26FZ/981	EEAS.20/2DR	TAB, locking	1	L72	C	78/19
26FZ/3412	EEAS.20/3DR	TAB, locking	1	L72	C	78/20
9030	E.B3.73.1647	UNION, cone reducing, at frame 50, autostabiliser pressure line	1	S94	C	78/21
	-	PIPES, hydraulic, between frames 53 and 55, port, assembly (E.B4.73.953) (Mod. 2039)	-	-	-	-
		Spares for: -				
19958	E.B4.73.795	BOBBIN, pipe clip spacing	3	L64	C	79/1
	EEAS.552/6	BOBBIN, pipe clip spacing	1	L65	-	79/2
	E.B4.73.827	FAIRLEAD, aft of frame 53	4	-	-	79/3
28D/9140644	A25/9C	Attachments: - Bolt, 2 BA, hex. head	3	-	C	79/4
28D/9140645	A25/10C	Bolt, 2 BA, hex. head	1	-	C	79/5
28M/1278190	AGS.2001/C/1	Nut, stiff, 4 BA	4	-	C	79/6
28W/9419475	SP15/C	Washer, 2 BA, plain	4	-	C	79/7
23421	EEAS.554/6	FAIRLEAD, for 1/2" pipe	7	DTD560	C	79/8
23422	EEAS.556/6	FAIRLEAD, for 1/2" pipe	3	DTD560	C	79/9
23423	EEAS.556/4	FAIRLEAD, for 3/8" pipe	2	DTD560	C	79/10
23424	EEAS.554/4	FAIRLEAD, for 3/8" pipe	2	DTD560	C	79/11

SERVICES
HYDRAULIC EQUIPMENT IN REAR FUSELAGE

1504

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
7073	E.B3.73.499	PIPE, assembly, from coupling aft of frame 53 to air brake selector, services pressure line	1	DTD743	C	79/12
20967	E.B4.73.639	PIPE, assembly, from coupling aft of frame 53 to air brake selector, services return line	1	30/166	-	79/13
	E.B4.73.699	PIPE, assembly from coupling forward of frame 54 to coupling aft of frame 53, air brake out line	1	30/166	-	79/14
7081	E.B3.73.703	PIPE, assembly, from air brake selector tee at frame 53 to coupling aft of frame 53, air brake 'out' line	1	DTD743	C	79/15
7077	E.B3.73.705	PIPE, assembly, transverse, between couplings aft of frame 53, air brake 'out' line	1	DTD743	C	79/16
20970	E.B4.73.801	PIPE, assembly from air brake selector at frame 54 to coupling forward of frame 54, air brake 'out' line	1	30/166	C	79/17
	E.B4.73.701	PIPE, assembly between transverse pipe tee and coupling aft of frame 53, air brake 'in' line	1	30/166	-	79/18
4098	E.B2.73.4085	PIPE, assembly, from air brake selector at frame 55 to reduction tee	1	DTD743	C	79/19
4097	E.B2.73.4087	PIPE, assembly, from air brake selector reduction tee to tee at frame 55, air brake 'in' line	1	DTD743	C	79/20
4096	E.B2.73.4089	PIPE, assembly from tee at frame 55 to port air brake lock jack bulkhead pipe connection, 'in' line	1	DTD743	C	79/21
4091	E.B2.73.5397	PIPE, assembly, from air brake selector tee aft of frame 54 to transverse pipe tee aft of frame 53, air brake 'in' line	1	DTD743	C	79/22
3864	E.B2.73.215	TEE, cone coupling reduction, air brake selector at frame 54	1	S95	C	79/23
3850	E.B1.73.1173	TEE, coupling, aft of frame 54, for parachute selector return line connection	1	L65	C	79/24
10303	EEAS.240/1A	WASHER, 'D'	3	L72	C	79/25
	-	PIPES, hydraulic, between frames 55 and 56, starboard, assembly (E.B4.73.1003) (Mod. 2039) Spares for:-	-	-	-	
9952	E B3.73.135	ACCUMULATOR, tailplane, assembly Consisting of:-	1	-	C	80/1
27QM/30351	BRITISH MESSIER A.1019	ACCUMULATOR	1	-	A	80/2
3852	E.B1.73.1849	ADAPTOR, special, pipe connection	1	S96	C	80/3
28F/8011809	AGS.1104/B	CONE, adaptor, 1/4" BSP	1	-	C	80/4
28F/9428453	AGS.1186/B	SEAL, bonded	1	-	C	80/5
9026	E.B3.73.1569	ADAPTOR, special cone, control No. 2 pressure switch pipe connection	1	S94	C	81/1
	E.B3.73.133	BOTTLE, air, sub-assembly Consisting of:-	1	-	-	80/6
3851	E.B1.73.277	ADAPTOR, special, pipe connecting	1	L65	C	80/7
28F/9439533	AGS.1129/B	BODY, banjo, 1/4" BSP	1	-	C	80/8
28F/9423227	AGS.1135/B	BOLT, banjo	1	-	C	80/9
27QM/30206	BRITISH MESSIER 8607	BOTTLE, air	1	-	A	80/10

SERVICES
HYDRAULIC EQUIPMENT IN REAR FUSELAGE

1505

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
28F/9428453 13233	AGS.1186/B	SEAL, bonded	3	-	C	80/11
	E.B4.73.517	BRACKET, pipe clip attachment aft of frame 55	1	L72	C	
	E.B4.07.21	BRACKET, clip and fairlead attachment aft of frame 55 (E.B4.73.741)	1	L72	-	
28D/9133011 28M/1278190 28W/9419404	A25/2C	Attachments:- Bolt, 2:BA, hex. head	2	-	C	
	AGS.2001/C/1	Nut, stiff; 2 BA	2	-	C	
	SP16/C	Washer, 2:BA, plain	2	-	C	
	E.B4.07.23	BRACKET, clip and fairlead attachment aft of frame 55 (E.B4.73.743)	1	L72	-	
28D/9133011 28M/1278190 28W/9419404	A25/2C	Attachments:- Bolt, 2:BA, hex. head	2	-	C	
	AGS.2001/C/1	Nut, stiff; 2 BA	2	-	C	
	SP16/C	Washer, 2:BA, plain	2	-	C	
9001	E.B3.73.1409	FAIRLEAD, at frame 55	1	-	C	81/2
28D/1215673 28M/1278190 28W/9419475	A59/17C	Attachments:- Bolt, 2:BA, hex. head	2	-	C	81/3
	AGS.2001/C/1	Nut, stiff; 2 BA	2	-	C	81/4
	SP15/C	Washer, 2:BA, plain	2	-	C	81/5
23421	EEAS.554/6	FAIRLEAD, for 1/2" pipe	1	DTD560	C	81/27
23422	EEAS.556/6	FAIRLEAD, for 1/2" pipe	1	DTD560	C	81/28
23425	EEAS.556/2	FAIRLEAD, for 1/4" pipe	5	DTD560	C	81/29
23426	EEAS.554/2	FAIRLEAD, for 1/4" pipe	5	DTD560	C	81/30
23427	EEAS.554/1	FAIRLEAD, for 3/16" pipe	1	DTD560	C	
23428	EEAS.556/1	FAIRLEAD, for 3/16" pipe	1	DTD560	C	
	E.B1.73.1285	PACKING, accumulator mounting, 1/16" x 11".75 x 1"	1	Neoprene Shore 40-45	LM	80/12
	E.B1.73.1287	PACKING, air bottle mounting	1	Neoprene Shore 40-45	LM	80/13
20971	E.B4.73.731	PIPE, assembly, from air pressure accumulator and charging valve reduction tee to connection aft of frame 55	1	30/166	C	81/6
6938	E.B3.73.723	PIPE, assembly, from connection aft of frame 55 to 200 PSI air pressure gauge, nitrogen line	1	DTD743	C	81/7
6946	E.B3.73.727	PIPE, assembly, from tee aft of frame 55 to 4,000 PSI pressure gauge, tailplane accumulator, nitrogen charging line	1	DTD743	C	81/8
	E.B4.73.785	PIPE, assembly, from micronic filter to autostabiliser tee, pressure line	1	30/166	-	81/9
6930	E.B3.73.735	PIPE, assembly, inter-connection, between tailplane air bottle and accumulator, nitrogen line	1	DTD743	C	81/10
20973	E.B4.73.763	PIPE, assembly, from pressure gauge tee aft of frame 55 to tailplane air bottle connection, nitrogen charging line	1	30/166	C	81/11
6957	E.B3.73.739	PIPE, assembly, from 4,000 PSI pressure gauge tee aft of frame 55 to charging valve connection, nitrogen line	1	DTD743	C	81/12
6955	E.B3.73.741	PIPE, assembly, from tee forward of frame 56 to tee aft of frame 56, autostabiliser pressure line	1	DTD743	C	81/13

SERVICES
HYDRAULIC EQUIPMENT IN REAR FUSELAGE

1506

Ref. No.	Part No.	Description	No. off	Mati. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
6942	E.B3.73.743	PIPE, assembly, from coupling aft of frame 55 to micron filter coupling, autostabiliser pressure line	1	DTD743	C	81/14
6949	E.B3.73.747	PIPE, assembly, from autostabiliser return pipe tee forward of frame 56 to feel simulator control tee	1	DTD743	C	81/15
6940	E.B3.73.749	PIPE, assembly from autostabiliser pressure line tee to coupling aft of frame 55, drain line	1	DTD743	C	81/16
6947	E.B3.73.751	PIPE, assembly between couplings aft of frame 55, tailplane feel unit pressure line	1	DTD743	C	81/17
20974	E.B4.73.765	PIPE, assembly, from non-return valve aft of frame 55 to tailplane accumulator special coupling, pressure line	1	30/166	-	81/18
6928	E.B3.73.755	PIPE, assembly, from pressure switch reduction tee forward of frame 55 to non-return valve aft of frame 55, tailplane pressure line	1	DTD743	C	81/19
6934	E.B3.73.757	PIPE, assembly, from tailplane accumulator connection to special pipe coupling, pressure line	1	DTD743	C	81/20
6936	E.B3.73.759	PIPE, assembly, from tailplane accumulator special pipe coupling to special coupling aft of frame 56, tailplane pressure line	1	DTD743	C	81/21
9953	E.B3.73.919	PIPE, assembly, from coupling aft of frame 55 to selector connection aft of frame 56, tailplane feel unit pressure line	1	DTD743	C	81/22
3854	E.B2.73.4091	PIPE, assembly, from tee at frame 55 to starboard bulkhead pipe connection, air brake 'in' line	1	DTD743	C	81/23
6923	E.B2.73.5393	PIPE, assembly, from reduction tee forward of frame 55 to pressure switch aft of frame 56, tailplane pressure line	1	DTD743	C	81/24
26FZ/3412	EEAS.20/3DR	TAB, locking, charging valve connecting block	1	L72	C	80/14
3855	E.B1.73.1017	TEE, special reduction cone, in tailplane pressure line	1	DTD743	C	81/25
4021	E.B2.73.3153	TEE, special cone, aft of frame 55, nitrogen line	1	S94, S95 or S96	C	81/26
9949	E.B3.73.113	VALVE, charging, tailplane, assembly Consisting of:-	1	-	B	80/15
3820	E.B1.73.1275	BLOCK, connection, valve mounting	1	L65	C	80/16
28F/9439533	AGS.1129/B	BODY, banjo	1	-	C	80/17
28F/9423227	AGS.1135/B	BOLT, banjo	1	-	C	80/18
28F/9428453	AGS.1186/B	SEAL, bonded	3	-	C	80/19
28Y/15486	H.P. COMPS. A.58	VALVE	1	-	C	80/20
10303	EEAS.240/1A	WASHER, 'D'	12	L72	C	
-	-	PIPES, hydraulic, between frames 25 and 34, starboard, assembly (E.B4.73.551) (Mod. 2039) Spares for:-	-	-	-	
13233	E.B4.73.517	BRACKET, fairlead mounting (Mod. 2039)	4	L72	C	82/1

SERVICES
HYDRAULIC EQUIPMENT IN REAR FUSELAGE

1507

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.B4.73.659	BRACKET, fairlead mounting at frame 31 (Mod. 2039)	1	L72	—	82/2
	E.B4.73.533	FAIRLEAD, at frames 29 and 31 (Mod. 2039)	2	—	—	82/3
28D/9140644	A25/9C	Attachments:— Bolt, 2 BA, hex. head	4	—	C	82/4
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	4	—	C	82/5
28W/9419475	SP15/C	Washer, 2 BA	4	—	C	82/6
	E.B4.73.541	FAIRLEAD, at frame 27 (Mod. 2039)	1	—	—	82/7
28D/9140644	A25/9C	Attachments:— Bolt, 2 BA, hex. head	2	—	C	82/8
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	82/9
28W/9419475	SP15/C	Washer, 2 BA	2	—	C	82/10
	E.B4.73.651	FAIRLEAD, at and aft of frame 31 (Mod. 2039)	2	—	—	82/11
28D/1010030	A25/7C	Attachments:— Bolt, 2 BA, hex. head	4	—	C	82/12
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	4	—	C	82/13
28W/9419475	SP15/C	Washer, 2 BA	4	—	C	82/14
	E.B4.73.967	FAIRLEAD, forward of frame 27 (Mod. 2039)	1	—	—	82/15
28D/9140644	A25/9C	Attachments:— Bolt, 2 BA, hex. head	4	—	C	82/16
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	4	—	C	82/17
28W/9419475	SP15/C	Washer, 2 BA	4	—	C	82/18
23421	EEAS.554/6	FAIRLEAD, 1/2" pipe (Mod. 2039)	1	DTD560	C	82/19
23422	EEAS.556/6	FAIRLEAD, 1/2" pipe (Mod. 2039)	1	DTD560	C	82/20
23423	EEAS.556/4	FAIRLEAD, 3/8" pipe (Mod. 2039)	1	DTD560	C	82/21
23424	EEAS.554/4	FAIRLEAD, 3/8" pipe (Mod. 2039)	1	DTD560	C	82/22
23425	EEAS.556/2	FAIRLEAD, 1/4" pipe (Mod. 2039)	1	DTD560	C	82/23
23426	EEAS.554/2	FAIRLEAD, 1/4" pipe (Mod. 2039)	1	DTD560	C	82/24
	E.B4.73.529	PIPE, assembly, from coupling aft of frame 26 to coupling at frame 34, controls No. 2 return line	1	30/166	—	82/25
	E.B4.73.915	PIPE, assembly, from non-return valve aft of frame 26 to coupling at frame 34, controls No. 2 pressure line	1	30/166	—	82/26
	E.B4.73.521	PIPE, assembly, from coupling aft of frame 29 to coupling at frame 34, starboard brake line	1	30/166	—	82/27
	E.B4.73.519	PIPE, assembly, from coupling aft of frame 27 to coupling aft of frame 29, brake pressure line	1	30/166	—	82/28
	E.B4.73.525	PIPE, assembly, from coupling at frame 34, to coupling forward of frame 27, autostabiliser pressure line	1	30/166	—	82/29
	E.B4.73.685	PIPE, assembly, from coupling aft of frame 22 to coupling aft of frame 27, starboard brake line	1	30/166	—	82/30
10303	EEAS.240/1A	WASHER, 'D'	5	L72	C	82/31

SERVICES
HYDRAULIC EQUIPMENT IN REAR FUSELAGE

1508

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	-	PIPES, hydraulic, between frames 57 and 60, port, assembly (E.B3.73.549)	-	-	-	M83
		Spares for:-				
7041	E.B3.73.819	PIPE, assembly, from tee coupling aft of frame 59 to three way parachute selector connection, pressure line	1	DTD743	C	83/1
7040	E.B3.73.821	PIPE, assembly, from tee coupling aft of frame 59 to three-way parachute selector connection, return line	1	DTD743	C	83/2
	E.B3.73.1749	SELECTOR, 3-way, parachute, assembly (Pre-Mod 4345)	1	-	-	
	E.B3.73.1751	SELECTOR, 3 way, parachute, assembly (Mod. 4345)	1	-	-	83/3
		Consisting of:-				
3899	E.B1.73.147	BODY, special banjo	3	L65	C	83/4
28F/9423229	AGS.1135/C	BOLT, banjo, 3/8" BSP	3	-	C	83/5
28F/9429532	AGS.1186/C	SEAL, bonded, 3/8" BSP	6	-	C	83/6
27QM/71225	DOWTY ROTOL 1.02464.001	SELECTOR, 3-way (Pre-Mod. 4345)	1	-	A	
27QM/1448471	DOWTY ROTOL 1.02835.001	SELECTOR, 3-way (Mod. 4345)	1	-	A	83/7
	-	PIPES, hydraulic, between frames 57 and 60, starboard, assembly (E.B4.73.943) (Mod. 2039)	-	-	-	
		Spares for:-				
19926	E.B4.73.773	BOBBIN, pipe clip spacing	2	L64	C	
13233	E.B4.73.517	BRACKET, pipe clip attachment at frame 59	1	L72	C	
23423	EEAS.556/4	FAIRLEAD, for 3/8" pipe	2	DTD560	C	
7053	E.B3.73.807	PIPE, assembly, from coupling at frame 59 to connection at frame 60, controls No. 1, rudder jack pressure line	1	DTD743	C	83/8
7046	E.B3.73.809	PIPE, assembly, from parachute door jack connection to connection aft of frame 59, door 'open' line	1	DTD743	C	83/9
7050	E.B3.73.811	PIPE, assembly, from parachute door jack connection to connection aft of frame 59, return line	1	DTD743	C	83/10
7054	E.B3.73.813	PIPE, assembly, from coupling at frame 59 to rudder jack and selector tee, pressure line	1	DTD743	C	83/11
7048	E.B3.73.815	PIPE, assembly, from connection aft of frame 59 to parachute selector connection, door 'open' line	1	DTD743	C	83/12
7052	E.B3.73.817	PIPE, assembly, from connection aft of frame 59 to selector tee return line	1	DTD743	C	83/13
10303	EEAS.240/1A	WASHER, 'D'	6	L72	C	
	-	PIPES, hydraulic, between frames 56 and 57, starboard, assembly (E.B3.73.547)	-	-	-	
		Spares for:-				
	E.B4.73.773	BOBBIN, fairlead spacing at frame 56 (Mod. 2039)	1	L64	-	84/1

SERVICES
HYDRAULIC EQUIPMENT IN REAR FUSELAGE

1509

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.B4.73.1021	BRACKET, fairlead mounting, forward of frame 57 (Mod. 2039)	1	L72	—	84/2
28D/1010658	A25/1B	Attachments:— Bolt, 4:BA, hex. head	2	—	C	84/3
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	2	—	C	84/4
28W/9419474	SP15/B	Washer, 4:BA	2	—	C	84/5
	E.B4.73.759	FAIRLEAD, forward of frame 57 (Mod. 2039)	2	—	—	84/6
28D/9436821	A25/7C	Attachments:— Bolt, 2:BA, hex. head	4	—	C	84/7
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	4	—	C	84/8
28W/9419475	SP15/C	Washer, 2:BA, plain	4	—	C	84/9
	E.B4.73.1037	FAIRLEAD, forward of frame 57 (Mod. 2039)	1	—	—	84/10
28D/9436822	A25/10C	Attachments:— Bolt, 2:BA, hex. head	2	—	C	84/11
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	84/12
28W/9419475	SP15/C	Washer, 2:BA	2	—	C	84/13
9009	E.B3.73.1315	FAIRLEAD, half, aft of frame 56	2	—	C	84/14
28D/9133012	A25/3C	Attachments:— Bolt, 2:BA, hex. head	6	—	C	84/15
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	6	—	C	84/16
28W/9419475	SP15/C	Washer, 2:BA, plain	6	—	C	84/17
23425	EEAS.556/2	FAIRLEAD, at frame 56 (Mod. 2039)	1	DTD560	C	84/18
23426	EEAS.554/2	FAIRLEAD, at frame 56 (Mod. 2039)	1	DTD560	C	84/19
28D/9436822	A25/10C	Attachments:— Bolt, 2:BA, hex. head	1	—	C	84/20
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	1	—	C	84/21
28W/9419475	SP15/C	Washer, 2:BA	1	—	C	84/22
6961	E.B3.73.767	PIPE, assembly, from tee aft of frame 56 to tailplane motor valve drain connection	1	DTD743	C	84/23
6965	E.B3.73.769	PIPE, assembly, bulkhead connection to tailplane motor tee aft of frame 56, pressure line	1	DTD743	C	84/24
6993	E.B3.73.771	PIPE, assembly, from tee aft of frame 56 to feel simulator control unit connection	1	DTD743	C	84/25
20752	E.B4.73.643	PIPE, assembly, from charging valve to reducing tee forward of frame 57, nitrogen line (Mod. 2039)	1	30/166	C	84/26
20753	E.B4.73.637	PIPE, assembly, from charging valve tee to air pressure accumulator, nitrogen line (Mod. 2039)	1	30/166	C	84/27
6989	E.B3.73.777	PIPE, assembly, from bulkhead coupling aft of frame 56 to rudder jack flexible connection, controls No. 2 pressure line	1	DTD743	C	84/28
6991	E.B3.73.779	PIPE, assembly, from tee aft of frame 56 to selector connection	1	DTD743	C	84/29

SERVICES
HYDRAULIC EQUIPMENT IN REAR FUSELAGE

1510

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
20754	E.B4.73.997	PIPE, assembly, from selector connection to feel simulator control unit (Mod. 2039)	1	30/166	C	84/30
6974	E.B3.73.783	PIPE, assembly, from aft of frame 56 to feel simulator control unit connection, autostabiliser return line	1	DTD743	C	84/31
6997	E.B3.73.785	PIPE, assembly, from bulkhead coupling aft of frame 56 to rudder jack flexible connection, controls No. 1 return line	1	DTD743	C	84/32
6995	E.B3.73.787	PIPE, assembly, from bulkhead coupling aft of frame 56 to rudder jack flexible connection, controls No. 2 return line	1	DTD743	C	84/33
6959	E.B3.73.789	PIPE, assembly, from bulkhead coupling to special tee aft of frame 56, controls return line	1	DTD743	C	84/24
6981	E.B3.73.791	PIPE, assembly, transverse, on frame 56, between bulkhead coupling and hydraulic motor unit tee piece, rudder jack No. 1 return line	1	DTD743	C	84/35
6986	E.B3.73.793	PIPE, assembly, from by-pass valve at frame 57 to feel unit swivel coupling assembly at frame 56	1	DTD743	C	84/36
6963	E.B3.73.795	PIPE, assembly, from simulator control tee to selector between frames 56 and 57, autostabiliser return line	1	DTD743	C	84/37
6984	E.B3.73.797	PIPE, assembly, from by-pass valve connection to undercarriage selector connection	1	DTD743	C	84/38
6967	E.B3.73.803	PIPE, assembly, from elbow aft of frame 56 to tailplane motor connection, controls return line	1	DTD743	C	84/65
6969	E.B3.73.805	PIPE, assembly, from tee aft of frame 56 to tailplane motor connection, pressure line	1	DTD743	C	84/39
6970	E.B2.73.5323	PIPE, assembly, from by-pass valve at frame 57 to tee piece forward of frame 57	1	DTD743	C	84/40
6987	E.B2.73.5325	PIPE, assembly, from tee piece forward of frame 57 to feel unit, pressure connection	1	DTD743	C	84/41
6988	E.B2.73.5327	PIPE, assembly, from tee piece forward of frame 57 to undercarriage, selector connection	1	DTD743	C	84/42
7670	E.B2.73.5361	PIPE, assembly, from by-pass connector at frame 57 to connection aft of frame 56, undercarriage emergency line	1	DTD743	C	84/43
7672	E.B2.73.5363	PIPE, assembly, from by-pass connection at frame 57 to connection aft of frame 56, undercarriage 'down' line	1	DTD743	C	84/44
7674	E.B2.73.5365	PIPE, assembly, from by-pass valve connection at frame 57 to connection aft of frame 56, undercarriage 'up' line	1	DTD743	C	84/45
7673	E.B2.73.5367	PIPE, assembly, from connection aft of frame 56 to coupling at frame 56, undercarriage 'down' line	1	DTD743	C	84/46
7675	E.B2.73.5369	PIPE, assembly, from connection aft of frame 56 to coupling at frame 56, undercarriage 'up' line	1	DTD743	C	84/47

SERVICES
HYDRAULIC EQUIPMENT IN REAR FUSELAGE

1511

Ref. No.	Part No.	Description	No. off	Mtl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
7671	E.B2.73.5371	PIPE, assembly, from connection aft of frame 56 to coupling at frame 56, undercarriage emergency line	1	DTD743	C	84/48
26FZ/980	EEAS.20/1DR	TAB, locking, charging valve safety chain attachment	1	L72	C	84/49
26FZ/981	EEAS.20/2DR	TAB, locking	6	L72	C	84/50
3864	E.B2.73.215	TEE, special reduction cone, No. 2 pressure line	1	S95	C	84/51
3841	E.B1.73.1003	TEE, special, aft of frame 56, controls return line	1	L65	C	84/52
3860	E.B2.73.2127	TEE, special, charging valve	1	S94, S95 or S96	C	84/53
9949	E.B3.73.113	VALVE, charging, assembly Consisting of:--	1	—	B	84/54
3820	E.B1.73.1275	BLOCK, connection, valve mounting	1	DTD423	C	84/55
28F/9439533	AGS.1129/B	BODY, banjo	1	—	C	84/56
28F/9423227	AGS.1135/B	BOLT, banjo	1	—	C	84/57
28F/9428453	AGS.1186/B	SEAL, bonded	3	—	C	84/58
28Y/15486	H.P. COMPS. A.58	VALVE, inflation	1	—	C	84/59
	E.B3.73.1641	VALVE, feel by-pass, rudder, at frame 57, assembly Spares for:--	1	—	—	84/60
6442	E.B3.73.173	BODY, special banjo	2	S94, S95 or S96	C	84/61
3857	E.B1.73.1837	BODY, special banjo	3	—	C	84/62
4068	E.B2.73.3189	BOLT, special banjo	2	S94	C	84/63
27QM/30235	DOWTY ROTOL	VALVE, by-pass	1	—	B	84/64
	8521					
10303	EEAS.240/1A	WASHER, 'D' PIPES, flexible, rudder jack, assembly (E.B3.73.557) Spares for:--	4	L72	C	
5951	E.B3.73.159	BODY, special union, frame 60, flexible pipe connection, No. 2 controls return line	1	L65	C	83/14
5302	E.B2.73.3859	BODY, special union, frame 60, flexible pipe connection, No. 1 controls return line	1	L65	C	83/15
5303	E.B2.73.3875	BODY, special union, frame 60, flexible pipe connection, Nos. 1 and 2 controls pressure line	2	L65	C	83/16
	—	PIPES, hydraulic, between frames 55 and 57, port, assembly (E.B4.73.945) (Mod. 2039) Spares for:--	—	—	—	
9952	E.B3.73.135	ACCUMULATOR, tailplane, assembly Consisting of:--	1	—	C	85/1
27QM/30351	DOWTY ROTOL	ACCUMULATOR	1	—	A	85/2
	A.1019					
3852	E.B1.73.1849	ADAPTOR, special, pipe connection	1	S96	C	85/3
28F/8011809	AGS.1104/B	CONE, adaptor	1	—	C	85/4
28F/9428453	AGS.1186/B	SEAL, bonded	1	—	C	85/5
28F/9429532	AGS.1186/C	Seal, bonded	1	—	C	85/6

Restricted

Page ML30

**SERVICES
HYDRAULIC EQUIPMENT IN REAR FUSELAGE**

1512

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.B3.73.133	BOTTLE, air, sub-assembly Consisting of:-	1	-	-	85/7
3851	E.B1.73.277	ADAPTOR, special, pipe connection	1	L65	C	85/8
28F/9439533	AGS.1129/B	BODY, banjo, 1/4" BSP	1	-	C	85/9
28F/9423227	AGS.1135/B	BOLT, banjo	1	-	C	85/10
27QM/30206	DOWTY ROTOL	BOTTLE, air	1	-	A	85/11
	8607					
28F/9428453	AGS.1186/B	SEAL, bonded	3	-	C	85/12
3861*	E.B2.73.53	BRACKET, charging valve bulkhead coupling mounting	1	L72	C	85/13
21487	E.B2.07.697	BRACKET, charging valve bulkhead coupling mounting (E.B2.73.53)	1	L72	C	
		Attachments:-				
28D/9436920	A25/1C	Bolt, 2 BA, hex. head	4	-	C	85/14
28M/1278190	AGS.2001/C/1	Nut, 2 BA, stiff	4	-	C	85/15
26FZ/981	EEAS.20/2DR	Tab, locking	1	L72	C	85/16
28M/9419475	SP15/C	Washer, 2 BA, plain	4	-	C	85/17
13233	E.B4.73.517	BRACKET, aft of frame 56	1	L72	C	86/24
	E.B4.73.713	FAIRLEAD, at and aft of frame 56	2	-	-	86/25
9002	E.B3.73.1363	FAIRLEAD, for pipes through frame 56	1	-	C	86/1
		Attachments:-				
28D/9133012	A25/3C	Bolt, 2 BA, hex. head	8	-	C	86/2
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	8	-	C	86/3
28W/9419475	SP15/C	Washer, 2 BA, plain	8	-	C	86/4
23425	EEAS.556/2	FAIRLEAD, for 1/4" pipe	1	DTD560	C	86/26
23426	EEAS.554/2	FAIRLEAD, for 1/4" pipe	1	DTD560	C	86/27
	E.B1.73.1285	PACKING, accumulator mounting, 1/16" x 11".75 x 1" (Make from 32C/618)	1	Neoprene Shore 40-45	LM	85/18
	E.B1.73.1287	PACKING, air bottle mounting, 1/16" x 11".5 x 1" (Make from 32C/618)	1	Neoprene Shore 40-45	LM	85/19
7016	E.B3.73.823	PIPE, assembly, 4,000 PSI pressure gauge connection from tee aft of frame 56, air bottle nitrogen charging line	1	DTD743	C	86/5
6999	E.B3.73.825	PIPE, assembly, connecting air bottle and accumulator between frames 55 and 56, nitrogen line	1	DTD743	C	86/6
7014	E.B3.73.827	PIPE, assembly, from 4,000 PSI pressure gauge tee aft of frame 56 to charging valve, nitrogen line	1	DTD743	C	86/7
7002	E.B3.73.829	PIPE, assembly, from bulkhead coupling on diaphragm aft of frame 56 to parachute selector tee aft of frame 59, return line	1	DTD743	C	86/8
7019	E.B3.73.831	PIPE, assembly, from bulkhead coupling on diaphragm aft of frame 56 to 4,000 PSI pressure gauge tee, air bottle nitrogen charging line	1	DTD743	C	86/9
7000	E.B3.73.833	PIPE, assembly, from bulkhead couplings on diaphragm aft of frame 56 to parachute selector tee aft of frame 59, pressure line	1	DTD743	C	86/10

SERVICES
HYDRAULIC EQUIPMENT IN REAR FUSELAGE

1513

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
7006	E.B3.73.835	PIPE, assembly, from hydraulic motor unit special reduction tee aft of frame 56 to bulkhead coupling on diaphragm, parachute selector pressure line	1	DTD743	C	86/11
7008	E.B3.73.837	PIPE, assembly, from air bottle filter connection at frame 56 to bulkhead coupling aft of frame 56, nitrogen charging line	1	DTD743	C	86/12
7020	E.B3.73.839	PIPE, assembly, from coupling at frame 56 to hydraulic motor unit connection, valve return line	1	DTD743	C	86/13
7004	E.B3.73.841	PIPE, assembly, from controls services tee to bulkhead connection aft of frame 56, parachute selector return line	1	DTD743	C	86/14
7017	E.B3.73.843	PIPE, assembly, between coupling tee and elbow at frame 56, valve return line	1	DTD743	C	86/15
7010	E.B3.73.845	PIPE, assembly, from accumulator connection to controls pressure line tee aft of frame 55	1	DTD743	C	86/16
7012	E.B3.73.847	PIPE, assembly, from accumulator tee aft of frame 55 to hydraulic motor reduction tee aft of frame 56, controls pressure line	1	DTD743	C	86/17
7026	E.B3.73.849	PIPE, assembly, from coupling aft of frame 54 to coupling aft of frame 56, controls return line	1	DTD743	C	86/18
7024	E.B3.73.851	PIPE, assembly, from special reduction tee aft of frame 56 to charging valve	1	DTD743	C	86/19
7022	E.B3.73.853	PIPE, assembly, from coupling aft of frame 56 to hydraulic motor unit connection aft of frame 56, controls return line	1	DTD743	C	86/20
3864	E.B2.73.215	TEE, cone coupling reduction, hydraulic motor unit and parachute pipe connection aft of frame 56	1	S95	C	86/21
3855	E.B1.73.1017	TEE, cone coupling reduction for accumulator connection aft of frame 55, controls pressure line	1	L65	C	86/22
4021	E.B2.73.3153	TEE, special cone, aft of frame 56, nitrogen charging line	1	S94, S95 or S96	C	86/23
	E.B3.73.131	VALVE, charging, air bottle, assembly Consisting of:—	1	—	—	85/20
3863	E.B2.73.295	FITTING, bulkhead (Make from AGS.1114/B)	1	—	C	85/21
28F/9428453	AGS.1186/B	SEAL, bonded	1	—	C	85/22
28Y/15486	H.P. COMP'S A.58	VALVE, inflation	1	—	C	85/23
10303	EEAS.240/1A	WASHER, 'D'	5	L72	C	
	—	PIPES, hydraulic, between frames 42 and 46, starboard, assembly (E.B4.73.927) (Mod. 2039) Spares for:—	—	—	—	
13233	E.B4.73.517	BRACKET, pipe clip attachment at frame 44	1	L72	C	87/1

SERVICES
HYDRAULIC EQUIPMENT, IN REAR FUSELAGE

1514

Ref. No.	Part No.	Description							No. off	Mati. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	E.B4.73.615	FAIRLEAD, aft of frame 44							2	-	-	87/2
28D/1011025	A25/24C	Attachments:-							1	-	C	87/3
	or	Bolt, 2:BA, hex. head										
28D/1011026	A25/26C	Bolt, 2:BA, hex. head							2	-	C	87/4
28D/1011027	A25/27C	Bolt, 2:BA, hex. head							1	-	C	87/5
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA							2	-	C	87/6
28W/9419475	SP15/C	Washer, 2:BA, plain							2	-	C	87/7
9003	E.B3.73.1313	FAIRLEAD, for pipes at frame 43							1	-	C	87/8
		Attachments:-										
28D/9133012	A25/3C	Bolt, 2:BA, hex. head							4	-	C	87/9
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA							4	-	C	87/10
28W/9419475	SP15/C	Washer, 2:BA, plain							4	-	C	87/11
9004	E.B3.73.1490	FAIRLEAD, for transverse pipes between frames 44 and 45							1	-	C	87/12
		Attachments:-										
28D/9140647	A25/14C	Bolt, 2:BA, hex. head							2	-	C	87/13
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA							2	-	C	87/14
28W/9419475	SP15/C	Washer, 2:BA, plain							2	-	C	87/15
23424	EEAS.554/4	FAIRLEAD, for 3/8" pipe (Mod. 2556)							1	DTD560	C	87/16
23423	EEAS.556/4	FAIRLEAD, for 3/8" pipe (Mod. 2556)							1	DTD560	C	87/17
9008	E.B3.73.1435	FAIRLEAD, at frame 46 and 45							2	-	C	87/18
		Attachments:-										
28D/9133013	A25/5C	Bolt, 2:BA, hex. head							4	-	C	87/19
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA							4	-	C	87/20
28W/9419475	SP15/C	Washer, 2:BA, plain							4	-	C	87/21
23425	EEAS.556/2	FAIRLEAD, for 1/4" pipe							2	DTD560	C	87/22
23426	EEAS.554/2	FAIRLEAD, for 1/4" pipe							2	DTD560	C	87/23
3999	E.B2.73.2321	PIPE, assembly, from coupling at frame 42 to coupling aft of frame 44 controls No. 2 return line							1	DTD743	C	87/24
4000	E.B2.73.2323	PIPE, assembly, from coupling at frame 42 to coupling aft of frame 44, controls No. 2 pressure line							1	DTD743	C	87/25
4001	E.B2.73.2325	PIPE, assembly, from coupling at frame 42 to coupling aft of frame 44, brake pressure line							1	DTD743	C	87/26
20949	E.B4.73.595	PIPE, assembly, transverse, from starboard coupling to port four-way coupling aft of frame 44, maxaret return line							1	30/166	-	87/27
	E.B4.73.601	PIPE, assembly, transverse, from starboard coupling to port tee aft of frame 44, flaps 'up' line							1	30/166	-	87/28
	E.B4.73.603	PIPE, assembly, transverse, from starboard coupling to port tee aft of frame 44, flaps 'down' line							1	30/166	-	87/29
	E.B4.73.605	PIPE, assembly, transverse, from starboard tee coupling to port tee aft of frame 44, undercarriage emergency line							1	30/166	-	87/30
4013	E.B2.73.2993	PIPE, assembly, transverse, from coupling aft of frame 44 to coupling forward of wing trailing edge rib 2, undercarriage 'up' line							1	DTD743	C	87/31

SERVICES
HYDRAULIC EQUIPMENT IN REAR FUSELAGE

15

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.B4.73.539	PIPE, assembly, transverse, from coupling aft of frame 44 to coupling forward of wing trailing edge rib 2, flaps 'up' line	1	30/166	-	87/32
4015	E.B2.73.2999	PIPE, assembly, transverse, from coupling aft of frame 44 to coupling forward of wing trailing edge rib 2, flaps 'down' line	1	DTD743	C	87/33
4019	E.B2.75.3303	PIPE, assembly, transverse, from coupling aft of frame 44 to coupling forward of wing trailing edge rib 2, starboard brake line	1	DTD743	C	87/34
4004	E.B2.73.3661	PIPE, assembly, from coupling aft of frame 44 to by-pass filter tee aft of frame 46, controls No. 2 return line	1	DTD743	C	87/35
	E.B4.73.631	PIPE, assembly, from coupling aft of frame 44 to tee coupling forward of frame 47, controls No. 2 pressure line	1	30/166	C	87/36
20957	E.B4.73.597	PIPE, assembly, from tee coupling aft of frame 44 to port wing connection, undercarriage 'down' line	1	30/166	-	87/37
20958	E.B4.73.599	PIPE, assembly, from tee coupling aft of frame 44 to port wing connection, undercarriage 'up' line	1	30/166	-	87/38
4017	E.B2.73.4099	PIPE, assembly, from tee coupling aft of frame 44 to starboard wing connection, undercarriage 'up' line	1	DTD743	C	87/39
	E.B4.73.909	PIPE, assembly, from tee aft of frame 44 to starboard wing connection, undercarriage 'down' line	1	30/166	-	87/40
11807	E.F2.73.351	PIPE, assembly, from coupling at frame 49, to wing coupling tee aft of frame 44, by-pass valve	1	30/166	C	87/41
11808	E.F2.73.353	PIPE, assembly, from coupling at frame 49 to wing coupling tee aft of frame 44, undercarriage 'up' line, by-pass valve	1	30/166	C	87/42
11809	E.F2.73.355	PIPE, assembly, from coupling at frame 49 to wing coupling tee aft of frame 44, undercarriage emergency line, by-pass valve	1	30/166	-	87/43
	E.B4.73.907	PIPE, assembly, transverse, from starboard coupling to coupling forward of wing trailing edge, rib 2, maxaret return line	1	30/166	-	87/44
4021	E.B2.73.3153	TEE, special cone, aft of frame 44, undercarriage 'up' line	1	S94, S95 or S96	C	87/45
4022	E.B2.73.3801	TEE, special cone, aft of frame 44, undercarriage 'up' and 'down' lines	2	S94, S95 or S96	C	87/46
10303	EEAS.240/1A	WASHER, 'D'	3	L72	C	87/47
	-	PIPES, hydraulic, below fire floor, between frames 42 and 46, assembly (E.B4.73.933) (Mod. 2039) Spares for:-	-	-	-	-
	E.B4.73.549	PIPE, assembly, from connection at frame 44 to connection forward of frame 42, autostabiliser pressure line	1	30/166	-	88/1

SERVICES
HYDRAULIC EQUIPMENT IN REAR FUSELAGE

1510

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
26FZ/981 10303	EEAS.20/2DR	TAB, locking	1	L72	C	88/2
	EEAS.240/1A	WASHER, 'D'	2	L72	C	
		PIPES, hydraulic, between frames 46 and 48, above firewall, port, assembly (E.B3.73.517) (Pre-Mod. 2062)	-	-	-	
3946	E.B2.73.2149	ADAPTOR, special cone, heat exchanger pipe connection	4	S94, S95 or S96	C	89/1
4063	E.B2.73.289	BODY, special banjo, for flexible pipe connection, services pump return line	1	S94, S95 or S96	C	89/2
4064	E.B2.73.3179	BODY, special banjo, services No. 2 pump suction line connection	1	S94, S95 or S96	C	89/3
4066	E.B2.73.3187	BODY, special banjo, services No. 2 pump drain connection	1	S94, S95 or S96	C	89/4
4067	E.B2.73.291	BOLT, special banjo, flexible pipe connection, services No. 2 pump return line	1	S94, S95 or S96	C	89/5
4068	E.B2.73.3189	BOLT, special banjo, for services pump No. 2 drain connection aft of frame 48	1	S94, S95 or S96	C	89/6
4069	E.B2.73.2207	CONNECTION, special bulkhead, forward of frame 47, services No. 2, pump flexible pipe, return line	1	S94, S95 or S96	C	89/7
4070	E.B2.73.3099	ELBOW, special, aft of frame 47, services suction return line	1	S94, S95 or S96	C	89/8
27F/11098	AGS.1148/G	Attachments:- Nut, 7/8" BSP, thin	1	-	C	89/9
	E.F3.73.6603	FAIRLEAD, aft of frame 47 (Mod. 2556)	1	-	-	89/10
28D/9140644	A25/9C	Attachments:- Bolt, 2 BA, hex. head	2	-	C	89/11
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	-	C	89/12
28W/9419475	SP15/C	Washer, 2 BA, plain	2	-	C	89/13
	E.B2.73.7015	FAIRLEAD, aft of frame 47 (Mod. 2556)	1	-	-	89/14
28D/9140645	A25/10C	Attachments:- Bolt, 2 BA, hex. head	2	-	C	89/15
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	-	C	89/16
28W/9419475	SP15/C	Washer, 2 BA, plain	2	-	C	89/17
	E.B2.73.7019	FAIRLEAD, at frame 48 (Mod. 2556)	1	-	-	89/18
28D/9140644	A25/9C	Attachments:- Bolt, 2 BA, hex. head	2	-	C	89/19
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	-	C	89/20
28W/9419475	SP15/C	Washer, 2 BA, plain	2	-	C	89/21
	E.B2.73.7037	FAIRLEAD, aft of frame 47 (Mod. 2556)	1	-	-	89/22
28D/9140647	A25/14C	Attachments:- Bolt, 2 BA, hex. head	3	-	C	89/23
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	3	-	C	89/24
28W/9419475	SP15/C	Washer, 2 BA, plain	3	-	C	89/25
4072	E.B2.73.293	NUT, special, banjo body retaining, services No. 2 pump return line	1	S94, S95 or S96	C	89/26
4074	E.B2.73.2579	PIPE, assembly, from coupling aft of frame 47 to bulkhead coupling at firewall, services filling line	1	DTD743	C	89/27

SERVICES
HYDRAULIC EQUIPMENT IN REAR FUSELAGE

1517

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
4076	E.B2.73.2583	PIPE, assembly, from coupling aft of frame 47 to heat exchanger connection, controls return line	1	DTD743	C	89/28
4077	E.B2.73.2585	PIPE, assembly, from heat exchanger to flexible pipe connection, services No. 2 pump return line	1	DTD743	C	89/29
4078	E.B2.73.2587	PIPE, assembly from non-return valve connection at frame 47 to heat exchanger connection, controls No. 2 return line	1	DTD743	C	89/30
4079	E.B2.73.2589	PIPE, assembly, from heat exchanger to non-return valve aft of frame 46, services pump return line	1	DTD743	C	89/31
4081	E.B2.73.3323	PIPE, assembly, inter-connection between controls and services No. 2 pumps drain line	1	DTD323	C	89/32
4084	E.B2.73.3537	PIPE, assembly, from coupling aft of frame 47 to filter, services No. 2 pressure line	1	DTD743	C	89/33
4080	E.B2.73.3603	PIPE, assembly, from bulkhead coupling aft of frame 47 to flexible hose connection, services No. 2 pump suction line	1	DTD743	C	89/34
4075	E.B2.73.4527	PIPE, assembly, from services No. 2 pressure filter to connection aft of frame 47	1	DTD743	C	89/35
7083	E.B2.73.5319	PIPE, assembly, from pump flexible pipe elbow connection at frame 48 to coupling aft of frame 47, services pressure line	1	DTD743	C	89/36
26FZ/3412	EEAS.20/3DR	TAB, locking	1	L72	C	89/37
4086	E.B2.73.3073	TEE, special union, aft of frame 47 services No. 2 pump flexible and rigid pipe connections	1	S94, S95 or S96	C	89/38
	E.B2.73.287	WASHER, plate, for special tee union at frame 47 (Make from AGS.1149/7)	1	-	LM	89/39
	-	PIPES, hydraulic, between frames 46 and 48, above firewall, port, assembly (E.B3.73.569) (Mod. 2022) Spares for this assembly are identical with those for assembly Pt. No. E.B3.73.517 on page ML34, except for the following deletions and additions Delete:-	-	-	-	-
4069	E.B2.73.2207	CONNECTION, special bulkhead, forward of frame 47, services No. 2 pump flexible pipe, return line	1	S94, S95 or S96	C	
4077	E.B2.73.2585	PIPE, assembly, from heat exchanger to flexible pipe connection, services No. 2 pump return line	1	DTD743	C	

SERVICES
HYDRAULIC EQUIPMENT IN REAR FUSELAGE

1510

Ref. No.	Part No.	Description	No. off	Mati. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.F.3.73.907	Add:- CONNECTOR, special right angled bulkhead at frame 46, services No. 2 pump flexible pipe, by-pass return line	1	S94	-	
20947	E.B.3.73.1165	PIPE, assembly, from heat exchanger to right-angle bulkhead connector at frame 46, services No. 2 pump by-pass return line	1	30/166	-	
26FZ/981	EEAS.20/2DR	TAB, locking PIPES, hydraulic, between frames 48 and 49, above firewall, port, assembly (E.B.3.73.521) Spares for:-	1	L72	C	M88
4062	E.B.2.73.2205	ADAPTOR, special union, flexible pipe connection, controls No. 2 pump suction line	1	S94, S95 or S96	C	88/3
3909	E.B.2.73.193	BODY, special banjo, flexible pipe connection, controls No. 2 pump return line	1	S94, S95 or S96	C	88/4
3911	E.B.2.73.2189	BODY, special banjo, flexible pipe connection to controls No. 2 pump pressure line	1	S94, S95 or S96	C	88/5
3912	E.B.2.73.269	BOLT, special banjo, flexible pipe connection, controls No. 2 pump return line	1	S94, S95 or S96	C	88/6
3914	E.B.2.73.2191	BOLT, special banjo, flexible pipe connection to controls pump No. 2 pressure line	1	S94, S95 or S96	C	88/7
9025	E.B.3.73.1581	BODY, banjo, cone, right angle, controls No. 2 pump	1	S94	C	88/8
20785	E.B.2.73.6757	BRACKET, channel, pipe clip attachment at frame 48 (Mod. 2095) Attachments:-	1	L72	C	88/9
28D/1007971	A25/ 1/2B	Bolt, 4 BA, hex. head	4	-	C	88/10
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	4	-	C	88/11
7082	E.B.2.73.4389	CLEAT, pipe attachment at frame 48 (Pre-Mod. 2095) Attachments:-	1	S94, S95 or S96	C	
28D/1010658	A25/1B	Bolt, 4 BA, hex. head	2	-	C	
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	2	-	C	
28W/9419486	SP15/B	Washer, 4 BA	2	-	C	
4071	E.B.2.73.265	ELBOW, special, at frame 48	1	S94, S95 or S96	C	88/12
	E.B.2.73.7007	FAIRLEAD, at frame 49 (Mod. 2556) Attachments:-	1	-	-	88/13
28D/1017157	A25/25C	Bolt, 2 BA, hex. head	2	-	C	88/14
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	-	C	88/15
28W/9419475	SP15/C	Washer, 2 BA, plain	2	-	C	88/16
4073	E.B.2.73.685	PIPE, assembly, from pump connection to coupling aft of frame 48, controls No. 2 pump drain line	1	DTD323	C	88/17
4082	E.B.2.73.3325	PIPE, assembly, from coupling aft of frame 48 to outlet connection, controls No. 2 drain line	1	DTD323	C	88/18

SERVICES
HYDRAULIC EQUIPMENT IN REAR FUSELAGE

1519

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
4085	E.B2.73.3539	PIPE, assembly, from coupling aft of frame 47 to control pump flexible connection, controls No. 2 return line	1	DTD743	C	88/19
11882	E.B2.73.5413	PIPE, assembly, drain, for self-sealing couplings drip tray	1	L67	C	88/20
26FZ/981	EEAS.20/2DR	TAB, locking, Avery couplings	6	L72	C	88/21
11883	E.B2.73.5759	TRAY, drip, for self-sealing couplings at frame 49	1	L59	C	88/22
9024	E.B3.73.1635	UNION, cone, aft of frame 48, controls No. 2 pump drain line	1	S94	C	88/23
	-	PIPES, hydraulic, between frames 49 and 51, starboard, assembly (E.B4.73.947) (Mod. 2039) Spares for:-	-	-	-	-
	EEAS.552/3	BOBBIN, pipe clip spacing, at frame 50	1	L65	-	-
9008	E.B3.73.1435	FAIRLEAD, at frame 50 Attachments:-	1	-	C	88/24
28D/9133013	A25/5C	Bolt, 2 BA, hex. head	2	-	C	88/25
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	-	C	88/26
28W/9419475	SP15/C	Washer, thin	2	-	C	88/27
23423	EEAS.556/4	FAIRLEAD, for 3/8" pipe	1	DTD560	C	88/28
23424	EEAS.554/4	FAIRLEAD, for 3/8" pipe	1	DTD560	C	88/29
23425	EEAS.556/2	FAIRLEAD, for 1/4" pipe	6	DTD560	C	88/30
23426	EEAS.554/2	FAIRLEAD, for 1/4" pipe	6	DTD560	C	88/31
7085	E.B3.73.473	PIPE, assembly, from special reduction tee aft of frame 50 to tee aft of frame 51, drain line	1	DTD753	C	88/32
7086	E.B3.73.491	PIPE, assembly, from coupling at frame 50 to reduction tee aft of frame 50, drain line	1	DTD743	C	88/33
7071	E.B3.73.717	PIPE, assembly, from bulkhead connection at frame 50 to purolator micron filter, autostabiliser pressure line	1	DTD743	C	88/34
	E.B4.73.527	PIPE, assembly, from connection forward of frame 49 to connection aft of frame 50, feel unit pressure line	1	30/166	-	88/35
3841	E.B1.73.1003	TEE, cone coupling, special reduction, drain line	1	L65	C	88/36
10303	EEAS.240/1A	WASHER, 'D'	3	L72	C	-
	-	PIPES, hydraulic, between frames 44 and 48, port, assembly (E.B4.73.951) (Mod. 2039) Spares for:-	-	-	-	-
23432	EEAS.552/9	BOBBIN, pipe clip spacing at frame 48	1	L65	C	-
	EEAS.552/6	BOBBIN, pipe clip spacing at frame 48	1	L65	C	-
	EEAS.552/3	BOBBIN, pipe clip spacing at frame 48	1	L65	-	-
10871	EEAS.222/ 1/2C	BOLT, special, for wire locking reservoir junction head	3	H.T.S.	C	90/1
6848	E.B2.73.57	COUPLING, bulkhead, air release pipe connection at frame 47	1	L65	C	90/2

SERVICES
HYDRAULIC EQUIPMENT IN REAR FUSELAGE

1520

Ref. No.	Part No.	Description	No. off	Mati. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
8998	E.B3.73.1327	FAIRLEAD, for pipes at frame 45	1	-	C	90/3
28D/9133012	A25/3C	Attachments:-	6	-	C	90/4
28W/9419475	SP15/C	Bolt, 2 BA, hex. head	6	-	C	90/5
		Washer, 2 BA, plain				
23421	EEAS.554/6	FAIRLEAD, for 1/2" pipe	1	DTD560	C	90/6
23422	EEAS 556/6	FAIRLEAD, for 1/2" pipe	1	DTD560	C	90/7
23423	EEAS 556/4	FAIRLEAD, for 3/8" pipe	1	DTD560	C	90/8
23424	EEAS.554/4	FAIRLEAD, for 3/8" pipe	1	DTD560	C	90/9
23425	EEAS.556/2	FAIRLEAD, for 1/4" pipe	1	DTD560	C	90/10
23426	EEAS.554/2	FAIRLEAD, for 1/4" pipe	1	DTD560	C	90/11
7087	E.B3.73.347	PIPE, assembly, from pressure regulator aft of frame 44 to tee coupling at frame 48, drain line	1	DTD743	C	90/12
7088	E.B3.73.349	PIPE, assembly, from special tee at frame 48 to fuel unit, drain line	1	DTD743	C	90/13
7089	E.B3.73.351	PIPE, assembly, from tee aft of frame 47 to non-return valve, air supply line	1	DTD743	C	90/14
7090	E.B3.73.353	PIPE, assembly, from non-return valve forward of frame 48 to tee coupling aft of frame 48, air supply line	1	DTD743	C	90/15
7091	E.B3.73.355	PIPE, assembly, from connection aft of frame 47 to firewall connection, services oil filling line	1	DTD743	C	90/16
7093	E.B3.73.359	PIPE, assembly, from coupling aft of frame 45 to connection aft of frame 47, oil filling line, controls No 1	1	DTD743	C	90/17
7094	E.B3.73.361	PIPE, assembly, from coupling aft of frame 45 to coupling aft of frame 51, controls pressure line	1	DTD743	C	90/18
7095	E.B3.73.363	PIPE, assembly, from tee aft of frame 47 to firewall connection, services pressure line	1	DTD743	C	90/19
7098	E.B3.73.369	PIPE, assembly, from non-return valve tee aft of frame 45 to pressure regulator, services No 1 connection	1	DTD743	C	90/20
7101	E.B3.73.375	PIPE, assembly, from non-return valve tee aft of frame 45 to elbow connection aft of frame 45, services pressure line	1	DTD743	C	90/21
7104	E.B3.73.381	PIPE, assembly, from union at frame 48 to special tee aft of frame 48, services suction line	1	DTD743	C	90/22
7105	E.B3.73.383	PIPE, assembly, from connection aft of frame 48 to firewall banjo connection, services suction line	1	DTD743	C	90/23
	E.B3.73.1137	PIPE, assembly, from elbow aft of frame 45 to tee aft of frame 46, services return line	1	30/166	-	90/24
	E.B4.73.697	PIPE, assembly, from coupling forward of frame 47 to coupling aft of frame 48, controls No. 1 suction line (Mod 2039)	1	30/166	-	90/25

SERVICES
HYDRAULIC EQUIPMENT IN REAR FUSELAGE

1521

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.B3.73.1691	PIPE, assembly, from controls No. 1 auxiliary reservoir to tee coupling forward of frame 47, air supply line	1	30/166	-	90/26
	E.B3.73.1695	PIPE, assembly, from air release connection at frame 47 to auxiliary reservoir tee, air supply line	1	30/166	-	90/27
31821	E.B3.73.1697	PIPE, assembly, from auxiliary reservoir tee to tee coupling aft of frame 48, air supply line	1	30/166	C	90/28
	E.B3.73.1701	PIPE, assembly, from tee coupling aft of frame 45 to coupling forward of frame 48, services pressure line	1	30/166	-	90/29
31823	E.B3.73.1703	PIPE, assembly, from tee coupling aft of frame 45 to tee coupling forward of frame 48, services pressure line	1	30/166	C	90/30
	E.B3.73.1709	PIPE, assembly from auxiliary reservoir to elbow aft of frame 45, controls No. 1 suction line	1	30/166	-	90/31
	E.B3.73.1711	PIPE, assembly, from auxiliary reservoir connection to coupling forward of frame 47, controls No. 1 suction line	1	30/166	-	90/32
	E.B3.73.1717	PIPE, assembly, from non-return valve to tee coupling aft of frame 45, services pressure line	1	30/166	-	90/33
	E.B3.73.1719	PIPE, assembly, from tee coupling forward of frame 46 to non-return valve, services pressure line	1	30/166	-	90/34
21062	E.F2.73.2071	PIPE, assembly, from non-return valve forward of frame 47 to air relief valve banjo connection at frame 47, air supply line (Mod. 2048)	1	30/166	C	90/35
21063	E.F2.73.2075	PIPE, assembly, from controls No. 1 auxiliary reservoir to non-return valve forward of frame 47, air supply line (Mod. 2048)	1	30/166	C	90/36
21065	E.F2.73.2083	PIPE, assembly, from non-return valve forward of frame 47 to bulkhead vent coupling, air supply line (Mod. 2048)	1	30/166	C	90/37
21064	E.F2.73.2081	PIPE, assembly, from air relief valve to bulkhead vent coupling, air supply line (Mod. 2048)	1	30/166	C	90/38
	E.B3.73.1643	REGULATOR, pressure, assembly Consisting of:-	1	-	-	90A/1
28F/8011808	AGS.1104/D	ADAPTOR, cone	1	-	C	90A/2
6442	E.B3.73.173	BODY, banjo	1	S94, S95 or S96	C	90A/3
28F/11170	AGS.1129/D	BODY, banjo	1	-	C	90A/4
4068	E.B2.73.3189	BOLT, banjo	1	S94	C	90A/5
28F/9423231	AGS.1135/D	BOLT, banjo	1	-	C	90A/6
27QM/1994	DOWTY 11651.Y.A.O.2	REGULATOR, pressure	1	-	A	90A/7
28F/9428452	AGS.1186/A	SEAL, bonded	2	-	C	90A/8
28F/9428455	AGS.1186/D	SEAL, bonded	3	-	C	90A/9

SERVICES
HYDRAULIC EQUIPMENT IN REAR FUSELAGE

1522

Ref. No.	Part No.	Description	No. off	Mati. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
12969	E.F3 73 267	RESERVOIR, auxiliary, controls No. 1 and heat shields, group (Mod 1823) Consisting of:-	1	-	C	90A/10
	E.F3 73 223	RESERVOIR, hydraulic, group Consisting of:-	1	-	-	90A/11
12970	E.F3 73 269	ADAPTOR, 1/4" x 1/8" BSP	1	L65	C	90A/12
12971	E.F3 73.227	BLADDER, reservoir	1	Hycatro HP257	C	90A/13
12972	E.F3 73.243	BODY, banjo, special	1	L65	C	90A/14
28F/9423243	AGS 1135/F	BOLT, banjo	1	-	C	90A/15
3830	E.B1 73.39	BUSH, sealing	1	L65	C	90A/16
12973	E.F3 73.235	CAP, spring	1	L61	C	90A/17
12974	E.F3 73 245	COUPLING, stud, 3/4" BSP	1	L65	C	90A/18
	E.F3 73 225	CYLINDER, reservoir, sub-assembly	1	-	-	90A/19
	†	GREASE, silicone	QR	DTD897	-	90A/20
12975	E.F3 73 231	GUIDE, stack pipe	1	L65	C	90A/21
12976	E.F3 73.233	HEAD, reservoir junction	1	L65	C	90A/22
12977	E.F3 73 239	LOCKWASHER	1	S94, S95 or S96	C	90A/23
3835	E.B1 73.41	NUT, sealing bush clamping	1	L65	C	90A/24
27Q/17903	DOWTY SP901/B/12	SEAL, 'O' ring	1	-	C	90A/25
27Q/17904	DOWTY SP901/B/16	SEAL, 'O' ring	1	-	C	90A/26
28F/9428452	AGS 1186/A	SEAL, bonded, 1/8" BSP	1	-	C	90A/27
28F/9428456	AGS.1186/F	SEAL, bonded, 3/4" BSP	1	-	C	90A/28
3837	E B1 73 47	SLEEVE, outer, sealing bush retaining	2	L65	C	90A/29
12978	E F3 73.241	SLOTNUT, 1-1/4" BSP	3	L65	C	90A/30
	E F3 73.229	STACKPIPE, sub-assembly	1	L56	-	90A/31
	E F3 73.1403	TAG, identification	1	L72	-	90A/32
12979	E.F3.73.237	WASHER, plain, special	2	L72	C	90A/33
30A/3055	†	WIRE, locking, 22 SWG	QR	DTD189	C	90A/34
12980	DARCHEM CRF 60 87	SHIELD, heat, half	1	-	C	90A/35
12981	DARCHEM CRF 60 88	SHIELD, heat, half	1	-	C	90A/36
30A/3055	†	WIRE, locking, 22 SWG	QR	DTD189	C	90A/37
26FZ/981	EEAS.20/2DR	TAB, locking	5	-	C	90/39
9027	E.B3 73 1589	TEE, special, forward of frame 48, drain line	1	S94	C	90/40
	E.F2 73.2627	VALVE, air relief, auxiliary reservoir, group (Mod. 2048) Consisting of:-	1	-	-	90A/38
28F/9439533	AGS 1129/B	BODY, banjo	1	-	C	90A/39
28F/9423227	AGS 1135/B	BOLT, banjo	1	-	C	90A/40
20082	E.F2 73.2631	HOLDER, valve	1	L65 or L85	C	90A/41
20083	E.F2 73.2629	HOUSING, valve	1	L65 or L85	C	90A/42
28F/9584	AGS 1148/B	LOCKNUT	1	-	C	90A/43
28F/9428453	AGS 1186/B	SEAL, bonded	3	-	C	90A/44
27Q/70377	DOWTY ROTOL H.5060	VALVE, air relief (Pre-Mod 2238)	1	-	B	90A/45
27Q/70852	DOWTY ROTOL 1.01344.001	VALVE, air relief (Mod. 2238)	1	-	B	90A/46

SERVICES
HYDRAULIC EQUIPMENT IN REAR FUSELAGE

1523

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip.	Fig. and Index
					M.R. L.M.	
		1 2 3 4 5 6 7				
28W/9130664	AGS.1149/2	WASHER	2	—	C	90A/47
30A/3055	†	WIRE, locking, 22 SWG	QR	DTD189	C	90A/48
10303	EEAS.240/1A	WASHER, 'D'	1	L72	C	90/41
	—	PIPES, hydraulic, between frames 51 and 53, starboard, assembly (E.B3.73.527)	—	—	—	
	E.B3.73.117	Spares for:— ACCUMULATOR, stabiliser and feel units, assembly	1	—	—	91/1
		Consisting of:—				
27QM/30208	DOWTY ROTOL	ACCUMULATOR	1	—	C	91/2
	8603					
3818	E.B2.73.233	ADAPTOR, special	1	L65	C	91/3
3821	E.B1.73.1263	BODY, banjo, accumulator gauge pipe connection	1	L65	C	91/4
28F/9463609	AGS.1136/B	BOLT, banjo, cone head connection	1	—	C	91/5
28F/9428453	AGS.1186/B	SEAL, bonded	2	—	C	91/6
28F/9429532	AGS.1186/C	SEAL, bonded	1	—	C	91/7
3819	E.B2.73.173	BANJO, special, 90 deg., hydraulic reservoir No. 2 controls connection	1	—	C	91/8
3842	E.B2.73.3765	BANJO, special, air relief valve	1	S94, S95 or S96	C	91/9
3822	E.B2.73.175	BOLT, special, hydraulic reservoir No. 2 controls connecting	1	S95	C	91/10
3823	E.B2.73.2269	BOLT, special, shouldered, controls No. 2, hydraulic reservoir mounting	2	S96	C	91/11
11643	E.B3.73.1559	CONNECTION, oil relief valve drain outlet (Pre-Mod. 2139)	1	L65	C	91/12
20043	E.F2.73.667	CONNECTION, oil relief valve drain outlet (Mod. 2139)	1	L65	C	91/53
9008	E.B3.73.1435	FAIRLEAD, at frames 51 and 52	2	—	C	91/13
		Attachments:—				
28D/9133013	A25/5C	Bolt, 2 BA, hex. head	4	—	C	91/14
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	4	—	C	91/15
28W/9419475	SP15/C	Washer, 2 BA, plain	4	—	C	91/16
23423	EEAS.556/4	FAIRLEAD, at frame 51 (Mod. 2039)	3	DTD560	C	91/48
23424	EEAS.554/4	FAIRLEAD, at frame 51 (Mod. 2039)	3	DTD560	C	91/49
		Attachments:—				
28D/7002428	A25/6C	Bolt, 2 BA, hex. head	3	—	C	91/50
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	3	—	C	91/51
28W/9419475	SP15/C	Washer, 2 BA	3	—	C	91/52
7106	E.B3.73.451	PIPE, assembly, from bulkhead fitting to 4,000 lb. pressure gauge connection, nitrogen line	1	DTD743	C	91/17
7107	E.B3.73.453	PIPE, assembly, from accumulator special banjo to bulkhead fitting, pressure gauge nitrogen line	1	DTD743	C	91/18
7108	E.B3.73.455	PIPE, assembly, from autostabiliser accumulator to charging valve banjo connection between frames 51 and 52, nitrogen line	1	DTD743	C	91/19
7109	E.B3.73.457	PIPE, assembly, from bulkhead connection to cone elbow connection aft of frame 51, reservoir controls No. 2 drain line	1	DTD743	C	91/20

SERVICES
HYDRAULIC EQUIPMENT IN REAR FUSELAGE

1524

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
7110	E.B3.73.459	PIPE, assembly, connection from hydraulic reservoir to bulkhead coupling connection, pressure drain line	1	DTD743	C	91/21
7111	E.B3.73.461	PIPE, assembly, from autostabiliser accumulator between frames 51 and 52 to four-way piece autostabiliser pressure line	1	DTD743	C	91/22
	E.B4.73.793	PIPE, assembly, from four-way piece at frame 52 to non-return valve at frame 52 services pressure line (Mod. 2039)	1	30/166	-	92/23
7113	E.B3.73.465	PIPE, assembly, from four-way piece at frame 52 to connection aft of frame 55 autostabiliser pressure line	1	DTD743	C	91/24
7116	E.B3.73.471	PIPE, assembly, from hydraulic reservoir special tee to tee coupling aft of frame 56, tailplane motor valve drain line	1	DTD743	C	91/25
7117	E.B3.73.475	PIPE, assembly, from tee aft of frame 51 to coupling aft of frame 55 autostabiliser drain line	1	DTD743	C	91/26
7118	E.B3.73.477	PIPE, assembly, from coupling at frame 50 to pressure switch tee aft of frame 54, controls No. 2 pressure line	1	DTD743	C	91/27
7121	E.B3.73.483	PIPE, assembly, reservoir connection to tee, control No. 2 return line	1	DTD743	C	91/28
7122	E.B3.73.485	PIPE, assembly, from reservoir tee aft of frame 51 to reduction tee coupling aft of frame 56, controls No. 2 return line	1	DTD743	C	91/29
7123	E.B3.73.487	PIPE, assembly, from elbow connection forward of frame 49 to reservoir reduction tee, controls No. 2 suction line	1	DTD743	C	91/30
7124	E.B3.73.489	PIPE, assembly, reservoir connection to reduction tee, controls No. 2 suction line	1	DTD743	C	91/31
7119	E.B3.73.1009	PIPE, assembly, from connection aft of frame 50 to connection aft of frame 55, feel unit pressure line	1	DTD743	C	91/32
7656	E.B3.73.1045	PIPE, assembly, from tee piece aft of frame 51 to four-way piece at frame 52, autostabiliser pressure line	1	DTD743	C	91/33
8781	E.B3.73.1047	PIPE, assembly, from purolator micronic filter to tee piece aft of frame 51, autostabiliser pressure line	1	DTD743	C	91/34
7657	E.B3.73.1049	PIPE, assembly, from tee piece aft of frame 51 to connection forward of frame 50, autostabiliser pressure line	1	DTD743	C	91/35
11640	E.B3.73.1069	PIPE, assembly, from reservoir relief valve banjo connection to reducing coupling aft of frame 51	1	DTD743	C	91/36
11641	E.B3.73.1071	PIPE, assembly, from reducing coupling aft of frame 51 to bulkhead coupling, oil relief valve drain line (Pre-Mod. 2277)	1	DTD743	C	91/37

SERVICES
HYDRAULIC EQUIPMENT IN REAR FUSELAGE

1525

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
21086	E.B3.73.1177	PIPE, assembly, from reducing coupling aft of frame 51 to bulkhead coupling oil relief valve drain line (Mod. 2277)	1	30/166	C	91/33
11642	E.B3.73.1073	PIPE, assembly, from bulkhead coupling to outlet connection, oil relief valve drain line (Pre-Mod. 2277)	1	DTD743	C	91/39
21087	E.B3.73.1179	PIPE, assembly, from bulkhead coupling to outlet connection, oil relief valve drain line (Mod. 2277)	1	30/166	C	91/54
	E.B4.73.1013	PIPE, assembly, from bulkhead coupling at frame 53 to bulkhead coupling at frame 49, undercarriage emergency line, feel by-pass valve (Mod. 2039)	1	30/166	-	91/40
	E.B4.73.1015	PIPE, assembly, from bulkhead coupling at frame 53 to bulkhead coupling at frame 49 undercarriage 'up' line feel by-pass valve (Mod. 2039)	1	30/166	-	91/41
	E.B4.73.1017	PIPE, assembly, from bulkhead coupling at frame 53 to bulkhead coupling at frame 49, undercarriage 'down' line, feel by-pass valve (Mod. 2039)	1	30/166	-	91/42
7661	E.B2.73.5385	PIPE, assembly, from hydraulic reservoir air relief valve to connection aft of frame 50 air pressure line	1	DTD743	C	91/43
	E.B4.73.593	PLATE, back, for fairleads for and aft of frame 52	2	L72	-	91/53
3829	E.B2.73.4453	RESERVOIR, hydraulic, No. 2 system, group Consisting of:-	1	-	C	92/1
3836	E.B2.73.4343	BLADDER, reservoir	1	-	C	92/2
3830	E.B1.73.39	BUSH, sealing	1	L65	C	92/3
3831	E.B2.73.161	CAP, filter retaining	1	L16	C	92/4
	E.B2.73.4455	CYLINDER, reservoir	1	-	-	92/5
3832	E.B2.73.153	FILTER	1	-	C	92/6
	†	GREASE, silicone	QR	DTD900-4601	-	
3833	E.B2.73.149	HEAD, reservoir junction	1	L65	C	92/7
3834	E.B2.73.171	LOCKNUT	1	L65	C	92/8
3835	E.B1.73.41	NUT, sealing bush clamping	1	L65	C	92/9
27Q/17903	DOWTY SP901/B12	SEAL, 'O' ring	1	-	C	92/10
27Q/17904	DOWTY SP901/B16	SEAL, 'O' ring	1	-	C	92/11
3837	E.B1.73.47	SLEEVE, outer, sealing bush, retaining	1	L65	C	92/12
3838	E.B2.73.163	TUBE, internal, 5/8" o/d x 20 SWG	1	L56	C	92/13
3839	E.B2.73.4369	TUBE, guide	1	L65	C	92/14
6892	E.B2.73.4357	WASHER, locking, 1.19 o/d	1	S94, S95 or S96	C	92/15
30A/3055	†	WIRE, locking, 22 SWG	QR	DTD189	C	92/16
26FZ/3412	EEAS.20/3DR	TAB, locking, and charging valve	1	L72	C	91/44
26FZ/20778	EEAS.20/2ER	TAB, locking, oil relief valve drain outlet connection	1	L72	C	91/45
26FZ/20454	EEAS.20/5DR	TAB, locking	6	L72	C	91/46

SERVICES
HYDRAULIC EQUIPMENT IN REAR FUSELAGE

1526

Ref. No.	Part No.	Description	No. off	Mati. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
3840	E.B2.73.177	TEE, hydraulic reservoir, controls No. 2 special reduction, aft of frame 51, suction line	1	DTD323	C	91/47
9023	E.B3.73.1577	UNION, cone, flanged bulkhead	1	S94	C	91/48
9949	E.B3.73.113	VALVE, charging, assembly Consisting of:-	1	-	B	93/1
3820	E.B1.73.1275	BLOCK, connection, valve mounting	1	L65	C	93/2
28F/9439533	AGS.1129/B	BODY, banjo, cone	1	-	C	93/3
28F/9423227	AGS.1135/B	BOLT, banjo	1	-	C	93/4
28F/9428453	AGS.1186/B	SEAL, bonded	3	-	C	93/5
28Y/15486	H.P. COMP'S A.58	VALVE, inflation	1	-	C	93/6
9950	E.B3.73.121	VALVE, oil relief, assembly Consisting of:-	1	-	C	93/7
28F/11170	AGS.1129/D	BODY, banjo	1	-	C	93/8
28F/9423227	AGS.1135/D	BOLT, banjo	1	-	C	93/9
28F/9428455	AGS.1186/D	SEAL, bonded	2	-	C	93/10
27QM/30223	DOWTY ROTOL 8466	VALVE, relief, low pressure	1	-	A	93/11
-	-	PIPES, hydraulic, between frames 48 and 51, port, assembly (E B3.73.529) Spares for:-	-	-	-	-
3819	E.B2.73.173	BANJO, special, 90 deg., hydraulic reservoir connection, services No. 1 line	1	-	C	94/1
3842	E.B2.73.3765	BANJO, special, hydraulic reservoir connection	2	-	C	94/2
3822	E.B2.73.175	BOLT, special, hydraulic reservoir connecting, services No. 1 line	1	S95	C	94/3
3823	E.B2.73.2269	BOLT, special shouldered, reservoir mounting	4	S96	C	94/4
3843	E.B2.73.3071	BOLT, special banjo, services reservoir suction line connection	1	S94, S95 or S96	C	94/5
-	-	CLIPPING, at frame 51, assembly (E B3.11.2755) Spares for:-	-	-	-	-
10825	E.B3.11.2753	BRACKET Attachments:-	1	L73	C	94/49
28D/1008149	A25/2B	Bolt, 4 BA, hex. head	2	-	C	94/50
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	2	-	C	94/51
28W/9419474	SP15/B	Washer, 4 BA	2	-	C	94/52
11643	E.B3.73.1559	CONNECTION, drain, controls and services oil relief valve (Pre-Mod. 2139)	2	L65	C	94/6
20043	E.F2.73.667	CONNECTION, drain, controls and services oil relief valves (Mod. 2139)	2	L65	C	-
3844	E.B2.73.3081	COUPLING, special banjo, services reservoir return line connection	1	-	C	94/7
3845	E.B2.73.3705	COUPLING, special banjo, services reservoir suction line connection	1	-	C	94/8
3846	E.B1.73.205	ELBOW, special cone, for control and reservoir drain pipe connections between frames 50 and 51	2	-	C	94/9
9000	E.B3.73.1351	FAIRLEAD, reservoir pipes Attachments:-	1	-	C	94/10
28D/9133012	A25/3C	Bolt, 2 BA, hex. head	4	-	C	94/11
28W/9419475	SP15/C	Washer, 2 BA, plain	4	-	C	94/12

SERVICES
HYDRAULIC EQUIPMENT IN REAR FUSELAGE

1527

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
8999	E.B3.73.1525	FAIRLEAD, pipe support at frame 50	1	-	C	94/13
28D/9419397	A25/12C	Attachments:-	2	-	C	94/14
28M/1278190	AGS.2001/C/1	Bolt, 2:BA, hex. head	2	-	C	94/15
28W/9419475	SP15/C	Nut, 2 BA, stiff	2	-	C	94/16
7125	E.B3.73.385	PIPE, assembly, from drain tee at frame 48 to special reduction tee aft of frame 49, controls suction line	1	DTD743	C	94/17
7126	E.B3.73.387	PIPE, assembly, from services reservoir connection to four-way coupling aft of frame 50, air supply line	1	DTD743	C	94/18
7127	E.B3.73.389	PIPE, assembly, from controls reservoir connection to four-way coupling aft of frame 50, air supply line	1	DTD743	C	94/19
7129	E.B3.73.393	PIPE, assembly, from tee coupling at frame 49 to four-way coupling aft of frame 50 air supply line	1	DTD743	C	94/20
7130	E.B3.73.395	PIPE, assembly, pressure drain, from coupling aft of frame 50 to bracket mounted special elbow, services reservoir	1	DTD743	C	94/21
7131	E.B3.73.397	PIPE, assembly, pressure drain, from coupling aft of frame 50 to bracket mounted special elbow, controls reservoir	1	DTD743	C	94/22
7132	E.B3.73.399	PIPE, assembly, pressure drain, from services reservoir to coupling aft of frame 50	1	DTD743	C	94/23
7133	E.B3.73.401	PIPE, assembly, pressure drain, from controls reservoir to coupling aft of frame 50	1	DTD743	C	94/24
7134	E.B3.73.403	PIPE, assembly, from tee aft of frame 48 to special reduction tee aft of frame 49, services suction line	1	DTD743	C	94/25
7136	E.B3.73.407	PIPE, assembly, from controls reservoir connection to tee aft of frame 50, return line	1	DTD743	C	94/26
	E.B3.73.1139	PIPE, assembly from tee aft of frame 46 to reservoir tee aft of frame 50, services return line (Mod. 1823)	1	30/166	-	94/27
7138	E.B3.73.411	PIPE, assembly, from tee aft of frame 47 to hand pump pressure tee aft of frame 51, services pressure line	1	DTD743	C	94/28
7139	E.B3.73.413	PIPE, assembly, from elbow aft of frame 45 to reservoir tee aft of frame 50, controls return line	1	DTD743	C	94/29
7143	E.B3.73.421	PIPE, assembly, from services reservoir connection to tee aft of frame 50, return line	1	DTD743	C	94/30
7144	E.B3.73.423	PIPE, assembly, from reservoir connection to special tee between frames 50 and 51	1	DTD743	C	94/31
7145	E.B3.73.425	PIPE, assembly, from coupling aft of frame 45 to reservoir special tee aft of frame 50, controls suction line	1	DTD743	C	94/32
7146	E.B3.73.427	PIPE, assembly, from reservoir to special tee aft of frame 48, services suction line	1	DTD743	C	94/32

SERVICES
HYDRAULIC EQUIPMENT IN REAR FUSELAGE

1528

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
11638	E.B3.73.1061	PIPE, assembly, forward of frame 51, from reducing coupling to services oil relief valve outlet connection	1	DTD743	C	94/34
11637	E.B3.73.1063	PIPE, assembly, forward of frame 51, from reducing coupling to controls oil relief valve outlet connection	1	DTD743	C	94/35
11639	E.B3.73.1065	PIPE, assembly, from controls oil relief valve to reducing coupling forward of frame 51	1	DTD743	C	94/36
11644	E.B3.73.1067	PIPE, assembly, from services oil relief valve to reducing coupling forward of frame 51	1	DTD743	C	94/37
10823	E.B3.73.1079	PIPE, assembly, from services reservoir tee forward of frame 50 to feel unit system return tee, services suction line	1	DTD743	C	94/38
10824	E.B3.73.1081	PIPE, assembly, from four-way coupling aft of frame 50 to starboard reservoir connection, air supply line	1	DTD743	C	94/39
3829	E.B2.73.4453	RESERVOIR, controls and services pressure, group Spares for this group are identical with those for group Ref. No. 3829 on page ML43	2	-	C	94/40
26FZ/20778	EEAS.20/2ER E.B3.73.119	TAB, locking, drain connection TEE, assembly, pressure regulator drain pipe aft of frame 48, services suction line Consisting of:-	2 1	L72 -	C -	94/41 94/42
28F/9140973	AGS.1129/C	BODY, banjo	1	-	C	94/43
28F/9423229	AGS.1135/C	BOLT, banjo	1	-	C	94/44
28F/94 3532	AGS.1186/C	SEAL, bonded	1	-	C	94/45
3817	E.B2.73.3075	TEE, special	1	L65	C	94/46
4022	E.B2.73.3801	TEE, special cone, aft of frame 49, services suction line	1	S94, S95 or S96	C	94/47
5217	E.B2.73.3879	TEE, coupling, special reduction, controls reservoir connections between frames 50 and 51	1	S94, S95 or S96	C	94/48
9950	E.B3.73.121	VALVE, oil relief, controls, assembly Consisting of:-	1	-	C	93/7
28F/11170	AGS.1129/D	BODY, banjo	1	-	C	93/8
28F/9423231	AGS.1135/D	BOLT, banjo	1	-	C	93/9
28F/9428455	AGS.1186/D	SEAL, bonded	1	-	C	93/10
27QM/30223	DOWTY ROTOL 8466 E.B3.73.123	VALVE, relief, low pressure VALVE, oil relief, services, assembly Consisting of:-	1 1	- -	A -	93/11 93/12
28F/8011808	AGS.1104/D	CONE, adaptor	1	-	C	93/13
28F/9428455	AGS.1186/D	SEAL, bonded	1	-	C	93/14
27QM/30223	DOWTY ROTOL 8466	VALVE, relief, low pressure	1	-	C	93/15

SERVICES
HYDRAULIC EQUIPMENT IN REAR FUSELAGE

1529

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	—	PIPES, hydraulic, frames 51 and 53 (port), assembly (E.B4.73.955) (Mod. 2039) Spares for:—	—	—	—	
7148	E.B2.73.6181	FAIRLEAD, for 1/4" pipe	1	—	—	95/1
	E.B2.73.6183	FAIRLEAD, for 1/4" pipe	1	—	—	95/2
	E.B3.73.431	PIPES, assembly, from hand-pump non-return valve at frame 51 to delivery line tee, services pressure line	1	DTD743	C	95/3
7150	E.B4.73.695	PIPE, assembly, from hand-pump non-return valve to services pressure tee aft of frame 51	1	30/166	—	95/4
	E.B3.73.435	PIPE, assembly, from coupling aft of frame 51 to accumulator tee aft of frame 55, controls pressure line	1	DTD743	C	95/5
7151	E.B3.73.437	PIPE, assembly, from reservoir special tee aft of frame 50 to tee coupling aft of frame 56, valve return line	1	DTD743	C	95/6
7152	E.B3.73.439	PIPE, assembly, from coupling aft of frame 51 to starboard tee, feel system return line	1	DTD743	C	95/7
7153	E.B3.73.441	PIPE, assembly, from hand-pump pressure tee aft of frame 51 to non-return valve tee at frame 52, services pressure line	1	DTD743	C	95/8
7154	E.B3.73.443	PIPE, assembly, from services reservoir tee aft of frame 50 to coupling aft of frame 53, return line	1	DTD743	C	95/9
7155	E.B3.73.445	PIPE, assembly, from tee coupling at frame 52 to coupling aft of frame 53, services pressure line	1	DTD743	C	95/10
7156	E.B3.73.447	PIPE, assembly, from reservoir tee aft of frame 50 to coupling aft of frame 54, controls return line	1	DTD743	C	95/11
7157	E.B3.73.449	PIPE, assembly, from tee at frame 52 to non-return valve, services pressure line	1	DTD743	C	95/12
9954	E.B3.73.1007	PIPE, assembly, between hand-pump connection and coupling aft of frame 51, feel system return line	1	DTD743	C	95/13
9951	E.B3.73.125	PUMP, hand, sub-assembly Spares for:—	1	—	C	95/14
	E.B1.73.1735	HAND-PUMP, assembly Consisting of:—	1	—	—	95/15
7158	E.B2.73.4367	BOLT, special	1	—	C	95/16
5209	E.B2.73.3743	BUSH, retaining	1	T35	C	95/17
27W/1	LOCKHEED UMC/501	HAND-PUMP, auxiliary	1	—	A	95/18
5210	E.B1.73.1731	LEVER, assembly, c/w bearing	1	—	C	95/19
28P/9429619	SP9/C5	PIN, split, 1/16" dia.	1	—	C	95/20
5211	E.B2.73.3745	WASHER, retaining	1	DTD124	C	95/21
3850	E.B1.73.1173	TEE, coupling, special reduction between frames 51 and 52, services pressure line	2	L65	C	95/22
10303	EEAS.240/1A	WASHER, 'D'	4	L72	C	95/23

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.



TELEBRIEF
CONNECTIONS

E