

SERVICES
HYDRAULIC EQUIPMENT IN PORT WING

1531

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	—	HYDRAULIC EQUIPMENT IN PORT WING, ASSEMBLY (E.B4.73.557) (Mod. 2039) Consisting of:—	—	—	—	
	—	HYDRAULICS, between trailing edge ribs 1 and 4, assembly (E.B3.73.601) Spares for:—	—	—	—	96/1
	E.B4.73.669	FAIRLEAD, floating inboard of trailing edge rib 2 (Mod. 2039) Attachments:—	1	—	—	96/35
28D/1011019	A25/8C	Bolt, 2 BA, hex. head	2	—	C	96/36
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	96/37
28W/9419475	SP15/C	Washer, 2 BA, plain	2	—	C	96/38
	E.B4.73.677	FAIRLEAD, floating, inboard of trailing edge rib 2 (Mod. 2039) Attachments:—	1	—	—	96/39
28D/1010030	A25/7C	Bolt, 2 BA, hex. head	2	—	C	96/40
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	96/41
28W/9419475	SP15/C	Washer, 2 BA, plain	2	—	C	96/42
9874	E.B3.73.1257	FAIRLEAD (Pre-Mod. 1524) Attachments:—	1	—	C	96/2
28D/9133014	A25/13C	Bolt, 2 BA, hex. head	1	—	C	96/3
28D/9453970	A25/15C	Bolt, 2 BA, hex. head	1	—	C	96/4
28W/9419404	SP16/C	Washer, 2 BA, plain	2	—	C	96/5
12220	E.B3.73.1685	FAIRLEAD (Mod. 1524) Attachments:—	1	—	C	96/6
28D/9133014	A25/13C	Bolt, 2 BA, hex. head	1	—	C	96/3
28D/9453970	A25/15C	Bolt, 2 BA, hex. head	1	—	C	96/4
28W/9419404	SP16/C	Washer, 2 BA, plain	2	—	C	96/5
5073	E.B2.73.3109	PLATE, locking Attachments:—	1	L73	C	96/7
28D/9133012	A25/3C	Bolt, 2 BA, hex. head	2	—	C	96/8
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	96/9
28W/9419404	SP16/C	Washer, 2 BA, plain	2	—	C	96/10
	E.B2.73.4469	PLATE, washer (Make from AGS.1149/2)	1	—	LM	96/11
	—	PIPES, hydraulic, between trailing edge ribs 4 and 8, assembly (E.B3.73.663) Spares for:—	—	—	—	96/12
19926	E.B4.73.773	BOBBIN, pipe clip spacing (Mod. 2039)	2	L64	C	96/46
19958	E.B4.73.795	BOBBIN, pipe clip spacing (Mod. 2039)	2	L64	C	96/44
	EEAS.552/3	BOBBIN, pipe clip spacing (Mod. 2039)	1	L65	C	96/45
9875	E.B3.73.1255	FAIRLEAD Attachments:—	3	—	C	96/13
28D/9133014	A25/13C	Bolt, 2 BA, hex. head	5	—	C	96/14
28D/9140647	A25/14C	Bolt, 2 BA, hex. head	1	—	C	96/15
28W/9419404	SP16/C	Washer, 2 BA, plain	6	—	C	96/16

SERVICES
HYDRAULIC EQUIPMENT IN PORT WING

1532

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.B4.73.661	PIPE, assembly, flaps 'down' line, from restrictor coupling at rib 6 to coupling at rib 4 (Mod. 2039)	1	30/166	-	96/17
	E.B4.73.797	PIPE, assembly, flaps 'down' line, from restrictor coupling at rib 6 to coupling at rib 2 (Mod. 2039)	1	30/166	-	96/18
	E.B4.73.799	PIPE, assembly, flaps 'up' line, from restrictor coupling at rib 6 to coupling at rib 2 (Mod. 2039)	1	30/166	-	96/19
	E.B4.73.901	PIPE, assembly, flaps 'up' line, from restrictor coupling at rib 6 to coupling at rib 4 (Mod. 2039)	1	30/166	-	96/20
	E.B4.73.703	PLATE, stiffening, for fairlead (Mod. 2039)	1	-	-	96/43
	E.B3.83.137	RESTRICTOR, flaps 'up' line, assembly Consisting of:-	1	-	-	96/21
6097	E.B2.73.4315	BLOCK, special connecting	1	S94, S95 or S96	-	96/22
28F/9439533	AGS.1129/B	BODY, banjo, 1/4" BSP	2	-	C	96/23
28F/9423227	AGS.1135/B	BOLT, banjo, 1/4" BSP	2	-	C	96/24
27Q/30404	DOWTY ROTOL H.5044/8	RESTRICTOR, one-way	1	-	A	96/25
28F/9428453	AGS.1186/B	SEAL, bonded	4	-	C	96/26
28F/9429527	AGS.1186/BB	SEAL, bonded	1	-	C	96/27
	E.B3.73.139	RESTRICTOR, flaps 'down' line, assembly Consisting of:-	1	-	-	96/28
28F/9439533	AGS.1129/B	BODY, banjo, 1/4" BSP	1	-	C	96/29
28F/9423227	AGS.1135/B	BOLT, banjo, 1/4" BSP	1	-	C	96/30
27Q/30403	DOWTY ROTOL H.5045/8	RESTRICTOR, two-way	1	-	A	96/31
28F/9428453	AGS.1186/B	SEAL, bonded	2	-	C	96/32
28F/9429532	AGS.1186/C	SEAL, bonded	1	-	C	96/33
5083	E.B2.73.4317	TEE, special	1	S94, S95 or S96	C	96/34
10303	EEAS.240/1A	WASHER, 'D'	7	L72	C	-
	-	PIPES, hydraulic, between trailing edge ribs 8 and 11, assembly (E.B3.73.609) Spares for:-				97/1
19926	E.B4.73.773	BOBBIN, pipe clip spring (Mod. 2039)	2	L64	C	
	EEAS.552/3	BOBBIN, pipe clip spring (Mod. 2039)	4	L65	C	
9880	E.B3.73.1221	FAIRLEAD Attachments:-	1	-	-	97/2
28D/1011019	A25/BC	Bolt, 2 BA, hex. head	2	-	C	97/3
28W/9419475	SP15/C	Washer, 2 BA, plain	2	-	C	97/4
9884	E.B3.73.989	PIPE, assembly, undercarriage 'up' line, from tee between ribs 9 and 10 to coupling between ribs 10 and 11	1	DTD743	C	97/5
11585	E.B3.73.1027	PIPE, assembly, flaps 'down' line, from restrictor coupling at rib 6 to connection between ribs 10 and 11	1	DTD743	C	97/6
	E.B4.73.629	PIPE, assembly, flaps 'up' line, from restrictor coupling at rib 6 to connection between ribs 11 and 12 (Mod. 2039)	1	30/166	-	97/7

SERVICES
HYDRAULIC EQUIPMENT IN PORT WING

1533

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
11590	E.B3.73.1031	PIPE, assembly, emergency line, from connection at rib 2 to tee connection between ribs 9 and 10	1	DTD743	C	97/8
11591	E.B3.73.1033	PIPE, assembly, brake line, from connection at rib 2 to tee connection between ribs 9 and 10	1	DTD743	C	97/9
11586	E.B3.73.1035	PIPE, assembly undercarriage 'up' line, from connection at rib 2 to tee connection between ribs 9 and 10	1	DTD743	C	97/10
11589	E.B3.73.1037	PIPE, assembly, undercarriage 'down' line, from connection at rib 2 to tee connection between ribs 9 and 10	1	DTD743	C	97/11
11587	E.B3.73.1039	PIPE, assembly, maxaret return line, from connection at rib 2 to connection between ribs 9 and 10	1	DTD743	C	97/12
5095	E.B2.73.4619	PIPE, assembly, undercarriage 'up' line, from door sequence valve line, from elbow between ribs 9 and 10 to coupling between ribs 10 and 11	1	DTD743	C	97/13
3841	E.B1.73.1003	TEE, special cone, undercarriage 'down' line at spar 5	1	DTD743	C	97/14
10303	EEAS.240/1A	WASHER, 'D'	6	L72	C	
		PIPES, hydraulic, between trailing edge ribs 11 and 13, assembly (E.B4.73.1009) (Mod. 2039) Spares for:--				
7649	E.B2.73.4431	ADAPTOR, special connection, between shuttle valve and door jack	1	S94, S95 or S96	C	98/1
5097	E.B2.73.3133	BOLT, special banjo, swivel coupling to shuttle valve connecting	1	S94, S95 or S96	C	98/2
7807	E.B2.73.4463	BOLT, special, banjo, securing swivel coupling assembly, undercarriage door jack emergency line	1	S94, S95 or S96	C	98/3
5099	E.B2.73.3135	BRACKET, fairlead mounting, between ribs 11 and 12	1	L72	C	98/4
28D/1200119	A25/4C	Attachments:-- Bolt, 2 BA, hex. head	2		C	98/5
28W/9419404	SP16/C	Washer, 2 BA, plain	2		C	98/6
5100	E.B2.73.3147	BRACKET, undercarriage 'down' and emergency swivel coupling support	2	L65	C	98/7
28D/9133011	A25/2C	Attachments:-- Bolt, 2 BA, hex. head	4		C	98/8
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	4		C	98/9
28W/9419475	SP15/C	Washer, 2 BA, plain	4		C	98/10
5101	E.B2.73.3149	BRACKET, undercarriage 'up' swivel coupling support	1	L65	C	98/11
28D/9133011	A25/2C	Attachments:-- Bolt, 2 BA, hex. head	2		C	98/12
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2		C	98/13
28W/9419475	SP15/C	Washer, 2 BA, plain	4		C	98/14

SERVICES
HYDRAULIC EQUIPMENT IN PORT WING

1534

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
5102	E.B2.73.3141 E.B4.73.573	BUSH, for swivel coupling pipe connection FAIRLEAD, on rib 11A	3 1	L65 -	C C	98/15 98/33
28D/9133013	A25/5C	Attachments:- Bolt, 2 BA, hex. head	2	-	C	98/34
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	-	C	98/35
28W/9419475	SP15/C	Washer, 2 BA, plain	2	-	C	98/36
	E.B4.73.713	FAIRLEAD, inboard of trailing edge rib 12	1	-	-	98/37
28D/1010030	A25/7C	Attachments:- Bolt, 2 BA, hex. head	1	-	C	98/38
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	1	-	C	98/39
28W/9419475	SP15/C	Washer, 2 BA, plain	1	-	C	98/40
9889	E.B3.73.1287	FAIRLEAD, at rib 11A	1	-	C	98/16
28D/1215671	A59/15C	Attachments:- Bolt, 2 BA, hex. head	2	-	C	98/17
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	-	C	98/18
28W/9419475	SP15/C	Washer, 2 BA, plain	2	-	C	98/19
5106	E.B2.73.3145	PACKING, fairlead mounting at rib 11A	1	LFS21	C	98/20
5107	E.B2.73.3131	PIECE, distance, for swivel coupling and shuttle valve connection	1	S94, S95 or S96	C	98/21
	E.B4.73.687	PIPE, assembly, emergency line, from leg sequence valve special tee at rib 11A to tee coupling between ribs 9 and 10	1	30/166	-	98/22
20990	E.B4.73.689	PIPE, assembly, undercarriage 'down' line, from leg sequence valve special tee at rib 11A to tee coupling between ribs 9 and 10	1	30/166	-	98/23
	E.B3.73.1099	PIPE, assembly, undercarriage 'up' line, from leg sequence valve special tee coupling to door jack connection	1	DTD743	-	98/24
20993	E.B4.73.789	PIPE, assembly, emergency line, from leg sequence valve special tee to door jack connection	1	30/166	-	98/25
20992	E.B4.73.791	PIPE, assembly, undercarriage 'down' line, from leg sequence valve special tee at door jack connection	1	30/166	C	98/26
20991	E.B4.73.691	PIPE, assembly, undercarriage 'up' line, from leg sequence valve special tee at rib 11A to special elbow between ribs 9 and 10	1	30/166	-	98/27
	E.B3.73.175	TEE, special, at rib 11A, sub-assembly Consisting of:-	3	-	-	98/28
28F/9439533	AGS.1129/B	BODY, banjo, 1/4" BSP	1	-	C	98/29
28F/9423227	AGS.1135/B	BOLT, banjo, 1/4" BSP	1	-	C	98/30
28F/9428453	AGS.1186/B	SEAL, bonded	2	-	C	98/31
5114	E.B2.73.3127	TEE, special	1	L65	C	98/32
10303	EEAS.240/1A	WASHER, 'D'	7	L72	C	-
	-	PIPES, hydraulic, between trailing edge ribs 13 and 15, assembly (E.B3.73.617) Spares for:-	-	-	-	97/15
9895	E.B3.73.991	PIPE, assembly, flaps 'down' line, from jack coupling on spar 5 between ribs 14 and 15 to coupling between ribs 10 and 11	1	DTD743	C	97/16

SERVICES
HYDRAULIC EQUIPMENT IN PORT WING

1035

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
4861	E.B2.73.2821	PIPE, assembly, flaps 'up' line, from jack coupling on spar 5 between ribs 14 and 15 to coupling between ribs 10 and 11	1	DTD743	C	97/17
4863	E.B2.73.2825	PIPE, assembly, flaps 'up' line, from jack connection to coupling at spar 5 between ribs 14 and 15	1	DTD743	C	97/18
4864	E.B2.73.2827	PIPE, assembly, flaps 'down' line, from jack connection to coupling at spar 5 to coupling between ribs 14 and 15	1	DTD743	C	97/19
5119	E.B2.73.3151	PLATE, locking	2	L65	C	97/20
10303	EEAS.240/1A	WASHER, 'D'	2	L72	C	
		PIPES, hydraulic, at rib 12A, assembly (E.B4.73.1005) (Mod. 2039) Spares for:—	—	—	—	
9897	E.B3.73.1213	FAIRLEAD, for pipes at arch member Attachments:—	1	—	C	99/1
28D/1011019	A25/8C	Bolt, 2 BA, hex. head	2	—	C	99/2
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	99/3
32C/618	†	Strip, neoprene, 1/2" wide x 1/16" thick	QR	Shore H'ness 40-45	C	99/4
28W/9419475	SP15/C	Washer, 2 BA, plain	2	—	C	99/5
23425	EEAS.556/2	FAIRLEAD, for 1/4" pipe	7	DTD560	C	
23426	EEAS.544/2	FAIRLEAD, for 1/4" pipe	1	DTD560	C	
9903	E.B3.73.729	PIPE, assembly, undercarriage 'up' line, from special tee at auxiliary spar to cone coupling at trailing edge rib 11	1	DTD743	C	99/6
9905	E.B3.73.867	PIPE, assembly, undercarriage emergency line, from tee connection to relay valve at auxiliary spar	1	DTD743	C	99/7
20994	E.B4.73.635	PIPE, assembly, emergency line from relay valve tee to special tee coupling at trailing edge rib 11	1	30/166	—	99/33
9899	E.B3.73.881	PIPE, assembly, stabiliser return line, from cone union in wheel well to brake return tee coupling at spar 4	1	DTD743	C	99/8
9900	E.B3.73.883	PIPE, assembly, undercarriage 'down' line, from coupling at rib 12A to special tee coupling at trailing edge rib 11	1	DTD743	C	99/9
9904	E.B3.73.885	PIPE, assembly, undercarriage emergency line, from coupling at rib 12A to relay valve tee at auxiliary spar	1	DTD743	C	99/10
9902	E.B3.73.887	PIPE, assembly, undercarriage 'up' line from coupling at rib 12A to special tee coupling at trailing edge rib 11	1	DTD743	C	99/11
5031	E.B2.73.4773	PIPE, assembly, undercarriage 'up' line, from relay valve banjo connection to special tee connection	1	DTD743	C	99/12
5032	E.B2.73.4775	PIPE, assembly, undercarriage 'up' line, from relay valve to special tee connection at auxiliary spar	1	DTD743	C	99/13
5026	E.B2.73.4785	PIPE, assembly, undercarriage 'up' line, from special tee at auxiliary spar to coupling at trailing edge rib 11	1	DTD743	C	99/14

SERVICES
HYDRAULIC EQUIPMENT IN PORT WING

1536

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
5029	E.B2.73.4787	PIPE, assembly, undercarriage 'up' line, from special tee to sequence valve at auxiliary spar	1	DTD743	C	99/15
5028	E.B2.73.4789	PIPE, assembly, undercarriage 'up' line, from special tee to sequence valve	1	DTD743	C	99/16
	E.B3.73.169	TEE, special, sub-assembly Consisting of:—	1	—	—	99/17
28F/9439533	AGS.1129/B	BODY, banjo, 1/4" BSP	1	—	C	99/18
28F/9140973	AGS.1129/C	BODY, banjo, 3/8" BSP	1	—	C	99/19
28F/9423227	AGS.1135/B	BOLT, banjo, 1/4" BSP	1	—	C	99/20
28F/9423229	AGS.1135/C	BOLT, banjo, 3/8" BSP	1	—	C	99/21
28F/9428453	AGS.1186/B	SEAL, bonded, 1/4" BSP	2	—	C	99/22
28F/9429532	AGS.1186/C	SEAL, bonded, 3/8" BSP	2	—	C	99/23
5034	E.B1.73.1863	TEE, special	1	L65	C	99/24
	E.B3.73.171	TEE, special, sub-assembly Consisting of:—	1	—	—	99/25
28F/9439533	AGS.1129/B	BODY, banjo, 1/4" BSP	1	—	C	99/26
28F/9423227	AGS.1135/B	BOLT, banjo, 1/4" BSP	1	—	C	99/27
28F/9140971	AGS.1104/C	CONE, adapter, 3/8" BSP	1	—	C	99/28
28F/9428453	AGS.1186/B	SEAL, bonded, 1/4" BSP	2	—	C	99/29
28F/9429532	AGS.1186/C	SEAL, bonded, 3/8" BSP	1	—	C	99/30
5034	E.B1.73.1863	TEE, special	—	L65	C	99/31
4021	E.B2.73.3153	TEE, special cone, at rib 12A, emergency line	1	S94, S95 or S96	C	99/32
10303	EEAS.240/1A	WASHER, 'D'	3	L72	C	
		PIPES, hydraulic, in undercarriage bay, assembly (E.B3.73.665) (Mod. 4051) Spares for:—	—	—	—	
4987	E.B1.73.1203	ADAPTOR, special reducing, 3" BSP x 1/4" BSP, undercarriage door sequence valve	1	L65	C	100/1
4988	E.B1.73.1755	BANJO, special, undercarriage 'up' flexible pipe attachment to jack	1	L65	C	101/1
3857	E.B1.73.1837	BODY, banjo, undercarriage sequence valve connection	1	L65	C	101/2
6442	E.B3.73.173	BODY, banjo, 'down' lock jack pipe coupling	1	S94, S95 or S96	C	101/3
4989	E.B1.73.1757	BOLT, special banjo, 'up' lock jack flexible pipe attachment	1	S95	C	101/4
4990	E.B1.73.1839	BOLT, special banjo, undercarriage sequence valve connection	1	S95	C	101/5
4068	E.B2.73.3189	BOLT, banjo, 'down' lock jack pipe coupling	1	S94	C	101/6
36673	E.B2.73.7051	BRACKET, flexible pipe coupling, assembly (Mod. 4051) Spares for:—	1	—	C	
4991	E.B1.73.123	BRACKET, flexible pipe coupling	1	—	C	101/7
	E.B2.73.7056	PLATE, locking	1	L72	—	101/8
		Attachments:—				
28D/9436920	A25/1C	Bolt, 2 BA, hex. head	1	—	C	101/9
28D/9133011	A25/2C	Bolt, 2 BA, hex. head	1	—	C	101/10
28W/9416643	SP47/C	Washer, 2 BA, spring	2	—	C	101/11
26FZ/4965	EEAS.143/5	CLIP, pipe	1	—	C	101/12

SERVICES
HYDRAULIC EQUIPMENT IN PORT WING

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
9032	E.B3.73.1579	COUPLING, cone tee (unequal) undercarriage 'up' pressure line at spar 4	1	S94	C	101/13
3899	E.B1.73.147	COUPLING, banjo, special, undercarriage door sequence valve	1	—	C	101/14
28F/9423229	AGS.1135/C	Attachments:— Bolt, banjo	1	—	C	101/15
4994	E.B1.73.1875	ELBOW, special, shuttle valve flexible pipe connection, undercarriage 'down' line	1	L65	C	101/16
9913	E.B3.73.189	ELBOW, special, flexible pipe connection, undercarriage 'up' line	1	DTD797	C	101/17
9917	E.B3.73.1207	FAIRLEAD Attachments:—	2	—	C	100/2
28D/1010030	A25/7C	Bolt, 2 BA, hex. head	4	—	C	100/3
28M/1278190	AGS.2001/C/1	Nut, stiff; 2 BA	2	—	C	100/4
28W/9419475	SP15/C	Washer, 2 BA, plain	4	—	C	100/5
9916	E.B3.73.1229	FAIRLEAD, for pipes through spar 4 Attachments:—	1	—	C	101/18
28D/9133013	A25/5C	Bolt, 2 BA, hex. head	6	—	C	101/19
28W/9419475	SP15/C	Washer, 2 BA, plain	6	—	C	101/20
4998	E.B2.73.1343	GUARD, shuttle valve, flexible pipe at spar 3	1	DTD171	C	100/6
4999	E.B1.73.1759	PACKING, for flexible pipe bracket	1	L72	C	101/21
9914	E.B3.73.933	PIPE, assembly, undercarriage 'up' line, from cone elbow at spar 4 to flexible pipe elbow connection	1	DTD743	C	100/7
5007	E.B2.73.4711	PIPE, assembly, undercarriage 'down' line, from cone elbow at spar 4 to flexible pipe elbow connection	1	DTD743	C	100/8
5002	E.B2.73.4713	PIPE, assembly, return line, from undercarriage door sequence valve to tee coupling	1	DTD743	C	100/9
5011	E.B2.73.4715	PIPE, assembly, return line, from undercarriage sequence valve to relief valve connection	1	DTD743	C	100/10
5012	E.B2.73.4717	PIPE, assembly, undercarriage 'up' line, from relief valve to special elbow	1	DTD743	C	100/11
5013	E.B2.73.4719	PIPE, assembly, tank return line, from elbow at spar 5 between ribs 9 and 10 to coupling tee at spar 4 in wheel well	1	DTD743	C	100/12
5014	E.B2.73.4721	PIPE, assembly, undercarriage 'up' line, from elbow at spar 5 between ribs 9 and 10 to coupling tee at spar 4 in wheel well	1	DTD743	C	100/13
5015	E.B2.73.4723	PIPE, assembly, undercarriage 'up' from door sequence valve line, from elbow between ribs 9 and 10 to cone elbow at spar 4 in wheel well	1	DTD743	C	100/14
5016	E.B2.73.4725	PIPE, assembly, undercarriage 'down' line, from elbow between ribs 9 and 10 to cone elbow at spar 4 in wheel well	1	DTD743	C	100/15

SERVICES
HYDRAULIC EQUIPMENT IN PORT WING

1538

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
5001	E.B2.73.4727								1	DTD743	C	100/16
5003	E.B2.73.4729								1	DTD743	C	100/17
	E.B4.73.1019								1	30/166	-	100/18
5005	E.B2.73.4733								1	DTD743	C	100/19
5008	E.B2.73.4735								1	DTD743	C	100/20
5000	E.B2.73.4737								1	DTD743	C	100/21
5009	E.B2.73.4739								1	DTD743	C	100/22
5135	E.B2.73.4675								1	DTD743	C	100/23
5017	E.B1.73.1749								1	L65	C	101/22
28F/9428452	AGS.1186/A								2	-	C	101/23
28F/9428453	AGS.1186/B								2	-	C	101/24
	EEAS.146/T/D								1	-	-	101/25
3841	E.B1.73.1003								1	L65	C	101/26
4021	E.B2.73.3153								1	S94, S95 or S96	C	100/24
9028	E.B3.73.1593								2	S94	C	101/27
36675	E.B2.73.7045								1	S94	C	
5018	E.B1.73.1751								1	L65	C	101/28
	-								-	-	-	
	-								-	-	-	
5035	E.B2.73.101								2	L72	C	102/1
5036	E.B2.73.4663								1	DTD743	C	102/2
5037	E.B2.73.4665								1	DTD743	C	102/3
5038	E.B2.73.4667								1	DTD743	C	102/4
5039	EEAS.20/2CR								6	L72	C	102/5

SERVICES
HYDRAULIC EQUIPMENT IN PORT WING

1539

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	—	PIPES; hydraulic, on main undercarriage, assembly (E.B3.73.633)	—	—	—	M103
9034	E.B3.73.1571	Spares for:— ADAPTOR, special cone, between low pressure return and flexible pipes	1	S94	C	103/1
33C/1513	DUNLOP M4.10	ADHESIVE	QR	—	C	103/10
19968	E.B4.73.795	BOBBIN, pipe clip spacing (Mod. 2039)	2	L64	C	
7883	PERFECT CLIP CO., BRADFORD	CLIP, 'perfect', flexible pipe support (50" length + fittings)	2	—	C	103/2
5062	E.B2.73.4791	PIPES, assembly, maxaret return line, from flexible pipe coupling to flexible pipe union on undercarriage	1	DTD743	C	103/3
4895	E.B2.73.4793	PIPE, assembly, maxaret pressure line, from charging valve tee piece to maxaret unit connection	1	DTD743	C	103/4
5050	E.B2.73.4795	PIPE, assembly, maxaret pressure line, from swivel coupling connection to charging valve tee piece	1	DTD743	C	103/5
6045	E.B2.73.4797	PIPE, assembly, from flexible pipe connection to swivel coupling connection, maxaret pressure line	1	DTD743	C	103/6
9932	E.B3.73.1545	SUPPORT, flexible pipe and cable on undercarriage	2	Shore Hardness 70	C	103/7
32C/	†	STRIP, neoprene, 1" wide x 1/16" thick	QR	Shore Hardness 80	—	103/8
9033	E.B3.73.1583	TEE-PIECE, special, maxaret pressure line and charging valve	1	S94	C	103/9
10303	EEAS.240/1A	WASHER, 'D'	2	L72	C	
	—	PIPES; hydraulic, between leading edge ribs 14 and 17, along spar 1, assembly (E.F2.73.3093) (Mod. 2497)	—	—	—	104/1
	E.F2.73.721	Spares for:— BRACKET, fairlead support, at spar 1, between leading edge ribs 17 and 18 (Mod. 2039)	1	—	—	104/2
28D/9133012	A25/3C	Attachments:— Bolt, 2 BA, hex. head	2	—	C	104/3
28W/9419475	SP15/C	Washer, 2 BA, plain	2	—	C	104/4
	E.F2.73.2723	BRACKET, fairlead mounting between leading edge ribs 15 and 16 (Mod. 2497)	1	L72	—	104/5
	E.F3.73.7637	BRACKET, fairlead support, between leading edge ribs 14 and 15 (Mod. 2497)	1	L72	—	104/6
28D/9133011	A25/2C	Attachments:— Bolt, 2 BA, hex. head	2	—	C	104/7
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	104/8
28W/9419475	SP15/C	Washer, 2 BA, plain	2	—	C	104/9

SERVICES
HYDRAULIC EQUIPMENT IN PORT WING

1540

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.F.2.73.717	FAIRLEAD, for pipes through spar 1, between leading edge ribs 17 and 18 (Mod. 2039)	1	—	—	104/10
28D/9140647	A25/14C	Attachments:— Bolt, 2 BA, hex. head.	2	—	C	104/11
28M/1278190	AGS.2001/C/1	Nut, stiff; 2 BA	2	—	C	104/12
28W/9419475	SP15/C	Washer, 2 BA, plain	2	—	C	104/13
	E.F.2.73.723	FAIRLEAD, at leading edge rib 16 (Mod. 2039)	1	—	—	104/14
28D/9419397	A25/12C	Attachments:— Bolt, 2 BA, hex. head	2	—	C	104/15
28M/1278190	AGS.2001/C/1	Nut, stiff; 2 BA	2	—	C	104/16
28W/9419475	SP15/C	Washer, 2 BA, plain	2	—	C	104/17
20531	E.F.2.73.747	FAIRLEAD, between leading edge ribs 15 and 17 (Mod. 2039)	2	—	C	104/18
28D/9140647	A25/14C	Attachments:— Bolt, 2 BA, hex. head	2	—	C	104/19
28D/1212796	AS.1248/13C	Bolt, 2 BA, mushroom head	2	—	C	104/20
28M/1278190	AGS.2001/C/1	Nut, stiff; 2 BA	4	—	C	104/21
28W/9419475	SP15/C	Washer, 2 BA, plain	4	—	C	104/22
23606	E.F.3.73.7621	FAIRLEAD, between leading edge ribs 14 and 15 (Mod. 2497)	1	—	C	104/23
28D/1011021	A25/16C	Attachments:— Bolt, 2 BA, hex. head	2	—	C	104/24
28M/1278190	AGS.2001/C/1	Nut, stiff; 2 BA	2	—	C	104/25
28W/9419475	SP15/C	Washer, 2 BA, plain	2	—	C	104/26
9919	E.B.3.73.745	PIPE, assembly, inboard aileron pressure line, from connection at leading edge rib to filter line connection between diaphragms 1 and 2	1	DTD743	C	104/27
9920	E.B.3.73.865	PIPE, assembly, outboard aileron return line, from connection at leading edge rib 17 to aileron jack box connection	1	DTD743	C	104/28
5044	E.B.2.73.4809	PIPE, assembly, inboard aileron return line, from coupling at leading edge rib 17, to aileron jack box connection	1	DTD743	C	104/29
5042	E.B.2.73.4811	PIPE, assembly, outboard aileron pressure line, from connection at leading edge rib 17, to line filter connection	1	DTD743	C	104/30
23607	E.F.3.73.4737	PIPE, assembly, from reducing union outboard of leading edge rib 14 to auto-stabiliser jack connection, pressure line	1	30/166	C	104/31
	E.F.3.73.4739	PIPE, assembly, from coupling inboard of leading edge rib 11 to coupling at leading edge rib 17, outboard aileron pressure line	1	30/166	—	104/32
	E.F.3.73.4741	PIPE, assembly, from coupling at leading edge rib 12 to coupling at leading edge rib 17, outboard aileron return line	1	30/166	—	104/33

SERVICES
HYDRAULIC EQUIPMENT IN PORT WING

1541

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.F3.73.4743	PIPE, assembly, from coupling inboard of leading edge rib 11 to coupling at leading edge rib 17, inboard aileron pressure line	1	30/166	—	104/34
	E.F3.73.4745	PIPE, assembly, from coupling inboard of leading edge rib 11 to coupling at leading edge rib 17, inboard aileron return line	1	30/166	—	104/35
	E.F2.73.743	PLATE, special, pipe clip mounting between leading edge ribs 14 and 15 (Mod. 2039)	1	L72	LM	104/36
8549	E.B3.73.1573	UNION, cone, reducing, outboard of leading edge rib 14, autostabiliser pressure line	1	S94	C	104/37
10303	EEAS.240/1A	WASHER, 'D'	7	L72	C	104/38
	—	PIPES, hydraulic, between leading edge ribs 8 and 14, assembly (E.B4.73.1039) (Mod. 2497)	—	—	—	105/1
	—	Spares for:—				
23432	EEAS.552/9	BOEBIN, pipe clip spacing	1	L65	C	105/2
9933	E.B3.73.193	BRACKET, fairlead support between leading edge ribs 9 and 10	1	L72	C	105/3
9934	E.B3.73.1219	FAIRLEAD	3	—	C	105/4
	—	Attachments:—				
28D/7002428	A25/6C	Bolt, 2 BA, hex. head	6	—	C	105/5
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	105/6
28W/9419475	SP15/C	Washer, 2 BA, plain	6	—	C	105/7
	E.B4.73.967	FAIRLEAD, between leading edge ribs 10 and 11 (Mod. 2039)	1	—	—	105/8
	—	Attachments:—				
28D/9140644	A25/9C	Bolt, 2 BA, hex. head	1	—	C	105/9
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	1	—	C	105/10
28W/9419475	SP15/C	Washer, 2 BA, plain	1	—	C	105/11
23606	E.F3.73.7621	FAIRLEAD, between leading edge ribs 13 and 14	1	—	C	105/12
	—	Attachments:—				
28D/1011021	A25/16C	Bolt, 2 BA, hex. head	2	—	C	105/13
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	105/14
28W/9419475	SP15/C	Washer, 2 BA, plain	2	—	C	105/15
23601	E.F3.73.7633	FAIRLEAD, between leading edge ribs 12 and 13	1	—	C	105/16
23602	E.F3.73.7687	FAIRLEAD, between leading edge ribs 12 and 13	1	—	C	105/17
	E.F2.73.737	PACKING, pipe clips between leading edge ribs 10 and 11 (Mod. 2039)	1	L72	—	105/18
20995	E.B4.73.803	PIPE, assembly, from cone union outboard of leading edge rib 12 to micron filter connection, autostabiliser pressure line (Mod. 2039)	1	30/166	C	105/19
23604	E.F3.73.4735	PIPE, assembly, from micron filter connection to connection outboard of leading edge rib 14, autostabiliser pressure line (Mod. 2497)	1	30/166	C	105/20

SERVICES
HYDRAULIC EQUIPMENT IN PORT WING

1542

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
23603	E.F.3.73.4733	PIPE, assembly, from autostabiliser jack connection, through electrical conduit, to elbow connection in wheel well, autostabiliser return line (Mod. 2497)	1	30/166	C	105/21
10303	EEAS.240/1A	WASHER, 'D'	6	L72	C	105/22
	-	PIPES, hydraulic, between leading edge ribs 3 and 8, assembly (E.F.2.73.167) (Mod. 2039) Spares for:-	-	-	-	-
	EEAS.552/6	BOBBIN, pipe clip spacing	1	L65	-	-
	EEAS.552/3	BOBBIN, pipe clip spacing	3	L65	-	-
	EEAS.552/4	BOBBIN, pipe clip spacing	1	L65	-	-
	E.F.2.73.2529	CHANNEL, fairlead backing at leading edge rib 3	1	-	-	105/34
9924	E.B.3.73.1219	FAIRLEAD	4	-	C	105/23
		Attachments:-				
28D/1011019	A25/8C	Bolt, 2 BA, hex. head	1	-	C	105/24
28D/12514	A25/7C	Bolt, 2 BA, hex. head	5	-	C	105/25
28D/8346	AS.1248/8C	Bolt, 2 BA, mushroom head	2	-	C	105/26
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	-	C	105/27
28W/9419475	SP15/C	Washer, 2 BA, plain	6	-	C	105/28
	E.F.2.73.1293	PIPE, assembly, from coupling inboard of rib 5 to cone union outboard of leading edge rib 12, autostabiliser pressure line	1	30/166	-	105/29
	E.F.2.73.1295	PIPE, assembly, outboard aileron pressure line, from coupling inboard of rib 4 to coupling between leading edge ribs 10 and 11	1	30/166	-	105/30
	E.F.2.73.1297	PIPE, assembly, outboard aileron return line, from coupling inboard of rib 4 to coupling at leading edge rib 12	1	30/166	-	105/31
	E.F.2.73.1301	PIPE, assembly, inboard aileron pressure line from coupling inboard of rib 4 to coupling between leading edge ribs 10 and 11	1	30/166	-	105/32
	E.F.2.73.1299	PIPE, assembly, inboard aileron return line, from coupling inboard of rib 4 to coupling between leading edge ribs 10 and 11	1	30/166	-	105/33
10303	EEAS.240/1A	WASHER, 'D'	20	L72	C	-
	-	PIPES, hydraulic, between tank ribs 7 and 11, assembly (E.F.2.73.161) (Mod. 2039) Consisting of:-	-	-	-	-
	E.F.2.73.2529	CHANNEL, fairlead backing	1	-	-	106/1

SERVICES
HYDRAULIC EQUIPMENT IN PORT WING

1543

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
9924	E.B3.73.1219	FAIRLEAD, assembly	3	—	C	106/2
28D/1212807	AS.1248/7C	Attachments:— Bolt, 2:BA, mushroom head	2	—	C	106/3
28D/8346	AS.1248/8C	Bolt, 2:BA, mushroom head	3	—	C	106/4
28D/1212805	AS.1248/9C	Bolt, 2:BA, mushroom head	1	—	C	106/5
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	106/6
28W/9419475	SP15/C	Washer, 2:BA, plain	2	—	C	106/7
9925	E.B3.73.1293	FAIRLEAD, assembly	1	—	C	106/8
28D/8346	AS.1248/8C	Attachments:— Bolt, 2:BA, mushroom head	2	—	C	106/9
	E.F2.73.1743	FAIRLEAD, assembly	1	—	—	106/10
28D/9133013	A25/5C	Attachments:— Bolt, 2:BA, hex. head	2	—	C	106/11
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	106/12
28W/9419475	SP15/C	Washer, 2 BA, plain	2	—	C	106/13
	E.F2.73.1219	PIPE, assembly, outboard aileron return line, from coupling inboard of rib 4 to tee coupling in fuselage	1	30/166	—	106/14
	E.F2.73.1225	PIPE, assembly, outboard aileron pressure line, from coupling inboard of rib 4 to tee coupling in fuselage	1	30/166	—	106/15
	E.F2.73.1229	PIPE, assembly, autostabiliser pressure line from coupling inboard of rib 4 to tee coupling in fuselage	1	30/166	—	106/16
	E.F2.73.1213	PIPE, assembly, inboard aileron return line, from coupling inboard of rib 4 to tee coupling in fuselage	1	30/166	—	106/17
	E.F2.73.1201	PIPE, assembly, inboard aileron pressure line, from coupling inboard of rib 4 to tee coupling in fuselage	1	30/166	—	106/18
32C/618	E.F2.81.5863 †	PLATE, electrical cable clip support	1	L72	—	
	†	STRIP, neoprene, 1/2" wide x 1/16" thick	QR	Shore H'ness 60-65	C	106/19
	†	STRIP, neoprene, 2" wide x 1/8" thick	QR	Shore H'ness 60-65	—	106/20
—	—	PIPES, hydraulic, between rib 16 on spar 1 and aileron jack diaphragm, assembly (E.B3.73.637) Spares for:—	—	—	—	
6099	E.B2.73.4355	BODY, special bulkhead union	2	L65	C	106/21
4979	E.B2.73.4817	PIPE, assembly, inboard aileron pressure line, from coupling between diaphragms 1 and 2 to aileron jack box connection	1	DTD743	C	106/22
4980	E.B2.73.4819	PIPE, assembly, inboard aileron return line, from coupling between diaphragms 1 and 2 to aileron jack box connection	1	DTD743	C	106/23
4981	E.B1.73.177	PLATE, locking, inboard aileron jack box	1	L65	C	106/24
4982	E.B1.73.179	PLATE, locking, outboard aileron jack box	1	L65	C	106/25
—	—	PIPES, hydraulic, in aileron jack boxes, assembly (E.B3.73.641) Spares for:—	—	—	—	
6099	E.B2.73.4355	BODY, special bulkhead union	2	L65	C	106/26
6100	E.B2.73.4359	BODY, special bulkhead union	2	DTD412	C	106/27

SERVICES
HYDRAULIC EQUIPMENT IN PORT WING

Ref. No.	Part No.	Description							No. off	Mati. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
4983	E.B2.73.4843	PIPE	assembly,	outboard	aileron	pressure	line,	1	DTD743	C	106/28	
			from rigid pipe connection to flexible pipe connection in jack box									
4984	E.B2.73.4845	PIPE	assembly,	inboard	aileron	pressure	line,	1	DTD743	C	106/29	
			from rigid pipe connection to flexible pipe connection in jack box									
4986	E.B2.73.4847	PIPE	assembly,	outboard	aileron	return	line,	1	DTD743	C	106/30	
			from rigid pipe connection to flexible pipe connection in jack box									
4985	E.B2.73.4849	PIPE	assembly,	inboard	aileron	return	line,	1	DTD743	C	106/31	
			from rigid pipe connection to flexible pipe connection in jack box									
-	-	STOWAGE	hydraulic, hand pump handle, assembly (E.B3.73.661)					-	-	-	102/6	
			Spares for:-									
5055	E.B2.73.3887	HANDLE	hydraulic hand pump, group					1	-	B	102/7	
			Spares for:-									
26FZ/13048	ROMAC B/79	HAND	grip					1	-	C	102/8	
11968	E.B1.73.1741	SOCKET	screwed					1	S95	C	102/9	

1544

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

