

SERVICES
HYDRAULIC EQUIPMENT IN STARBOARD WING

1545

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	—	HYDRAULIC EQUIPMENT IN STARBOARD WING, ASSEMBLY (E.B4.73.559) (Mod. 2039) Consisting of:—	—	—	—	
	—	HYDRAULICS, between trailing edge ribs 1 and 4, assembly (E.B3.73.603) Spares for:—	—	—	—	96/47
	E.B4.73.669	FAIRLEAD, floating, inboard of trailing edge rib 2 (Mod. 2039) Attachments:—	1	—	—	96/35
28D/1011019	A25/8C	Bolt, 2:BA, hex. head	2	—	C	96/36
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	96/37
28W/9419475	SP15/C	Washer, 2:BA, plain	2	—	C	96/38
	E.B4.73.677	FAIRLEAD, floating, inboard of trailing edge rib 2 (Mod. 2039) Attachments:—	1	—	—	96/39
28D/1010030	A25/7C	Bolt, 2:BA, hex. head	2	—	C	96/40
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	96/41
28W/9419475	SP15/C	Washer, 2:BA, plain	2	—	C	96/42
	9874	E.B3.73.1257 FAIRLEAD (Pre-Mod. 1524) Attachments:—	1	—	C	96/2
28D/9133014	A25/13C	Bolt, 2:BA, hex. head	1	—	C	96/3
28D/9453970	A25/15C	Bolt, 2:BA, hex. head	1	—	C	96/4
28W/9419404	SP16/C	Washer, 2:BA, plain	2	—	C	96/5
	12220	E.B3.73.1685 FAIRLEAD (Mod. 1524) Attachments:—	1	—	C	96/6
28D/9133014	A25/13C	Bolt, 2:BA, hex. head	1	—	C	96/3
28D/9453970	A25/15C	Bolt, 2:BA, hex. head	1	—	C	96/4
28W/9419404	SP16/C	Washer, 2:BA, plain	2	—	C	96/5
	5073	E.B2.73.3109 PLATE, locking Attachments:—	1	L73	C	96/7
28D/9133012	A25/3C	Bolt, 2:BA, hex. head	2	—	C	96/8
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	96/9
28W/9419404	SP16/C	Washer, 2:BA, plain	2	—	C	96/10
	E.B2.73.4469	PLATE, washer (Make from AGS.1149/2)	1	—	LM	96/11
	—	PIPES, hydraulic, between trailing edge ribs 4 and 8, assembly (E.B4.73.957) (Mod. 2039) Spares for:—	—	—	—	96/48
	19958	E.B4.73.795 E.B4.73.851 BOBBIN, pipe clip spacing FAIRLEAD, at trailing edge rib 5 Attachments:—	1	L64	C	96/44
28D/1011022	A25/18C	Bolt, 2:BA, hex. head	1	—	C	
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	1	—	C	
28W/9419475	SP15/C	Washer, 2:BA, plain	1	—	C	
	9875	E.B3.73.1255 FAIRLEAD Attachments:—	3	—	C	96/13
28D/9133014	A25/13C	Bolt, 2:BA, hex. head	5	—	C	96/14
28D/9140647	A25/14C	Bolt, 2:BA, hex. head	1	—	C	96/15
28W/9419404	SP16/C	Washer, 2:BA, plain	6	—	C	96/16

SERVICES
HYDRAULIC EQUIPMENT IN STARBOARD WING

1546

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	E.B4.73.815	PIPE, assembly, flaps 'down' line, from restrictor coupling at rib 6 to coupling at rib 4 (Mod. 2039)							1	30/166	-	96/49
	E.B4.73.817	PIPE, assembly, flaps 'down' line, from restrictor coupling at rib 6 to coupling at rib 2 (Mod. 2039)							1	30/166	-	96/50
	E.B4.73.819	PIPE, assembly, flaps 'up' line, from restrictor couplig at rib 6 to coupling at rib 2 (Mod. 2039)							1	30/166	-	96/51
	E.B4.73.511	PIPE, assembly, flaps 'up' line, from restrictor coupling at rib 6 to coupling at rib 4 (Mod. 2039)							1	30/166	-	96/52
	E.B4.73.703	PLATE, stiffening, for fairlead (Mod. 2039)							1	-	-	96/43
	E.B3.73.137	RESTRICTOR, flaps 'up' line, sub assembly Consisting of:-							1	-	-	96/21
6097	E.B2.73.4315	BLOCK, special connecting							1	S94, S95 or S96	C	96/22
28F/9439533	AGS.1129/B	BODY, banjo, 1/4" BSP							2	-	C	96/23
28F/9423227	AGS.1135/B	BOLT, banjo, 1/4" BSP							2	-	C	96/24
27Q/30404	DOWTY ROTOL H5044/8	RESTRICTOR, one-way							1	-	A	96/25
28F/9428453	AGS.1186/B	SEAL, bonded							4	-	C	96/26
28F/9429527	AGS.1186/BB	SEAL, bonded							1	-	C	96/27
	E.B3.73.139	RESTRICTOR, flaps 'down' line, sub-assembly Consisting of:-							1	-	-	96/28
28F/9439533	AGS.1129/B	BODY, banjo, 1/4" BSP							1	-	C	96/29
28F/9423227	AGS.1135/B	BOLT, banjo, 1/4" BSP							1	-	C	96/30
27Q/30403	DOWTY ROTOL H.5045/8	RESTRICTOR, two-way							1	-	A	96/31
28F/9428453	AGS.1186/B	SEAL, bonded							2	-	C	96/32
28F/9429532	AGS.1186/C	SEAL, bonded							1	-	C	96/33
5083	E.B2.73.4317	TEE, special							1	S94, S95 or S96	C	96/34
10303	EEAS.240/1A	WASHER, 'D'							1	L72	C	-
	-	PIPES, hydraulic, between trailing edge ribs 8 and 11, assembly (E.B3.73.611) Spares for:-							-	-	-	-
19926	E.B4.73.773	BOBBIN, pipe clip spacing (Mod. 2039)							2	L64	C	-
	EEAS.552/6	BOBBIN, pipe clip spacing (Mod. 2039)							2	L65	-	-
	EEAS.552/3	BOBBIN, pipe clip spacing (Mod. 2039)							4	L65	-	-
9880	E.B3.73.1221	FAIRLEAD Attachments:-							1	LFS21	C	97/2
28D/1011019	A25/8C	Bolt, 2 BA, hex. head							2	-	C	97/3
28W/9419475	SP15/C	Washer, 2 BA, plain							2	-	C	97/4
9879	E.B3.73.941	PIPE, assembly, flaps 'up' line, from restrictor coupling at rib 6 to connection between ribs 11 and 12							1	DTD743	C	97/23
9881	E.B3.73.943	PIPE, assembly, emergency line, from connection at rib 2 to tee connection between ribs 9 and 10							1	DTD743	C	97/24
9882	E.B3.73.945	PIPE, assembly, brake line, from connection at rib 2 to tee connection between ribs 9 and 10							1	DTD743	C	97/25

SERVICES
HYDRAULIC EQUIPMENT IN STARBOARD WING

1547

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
9883	E.B3.73.947	PIPE, assembly, undercarriage 'down' line, from connection at rib 2 to connection between ribs 9 and 10	1	DTD743	C	97/27
9885	E.B3.73.949	PIPE, assembly, undercarriage 'up' line, from tee between ribs 9 and 10 to coupling between ribs 10 and 11	1	DTD743	C	97/21
4869	E.B2.73.2837	PIPE, assembly, flaps 'down' line, from restrictor coupling at rib 6 to connection between ribs 10 and 11	1	DTD743	C	97/22
5187	E.B2.73.4653	PIPE, assembly, undercarriage 'up' line, from connection at rib 2 to tee connection between ribs 9 and 10	1	DTD743	C	97/26
5189	E.B2.73.4657	PIPE, assembly, maxaret return line, from connection at rib 2 to elbow connection between ribs 9 and 10	1	DTD743	C	97/28
5191	E.B2.73.4661	PIPE, assembly, undercarriage 'up' line from door sequence valve, from elbow between ribs 9 and 10 to coupling between ribs 10 and 11	1	DTD743	C	97/29
10303	EEAS.240/1A	WASHER, 'D'	6	L72	C	
3841	E.B1.73.1003	TEE, special cone, undercarriage 'down' line at spar 5	1	L65	C	97/14
		PIPES, hydraulic, between trailing edge ribs 11 and 13, assembly (E.B4.73.1001) (Mod. 2039) Spares for:—	—	—	—	
7649	E.B2.73.4431	ADAPTOR, special connector, between shuttle valve and door jack	1	S94, S95 or S96	C	98/1
5097	E.B2.73.3133	BOLT, special banjo, swivel coupling to shuttle valve connecting	1	S94, S95 or S96	C	98/2
7807	E.B2.73.4463	BOLT, special banjo, securing swivel coupling assembly, undercarriage door jack emergency line	1	S94, S95 or S96	C	98/3
5099	E.B2.73.3135	BRACKET, fairlead mounting, between ribs 11A and 12	1	L72	C	98/4
		Attachments:—				
28D/1200119	A25/4C	Bolt, 2 BA, hex. head	2	—	C	98/5
28W/9419404	SP16/C	Washer, 2 BA, plain	2	—	C	98/6
5100	E.B2.73.3147	BRACKET, undercarriage 'down' and emergency swivel coupling support	2	L65	C	98/7
		Attachments:—				
28D/9133011	A25/2C	Bolt, 2 BA, hex. head	4	—	C	98/8
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	4	—	C	98/9
28W/9419475	SP15/C	Washer, 2 BA, plain	4	—	C	98/10
5101	E.B2.73.3149	BRACKET, undercarriage 'up' swivel coupling support	1	L65	C	98/11
		Attachments:—				
28D/9133011	A25/2C	Bolt, 2 BA, hex. head	2	—	C	98/12
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	98/13
28W/9419475	SP15/C	Washer, 2 BA, plain	2	—	C	98/14
5102	E.B2.73.3141	BUSH, for swivel coupling pipe connection	3	L65	C	98/15

SERVICES
HYDRAULIC EQUIPMENT IN STARBOARD WING

1548

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.B4.73.573	FAIRLEAD, on rib 11A	1	-	C	98/33
28D/9133013	A25/5C	Attachments:- Bolt; 2; BA, hex. head	2	-	C	98/34
28M/1278190	AGS.2001/C/1	Nut; stiff; 2 BA	2	-	C	98/35
28W/9419475	SP15/C	Washer; 2; BA, plain	2	-	C	98/36
	E.B4.73.713	FAIRLEAD, inboard of trailing edge rib 12	1	-	-	98/37
		Attachments:-				
28D/1010030	A25/7C	Bolt; 2; BA, hex. head	1	-	C	98/38
28M/1278190	AGS.2001/C/1	Nut; stiff; 2 BA	1	-	C	98/39
28W/9419475	SP15/C	Washer; 2; BA, plain	1	-	C	98/40
9890	E.B3.73.1288	FAIRLEAD, at rib 11A	1	-	C	98/41
		Attachments:-				
28D/1215671	A59/15C	Bolt; 4; BA, hex. head	2	-	C	98/17
28M/1278190	AGS.2001/C/1	Nut; stiff; 2 BA	2	-	C	98/18
28W/9419475	SP15/C	Washer; 2; BA, plain	2	-	C	98/19
5106	E.B2.73.3145	PACKING, fairlead mounting at rib 11A	1	LFS21	C	98/20
5107	E.B2.73.3131	PIECE, distance, for swivel coupling and shuttle valve connection	1	S94, S95 or S96	C	98/21
	E.B4.73.679	PIPE, assembly, emergency line, from leg sequence valve special tee at rib 11A to tee coupling between ribs 9 and 10	1	30/166	-	98/42
	E.B3.73.1107	PIPE, assembly, undercarriage 'up' line, from leg sequence valve special tee coupling to door jack connection	1	DTD743	-	98/43
21021	E.B4.73.681	PIPE, assembly, undercarriage 'down' line, from leg sequence valve special tee at rib 11A to tee coupling between ribs 9 and 10	1	30/166	C	98/44
	E.B3.73.1109	PIPE, assembly, emergency line, from leg sequence valve special tee to door jack connection	1	DTD743	--	98/45
	E.B3.73.1111	PIPE, assembly, undercarriage 'down' line, from leg sequence valve special tee at door jack connection	1	DTD743	-	98/46
21022	E.B4.73.683	PIPE, assembly, undercarriage 'up' line, from leg sequence valve special tee at rib 11A to special elbow between ribs 9 and 10	1	30/166	C	98/47
	E.B3.73.175	TEE, special, at rib 11A, sub-assembly	2	-	-	98/28
		Consisting of:-				
28F/9439533	AGS.1129/B	BODY, banjo, 1/4" BSP	1	-	C	98/29
28F/9423227	AGS.1135/B	BOLT, banjo, 1/4" BSP	1	-	C	98/30
28F/9428453	AGS.1186/B	SEAL, bonded	2	-	C	98/31
5114	E.B2.73.3127	TEE, special	1	-	C	98/32
10303	EEAS.240/1A	WASHER, 'D'	3	L72	C	97/30
	-	PIPES, hydraulic, between trailing edge ribs 13 and 15, assembly (E.B3.73.619)	-	-	-	97/30
		Spares for:-				
9896	E.B3.73.965	PIPE, assembly, flaps 'down' line, from jack coupling on spar 5 between ribs 14 and 15 to coupling between ribs 10 and 11	1	DTD743	C	97/31

SERVICES
HYDRAULIC EQUIPMENT IN STARBOARD WING

1549

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
4871	E.B2.73.2867	PIPE, assembly, flaps 'down' line, from jack connection coupling at spar 5 to coupling between ribs 14 and 15	1	DTD743	C	97/34
4872	E.B2.73.2869	PIPE, assembly, flaps 'up' line, from jack connection to coupling at spar 5 between ribs 14 and 15	1	DTD743	C	97/33
4874	E.B2.73.2873	PIPE, assembly, flaps 'up' line, from jack coupling on spar 5 between ribs 14 and 15 to coupling between ribs 9 and 10	1	DTD743	C	97/32
5119	E.B2.73.3151	PLATE, locking	2	L65	C	97/20
10303	EEAS.240/1A	WASHER, 'D'	2	L72	C	
		PIPES, hydraulics, at rib 12A, assembly (E.B3.73.623)				
		Spares for:-				
9898	E.B3.73.1214	FAIRLEAD, for pipes at arch member Attachments:-	1	-	C	99/34
28D/1010030	A25/7C	Bolt, 2:BA, hex. head	1	-	C	99/2
28D/1011019	A25/8C	Bolt, 2:BA, hex. head	1	-	C	99/3
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	-	C	99/4
32C/618	-	Strip, neoprene, 1/2" wide x 1/16" thick	QR	Shore Hardness 40-45	C	
28W/9419475	SP15/C	Washer, 2 BA, plain	2	-	C	99/5
23425	EEAS.556/2	FAIRLEAD, for 1/4" pipe (Mod. 2039)	7	DTD560	C	
23426	EEAS.554/2	FAIRLEAD, for 1/4" pipe (Mod. 2039)	1	DTD560	C	
9911	E.B3.73.733	PIPE, assembly, undercarriage 'up' line, from special tee at auxiliary spar to cone coupling at trailing edge rib 11	1	DTD743	C	99/35
9910	E.B3.73.935	PIPE, assembly, undercarriage emergency line, from tee connection to relay valve at auxiliary spar	1	DTD743	C	99/36
9906	E.B3.73.937	PIPE, assembly, stabiliser return line, from cone union in wheel well to brake return tee coupling at spar 4	1	DTD743	C	99/37
9907	E.B3.73.939	PIPE, assembly, undercarriage 'down' line, from coupling at rib 12A to special tee coupling at trailing edge rib 11	1	DTD743	C	99/38
9908	E.B3.73.993	PIPE, assembly, undercarriage emergency line, from coupling at rib 12A to relay valve tee at auxiliary spar	1	DTD743	C	99/39
9909	E.B3.73.995	PIPE, assembly, undercarriage 'up' line, from coupling at rib 12A to special tee coupling at trailing edge rib 11	1	DTD743	C	99/40
9912	E.B3.73.997	PIPE, assembly, emergency line at rib 12A	1	DTD743	C	99/41
5154	E.B2.73.4743	PIPE, assembly, undercarriage 'up' line, from special tee at auxiliary spar to cone coupling at trailing edge rib 11	1	DTD743	C	99/42
5151	E.B2.73.4755	PIPE, assembly, undercarriage 'up' line, from relay valve to special tee connection at auxiliary spar	1	DTD743	C	99/43

SERVICES
HYDRAULIC EQUIPMENT IN STARBOARD WING

1550

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
5150	E.B2.73.4757	PIPE, assembly, undercarriage 'up' line, from relay valve banjo connection to special tee connection	1	DTD743	C	99/44
5148	E.B2.73.4761	PIPE, assembly, undercarriage 'up' line, from special tee to sequence valve at auxiliary spar	1	DTD743	C	99/45
5147	E.B2.73.4763	PIPE, assembly, undercarriage 'up' line, from special tee to sequence valve	1	DTD743	C	99/46
	E.B3.73.169	TEE, special, sub-assembly Consisting of:-	1	-	-	99/17
28F/9439533	AGS.1129/B	BODY, banjo, 1/4" BSP	1	-	C	99/18
28F/9140973	AGS.1129/C	BODY, banjo, 3/8" BSP	1	-	C	99/19
28F/9423227	AGS.1135/B	BOLT, banjo, 1/4" BSP	1	-	C	99/20
28F/9423229	AGS.1135/C	BOLT, banjo, 3/8" BSP	1	-	C	99/21
28F/9428453	AGS.1186/B	SEAL, bonded, 1/4" BSP	2	-	C	99/22
28F/9429532	AGS.1186/C	SEAL, bonded, 3/8" BSP	2	-	C	99/23
5034	E.B1.73.1863	TEE, special	1	L65	C	99/24
	E.B3.73.171	TEE, special, sub-assembly Consisting of:-	1	-	-	99/25
28F/9140971	AGS.1104/C	CONE, adapter, 3/8" BSP	1	-	C	99/26
28F/9439533	AGS.1129/B	BODY, banjo, 1/4" BSP	1	-	C	99/27
28F/9423227	AGS.1135/B	BOLT, banjo, 1/4" BSP	1	-	C	99/28
28F/9428453	AGS.1186/B	SEAL, bonded, 1/4" BSP	2	-	C	99/29
28F/9429532	AGS.1186/C	SEAL, bonded, 3/8" BSP	1	-	C	99/30
5034	E.B1.73.1863	TEE, special	1	L65	C	99/31
4021	E.B2.73.3153	TEE, special cone, at rib 12A, emergency line	1	S94, S95 or S96	C	99/32
-	-	PIPES, hydraulic, in undercarriage bay, assembly (E.B3.73.667) (Mod. 4051) Spares for:-	-	-	-	-
4987	E.B1.73.1203	ADAPTOR, special reducing, 3/8" BSP x 1/4" BSP, undercarriage door sequence valve	1	DTD423	C	100/1
4988	E.B1.73.1755	BANJO, special, undercarriage 'up' flexible pipe attachment	1	DTD423	C	101/1
3857	E.B1.73.1837	BODY, banjo, undercarriage sequence valve connection	1	DTD423	C	101/2
6442	E.B3.73.173	BODY, banjo, 'down' lock jack pipe coupling	1	S94, S95 or S96	C	101/3
4989	E.B1.73.1757	BOLT, special banjo, 'up' lock jack flexible pipe attachment	1	S95	C	101/4
4990	E.B1.73.1839	BOLT, special banjo, undercarriage sequence valve connection	1	S95	C	101/5
4068	E.B2.73.3189	BOLT, banjo, 'down' lock jack pipe attachment	1	-	C	101/6
36674	E.B2.73.7053	BRACKET, flexible pipe coupling, assembly (Mod. 4051) Spares for:-	1	-	C	-
4991	E.B1.73.123	BRACKET, flexible pipe coupling	1	-	C	101/7
	E.B2.73.7055	PLATE, locking	1	L72	C	101/8
		Attachments:-				
28D/9436920	A25/1C	Bolt, 2:BA, hex. head	1	-	C	101/9
28D/9133011	A25/2C	Bolt, 2:BA, hex. head	1	-	C	101/10
28W/9416643	SP47/C	Washer, 2:BA, spring	2	-	C	101/11
26FZ/4965	EEAS.143/5	CLIP, pipe	1	-	C	101/12

SERVICES
HYDRAULIC EQUIPMENT IN STARBOARD WING

1551

Ref. No.	Part No.	Description							No. off	Mtl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
9032	E.B3.73.1579								1	L65	C	101/13
3899	E.B1.73.147								1	-	C	101/14
28F/9423229	AGS.1135/C								1	-	C	101/15
4994	E.B1.73.1875								1	L65	C	101/16
11036	E.B3.73.190								1	L65	C	101/29
9917	E.B3.73.1207								2	-	C	100/2
28D/1010030	A25/7C								4	-	C	100/3
28M/1278190	AGS.2001/C/1								2	-	C	100/4
28W/9419475	SP15/C								4	-	C	100/5
9916	E.B3.73.1229								1	-	C	101/18
28D/9133013	A25/5C								6	-	C	101/19
28W/9419475	SP15/C								6	-	C	101/20
4998	E.B2.73.1343								1	DTD171	C	100/6
4999	E.B1.73.1759								1	L72	C	101/21
9915	E.B3.73.931								1	DTD743	C	100/25
5010	E.B2.73.4741								1	DTD743	C	100/41
5125	E.B2.73.4677								1	DTD743	C	100/39
5134	E.B2.73.4679								1	DTD743	C	100/40
5133	E.B2.73.4681								1	DTD743	C	100/38
5126	E.B2.73.4683								1	DTD743	C	100/34
5130	E.B2.73.4685								1	DTD743	C	100/37
5129	E.B2.73.4687								1	DTD743	C	100/36
5128	E.B2.73.4689								1	DTD743	C	100/37
5141	E.B2.73.4691								1	DTD743	C	100/33

SERVICES
HYDRAULIC EQUIPMENT IN STARBOARD WING

1552

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
5140	E.B2.73.4693	PIPE, assembly, undercarriage 'up' from door sequence valve line, from elbow between ribs 9 and 10 to cone elbow at spar 4 in wheel well	1	DTD743	C	100/32
5139	E.B2.73.4695	PIPE, assembly, undercarriage 'up' line, from elbow at spar 5 between ribs 9 and 10 to coupling tee at spar 4 in wheel well	1	DTD743	C	100/31
5138	E.B2.73.4697	PIPE, assembly, tank return line, from elbow at spar 5 between ribs 9 and 10 to coupling tee at spar 4 in wheel well	1	DTD743	C	100/30
5137	E.B2.73.4699	PIPE, assembly, undercarriage 'up' line, from relief valve to special elbow	1	DTD743	C	100/29
5136	E.B2.73.4701	PIPE, assembly, return line, from undercarriage sequence valve to relief valve connection	1	DTD743	C	100/27
5132	E.B2.73.4705	PIPE, assembly, undercarriage 'down' line, from cone elbow at spar 4 to flexible pipe elbow connection	1	DTD743	C	100/26
5127	E.B2.73.4707	PIPE, assembly, return line, from undercarriage door sequence valve to tee coupling	1	DTD743	C	100/28
5017	E.B1.73.1749	PLATE, locking, special elbow connection	1	L65	C	101/22
28F/9428452	AGS.1186/A	SEAL, bonded, 'down' lock jack pipe attachment	2	-	C	101/23
28F/9428453	AGS.1186/B	SEAL, bonded, undercarriage sequence valve banjo connection	2	-	C	101/24
3841	EEAS.146/T/C E.B1.73.1003	SLEEVE	1	-	-	101/25
4021	E.B2.73.3153	TEE, special cone, undercarriage low pressure return line at spar 4	1	L65	C	101/26
9028	E.B3.73.1593	UNION, special bulkhead (3 off Pre-Mod. 2205)	2	S94, S95 or S96	C	100/24
36675	E.B2.73.7045	UNION, special, bulkhead (Mod. 4051)	1	S94	C	101/27
5018	E.B1.73.1751	WASHER, special, elbow seating	1	L65	C	101/28
-	-	PIPES, hydraulic, at undercarriage door lock jack, assembly (E.B3.73.631) Spares for:-	-	-	-	-
5035	E.B2.73.101	BRACKET, autostabiliser return pipe clip attachment	2	L72	C	102/1
5155	E.B2.73.4669	PIPE, assembly, undercarriage 'up' line, from door lock jack connection through diaphragm at rib 12A	1	DTD743	C	102/10
5156	E.B2.73.4671	PIPE, assembly, undercarriage emergency line, from door lock jack connection through diaphragm at rib 12A	1	DTD743	C	102/11
5157	E.B2.73.4673	PIPE, assembly, undercarriage 'down' line, from door lock jack connection through diaphragm at rib 12A	1	DTD743	C	102/12
5039	EEAS.20/2CR -	TAB, locking PIPES, hydraulic, on main undercarriage, assembly (E.B3.73.635) Spares for:-	6 -	L72 -	C -	102/5
9034	E.B3.73.1571	ADAPTOR, special cone, between low pressure return and flexible pipes	1	S94	C	103/1
33C/1513	DUNLOP M4.10	ADHESIVE	QR	-	C	103/10

SERVICES
HYDRAULIC EQUIPMENT IN STARBOARD WING

1553

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
19958	E.B4.73.795	BOBBIN, pipe clip spacing (Mod. 2039)	2	L64	C	
7883	PERFECT CLIP	CLIP, 'perfect', flexible pipe support (50" length + fittings)	2	-	C	103/2
6046	E.B2.73.4799	PIPE, assembly, from flexible pipe connection to swivel coupling connection, maxaret pressure line	1	DTD743	C	103/14
5162	E.B2.73.4801	PIPE, assembly, maxaret return line, from flexible pipe coupling to flexible pipe union on undercarriage	1	DTD743	C	103/11
5165	E.B2.73.4803	PIPE, assembly, maxaret pressure line, from swivel coupling connection to charging valve tee piece	1	DTD743	C	103/13
4896	E.B2.73.4805	PIPE, assembly, maxaret pressure line, from charging valve tee piece to maxaret unit connection	1	DTD743	C	103/12
32C/	†	STRIP, neoprene, 1" wide x 1/64" thick	QR	S/H 80	-	103/8
9932	E.B3.73.1545	SUPPORT, flexible pipe on undercarriage leg	2	Boscoprene 2100	C	103/7
9033	E.B3.73.1583	TEE PIECE, special, maxaret pressure line and charging valve	1	S94	C	103/9
10303	EEAS.240/1A	WASHER, 'D'	2	L72	C	
		PIPES, hydraulic, between leading edge ribs 14 and 17, along spar 1, assembly (E.F.2.73.139) (Mod. 2039) Spares for:-	-	-	-	
	E.F.2.73.721	BRACKET, fairlead support at spar 1, between leading edge ribs 17 and 18	1	-	-	104/2
		Attachments:-				
28D/9133012	A25/3C	Bolt, 2 BA, hex. head	2	-	C	104/3
28W/9419475	SP15/C	Washer, 2 BA, plain	2	-	C	104/4
	E.F.2.73.2613	BRACKET, fairlead support between leading edge ribs 14 and 15	1	L72	-	
		Attachments:-				
2647	EEAS.196/1C	Bolt, 2 BA, c'sk head, 120 deg.	2	S95 or 94	C	
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	-	C	
28W/9419475	SP15/C	Washer, 2 BA, plain	2	-	C	
	E.F.2.73.717	FAIRLEAD, for pipes through spar 1, between leading edge ribs 17 and 18	1	-	-	104/10
		Attachments:-				
28D/9140647	A25/14C	Bolt, 2 BA, hex. head	2	-	C	104/11
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	-	C	104/12
28W/9419475	SP15/C	Washer, 2 BA, plain	2	-	C	104/13
	E.F.2.73.723	FAIRLEAD, at and inboard of leading edge rib 16	2	-	-	104/14
		Attachments:-				
28D/9419397	A25/12C	Bolt, 2 BA, hex. head	4	-	C	104/15
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	4	-	C	104/16
28W/9419475	SP15/C	Washer, 2 BA, plain	4	-	C	104/17

SERVICES
HYDRAULIC EQUIPMENT IN STARBOARD WING

1554

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
20531	E.F.2.73.747	FAIRLEAD, between leading edge ribs 16 and 17 Attachments:—	1	—	C	104/18
28D/1212796	AS.1248/13C	Bolt, 2 BA, mushroom head	2	—	C	104/20
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	104/21
28W/9419475	SP15/C	Washer, 2 BA, plain	2	—	C	104/22
	E.F.2.73.781	FAIRLEAD, between leading edge ribs 14 and 15 Attachments:—	1	—	—	
28D/1011022	A25/18C	Bolt, 2 BA, hex. head	2	—	C	
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	
28W/9419475	SP15/C	Washer, 2 BA, plain	2	—	C	
9921	E.B.3.73.987	PIPE, assembly, outboard aileron return line, from connection at leading edge rib 17 to aileron jack box connection	1	DTD743	C	
9922	E.B.3.73.985	PIPE, assembly, inboard aileron pressure line, from connection at leading edge rib 17 to line filter connection between diaphragms 1 and 2	1	DTD743	C	
21030	E.F.2.73.1291	PIPE, assembly, autostabiliser pressure line, from connection forward of leading edge rib 14 to autostabiliser connection between ribs 14 and 15	1	30/166	C	
5159	E.B.2.73.4855	PIPE, assembly, outboard aileron pressure line, from connection at leading edge rib 17 to line filter connection	1	DTD743	C	
5161	E.B.2.73.4857	PIPE, assembly, inboard aileron return line, from coupling at leading edge rib 17 to aileron jack box connection	1	DTD743	C	
10303	E.F.2.73.743 EEAS.240/1A	PLATE, special, pipe clip attachment WASHER, 'D'	1 6	L72 L72	— C	104/38
	—	PIPES, hydraulic, between leading edge ribs 8 and 14, assembly (E.B.4.73.555) (Mod. 2039) Spares for:—	—	—	—	
23432	EEAS.552/9	BOBBIN, pipe clip spacing	1	L65	C	105/2
9933	E.B.3.73.193	BRACKET, fairlead support between leading edge ribs 9 and 10	1	L72	C	105/3
9924	E.B.3.73.1219	FAIRLEAD Attachments:—	4	—	C	105/4
28D/7002428	A25/6C	Bolt, 2 BA, hex. head	6	—	C	105/5
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	105/6
28W/9419475	SP15/C	Washer, 2 BA, plain	6	—	C	105/7
9923	E.B.3.73.1299	FAIRLEAD Attachments:—	1	—	C	105/35
28D/7002428	A25/6C	Bolt, 2 BA, hex. head	1	—	C	
28D/	A25/7C	Bolt, 2 BA, hex. head	1	—	C	
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	
32C/	†	Strip, neoprene, 1/2" wide x 1/8" thick	QR	Shore H'ness 60-65	C	
28W/9419475	SP15/C	Washer, 2 BA, plain	1	—	C	
28W/9419404	SP16/C	Washer, 2 BA, plain	1	—	C	

SERVICES
HYDRAULIC EQUIPMENT IN STARBOARD WING

1555

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.B4.73.967	FAIRLEAD, between leading edge ribs 10 and 11	1	—	—	105/8
28D/9140644	A25/9C	Attachments:— Bolt, 2 BA, hex. head	1	—	C	105/9
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	1	—	C	105/10
28W/9419475	SP15/C	Washer, 2 BA, plain	1	—	C	105/11
	E.F2.73.737	PACKING, pipe clips between leading edge ribs 10 and 11	1	L72	—	105/18
	E.B4.73.805	PIPE, assembly, from cone union outboard of leading edge rib 12 to micron filter connection, autostabiliser pressure line	1	30/166	—	105/36
	E.F2.73.1277	PIPE, assembly, from connection between leading edge ribs 10 and 11 to connection outboard of leading edge rib 17, outboard aileron pressure line	1	30/166	—	
21025	E.F2.73.1279	PIPE, assembly, from connection between leading edge ribs 10 and 11 to connection outboard of leading edge rib 17, outboard aileron return line	1	30/166	C	
	E.F2.73.1281	PIPE, assembly, from connection between leading edge ribs 10 and 11 to connection outboard of leading edge rib 17, inboard aileron pressure line	1	30/166	—	
	E.F2.73.1283	PIPE, assembly, from connection between leading edge ribs 10 and 11 to connection outboard of leading edge rib 17, inboard aileron return line	1	30/166	—	
	E.F2.73.1285	PIPE, assembly, autostabiliser pressure line, from micron filter pressure connection forward of leading edge rib 14	1	30/166	—	
	E.F2.73.1289	PIPE, assembly, from autostabiliser return connection to elbow connection in wheel well	1	30/166	—	
8549	E.B3.73.1573	UNION, special cone reducing, forward of leading edge, rib 14, autostabiliser pressure line	1	S94	C	105/37
10303	EEAS.240/1A	WASHER, 'D'	6	L72	C	105/22
	—	PIPES, hydraulic, between leading edge ribs 3 and 8, assembly (E.F2.73.169) (Mod. 2039) Spares for:—	—	—	—	
	EEAS.552/6	BOBBIN, pipe clip spacing	1	L65	—	
	EEAS.552/3	BOBBIN, pipe clip spacing	3	L65	—	
23430	EEAS.552/4	BOBBIN, pipe clip spacing	1	L65	C	
	E.F2.73.2529	CHANNEL, fairlead backing at leading edge rib 3	1	—	—	105/34

SERVICES
HYDRAULIC EQUIPMENT IN STARBOARD WING

1556

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
9924	E.B3.73.1219	FAIRLEAD Attachments:-	4	-	C	105/23
28D/1010030	A25/7C	Bolt, 2 BA, hex. head	2	-	C	105/25
28D/1212944	A61/7C	Bolt, 2 BA, hex. head	4	-	C	
28D/8346	AS.1248/8C	Bolt, 2 BA, mushroom head	2	-	C	105/26
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	-	C	105/27
28W/9419475	SP15/C	Washer, 2 BA, plain.	8	-	C	105/28
	E.F2.73.1287	PIPE, assembly, from coupling inboard of rib 5 to cone union outboard of leading edge rib 12, autostabiliser pressure line	1	30/166	-	105/38
	E.F2.73.1269	PIPE, assembly, outboard aileron pressure line from coupling inboard of rib 4 to coupling between leading edge ribs 10 and 11	1	30/166	-	105/39
	E.F2.73.1271	PIPE, assembly, outboard aileron return line, from coupling inboard of rib 4 to coupling at leading edge rib 12	1	30/166	-	105/40
	E.F2.73.1273	PIPE, assembly, inboard aileron pressure line, from coupling inboard of rib 4 to coupling between leading edge ribs 10 and 11	1	30/166	-	105/41
	E.F2.73.1275	PIPE, assembly, inboard aileron return line, from coupling inboard of rib 4 to coupling between leading edge ribs 10 and 11	1	30/166	-	105/42
10303	EEAS.240/1A	WASHER, 'D'	18	L72	C	
	-	PIPES, hydraulic, between tank ribs 7 and 11, assembly (E.F2.73.163) (Mod. 2039) Consisting of:-	-	-	-	
	E.F2.73.2529	CHANNEL, fairlead backing	1	-	-	106/1
9924	E.B3.73.1219	FAIRLEAD, assembly Attachments:-	3	-	C	106/2
28D/1212807	AS.1248/7C	Bolt, 2 BA, mushroom head	2	-	C	106/3
28D/8346	AS.1248/8C	Bolt, 2 BA, mushroom head	3	-	C	106/4
28D/1212805	AS.1248/9C	Bolt, 2 BA, mushroom head	1	-	C	106/5
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	-	C	106/6
28W/9419475	SP15/C	Washer, 2 BA, plain	2	-	C	106/7
9925	E.B3.73.1293	FAIRLEAD, assembly Attachments:-	1	-	C	106/8
28D/8346	AS.1248/8C	Bolt, 2 BA, mushroom head	2	-	C	106/9
	E.F2.73.1731	FAIRLEAD, assembly Attachments:-	1	-	-	
28D/9140645	A25/10C	Bolt, 2 BA, hex. head	2	-	C	
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	-	C	
28W/9419475	SP15/C	Washer, 2 BA, plain	2	-	C	
9931	E.B3.73.963	PIPE, assembly, outboard aileron return line, from coupling inboard of rib 4 to tee coupling in fuselage	1	DTD743	C	106/32

SERVICES
HYDRAULIC EQUIPMENT IN STARBOARD WING

1557

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
9930	E.B3.73.971	PIPE, assembly, outboard aileron pressure line, from coupling inboard of rib 4 to tee coupling in fuselage	1	DTD743	C	106/33
9929	E.B3.73.973	PIPE, assembly, autostabiliser pressure line, from coupling inboard of rib 4 to tee coupling in fuselage	1	DTD743	C	106/34
9955	E.B3.73.1115	PIPE, assembly, inboard aileron return line, from coupling inboard of rib 4 to tee coupling in fuselage	1	DTD743	C	106/35
5178	E.B2.73.2963	PIPE, assembly, inboard aileron pressure line, from coupling inboard of rib 4 to tee coupling in fuselage	1	DTD743	C	106/36
32C/	E.F2.81.5863 †	PLATE, electrical cable clip attachment	1	L72	—	
32C/	†	STRIP, neoprene, 1/2" wide x 1/16" thick	QR	Shore H'ness 60 x 65	C	106/19
32C/	†	STRIP, neoprene, 2" wide x 1/8" thick	QR	Shore H'ness 60-65	—	106/20
	—	PIPES, hydraulic, between rib 16 on spar 1 and aileron jack diaphragm, assembly (E.B3.73.639) Spares for:—	—	—	—	
6099	E.B2.73.4355	BODY, special bulkhead union	2	L65	C	106/21
11902	E.B2.73.4821	PIPE, assembly, inboard aileron return line, from coupling between diaphragms 1 and 2 to aileron jack box connection	1	DTD743	C	106/37
5120	E.B2.73.4823	PIPE, assembly, inboard aileron pressure line, from coupling between diaphragms 1 and 2 to aileron jack box connection	1	DTD743	C	106/38
4981	E.B1.73.177	PLATE, locking, inboard aileron jack	1	L65	C	106/24
4982	E.B2.73.179	PLATE, locking, outboard aileron jack	2	L65	C	106/25
	—	PIPES, hydraulic, in aileron jack boxes, assembly (E.B3.73.643) Spares for:—	—	—	—	
6099	E.B2.73.4355	BODY, special bulkhead union	2	L65	C	106/26
6100	E.B2.73.4359	BODY, special bulkhead union	2	L65	C	106/27
5121	E.B2.73.4825	PIPE, assembly, outboard aileron pressure line, from rigid pipe connection to flexible pipe in jack box	1	DTD743	C	106/39
5123	E.B2.73.4927	PIPE, assembly, inboard aileron pressure line, from rigid pipe connection to flexible pipe connection in jack box	1	DTD743	C	106/40
5122	E.B2.73.4829	PIPE, assembly, outboard aileron return line, from rigid pipe connection to flexible pipe connection in jack box	1	DTD743	C	106/41
5124	E.B2.73.4859	PIPE, assembly, inboard aileron return line, from rigid pipe connection to flexible pipe connection in jack box	1	DTD743	C	106/42

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

