

SERVICES  
OXYGEN SYSTEM

583

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
—	—	OXYGEN SYSTEM, ASSEMBLY (E.B4.71.201)	—	—	—	—
		Spares for:—				
9081	E.B4.71.301	ADAPTOR, straight, oxygen regulator connection	2	DTD130 or L65	C	121/1
6D/9429894	†	BOTTLE, oxygen, 750 litres, with valve	4		C	122/2
9082	E.B1.71.53	BRACKET, half, oxygen reducing valve mounting	1	LFS21	C	121/2
		Attachments:—				
28D/9015170	A25/16B	Bolt, 4 BA, hex. head	2	—	C	121/3
28W/9419486	SP16/B	Washer, 4 BA, plain	2	—	C	121/4
9083	E.B4.71.175	CABLE, personal services ejection release, group	2	—	C	121/5
		Consisting of:—				
28V/6177	†	CABLE, W11-1PNC	1	—	C	121/6
9084	E.B2.71.685	EYE-BOLT	1	S1	C	121/7
9085	E.B2.71.687	LUG	1	L73 or L65	C	121/8
	E.B4.71.151	CLEAT, on rudder box, for oxygen low pressure pipe clip attachment, port and starboard	2	L72	—	121/9
		Attachments:—				
28D/9133011	A25/2C	Bolt, 2 BA, hex. head	2	—	C	121/10
28M/9433473	AGS.2002/C/1	Nut, stiff, 2 BA	2	—	C	121/11
28S/9419404	SP16/C	Washer, 2 BA, plain	2	—	C	121/12
	E.B4.71.133	CLIP, pipe, aft of frame 9	1	L72	—	121/13
		Attachments:—				
28D/9133011	A25/2C	Bolt, 2 BA, hex. head	2	—	C	121/14
28M/9433473	AGS.2002/C/1	Nut, stiff, 2 BA	2	—	C	121/15
28S/9419404	SP16/C	Washer, 2 BA, plain	2	—	C	121/16
	E.B4.71.319	CLIP, pipe, special, high pressure pipe at frame 10	1	L72	—	121/17
	E.B4.71.307	CONNECTOR, personal equipment, port, assembly	1	—	—	121/18
		Consisting of:—				
27L/1290	MARTIN BAKER B/MBEU.8912	CONNECTOR, personal equipment, bottom portion	1	—	B	121/19
9086	DUNLOP DAS.412E-12	PIPE, flexible, 5/8" i/d x 12" long	1	—	C	121/20
9087	DUNLOP DAS.412E-16	PIPE, flexible, 5/8" i/d x 16" long	1	—	C	
9088	DUNLOP DAS.412G-27	PIPE, flexible, 7/8" i/d x 27" long (Pre-Mod. 1998)	1	—	C	
	DUNLOP DAS.523/G27	PIPE, flexible, 7/8" i/d x 27" long (Mod. 1998)	1	—	—	121/22
9089	E.B4.71.305	UNION, pipe, special	2	L65	C	121/23
9090	E.B4.75.1181	UNION, pipe, special	2	L65	C	121/24
9091	E.B4.75.1183	UNION, pipe, special	2	L65	C	121/25
	E.B4.71.311	CONNECTOR, personal equipment, starboard, assembly	1	—	—	121/26
		Consisting of:—				
27L/1290	MARTIN BAKER B/MBEU/8912	CONNECTOR, personal equipment, bottom portion	1	—	B	121/27
9092	DUNLOP DAS.412E-15	PIPE, flexible, 5/8" i/d x 15" long	1	—	C	121/28
9093	DUNLOP DAS.412E-18	PIPE, flexible, 5/8" i/d x 18" long	1	—	C	121/29

SERVICES  
OXYGEN SYSTEM

158

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
9094	DUNLOP DAS.412G-14	PIPE, flexible, 7/8" i/d x 14" long (Pre-Mod. 1998)	1	-	C	121/30
	DUNLOP DAS.523/G14	PIPE, flexible, 7/8" x 14" long (Mod. 1998)	1	-	-	
	E.B4.71.305	UNION, pipe, special	1	L65	-	121/31
	E.B4.75.1181	UNION, pipe, special	1	L65	-	121/32
	E.B4.75.1183	UNION, pipe, special	1	L65	-	121/33
5659	HELLERMANN HV.3594	COVER, oxygen bottle valve protective	4	-	C	123/1
9095	E.B4.71.63	FAIRLEAD, aft of frame 18 (Pre-Mod. 1912) Attachments:-	2	LGS21	C	123/2
28D/9133011	A25/2C	Bolt, 2 BA, hex. head	2	-	C	123/3
28W/9419404	SP16/C	Washer, 2 BA, plain	2	-	C	123/4
6D/574	†	FILTER, Mk. 1, high pressure charging valve line	1	-	C	123/5
26FZ/1128	EEAS.69/2	GASKET, bulkhead fitting at frame 16	1	Neo-K-Tex	C	121/34
32C/	EEAS.166/16/20	HOSE, rubber, 1" O x 1-3/8" x 2" long	3	DTD625	-	121/35
12264	DUNLOP DAS.393/16/3	HOSE, silicone	4	-	C	121/36
	-	MOUNTING, oxygen bottle, assembly (E.B4.71.7) Spares for:-	-	-	-	122/2
	E.B4.71.9	CRADLE, oxygen bottle, top, assembly Spares for:-	1	-	-	122/3
	E.B4.71.135	PAD, mounting	6	DTD185	-	122/4
9096	E.B4.71.143	STRAP, assembly Spares for:-	6	-	C	122/5
	E.B4.71.147	NUT, clamp	1	S1	-	122/6
26FZ/6150	E.A1.71.57	PAD	2	DTD789	C	122/7
		Attachments:-				
28D/1011246	A25/11E	Bolt, 1/4" BSF, hex. head	3	-	C	122/8
28M/7002430	AGS.2002/E/1	Nut, stiff, 1/4" BSF	3	-	C	122/9
	AS.2809/5/100	Tube, distance	12	-	-	122/10
28W/9419405	SP15/E	Washer, 1/4" BSF, plain	3	-	C	122/11
9097	E.B4.71.145	STRAP, assembly Spares for:-	3	-	C	122/12
	E.B4.71.149	NUT, clamp	1	S1	-	122/13
26FZ/6150	E.A1.71.57	PAD	2	DTD789	C	122/14
		Attachments:-				
28D/1011246	A25/11E	Bolt, 1/4" BSF, hex. head	3	-	C	122/8
28M/7002430	AGS.2002/E/1	Nut, stiff, 1/4" BSF	3	-	C	122/9
	AS.2809/5/100	Tube, distance	3	-	-	122/10
28W/9419405	SP15/E	Washer, 1/4" BSF, plain	3	-	C	122/11
9098	E.B4.71.141	SCREW, strap tension	3	S1	C	122/15
		Attachments:-				
28D/9133011	A25/2C	Bolt, 2 BA, hex. head	8	-	C	122/16
28M/7002430	AGS.2002/C/1	Nut, stiff, 2 BA	8	-	C	122/17
28W/9419475	SP15/C	Washer, 2 BA, plain	12	-	C	122/18
	E.B4.71.11	CRADLE, oxygen bottle, lower, assembly Spares for:-	1	-	-	122/19
	E.B4.71.135	PAD, mounting	3	DTD185	-	

SERVICES  
OXYGEN SYSTEM

1585

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	E.B4.71.143								3	-	-	122/5
	E.B4.71.147								1	S1	-	122/6
26FZ/6150	E.A1.71.57								2	DTD789	C	122/7
28D/1011246	A25/11E								3	-	C	122/8
28M/7002430	AGS.2002/E/1								3	-	C	122/9
	AS.2809/5/100								3	-	-	122/10
28W/9419405	SP15/E								3	-	C	122/11
	E.B4.71.145								3	-	-	122/12
	E.B4.71.147								1	S1	-	122/13
26FZ/6150	E.A1.71.57								2	DTD789	C	122/14
28D/1011246	A25/11E								3	-	C	122/8
28M/7002430	AGS.2002/E/1								3	-	C	122/9
	AS.2809/5/100								3	-	-	122/10
28W/9419405	SP15/E								3	-	C	122/11
	E.B4.71.141								3	S1	-	122/15
28D/9133011	A25/2C								8	-	C	122/16
28W/9419475	SP15/C								12	-	C	122/18
	E.B4.10.7811								1	L73	-	122/20
28D/9133011	A25/2C								12	-	C	122/21
28W/9419475	SP15/C								12	-	C	122/22
9099	E.B4.71.309								2	S1 or S970	C	121/37
	E.B4.71.3								1	-	-	123/6
10AJ/169									1	-	B	
28M/1006504	A27/BT								4	-	C	
28S/9435712	A31/B8								4	-	C	
28D/9133011	A25/2C								8	-	C	123/8
28W/9419404	SP16/C								8	-	C	123/9
	E.B4.71.5								1	-	-	123/7
10AJ/140									1	-	B	
28M/1006504	A27/BT								4	-	C	
	E.B4.80.1985								1	L65	-	
28S/1007469	A33/B14								4	-	C	
28W/9419448	AGS.2035/B								4	-	C	
28D/9133011	A25/2C								8	-	C	123/8
28W/9419404	SP16/C								8	-	C	123/9

SERVICES  
OXYGEN SYSTEM

1586

Ref. No.	Part No.	Description	No. off	Mati. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
6D/575	†	PIECE, 2:way connecting, Mk. 3A, high pressure line	5	—	C	123/10
6D/603	†	PIECE, 3:way connecting, Mk. 3A, high pressure line	9	—	C	122/23
6D/604	†	PIECE, 4:way connecting, Mk. 3A	1	—	C	122/24
9100	E.B4.71.79	PIPE, assembly, between intermediate tees aft of frame 16, high pressure charging line	1	T51	C	122/25
9101	E.B4.71.91	PIPE, assembly, from double non-return valve four-way piece to non-return valve tee at frame 17, high pressure line	1	T51	C	122/26
12263	E.B4.71.361	PIPE, assembly, from 2-way connection above pilot's floor to oxygen contents gauge, high pressure line	1	T51	C	121/38
9103	E.B4.71.105	PIPE, assembly, from reducing valve to tee aft of frame 9, low pressure line	1	L54	C	121/39
9105	E.B4.71.109	PIPE, assembly, from coupling aft of frame 9 to starboard oxygen demand regulator inlet connection, low pressure line	1	L54	C	121/40
9107	E.B4.71.113	PIPE, assembly, from coupling aft of frame 9 to port oxygen demand regulator inlet connection, low pressure line	1	L54	C	121/41
12257	E.B4.71.371	PIPE, between starboard oxygen demand regulator outlet and intermediate pipe hose connections, low pressure line, 1".0 o/d x 22 SWG	1	L54	C	121/42
9109	E.B4.71.161	PIPE, intermediate, from hose connection aft of frame 8 to hose connection aft of frame 9, starboard, low pressure line, 1".0 o/d x 22 SWG	1	L54	C	121/43
12258	E.B4.71.369	PIPE, between port oxygen demand regulator outlet and intermediate pipe hose connections	1	L54	C	121/44
9111	E.B4.71.167	PIPE, intermediate, from hose connection aft of frame 8 to hose connection aft of frame 9, port, low pressure line, 1".0 o/d x 22 SWG	1	L54	C	121/45
9112	E.B4.71.255	PIPE, assembly, between intermediate tees aft of frame 16, high pressure charging line	1	T51	C	122/27
9113	E.B4.71.267	PIPE, assembly, from double non-return valve four-way piece to non-return valve tee aft of frame 16, high pressure line	1	T51	C	122/28
9114	E.B4.71.291	PIPE, assembly, from double non-return valve four-way piece to double non-return valve tee at frame 17, high pressure line	1	T51	C	122/29
9115	E.B4.71.313	PIPE, from hose connection aft of frame 9 to port personal equipment flexible pipe connection at frame 13, low pressure line, 1".0 o/d x 22 SWG	1	L54	C	121/46
9116	E.B4.71.315	PIPE, intermediate, from hose connection aft of frame 9 to hose connection aft of frame 13, starboard, low pressure line, 1".0 o/d x 22 SWG	1	L54	C	121/47

SERVICES  
OXYGEN SYSTEM

1587

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
9117	E.B4.71.317	PIPE, from hose connection aft of frame 13 to starboard personal equipment flexible pipe connection, low pressure line, 1".0 o/d x 22 SWG	1	L54	C	121/48
9118	E.B4.71.321	PIPE, assembly, from intermediate tee to non-return valve tee at frame 17, high pressure charging line	1	T51	C	122/30
9119	E.B4.71.323	PIPE, assembly, from intermediate tee to non-return valve tee aft of frame 16, high pressure charging line	1	T51	C	122/31
9120	E.B4.71.325	PIPE, assembly, from tee aft of frame 9 to reducing valve, high pressure line	1	T51	C	121/49
9121	E.B4.71.327	PIPE, assembly, from charging valve to two-way connection aft of frame 18, high pressure charging line	1	T51	C	123/31
9122	E.B4.71.329	PIPE, assembly, from non-return valve tee to 750-litre bottle connection, high pressure line	1	T51	C	122/32
9123	E.B4.71.331	PIPE, assembly, from non-return valve tee aft of frame 16 to 750-litre bottle connection, high pressure line	1	T51	C	122/33
9124	E.B4.71.333	PIPE, assembly, from non-return valve tee aft of frame 16 to double non-return valve tee, high pressure line	1	T51	C	122/34
9125	E.B4.71.335	PIPE, assembly, from double non-return valve four-way piece to bulkhead connection at frame 16, high pressure line	1	T51	C	122/35
9126	E.B4.71.337	PIPE, assembly, from double non-return valve tee at frame 17 to non-return valve tee aft of frame 17, high pressure line	1	T51	C	122/36
12217	E.B4.71.177	PIPE, assembly, from line filter two-way connection to tee aft of frame 16, high pressure charging line	1	T51	C	123/12
9128	E.B4.71.341	PIPE, assembly, between two-way and line filter connections, aft of frame 18, high pressure charging line	1	T51	C	123/13
9129	E.B4.71.343	PIPE, assembly, from intermediate tee to non-return valve tee aft of frame 16, high pressure charging line	1	T51	C	122/37
9130	E.B4.71.345	PIPE, assembly, from intermediate tee to non-return valve tee aft of frame 17, high pressure charging line	1	T51	C	122/38
9131	E.B4.71.347	PIPE, assembly, from bulkhead connection at frame 16 to two-way connection aft of frame 13, high pressure line	1	T51	C	121/50
9132	E.B4.71.349	PIPE, assembly, from tee aft of frame 9 to two-way connection aft of frame 13, high pressure line	1	T51	C	121/51
9133	E.B4.71.351	PIPE, assembly, between two-way connections above and below pilot's floor, oxygen contents gauge high pressure line	1	T51	C	121/52
9135	E.B4.71.353	PIPE, assembly, from non-return valve tee aft of frame 16 to 750-litre bottle connection high pressure line	1	T51	C	122/39

Restricted

Page MY6

SERVICES  
OXYGEN SYSTEM

1588

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
9134	E.B4.71.355	PIPE, assembly, from tee piece aft of frame 9 to two-way connection below pilot's floor, oxygen contents gauge high pressure line	1	T51	C	121/53
9136	E.B4.71.357	PIPE, assembly, from non-return valve tee to 750-litre bottle connection, high pressure line	1	T51	C	122/40
6D/237	†	PLUG, blanking, pipe, for use during servicing only	6	—	C	
6D/2295	†	REGULATOR, oxygen, Mk. 20A (Mod. 1522)	2	—	C	123/14
	—	STRUCTURE, oxygen bottle support, between frames 17-18, assembly (E.B4.71.231)	—	—	—	123/15
		Spares for:—				
	E.B4.71.141	SCREW, retaining strap tension	1	S1	—	123/16
	E.B4.71.213	STRAP, oxygen bottle, sub-assembly	1	—	—	123/17
		Spares for:—				
9137	E.B4.71.235	PIN, hinge, strap attachment	2	S1	C	123/18
9138	E.B4.71.237	STRAP, oxygen bottle retaining	2	—	C	123/19
9139	E.B4.71.239	STRAP, oxygen bottle retaining	2	—	C	123/20
26FZ/981	EEAS.20/1DR	TAB, locking	1	L72	C	123/21
9140	EEAS.20/4DR	TAB, locking	1	L72	C	123/22
26FZ/20454	EEAS.20/5DR	TAB, locking	3	L72	C	123/23
6D/1497	†	UNION, blanking, Mk. 3, charging valve	1	—	C	123/24
	—	VALVES, reducing, installation (E.B4.71.375)	—	—	—	
		Consisting of:—				
9082	E.B1.71.53	BRACKET, mounting, reducing valves	2	LFS21	C	123A/1
		Attachments:—				
28D/9015170	A25/16B	Bolt, 4 BA, hex. head	4	—	C	123A/2
28W/9419474	SP15/B	Washer, 4 BA, thin	4	—	C	123A/3
28F/8296	AGS.1116/BB	CDNE, elbow, 5/16" o/d, low pressure line	2	—	C	123A/4
6D/603	S.I.S.2612	PIECE, 3-way connecting, high pressure lines to reducing valves	1	—	C	123A/5
12989	E.B4.71.377	PIPE, assembly, from reducing valve coupling aft of frame 10 to elbow coupling aft of frame 9 low pressure line, 5/16" o/d x 22 SWG	1	L54	C	123A/6
12990	E.B4.71.379	PIPE, assembly, from reducing valve connection at frame 10 to elbow coupling aft of frame 9, low pressure line, 5/16" o/d x 22 SWG	1	L54	C	123A/7
12991	E.B4.71.381	PIPE, assembly, from elbow to coupling aft of frame 9, port, low pressure line, 5/16" o/d x 22 SWG	1	L54	C	123A/8
12992	E.B4.71.383	PIPE, assembly, from 3-way connecting piece to reducing valve at frame 10, high pressure line, 3/16" o/d x 22 SWG	1	T51	C	123A/9
12993	E.B4.71.385	PIPE, assembly, from coupling aft of frame 9 to 3-way connecting piece aft of frame 10, high pressure line, 3/16" o/d x 22 SWG	1	T51	C	123A/10
12994	E.B4.71.387	PIPE, assembly, from 3-way connecting piece to reducing valve aft of frame 10, high pressure line, 3/16" o/d x 22 SWG	1	T51	C	123A/11

SERVICES  
OXYGEN SYSTEM

1589

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
12995	E.B4.71.389								1	L54	C	123A/12
6D/2344	PALMER								2	—	A	123A/13
	MK. 1A											
6D/427	†								9	—	C	122/41
6D/2344	†								1	—	C	121/54
6D/1872	†								1	—	B	
6D/2313	†								1	—	A	123/25

This file was downloaded  
from the RTFM Library.

Link: [www.scottbouch.com/rtfm](http://www.scottbouch.com/rtfm)

Please see site for usage terms,  
and more aircraft documents.

