

RESTRICTED

A.P. 129—FLYING

VOLUME 1

PART 1 : AIRCRAFT AND ENGINES

SECTION 1 : PRINCIPLES OF FLIGHT

CHAPTER 1 : THE ATMOSPHERE

|  | <i>Paras.</i> |
|--|---------------|
| Introduction ... ..                      | 1-3           |
| Physical Properties of Air ... ..        | 4-6           |
| Effect of Pressure on Density ... ..     | 7-12          |
| Measurement of Temperature... ..         | 13-19         |
| Effect of Temperature on Density ... ..  | 20-22         |
| Effect of Humidity on Density ... ..     | 23            |
| Characteristics of the Atmosphere ... .. | 24-30         |

CHAPTER 2 : MEASUREMENT OF SPEED

|   |       |
|---|-------|
| Density of Air ... ..   | 1-3   |
| Dynamic Pressure ... ..   | 4-6   |
| Principle of the Air Speed Indicator (A.S.I.) ... ..                    | 7-9   |
| Indicated and True Air Speed ... ..                                     | 10-15 |
| Errors of the Air Speed Indicator ... ..                                | 16-19 |
| Rectified Air Speed (R.A.S.) ... ..                                     | 20    |
| Calculation of T.A.S. ... ..  | 21-23 |
| Mach Number ... ..  | 24-27 |
| Effect of Speed on Temperature Measurement ... ..                       | 28    |
| Relationship Between I.A.S., T.A.S., Mach Number, and Temperature... .. | 29    |

CHAPTER 3 : DRAG

|                                   |       |
|-----------------------------------|-------|
| Introduction ... ..               | 1-3   |
| Profile Drag ... ..               | 4-7   |
| Induced Drag ... ..               | 8-12  |
| Total Drag ... ..                 | 13-15 |
| Coefficient of Drag ... ..        | 16    |
| Drag of Streamlined Shapes ... .. | 17-18 |
| Variation in $C_D$ ... ..         | 19-20 |

RESTRICTED

CHAPTER 4 : LIFT

Para

|   |       |
|---|-------|
| Introduction ... ..                                       | 1-4   |
| Aerofoil Definitions ... ..                               | 5     |
| Bernoulli's Theorem ... ..                                | 6-8   |
| Venturi Tube ... ..                                       | 9-19  |
| Distribution of Pressure About the Wing ... ..            | 20-21 |
| Lift Coefficient ( $C_L$ ) ... ..                         | 22-23 |
| Measurement of Forces in Flight ... ..                    | 24-25 |
| Variation of Lift Coefficient with Angle of Attack ... .. | 26    |
| Stalling Angle of Attack ... ..                           | 27    |
| Variation of Drag with Angle of Attack ... ..             | 28    |
| Variation of Lift/Drag Ratio with Angle of Attack ... ..  | 29    |
| Movement of the Centre of Pressure ... ..                 | 30    |
| Airflow Around the Wing ... ..                            | 31-33 |
| Wing-Tip Vortices ... ..                                  | 34-35 |
| Trailing-Edge Vortices ... ..                             | 36-38 |
| Aerofoils... ..   | 39-43 |

CHAPTER 5 : STALLING

|   |       |
|---|-------|
| Introduction ... ..                                 | 1-6   |
| Effect of Weight (Wing Loading) on the Stall ... .. | 7-11  |
| Boundary Layer and the Stall ... ..                 | 12-18 |
| Airflow in the Boundary Layer ... ..                | 19-24 |
| Pressure Gradients and the Boundary Layer ... ..    | 25-29 |
| Laminar Flow Aerofoils ... ..                       | 30-35 |
| Wing-Tip Stalling ... ..                            | 36-37 |
| Autorotation ... ..                                 | 38    |
| Methods of Preventing Tip Stalling ... ..           | 39    |

CHAPTER 6 : WING PLAN FORMS

|  |       |
|--|-------|
| Introduction ... ..                              | 1-2   |
| Aspect Ratio ... ..                              | 3-4   |
| Aspect Ratio and Induced Drag ... ..             | 5-8   |
| Aspect Ratio and Stalling Angle ... ..           | 9-11  |
| Use of High Aspect Ratio ... ..                  | 12-13 |
| Aspect Ratio and Maximum Lift Coefficient ... .. | 14    |
| Swept-Back Leading Edges ... ..                  | 15    |

**RESTRICTED**

|  | <i>Paras.</i> |
|--|---------------|
| Effect of Sweepback on Lift ... ..     | 16-20         |
| Effect of Sweepback on Stalling ... .. | 21-29         |
| Tailless Delta Wings ... ..            | 30            |
| Reduction of $C_L$ Max. ... ..         | 31            |
| Increase in Stalling Angle ... ..      | 32-35         |
| The $C_L$ Curve ... ..                 | 36            |
| Pitch-Up ... ..                        | 37            |
| Effect of Sweepback on Drag ... ..     | 38-40         |

**CHAPTER 7 : LIFT AUGMENTATION**

|   |       |
|---|-------|
| Introduction ... ..                                       | 1-2   |
| Principal Methods in Use ... ..                           | 3     |
| Slats ... ..  | 4-6   |
| Automatic Slats... ..                                     | 7-8   |
| Uses of the Slat... ..                                    | 9-13  |
| Flaps ... ..  | 14    |
| Action of the Flap ... ..                                 | 15-16 |
| Effect of Flap on the Stalling Angle ... ..               | 17-18 |
| Effect of Flap on the Lift/Drag Ratio ... ..              | 19-23 |
| Use of Flap for Take-Off ... ..                           | 24-27 |
| Leading Edge Flaps ... ..                                 | 28-29 |
| Effect of Flaps on Swept-Back Wings ... ..                | 30    |
| Effect of Flaps on Wing-Tip Stalling... ..                | 31    |
| Boundary Layer Control ... ..                             | 32-34 |
| Use of Suction to Control the Boundary Layer ... ..       | 35-38 |
| Use of Blowing to Control the Boundary Layer ... ..       | 39    |
| Effect of Boundary Layer Control when Flap is Used ... .. | 40-41 |

**CHAPTER 8 : FLIGHT CONTROLS**

|                                 |      |
|---------------------------------|------|
| Introduction ... ..             | 1    |
| Balancing ... ..                | 2-7  |
| Primary Control Surfaces ... .. | 8-24 |

**AIR BRAKES**

|  |       |
|--|-------|
| Effect of Altitude on Air-Brake Effectiveness ... .. | 29-30 |
|--|-------|

**RESTRICTED**

(A.L. 3, Jan. '55)

**RESTRICTED**  
**BRAKE PARACHUTES**

|                                       | <i>Paras.</i> |
|---------------------------------------|---------------|
| Parachute Diameter ... ..             | 34-36         |
| Retractable Parachutes ... ..         | 37-38         |
| Cross-Wind Landings ... ..            | 39            |
| Jettisoning of Brake Parachute ... .. | 40            |
| Inadvertent Release in Flight ... ..  | 41            |

**CHAPTER 9 : TRIMMING AND BALANCE TABS**

|   |       |
|---|-------|
| Introduction ... ..   | 1-3   |
| Fixed Tabs ... ..   | 4-5   |
| Servo Tabs ... ..   | 6     |
| Trimming Tabs ... ..  | 7-9   |
| Geared and Spring Tabs (Balance Tabs) ... ..                  | 10-12 |
| Dual Purpose Tabs ... ..                                      | 13    |
| Other Methods of Trimming ... ..                              | 14-15 |
| Control Locks on Servo and Spring Tab Control Surfaces ... .. | 16-17 |

**CHAPTER 10 : LEVEL FLIGHT**

|   |       |
|---|-------|
| Introduction ... ..                       | 1     |
| The Four Forces ... ..                    | 2-3   |
| Pitching Moments ... ..                   | 4-5   |
| Tailplane and Elevator ... ..             | 6-8   |
| Variation of Speed in Level Flight ... .. | 9-11  |
| Effect of Weight on Level Flight ... ..   | 12-13 |
| Effect of Altitude on Level Flight ... .. | 14-15 |

**CHAPTER 11 : GLIDING AND CLIMBING**

|                     |   |
|---------------------|---|
| Introduction ... .. | 1 |
|---------------------|---|

**GLIDING**

|                                      |       |
|--------------------------------------|-------|
| Forces in the Glide ... ..           | 2-4   |
| Effect of Wind on the Glide ... ..   | 5-7   |
| Effect of Weight on the Glide... ..  | 8-9   |
| Effect of Weight on Endurance ... .. | 10-11 |

**CLIMBING**

|   |       |
|---|-------|
| Power Available and Power Required ... .. | 14    |
| Climbing Performance... ..                | 15-16 |
| Effect of Altitude on Climbing ... ..     | 17-19 |

**RESTRICTED**

*(A.L. 3, Jan. '55)*

**RESTRICTED**

**CHAPTER 12 : MANŒUVRES**

|  | <i>Paras.</i> |
|--|---------------|
| Introduction ... ..                        | 1-2           |
| Axes of Movement of an Aircraft ... ..     | 3-6           |
| Acceleration ... ..                        | 7-10          |
| Gravity ... ..                             | 11-12         |
| Calculation of Centripetal Force ... ..    | 13            |
| Turning ... ..                             | 14-19         |
| Accelerated or <i>g</i> Stalls ... ..      | 20-21         |
| Pitch-Up (Swept-Back Plan Forms) ... ..    | 22            |
| Loads During Turns ... ..                  | 23-26         |
| Recovery from Dives ... ..                 | 27-34         |
| Rolling with <i>g</i> ... ..               | 35-36         |
| Effect of Wing Loading on Manœuvres ... .. | 37-40         |
| Effect of Flaps on Manœuvres ... ..        | 41            |
| Effect of Altitude on Manœuvres ... ..     | 42-48         |

**MINIMUM-RADIUS AND MAXIMUM-RATE TURNS**

|   |       |
|---|-------|
| Theoretical Considerations ... ..                       | 49-56 |
| Effect of Compressibility on Theoretical Figures ... .. | 57-58 |
| Variation in $C_L$ Max. ... ..                          | 59-60 |
| Effect of Variation in $C_L$ Max. ... ..                | 61-64 |
| Summary of Turning Performance ... ..                   | 65-71 |

**CHAPTER 13 : STABILITY**

|                                     |      |
|-------------------------------------|------|
| Introduction ... ..                 | 1    |
| Static and Dynamic Stability ... .. | 2-5  |
| The Three Axes... ..                | 6-10 |

**LONGITUDINAL STABILITY**

|                                  |       |
|----------------------------------|-------|
| Stability in Level Flight ... .. | 12-13 |
| Position of the C.G. ... ..      | 14-22 |
| Stick Forces in Dives ... ..     | 23-26 |
| Stability Under <i>g</i> ... ..  | 27-31 |

**LATERAL AND DIRECTIONAL STABILITY**

|                               |       |
|-------------------------------|-------|
| Introduction ... ..           | 32    |
| Directional Stability ... ..  | 33-35 |
| Lateral Stability ... ..      | 36    |
| Dihedral Angle ... ..         | 37    |
| Sweepback ... ..              | 38-39 |
| High Keel Surface ... ..      | 40    |
| High Wing and Low C.G. ... .. | 41    |

**RESTRICTED**

**INTERACTION BETWEEN LATERAL AND DIRECTIONAL STABILITY**

|                                | <i>Paras.</i> |
|--------------------------------|---------------|
| Spiral Instability ... ..      | 43-45         |
| Oscillatory Instability ... .. | 46            |
| Automatic Stabilizers ... ..   | 47            |
| Roll with Yaw ... ..           | 48-51         |

**CHAPTER 14 : TRANSONIC AND SUPERSONIC AERODYNAMICS**

|  |       |
|--|-------|
| Introduction ... ..  | 1-2   |
| Air Pressure ... ..  | 3     |
| Pressure Disturbances and Sound Waves ... ..                               | 4-9   |
| Transonic Airflow ... ..   | 10-17 |
| Shock Stalls ... ..  | 18-21 |
| Difference Between Subsonic and Supersonic Flow ... ..                     | 22-26 |
| Effects of the Differences Between Subsonic and Supersonic Airflows ... .. | 27-36 |
| Effect of Angle of Attack on Supersonic Airflow ... ..                     | 37-43 |
| Bi-Convex Aerofoil ... ..  | 44-46 |
| Sweepback ... ..   | 47-51 |
| Effect of Compressibility on Trailing-Edge Control Surfaces ... ..         | 52-54 |
| Variable-Incidence Tailplanes... ..  | 55    |
| All-Moving or Flying Tails ... ..  | 56-57 |
| All-Moving Wing Tips... ..   | 58    |

**CHAPTER 15 : PROPELLER THEORY**

|   |       |
|---|-------|
| Basic Considerations ... ..                               | 1-3   |
| Total Reaction ... ..                                     | 4     |
| Pitch ... ..  | 5-6   |
| Propeller Efficiency ... ..                               | 7-9   |
| Constant-Speed Propellers ... ..                          | 10-11 |
| Power Absorption ... ..                                   | 12-17 |
| Centrifugal Twisting Moment... ..                         | 18-19 |
| Variation of Blade Angle—Constant-Speed Propellers ... .. | 20    |
| Slipstream ... ..   | 21-22 |
| Torque Reaction ... ..                                    | 23    |
| Gyroscopic Effect ... ..                                  | 24    |
| Counter-Rotating and Co-Axial Propellers ... ..           | 25-26 |
| Braking Propellers ... ..                                 | 27-30 |

**CHAPTER 16 : HELICOPTERS**

*(To be issued later)*

**RESTRICTED**

*(A.L. 3, Jan. '55)*

**RESTRICTED**

**CHAPTER 16 : BASIC HELICOPTER AERODYNAMICS**

|  | <i>Paras.</i> |
|--|---------------|
| Introduction ... ..  | 1-4           |
| <b>THE SINGLE-ROTOR HELICOPTER</b>                               |               |
| Lift and Thrust ... ..   | 5-7           |
| Flight Controls ... ..   | 8-11          |
| Blade Flapping ... ..  | 12            |
| Coning Angle ... ..  | 13            |
| The Rotor Disc... ..   | 14            |
| Blade Dragging... ..   | 15            |
| Reasons for Allowing Individual Blade Freedom of Movement ... .. | 16-17         |
| Drag Dampers ... ..  | 18            |
| <b>METHOD OF FUNCTIONING OF CONTROLS</b>                         |               |
| Collective Pitch Lever ... ..                                    | 19-22         |
| Throttle ... ..  | 23-24         |
| Rudder Pedals ... ..   | 25-26         |
| Cyclic Pitch Stick and the Control Orbit ... ..                  | 27-31         |
| Phase Lag ... ..   | 32-36         |
| Advance Angle ... ..   | 37-39         |
| Relation of Fuselage Attitude to Disc Attitude ... ..            | 40            |
| Manual/Servo Controls ... ..                                     | 41            |
| <b>HOVER AND TRANSITION</b>                                      |               |
| Ground Effect ... ..   | 42-44         |
| Further Effects of the Tail Rotor ... ..                         | 45-46         |
| Transition to Forward Flight ... ..                              | 47-48         |
| Induced Power ... ..   | 49            |
| Drag ... ..  | 50-51         |
| Power Required Curve... ..                                       | 52            |
| Variation of r.p.m. with Airspeed ... ..                         | 53            |
| Variation of r.p.m. with Change of Attitude ... ..               | 54            |
| Transition to Hover ... ..                                       | 55            |
| Overpitching ... ..  | 56            |
| Effect of Altitude, Temperature, and Humidity ... ..             | 57-59         |
| <b>FORWARD FLIGHT</b>  |               |
| Dissymmetry of Lift ... ..                                       | 60-61         |
| Flapping Back of the Disc in Forward Flight ... ..               | 62-63         |
| Compensation of Lift Dissymmetry by Feathering... ..             | 64-71         |

**RESTRICTED**

**LIMITS OF FORWARD SPEED**

|   | <i>Paras.</i> |
|---|---------------|
| General Considerations ... ..               | 72-76         |
| Effect of Altitude on Forward Flight ... .. | 77-79         |
| Cyclic Stick Forces ... ..                  | 80-83         |

**STATIC STABILITY**

|   |       |
|---|-------|
| Static Stability with Speed ... ..                | 84    |
| Static Stability with Disc Angle of Attack ... .. | 85    |
| Methods of Increasing Stability ... ..            | 86-88 |

**AUTOROTATION**

|  |         |
|--|---------|
| Definition ... ..  | 89      |
| Autorotative Force ... ..  | 90-95   |
| Stability of r.p.m. in Autorotation ... ..   | 96      |
| Controlling Rate of Descent with r.p.m. during Autorotation ... ..                     | 97      |
| Controlling Rate of Descent with Airspeed during Autorotation... ..                    | 98      |
| Varying Rate of Descent with Change of Disc Angle of Attack during Autorotation ... .. | 99      |
| Best Gliding Conditions in Autorotation ... ..   | 100-103 |
| Effect of A.U.W. on Autorotation ... ..  | 104     |

**GROUND RESONANCE**

|   |         |
|---|---------|
| Sources of Ground Resonance ... ..                    | 105-108 |
| Precautions Required to Avoid Ground Resonance ... .. | 109-111 |

**CONTROL ON THE GROUND**

|                      |         |
|----------------------|---------|
| Taxying ... ..       | 112-115 |
| Blade Sailing ... .. | 116-122 |

**CENTRE OF GRAVITY AND LOADING**

|   |         |
|---|---------|
| C.G. Range ... ..                                       | 123-124 |
| Methods of Increasing the Permissible C.G. Range ... .. | 125-126 |
| Design Position of the C.G. ... ..                      | 127     |

**THE VORTEX RING**

|   |         |
|---|---------|
| Definition ... ..                       | 128     |
| Main Effects of the Vortex Ring ... ..  | 129-130 |
| Other Effects of the Vortex Ring ... .. | 131     |

**RANGE AND ENDURANCE**

|                               |     |
|-------------------------------|-----|
| Introduction ... ..           | 132 |
| Choice of Rotor r.p.m. ... .. | 133 |
| Choice of Airspeed ... ..     | 134 |
| Effect of Weight ... ..       | 135 |
| Choice of Altitude ... ..     | 136 |
| General Conclusions ... ..    | 137 |

This file was downloaded from the RTFM Library.

Link: [www.scottbouch.com/rtfm](http://www.scottbouch.com/rtfm)

Please see site for usage terms, and more aircraft documents.



Instrument panel from a MiG-21 Provoost (XP558)