

INDEX OF PROPRIETARY ITEMS

Manufacturer	Description	Page No.
Amal Ltd.	Valve 252/5 Valve 301/3/025 —1	848 841, 844
Avery Equipment Co. Ltd.	Coupling, self sealing AVA. 50/F Coupling, self sealing AVA. 52/D Coupling, self sealing AVA. 54/F Coupling, self sealing AVA. 50/C Coupling, self sealing AVA. 55/C Coupling, flanged half AVA. 55/F Coupling, union half AVA. 57/C Coupling, union half AVA. 57/D Coupling, flanged half AVA. 58/D Nut, union AVA. 62/C Nut, union AVA. 62/D Nut, union AVA. 62/F Pipe, flexible AVA. 312/B	841, 842, 885 885 841, 842, 858 885 885 841, 842, 885 885 885 885 885 841, 885 961
Aviation Development Ltd. —	Pin, quick release A.403 Pin, "pip" release A.405 Pin, quick release A.407/HTS Pin, "pip" release A.411/HTS Pin, "pip" release A.413 Pin, "pip" release A.714 Pin, "pip" release A.716 Pin, quick release A.827/HTS Pin, quick release A.621 Pin, quick release A.415/HTS	1, 510 6 533 438 355, 389 6 6 507 366 389
Avimo Ltd.	Packing, flanged, pipe coupling 52/36 Packing, flanged, pipe coupling 352/33 Packing, flanged, pipe coupling 352/35 Ring, rubber, to suit 1" o/d pipe 52/23 Ring, rubber, to suit 1½" o/d pipe 52/25 Ring, rubber, to suit 1¾" o/d pipe 52/26	911, 919 911, 917 911, 917 912, 919 912, 919 912
Baxendale & Co. Ltd.	Hinge, door IR.1290	484
Birtwistle & Co. Ltd.	Blind, (Green Poplin) Ref. D1800.X	247, 248
Boulton & Paul Ltd.	Tool, breach stoppage 8.D.3046 Tool, gun cocking 7.G.1164 Tool, gun elevating BX.8102—Z.19	457 457 457
Bowden (Engineers) Ltd.	Cable, inner No. 19/1 Cable, outer No. B/1 Cap PN.979.B Nipple BN.84 Nipple PN.1399 Stop, with locknut PN.484	1, 276, 308, 313, 315 1, 276, 308, 313, 315 1, 276, 308, 313, 315 308, 309, 313, 314, 315 1, 276 1, 276, 308, 313, 315
Britool (The British Tool and Engineering Co. Ltd.)	Extension 6" for outboard engine attach- ment nuts E.97 Handle, ratchet A.74	556 556

INDEX OF PROPRIETARY ITEMS

Manufacturer	Description	Page No.
Britool ... (The British Tool and Engineering Co. Ltd.)—cont'd.	Socket, bihexagonal $\frac{11}{16}$ " Whit. for out-board engine attachment nuts ... EB.1200 Socket, bihexagonal $\frac{1}{4}$ " B.S.F. for fuselage transport joints ... AU.445	556 556
British Messier Ltd. ...	Adaptor, de-icing, pipes ... 7.M.4 Nut, de-icing, pipes ... 5.M.4 Olive, de-icing, pipes ... 4.M.4	621, 653, 763, 979 624, 656, 764, 977, 998 624, 656, 764, 978, 998
Budenberg Ltd. ...	Gauge, pressure, $2\frac{1}{4}$ " dial. 0-2000 lbs. sq. inch ...	778
Butlers Ltd. ...	Handle, lifting ... No. 4	351, 352, 353
Carr Fastener Co. ...	Button, Dot Fastener ... No. 670 Button ... No. 671 Button, Dot Fastener ... No. 757 Clinch ... No. 295.A Eyelet ... 28.B Eyelet ... No. 550.A Eyelet ... No. 550.C Fastener, complete ... B.7050 Fastener, " Lift the Dot " ... No. 248 Fastener, zip, open end ... No. 781/P.13 Plate, clinch ... No. 205.A Plate, clinch ... No. 708.A	20, 241, 242, 246, 245, 333, 334, 336 51, 244, 246, 393 20 244 243, 333, 334 241, 245, 246, 333, 334 245 242 336, 242, 428 51 242 241, 242, 243, 244, 246, 247, 248, 336, 525, 526 19, 20, 51, 241, 244, 245, 246, 333, 334, 336, 393 241, 243, 244, 246, 247, 248, 525, 526 241, 242, 243 241, 245, 333, 334 243, 428 245, 525, 526 245 242, 245 268
	Socket, Dot Fastener ... No. 548	19, 20, 51, 241, 244, 245, 246, 333, 334, 336, 393 241, 243, 244, 246, 247, 248, 525, 526
	Socket ... No. 608	241, 243, 244, 246, 247, 248, 525, 526
	Socket ... No. 609	241, 242, 243
	Stud ... No. 550	241, 245, 333, 334
	Stud ... No. 680	243, 428
	Stud ... No. 882	245, 525, 526
	Stud ... No. 895	245
	Stud ... No. 896	242, 245
	Washer, cup ... No. 8	268

INDEX OF PROPRIETARY ITEMS

Page clxxxiii

Manufacturer	Description	Page No.
Connolly Ltd.	Wheel, castoring H.D.R.5	565
Dowty Equipment Ltd.	Jack, Bomb doors at formers E 22 ... A.8206/MK.A	877
	Jack, Bomb doors at formers E 22 ... A8206Y MK.B	877
	Jack, Bomb door at formers E 22 ... A.8274Y MK.A	877
	Jack, Bomb door at formers E 22 ... A8274/MK.B	877
	Jack, flap A.469/Y	488, 886
	Jack, for Scanner, LH. (Mod. AC/3291)... E.8275.Y/MK.B	496
	Jack, for Scanner, LH. (Pre Mod. AC.3291) E.4692.Y/MK.A	496, 886
	Jack, for Scanner, RH. (Pre Mod. AC.3291) E.4692.Y/MK.B	496, 886
	Jack, for Scanner, RH. (Mod. AC/3291) E.8275.Y/MK.B	496
	Jack, Tailwheel C.4934.Y	539
	Jack, Tailwheel C.6953.Y	539, 880, 1029
	Jack, Undercarriage, LH. A.472.Y/MK.B	880, 1025
	Jack, Undercarriage, RH. A.472.Y/MK.A	880, 1025
	Nut, for pin, retracting strut attachment to shock absorber strut 4427Y/4	1030
	Pin, U/C, retracting strut attachment to tailwheel shock absorber strut ... 4177Y/2	1030
	Pin, U/C jack attachment to retracting strut D.4427/Y5	1030
	Pump, hand, in undercarriage wheel bay UMC.501	898
	Reservoir, oil A.4581.Y	898
	Selector, Electro Hydraulic, flaps (Pre Mod. 2984) C.6602.Y/MK.U	889
	Selector, flap (Pre Mod. AC.2626) ... C.6602.Y/MK.P	889
	Strut, retractable E.6755.Y	1025
	Strut, retractable, tail E.4530.Y	541, 1029
	Strut, shock absorber, bracing and axle A.7088.Y	1025
	Strut, shock absorber tailwheel undercarriages (Mod. 417) A.7007.Y	1029
	Strut, shock absorber, tailwheel, undercarriage (Pre Mod. 417) A.4485.Y	1029
	Switch (Push Button Undercarriage) ... C.1212/MK.V	277, 884
	Switch, cockpit C.1223.Y	898
	Switch, lever (Flaps) C.1223.Y/MK.V	277
	Switch, lever (Bomb Doors) C.1223.Y/MK.VI	277, 879
	Switch, lever C.1223.Y/MK.13	730
	Tail Wheel, shock absorber A.7007.Y	541
	Tail, and shock absorber A.4485.Y	541
	Unit, drum switch, MK.2 C.1220.Y	489, 898
	Undercarriage, main A.7089.Y	1025
	Valve, emergency air, undercarriage wheel bay C.200.Y.MK.B	786
	Valve, emergency air, in C/Portion ... C.305.Y.MK.C	786
	Valve, pressure relief, undercarriage wheel bay C.484.Y.MK.C	898
	Valve, pressure relief in R.C/Portion ... C.484.Y.MK.H	899
	Valve, pressure relief in R.C/Portion ... C.484.Y.MK.J	899
	Valve, bomb door, at floor beam ... C.536.Y	879
	Valve, shuttle, C/Portion C.1887.Y	786
	Valve, undercarriage in wheel bay ... C.6806.Y	884
	Valve, shuttle, C/Portion C.2898.Y	786
	Valve, "shut off" in C/Portion fuselage C.2303.Y	786, 898
	Valve, jettison in R.C/Portion fuselage C.3750.Y.MK.C	899
	Valve, jettison in R.C/Portion, Starboard C.4046.Y	898
	Valve, flap restrictor in R.C/Portion ... C.5941.Y	899
	Valve, air release C.9955.MK.C	730, 777, 778

INDEX OF PROPRIETARY ITEMS

Manufacturer	Description	Page No.	
Dowty Equipment Ltd.—cont'd.	Valve, shuttle, undercarriage and tail ...	C.9981 884	
	Valve, non-return, R.C/Portion ...	D.127.Y 786	
	Valve, control R.C.P. ...	C.6731.Y.MK.A 884	
	Valve, control R.C.P. ...	C.3750.Y.MK.B 884	
	Valve, non-return, emergency air bottle, C/Portion ...	D.277.Y 786	
	Valve, non-return, R.C/Portion ...	D.278.Y 898	
	Valve, shuttle, in R.C/Portion ...	D.1647.Y.MK.F 899	
	Valve, non-return ...	D.2137.Y 960	
	Valve, relief ...	D.2258.Y 949	
	Valve, variable flow, undercarriage ...	D.7978 884	
	Valve, thermal relief in C/Portion and undercarriage wheel bay ...	UMC.632 898	
	Valve, flap, non-return inboard and outboard nacelle ...	UMC.706 898	
	Valve, non-return, in undercarriage wheel bay, Starboard ...	UMC.708 898	
	Dunlop Rubber Co. Ltd.	Arm, actuating, Port ...	ACM.15164 441, 885
		Arm, actuating, Starboard ...	ACM.15166 441, 885
		Arm, actuator ...	ACM.16190 468, 885
		Bag, pressure ...	AHM.1664 1025
		Blade, wiper ...	ACO.7610 441
Blade, wiper ...		ACO.4712 441, 885	
Blade, wiper ...		ACO.7624 460, 461	
Blade, wiper ...		ACM.15590/15 468, 885	
Bottle, air ...		ACO.3147 949	
Brake unit, undercarriage ...		AH.9506 1025	
Collar, valve, inner, pressure bag ...		AHO.27176 1025	
Collar, valve, outer, pressure bag ...		AHO.27177 1025	
Connection, valve, air ...		AHO.27175 1025	
Cover, tailwheel ...		K.K.E.N./14.N 539, 1029	
(Alternative—DR.2565)			
Cover, outer, 64" x 22.50"—26" ...		HJ-R.16-N 1027	
Extractor, wheel ...		AH.8364 563	
Filter, air ...		ACO.1268 948, 949	
Hose, brake, flexible, bottom on undercarriage legs ...		AHO.15959 947	
Hub, tailwheel ...		AH.9590 541, 1029	
Jack, camera ...		AC.11108 948	
Lining, brake ...		AHO.26964 1025	
Motor, windscreen wiper, Port ...		AC.11046 441, 886	
Motor, windscreen wiper, Starboard ...		AC.11048 441, 886	
Motor, wiper ...		AC.11642 468, 886	
Pipe, fuel, flexible ...		DH.125A/15 844	
Pipe, fuel, flexible ...		DH.125A/24 841	
Screw, clamping, connection ...		AHO. 27178 1025	
Seal, screw, clamping ...		AHO.27835 1025	
Seal, nut valve ...		AHO.27182 1025	
Separator ...		AHO.27183 1025	
Spring ...		AHO.27174 1025	
Strip, sealing (oil resisting) ...		A.1578.A 693	
Tube, inner, tailwheel ...		K.K.2 541, 1029	
Tube, inner, undercarriage wheel 64" x 22.50"—26" ...		HJ.8 1027	
Valve, electro pneumatic ...		AC.1010 293, 960	
Valve, pressure, reducing 1000 lb.—350 lb. ...		ACO.1292 949	
Valve, shuttle ...		ACO.1812 960	
Valve, pressure, reducing 500 lb.—220 lb. ...		AHO.5712 949, 960	
Valve, control, windscreen de-icing ...		ACO.7470 468, 899	
Valve, control, windscreen de-icing ...		ACO.7472 468, 762	
Valve, brake ...		AC.10168 44, 960	
Valve, brake ...	AC.10178 44, 960		

INDEX OF PROPRIETARY ITEMS

Manufacturer	Description	Page No.
Dunlop Rubber Co. Ltd.—cont'd. ...	Valve, parking unival AC.11216 Valve, exhaust rapid ACM.16126 Valve, pressure, maintaining 250 lb. ... ACM.16268 Valve, pressure, reducing 350 lb.—7 lb.... ACO.19130 Valve, pressure reducing AHO.19130 Wheel, main AH.9505	275, 960 948, 960 949 949 949 1027 335
Elsan Manufacturing Co. Ltd. Exactor Control Co. Ltd.	Lavatory, Type SA. Mk.2... .. Coupling, male half, 3/4" BSP 5915 Coupling, 3/4" 5916 Coupling, male half, 1" BSP 5918 Coupling, 1" vent pipe 5919	357, 1015 805 357, 1015 805
Films & Equipment Ltd. Flexello French, Thomas & Son Ltd.	Plug, co-axial RFP-1-BHF XC.223 Wheel and caster, with spigot (32z7499) STDA.875 Bracket, fixing curtain B.L.2.X Hook GR.3 Hook Art. No. R.7 Hook, curtain R.6 Rail, curtain A.L.R. Rail, curtain B.L.R. Runners B.L.4 Stop, end B.L.5 Stop, end S.L.5	737 366 241, 242 241, 242 244 336 245 242 242, 245 242 245 212
General Electric Co. Ltd. Graviner Manufacturing Co. Ltd.	Hotplate, 1,000 W., 24 Volt HE.33336 Bracket, for bottle (6 lbs.) 262/E	683, 684, 793, 796, 798 354
Hanley Page Ltd.	Bolt, crash, single 672107.L/1 Bolt, crash, twin 671313.L/1	354 354
Headland, Thomas P. Ltd. (Dzus Fasteners)	Fastener A.30 Fastener A.35 Fastener A.40 Fastener A.4-25 Fastener A.4-35 Fastener A.5-30 Fastener A.5-35 Fastener AJ-35 Fastener AJ-40 Fastener AJ.4-30 Fastener AJ.4-35 Fastener AJ.4-40 Fastener AJ.5-40 Fastener AJ.6 1/2-40 Fastener AJ.3-25 Fastener A.5-40 Fastener AJ.6 1/2-50 Fastener AJ.6 1/2-60 Fastener (Wing type) AW.6-45 Grommet GA.4-250 Grommet GA.5-312 Grommet GA.6 1/2-375 Grommet GA.6-350	486, 621 690 505 68, 69, 70 355 284, 426 285 692 691 423 35, 423 423 288 277, 278, 279, 595, 696, 697, 698 425 280 697 460, 698 24 35, 68, 69, 70, 355, 423 285, 426 277, 278, 279, 460, 595, 696, 697, 698 271

INDEX OF PROPRIETARY ITEMS

Manufacturer	Description	Page No.
Headland, Thomas P. Ltd. (Dzus Fasteners)—cont'd.	Grommet No. 375	486, 505,
	Grommet No. 500	621, 690 691, 692, 698
	Spring 1-90	694, 699
	Spring No. 100	486, 505
	Spring No. 100.A	690
	Spring S.4-200	423
	Spring S.4-225	530
	Spring S.6-250	459, 460, 626, 627, 675, 676, 691, 699
Hoffman Manufacturing Co. Ltd.	Ball, 6 mm. dia. for clamp ND	2, 306
	Bearing, ball CA.1	540
	Bearing, ball CA.2	42, 43, 70, 75
	Bearing, ball CA.3	70, 74, 75, 76, 589
	Bearing, ball CA.5	35, 36
	Bearing, ball CA.7	41, 581, 589
	Bearing, ball CS.1	72, 540
	Bearing, ball CS.3	385
	Bearing, ball CS.7	62, 64, 690
	Bearing, ball T.13	539
	Bearing NR.12	381, 438
	Bearing, thrust H.R. $\frac{1}{4}$	385
Hymatic Engineering Co. Ltd.	Compressor, Heywood (A.15192) SH6/10C	687
	Cowl, Heywood compressor CC/6	687
	Valve, regulator. Type AR16/1000 B.30562	676
Manganese Bronze & Brass Co.	Bearing, oilite CT4/06085	493
	Bearing, oilite CT4/06088	494
	Bearing, oilite CT5/061016	493, 494, 495, 505
	Bush, oilite... .. CT174/101208	19,-20
	Bush, oilite... .. FBS/54	93
	Bush, oilite... .. FCT/11	91, 94, 95, 106
	Bush, oilite... .. FCT/29	103
	Bush, oilite... .. FCT/73	91, 98, 99, 102, 105
	Bush, oilite... .. FCT/80	94
Oddie, Ltd.	Clip, Atom dome type ART. 324	300
	Fastener, stud No. 212	317
	Washer No. 213	317
Plessey & Co. Ltd.	Actuator CZ.53681/11/Q	19
	Grommet No. 3 (Heslyn) Z.22431	715, 716, 735

INDEX OF PROPRIETARY ITEMS

Page clxxxvii

Manufacturer	Description	Page No.
Ransome & Marles Bearing Co. Ltd. ...	Bearing CM $\frac{3}{16}$ " B	55, 92, 93, 95, 96, 98 99 100, 102 104, 105 106, 126 144, 145 147, 148, 985
Rolls Royce Ltd.	Bearing, ball, for brake rod SCA. 1 $\frac{1}{16}$ " Ball, control joint D.47142	44 155, 157 158
	Cradle, lifting radiator, port JD.2545	559
	Cradle, lifting radiator, starboard JD.2546	559
	Cradle, transport radiator, port JD.2742	559
	Cradle, transport radiator, starboard JD.2743	559
	Housing, ball DA.2188	155, 157 158
	Sling, engine griffen 57 power plant JD.2543	560
	Valve, relief PP.15857	913, 919
Rotax	Switch, stop D.5407	212, 278, 283, 292
Rotherham & Sons Ltd.	Clip (Springwell $\frac{5}{16}$ " dia.) ND.	2
	Cock, drain $\frac{1}{4}$ " BSF. D4	819
Santon	Switch, slow brake SR.349Y/26	290
	Switch, 4 pos. 60A RL.15.JR	212
Saunders Valve Co. Ltd.	Cock, vacuum 2670/Q	281, 969
	Cock, 3-way complete with handle No. 1252/2 2032/Q	805
Self-Priming Pump & Engr. Co.	Valve, non-return P.22.A	805
 P.24.A	810, 813
Siebe Gorman & Co. Ltd.	Strap, safety, bunk No. 12381	303
Skefco Ball Bearing Co. Ltd.	Bearing, ball CBS/O	140, 141 142, 143 144
	Bearing, ball No. I.132358	154
	Pulley 401450/B	39, 40, 42 61, 65, 66 67, 72, 995
Smiths Aircraft Instruments Ltd.	Gauge, pressure 6A/2689	281
	Gauge, fuel float type 865/FG	1013
	Gauge, fuel float type 866/FG	1013
	Gauge, fuel... .. 1117/FG	280
	Gauge, fuel... .. 1118/FG	280
	Gauge, tank unit 1219/FG	1011
	Gauge, fuel... .. 1220/FG	280
	Gauge, fuel... .. 1225/FG	1016
	Gauge, fuel... .. 1226/FG	280
	Gauge, de-icer 1386/FG	282
	Gauge, de-icer 1388/FG	282
	Indicator, flag type C.457/EBA	730
	Indicator, flag type C.457/EBA/1	212, 273 280, 282
	Indicator, flag type C.457/EBA/2	280, 291 292
	Indicator, flag type C.457/EBA/5	277
	Indicator, flage type C.457/EBA/15	219, 271 277, 278 283

INDEX OF PROPRIETARY ITEMS

Manufacturer	Description	Page No.
Smiths Aircraft Instruments Ltd.	Switch, auto-control 41.EAP	46, 49
—cont'd.	Switch, fuel pressure 157/1PG	815, 835
	Switch, torque EAP/124.Mod.1	284
	Unit, tank 1385/FG	1010
	Unit, tank 1387/FG	1010
Terry, H., & Sons Ltd.	Clip, spring Size 80/000	497, 715
Thermotank Ltd.	Louvre "Punka" BS.3	858
T.K.S. (Aircraft De-icing) Ltd.	Box, controller No. 15152	287
	Box, controller No. 18110	287
	Filter, type 1" W.26310	757, 763
	Pump, and Motor 28000/6	759
	Pump, motor, de-icing 28000/7	769
Triplex Safety Glass Co. Ltd.	Bag, expansion 1964/1	775
	Cartridge, complete 1705/2	775
Tucker	Tube, rubber 1964/2/3	775
	Rivets TLP/D/BS.424	500
Turner Manufacturing Co. Ltd.	Adaptor, U/C oleo leg, pressure check	F.29.B 555
Vickers Armstrong Ltd.	Actuator, Plessey CZ54709/5A	809, 811, 813
	Actuator, Weston EJ60Mk.8	809, 811, 813
	Cap, blanking 157/63731	436
	Cock, 2-way A.254	757, 763
	Cock drain A.494	1019
	Cock, fuel, 1¼" C/W Actuator A5172Mk.J	809, 811, 813
	Cock, Fuel EJ60Mk.8	809, 811, 813
	Cock, fuel, 1½" C/W Actuator A5172/Mk.K	809, 811, 813
	Cock, fuel A5192K	809, 811, 813
	Cock, fuel, 1½" C/W Actuator A5336/Mk.K	809, 811, 813
	Cock, fuel A5192J	809, 811, 813
	Cock, oil, electrically operated, MK.L A.5250	909, 916
	Cock, drain, feathering well D.739	1020
	Cock, 4-way D.1885	749
	Connection, banjo 439/49131	436
	Coupling A5172/23	809, 811, 813
	Pulley (less bolt and nut) VGS.342/21	120, 260, 261, 263
	Pulley (less bolt and nut) VGS. 342/22	116, 120, 121, 124
	Pulley (less bolt and nut) VGS.342/23	260
	Pulley (less bolt and nut) VGS. 342/24	120
	Pulley VGS. 342/32	122
	Valve, connector, de-hydrator A.1985	261
	Washer, sealing 445/49131	436
Wassal and Son Ltd.	Hinge 4" x 2"	436
Wilmot Breedon Ltd.	Body, throw over, catch 7/1285	351
	Catch, door PD/EXP/7402.A	351, 352, 353
	Handle Patt. No. H.240	267, 490
	Handle, grab Patt. No. L.568	432
	Handle, with escutcheon (Front H.610/6W/BB—A)	396
	Handle, with escutcheon (Rear H.610/6W/BB—B)	484
	Lock, door PD/EXP/7343.A	484
	Plug, bango 437/49131	484

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

