

CANBERRA P.R. MK.3

Page 371

FUSELAGE
CENTRE PORTION

| Ref. No. | Part No. | | | | | | Description | No. off | Matl. Spec. | Cl. of St. | Plate No. |
|------------|------------------|---|---|---|---|---|---|---------|---------------|------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | M.R. L.M. | |
| | E.A2.00.43 | | | | | | CENTRE FUSELAGE, ASSEMBLY | — | — | — | |
| | | | | | | | Spares for :— | | | | |
| | E.A2.75.7 | | | | | | Cabin Pressure System in Centre Fuselage, Frame 12 to Frame 17 (See page 693) | — | — | — | |
| | E.A2.75.567 | | | | | | Camera Heating System in Centre Fuselage, Front Bay (Mod. 1164) (See page 731) | — | — | — | |
| | E.A2.75.523 | | | | | | Camera Heating System in Centre Fuselage, Rear Bay (Mod. 1164) (See page 735) | — | — | — | |
| | E.A2.75.11 | | | | | | Camera Heating System in Centre Fuselage, Frame 13 to Frame 21 (See page 739) | — | — | — | |
| | E.A2.45.529 | | | | | | Controls, Flying (See page 117) | — | — | — | |
| | E.A2.47.5 | | | | | | Controls, Engine (See page 49) | — | — | — | |
| | E.A2.83.19 | | | | | | DOORS, CAMERA SLIDING, AFT OF FRAME 29, ASSEMBLY | — | — | — | |
| | | | | | | | Spares for :— | | | | |
| 5870 | E.A2.83.177 | | | | | | ARM, PIVOT, GROUP | 1 | — | B | |
| | | | | | | | Spares for :— | | | | |
| 2056 | E.A2.83.133 | | | | | | Eye-bolt | 3 | S65 | C | |
| 2057 | EEAS.27/16ES | | | | | | Washer, 18 SWG | 4 | DTD.687 | C | |
| 2058 | E.A2.83.1201 | | | | | | Bolt, shouldered, 2 BA, special, operating rod connecting | 2 | S11 | C | |
| 3697 | E.A2.00.121 | | | | | | DOOR, CAMERA, SLIDING, GROUP (For non-interchangeable A/C WE 135-WE 139) | 1 | — | A | |
| 1968 | E.A2.83.101 | | | | | | DOOR, CAMERA SLIDING, GROUP | 1 | — | A | |
| | | | | | | | Spares for :— | | | | |
| 12992 | E.A2.83.1557 | | | | | | Arm, assembly | 1 | — | — | |
| 24/9500462 | SKEFCO CBA.0 | | | | | | Bearing, ball | 4 | — | B | |
| 1961 | E.A2.83.139 | | | | | | Bracket, roller | 4 | L40 | C | |
| 1962 | E.A2.83.141 | | | | | | Pin, special, 1" long | 2 | S11 | C | |
| 1963 | E.A2.83.143 | | | | | | Pin, special 1.733 long | 2 | S11 | C | |
| | WILKINSON CK.100 | | | | | | Seal, inboard, rubber (Make from Ref. 12587) | 1 | Sponge Rubber | — | |
| 20867 | E.A2.83.1409 | | | | | | Seal, outboard, rubber (Make from Ref. 32C/561) | 1 | Sponge Rubber | C | |

**FUSELAGE
CENTRE PORTION**

| Ref. No. | Part No. | Description | | | | | No. off | Matl. Spec. | Cl. of St. | Plate No. |
|----------|---------------------|-------------|---|---|---|--|---------|-------------------|------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | M.R. L.M. | |
| | E.A2.83.1407 | | | | | Strip , retaining | 1 | DTD.610 | C | |
| 1959 | E.A2.83.151 | | | | | Roller , side thrust | 4 | S11 | C | |
| 3698 | E.A2.00.123 | | | | | DOOR, CAMERA SLIDING, GROUP (For non-interchangeable A/C WE. 135-WE.149) | 1 | — | A | |
| 1958 | E.A2.83.103 | | | | | DOOR, CAMERA SLIDING, GROUP Spares for :— | 1 | — | A | |
| | E.A2.83.1557 | | | | | Arm , assembly | 1 | — | — | |
| 27S/139 | SKEFCO CBA.0 | | | | | Bearing , ball | 4 | — | B | |
| 1961 | E.A2.83.139 | | | | | Bracket , roller | 4 | L40 | C | |
| 1962 | E.A2.83.141 | | | | | Pin , special, 1" long | 2 | S11 | C | |
| 1963 | E.A2.83.143 | | | | | Pin , special, 1."33 long | 2 | S11 | C | |
| | WILKINSON CK.100 | | | | | Seal , inboard, rubber (Make from Ref. 12587) | 1 | — | — | |
| | E.A2.83.1409 | | | | | Seal , outboard, rubber (Make from Ref. 32C/561) | 1 | Sponge Rubber | — | |
| | E.A2.83.1583 | | | | | Strip , retaining | 1 | DTD.610 | C | |
| 1959 | E.A2.83.151 | | | | | Roller , side thrust | 4 | S11 | C | |
| 2061 | E.A2.83.195 | | | | | Ring , camera window, packing | 2 | Plywood | C | |
| 3485 | E.A2.83.1123 | | | | | Ring , camera window, retaining | 2 | DTD.610 | C | |
| 3486 | E.A2.83.1125 | | | | | Ring , camera window, sealing | 4 | Petrolite | C | |
| 3487 | E.A2.83.1127 | | | | | Ring , camera window, sealing | 1 | Natural Rubber | C | |
| 2064 | E.A2.83.191 | | | | | ROD, CONNECTING, WINDOW OPERATING, GROUP Spares for :— | 1 | — | B | |
| 5874 | E.A2.83.429 | | | | | Bolt , shouldered, 1/4" BSF | 1 | S11 | C | |
| 2065 | E.A2.83.271 | | | | | Fork-end | 1 | S11 | C | |
| 1087 | EEAS.37/2A | | | | | Nipple , 4 BA | 8 | S11 | C | |
| | EEAS.38/2A | | | | | Spoke , 4 BA (Make from 28R/6124) | 4 | S96 | — | |
| 4787 | E.A2.83.1369 | | | | | ROD, CONNECTING, WINDOW OPERATING, GROUP Spares for :— | 1 | — | B | |
| 4788 | E.A2.83.1377 | | | | | Bolt , special | 1 | S95 | C | |
| 2065 | E.A2.83.271 | | | | | Fork-end | 1 | S11 | C | |
| 4789 | E.A2.83.1379 | | | | | Washer , special | 1 | S1 | C | |

**FUSELAGE
CENTRE PORTION**

| Ref. No. | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. | | Plate No. |
|-----------|---------------|--|---------|-------------|---------------|------|-----------|
| | | | | | M.R. | L.M. | |
| | | 1 2 3 4 5 6 | | | | | |
| 1031 | EEAS.1/6C | Screw, 2 BA, c'sk head | 16 | H.T.S. | | C | |
| 21603 | EEAS.28/37EU | Washer, special | 1 | — | | C | |
| 2067 | E.A.2.83.189 | Window, camera | 2 | Glass | | C | |
| | E.A.2.81.7 | Electrical Equipment (see page 237) | — | — | | — | |
| | E.A.2.60.1 | Fire Protection System (see page 749) | — | — | | — | |
| | E.A.2.57.499 | Fuel System (see page 785) | — | — | | — | |
| | E.A.2.45.221 | GEAR, EMERGENCY RELEASE, FLARE DOOR AND UNDERCARRIAGE, GROUP | 1 | — | | — | |
| | | Spares for:— | | | | | |
| 11352 | E.A.2.45.635 | CABLE, AFT CONTROL, EMERGENCY RELEASE GEAR, UNDERCARRIAGE, GROUP | 1 | — | | B | |
| | | Consisting of:— | | | | | |
| | E.A.2.45.635A | Cable, wire rope, 5 cwt. (Make from Ref. 28X/3495) | 1 | 6W2/4 | | — | |
| 28U/4063 | SP8Y/13 | Roller | 2 | — | | C | |
| 11349 | E.A.2.45.219 | CABLE, AFT CONTROL, EMERGENCY RELEASE GEAR, FLARE DOOR, GROUP | 1 | — | | B | |
| | | Consisting of:— | | | | | |
| | E.A.2.45.219A | Cable, wire rope, 5 cwt. (Make from Ref. 28X/3495) | 1 | 6W2/4 | | — | |
| 28U/4063 | SP8Y/13 | Roller | 2 | — | | C | |
| 11353 | E.A.2.45.637 | CABLE, FORWARD CONTROL, EMERGENCY RELEASE GEAR, FLARE DOOR, GROUP | 1 | — | | B | |
| | | Consisting of:— | | | | | |
| | E.A.2.45.637A | Cable, wire rope, 5 cwt. (Make from Ref. 28X/3495) | 1 | 6W2/4 | | — | |
| 28U/4063 | SP8Y/13 | Roller | 2 | — | | C | |
| | E.A.1.45.1129 | Roller, special | 1 | S.1 | | — | |
| 11354 | E.A.2.45.639 | CABLE, FORWARD CONTROL, EMERGENCY RELEASE GEAR, UNDERCARRIAGE, GROUP | 1 | — | | B | |
| | | Consisting of:— | | | | | |
| | E.A.2.45.639A | Cable, wire rope, 5 cwt. (Make from Ref. 28X/3495) | 1 | — | | — | |
| 28U/4063 | SP8Y/13 | Roller | 2 | — | | C | |
| 28R/13491 | AS.107 | Pulley, c/w shroud | 3 | — | | C | |
| 28R/13492 | AS.108 | Pulley, c/w shroud | 1 | — | | C | |
| | E.A.2.73.203 | Hydraulic Equipment (see page 833) | — | — | | — | |

**FUSELAGE
CENTRE PORTION**

| Ref. No. | Part No. | Description 1 2 3 4 5 6 | No. off | Matl. Spec. | Cl. of Equip. | Plate No. |
|-----------|-------------|--|---------|-------------|---------------|-----------|
| | | | | | M.R. L.M. | |
| | E.A2.80.341 | PIPES, PITOT AND STATIC, ASSEMBLY | — | — | — | |
| | | Spares for:— | | | | |
| 28V/13603 | AGS.838/8 | Bush, rubber, union | 10 | — | C | |
| 1823 | EEAS.91/2 | Clip, pipe, double, 3/4" o/d | 7 | DTD.390 | C | |
| 28V/5108 | AGS.838/4 | Nut, union | 8 | — | C | |
| 28V/5104 | AGS.838/1 | Union, straight, low pressure | 4 | — | C | |
| | E.A2.11.1 | Structure, Centre Fuselage, General Assembly (see page 381) | — | — | — | |
| | E.A2.56.357 | Ventral Tank to Fuselage, Assembly (see page 917) | — | — | — | |

Pages 375 to 378 not issued



**FUSELAGE
CENTRE PORTION**

| Ref. No | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. | Plate No. |
|---|--------------|---|---------|-------------|---------------|-----------|
| | | | | | M.R. L.M. | |
| SUMMARY OF STOCK ITEMS USED ON CENTRE FUSELAGE, ASSEMBLY | | | | | | |
| | | 1 2 3 4 5 6 | | | | |
| | | Bolt, 4 BA, hex. head, "5 long | | | C | |
| 28D/12528 | A25/1B | Bolt, 2 BA, hex. head, "55 long | | | C | |
| 28D/9436920 | A25/1C | Bolt, 4 BA, hex. head, "6 long | | | C | |
| 28D/12511 | A25/2B | Bolt, 2 BA, hex. head, "65 long | | | C | |
| 28D/12513 | A25/2C | Bolt, 2 BA, hex. head, "85 long | | | C | |
| 28D/1200129 | A25/4C | Bolt, 2 BA, hex. head, 1" long | | | C | |
| 28D/12530 | A25/6B | Bolt, 2 BA, hex. head, "95 long | | | C | |
| 28D/12533 | A25/5C | Bolt, 1/4" BSF, hex. head, "9 long | | | C | |
| 28D/12520 | A25/4E | Bolt, 1/4" BSF, hex. head, 1"2 long | | | C | |
| 28D/12633 | A25/7E | Bolt, 1/4" BSF, hex. head, 1"3 long | | | C | |
| 28D/12544 | A25/8E | Bolt, 1/4" BSF, hex. head, 1"6 long | | | C | |
| 28D/12570 | A25/11E | Bolt, 2 BA, c'sk head, "6 long | | | C | |
| 28D/8307 | AS.1242/2C | Bolt, 1/4" BSF, c'sk head, "65 long | | | C | |
| 28D/8323 | AS.1242/2E | Bolt, 4 BA, round head, "45 long | | | C | |
| 28D/11937 | AS.1246/1B | Coilar, 3/8" dia. | | | C | |
| 28N/5548 | AGS.899/1 | Fork-joint, 4 BA, R.H. | | | C | |
| 28K/549 | SP3Y/412 | Fork-joint, 2 BA, R.H. | | | C | |
| 28K/551 | SP3Y/413 | Fork-joint, 4 BA, L.H. | | | C | |
| 28K/550 | SP3Y/412L | Fork-joint, 2 BA, L.H. | | | C | |
| 28K/552 | SP3Y/413L | Nut, 4 BA, plain | | | C | |
| 28M/5233 | A14/BB | Nut, 4 BA, plain, L.H. | | | C | |
| 28M/5220 | A24/BBL | Nut, 2 BA, plain | | | C | |
| 28M/12929 | A27/CP | Nut, 2 BA, slotted | | | C | |
| 28M/13121 | A27/CS | Nut, 2 BA, thin | | | C | |
| 28M/13124 | A27/CT | Nut, 1/4" BSF, plain | | | C | |
| 28M/12928 | A27/EP | Nut, 2 BA, thin | | | C | |
| 28M/13253 | A27/CTL | Nut, 1/4" BSF, slotted | | | C | |
| 28M/12930 | A27/ES | Nut, 1/4" BSF, thin | | | C | |
| 28M/12931 | A27/ET | Nut, 3/8" BSF, slotted | | | C | |
| 28M/13123 | A27/JS | Nut, stiff, 4 BA | | | C | |
| 28M/10287 | AGS.2001/B/1 | Nut, stiff, 2 BA | | | C | |
| 28M/10288 | AGS.2001/C/1 | Nut, stiff, 2 BA | | | C | |
| 28M/10328 | AGS.2002/C/1 | Nut, stiff, 4 BA | | | C | |
| 28M/10327 | AGS.2002/B/1 | Nut, stiff, 1/4" BSF | | | C | |
| 28M/12249 | AGS.2007/E/1 | Pin, splic, 1/16" x 1/4" | | | C | |
| 28P/12431 | SP9/C6 | Pin, split, 1/16" x 1" | | | C | |
| 28P/9429528 | SP9/C8 | Pin, split, 3/32" x 1/4" | | | C | |
| 28P/12262 | SP9/E5 | Pin, split, 5/32" x "4 long | | | C | |
| 28P/814 | SP4Y/A4 | Pin, split, 3/16" x "4 long | | | C | |
| 28P/830 | SP4Y/B4 | Pin, taper, 3/16" x 1" | | | C | |
| 28P/13596 | SP28/L8 | Plug | | | C | |
| 28N/10378 | AGS.385/C | Rod, tension | | | C | |
| 28U/4052 | SP8Y/2 | Rod, tension | | | C | |
| 28U/4051 | SP8Y/1 | Rod, tension | | | C | |

**FUSELAGE
CENTRE PORTION**

| Ref. No. | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. | | Plate No. |
|-------------|-----------|-------------------------------------|---------|-------------|---------------|------|-----------|
| | | | | | M.R. | L.M. | |
| | | 1 2 3 4 5 6 | | | | | |
| 28S/9435712 | A31/B8 | Screw, 4 BA, cheese head, 1/4" long | ... | | | C | |
| 28S/3426 | A32/B8 | Screw, 4 BA, round head, 1/4" long | ... | | | C | |
| 28S/3419 | A33/C8 | Screw, 2 BA, c'sk head, 1/4" long | ... | | | C | |
| 28S/3420 | A33/B8 | Screw, 4 BA, c'sk head, 1/4" long | ... | | | C | |
| 28S/2827 | A33/B24 | Screw, 4 BA, c'sk head, 1/4" long | ... | | | C | |
| 28N/10377 | AGS.385/A | Socket | ... | | | C | |
| 28W/9419465 | SP13/B | Washer, 4 BA, plain | ... | | | C | |
| 28W/9419466 | SP13/J | Washer, 3/8" BSF, plain | ... | | | C | |
| 28W/6315 | AGS.585/B | Washer, 4 BA, spring | ... | | | C | |
| 28W/9419475 | SP15/C | Washer, 2 BA, plain | ... | | | C | |
| 28W/9419405 | SP15/E | Washer, 1/4" BSF, plain | ... | | | C | |
| 28W/9419477 | SP15/J | Washer, 3/8" BSF, plain | ... | | | C | |
| 28W/9419487 | SP16/E | Washer, 1/4" BSF, plain | ... | | | C | |

**FUSELAGE
CENTRE FUSELAGE STRUCTURE**

| Ref. No. | Part No. | Description 1 2 3 4 5 6 | No. off | Matl. Spec. | Cl. of Equip. | Plate No. |
|-----------|--------------|--|---------|--------------|---------------|-----------|
| | | | | | M.R. L.M. | |
| | E.A2.11.1 | STRUCTURE, CENTRE FUSELAGE, ASSEMBLY ... | — | — | — | |
| | E.A2.83.615 | Spares for:— ASSEMBLY OF HANHOLDS AND FOOTRESTS IN FORWARD CAMERA BAY, GROUP ... | — | — | — | |
| | | Spares for: — | | | | |
| 2521 | E.A2.83.627 | Bracket, clip, R.H. ... | 1 | — | C | |
| 2522 | E.A2.83.628 | Bracket, clip, L.H. ... | 1 | — | C | |
| 28E/10040 | AS.2294/1 | Clip, spring ... | 2 | — | C | |
| 2523 | E.A2.83.617 | Foot-rest, c/w hinge ... | 2 | — | C | |
| 5158 | E.A2.83.1347 | Foot-rest, c/w hinge ... | 1 | — | C | |
| | E.A2.83.623 | Hand-hold ... | 1 | — | — | |
| | E.A2.83.625 | Lug, for hand-hold mounting ... | 2 | EEDX.88 | — | |
| 7275 | E.A3.11.677 | Bolt, special (Make from A25/4C) ... | 10 | — | C/MR | |
| 1858 | E.A2.11.1947 | Bulkhead, rear fuel tank ... | 1 | — | A | |
| | E.A2.00.125 | Bulkhead, rear fuel tank (For non-interchangeable A/C WE.135-WE.139) | 1 | — | — | |
| | E.A2.83.3 | CAMERA, BAY, FORWARD, ASSEMBLY ... | — | — | — | |
| | | Spares for: | | | | |
| 2524 | E.A2.11.1359 | DOOR, ACCESS, GROUP ... | 1 | — | A | |
| | | Spares for:— | | | | |
| 2525 | E.A2.11.1369 | Bush ... | 10 | DTD.683 | C | |
| 2526 | E.A2.11.1439 | Bush ... | 2 | DTD.683 | C | |
| 2527 | E.A2.11.1363 | Link ... | 1 | DTD.683 | C | |
| 2528 | E.A2.11.1365 | Link, c/w fork end ... | 4 | — | C | |
| 2529 | AS.2843 | Lock, door, R.H. single flush handle type ... | 2 | — | C | |
| 2530 | E.A2.11.2297 | Plate, access ... | 2 | DTD.610 | C | |
| 2531 | E.A2.11.1361 | Plunger ... | 5 | S.11 | C | |
| 2532 | E.A2.11.1367 | Rod ... | 1 | S.11 | C | |
| | E.A2.11.2047 | Seal, linatex, 19"30 long (Make from Stores Ref. 32C/652) | 2 | Linatex 120F | LM | |
| | E.A2.11.2049 | Seal, linatex, 35"5 long (Make from Stores Ref. 32C/652) | 2 | Linatex 120F | LM | |
| 3692 | E.A2.00.105 | FAIRING, CAMERA HATCH, PORT, GROUP ... (For A/C WE.135-WE.144 incl. Supplied to Pt. No. EA2.83.203 undrilled and with "2 trim allowance—fitment by C.W.P.) (Non-interchangeable A/C only) | 1 | — | A | |
| 2535 | E.A2.83.203 | FAIRING, CAMERA HATCH, PORT, GROUP ... (For A/C WE.145 and onwards. Supplied to Pt. No. EA2.00.107 drilled and with "1 trim allowance) Spares for: — | 1 | — | A | |
| 3694 | E.A2.00.109 | DOOR, SLIDING, FORWARD CAMERA BAY, GROUP ... (For non-interchangeable A/C WE.135-WE.144) | 1 | — | A | |

**FUSELAGE
CENTRE FUSELAGE STRUCTURE**

| Ref. No. | Part No. | Description 1 2 3 4 5 6 | No. off | Matl. Spec. | Cl. of Equip. | Place No. |
|------------|--------------|--|---------|-------------|---------------|-----------|
| | | | | | M.R. L.M. | |
| 3695 | E.A2.00.110 | DOOR, SLIDING, FORWARD CAMERA BAY, GROUP (For non-interchangeable A/C WE.135-WE.144) | 1 | — | A | |
| 2536 | E.A2.83.229 | DOOR, SLIDING, FORWARD CAMERA BAY, PORT, GROUP Spares for:— | 2 | — | A | |
| 2A/9500462 | SKEFKO CBA.0 | Ballrace | 4 | — | B | |
| 2537 | E.A2.83.253 | Bolt, special | 4 | S.11 | C | |
| 1961 | E.A2.83.139 | Bracket, roller | 4 | L.40 | C | |
| 1969 | E.A2.83.153 | Pin, roller | 4 | S.11 | C | |
| 1959 | E.A2.83.151 | Roller | 4 | S.11 | C | |
| 1964 | E.A2.83.145 | Shim | 4 | DTD.126 | C | |
| 1960 | E.A2.83.155 | Shim | 8 | DTD.126 | C | |
| 3699 | E.A2.00.111 | DOOR, SLIDING, AFT CAMERA BAY, GROUP (For non-interchangeable A/C WE.135-WE.144) | 1 | — | A | |
| 6524 | E.A2.00.112 | DOOR, SLIDING, AFT CAMERA BAY, GROUP (For non-interchangeable A/C WE.135-WE.144) | 1 | — | A | |
| 2542 | E.A2.83.230 | DOOR, SLIDING, AFT CAMERA BAY, GROUP Spares for this group are identical with those for group Ref. 2536. | 1 | — | A | |
| 2540 | E.A2.83.267 | Piece, bridge, forward camera bay sliding doors | 1 | Z5Z | C | |
| 2061 | E.A2.83.195 | Ring, camera window packing | 4 | Plywood | C | |
| 3485 | E.A2.83.1123 | Ring, camera window retaining | 2 | DTD.610 | C | |

FUSELAGE
CENTRE FUSELAGE STRUCTURE

| Ref. No. | Part No. | | | | | | Description | No. off | Matl. Spec. | Cl. of | Plate and Illust'n No. |
|-----------------------------|-----------------------|---|---|---|---|---|---|---------|----------------|----------|------------------------|
| | | 1 | 2 | 3 | 4 | 5 | | | | Sc. M.R. | |
| 3486 | E.A2.83.1125 | | | | | | Ring, camera window sealing | 2 | Sponge Rubber | C | |
| 3487 | E.A2.83.1127 | | | | | | Ring, camera window sealing | 2 | Natural Rubber | C | |
| 1028 | EEAS.1/3C | | | | | | Screw, 2 BA, c'sk head | 16 | — | C | |
| 1031 | EEAS.1/6C | | | | | | Screw, 2 BA, c'sk head | 16 | — | C | |
| 2067 | E.A2.83.189 | | | | | | Window, camera | 2 | Glass | C | |
| 3693 | E.A2.00.106 | | | | | | FAIRING, CAMERA HATCH, STARBOARD, GROUP (For A/C W.E.135-W.E.144 incl. Supplied to Pt. No. E.A2.83.204 undrilled and with .2 trim allowance — Fitment by C.W.P.) (Non-interchangeable A/C only) | 1 | — | A | |
| 2543 | E.A2.83.204 | | | | | | FAIRING, CAMERA HATCH, STARBOARD, GROUP (For A/C W.E.145 and onwards. Supplied to Pt. No. E.A2.00.108 drilled and with .1 trim allowance) Spares for this group are identical with those for group Ref. No. 2535 on page 382. | 1 | — | A | |
| 418 2 | E.A2.83.803 | | | | | | Label, instruction camera | 1 | L16 | C | |
| 27FP/6 28FP/6 | AVIATN. DEVELS. A.411 | | | | | | Pin, "pip," quick release | 1 | — | C | |
| 27FP/8 28FP/7 | AVIATN. DEVELS A.413 | | | | | | Pin, "pip," quick release | 1 | — | C | |
| 5236 | E.A2.83.1425 | | | | | | Rail, camera, port, on frame 12A | 1 | — | C | |
| 5237 | E.A2.83.1426 | | | | | | Rail, camera, starboard, on frame 12A | 1 | — | C | |
| 2929 | E.A2.83.791 | | | | | | Rail, camera, port, on frame 12A | 1 | — | C | |
| 2930 | E.A2.83.792 | | | | | | Rail, camera, starboard, on frame 12A | 1 | — | C | |
| 5238 | E.A2.83.1427 | | | | | | Rail, camera, port, on frame 12 | 1 | — | C | |
| 5239 | E.A2.83.1428 | | | | | | Rail, camera, starboard, on frame 12 | 1 | — | C | |
| 2933 | E.A2.83.795 | | | | | | Rail, camera, port, on frame 13 <i>Ref. No. 2930 & 2931 1st Section, extended to top of eye.</i> | 1 | — | C | |
| 2934 | E.A2.83.796 | | | | | | Rail, camera, starboard, on frame 13 <i>Ref. No. 2930 & 2931 1st Section, extended to top of eye.</i> | 1 | — | C | |
| | → | | | | | | Ring, split | 4 | Steel | — | |
| 1025 | EEAS.1/1C | | | | | | Screw, 2 BA, c'sk head | 46 | — | C | |
| 1468 | EEAS.1/2C | | | | | | Screw, 2 BA, c'sk head | 46 | — | C | |
| 2554 | E.A2.83.277 | | | | | | Support, camera, detachable, port | 1 | — | C | |
| 2555 | E.A2.83.278 | | | | | | Support, camera, detachable, starboard | 1 | — | C | |
| 2935 | E.A2.83.787 | | | | | | Support, camera, vertical | 2 | — | C | |

**FUSELAGE
CENTRE FUSELAGE STRUCTURE**

| Ref. No. | Part No. | Description | | | | | No. off | Matl. Spec. | Cl. of St. | Place and Illust'n No. |
|----------|--------------|---|---|---|---|---|---------|-------------|------------|------------------------|
| | | 1 | 2 | 3 | 4 | 5 | | | M.R. | |
| 4579 | E.A2.11.19 | DOOR, FLARE, PORT, GROUP ... | | | | | 1 | — | A | |
| | | Spares for :— | | | | | | | | |
| | E.A2.11.2865 | BRACKET, FLARE DOOR HINGE, GROUP ... | | | | | 1 | — | — | |
| | | Spares for :— | | | | | | | | |
| 3617 | E.A2.00.83 | Bearing , spherical, flare door hinge (consisting of E.A2.11.1045 and E.A2.11.1049 wired together) | | | | | 1 | — | C | |
| 3618 | E.A2.00.85 | Bearing , spherical, flare door hinge (consisting of E.A2.11.1043 and E.A2.11.1047 wired together) | | | | | 1 | — | C | |
| | E.A2.11.2867 | BRACKET, FLARE DOOR HINGE, GROUP ... | | | | | 1 | — | — | |
| | | Spares for :— | | | | | | | | |
| 3617 | E.A2.00.83 | Bearing , spherical, flare door hinge (consisting of E.A2.11.1045 and E.A2.11.1049 wired together) | | | | | 1 | — | C | |
| 3618 | E.A2.00.85 | Bearing , spherical, flare door hinge (consisting of E.A2.11.1043 and E.A2.11.1047 wired together) | | | | | 1 | — | C | |
| | E.A2.11.945 | BRACKET, DOOR, ROLLER GUIDE, GROUP ... | | | | | 1 | — | — | |
| | | Spares for :— | | | | | | | | |
| 236 | E.A1.11.1615 | Bolt , special, c/w lubricating nipple ... | | | | | 1 | — | C | |
| 237 | E.A1.11.837 | Roller | | | | | 1 | L40 | C | |
| | E.A1.11.1617 | Tube , $\frac{1}{2}$ " o/d x 20 SWG | | | | | 1 | T45 | — | |
| | E.A2.11.947 | BRACKET, DOOR, ROLLER GUIDE, GROUP ... | | | | | 1 | — | — | |
| | | Spares for :— | | | | | | | | |
| 236 | E.A1.11.1615 | Bolt , special, c/w lubricating nipple ... | | | | | 1 | — | C | |
| 237 | E.A1.11.837 | Roller | | | | | 1 | L40 | C | |
| | E.A1.11.1617 | Tube , $\frac{1}{2}$ " o/d x 20 SWG | | | | | 1 | T45 | — | |
| | E.A2.11.949 | BRACKET, DOOR, ROLLER GUIDE, GROUP ... | | | | | 1 | — | — | |
| | | Spares for :— | | | | | | | | |
| 236 | E.A1.11.1615 | Bolt , special, c/w lubricating nipple ... | | | | | 1 | — | C | |
| 237 | E.A1.11.837 | Roller | | | | | 1 | L40 | C | |
| | E.A1.11.1617 | Tube , $\frac{1}{2}$ " o/d x 20 SWG | | | | | 1 | T45 | — | |

**FUSELAGE
CENTRE FUSELAGE STRUCTURE**

| Ref. No | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. | Plate No. |
|---------|--------------|---|---------|------------------|---------------|-----------|
| | | | | | M.R. L.M. | |
| 11696 | E.A2.11.957 | Connection, stay | 1 | DTD.683 | C/MR | |
| 11695 | E.A2.11.951 | Eye-bolt | 2 | DTD.683 | C/MR | |
| | E.A2.11.2243 | Seal, 11' 6" long (Make from Stores Ref. 4431) ... | 1 | Synthetic rubber | LM | |
| | E.A2.11.2245 | Seal, 7" long (Make from Stores Ref. 4528) ... | 1 | Synthetic rubber | LM | |
| | E.A2.11.2655 | Seal, 5½" long (Make from Stores Ref. 4528) ... | 1 | Synthetic rubber | LM | |
| | E.A2.11.2521 | Shim, flare door aft hinge | 1 | Laminated alumn. | — | |
| | E.A2.11.2523 | Shim, flare door forward hinge | 1 | Laminated alumn. | — | |
| 11697 | E.A2.11.961 | Stay, main hinge support | 1 | — | C/MR | |
| 11698 | E.A2.11.963 | Stay, main hinge support | 1 | — | C/MR | |
| 4580 | E.A2.11.20 | DOOR, FLARE, STARBOARD, GROUP Spares for:— | 1 | — | A | |
| 11919 | E.A2.11.2866 | BRACKET, FLARE DOOR, HINGE, GROUP Spares for:— | 1 | — | C/MR | |
| 3617 | E.A2.00.83 | Bearing, spherical, flare door hinge (Consisting of E.A2.11.1045 and E.A2.11.1049 wired together) | 1 | — | C | |
| 3618 | E.A2.00.85 | Bearing, spherical, flare door hinge (Consisting of E.A2.11.1043 and E.A2.11.1047 wired together) | 1 | — | C | |
| 11920 | E.A2.11.2867 | BRACKET, FLARE DOOR, HINGE, GROUP Spares for:— | 1 | — | C/MR | |
| 3617 | E.A2.00.83 | Bearing, spherical, flare door hinge (Consisting of E.A2.11.1045 and E.A2.11.1049 wired together) | 1 | — | C | |
| 3618 | E.A2.00.85 | Bearing, spherical, flare door hinge (Consisting of E.A2.11.1043 and E.A2.11.1047 wired together) | 1 | — | C | |
| 11692 | E.A2.11.945 | BRACKET, DOOR ROLLER GUIDE, GROUP Spares for:— | 1 | — | C/MR | |
| 236 | E.A1.11.1615 | Bolt, special, c/w lubricating nipple | 1 | — | C | |
| 237 | E.A1.11.837 | Roller | 1 | L.40 | C | |
| | E.A1.11.1617 | Tube, ½" o/d x 20 SWG | 1 | T.45 | C/MR | |
| 11693 | E.A2.11.947 | BRACKET, DOOR ROLLER GUIDE, GROUP Spares for:— | 1 | — | C/MR | |
| 236 | E.A1.11.1615 | Bolt, special, c/w lubricating nipple | 1 | — | C | |
| 237 | E.A1.11.837 | Roller | 1 | L.40 | C | |
| | E.A1.11.1617 | Tube, ½" o/d x 20 SWG | 1 | T.45 | C/MR | |

**FUSELAGE
CENTRE FUSELAGE STRUCTURE**

| Ref. No. | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. | Plate No. |
|----------|--------------|--|---------|------------------|---------------|-----------|
| | | | | | M.R. L.M. | |
| 11694 | E.A2.11.949 | BRACKET, DOOR ROLLER GUIDE, GROUP ... | 1 | — | C/MR | |
| | | Spares for:— | | | | |
| 236 | E.A1.11.1615 | Bolt, special, c/w lubricating nipple ... | 1 | — | C | |
| 237 | E.A1.11.837 | Roller ... | 1 | L.40 | C | |
| | E.A1.11.1617 | Tube, 1/2" o/d x 20 SWG ... | 1 | T.45 | C/MR | |
| 11696 | E.A2.11.957 | Connection, stay ... | 1 | DTD.683 | C/MR | |
| 11695 | E.A2.11.951 | Eye-bolt ... | 2 | DTD.683 | C/MR | |
| | E.A2.11.2243 | Seal, 11' 6" long (Make from Stores Ref. 4431) ... | 7 | Synthetic rubber | LM | |
| | E.A2.11.2245 | Seal, 7" long (Make from Stores Ref. 4528) ... | 1 | Synthetic rubber | LM | |
| | E.A2.11.2655 | Seal, 5 1/4" long (Make from Stores Ref. 4528) ... | 1 | Synthetic rubber | LM | |
| | E.A2.11.2521 | Shim, flare door aft hinge ... | 1 | Laminated alumn. | — | |
| | E.A2.11.2523 | Shim, flare door forward hinge ... | 1 | Laminated alumn. | — | |
| 11697 | E.A2.11.961 | Stay, main hinge support ... | 1 | — | C/MR | |
| 11698 | E.A2.11.963 | Stay, main hinge support ... | 1 | — | C/MR | |
| | E.A2.11.5 | EXTERNAL SKINNING, ASSEMBLY ... | — | — | — | |
| | | Spares for:— | | | | |
| 11736 | E.A2.11.1613 | Angle, landing wing, port, forward ... | 1 | DTD.610 | C | |
| 11737 | E.A2.11.1614 | Angle, landing wing, starboard, forward ... | 1 | DTD.610 | C | |
| 11759 | E.A2.11.1865 | Angle, landing wing, port, centre ... | 1 | DTD.610 | C | |
| 11760 | E.A2.11.1867 | Angle, landing wing, starboard, centre ... | 1 | DTD.610 | C | |
| 2070 | E.A2.11.1595 | Bracket, hinge, undercarriage door mounting ... | 2 | — | C | |
| 11762 | E.A2.11.1597 | Bracket, hinge, undercarriage door, aft mounting ... | 2 | DTD.546 | C/MR | |
| 11728 | E.A2.11.1599 | Bracket, valve mounting, undercarriage door ... | 2 | — | C/MR | |
| 11769 | E.A2.11.2051 | Cover, access, ventral tank filler ... | 1 | — | B | |
| 287 | E.A1.57.135 | Fitting, drain outlet ... | 5 | — | C | |
| 2071 | E.A2.11.1761 | Fitting, operating jack anchor ... | 1 | DTD.683 | C | |

**FUSELAGE
CENTRAL FUSELAGE STRUCTURE**

| Ref. No. | Part No. | Description | | | | | No. off | Matl. Spec. | Cl. of St. | Plate No. |
|----------|---------------|--|---|---|---|---|---------|------------------|--------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | M.R. L.M. | |
| 1025 | EEAS.1/1C | | | | | | 195 | HTS | C | |
| 1468 | EEAS.1/2C | | | | | | 4 | HTS | C | |
| 1565 | EEAS.1/3½C | | | | | | 40 | HTS | C | |
| | E.A.2.11.2237 | | | | | | 2 | Synthetic Rubber | LM | |
| | E.A.2.11.2239 | | | | | | 2 | Synthetic Rubber | LM | |
| 5240 | E.A.2.11.1727 | | | | | | 4 | Shore 30 | C | |
| | E.A.2.11.2235 | | | | | | 2 | Synthetic Rubber | LM | |
| 15497 | EEAS.31/17/S | | | | | | 4 | DTD.687 | C | |
| | E.A.2.11.1309 | MECHANISM, FLARE DOOR OPERATING AT FRAME 21B, ASSEMBLY Spares for :— | | | | | — | — | — | |
| 5115 | E.A.2.11.2417 | | | | | | 2 | S92 | C | |
| 273 | E.A.1.11.937 | | | | | | 1 | L40 | C | |
| 5825 | E.A.2.11.2943 | LINK, DOOR ACTUATING, GROUP Consisting of :— | | | | | 2 | — | B | |
| 5826 | E.A.2.11.2941 | | | | | | 1 | DTD.683 | C | |
| | E.A.2.11.875 | | | | | | 1 | DTD.683 | — | |
| 2075 | E.A.2.11.879 | | | | | | 1 | S11 | C | |
| 278 | E.A.1.11.1087 | | | | | | 1 | S11 | C | |
| 2076 | E.A.2.11.1299 | | | | | | 2 | S11 | C | |
| 1780 | E.A.2.11.1301 | | | | | | 2 | S82 | C | |
| 11887 | E.A.2.11.2421 | | | | | | 1 | S11 | C | |
| 4781 | E.A.2.11.2423 | | | | | | 1 | S11 | C | |
| 1779 | E.A.2.11.881 | | | | | | 1 | S11 | C | |
| | E.A.2.11.2249 | | | | | | 2 | DTD.687 | LM | |
| | E.A.2.11.3233 | | | | | | 2 | DTD.687 | LM | |
| 3516* | EEAS.27/112GS | | | | | | 2 | DTD.687 | C | |
| 3517* | EEAS.27/70GS | | | | | | 2 | DTD.687 | C | |

**FUSELAGE
CENTRE FUSELAGE STRUCTURE**

| Ref. No. | Part No. | | | | | | Description | No. off | Matl. Spec. | Cl. of St. | | Plate No. |
|------------------|-----------------------|---|---|---|---|---|-------------|------------|-------------|------------|--|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | M.R. L.M. | | |
| | E.A2.11.1311 | | | | | | | — | — | — | | |
| | | | | | | MECHANISM, FLARE DOOR OPERATING AT FRAME 29, ASSEMBLY | | | | | | |
| | | | | | | Spares for this group are identical with those for group Part No. E.A2.11.1309, except for the following deletions and additions :— | | | | | | |
| | | | | | | Delete :— | | | | | | |
| 2076 | E.A2.11.1299 | | | | | Pin, special, door bracket pivot | 2 | S11 | | C | | |
| | E.A2.11.2249 | | | | | Washer, special (Make from Ref. 3517) ... | 2 | DTD.687 | | — | | |
| | | | | | | Add :— | | | | | | |
| 2078 | E.A2.11.1305 | | | | | Pin, special, door bracket pivot | 2 | S11 | | C | | |
| | E.A2.11.3095 | | | | | Washer, special (Make from Ref. 3516) ... | 2 | DTD.687 | | LM | | |
| | E.A2.11.11 | | | | | STRUCTURE, CENTRE FUSELAGE FRAME, ASSEMBLY | — | — | | — | | |
| | | | | | | Spares for :— | | | | | | |
| | E.A2.11.187 | | | | | BULKHEAD, FRAME 13, ASSEMBLY (PRE MOD. 517) | — | — | | — | | |
| | | | | | | Spares for :— | | | | | | |
| | E.A2.11.2397 | | | | | Seal, rubber (Make from EEAS.125. Stores Ref. 26FZ/6924) | 1 | — | | LM | | |
| | E.A2.11.845 | | | | | BULKHEAD, FRAME 21, ASSEMBLY | — | — | | — | | |
| | | | | | | Spares for :— | | | | | | |
| | E.A2.11.799 | | | | | FRAME, LOWER, ASSEMBLY ... | — | — | | — | | |
| | | | | | | Spares for :— | | | | | | |
| 6694 | E.A1.11.867 | | | | | Bracket, jack anchorage, flare doors ... | 1 | L45 | | C | | |
| | E.A2.11.1139 | | | | | BULKHEAD, FRAME 29, ASSEMBLY | — | — | | — | | |
| | | | | | | Spares for :— | | | | | | |
| 6694 | E.A1.11.867 | | | | | Bracket, jack anchorage flare doors ... | 1 | L45 | | C | | |
| | E.A2.11.3245 | | | | | DOOR, ACCESS, FLARE BAY INSPECTION, ASSEMBLY (MOD. 1200) | — | — | | — | | |
| 12229 | E.A3.11.859 | | | | | Bracket, access door hinge, L.H. ... | 1 | DTD.683 | | C | | |
| 12230 | E.A3.11.860 | | | | | Bracket, access door hinge, R.H. ... | 1 | DTD.683 | | C | | |
| 12227 | E.A3.11.855 | | | | | DOOR, ACCESS, GROUP ... | 1 | — | | B | | |
| | | | | | | Spares for :— | | | | | | |
| 27FP/6 28FP/6 | AVIATN. DEVELS. A.411 | | | | | Pin, "pip," quick release | 1 | — | | C | | |
| 12228 | E.A3.11.867 | | | | | Ring, sealing | 1 | Neo-K-Tex | | C | | |
| | E.A3.11.861 | | | | | Shim, access door hinge... .. | 2 | Lam Alumn. | | — | | |
| 15496 | EEAS.28/7ER | | | | | Washer, special | 6 | — | | C | | |
| | E.A2.11.2575 | | | | | Washer, special | 14 | DTD.683 | | — | | |

Pages 389 to 404 not issued



**FUSELAGE
CENTRE FUSELAGE STRUCTURE**

| Ref. No | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. | Plate No. |
|---|-----------------|---|---------|-------------|---------------|-----------|
| | | | | | M.R. L.M. | |
| SUMMARY OF STOCK ITEMS USED ON CENTRE FUSELAGE STRUCTURE, ASSEMBLY ... | | | | | | |
| 28D/9436920 | A25/1C | Bolt, 2 BA, hex. head, "55 long ... | | | C | |
| 28D/12513 | A25/2C | Bolt, 2 BA, hex. head, "65 long ... | | | C | |
| 28D/12531 | A25/3C | Bolt, 2 BA, hex. head, "75 long ... | | | C | |
| 28D/1200129 | A25/4C | Bolt, 2 BA, hex. head, "85 long ... | | | C | |
| 28D/12533 | A25/5C | Bolt, 2 BA, hex. head, "95 long ... | | | C | |
| 28D/12534 | A25/9C | Bolt, 2 BA, hex. head, 1"35 long ... | | | C | |
| 28D/12536 | A25/13C | Bolt, 2 BA, hex. head, 1"75 long ... | | | C | |
| 28D/12518 | A25/2E | Bolt, 1/4" BSF, hex. head, "7 long ... | | | C | |
| 28D/12519 | A25/3E | Bolt, 1/4" BSF, hex. head, "8 long ... | | | C | |
| 28D/12520 | A25/4E | Bolt, 1/4" BSF, hex. head, "9 long ... | | | C | |
| 28D/12542 | A25/5E | Bolt, 1/4" BSF, hex. head, 1" long ... | | | C | |
| 28D/12543 | A25/6E | Bolt, 1/4" BSF, hex. head, 1"1 long ... | | | C | |
| 28D/12544 | A25/8E | Bolt, 1/4" BSF, hex. head, 1"3 long ... | | | C | |
| 28D/12570 | A25/11E | Bolt, 1/4" BSF, hex. head, 1"6 long ... | | | C | |
| 28D/12545 | A25/13E | Bolt, 1/4" BSF, hex. head, 1"8 long ... | | | C | |
| 28D/12815 | A25/3G | Bolt, 5/16" BSF, hex. head, "85 long ... | | | C | |
| 28D/12774 | A25/4G | Bolt, 5/16" BSF, hex. head, "95 long ... | | | C | |
| 28D/12639 | A25/6G | Bolt, 5/16" BSF, hex. head, 1"15 long ... | | | C | |
| 28D/12553 | A25/6J | Bolt, 3/8" BSF, hex. head, 1"25 long ... | | | C | |
| 28D/13171 | A26/13E | Bolt, 1/4" BSF, hex. head, 1"8 long ... | | | C | |
| 28D/8300 | AS.1242/1B | Bolt, 4 BA, c'sk head, "45 long ... | | | C | |
| 28D/8301 | AS.1242/2B | Bolt, 4 BA, c'sk head, "55 long ... | | | C | |
| 28D/8304 | AS.1242/6B | Bolt, 4 BA, c'sk head, "95 long ... | | | C | |
| 28D/8303 | AS.1242/4B | Bolt, 4 BA, c'sk head, "75 long ... | | | C | |
| 28D/8307 | AS.1242/2C | Bolt, 2 BA, c'sk head, "6 long ... | | | C | |
| 28D/8308 | AS.1242/3C | Bolt, 2 BA, c'sk head, "7 long ... | | | C | |
| 28D/8341 | AS.1248/1C | Bolt, 2 BA, mushroom head, "5 long ... | | | C | |
| 28D/11937 | AS.1246/1B | Bolt, 4 BA, round head, "45 long ... | | | C | |
| 28D/11555 | AS.1246/3E | Bolt, 1/4" BSF, round head, "75 long ... | | | C | |
| 28D/13894 | AS.1248/1 1/2 B | Bolt, 4 BA, mushroom head, "5 long ... | | | C | |
| 28D/8348 | AS.1248/1E | Bolt, 1/4" BSF, mushroom head, "55 long ... | | | C | |
| 28D/9744 | AS.1248/2B | Bolt, 4 BA, mushroom head, "55 long ... | | | C | |
| 28D/10640 | AS.1248/2E | Bolt, 1/4" BSF, mushroom head, "65 long ... | | | C | |
| 28D/8342 | AS.1248/2C | Bolt, 2 BA, mushroom head, "6 long ... | | | C | |
| 28D/8343 | AS.1248/4C | Bolt, 2 BA, mushroom head, "8 long ... | | | C | |
| 28D/9588 | AS.1248/3C | Bolt, 2 BA, mushroom head, "7 long ... | | | C | |
| 28D/8452 | AS.1882/6B | Bolt, 4 BA, c'sk head, "95 long ... | | | C | |
| 28N/5559 | AGS.899/12 | Collar ... | | | C | |
| 28N/7116 | AGS.899/15 | Collar ... | | | C | |
| 28M/13086 | A27/BP | Nut, 4 BA, plain ... | | | C | |
| 28M/13140 | A27/BT | Nut, 4 BA, chin ... | | | C | |

**FUSELAGE
FRONT PORTION**

| Ref. No | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. | Plate No. |
|---------|--------------|---|---------|-------------|---------------|-----------|
| | | | | | M.R. L.M. | |
| 2812 | E.A1.10.501 | DOOR, EQUIPMENT, ACCESS, GROUP ... (Supplied to Pt. No. E.A3.00.113 for spares purposes) Spares for:— | 1 | — | B | F.8 |
| 13104 | E.A1.10.511 | Link, connecting ... | 2 | — | C | |
| 3227 | AS.2866/P | LOCK, L.H. FLUSH TYPE, ASSEMBLY ... Spares for:— | 1 | — | B | F.8 |
| 32501 | AS.5382 | Bolt, pivot ... | 1 | — | C | |
| 25791 | AS.2558 | Button, pressure seal ... | 1 | — | C | |
| 2731 | AS.2552 | Handle, single handle lock ... | 1 | — | C | |
| 32500 | AS.2532 | Plate, catch ... | 1 | — | C | |
| 20874 | AS.2559 | Seal, handle ... | 1 | — | C | |
| 25792 | AS.5381 | Seal, push button ... | 1 | — | C | |
| 32499 | AS.2534 | Spring, for catch ... | 1 | — | C | |
| 32498 | AS.2556 | Stud, spring ... | 1 | — | C | |
| 2813 | E.A1.10.2423 | Panel, detachable ... | 1 | — | C | F.8 |
| 21630 | E.A1.10.549 | Rod, door lock ... | 2 | L.1 | C | |
| | E.A1.10.2425 | Strip, sealing, 1/2" wide (Make from EEAS.141/1. Stores Ref. 12713) | 1 | — | LM | |
| 3046 | E.A3.10.1401 | DOOR, ENTRANCE, GROUP ... (File door skin line until door fits freely in the frame. Clearances around door skin line 0"100±0"020) Spares for:— | 1 | — | A | F.8 |
| 17415 | E.A1.10.1143 | Bolt, assembly, door, forward ... | 1 | — | C | |
| 17416 | E.A1.10.1145 | Bolt, assembly, door, rear ... | 1 | — | C | |
| 2732 | E.A1.10.1785 | Handle, inside door ... | 1 | — | C | F.8 |
| 2921 | AS.2864/P | LOCK, FLUSH FITTING, DOOR ASSEMBLY ... Spares for:— | 1 | — | B | F.8 |
| 32501 | AS.5382 | Bolt, pivot ... | 1 | — | C | |
| 25791 | AS.2558 | Button, pressure seal ... | 1 | — | C | |
| 2730 | AS.2549 | Handle, outer, double handle lock ... | 1 | — | C | |
| 32500 | AS.2532 | Plate, catch ... | 1 | — | C | |
| 20874 | AS.2559 | Seal, handle ... | 1 | — | C | |
| 25792 | AS.5381 | Seal, push button ... | 1 | — | C | |
| 32499 | AS.2534 | Spring, for catch ... | 1 | — | C | |
| 32498 | AS.2556 | Stud, spring ... | 1 | — | C | |
| 20934 | E.A3.10.1447 | Panel, dished ... | 1 | — | C | |
| 18209 | E.A1.10.1319 | Plate, swivel, door prop ... | 1 | DTD.390 | C | F.8 |
| 5195 | E.A3.10.2813 | Strap, support, strut stowage ... | 1 | — | C | |
| 4911 | E.A3.10.1459 | Tube, stay, door prop ... | 1 | — | C | |

**FUSELAGE
FRONT PORTION**

| Ref. No | Part No. | Description | | | | | | No. off | Matl. Spec. | Cl. of Equip. | Plate No. |
|-------------|----------------------------|--|---|---|---|---|---|---------|-------------|---------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | M.R. L.M. | |
| 1799 | E.A3.10.157 | Frame, bolt, navigator's escape hatch | | | | | | 1 | — | A | |
| | E.A2.45.703 | GUARDS, DEBRIS, PRESSURE BULKHEAD CONTROL LEVER BOX, ASSEMBLY (PORT ONLY) (MOD. 1422) | | | | | | — | — | — | |
| | | Spares for:— | | | | | | | | | |
| 26196 | E.A2.45.707 | GUARD, DEBRIS, ASSEMBLY, BOTTOM | | | | | | 1 | — | B/MR | |
| | | Spares for:— | | | | | | | | | |
| | E.A2.45.731 | Seal, rubber, 1/8" thick (Make from Ref. 32C/618) | | | | | | 1 | Neoprene | LM | |
| | E.A2.45.743 | Seal, rubber, 1/8" thick (Make from Ref. 32C/618) | | | | | | 1 | Neoprene | LM | |
| 26198 | E.A2.45.709 | GUARD, DEBRIS, ASSEMBLY, TOP | | | | | | 1 | — | B/MR | |
| | | Spares for:— | | | | | | | | | |
| | E.A2.45.729 | Seal, rubber, 1/8" thick (Make from Ref. 32C/618) | | | | | | 1 | Neoprene | LM | |
| | E.A2.45.777 | Seal, rubber, 1/8" thick (Make from Ref. 32C/618) | | | | | | 1 | Neoprene | LM | |
| 27457 | E.A2.45.773 | Guard, debris, assembly, side | | | | | | 1 | — | B/MR | |
| 26197 | E.A2.45.705 | Panel, detachable floor, assembly | | | | | | 1 | — | B | |
| 26201 | E.A2.45.711 | SEAL, ASSEMBLY | | | | | | 1 | — | C | |
| | | Spares for:— | | | | | | | | | |
| | E.A2.45.747 | Seal, rubber, 1/8" thick (Make from Ref. 32C/618) | | | | | | 2 | Neoprene | LM | |
| 1031 | EEAS.1/6C | Screw, 2 BA, c/sk. head, 120° | | | | | | 2 | S.96 | C | |
| | E.A2.45.781 | Seal, rubber, 1/8" thick (Make from Ref. 32C/618) | | | | | | 1 | Neoprene | LM | |
| 2729 | E.A1.10.1153 | Handle, main door jettison | | | | | | 1 | DTD.66 | C | F.8 |
| 34516 | E.A3.10.6081 | HATCH, METAL, NAVIGATOR'S, ASSEMBLY (MOD. 4081) (S.O.O.) (Supplied to Part No. E.A3.00.5155 for spares purposes with trim allowances) | | | | | | 1 | — | B | |
| | | Spares for:— | | | | | | | | | |
| | E.A3.10.6107 | Angle, butt connector | | | | | | 1 | L.72 | — | |
| 5CZ/430 | † | Block, terminal, type B, 2-way | | | | | | 1 | — | C | |
| | | Attaching parts for Ref. 5CZ/430:— | | | | | | | | | |
| 28S/1200062 | A33/A20 | Screw, 6 BA | | | | | | 2 | — | C | |
| 41042 | E.A3.10.6177 | Bracket, butt connector | | | | | | 1 | L.72 | C/MR | |
| 37005 | E.A3.81.5849 | Cable, assembly | | | | | | 1 | — | C | |
| | | Attaching parts for E.A3.81.5849:— | | | | | | | | | |
| 28S/9131780 | A33/B6 | Screw, 4 BA | | | | | | 4 | — | C | |
| 41062 | E.A3.10.6109 | Channel, butt connector (Made from EEDX/126) | | | | | | 1 | — | C/MR | |
| | | Attaching parts for E.A3.10.6109:— | | | | | | | | | |
| 28D/9133011 | A25/2C | Bolt, 2 BA | | | | | | 4 | — | C | |
| 28M/10288 | AGS.2001/C/1 | Nut, 2 BA | | | | | | 4 | — | C | |
| 28W/9419404 | SP.16/C | Washer | | | | | | 4 | — | C | |
| 5075 | MARTIN BAKER MBEU.321EE | Clip, parachute harness stowage, upper and lower | | | | | | 4 | — | C | |
| | | Attaching parts for MBEU.321EE:— | | | | | | | | | |
| 28D/1011006 | A25/5B | Bolt, 4 BA | | | | | | 4 | — | C | |
| 28M/10287 | AGS.2001/B/1 | Nut, 4 BA | | | | | | 4 | — | C | |
| | E.A3.10.2275 | Packing, taper | | | | | | 1 | — | C | |
| | E.A3.10.6135 | Packing, taper, upper | | | | | | 1 | — | — | |
| | E.A3.10.2279 | Packing, taper, lower | | | | | | 6 | — | — | |
| 28W/9419474 | SP.15/B | Washer | | | | | | 4 | — | C | |

**FUSELAGE
FRONT PORTION**

| Ref. No. | Psrnt No. | Description | No. off | Matl. Spec. | Cl. of Equip. | | Plate No. |
|-------------|----------------------------|--|---------|-------------|---------------|------|-----------|
| | | | | | M.R. | L.M. | |
| | | 1 2 3 4 5 6 | | | | | |
| 5076 | MARTIN BAKER MBEU.320EE | Clip, safety harness stowage | 4 | — | | C | |
| | | Attaching parts for MBEU.320EE:— | | | | | |
| 28D/1011006 | A25/5B | Bolt, 4 BA | 4 | — | | C | |
| 28M/10287 | AGS.2001/B/1 | Nut, 4 BA | 4 | — | | C | |
| | E.A3.10.2277 | Packing, taper | 1 | — | | — | |
| | E.A3.10.2281 | Packing, taper | 8 | — | | — | |
| 28W/9419474 | SP.15/B | Washer | 4 | — | | C | |
| 20515 | E.A6.10.2683 | Curtain, window | 2 | — | | — | |
| 41775 | E.B7.10.5093 | Fork-end, secondary release cable (Mod. 4081) ... | 1 | S.94 | | C | |
| 41063 | E.A3.10.6111 | Holder, spigot | 1 | — | | — | |
| | | Attaching parts for E.A3.10.6111:— | | | | | |
| 28D/1008151 | A25/4E | Bolt, 1/4" BSF | 2 | — | | C | |
| | E.A3.10.6139 | Packing, laminated | 1 | AL | | — | |
| 28W/9419487 | SP.16/E | Washer | 2 | — | | — | |
| | E.A3.17.5015 | INSULATION OF NAVIGATOR'S ESCAPE HATCH | — | — | | — | |
| | | Spares for:— | | | | | |
| 4661 | E.A1.17.35 | Angle | 12 | — | | C | |
| | E.A3.17.5017 | Blanket (Make from Ref. 32B/1270) | 2 | — | | C/LM | |
| | E.A3.17.5019 | Blanket (Make from Ref. 32B/1270) | 2 | — | | C/LM | |
| | E.A3.17.5021 | Blanket (Make from Ref. 32B/1270) | 2 | — | | C/LM | |
| | E.A3.17.5023 | Blanket (Make from Ref. 32B/1270) | 2 | — | | C/LM | |
| 4659 | E.A1.17.39 | Clip | 62 | — | | C | |
| 4660 | E.A1.17.37 | Spring | 53 | — | | C | |
| 28M/1007404 | A27/JT | Nut, 1/8" BSF, spigot locking | 2 | — | | C | |
| 14721 | E.A3.10.3765 | Plate, blanking, periscope | 1 | — | | C | |
| | | Attaching parts for E.A3.10.3765:— | | | | | |
| 28D/1013178 | AS.1242/5E | Bolt, 1/4" BSF | 4 | — | | C | |
| 28D/1212825 | AS.1242/4E | Bolt, 1/4" BSF | 4 | — | | C | |
| 34498 | E.A3.10.6247 | Packing | 1 | Langite | | C | |
| 34134 | E.A3.10.6121 | Packing | 1 | L.72 | | C | |
| 34133 | E.A3.10.6137 | Packing | 1 | Langite | | C | |
| | E.A3.10.311 | Seal, hatch, aft (Make from Ref. 26FZ/208) ... | 1 | — | | LM | |
| | E.A3.10.313 | Seal, hatch, forward (Make from Ref. 26FZ/208) ... | 1 | — | | LM | |
| | E.A3.10.309 | Seal, hatch, side (Make from Ref. 26FZ/208) ... | 2 | — | | LM | |
| 41058 | E.A3.10.6099 | Spigot, screwed | 2 | S.96 | | C | |
| 148 | E.A3.10.305 | Window, perspex | 2 | — | | B | |
| | | Attaching parts for E.A3.10.305:— | | | | | |
| | E.A3.10.985 | Bush, rubber (Make from 32C/507) | 20 | — | | LM | |
| 28M/10288 | AGS.2001/C/1 | Nut, 2 BA | 68 | — | | C | |
| | E.A3.10.111 | Plate, securing | 1 | — | | — | |
| 149 | E.A3.10.307 | Seal, rubber | 2 | — | | — | |
| 1468 | EEAS.1/2 | Screw, 2 BA | 6 | — | | C | |
| 1025 | EEAS.1/1C | Screw, 2 BA, plate securing | 42 | — | | C | |
| 1031 | EEAS.1/6C | Screw, 2 BA, window securing | 20 | — | | C | |
| 28W/9419475 | SP.15/C | Washer | 68 | — | | C | |

FUSELAGE
FRONT PORTION

| Ref. No. | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. | | Plate No. |
|-------------|--------------|---|---------|-------------------|---------------|------|-----------|
| | | | | | M.R. | L.M. | |
| | E.A3.10.3481 | HOOD, COUPE, ASSEMBLY, TO FUSELAGE (MOD. 519) | 1 | — | — | — | |
| 1594 | E.A3.10.2085 | Bolt, special, explosive, hood fixing | 2 | DTD.683 | C | | |
| 1782 | E.A3.10.2221 | Bolt, special, explosive, hood fixing | 30 | DTD.683 | C | | |
| 135 | E.A1.10.1035 | Bush, coaming tube explosive bolt | 31 | L.40 | C | | |
| 136 | E.A1.10.1167 | Bush, coaming tube explosive bolt entry | 2 | L.40 | C | | |
| 137 | E.A1.10.1169 | Bush, coaming tube explosive bolt entry | 30 | L.40 | C | | |
| 138 | E.A1.10.1435 | Bush, coaming tube explosive bolt | 1 | L.40 | C | | |
| 12873 | E.A3.00.509 | HOOD, COUPE, C/W EDGE MEMBER, GROUP (E.A3.15.125) Spare for:— | 1 | — | A | | |
| 12947 | E.A3.10.3479 | Bracket, hinge | 1 | — | C | | |
| 12948 | E.A3.10.3480 | Bracket, hinge | 1 | — | C | | |
| 3078 | E.A6.10.2587 | Fairing, canopy, forward section | 1 | — | C | | |
| | E.A3.15.115 | HOOD, GROUP Spare for:— | 1 | — | — | | |
| 13179 | E.A1.15.9 | Bracket, fastener | 1 | L.40 | C | | |
| 13180 | E.A1.15.13 | Bracket, hinge | 1 | L.40 | C | | |
| 12949 | E.A3.15.95 | Bush, rubber, for attachment screws | 148 | Natural Rubber | C | | |
| | E.A3.15.109 | Bush, rubber, 1/4" o/d. x 1/2" x 1-1/2" long (Make from 32C/520) | 24 | Natural Rubber | LM | | |
| | | CABLE, ASSEMBLY, N.74A, HEATED WIND-SCREEN TO COUPE BREAK, GROUP Consisting of:— | 1 | — | — | | |
| SE/4183 | † | Cable, Uninyvin 20 | QR | — | C | | |
| 5CY/9330749 | SIS.1657 | Plug, 2-way, flat, type R | 1 | — | C | | |
| 5K/9107065 | † | Sleeve, 1" x 1/4" | 4 | — | C | | |
| 5K/9107066 | † | Sleeve, 2" x 3/4" | 2 | — | C | | |
| 5K/9107067 | † | Sleeve, 3" x 1" | 1 | — | C | | |
| 5CY/457 | SIS.1658 | Socket, 2-way, flat, type R | 1 | — | C | | |
| 1786 | E.A1.15.19 | Eye-bolt, 2 BA | 1 | DTD.126A | C | | |
| 12951 | E.A3.15.129 | Landing, door, 12 SWG | 1 | DTD.610 | C | | |
| 1788 | E.A1.15.17 | Nut, knurled, 2 BA | 1 | L.40 | C | | |
| 12952 | E.A3.15.133 | Ring, sealing | 1 | L.72 | C | | |
| | E.A3.15.107 | Ring, packing | 1 | DTD.838 | — | | |
| 12953 | E.A3.15.135 | Sealing, rubber, 1/2" thick | 1 | Shore No. 30 | C | | |
| | E.A3.15.87 | Sealing, rubber, between edge member and hood, 1/16" x 1 1/4" x 216" long (Make from 32C/271) | 1 | Natural Rubber | LM | | |
| 141 | E.A1.15.23 | Spring, 20 SWG | 1 | Spring Steel | C | | |
| 12954 | E.A3.15.131 | Washer, sealing, moulded rubber | 1 | Shore No.'s 30-40 | C | | |

**FUSELAGE
FRONT PORTION**

| Ref. No | Part No. | Description | | | | | | No. off | Matl. Spec. | Cl. of Equip. | | Plate No. |
|---------|--------------|--|---|---|---|---|---|---------|-----------------|---------------|------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | M.R. | L.M. | |
| 12924 | E.A3.15.105 | WINDOW, DIRECT VISION, GROUP (PRE-MOD. 4333) | | | | | | 1 | — | B | | |
| | | Spares for:— | | | | | | | | | | |
| 4167 | E.A1.15.161 | Bracket, fastener | | | | | | 1 | L.40 | C/MR | | |
| 4168 | E.A1.15.163 | Bracket, hinge, c/w bushes | | | | | | 1 | L.40 | C/MR | | |
| 3562 | E.A1.15.173 | Packing, bracket, fastener | | | | | | 1 | — | C | | |
| 3563 | E.A1.15.175 | Packing, bracket, hinge | | | | | | 1 | — | C | | |
| | E.A3.15.69 | Panel, c/w elements | | | | | | 1 | Toughened Glass | — | | |
| 1792 | E.A1.15.151 | Plate, 16 SWG | | | | | | 1 | DTD.546 | C | | |
| 1794 | E.A1.15.147 | Ring, rubber sealing | | | | | | 1 | Natural Rubber | C | | |
| 1793 | E.A1.15.145 | Ring, rubber insulator | | | | | | 1 | Natural Rubber | C | | |
| 12950 | E.A3.15.127 | Ring | | | | | | 1 | LFS.26 | C | | |
| 1790 | E.A1.15.155 | Ring, sealing (with canvas interlayer) | | | | | | 1 | Rubber | C | | |
| 1797 | E.A1.15.157 | Ring, clamping | | | | | | 1 | DTD.610 | C | | |
| | E.A3.15.111 | Terminal | | | | | | 4 | BSS.369 | — | | |
| 34781 | E.A3.15.139 | WINDOW, DIRECT VISION, GROUP (MOD. 4333) | | | | | | 1 | — | B | | |
| | | Spares for this group are identical to those for Part No. E.A3.15.105 except for the following deletion and addition:— | | | | | | | | | | |
| | | Delete:— | | | | | | | | | | |
| | E.A3.15.69 | Panel, c/w elements | | | | | | 1 | Toughened Glass | — | | |
| | | Add:— | | | | | | | | | | |
| | E.A3.15.137 | Panel, c/w elements | | | | | | 1 | Toughened Glass | — | | |
| | E.A3.10.2223 | Member, edge, coupe hood | | | | | | 1 | — | — | | |
| | E.A3.10.3451 | Plate, attachment, port, 14 SWG | | | | | | 1 | DTD.610 | — | | |
| | E.A3.10.3453 | Plate, attachment, starboard, 14 SWG | | | | | | 1 | DTD.610 | — | | |
| | E.A3.10.3455 | Plate, attachment, rear, 14 SWG | | | | | | 1 | DTD.610 | — | | |
| | E.A3.10.3457 | Plate, attachment, front | | | | | | 1 | — | — | | |
| | E.A6.10.2679 | Strip, rubber, for canopy hinge fairing (Make from 32C/537) | | | | | | QR | Linatex | LM | | |
| | E.A3.10.2249 | Seal, rubber, strip, coaming tube to canopy, 1" x 1 1/4" (Make from 32C/519) | | | | | | QR | Linatex | LM | | |
| | E.A3.10.2251 | Seal, rubber, strip, coaming tube to canopy (Make from 32C/271) | | | | | | QR | Linatex | LM | | |
| | E.A3.10.2245 | TUBE, COAMING, COUPE, GROUP | | | | | | 1 | — | MR | | |
| | | Spares for:— | | | | | | | | | | |
| 1000 | E.A1.10.1657 | Clip, special, top half, air drier mounting | | | | | | 4 | DTD.124 | C | | |
| 1001 | E.A1.10.1659 | Clip, special, bottom half, air drier mounting | | | | | | 4 | DTD.124 | C | | |
| 1004 | E.A1.10.1663 | Nut, special, knurled finger | | | | | | 8 | L.40 | C | | |
| 21249 | E.A3.10.2773 | Plate, blast | | | | | | 1 | DTD.610 | C | | |
| 1010 | E.A1.10.847 | Washer, saddle, special, pilot's seat rear fixing | | | | | | 2 | L.40 | C | | |
| | E.A2.10.17 | KEEL UNIT, COMPLETE, ASSEMBLY | | | | | | — | — | — | | |
| | | Spares for:— | | | | | | | | | | |
| 13091 | E.A3.11.655 | Bolt, special (Made from Ref. A25/4E) | | | | | | 4 | — | C | | |

**FUSELAGE
FRONT PORTION**

| Ref. No | Part No. | Description | | | | | | No. off | Mati. Spec. | Cl. of Equip. M.R. L.M. | Plate No. |
|-------------|------------------|---|---|---|---|---|---|---------|-------------|-------------------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | | |
| | E.A2.10.11 | SKINNING, PRESSURE CABIN, KEEL UNIT, ASSEMBLY | | | | | | — | — | — | |
| | E.A2.10.9 | Spares for:— MAIN FLOOR STRUCTURE, PRESSURE CABIN, KEEL UNIT, ASSEMBLY | | | | | | — | — | — | |
| 4856 | E.A3.10.2383 | Bolt, special, bracket mounting | | | | | | 4 | S.11 | C/MR | |
| 3997 | E.A1.10.217 | BRACKET, L.H. MOUNTING, NOSEWHEEL PIVOT SHAFT, GROUP | | | | | | 1 | — | B/MR | |
| | E.A1.10.2685 | Spares for:— | | | | | | | | | |
| 28N/9156370 | SP.21 | Cap | | | | | | 1 | — | — | |
| 12943 | E.A1.10.217A | Nipple, lubricating | | | | | | 1 | — | C | |
| | | Spigot | | | | | | 1 | S.96 | C | |
| 3998 | E.A1.10.218 | BRACKET, R.H. MOUNTING, NOSEWHEEL PIVOT SHAFT, GROUP | | | | | | 1 | — | B/MR | |
| | | Spares for this group are identical with those for group Ref. No. 3997 | | | | | | | | | |
| | E.A2.10.227 | BULKHEAD, PRESSURE, ASSEMBLY | | | | | | — | — | — | |
| | E.A9.10.5091 | Spares for:— BRACKET, FORWARD LATCH, ASSEMBLY (MOD. 2183) | | | | | | 1 | — | C | |
| | E.A3.10.1739 | Spares for:— Block | | | | | | 1 | — | — | |
| 28D/12636 | A25/25E | Attaching parts for E.A3.10.1739:— | | | | | | | | | |
| 28M/1007403 | A27/ET | Bolt, 1/4" BSF | | | | | | 2 | — | C | |
| | A5.2811/6/135 | Nut, 1/4" BSF | | | | | | 2 | — | C | |
| | | Tube, distance x 17 SWG | | | | | | 2 | T.4 | LM | |
| | E.A1.10.1429 | Plate | | | | | | 1 | — | — | |
| 6132 | E.A1.10.1431 | Shim | | | | | | QR | — | C | |
| | | Attaching parts for E.A1.10.1429 and E.A1.10.1431:— | | | | | | | | | |
| 285/9446545 | A45/C16 | Screw, 2 BA | | | | | | 2 | — | C | |
| | E.B6.80.5947 | BRACKETS, TRIP ROD, NAVIGATOR'S SEAT, INSTALLATION (MOD. 4076) | | | | | | — | — | — | |
| | | Spares for:— | | | | | | | | | |
| 41333 | E.B6.80.5951 | Bracket | | | | | | 1 | — | C | |
| 41334 | E.B6.80.5955 | Bracket | | | | | | 3 | — | C | |
| 27KD/45 | NORMALAIR 506713 | Cap, blanking, cabin ground pressure test valve (Pre-Mod. 632) | | | | | | 1 | — | C | |
| 27KD/2 | NORMALAIR 500710 | Connector, ground pressurising (Pre-Mod. 632) | | | | | | 1 | — | B | |
| 27KD/10 | NORMALAIR 504600 | Connector, ground pressurising (Mod. 632) | | | | | | 1 | — | B | |
| 3900 | E.A1.81.943 | Stud, mounting, assembly | | | | | | 8 | — | C | |
| 4202 | E.A3.81.1165 | Stud, mounting, assembly | | | | | | 2 | — | C | |

**FUSELAGE
FRONT PORTION**

| Ref. No | Part No. | Description | | | | | | No. off | Matl. Spec. | Cl. of Equip. M.R. L.M. | Plate No. |
|-----------|--------------|-------------|---|---|---|---|---|---------|-------------------|-------------------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | | |
| 3999 | E.A1.10.231 | | | | | | | 1 | DTD.127 | C/MR | |
| 6055 | E.A3.10.2793 | | | | | | | 4 | DTD.683 | C | |
| 4690 | E.A1.10.829 | | | | | | | 1 | — | B/MR | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| 4232 | E.A1.10.827 | | | | | | | 1 | L.40 | C/MR | |
| 28P/19128 | SP.90/E4 | | | | | | | 1 | — | C | |
| | ANGUS | | | | | | | | | | |
| | OR.12 | | | | | | | 1 | 60 Shore P.60 | C/MR | |
| 5084 | | | | | | | | 1 | L.40 | C/MR | |
| 4231 | E.A1.10.825 | | | | | | | 1 | — | B | |
| 1857 | E.A2.10.577 | | | | | | | 1 | — | B | |
| | | | | | | | | | | | |
| | E.A2.10.659 | | | | | | | 65 | Natural Rubber | LM | |
| | E.A2.10.1159 | | | | | | | 1 | — | — | |
| 153 | E.A2.10.657 | | | | | | | 1 | Natural Rubber | C | |
| 154 | E.A2.10.661 | | | | | | | 1 | Natural Rubber | C | |
| 3863 | E.A2.10.2119 | | | | | | | 1 | — | B | |
| | | | | | | | | | | | |
| | E.A2.10.659 | | | | | | | 64 | Natural Rubber | LM | |
| | E.A2.10.2059 | | | | | | | 1 | — | — | |
| 153 | E.A2.10.657 | | | | | | | 1 | Natural Rubber | C | |
| 154 | E.A2.10.661 | | | | | | | 1 | Natural Rubber | C | |
| 12801 | E.A2.10.2219 | | | | | | | 1 | — | B | |
| | | | | | | | | | | | |
| | E.A2.10.659 | | | | | | | 64 | Natural Rubber | LM | |
| | E.A2.10.2223 | | | | | | | 1 | — | — | |
| 153 | E.A2.10.657 | | | | | | | 1 | Natural Rubber | C | |
| 154 | E.A2.10.661 | | | | | | | 1 | Natural Rubber | C | |
| 2726 | E.A2.10.1517 | | | | | | | 1 | — | C | |
| 1804 | E.A1.10.1131 | | | | | | | 21 | T.4 | C | |
| 1805 | E.A1.10.1133 | | | | | | | 13 | T.4 | C | |
| 5510 | E.A3.10.3247 | | | | | | | 1 | — | C | |
| 4752 | E.A3.10.3007 | | | | | | | 1 | — | C | |

**FUSELAGE
FRONT PORTION**

| Ref. No. | Part No. | Description | | | | | | No off | Matl. Spec. | Cl. of Equip. M.R. L.M. | Plate No. |
|----------|--------------|--|---|---|---|---|---|--------|----------------|-------------------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | | |
| | E.A3.10.2917 | Screw, 1/4" BSF, 120° c'sk. head for securing navigator's escape hatch | | | | | | 68 | S.96 | — | |
| 156 | E.A3.10.153 | Seal, inner, rubber, navigator's window | | | | | | 1 | Natural Rubber | C | |
| 157 | E.A3.10.155 | Seal, outer, rubber, navigator's window | | | | | | 1 | Natural Rubber | C | |
| 158 | E.A3.10.549 | Seal, pressure, navigator's escape hatch | | | | | | 1 | BTR.8853 | C | |
| 159 | E.A1.10.1171 | Seal, door, pressure cabin entrance | | | | | | 1 | BTR.8853 | C | |
| | E.A2.10.13 | SKINNING, STRUCTURE, PRESSURE BULKHEAD TO FRAME 12, ASSEMBLY | | | | | | — | — | — | |
| | | Spares for:— | | | | | | | | | |
| 3070 | E.A1.10.187 | DOOR, V.H.F., GROUP (Supplied to Pt. No. E.A3.00.151 for spares purposes) | | | | | | 2 | — | B | |
| | | Spares for:— | | | | | | | | | |
| 2690 | AS.2850 | LOCK, L.H. FLUSH TYPE, ASSEMBLY | | | | | | 1 | — | B | |
| | | Spares for:— | | | | | | | | | |
| 32501 | AS.5382 | Bolt, pivot | | | | | | 1 | — | C | |
| 25791 | AS.2558 | Button, pressure seal | | | | | | 1 | — | C | |
| 2731 | AS.2552 | Handle, single handle lock | | | | | | 1 | — | C | |
| 32500 | AS.2532 | Plate, catch | | | | | | 1 | — | C | |
| 20874 | AS.2559 | Seal, handle | | | | | | 1 | — | C | |
| 25792 | AS.5381 | Seal, push button | | | | | | 1 | — | C | |
| 32499 | AS.2534 | Spring for catch | | | | | | 1 | — | C | |
| 32498 | AS.2556 | Stud, spring | | | | | | 1 | — | C | |
| 3642 | E.A1.10.1815 | Stay, door | | | | | | 1 | — | C | |
| 20531 | E.A3.10.2805 | STOWAGE, SUPPORT STRUT V.H.F. DOORS, GROUP | | | | | | 1 | — | C/MR | |
| | | Spares for:— | | | | | | | | | |
| 5196 | E.A3.10.2807 | Strap, support strut, stowage | | | | | | 1 | Leather hide | C | |
| 5194 | E.A3.10.2809 | Plate, stiffening | | | | | | 1 | DTD.546 | C | |
| 2080 | E.A1.10.1033 | Plug, forward, jacking point housing | | | | | | 1 | L.40 | C | |
| 1028 | EEAS.1/3C | Screw, 2 BA, c'sk. head | | | | | | 24 | H.T.S. | C | |
| | E.A2.10.15 | STRUCTURE, PRESSURE BULKHEAD TO FRAME 12, ASSEMBLY | | | | | | — | — | — | |
| | | Spares for:— | | | | | | | | | |
| | E.A2.10.135 | FRAME 12, ASSEMBLY | | | | | | — | — | — | |
| | | Spares for:— | | | | | | | | | |
| 21096 | E.A2.10.2207 | Guard, assembly | | | | | | 1 | — | C | |
| 4692 | E.A3.10.3161 | LEVER, LOCK NOSE UNDERCARRIAGE, PORT, ASSEMBLY | | | | | | 1 | — | B | |
| | | Spares for:— | | | | | | | | | |
| 15793 | E.A3.10.3159 | Lever, assembly | | | | | | 1 | — | C | |
| 28FP/332 | DZUS-54/3 | Spring, hydraulic reservoir access door | | | | | | 6 | — | C | |
| 8888 | E.A3.10.3255 | Strap, main door, jettison handle stowage | | | | | | 1 | — | C/MR | |
| | E.A2.10.23 | STRUCTURE, NOSE FORWARD OF FRAME 1, ASSEMBLY | | | | | | — | — | — | |
| | | Spares for:— | | | | | | | | | |
| 130 | E.A3.10.983 | Bush, rubber, window fixing screw | | | | | | 20 | Natural Rubber | C | |
| 2083 | E.A2.10.477 | Frame, seal retaining | | | | | | 1 | — | C | |
| 2081 | E.A2.10.473 | Seal, rubber, outer, bomb aimer's window | | | | | | 1 | Natural Rubber | C | |
| 2082 | E.A2.10.475 | Seal, rubber, inner, bomb aimer's window | | | | | | 1 | Natural Rubber | C | |

**FUSELAGE
FRONT PORTION**

| Ref. No | Part No. | Description | | | | | | No. off | Matl. Spec. | Cl. of Equip. | | | Plate No. |
|---------|--------------|---|-----|-----|-----|-----|-----|---------|----------------|---------------|------|------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | | | M.R. | L.M. | | |
| 13226 | E.A2.10.2501 | Skin | ... | ... | ... | ... | ... | 1 | — | | | C/MR | |
| 13227 | E.A2.10.2503 | Skin | ... | ... | ... | ... | ... | 1 | — | | | C/MR | |
| | E.A2.10.2513 | Skin, port (Make from Ref. 13227) | ... | ... | ... | ... | ... | 1 | — | | | LM | |
| | E.A2.10.2515 | Skin, starboard (Make from Ref. 13227) | ... | ... | ... | ... | ... | 1 | — | | | LM | |
| 2084 | E.A2.10.471 | Window, bomb aimer's | ... | ... | ... | ... | ... | 1 | — | | | C | |
| 3412 | EEAS.20/3DR | Tab, locking | ... | ... | ... | ... | ... | 2 | DTD.610 | | | C | |
| 2140 | E.A1.20.1033 | Washer, special | ... | ... | ... | ... | ... | QR | — | | | C | |
| 5125 | E.A3.10.3023 | Washer, sealing, for escape hatch pivot | ... | ... | ... | ... | ... | 2 | Natural Rubber | | | C | |
| 160 | A.A3.10.361 | Window, navigator's, c/w valve | ... | ... | ... | ... | ... | 1 | — | | | C | |

Pages ~~415~~ to 420 not issued
417



**FUSELAGE
FRONT PORTION**

| Ref. No. | Part No. | Description | | | | | No. off | Matl. Spec. | Cl. of St. | Plate and Illust'n No. |
|---|------------|--|---|---|---|---|---------|-------------|------------|------------------------|
| | | 1 | 2 | 3 | 4 | 5 | | | M.R. | |
| SUMMARY OF STOCK ITEMS USED ON FRONT FUSELAGE ASSEMBLY | | | | | | | | | | |
| 28D/ | A.25/24C | Bolt, 2 BA, hex. head, 2."85 long | | | | | ... | ... | C | |
| 28D/ | A.25/3B | Bolt, 4 BA, hex. head, ."7 long | | | | | ... | ... | C | |
| 28D/12528 | A.25/1B | Bolt, 4 BA, hex. head, ."5 long | | | | | ... | ... | C | |
| 28D/12512 | A.25/1C | Bolt, 2 BA, hex. head, ."55 long | | | | | ... | ... | C | |
| 28D/12513 | A25/2C | Bolt, 2 BA, hex. head, ."65 long | | | | | ... | ... | C | |
| 28D/12531 | A.25/3C | Bolt, 2 BA, hex. head, ."75 long | | | | | ... | ... | C | |
| 28D/12532 | A.25/4C | Bolt, 2 BA, hex. head, ."85 long | | | | | ... | ... | C | |
| 28D/12533 | A25/5C | Bolt, 2 BA, hex. head, ."95 long | | | | | ... | ... | C | |
| 28D/12566 | A.25/6C | Bolt, 2 BA, hex. head, 1."05 long | | | | | ... | ... | C | |
| 28D/13447 | A.25/21C | Bolt, 2 BA, hex. head, 2."55 long | | | | | ... | ... | C | |
| 28D/12715 | A.25/31C | Bolt, 2 BA, hex. head, 3."55 long | | | | | ... | ... | C | |
| 28D/12707 | A.25/1E | Bolt, 1/4" BSF, hex. head, ."6 long | | | | | ... | ... | C | |
| 28D/12518 | A.25/2E | Bolt, 1/4" BSF, hex. head, ."7 long | | | | | ... | ... | C | |
| 28D/12520 | A.25/4E | Bolt, 1/4" BSF, hex. head, ."9 long | | | | | ... | ... | C | |
| 28D/12633 | A.25/7E | Bolt, 1/4" BSF, hex. head, 1."2 long | | | | | ... | ... | C | |
| 28D/12816 | A25/7G | Bolt, 5/16" BSF, hex. head, 1."25 long | | | | | ... | ... | C | |
| 28D/12817 | A25/8G | Bolt, 5/16" BSF, hex. head, 1."35 long | | | | | ... | ... | C | |
| 28D/13283 | A.28/2C | Bolt, 2 BA, hex. head, ."65 long | | | | | ... | ... | C | |
| 28D/13284 | A.28/3C | Bolt, 2 BA, hex. head, ."75 long | | | | | ... | ... | C | |
| 28D/13208 | A.28/6C | Bolt, 2 BA, hex. head, 1."05 long | | | | | ... | ... | C | |
| 28D/13546 | A.28/6E | Bolt, 1/4" BSF, hex. head, 1."1 long | | | | | ... | ... | C | |
| 28D/8303 | AS.1242/4B | Bolt, 4 BA, c'sk head, ."75 long | | | | | ... | ... | C | |
| 28D/8306 | AS.1242/1C | Bolt, 2 BA, c'sk head, ."5 long | | | | | ... | ... | C | |
| 28D/8308 | AS.1242/3C | Bolt, 2 BA, c'sk head, ."7 long | | | | | ... | ... | C | |
| 28D/8309 | AS.1242/4C | Bolt, 2 BA, c'sk head, ."8 long | | | | | ... | ... | C | |

FUSELAGE
FRONT PORTION

| Ref. No. | Part No. | Description | | | | | No. off | Matl. Spec. | Cl. of St. | Plate and Illust'n No. |
|-----------|--------------|-------------|------|------|----------------|------------|---------|-------------|------------|------------------------|
| | | 1 | 2 | 3 | 4 | 5 | | | M.R. | |
| 28D/8310 | AS.1242/6C | Bolt, | 2 | BA, | c'sk head, | 1" long | ... | ... | C | |
| 28D/8311 | AS.1242/7C | Bolt, | 2 | BA, | c'sk head, | 1."1 long | ... | ... | C | |
| 28D/8313 | AS.1242/9C | Bolt, | 2 | BA, | c'sk head, | 1."3 long | ... | ... | C | |
| 28D/8314 | AS.1242/10C | Bolt, | 2 | BA, | c'sk head, | 1."4 long | ... | ... | C | |
| 28D/10168 | AS.1242/11C | Bolt, | 2 | BA, | c'sk head, | 1."5 long | ... | ... | C | |
| 28D/8316 | AS.1242/13C | Bolt, | 2 | BA, | c'sk head, | 1."7 long | ... | ... | C | |
| 28D/8509 | AS.1242/14C | Bolt, | 2 | BA, | c'sk head, | 1."8 long | ... | ... | C | |
| 28D/11527 | AS.1242/17C | Bolt, | 2 | BA, | c'sk head, | 2."1 long | ... | ... | C | |
| 28D/12189 | AS.1242/18C | Bolt, | 2 | BA, | c'sk head, | 2."2 long | ... | ... | C | |
| 28D/8323 | AS.1242/2E | Bolt, | 1/2" | BSF, | c'sk head, | .65 long | ... | ... | C | |
| 28D/8324 | AS.1242/3E | Bolt, | 1/2" | BSF, | c'sk head, | .75 long | ... | ... | C | |
| 28D/11021 | AS.1242/8B | Bolt, | 4 | BA, | c'sk head, | 1."15 long | ... | ... | C | |
| 28D/11126 | AS.1242/9B | Bolt, | 4 | BA, | c'sk head, | 1."25 long | ... | ... | C | |
| 28D/12282 | AS.1242/10B | Bolt, | 4 | BA, | c'sk head, | 1."35 long | ... | ... | C | |
| 28D/8310 | AS.1242/6C | Bolt, | 2 | BA, | c'sk head, | 1" long | ... | ... | C | |
| 28D/8315 | AS.1242/12C | Bolt, | 2 | BA, | c'sk head, | 1."6 long | ... | ... | C | |
| 28D/12001 | AS.1242/25 | Bolt, | 3/4" | BSF, | c'sk head, | .8" long | ... | ... | C | |
| 28D/11937 | AS.1246/1B | Bolt, | 4 | BA, | round head, | .45 long | ... | ... | C | |
| 28D/11564 | AS.1246/1C | Bolt, | 2 | BA, | round head, | .5 long | ... | ... | C | |
| 28D/10764 | AS.1248/1/2B | Bolt, | 4 | BA, | mushroom head, | .4 long... | ... | ... | C | |
| 28D/8337 | AS.1248/1B | Bolt, | 4 | BA, | mushroom head, | .45 long | ... | ... | C | |
| 28D/8341 | AS.1248/1C | Bolt, | 2 | BA, | mushroom head, | .5 long... | ... | ... | C | |
| 28D/12761 | AS.2920/5E | Bolt, | 1/2" | BSF, | dash head, | .95 long | ... | ... | C | |
| 28L/13140 | A.27/BT | Nut, | 4 | BA, | plain | ... | ... | ... | C | |
| 28M/12929 | A.27/CP | Nut, | 2 | BA, | plain | ... | ... | ... | C | |
| 28L/13124 | A.27/CT | Nut, | 2 | BA, | thin | ... | ... | ... | C | |
| 28M/12928 | A.27/EP | Nut, | 1/2" | BSF, | plain | ... | ... | ... | C | |
| 28L/12931 | A.27/ET | Nut, | 1/2" | BSF, | thin | ... | ... | ... | C | |
| 28M/13375 | A.27/GP | Nut, | 1/8" | BSF, | plain | ... | ... | ... | C | |
| 28M/13028 | A.27/JT | Nut, | 3/8" | BSF, | thin | ... | ... | ... | C | |
| 28M/13324 | A.29/CP | Nut, | 2 | BA, | plain | ... | ... | ... | C | |
| 28M/13376 | A.29/EP | Nut, | 1/2" | BSF, | plain | ... | ... | ... | C | |

**FUSELAGE
FRONT PORTION**

| Ref. No. | Part No | Description | No. off | Matl. Spec. | Cl. of Equip. | Plate No. |
|-------------|--------------|-------------------------------------|---------|-------------|---------------|-----------|
| | | | | | M.R. L.M. | |
| | | 1 2 3 4 5 6 | | | | |
| 28M/10287 | AGS.2001/B/1 | Nut, stiff, 4 BA | ... | | C | |
| 28M/10327 | AGS.2002/B/1 | Nut, stiff, 4 BA | ... | | C | |
| 28M/10288 | AGS.2001/C/1 | Nut, stiff, 2 BA | ... | | C | |
| 28M/10290 | AGS.2001/E/1 | Nut, stiff, 1/4" BSF | ... | | C | |
| 28M/8932 | CA1-D1 | Nut | ... | | C | |
| 28M/10281 | AGS.2001/C/3 | Nut, stiff, 2 BA | ... | | C | |
| 28M/10328 | AGS.2002/C/1 | Nut, stiff, 2 BA | ... | | C | |
| 28M/10333 | AGS.2002/L/1 | Nut, stiff, 7/8" BSF | ... | | C | |
| 28P/817 | SP4Y/A7 | Pin, split, 3/32" dia. x .55 long | ... | | C | |
| 28S/2856 | A32/C12 | Screw, 4 BA, round head, 3/8" long | ... | | C | |
| 28S/3426 | A32/B8 | Screw, 4 BA, round head, 1/2" long | ... | | C | |
| 28S/2822 | A33/A20 | Screw, 6 BA, c'sk head, 5/8" long | ... | | C | |
| 28S/6545 | A33/B6 | Screw, 4 BA, c'sk head, 7/8" long | ... | | C | |
| 28S/2809 | A33/B12 | Screw, 4 BA, c'sk head, 3/4" long | ... | | C | |
| 28S/5691 | A33/B40 | Screw, 4 BA, c'sk head, 1 1/4" long | ... | | C | |
| 28S/6473 | A37/C8 | Screw, 2 BA, c'sk head, 1/2" long | ... | | C | |
| 28S/6419 | A37/C12 | Screw, 2 BA, c'sk head, 3/4" long | ... | | C | |
| 28W/9419402 | SP13/C | Washer, 2 BA, plain | ... | | C | |
| 28W/9416632 | SP47/C | Washer, 2 BA, spring | ... | | C | |
| 28W/9416645 | SP47/G | Washer, 2 BA, spring | ... | | C | |
| 28W/6315 | AGS.585/B | Washer, 4 BA, spring | ... | | C | |
| 28W/9419475 | SP15/C | Washer, 2 BA, plain | ... | | C | |
| 28W/9419405 | SP15/E | Washer, 1/4" BSF, plain | ... | | C | |
| 28W/9419404 | SP16/C | Washer, 2 BA, plain | ... | | C | |
| 28W/9419402 | SP13/C | Washer, 2 BA, plain | ... | | C | |
| 28W/9419466 | SP13/J | Washer, 3/8" BSF | ... | | C | |
| 28W/9419478 | SP15/L | Washer, 7/8" BSF | ... | | C | |

Restricted

| Ref. No. | Part No. | 1 2 3 4 5 6 | Description | No. off | Matl. Spec. | Cl. of Equip. | Plate No. |
|----------|----------|-------------|-------------|---------|-------------|---------------|-----------|
| | | | | | | M.R. L.M. | |
| | | | | | | | |

**FUSELAGE
NOSE PORTION**

| Ref. No. | Part No. | Description | | | | | No. off | Matl. Spec. | Cl. of St. | Plate No. |
|----------|-------------------------|---|---|---|---|---|---------|-----------------|-------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | M.R. L.M. | |
| K79 | E.A2.00.41 | NOSE FUSELAGE, ASSEMBLY ... | | | | | 1 | — | <i>AluR</i> | |
| | | Spares for :— | | | | | | | | |
| | E.B7.74.15 | BLAST COOLING FOR INVERTER, TYPE 103, GROUP (MOD. 1725) | | | | | 1 | — | — | |
| | | Consisting of :— | | | | | | | | |
| 28E/8185 | AGS.605/3 | Clip, hose | | | | | 4 | — | C | |
| 12978 | E.B7.74.17 | Pipe, assembly from inverter | | | | | 1 | — | C | |
| 12206 | E.B7.57.181 | Sleeve, pipe connecting | | | | | 2 | Bell's Asbestos | C | |
| | E.A2.74.21 | BLAST COOLING FOR INVERTER, TYPE 201, ASSEMBLY | | | | | — | — | — | |
| | | Consisting of :— | | | | | | | | |
| 28E/8183 | AGS.605/1 | Clip, hose type J | | | | | 2 | — | C | |
| 3885 | E.A3.74.77 | Nut, special | | | | | 1 | L40 | C/MR | |
| 3883 | E.A3.74.71 | Pipe, to inverter | | | | | 1 | T9 | C/MR | |
| 3886 | E.A3.74.79 | Pipe, assembly | | | | | 1 | DTD.213 | C/MR | |
| 3887 | E.A3.74.81 | Sleeve, pipe, connecting | | | | | 1 | T9 | C/MR | |
| 3884 | E.A3.74.73 | Washer, special | | | | | 1 | DTD.590 | C/MR | |
| | E.A2.74.23 | BLAST COOLING FOR INVERTER, TYPE 200, ASSEMBLY | | | | | — | — | — | |
| | | Consisting of :— | | | | | | | | |
| 28E/8183 | AGS.605/1 | Clip, hose | | | | | 2 | — | C | |
| 5636 | E.A2.74.29 | Pipe, assembly, from inverter | | | | | 1 | — | C | |
| | E.A3.74.107 | Sleeve, pipe connecting (Make from Stores Ref. 32C/376) | | | | | 1 | DTD.625 | LM | |
| 980 | EEAS.20/1DR | Tab, locking | | | | | 1 | — | C | |
| 2832 | E.A3.74.99 | Washer, special | | | | | 1 | Felt | C | |
| 30A/ | → | Wire, locking | | | | | QR | — | — | |
| | E.B7.75.3 EA 2.75.3. | Cabin Pressure System (See page 701) (Mod. 1005) | | | | | — | — | — | |
| | E.A3.74.21 | COLD AIR SUPPLY TO PILOT, ASSEMBLY | | | | | — | — | — | |
| | | Spares for :— | | | | | | | | |
| 7240 | E.A3.74.45 | Bracket, non-return valve mounting | | | | | 1 | DTD.610 | C/MR | |
| 2164 | EEAS.112/5 | Clip, pipe, $\frac{3}{16}$ " o/d | | | | | 5 | L16 | C | |

**FUSELAGE
NOSE PORTION**

| Ref. No. | Part No. | | | | | | Description | No. off | Matl. Spec. | Cl. of St. | Plate No. |
|----------|-------------|---|---|---|---|---|---|---------|-----------------|--------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | M.R. L.M. | |
| 2163 | EEAS.112/15 | | | | | | Clip, pipe, 1" o/d | 6 | L16 | C | |
| 5260 | EEAS.143/5H | | | | | | Clip, pipe, single, 3/16" o/d | 2 | DTD.610 | C | |
| 8995 | E.A3.74.47 | | | | | | Clip, for non-return valve mounting ... | 2 | T9 | C/MR | |
| 8990 | E.A3.74.53 | | | | | | Coupling, drain pipe outlet | 1 | DTD.423 | C/MR | |
| | E.A3.74.63 | | | | | | Hose, connection, 1" i/d x 3" long, between drain pipe sections (Make from Ref. 32C/376) | 5 | DTD.625 | LM | |
| | E.A3.74.67 | | | | | | Hose, connection, 3/16" i/d x 1 1/2" long, from water trap to drain pipe (Make from Ref. 32C/488) | 1 | DTD.625 | LM | |
| 5042 | THERMOTANK | | | | | | Louvre, punkah, air type DAR2 | 1 | — | B | |
| 12990 | E.A2.74.33 | | | | | | Pipe, section, cold air system (Mod. 411) ... | 1 | T9 | C | |
| 5633 | E.A3.74.111 | | | | | | Pipe, section, cold air system | 1 | T9 | C | |
| 5634 | E.A3.74.113 | | | | | | Pipe, section, cold air system | 1 | T9 | C | |
| 5635 | E.A3.74.115 | | | | | | Pipe, drain | 1 | T9 | C | |
| 8991 | E.A3.74.51 | | | | | | Ring, louvre mounting | 1 | DTD.213 | C/MR | |
| 3681 | E.A3.74.49 | | | | | | Scoop, cold air | 1 | DTD.213 | C | |
| 20814 | E.A3.74.43 | | | | | | Trap, water (Mod. 1411) | 1 | — | B | |
| 5638 | E.A3.74.23 | | | | | | VALVE, NON-RETURN, GROUP ... | 1 | — | A | |
| | | | | | | | Consisting of :— | | | | |
| | E.A3.74.39 | | | | | | Adaptor | 2 | DTD.683 | — | |
| | E.A3.74.41 | | | | | | Body, non-return valve | 1 | DTD.683 | — | |
| 5639 | E.A3.74.25 | | | | | | PLUNGER, VALVE SEAL, GROUP | 1 | — | B | |
| | | | | | | | Spares for :— | | | | |
| 5640 | E.A3.74.29 | | | | | | Seal | 1 | Hallprene 21 | C | |
| | E.A3.74.27 | | | | | | Washer, seal retaining | 1 | — | — | |
| 5060 | E.A3.74.35 | | | | | | Shim, laminated | 1 | — | C | |
| 5059 | E.A3.74.37 | | | | | | Spring, compression | 1 | DTD.215 | C | |
| 5043 | E.A3.74.33 | | | | | | Washer, sealing | 1 | DTD.378A | C | |
| 981 | EEAS.20/2DR | | | | | | Tab, locking | 1 | DTD.390 | C | |

**FUSELAGE
NOSE PORTION**

| Ref. No. | Part No | Description | No. off | Matl. Spec. | Cl. of Equip. | | Plate No. |
|-----------|---------------|---|---------|-------------|---------------|------|-----------|
| | | | | | M.R. | L.M. | |
| | E.A.2.45.3 | Controls, Flying, in Cockpit (see page 95) | — | — | — | — | |
| | E.A.2.47.3 | Controls, Engine, in Nose Fuselage (see page 33) | — | — | — | — | |
| | E.A.2.76.31 | De-misting System (see page 743) | — | — | — | — | |
| | E.A.2.81.5 | Electrical Equipment in Front Fuselage (see page 141) | — | — | — | — | |
| | E.A.2.57.27 | Fuel System (Nitrogen) in Front Fuselage (see page 807) | — | — | — | — | |
| | E.A.2.10.1 | Fuselage, Front (see page 407) | 1 | — | — | — | |
| | E.A.2.73.185 | Hydraulic Equipment in Front Fuselage (see page 811) | — | — | — | — | |
| | E.A.9.40.1 | Nosewheel (see page 1003) (Mod. 1740) | 1 | — | — | — | |
| | E.A.2.71.323 | Oxygen System (see page 903) (Mod. 1404) | — | — | — | — | |
| | E.A.2.80.483 | PIPES, PITOT AND STATIC, ASSEMBLY | — | — | — | — | |
| | | Spares for:— | | | | | |
| 28V/13603 | AGS.838/8 | Bush, rubber | 78 | DTD.227 | — | C | |
| | E.A.2.80.479 | Clamp, half | 2 | LFS.21 | — | — | |
| 1823 | EEAS.91/2 | Clip, pipe | 15 | DTD.610 | — | C | |
| 6429 | EEAS.143/7 | Clip, special, single 1/8" o/d | 19 | DTD.610 | — | C | |
| 17528 | EEAS.143/18 | Clip, special, single 1/8" o/d | 1 | L.72 | — | C | |
| 28V/5107 | AGS.838/3 | Elbow, union, low pressure | 6 | DTD.423 | — | C | |
| 8768 | E.A.3.71.239 | Fairlead, pitot and static pipe | 4 | — | — | C | |
| 4412 | E.A.3.80.2375 | Head, pitot mounting | 1 | DTD.683 | — | C | |
| 13218 | E.A.3.80.2901 | Nut, special, pitot head mounting (Mod. 2306) | 1 | DTD.683 | — | C | |
| 28V/5108 | AGS.838/4 | Nut, union | 78 | DTD.423 | — | C | |
| 3400 | E.A.3.80.1649 | Pipe, drain reservoir | 5 | L.54 | — | C | |
| 2086 | E.A.1.80.713 | Ring, sealing | 2 | Neo-K-Tex | — | C | |
| 4415 | E.A.3.80.2379 | Stevee, rubber, pitot head mounting | 1 | Shore 70 | — | C | |
| 28V/5105 | AGS.838/2 | Tee, union, low pressure | 14 | DTD.423 | — | C | |
| 2087 | E.A.1.80.711 | Union, bulkhead | 2 | DTD.683 | — | C | |
| 28V/5104 | AGS.838/1 | Union, straight, low pressure | 6 | DTD.423 | — | C | |
| 13058 | E.B.7.80.769 | VENT, STATIC, COMPLETE, ASSEMBLY, PORT (MOD. 1709) | 1 | — | — | C | |
| | | Spares for:— | | | | | |
| 27113 | E.A.9.80.1273 | Bolt, special | 4 | DTD.319 | — | C | |
| 13059 | E.B.7.80.779 | VENT, STATIC, COMPLETE, ASSEMBLY, STARBOARD (MOD. 1709) | 1 | — | — | C | |
| | | Spares for:— | | | | | |
| 27113 | E.A.9.80.1273 | Bolt, special | 4 | DTD.319 | — | C | |
| 4416 | E.A.3.80.2381 | Washer, special, pitot head mounting | 1 | DTD.610 | — | C | |
| 4417 | E.A.3.80.2383 | Washer, rubber, pitot head mounting | 1 | Shore 70 | — | C | |
| 4418 | E.A.3.80.2391 | Washer, special, pitot head mounting | 1 | DTD.610 | — | C | |
| 13141 | EEAS.21/2DO | Washer, special | 1 | L.59 | — | C | |
| | E.A.2.80.443 | Pressure Cabin Equipment (see page 311) | — | — | — | — | |
| | E.A.2.82.1 | Radio and Inter-Comm. (see page 675) | — | — | — | — | |

**FUSELAGE
NOSE PORTION**

| Ref. No. | Part No | Description | No. off | Matl. Spec. | Cl. of Equip. | Plate No. |
|-----------|-----------------|---|---------|-------------|---------------|-----------|
| | | | | | M.R. L.M. | |
| | E.A3.10.2845 | TUNNEL, BOMB AIMER'S, ASSEMBLY | — | — | — | |
| | E.A3.10.2847 | Spares for:— PLATFORM, BOMB AIMER'S CHEST AND CUSHION, ASSEMBLY | — | — | — | |
| | | Consisting of:— | | | | |
| 8831 | E.A3.10.2853 | Cushion | 1 | — | B | |
| 8830 | E.A3.10.2851 | PLATFORM, BOMB AIMER'S, ASSEMBLY ... | 1 | — | B | |
| | | Spares for:— | | | | |
| 2469 | E.A3.71.307 | BRACKET, OXYGEN BOTTLE SUPORT, GROUP | 1 | — | C | |
| | | Spares for:— | | | | |
| 1833 | E.A3.71.313 | Band, wire 16 SWG | 1 | Steel wire | C | |
| 1865 | E.A3.71.315 | Band, wire 16 SWG, c/w clip | 1 | Steel wire | C | |
| 28E/10025 | TERRY No. 80/0 | Clip | 2 | — | C | |
| 28E/10026 | TERRY No. 80/00 | Clip | 1 | — | C | |

Pages ~~427~~ to 430 not issued
4267



**FUSELAGE
NOSE PORTION**

| Ref No. | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. | Plate No. |
|---|--------------|--|---------|-------------|---------------|-----------|
| | | | | | M.R. L.M. | |
| SUMMARY OF STOCK ITEMS USED ON NOSE FUSELAGE, ASSEMBLY | | | | | | |
| | | 1 2 3 4 5 6 | | | | |
| 28D/12528 | A25/1B | Bolt, 4 BA, hex. head, "5 long ... | | | C | |
| 28D/12511 | A25/2B | Bolt, 4 BA, hex. head, "6 long ... | | | C | |
| 28D/12624 | A25/7B | Bolt, 4 BA, hex. head, 1"1 long ... | | | C | |
| 28D/9436920 | A25/1C | Bolt, 2 BA, hex. head, "55 long ... | | | C | |
| 28D/11937 | AS.1246/1B | Bolt, 4 BA, round head, "45 long ... | | | C | |
| 5K/112 | AGS.1661/A | Clip, pipe ... | | | C | |
| 28F/11696 | AGS.838/6 | Nut ... | | | C | |
| 28M/10287 | AGS.2001/B/1 | Nut, stiff, 4 BA ... | | | C | |
| 28M/10288 | AGS.2001/C/1 | Nut, stiff, 2 BA ... | | | C | |
| 28M/10327 | AGS.2002/B/1 | Nut, stiff, 4 BA ... | | | C | |
| 28F/11492 | AGS.1115/3 | Plate, washer ... | | | C | |
| 28S/6653 | A36/B8 | Screw, 4 BA, round head, 3/4" long ... | | | C | |
| 28S/14879 | A38/A6 | Screw, 6 BA, c'sk head, 1/8" long ... | | | C | |
| 28F/11697 | AGS.838/7 | Washer ... | | | C | |
| 28W/9419465 | SP13/B | Washer, 4 BA, thin ... | | | C | |
| 28W/9419402 | SP13/C | Washer, 2 BA, plain ... | | | C | |

**FUSELAGE
REAR PORTION**

| Ref No | Part No | Description 1 2 3 4 5 6 | No. off | Matl. Spec. | Cl. of Equip. | Plate No. |
|----------|----------------|--|---------|-------------|---------------|-----------|
| | | | | | M.R. L.M. | |
| | E.A2.12.1 | FUSELAGE, REAR, ASSEMBLY Spares for:— | — | — | — | |
| 2955 | E.A1.12.499 | BUMPER, TAIL, GROUP Spares for:— | 1 | — | C | |
| 322 | E.A1.12.501 | Pad, bumper, rubber | 1 | — | C | |
| 21435 | E.A1.12.367 | Fairing, tailplane, sealing, port | 1 | — | C/MR | |
| 21436 | E.A1.12.368 | Fairing, tailplane, sealing, starboard | 1 | — | C/MR | |
| 13250 | E.A3.12.45 | Fin, dorsal | 1 | — | B/MR | |
| | E.A1.12.257 | FIN, STUB, COMPLETE, ASSEMBLY Spares for:— | 1 | — | MR | |
| 21442 | E.A1.12.1615 | Cover, starboard only | 1 | DTD.546 | C | |
| 23009 | E.A1.12.117 | LUG, FIN ATTACHMENT, PORT, GROUP Spares for:— | 1 | — | C/MR | |
| 323 | E.A1.12.127 | Bush | 1 | S.11 | C | |
| 21342 | E.A1.12.119 | LUG, FIN ATTACHMENT, STARBOARD, GROUP Spares for:— | 1 | — | C/MR | |
| 324 | E.A1.12.125 | Bush | 1 | S.11 | C | |
| | E.A2.12.325 | MOUNTING OF DOWNWARD IDENTIFICATION LAMP Spares for:— | — | — | — | |
| 15878 | E.A2.12.95 | Bracket, support, assembly | 1 | DTD.610 | C/MR | |
| 15879 | E.A2.12.96 | Bracket, support, assembly | 1 | DTD.610 | C/MR | |
| 15880 | E.A2.12.97 | Bracket, support, assembly | 1 | DTD.610 | C/MR | |
| | E.A2.12.199 | Ring, support, 18 SWG | 1 | DTD.610 | — | |
| 6873 | E.A2.12.201 | Ring, sealing, 3/64" thick | 2 | Rubber | C | |
| 6872 | E.A2.12.185 | Window, assembly | 1 | DTD.838 | C | |
| 28FP/655 | AS.2435/38 | Pin, quick release | 2 | — | C | |
| | AVIATN.DEVELS. | | | | | |
| 28FP/6 | A.411 | Pin, "pip." quick release | 4 | — | C | |
| | AVIATN.DEVELS. | | | | | |
| 28FP/8 | A.415 | Pin, "pip." quick release | 8 | — | C | |
| | E.A2.12.9 | STRUCTURE, FUSELAGE, REAR C/W SKIN, ASSEMBLY Spares for:— | — | — | — | |
| 12022 | E.A2.12.21 | DOOR, ACCESS, REAR FUSELAGE EQUIPMENT, GROUP (MOD. 865) Spares for:— | 1 | — | — | |
| 5875 | E.A1.12.363 | Fastener | 12 | — | C | |
| | E.A1.12.361 | Fastener (Make from Fairey FS.409, Stores Ref. 7137) | 5 | — | LM | |
| 4663 | E.A1.12.917 | Panel, detachable | 1 | DTD.610 | C | |
| 4662 | E.A1.12.919 | Panel, detachable, circular | 1 | DTD.610 | C | |

**FUSELAGE
REAR PORTION**

| Ref. No. | Part No | Description | No. off | Matl. Spec. | Cl. of Equip. | | Plate No. |
|-----------|----------------|--|---------|-------------|---------------|------|-----------|
| | | | | | M.R. | L.M. | |
| | E.A3.90.73 | INSTALLATION OF A.R.I.5610 | — | — | — | | |
| | | Spares for:— | | | | | |
| 3221 | E.A3.81.1087 | Screw, grub | 1 | — | C | | |
| | or | | | | | | |
| 28S/15591 | A55/A2 | | | | | | |
| 4536 | E.A3.90.127 | Tube, probe, assembly | 1 | — | C | | |
| 1466 | E.A1.12.1201 | Nut, special, lifting gear attachment | 1 | DTD.683 | C | | |
| 1467 | E.A1.12.1203 | Packing, special, lifting gear | 1 | DTD.213 | C | | |
| | AVIATN.DEVELS. | | | | | | |
| 28FP/12 | A.419 | Pin, "pip," quick release | 1 | — | C | | |
| | † | Ring, split | 2 | Brass | — | | |
| 17756 | E.A3.12.59 | Strap, retaining | 1 | — | C | | |
| | E.A2.12.7 | STRUCTURE, FUSELAGE (LESS SKIN), ASSEMBLY | — | — | MR | | |
| | | Spares for: — | | | | | |
| 4949 | E.A1.12.93 | Fitting, end, longeron, rear transport joint, port | 1 | DTD.683 | B/MR | | |
| 8954 | E.A1.12.94 | Fitting, end, longeron, rear transport joint, star-board | 1 | DTD.683 | B/MR | | |
| 4948 | E.A1.12.95 | Fitting, end, longeron, rear transport joint, port | 1 | DTD.683 | B/MR | | |
| 8955 | E.A1.12.96 | Fitting, end, longeron, rear transport joint, star-board | 1 | DTD.683 | B/MR | | |

CANBERRA P.R. MK.3

Page 435

**FUSELAGE
REAR PORTION**

| Ref. No. | Part No. | 1 | 2 | 3 | 4 | 5 | Description | No. off | Matl. Spec. | Cl. of St. | | Plate No. |
|----------|-------------|---|---|---|---|---|---|---------|-------------|------------|------|-----------|
| | | | | | | | | | | M.R. | L.M. | |
| 9817 | E.A1.12.51 | | | | | | Frame, No. 40 | 1 | — | | B | |
| 9818 | E.A1.12.53 | | | | | | Frame, No. 41 | 1 | — | | B | |
| | E.A1.12.55 | | | | | | FRAME, No. 42, TAILPLANE HINGE, GROUP Spares for :— | 1 | — | | — | |
| | E.A1.12.113 | | | | | | BRACKET, HINGE, FITTING, TAILPLANE, PORT, GROUP (PRE MOD. 509) Spares for :— | 1 | — | | — | |
| 325 | E.A1.12.131 | | | | | | Bush | 1 | S11 | | C | |
| 4616 | E.A3.12.163 | | | | | | BRACKET, HINGE, FITTING TAILPLANE, PORT, GROUP (MOD. 509) Spares for :— | 1 | — | | B | |
| 5867 | E.A3.12.267 | | | | | | Bush (Mod. 1048) | 1 | S11 | | C | |
| | E.A1.12.114 | | | | | | BRACKET, HINGE, FITTING, TAILPLANE, STARBOARD, GROUP (PRE MOD. 509) Spares for :— | 1 | — | | — | |
| 326 | E.A1.12.129 | | | | | | Bush | 1 | S11 | | C | |
| 4617 | E.A3.12.164 | | | | | | BRACKET, HINGE, FITTING, TAILPLANE, STARBOARD, GROUP (MOD. 509) Spares for :— | 1 | — | | B | |
| 5868 | E.A3.12.265 | | | | | | Bush (Mod. 1048) | — | — | | C | |
| | E.A1.12.441 | | | | | | Bracket, picketing | 1 | — | | C | |
| 31506 | E.A1.12.229 | | | | | | Cleat, tee, forward frame 42 stringer attachment | 1 | DTD.683 | | MR | |
| | E.A1.12.231 | | | | | | Cleat, tee, aft, rear longeron attachment, port | 1 | DTD.683 | | MR | |
| | E.A1.12.232 | | | | | | Cleat, tee, aft, rear longeron attachment, starboard | 1 | DTD.683 | | MR | |
| 327 | E.A1.12.447 | | | | | | Plug, c/w attachment blanking for picketing point at frame 42 | 1 | — | | C | |
| | E.A2.12.153 | | | | | | STRUCTURE, HATCH, COAMING, ASSEMBLY Spares for :— | — | — | | — | |
| 3691 | E.A2.83.575 | | | | | | Door, sliding, assembly | 1 | — | | A | |
| 6525 | E.A2.00.129 | | | | | | Door, sliding, assembly (For non-interchangeable A/C W.E.135-W.E.149) | 1 | — | | A | |

**FUSELAGE
REAR PORTION**

| Ref. No. | Part No. | Description | | | | | No. off | Matl. Spec. | Cl. of St. | Plate No. |
|----------|-------------|-------------|---|---|---|---|---------|----------------|--------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | M.R. L.M. | |
| | E.A2.83.563 | | | | | | 1 | — | — | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| 5642 | E.A2.83.579 | | | | | | 1 | — | C | |
| 5643 | E.A2.83.581 | | | | | | 1 | DTD.610 | C | |
| 5644 | E.A2.83.583 | | | | | | 1 | — | C | |
| 5645 | E.A2.83.587 | | | | | | 1 | — | C | |
| 5646 | E.A2.83.743 | | | | | | 1 | Novatex | C | |
| 5641 | E.A2.83.745 | | | | | | 1 | Novatex | C | |
| 6254 | E.A1.12.391 | | | | | | 8 | DTD.390 | C | |
| 15882 | E.A2.12.103 | | | | | | 2 | DTD.339 | B | |
| | E.A1.12.593 | | | | | | 1 | — | MR | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| 7215 | E.A1.12.141 | | | | | | 2 | S11 | C/MR | |
| | E.A1.12.595 | | | | | | 2 | — | — | |
| | | | | | | | | | | |
| 9714 | E.A1.12.139 | | | | | | 4 | S11 | C/MR | |
| 1097 | EEAS.37/16A | | | | | | 8 | S11 | C | |
| 1099 | EEAS.37/22A | | | | | | 8 | S11 | C | |
| | EEAS.38/3A | | | | | | 8 | S11 | — | |
| 7180 | E.A3.12.273 | | | | | | 1 | — | A/MR | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | E.A1.12.11 | | | | | | — | — | — | |
| | | | | | | | | | | |
| 5175 | E.A3.12.227 | | | | | | 1 | — | C | |
| | | | | | | | | | | |
| 5187 | E.A3.12.225 | | | | | | 1 | Natural Rubber | C | |

CANBERRA P.R. MK.3

FUSELAGE
REAR PORTION

| Ref. No. | Part No. | | | | | | Description | No. off | Matl. Spec. | Cl. of St. | | Plate No. |
|----------|--------------|---|---|---|---|---|---|---------|----------------|------------|------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | M.R. | L.M. | |
| 5176 | E.A3.12.228 | | | | | | BRACKET, RUDDER STOP (STARBOARD), GROUP | 1 | — | | C | |
| | | | | | | | Spares for :— | | | | | |
| 5187 | E.A3.12.225 | | | | | | Buffer, rubber stop... | 1 | Natural Rubber | | C | |
| 5188 | E.A3.12.213 | | | | | | Bolt, special, rudder buffer stop bracket mounting | 8 | S96 | | C | |
| 5189 | E.A3.12.215 | | | | | | Bolt, special, rudder buffer stop bracket mounting | 2 | S96 | | C | |
| 5190 | E.A3.12.217 | | | | | | Bolt, special, rudder buffer stop bracket mounting | 2 | S96 | | C | |
| 5191 | E.A3.12.219 | | | | | | Bolt, special, rudder buffer stop bracket mounting | 2 | S96 | | C | |
| 10813 | E.A1.12.1427 | | | | | | Cover, access | 1 | DTD.610 | | C | |
| | E.A1.12.281 | | | | | | RIB, RUDDER STUB LOWER, ASSEMBLY | — | — | | — | |
| | | | | | | | Spares for :— | | | | | |
| 9722 | E.A1.12.873 | | | | | | Strip, sealing | 2 | Rubber | | C | |
| 10915 | E.A1.12.283 | | | | | | RIB, RUDDER STUB UPPER, ASSEMBLY | 1 | — | | — | |
| | | | | | | | Spares for :— | | | | | |
| 20832 | E.A1.12.207 | | | | | | HINGE, RUDDER BOTTOM, GROUP | 1 | — | | C | |
| | | | | | | | Spares for :— | | | | | |
| 5823 | E.A1.12.205 | | | | | | Bracket, rudder hinge | 1 | L45 | | C | |
| 20840 | E.A1.12.1909 | | | | | | <i>Plate, reinforcement</i> | 1 | DTD 610 | | C | |
| 6254 | E.A1.12.391 | | | | | | Washer, tapered | 4 | DTD.390 | | C | |



Pages ~~437~~ to 440 not issued
439



**FUSELAGE
REAR PORTION**

| Ref. No | Part No | Description 1 2 3 4 5 6 | No. off | Matl. Spec. | Cl. of Equip. | Plate No. |
|---|--------------|--|---------|-------------|---------------|-----------|
| | | | | | M.R. L.M. | |
| SUMMARY OF STOCK ITEMS USED ON REAR FUSELAGE, ASSEMBLY | | | | | | |
| 28D/9436920 | A25/1C | Bolt, 2 BA, hex. head, "55 long ... | | | C | |
| 28D/12513 | A25/2C | Bolt, 2 BA, hex. head, "65 long ... | | | C | |
| 28D/12531 | A25/3C | Bolt, 2 BA, hex. head, "75 long ... | | | C | |
| 28D/1200129 | A25/4C | Bolt, 2 BA, hex. head, "85 long ... | | | C | |
| 28D/12533 | A25/5C | Bolt, 2 BA, hex. head, "95 long ... | | | C | |
| 28D/9419397 | A25/12C | Bolt, 2 BA, hex. head, 1"65 long ... | | | C | |
| 28D/12520 | A25/4E | Bolt, 1/4" BSF, hex. head, "9 long ... | | | C | |
| 28D/12542 | A25/5E | Bolt, 1/4" BSF, hex. head, 1" long ... | | | C | |
| 28D/12633 | A25/7E | Bolt, 1/4" BSF, hex. head, 1"2 long ... | | | C | |
| 28D/12569 | A25/10E | Bolt, 1/4" BSF, hex. head, 1"5 long ... | | | C | |
| 28D/13046 | A25/19E | Bolt, 1/4" BSF, hex. head, 2"4 long ... | | | C | |
| 28D/12549 | A25/20E | Bolt, 1/4" BSF, hex. head, 2"5 long ... | | | C | |
| 28D/12817 | A25/8G | Bolt, 1/8" BSF, hex. head, 1"35 long ... | | | C | |
| 28D/13554 | A25/5J | Bolt, 3/8" BSF, hex. head, 1"15 long ... | | | C | |
| 28D/12553 | A25/6J | Bolt, 3/8" BSF, hex. head, 1"25 long ... | | | C | |
| 28D/13555 | A25/8L | Bolt, 1/8" BSF, hex. head, 1"5 long ... | | | C | |
| 28D/13195 | A25/14L | Bolt, 1/8" BSF, hex. head, 2"1 long ... | | | C | |
| 28D/8303 | AS.1242/4B | Bolt, 4 BA, c'sk head, "75 long ... | | | C | |
| 28D/12101 | AGS.571/404 | Bolt, shear, 1/4" BSF, "4 plain length ... | | | C | |
| 28D/11100 | AGS.571/405 | Bolt, shear, 1/4" BSF, "5 plain ... | | | C | |
| 28D/12578 | AGS.571/506 | Bolt, shear, 1/8" BSF, "6 plain ... | | | C | |
| 28D/12580 | AGS.571/604 | Bolt, shear, 1/8" BSF, "4 plain ... | | | C | |
| 28D/8141 | AGS.571/605 | Bolt, shear, 1/8" BSF, "5 plain ... | | | C | |
| 28D/12582 | AGS.571/611 | Bolt, shear, 3/8" BSF, 1"1 plain ... | | | C | |
| 28D/8089 | AGS.571/612 | Bolt, shear, 3/8" BSF, 1"2 plain ... | | | C | |
| 28D/8309 | AS.1242/4C | Bolt, 2 BA, c'sk head, "8 long ... | | | C | |
| 28D/8325 | AS.1242/4E | Bolt, 1/4" BSF, c'sk head, "85 long ... | | | C | |
| 28D/8300 | AS.1242/1B | Bolt, 4 BA, c'sk head, "45 long ... | | | C | |
| 28D/8308 | AS.1242/3C | Bolt, 2 BA, c'sk head, "7 long ... | | | C | |
| 28M/12929 | A27/CP | Nut, 2 BA, plain ... | | | C | |
| 28M/12928 | A27/EP | Nut, 1/4" BSF, plain ... | | | C | |
| 28M/12931 | A27/ET | Nut, 1/4" BSF, plain ... | | | C | |
| 28M/13375 | A27/GP | Nut, 1/8" BSF, plain ... | | | C | |
| 28M/13326 | A27/GT | Nut, 1/8" BSF, plain ... | | | C | |
| 28M/13295 | A27/JP | Nut, 1/8" BSF, plain ... | | | C | |
| 28M/13028 | A27/JT | Nut, 1/8" BSF, plain ... | | | C | |
| 28M/13553 | A27/LP | Nut, 1/8" BSF, plain ... | | | C | |
| 28M/13259 | A27/NS | Nut, 1/4" BSF, slotted ... | | | C | |
| 28M/7727 | AGS.572/E | Nut, 3/8" BSF, thin, slotted ... | | | C | |
| 28M/10287 | AGS.2001/B/1 | Nut, stiff, 4 BA ... | | | C | |
| 28M/10280 | AGS.2001/B/3 | Nut, stiff, 4 BA ... | | | C | |
| 28M/10288 | AGS.2001/C/1 | Nut, stiff, 2 BA ... | | | C | |
| 28M/10290 | AGS.2001/E/1 | Nut, stiff, 1/4" BSF ... | | | C | |
| 28M/10327 | AGS.2002/B/1 | Nut, stiff, 4 BA ... | | | C | |
| 28M/10330 | AGS.2002/E/1 | Nut, stiff, 1/4" BSF ... | | | C | |
| 28M/11957 | AGS.2007/C/1 | Nut, stiff, 2 BA ... | | | C | |
| 28M/12050 | AGS.2007/C/3 | Nut, stiff, 2 BA ... | | | C | |
| 28M/8924 | BD.3 | Nut, plate, 4 BA, Aerotight ... | | | C | |
| 28M/8925 | CD.3 | Nut, plate, 2 BA, Aerotight ... | | | C | |
| 28M/11402 | EE.1 | Nut, stiff, 1/4" BSF ... | | | C | |

**FUSELAGE
REAR PORTION**

| Ref. No. | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. | | Plate No. |
|-------------|-----------|---|---------|-------------|---------------|------|-----------|
| | | | | | M.R. | L.M. | |
| | | 1 2 3 4 5 6 | | | | | |
| 28P/1207 | AGS.166/3 | Pin, split, $\frac{1}{16}$ " dia. x 1" long | ... | | | C | |
| 28P/9429652 | SP.9/E10 | Pin, split, $\frac{3}{32}$ " dia. x $1\frac{1}{4}$ " long | ... | | | C | |
| 28W/9419475 | SP15/C | Washer, 2 BA, plain | ... | | | C | |
| 28W/9419405 | SP15/E | Washer, $\frac{1}{4}$ " BSF, plain | ... | | | C | |
| 28W/9419476 | SP15/G | Washer, $\frac{3}{8}$ " BSF, plain | ... | | | C | |
| 28W/9419477 | SP15/J | Washer, $\frac{3}{8}$ " BSF, plain | ... | | | C | |
| 28W/9419478 | SP15/L | Washer, $\frac{3}{8}$ " BSF, plain | ... | | | C | |
| 28W/9419479 | SP15/N | Washer, $\frac{1}{2}$ " BSF, plain | ... | | | C | |
| 28W/9419404 | SP16/C | Washer, 2 BA, plain | ... | | | C | |
| 28W/9419487 | SP16/E | Washer, $\frac{1}{4}$ " BSF, plain | ... | | | C | |
| 28W/9419488 | SP16/G | Washer, $\frac{3}{8}$ " BSF, plain | ... | | | C | |
| 28W/9419489 | SP16/J | Washer, $\frac{3}{8}$ " BSF, plain | ... | | | C | |
| 28W/9419490 | SP16/L | Washer, $\frac{3}{8}$ " BSF, plain | ... | | | C | |
| 28W/3099 | AGS.162/D | Washer, $\frac{1}{4}$ " BSF, spring | ... | | | C | |
| 28W/9419402 | SP13/C | Washer, 2 BA, plain | ... | | | C | |
| 28W/9418921 | SP13/E | Washer, $\frac{1}{4}$ " BSF, plain | ... | | | C | |

**FUSELAGE
REAR FUSELAGE AND TAIL UNIT**

| Ref. No. | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. | | Plate No. |
|----------|-----------------------------------|---|---------|--------------------------|---------------|------|-----------|
| | | | | | M.R. | L.M. | |
| | E.A2.00.45 | REAR, FUSELAGE, AND TAIL UNIT, ASSEMBLY ... Spares for:— | — | — | — | — | |
| | E.A2.75.487 | ARRANGEMENT OF CAMERA HEATING (MOD. 1164) Spares for:— | — | — | — | — | |
| | E.A2.75.509 | Clip, pipe, special | 1 | DTD.610 | — | — | |
| | E.A2.75.659 | Clip, pipe, special (Mod. 1164) | 2 | DTD.610 | — | — | |
| 9048 | EEAS.143/28 | Clip, pipe, at frames 32 and 33 | 2 | DTD.610 | — | C | |
| 12116 | E.A2.75.489 | Pipe, de-misting | 1 | — | — | C | |
| 12115 | E.A2.75.491 | Pipe, assembly, from frame 31B to frame 34 to temperature control valve | 1 | L.54 | — | — | |
| 11418 | E.A2.75.465 | VALVE TEMPERATURE CONTROL Spares for:— | 1 | — | — | A | |
| | E.A2.75.469 | Piston, valve | 1 | DTD.683 | — | — | |
| | E.A2.75.477 | Spring | 1 | DTD.215 | — | — | |
| 27V/ | TEDDINGTON CONTROLS THT.147 | Thrustat | 1 | — | — | — | |
| | E.A1.00.63 | Controls to Rudder and Elevator Attachment Details (see page 587) | — | — | — | — | |
| | E.A2.45.531 | Controls, Flying, in Rear Fuselage (see page 123) ... | — | — | — | — | |
| | E.A2.81.11 | Electrical Equipment in Rear Fuselage (see page 265) | — | — | — | — | |
| | E.B8.83.1005 | EQUIPMENT, REAR FUSELAGE, ASSEMBLY (MOD. 1287) Spares for:— | — | — | — | — | |
| | E.B8.80.1773 | STOWAGE, SURVIVAL PACK, BETWEEN FRAMES 36 AND 37, PORT, ASSEMBLY Spares for:— | — | — | — | — | |
| | E.B8.80.1775 | CRATE AND STRAP, ASSEMBLY Spares for:— | 1 | — | — | — | |
| | E.B8.80.1783 | CRATE, ASSEMBLY Spares for:— | 1 | — | — | — | |
| 31027 | E.B8.80.3201 | Nut, knurled | 1 | L.64, L.65 or DTD.683 | — | C | |
| 14714 | E.B8.80.1787 | Frame, hinged | 1 | — | — | C | |
| 14710 | E.B8.80.1789 | Strap, 1" wide | 2 | Comml. webbing | — | C | |
| 14711 | E.B8.80.1791 | Strap, 1" wide, c/w buckle | 2 | Comml. webbing | — | C | |
| 14712 | E.B8.80.1795 | Strap, 1" wide, c/w buckle | 1 | Comml. webbing | — | C | |
| 14713 | E.B8.80.1797 | Strap, 1" wide | 1 | Comml. webbing | — | C | |

**FUSELAGE
REAR FUSELAGE AND TAIL UNIT**

| Ref. No. | Part No. | Description 1 2 3 4 5 6 | No. off | Matl. Spec. | Cl. of Equip. | | Plate No. |
|----------|--------------|---|---------|-------------|---------------|------|-----------|
| | | | | | M.R. | L.M. | |
| | E.B8.80.1774 | STOWAGE, SURVIVAL PACK, BETWEEN FRAMES 36 AND 37, STARBOARD, ASSEMBLY Spares for this assembly are identical with those for assembly Pt. No. E.B8.80.1773, except for the following deletion and addition Delete:— | — | — | — | — | |
| | E.B8.80.1775 | CRATE AND STRAP, ASSEMBLY Add:— | 1 | — | — | — | |
| | E.B8.80.1776 | CRATE AND STRAP, ASSEMBLY | 1 | — | — | — | |
| 12878 | E.A2.12.45 | FAIRING, REAR, GROUP (MOD. 1278) Spares for:— | 1 | — | — | A | |
| 12189 | E.A2.12.293 | DOOR, ACCESS, FORWARD NAVIGATION LIGHT, GROUP Spares for:— | 1 | — | — | C | |
| 12190 | E.A2.12.309 | Packing, rubber | 2 | Linatex | — | C | |
| | E.A2.12.311 | Packing | 1 | L.78 | — | — | |
| 12191 | E.A2.12.303 | Window, perspex | 1 | — | — | C | |
| 11019 | E.A1.12.577 | Panel, access, rear, port | 1 | — | — | B | |
| 11020 | E.A1.12.578 | Panel, access, rear, starboard | 1 | — | — | B | |
| 7209 | E.A1.12.967 | Panel, access, rear tailplane controls | 1 | — | — | B | |
| 2994 | E.A1.12.583 | Radome, dummy | 1 | — | — | A | |
| 2989 | E.A1.32.1 | FIN, TAIL, GROUP Spares for:— | 1 | — | — | A | |
| 3635 | E.A1.32.767 | Panel, access, rudder tab actuator, lever and actuator | 1 | — | — | C | |
| 3634 | E.A1.32.769 | Panel, access, rudder control tube and lower mass balance | 1 | — | — | C | |
| | E.A1.00.55 | Fin to Fuselage Attachment Details (see page 586) ... | — | — | — | — | |
| | E.A2.12.1 | Fuselage, Rear (see page 433) | 1 | — | — | — | |
| | E.A3.83.143 | INSTALLATION OF ENGINE, CARTRIDGE STOWAGE Spares for:— | — | — | — | — | |
| 10950 | E.A3.83.161 | ENGINE CARTRIDGE MOUNTING, ASSEMBLY Spares for:— | 1 | — | — | C/MR | |
| | E.A3.83.163 | BRACKET, CARTRIDGE MOUNTING, GROUP Spares for:— | 6 | — | — | — | |
| 2462 | E.A3.83.55 | Band, wire | 1 | — | — | C | |
| 2461 | E.A3.83.53 | Clip, assembly | 1 | — | — | C | |
| 3071 | E.A1.12.597 | Plate, sealing, tailplane to fuselage, forward, port ... | 1 | — | — | C/MR | |
| 3072 | E.A1.12.598 | Plate, sealing, tailplane to fuselage, forward, starboard | 1 | — | — | C/MR | |

**FUSELAGE
REAR FUSELAGE AND TAIL UNIT**


| Ref. No. | Part No. | 1 | 2 | 3 | 4 | 5 | 6 | Description | No. off | Matl. Spec. | Cl. of Equip. | | Plate No. |
|----------|----------------|---|---|---|---|---|---|---|---------|--------------|---------------|------|-----------|
| | | | | | | | | | | | M.R. | L.M. | |
| 3073 | E.A1.12.599 | | | | | | | Plate, sealing, tailplane to fuselage, aft, port ... | 1 | — | | C/MR | |
| 3074 | E.A1.12.600 | | | | | | | Plate, sealing, tailplane to fuselage, aft, starboard ... | 1 | — | | C/MR | |
| | E.A1.00.59 | | | | | | | Rear Fairing to Fuselage Attachment Details (see page 587) | — | — | | — | |
| | E.A1.00.57 | | | | | | | Rudder to Fin and Fuselage Attachment Details (see page 586) | — | — | | — | |
| 2990 | E.A1.33.1 | | | | | | | Rudder, c/w tab (Pre-Mod. 894) (see page 933) ... | 1 | — | | A | |
| 5173 | E.A3.33.1 | | | | | | | Rudder, c/w Tab (Mod. 894) (see page 933) ... | 1 | — | | A | |
| | E.A1.00.19 | | | | | | | Tailplane and Elevators (see page 947) ... | — | — | | — | |
| | E.A1.00.53 | | | | | | | Tailplane to Rear Fuselage Attachment Details (see page 586) | — | — | | — | |
| | E.B7.57.293 | | | | | | | VENTING, FUEL, BETWEEN FRAME 30 AND FRAME 40, ASSEMBLY (MOD. 1462) Spares for:— | — | — | | — | |
| 25546 | E.B7.57.315 | | | | | | | Bracket, for vent pipe ... | 9 | L.59 | | C/MR | |
| 25547 | E.B7.57.317 | | | | | | | Clip, for vent pipe ... | 9 | L.59 | | C/MR | |
| | EEAS.164/40/45 | | | | | | | Hose, rubber, 2½" i/d x 3" o/d x 4½" long, type 1 (Make from Ref. 32C/380) | 4 | DTD.625 | | LM | |
| 25542 | E.B7.57.305 | | | | | | | Pipe, vent, between frames 30 and 33 ... | 1 | L.56 | | C | |
| 25543 | E.B7.57.307 | | | | | | | Pipe, vent, continuation ... | 1 | L.56 | | C | |
| 25544 | E.B7.57.309 | | | | | | | Pipe, vent, continuation ... | 1 | L.54 or L.56 | | C | |
| 25545 | E.B7.57.311 | | | | | | | Pipe, vent, continuation ... | 1 | L.56 | | C | |
| | E.G4.57.7 | | | | | | | VENT, FUEL, OUTLET, INSTALLATION (MOD. 4112) Spares for:— | — | — | | — | |
| 25541 | E.B7.57.303 | | | | | | | Gasket, ½" thick ... | 1 | Neo-K-Tex | | C | |
| 34533 | E.G4.57.5 | | | | | | | Mast, vent. outlet (Mod. 4112) ... | 1 | — | | C | |
| 1468 | EEAS.1/2C | | | | | | | Screw, 2 BA, c'sk. head, 120° ... | 6 | S.96 | | C | |

Restricted

| Ref. No | Part No. | 1 | 2 | 3 | 4 | 5 | 6 | Description | No. off | Matl. Spec. | Cl. of Equip. | Plate No. |
|---------|----------|---|---|---|---|---|---|-------------|---------|-------------|---------------|-----------|
| | | | | | | | | | | | M.R. | |
| | | | | | | | | | | | | |


**FUSELAGE
REAR FUSELAGE AND TAIL UNIT**

| Ref. No. | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. | Plate No. |
|---|---------------|--|---------|-------------|---------------|-----------|
| | | | | | M.R. L.M. | |
| SUMMARY OF STOCK ITEMS USED ON REAR FUSELAGE AND TAIL UNIT, ASSEMBLY | | | | | | |
| | | 1 2 3 4 5 6 | | | | |
| 28D/12528 | A25/1B | Bolt, 4 BA, hex. head, "5 long ... | | | C | |
| 28D/12810 | A25/13B | Bolt, 4 BA, hex. head, 1"7 long ... | | | C | |
| 28D/9436920 | A25/1C | Bolt, 2 BA, hex. head, "55 long ... | | | C | |
| 28D/12513 | A25/2C | Bolt, 2 BA, hex. head, "65 long ... | | | C | |
| 28D/12531 | A25/3C | Bolt, 2 BA, hex. head, "75 long ... | | | C | |
| 28D/12533 | A25/5C | Bolt, 2 BA, hex. head, "95 long ... | | | C | |
| 28D/8308 | AS.1242/3/C | Bolt, 2 BA, c'sk head, "7 long ... | | | C | |
| 28D/10764 | AS.1248/1/2/B | Bolt, 4 BA, mushroom head, "4 long ... | | | C | |
| 28F/8280 | AGS.1142/H | Nipple, Adaptor ... | | | C | |
| 28F/11906 | AGS.1170/J | Nipple, Adaptor ... | | | C | |
| 28M/13086 | A27/BP | Nut, 4 BA, plain ... | | | C | |
| 28M/13124 | A27/CT | Nut, 2 BA, thin ... | | | C | |
| 28M/10287 | AGS.2001/B/1 | Nut, stiff, 4 BA ... | | | C | |
| 28M/10288 | AGS.2001/C/1 | Nut, stiff, 2 BA ... | | | C | |
| 28M/8948 | CE.3 | Nut, plate, 2 BA ... | | | C | |
| 28M/10332 | AGS.2002/J/1 | Nut, stiff, 3/8" BSF, thin ... | | | C | |
| 28W/3097 | AGS.162/B | Washer, spring ... | | | C | |
| 28W/3101 | AGS.162/F | Washer, spring ... | | | C | |
| 28W/9419475 | SP15/C | Washer, 2 BA ... | | | C | |
| 28W/9419474 | SP.15/B | Washer, 4 BA, thin ... | | | C | |



FRONT FUSELAGE - NOSE UNDERCARRIAGE DOORS





FRONT FUSELAGE - EQUIPMENT AND MAIN ENTRANCE DOORS



This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

