

CABLES (WIRE ROPES)

Local Manufacture is desired wherever possible. Detailed information is given below.

Part No.	END FITTINGS				Raw Material length (cable) and type	Cable Specn.	Identification Tab	Remarks
	Part No.	Section Ref. No.	Part No.	Section Ref. No.				
E.A3.45.275A	SP8Y/13	28U/4063	E.A1.45.1129		131".0 (5 cwt.)	6W2/4		Bomb door undercarriage release. (Front Fuselage).
E.A3.45.275B	SP8Y/13	28U/4063	SP8Y/13	28U/4063	173".0 (5 cwt.)	6W2/4		Undercarriage emergency release. (Front Fuselage).
E.A3.45.281	SP8Y/13	28U/4063	E.A1.45.905		83".25 (5 cwt.)	6W2/4		Undercarriage emergency release.
E.A3.45.283	SP8Y/13	28U/4063	E.A1.45.1129		112" (5 cwt.)	6W/24		Bomb door emergency release.
E.B6.50.115	E.A1.50.721		E.A1.50.721		11".5 (5 cwt.)	6W2/2		Undercarriage cowl door check.
E.A1.88.89	E.A1.88.271		E.A1.88.271		36".5 (15 cwt.)	6W2/6		Bomb door retaining ties.

Pages 1367 to 1370 not issued

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.



**TELEBRIEF
CONNECTIONS**

E