

RADIO AND INTER-COMM.

| Ref. No. | Part No. | Description | No. off | Matl. Spec | Cl. of Equip. | Plate No. |
|------------|--------------|--|---------|------------|---------------|-----------|
| | | | | | M.R. L.M. | |
| | E.B6.82.5 | RADIO AND INTER-COMM IN FRONT FUSELAGE, ASSEMBLY | — | — | — | |
| | E.B6.82.13 | INSTALLATION OF V.H.F. SUPPRESSED AERIALS | — | — | — | |
| | | Spares for:— | | | | |
| 4506 | E.A4.82.99 | Bracket, connector, 12 SWG | 2 | BSS.265 | B | |
| 2491 | E.A6.82.69 | Strip, connecting, c/w plug 10H/9113 | 2 | — | B | |
| 8527 | E.A6.82.73 | Washer, special | 2 | BSS.265 | C | |
| | E.A3.82.143 | INSTALLATION OF V.H.F. RELAY PANEL ... | — | — | — | |
| | | Spares for:— | | | | |
| 8524 | E.A3.82.145 | PANEL, GROUP | 1 | — | B | |
| | | Spares for:— | | | | |
| | E.A1.82.117 | Bracket, push button | 1 | L.72 | — | |
| 5E/3098 | † | Cable, Duprenmet 6 | QR | — | C | |
| 5E/3038 | † | Cable, Unipren 6 | QR | — | C | |
| 5E/3042 | † | Cable, Unipren 24 | QR | — | C | |
| | E.A1.82.121 | Label, "Terminal identification" | 1 | L.72 | — | |
| | E.A3.82.147 | Label, "Terminal mic/tel identification" | 1 | L.72 | — | |
| 5K/9107065 | EEAS.146/A | Sleeve, 3/4" long | 32 | — | C | |
| 5K/9107068 | EEAS.146/D | Sleeve, 1" long | 2 | — | C | |
| 5X/6240 | E.A1.81.429 | Terminal, earth | 1 | — | C | |
| | E.B6.82.173 | I.L.S., GROUP (MOD. 1444) | — | — | — | |
| | | Spares for:— | | | | |
| | E.B6.82.159 | BOX ATTENUATOR, INSTALLATION ... | — | — | — | |
| | | Spares for:— | | | | |
| | E.B6.82.161 | BOX, ATTENUATOR, GROUP | 1 | — | — | |
| | | Spares for:— | | | | |
| | E.B6.82.169 | Case | 1 | L.59 | — | |
| | E.B6.82.163 | Piece, distance | 4 | L.65 | — | |
| 32C/ | E.B6.82.167 | Seal, 1/8" Linatex | 1 | — | — | |
| 5071 | E.A6.10.2181 | Packing, cork | 4 | — | C | |
| 4202 | E.A3.81.1165 | Stud, mounting | 4 | — | C | |
| | E.B6.82.187 | CABLE, ASSEMBLY, R.T.1, FROM ATTENUATOR BOX TO PRESSURE BULKHEAD AND JB.154, I/C RELAY PANEL, GROUP | 1 | — | — | |
| | | Consisting of:— | | | | |
| | 5E/3038 | † Cable, Unipren 6 | QR | — | C | |
| | 5E/3098 | † Cable, Duprenmet 6 | QR | — | C | |
| | 5E/3090 | † Cable, Uniprenmet 6 | QR | — | C | |
| | 33C/1138 | † Cement, Bostik | QR | — | C | |
| | 10H/ | CZ.69733 Clamp, cable | 1 | — | — | |
| | 5X/2845 | † Coupling, unit | 1 | — | C | |
| | 10H/0970058 | Z.60667 Gasket, outlet | 1 | — | C | |
| | 10H/ | † Gasket, union | 1 | — | C | |
| | 10H/0970069 | CZ.49181 Outlet | 1 | — | C | |
| | 10H/0970096 | Z.49037 Ring, thrust | 1 | — | C | |
| | 5K/2609 | AGS.1651/12 Sleeve, type 1 | 1 | — | C | |
| | 5K/9107066 | EEAS.146/A1 Sleeve, 3/4" long | 28 | — | C | |
| | 5K/9107067 | EEAS.146/C Sleeve, 3/4" long | 2 | — | C | |
| | 5K/9107068 | EEAS.146/D Sleeve, 3/4" long | 1 | — | C | |
| | 5K/9107069 | EEAS.146/G Sleeve, 3/4" long | 2 | — | C | |

RADIO AND INTER-COMM.

| Ref. No. | Part No. | Description | No. off | Matl. Spec | Cl. of Equip. | | Plate No |
|-------------|-------------------|---|---------|------------|---------------|------|----------|
| | | | | | M.R. | L.M. | |
| | | 1 2 3 4 5 6 | | | | | |
| 10H/3162 | † | Socket, type W.492 | 1 | — | B | | |
| 10H/0560120 | CZ.49017 | Socket | 1 | — | C | | |
| 32B/498 | † | Thread, waxed linen No. 18 | QR | — | C | | |
| 28W/9419480 | SP.15/P | Washer | 1 | — | C | | |
| 5E/3141 | † | Wire, tinned copper, 32 SWG | QR | — | C | | |
| | E.B6.82.189 | CABLE, ASSEMBLY, R.T.1A, FROM ATTENUATOR BOX TO VOLUME CONTROL, GROUP | 1 | — | — | | |
| | | Consisting of:— | | | | | |
| 5E/3038 | † | Cable, Unipren 6 | QR | — | C | | |
| 10H/ | CZ.69733 | Clamp, cable | 1 | — | — | | |
| 5K/27 | AGS.1651/4 | Ferrule, cut | 1 | — | C | | |
| 10H/0970058 | Z.60667 | Gasket, outlet | 1 | — | C | | |
| 10H/ | — | Gasket, union | 1 | — | C | | |
| 5K/87 | AGS.1658/1 | Nut, gland | 1 | — | C | | |
| 10H/0970069 | CZ.49181 | Outlet, angle | 1 | — | C | | |
| 10H/0568290 | — | Plug, Mk. 4, 4 way | 1 | — | C | | |
| 10H/0970088 | Z.62229 | Ring, sealing | 1 | — | C | | |
| 10H/0970096 | Z.49037 | Ring, thrust | 1 | — | C | | |
| 5K/9107065 | EEAS.146/A | Sleeve, 3/4" long | 8 | — | C | | |
| 5K/9107068 | EEAS.146/D | Sleeve, 3/4" long | 3 | — | C | | |
| 32A/ | — | Twine | QR | — | C | | |
| | E.B6.82.191 | CABLE, ASSEMBLY, R.T.2, FROM PRESSURE BULKHEAD TO V.H.F. RELAY PANEL AND I.L.S., JB.157, GROUP | 1 | — | — | | |
| | | Consisting of:— | | | | | |
| 5E/3038 | † | Cable, Unipren 6 | QR | — | C | | |
| 5E/3090 | † | Cable, Uniprenmet 6 | QR | — | C | | |
| 33C/1138 | † | Cement, Bostik | QR | — | C | | |
| 5X/2845 | † | Coupling, unit | 1 | — | C | | |
| 10H/0970058 | Z.60667 | Gasket, outlet | 1 | — | C | | |
| 10H/0970108 | Z.62235 | Gasket, union, rubber | 1 | — | C | | |
| 10H/0970062 | CZ.49180 | Outlet, straight | 1 | — | C | | |
| 10H/0970102 | Z.49040 | Ring, compression | 1 | — | C | | |
| 10H/0970096 | Z.49037 | Ring, thrust | 1 | — | C | | |
| 10H/0970114 | Z.62240 | Sleeve, cable, rubber | 1 | — | C | | |
| 5K/2609 | AGS.1651/12 | Sleeve, circular, type 1 | 1 | — | C | | |
| 5K/9107065 | EEAS.146/A | Sleeve, 3/4" long | 24 | — | C | | |
| 5K/9107067 | EEAS.146/C | Sleeve, 3/4" long | 4 | — | C | | |
| 5K/9107068 | EEAS.146/D | Sleeve, 3/4" long | 2 | — | C | | |
| 5K/9107070 | EEAS.146/G | Sleeve, 1" long | 2 | — | C | | |
| 10H/0560100 | CZ.49015 | Socket, free, Mk. 4, 3 way | 1 | — | C | | |
| 10H/3162 | † | Socket, type W.492 | 1 | — | C | | |
| 5F/2279 | HELLERMAN HV.3254 | Strap | QR | — | C | | |
| 5F/2280 | HELLERMAN HV.3255 | Stud | 48 | — | C | | |
| 32B/498 | † | Thread, waxed linen No. 18 | QR | — | C | | |
| 5E/ | † | Wire, tinned copper | QR | — | C | | |
| | E.B6.82.153 | UNIT CONTROL, TYPE 705, INSTALLATION | — | — | — | | |
| | | Spares for:— | | | | | |
| 26153 | E.B6.82.155 | Bracket, assembly | 1 | — | C | | |
| 10L/263 | S.I.S.5688 | Unit, control, type 705 | 1 | — | A | | |

RADIO AND INTER-COMM.

| Ref. No. | Part No. | Description | No. off | Matl. Spec | Cl. of Equip. | | Plate No. |
|------------|--------------|--|---------|------------|---------------|------|-----------|
| | | | | | M.R. | L.M. | |
| | | 1 2 3 4 5 6 | | | | | |
| | E.A3.82.139 | PANEL, RELAY AND I/C AMPLIFIER | — | — | — | | |
| | | Spares for:— | | | | | |
| 8535 | E.A3.82.149 | Panel, inter-comm | 1 | — | — | B | |
| | E.B6.82.17 | V.H.F. AND I/C WIRING, ASSEMBLY | — | — | — | | |
| | | Consisting of:— | | | | | |
| | E.B7.82.29 | CABLE, ASSEMBLY, EARTH, BOMB AIMER'S AND NAVIGATOR'S TEL/MIC TERMINAL BOARD, GROUP | 1 | — | — | | |
| | | Consisting of:— | | | | | |
| 5E/3040 | † | Cable, Unipren 12 | QR | — | — | C | |
| 5X/6504 | † | Lug, 4 BA | 1 | — | — | C | |
| 5K/9107065 | EEAS.146/A | Sleeve, 3/4" long | 2 | — | — | C | |
| 5K/9400064 | Z.19980 | Thimble, quick release | 1 | — | — | C | |
| | E.A1.82.41/1 | CABLE, ASSEMBLY, V.H.F. RELAY PANEL EARTH CONNECTION, GROUP | 1 | — | — | | |
| | | Consisting of:— | | | | | |
| 5E/3042 | † | Cable, Unipren 24 | QR | — | — | C | |
| 5X/6509 | 70009 | Lug, 2 BA | 1 | — | — | C | |
| 5K/9107065 | EEAS.146/A | Sleeve, 3/4" long | 1 | — | — | C | |
| 5K/ | † | Sleeve, 3/4" long | 1 | — | — | — | |
| | E.A7.82.47 | CABLE, ASSEMBLY, TAKE-OFF PANEL, EARTH CONNECTION, GROUP | 1 | — | — | | |
| | | Consisting of:— | | | | | |
| 5E/3040 | † | Cable, Unipren 12 | QR | — | — | C | |
| 5X/6504 | † | Lug, 4 BA | 2 | — | — | C | |
| 5K/9107066 | EEAS.146/B | Sleeve, 3/4" long | 2 | — | — | C | |
| | E.A3.82.65/1 | CABLE, ASSEMBLY, RT23, FROM I/C RELAY PANEL TO CONTROL COLUMN TERMINAL BOARD, GROUP | 1 | — | — | | |
| | | Consisting of:— | | | | | |
| 5E/3038 | † | Cable, Unipren 6 | QR | — | — | C | |
| 5K/ | † | Sleeve, 3/4" long | 6 | — | — | — | |
| 8358 | E.A3.82.59/1 | CABLE, ASSEMBLY, RT20, FROM TERMINAL BOARD TO MIC/TEL AT PILOT'S SEAT, GROUP | 1 | — | — | B | |
| | | Consisting of:— | | | | | |
| 5E/3038 | † | Cable, Unipren 6 | QR | — | — | C | |
| 5E/3098 | † | Cable, Duprenmet 6 | QR | — | — | C | |
| 5K/9107065 | EEAS.146/A | Sleeve, 3/4" long | 4 | — | — | C | |
| 5K/9107066 | EEAS.146/A1 | Sleeve, 3/4" long | 4 | — | — | C | |
| 5K/9107067 | EEAS.146/C | Sleeve, 1" long | 1 | — | — | C | |
| 5K/9107068 | EEAS.146/D | Sleeve, 1" long | 1 | — | — | C | |
| 5K/9107068 | EEAS.146/D1 | Sleeve, 1" long | 3 | — | — | C | |
| 10HA/2206 | † | Socket, type 359 | 3 | — | — | A | |
| 5K/ | ROSS | Tag, P.O.29 | 4 | — | — | C | |
| | COURTNEY | | | | | | |
| 32B/498 | † | Thread, waxed linen No. 18 | QR | — | — | C | |
| 5E/3141 | † | Wire, tinned copper, 32 SWG | QR | — | — | C | |

RADIO AND INTER-COMM.

| Ref. No. | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. | | Plate No. |
|-------------|-------------------|---|---------|-------------|---------------|------|-----------|
| | | | | | M.R. | L.M. | |
| | E.A3.82.129 | CABLE, ASSEMBLY, RT21, FROM TERMINAL BOARD TO MIC/TEL AT NAVIGATOR'S SEAT, GROUP Spares for this group are identical with those for group Part No. E.A3.82.59/1 on page 883. | 1 | — | — | | |
| | E.A3.82.113 | CABLE, ASSEMBLY, TEL/MIC SOCKET, GROUP Consisting of:— | 1 | — | — | | |
| 10A/13766 | † | Bracket | 2 | — | — | C | |
| 5E/9100014 | † | Cable, miniature, 4B | QR | — | — | C | |
| 32A/94 | † | Cord, braided, waxed | QR | — | — | C | |
| 5K/ | † | Sleeve, 3/4" long | 6 | — | — | — | |
| 10H/18574 | † | Socket, tel/mic | 1 | — | — | A | |
| 32B/498 | † | Thread, waxed linen No. 18 | QR | — | — | C | |
| | E.A3.82.131 | CABLE, ASSEMBLY, RT22, FROM TERMINAL BOARD TO MIC/TEL AT BOMB AIMER'S SEAT, GROUP Spares for this group are identical with those for group Part No. E.A3.82.59/1 on page 883. | 1 | — | — | | |
| | E.A3.82.169 | CABLE, ASSEMBLY, RT1, FROM CONNECTION AT PRESSURE BULKHEAD TO I/C RELAY PANEL, GROUP (PRE MOD. 1444) Consisting of:— | 1 | — | — | | |
| 5E/3038 | † | Cable, Unipren 6 | QR | — | — | C | |
| 5E/3098 | † | Cable, Duprenmet 6 | QR | — | — | C | |
| 33C/1138 | † | Cement, Bostik | QR | — | — | C | |
| 5K/2845 | † | Coupling, unit | 1 | — | — | C | |
| 5K/9107065 | EEAS.146/A | Sleeve, 3/4" long | 20 | — | — | C | |
| 5K/9107067 | EEAS.146/C | Sleeve, 3/4" long | 3 | — | — | C | |
| 5K/9107068 | EEAS.146/D | Sleeve, 3/4" long | 2 | — | — | C | |
| 5K/9107069 | EEAS.146/G | Sleeve, 1" long | 2 | — | — | C | |
| 5K/2609 | AGS.1651/12 | Sleeve, type 1, circular | 1 | — | — | C | |
| 10H/3162 | † | Socket, type W.492 | 1 | — | — | A | |
| 5F/2279 | HELLERMAN HV.3254 | Strapping | QR | — | — | C | |
| 5F/2280 | HELLERMAN HV.3255 | Stud | 18 | — | — | C | |
| 32B/498 | † | Thread, waxed linen No. 18 | QR | — | — | C | |
| 28W/9419480 | SP.15/P | Washer | 1 | — | — | C | |
| 5E/3141 | † | Wire, tinned copper, 32 SWG | QR | — | — | C | |
| | E.A3.82.171 | CABLE, ASSEMBLY, RT2, FROM CONNECTION AT PRESSURE BULKHEAD TO V.H.F. RELAY PANEL, GROUP (PRE MOD. 1444) Spares for this group are identical with those for group Part No. E.A3.82.169 | 1 | — | — | | |

RADIO AND INTER-COMM.

| Ref. No. | Part No. | Description | No. off | Matl. Spec | Cl. of Equip. | | Plate No. |
|------------|----------------------|---|---------|------------|---------------|------|-----------|
| | | | | | M.R. | L.M. | |
| | E.A3.82.173 | CABLE, ASSEMBLY, RT3, FROM I/C RELAY PANEL TO PILOT'S V.H.F. CONTROL PANEL, GROUP | 1 | — | — | | |
| | | Consisting of:— | | | | | |
| 5E/3038 | † | Cable, Unipren 6 | QR | — | | C | |
| 5K/9107065 | EEAS.146/A | Sleeve, 3/4" long | 8 | — | | C | |
| 5K/9107067 | EEAS.146/C | Sleeve, 3/4" long | 4 | — | | C | |
| 5K/9107069 | EEAS.146/G | Sleeve, 3/4" long | 2 | — | | C | |
| 5F/2279 | HV.3254 HELLERMAN | Strapping | QR | — | | C | |
| 5F/2280 | HV.3255 | Stud | QR | — | | C | |
| | E.B6.82.21 | CABLE, ASSEMBLY, RT4, FROM I/C RELAY PANEL TO BOMB AIMER'S AND NAVIGATOR'S TEL/MIC TERMINAL BOARD, GROUP | 1 | — | — | | |
| | | Consisting of:— | | | | | |
| 5E/3038 | † | Cable, Unipren 6 | QR | — | | C | |
| 5E/3098 | † | Cable, Duprenmet 6 | QR | — | | C | |
| 5K/9107065 | EEAS.146/A | Sleeve, 3/4" long | 8 | — | | C | |
| 5K/9107067 | EEAS.146/C | Sleeve, 3/4" long | 2 | — | | C | |
| 5K/9107068 | EEAS.146/D | Sleeve, 3/4" long | 2 | — | | C | |
| 5K/9107069 | EEAS.146/F | Sleeve, 1" long | 2 | — | | C | |
| 5F/2279 | HV.3254 HELLERMAN | Strapping | QR | — | | C | |
| 5F/2280 | HV.3255 | Stud | 40 | — | | C | |
| 5E/3141 | † | Wire, tinned copper, 32 SWG | QR | — | | C | |
| | E.A3.82.177 | CABLE, ASSEMBLY, RT5, FROM I/C RELAY PANEL TO PILOT'S SEAT TERMINAL BOARD, GROUP | 1 | — | — | | |
| | | Spares for this group are identical with those for group Part No. E.B6.82.21 on page 885. | | | | | |
| | E.A3.82.179 | CABLE, ASSEMBLY, RT6, FROM I/C RELAY PANEL TO BOMB AIMER'S PRONE POSITION, GROUP | 1 | — | — | | |
| | | Consisting of:— | | | | | |
| 5E/3098 | † | Cable, Duprenmet 6 | QR | — | | C | |
| 5K/9107065 | EEAS.146/A | Sleeve, 3/4" long | 4 | — | | C | |
| 5K/9107068 | EEAS.146/D | Sleeve, 1" long | 2 | — | | C | |
| 5E/3141 | † | Wire, tinned copper, 32 SWG | QR | — | | C | |
| | E.A3.82.181 | CABLE, ASSEMBLY, RT7, BETWEEN PILOT'S SEAT, TERMINAL BOARD AND BOMB AIMER'S PRONE POSITION TERMINAL BOARD, GROUP | 1 | — | — | | |
| | | Consisting of:— | | | | | |
| 5E/3038 | † | Cable, Unipren 6 | QR | — | | C | |
| 5K/9107065 | EEAS.146/A | Sleeve, 3/4" long | 4 | — | | C | |
| 5K/9107067 | EEAS.146/C | Sleeve, 1" long | 2 | — | | C | |

RADIO AND INTER-COMM.

| Ref. No. | Part No. | 1 2 3 4 5 6 | Description | No. off | Matl. Spec. | Cl. of Equip. | Plate No. |
|-----------|--|-------------|---|---------|-------------|---------------|-----------|
| | | | | | | M.R. L.M. | |
| 5258 | EEAS.143/6H GIRDLESTONE PUMPS Ltd. | | Clip, pipe, single bonding | 13 | L.72 | C | |
| 10B/16799 | A.751/A GIRDLESTONE PUMPS Ltd. | | Stub, matching V.H.F. aerial, 11"88 long | 1 | — | B | |
| 10B/16800 | A.751/B | | Stub, matching V.H.F. aerial, 13"88 long | 1 | — | B | |

Pages ⁸¹⁹~~881~~ to 890 not issued
887

RADIO AND INTER-COMM.

| Ref. No. | Part No. | 1 | 2 | 3 | 4 | 5 | 6 | Description | No. off | Matl. Spec | Cl. of Equip. | | Plate No. |
|------------|--------------|---|---|---|---|---|---|-------------|---------|------------|---------------|------|-----------|
| | | | | | | | | | | | M.R. | L.M. | |
| | E.B6.82.7 | RADIO AND INTER-COMM IN CENTRE FUSELAGE, ASSEMBLY | | | | | | | — | — | — | | |
| | E.A3.82.15 | INSTALLATION OF I/C CONNECTOR ... | | | | | | | — | — | — | | |
| | E.A3.82.133 | CABLE, ASSEMBLY, GROUND I/C, FROM TERMINAL BLOCKS ON V.H.F. PANEL TO TERMINAL BLOCK ON FRAME 19, GROUP | | | | | | 1 | — | — | — | | |
| | | Consisting of:— | | | | | | | | | | | |
| 5E/3038 | † | Cable, Unipren 6 ... | | | | | | QR | — | — | — | C | |
| 5E/3098 | † | Cable, Duprenmet 6 ... | | | | | | QR | — | — | — | C | |
| 5K/9107065 | EEAS.146/A | Sleeve, 3/4" long ... | | | | | | 8 | — | — | — | C | |
| 5K/9107066 | EEAS.146/B | Sleeve, 3/4" long ... | | | | | | 4 | — | — | — | C | |
| 5K/9107068 | EEAS.146/D | Sleeve, 1" long ... | | | | | | 2 | — | — | — | C | |
| 32B/498 | † | Thread, waxed linen No. 18 ... | | | | | | QR | — | — | — | C | |
| 5E/3141 | † | Wire, tinned copper, 32 SWG ... | | | | | | QR | — | — | — | C | |
| | E.A3.82.17 | Plate, doubling ... | | | | | | 1 | L.72 | — | — | — | |
| 7724 | EEAS.28/2EPH | Washer, special (Mod. 1280) ... | | | | | | 10 | — | — | — | C | |
| 17517 | EEAS.28/2ER | Washer, special ... | | | | | | 15 | — | — | — | C | |

**RADIO AND INTER-COMM.
PORT WING**

| Ref. No. | Part No. | Description | No. off | Matl. Spec | Cl. of Equip. | Plate No. |
|-----------|--------------|--|---------|------------|---------------|-----------|
| | | | | | M.R. L.M. | |
| | | 1 2 3 4 5 6 | | | | |
| | E.B6.82.181 | I.L.S. IN WING, PORT, GROUP (MOD. 1444) | — | — | — | |
| | | Spares for:— | | | | |
| 10B/16708 | † | Aerial, localiser assembly, type 239 | 1 | — | A | |
| | E.A4.82.287 | ENGINE BREAK, OUTER, INSTALLATION | — | — | — | |
| | | Spares for:— | | | | |
| 23864 | E.A9.82.171 | Bracket, assembly | 1 | — | C | |
| | E.A4.82.2899 | ENGINE BREAK, INNER, INSTALLATION | — | — | — | |
| | | Spares for:— | | | | |
| 23864 | E.A9.82.171 | Bracket, assembly | 1 | — | C | |

**RADIO AND INTER-COMM.
STARBOARD WING**

| Ref. No. | Part No. | Description | No. off | Matl. Spec | Cl. of Equip. | Plate No. |
|-----------|-------------|--|---------|------------|---------------|-----------|
| | | | | | M.R. L.M. | |
| | | 1 2 3 4 5 6 | | | | |
| | E.B6.82.182 | I.L.S. IN WING, STARBOARD, GROUP (MOD. 1444) | — | — | — | |
| | | Spares for:— | | | | |
| 10B/16707 | † | Aerial, glide path, assembly, type 238 | 1 | — | A | |
| 10B/16706 | † | Aerial, marker, assembly, type 237 | 1 | — | A | |
| | E.A4.82.288 | ENGINE BREAK, OUTER, INSTALLATION | — | — | — | |
| | | Spares for:— | | | | |
| 23864 | E.A9.82.171 | Breaker, assembly | 1 | — | C | |
| | E.A4.82.290 | ENGINE BREAK, INNER, INSTALLATION | — | — | — | |
| | | Spares for:— | | | | |
| 23864 | E.A9.82.171 | Breaker, assembly | 1 | — | C | |



This file was downloaded from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms, and more aircraft documents.

