

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.B6.20.33	1" o/d x 20 SWG	L.56	AGS.904/H	28F/8011823	AGS.952/H	28F/9486110	EEAS.94/6	—	—	—	At one end
E.B6.20.34	1" o/d x 20 SWG	L.56	AGS.904/H	28F/8011823	AGS.952/H	28F/9486110	EEAS.94/6	—	—	—	At one end
E.B6.20.35	1" o/d x 20 SWG	L.54	EEAS.94/6	—	E.B6.20.21	—	—	—	—	—	At one end
E.B6.20.36	1" o/d x 22 SWG	L.54	EEAS.94/6	—	E.B6.20.21	—	—	—	—	—	At one end
E.B6.20.41	1" o/d x 20 SWG	L.56	AGS.904/H	28F/8011823	AGS.952/H	28F/9486110	EEAS.94/6	—	—	—	At one end
E.B6.20.42	1" o/d x 20 SWG	L.56	AGS.904/H	28F/8011823	AGS.952/H	28F/9486110	EEAS.94/6	—	—	—	At one end
E.A1.20.4819	1/4" o/d x 22 SWG	L.56	AGS.904/C	28F/9140970	AGS.952/C	28F/8011892	—	—	—	—	At each end
E.A1.20.4820	1/4" o/d x 22 SWG	L.56	AGS.904/C	28F/9140970	AGS.952/C	28F/8011892	—	—	—	—	At each end
E.A1.20.4821	1/4" o/d x 22 SWG	L.56	AGS.904/B	28F/8011819	AGS.952/B	28F/9439531	—	—	—	—	At each end
E.A1.20.4822	1/4" o/d x 22 SWG	L.56	AGS.904/B	28F/8011819	AGS.952/B	28F/9439531	—	—	—	—	At each end
E.A1.20.5401	1/4" o/d x 22 SWG	DTD.5019	AGS.904/B	28F/8011819	AGS.952/B	28F/9439531	—	—	—	—	At each end
E.A1.20.5402	1/4" o/d x 22 SWG	DTD.5019	AGS.904/B	28F/8011819	AGS.952/B	28F/9439531	—	—	—	—	At each end
E.A1.20.5405	1/4" o/d x 22 SWG	DTD.5019	AGS.904/B	28F/8011819	AGS.952/B	28F/9439531	—	—	—	—	At each end
E.A1.20.5406	1/4" o/d x 22 SWG	DTD.5019	AGS.904/B	28F/8011819	AGS.952/B	28F/9439531	—	—	—	—	At each end
E.A1.20.5409	1/4" o/d x 22 SWG	DTD.5019	AGS.904/B	28F/8011819	AGS.952/B	28F/9439531	—	—	—	—	At each end
E.A1.20.5410	1/4" o/d x 22 SWG	DTD.5019	AGS.904/B	28F/8011819	AGS.952/B	28F/9439531	—	—	—	—	At each end
E.A1.20.5413	1/4" o/d x 22 SWG	DTD.5019	AGS.904/B	28F/8011819	AGS.952/B	28F/9439531	—	—	—	—	At each end
E.A1.20.5414	1/4" o/d x 22 SWG	DTD.5019	AGS.904/B	28F/8011819	AGS.952/B	28F/9439531	—	—	—	—	At each end
E.A1.20.5418	1/4" o/d x 22 SWG	DTD.5019	AGS.904/B	28F/8011819	AGS.952/B	28F/9439531	—	—	—	—	At each end
E.A1.20.5421	1/4" o/d x 22 SWG	DTD.5019	AGS.904/B	28F/8011819	AGS.952/B	28F/9439531	—	—	—	—	At each end
E.A1.20.5422	1/4" o/d x 22 SWG	DTD.5019	AGS.904/B	28F/8011819	AGS.952/B	28F/9439531	—	—	—	—	At each end
E.A1.20.11031	1/4" o/d x 22 SWG	L.56	E.A1.20.11037	—	AGS.904/C	28F/9140970	AGS.952/C	28F/8011892	—	—	At each end
E.A1.20.11032	1/4" o/d x 22 SWG	L.56	E.A1.20.11037	—	AGS.904/C	28F/9140970	AGS.952/C	28F/8011892	—	—	At each end

Restricted

Restricted

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.B6.50.23	$\left\{ \begin{array}{l} 2'' \text{ o/d} \times 20 \text{ SWG} \\ 1\frac{3}{8}'' \text{ o/d} \times 20 \text{ SWG} \end{array} \right.$	L.54	—	—	—	—	—	—	—	—	—
E.B6.50.24		$\left\{ \begin{array}{l} 2'' \text{ o/d} \times 20 \text{ SWG} \\ 1\frac{3}{8}'' \text{ o/d} \times 20 \text{ SWG} \end{array} \right.$	L.54	—	—	—	—	—	—	—	—
E.B7.50.89	1½" o/d x 20 SWG		L.54	EEAS.94/2	—	—	—	—	—	—	—
E.B7.50.90	1½" o/d x 20 SWG	L.54	EEAS.94/2	—	—	—	—	—	—	—	At each end
E.B7.50.91	1½" o/d x 20 SWG	L.54	EEAS.94/2	—	—	—	—	—	—	—	At each end
E.B7.50.92	1½" o/d x 20 SWG	L.54	EEAS.94/2	—	—	—	—	—	—	—	At each end
E.B7.50.93	1½" o/d x 20 SWG	L.54	EEAS.94/2	—	—	—	—	—	—	—	At each end
E.B7.50.94	1½" o/d x 20 SWG	L.54	EEAS.94/2	—	—	—	—	—	—	—	At each end
E.B7.50.95	1½" o/d x 20 SWG	L.54	EEAS.94/2	—	—	—	—	—	—	—	At each end
E.B7.50.96	1½" o/d x 20 SWG	L.54	EEAS.94/2	—	—	—	—	—	—	—	At each end
E.B7.50.97	1½" o/d x 20 SWG	L.54	EEAS.94/2	—	—	—	—	—	—	—	At each end
E.B7.50.98	1½" o/d x 20 SWG	L.54	EEAS.94/2	—	—	—	—	—	—	—	At each end
E.B7.50.99	1½" o/d x 20 SWG	L.54	EEAS.94/2	—	—	—	—	—	—	—	At each end
E.B7.50.100	1½" o/d x 20 SWG	L.54	EEAS.94/2	—	—	—	—	—	—	—	At each end
E.B7.50.101	1½" o/d x 20 SWG	L.54	EEAS.94/2	—	—	—	—	—	—	—	At each end
E.B7.50.102	1½" o/d x 20 SWG	L.54	EEAS.94/2	—	—	—	—	—	—	—	At each end

Restricted

Restricted

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.A3.56.245	1½" o/d x 20 SWG	L.54 or L.56	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At each end
E.A3.56.247	1½" o/d x 20 SWG	L.54 or L.56	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At each end
E.A3.56.249	1" o/d x 20 SWG	L.56	AGS.905/H	28F/4051537	—	—	—	—	—	—	At one end
E.A3.56.283	1¼" o/d x 20 SWG	L.56	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At each end
E.A3.56.285	1¼" o/d x 20 SWG	L.56	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At each end
E.A3.56.433	1¼" o/d x 20 SWG	L.56	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At one end

Restricted

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	

Restricted



PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Mati. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.B6.57.13	1 1/4" o/d x 22 SWG	T.26	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At one end
E.B6.57.14	1 1/4" o/d x 22 SWG	T.26	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At one end
E.A9.57.19	1 1/4" o/d x 20 SWG	L.56	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At one end
E.B6.57.31	1/4" o/d x 22 SWG	L.54	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.B6.57.33	1/4" o/d x 22 SWG	L.54	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A3.57.35	3/8" o/d x 22 SWG	T.26	AGS.952/C	28F/8011892	AGS.954/C	28F/8011888	—	—	—	—	At each end
E.B6.57.35	1 1/4" o/d x 22 SWG	L.54	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At each end
E.A3.57.36	3/8" o/d x 22 SWG	T.26	AGS.952/C	28F/8011892	AGS.954/C	28F/8011888	—	—	—	—	At each end
E.B6.57.36	1 1/4" o/d x 22 SWG	L.54	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At each end
E.A3.57.37	1 1/4" o/d x 20 SWG	T.26	AGS.952/J	28F/11935	AGS.954/J	28F/9152511	—	—	—	—	At one end
E.B6.57.37	1 1/4" o/d x 22 SWG	L.54	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At each end
E.A3.57.38	1 1/4" o/d x 20 SWG	T.26	AGS.952/J	28F/11935	AGS.954/J	28F/9152511	—	—	—	—	At one end
E.B6.57.38	1 1/4" o/d x 22 SWG	L.54	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At each end
E.B6.57.39	1 1/4" o/d x 20 SWG	L.54	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At each end
E.A3.57.41	1/2" o/d x 20 SWG	T.26	AGS.952/D	28F/9439532	AGS.954/D	28F/9439535	—	—	—	—	At one end
E.B6.57.41	1 1/4" o/d x 20 SWG	L.54	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At each end
E.A3.57.42	1/2" o/d x 20 SWG	T.26	AGS.952/D	28F/9439532	AGS.954/D	28F/9439535	—	—	—	—	At one end
E.A3.57.43	1/2" o/d x 20 SWG	T.26	AGS.952/D	28F/9439532	AGS.954/D	28F/9439535	—	—	—	—	At one end
E.A3.57.44	1/2" o/d x 20 SWG	T.26	AGS.952/D	28F/9439532	AGS.954/D	28F/9439535	—	—	—	—	At one end
E.A3.57.45	1/2" o/d x 20 SWG	T.26	AGS.952/D	28F/9439532	AGS.954/D	28F/9439535	—	—	—	—	At one end
E.A3.57.46	1/2" o/d x 20 SWG	T.26	AGS.952/D	28F/9439532	AGS.954/D	28F/9439535	—	—	—	—	At one end
E.A9.57.51	1/8" o/d x 22 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.A9.57.53	$\frac{3}{16}$ " o/d x 22 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A9.57.55	$\frac{3}{16}$ " o/d x 22 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B6.57.55	$\frac{3}{16}$ " o/d x 22 SWG	T.26	AGS.952/C	28F/8011892	AGS.954/C	28F/8011888	—	—	—	—	At one end
E.B6.57.56	$\frac{3}{16}$ " o/d x 22 SWG	T.26	AGS.952/C	28F/8011892	AGS.954/C	28F/8011888	—	—	—	—	At one end
E.A9.57.57	$\frac{3}{16}$ " o/d x 22 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B6.57.63	$1\frac{1}{4}$ " o/d x 20 SWG	L.54	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At one end
E.B6.57.65	$1\frac{1}{4}$ " o/d x 20 SWG	L.54	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At one end
E.B6.57.67	$1\frac{1}{4}$ " o/d x 20 SWG	L.56	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At one end
E.B6.57.91	$\frac{3}{16}$ " o/d x 22 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.B6.57.93	$\frac{3}{16}$ " o/d x 22 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.B6.57.95	$\frac{3}{16}$ " o/d x 22 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.B6.57.97	$\frac{3}{16}$ " o/d x 22 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.B6.57.99	$\frac{3}{16}$ " o/d x 22 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.B6.57.101	$\frac{3}{16}$ " o/d x 22 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.B7.57.103	$\frac{3}{16}$ " o/d x 22 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B7.57.104	$\frac{3}{16}$ " o/d x 22 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A1.57.105	$1\frac{1}{4}$ " o/d x 20 SWG	L.54	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At each end
E.B7.57.105	$\frac{1}{4}$ " o/d x 22 SWG	L.56	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.B7.57.106	1 1/4" o/d x 22 SWG	L.56	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A1.57.107	1 1/4" o/d x 20 SWG	L.56	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At each end
E.B6.57.107	3/8" o/d x 22 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B7.57.107	3/8" o/d x 22 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.B7.57.108	3/8" o/d x 22 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.B6.57.109	3/8" o/d x 22 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B7.57.109	3/8" o/d x 22 SWG	L.56	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.B7.57.110	3/8" o/d x 22 SWG	L.56	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.B6.57.111	3/8" o/d x 22 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B6.57.113	3/8" o/d x 22 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B7.57.113	1/2" o/d x 22 SWG	L.56	AGS.952/D	28F/9439532	AGS.904/D	28F/8011820	—	—	—	—	At each end
E.B7.57.114	1/2" o/d x 22 SWG	L.56	AGS.952/D	28F/9439532	AGS.904/D	28F/8011820	—	—	—	—	At each end
E.B6.57.115	3/8" o/d x 22 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B7.57.115	3/8" o/d x 22 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B7.57.116	3/8" o/d x 22 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A3.57.117	1 1/4" o/d x 20 SWG	L.56	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At one end
E.B6.57.117	3/8" o/d x 22 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B7.57.117	3/8" o/d x 22 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B7.57.118	3/8" o/d x 22 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B7.57.119	3/8" o/d x 22 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B7.57.120	3/8" o/d x 22 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B7.57.131	1 1/4" o/d x 20 SWG	L.56	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At each end
E.B6.57.149	1 1/4" o/d x 22 SWG	T.26	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At each end
E.B6.57.150	1 1/4" o/d x 22 SWG	T.26	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At each end
E.B7.57.151	3/8" o/d x 22 SWG	L.56	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.B7.57.152	1 1/8" o/d x 22 SWG	L.56	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At one end
E.B7.57.167	1" o/d x 22 SWG	L.56	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.B7.57.168	1" o/d x 22 SWG	L.56	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.B7.57.211	1" o/d x 22 SWG	T.26	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B7.57.212	1" o/d x 22 SWG	T.26	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B7.57.213	1" o/d x 22 SWG	T.26	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B7.57.214	1" o/d x 22 SWG	T.26	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B7.57.249	1" o/d x 22 SWG	T.26	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B7.57.250	1" o/d x 22 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B7.57.251	1" o/d x 22 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B7.57.252	1" o/d x 22 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B7.57.253	1" o/d x 22 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B7.57.254	1" o/d x 22 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B7.57.255	1" o/d x 22 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B7.57.256	1" o/d x 22 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B7.57.257	1 1/8" o/d x 22 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.B7.57.258	1 1/8" o/d x 22 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.B7.57.259	1 1/8" o/d x 22 SWG	DTD.5019	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.B7.57.260	1 1/8" o/d x 22 SWG	DTD.5019	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.B7.57.261	1 1/8" o/d x 22 SWG	DTD.5019	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.B7.57.262	1 1/8" o/d x 22 SWG	DTD.5019	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.B7.57.263	1 1/8" o/d x 22 SWG	DTD.5019	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.B7.57.264	1 1/8" o/d x 22 SWG	DTD.5019	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A1.57.271	1 1/2" o/d x 20 SWG	L.54	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At each end
E.B7.57.277	1" o/d x 22 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B7.57.278	1" o/d x 22 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.A3.57.441	1 1/4" o/d x 20 SWG	L.54	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At one end
E.A3.57.445	1 1/4" o/d x 20 SWG	L.54	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At one end
E.A3.57.451	1 1/4" o/d x 20 SWG	L.54	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At one end
E.A3.57.471	3/8" o/d x 22 SWG	T.26	AGS.952/C	28F8011892	AGS.954/C	28F/8011888	—	—	—	—	At each end
E.A3.57.472	3/8" o/d x 22 SWG	T.26	AGS.952/C	28F8011892	AGS.954/C	28F/8011888	—	—	—	—	At each end
E.A3.57.493	1 1/4" o/d x 22 SWG	L.54	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At one end
E.A3.57.495	1 1/4" o/d x 22 SWG	L.54	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At one end
E.A3.57.497	1 1/4" o/d x 22 SWG	T.26	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At one end
E.A1.57.556	1 1/4" o/d x 20 SWG	L.54	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At one end
E.A1.57.702	1 1/4" o/d x 22 SWG	T.26	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At each end
E.A1.57.703	1 1/4" o/d x 22 SWG	T.26	AGS.952/J	28F/11935	AGS.904/J	28F/9152511	AGS.955/J	28F/13969	—	—	At each end
E.A1.57.704	1 1/4" o/d x 22 SWG	T.26	AGS.952/J	28F/11935	AGS.904/J	28F/9152511	AGS.955/J	28F/13969	—	—	At each end
E.A1.57.705	1 1/4" o/d x 20 SWG	L.56	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	AGS.905/J	28F/4051538	—	—	At each end
E.A1.57.715	1 1/2" o/d x 20 SWG	L.56	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At one end
E.A1.57.717	1 1/2" o/d x 20 SWG	L.56	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At one end
E.A1.57.1127	1 1/2" o/d x 20 SWG	L.56	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At each end
E.A1.57.1267	1 1/2" o/d x 20 SWG	L.56	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At one end
E.A1.57.1269	1 1/2" o/d x 20 SWG	L.56	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At each end

Restricted

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	

Restricted



Pages 1877 to 1886 not issued

THE UNIVERSITY OF CHICAGO

PHYSICS DEPARTMENT

530 SOUTH EAST ASIAN AVENUE

CHICAGO, ILLINOIS 60607

TEL: 773-936-3700

FAX: 773-936-3701

WWW.PHYSICS.UCHICAGO.EDU

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.A1.60.3A	1/2" o/d x 20 SWG	L.56	AGS.952/D	28F/9439532	AGS.904/D	28F/8011820	—	—	—	—	At each end
E.B7.60.11	3/4" o/d x 20 SWG	L.56	AGS.952/F	28F/8011817	AGS.904/F	28F/8011822	—	—	—	—	At each end
E.B7.60.12	3/4" o/d x 20 SWG	L.56	AGS.952/F	28F/8011817	AGS.904/F	28F/8011822	—	—	—	—	At each end
E.B7.60.15	1/2" o/d x 20 SWG	L.56	AGS.952/D	28F/9439532	AGS.904/D	28F/8011820	—	—	—	—	At each end
E.B7.60.17	3/4" o/d x 20 SWG	L.56	AGS.952/F	28F8011817	AGS904/F	28F/8011822	—	—	—	—	At each end
E.B7.60.21	3/4" o/d x 20 SWG	DTD.5019	AGS.952/F	28F/8011817	AGS.954/F	28F/8011881	—	—	—	—	At each end
E.B7.60.22	3/4" o/d x 20 SWG	DTD.5019	AGS.952/F	28F/8011817	AGS.954/F	28F/8011881	—	—	—	—	At each end
E.B7.60.23	3/4" o/d x 20 SWG	T.55	AGS.952/F	28F/8011817	AGS.954/F	28F/8011881	—	—	—	—	At each end
E.B7.60.24	3/4" o/d x 20 SWG	T.55	AGS.952/F	28F/8011817	AGS.954/F	28F/8011881	—	—	—	—	At each end
E.B7.60.25	1/2" o/d x 20 SWG	T.55	AGS.952/E	28F/6355	AGS.954/E	28F/8011880	—	—	—	—	At each end
E.B7.60.26	1/2" o/d x 20 SWG	T.55	AGS.952/E	28F/6355	AGS.954/E	28F/8011880	—	—	—	—	At each end
E.B7.60.27	5/8" o/d x 20 SWG	T.55	AGS.952/E	28F/6355	AGS.954/E	28F/8011880	—	—	—	—	At each end
E.B7.60.28	5/8" o/d x 20 SWG	T.55	AGS.952/E	28F/6355	AGS.954/E	28F/8011880	—	—	—	—	At each end
E.A1.60.139	3/8" o/d x 20 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A1.60.141	3/8" o/d x 20 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A1.60.143	3/8" o/d x 20 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A1.60.149	1/2" o/d x 20 SWG	L.56	AGS.952/D	28F/9439532	AGS.904/D	28F/8011820	—	—	—	—	At each end
E.A1.60.151	1/2" o/d x 20 SWG	L.56	AGS.952/D	28F/9439532	AGS.904/D	28F/8011820	—	—	—	—	At each end
E.A1.60.163	1/2" o/d x 20 SWG	L.56	AGS.952/D	28F/9439532	AGS.904/D	28F/8011820	—	—	—	—	At each end
E.A1.60.165	3/8" o/d x 20 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A1.60.167	3/8" o/d x 20 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A9.60.103	3/8" o/d x 20 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	

Restricted

Restricted

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.A9.61.35	1" o/d x 22 SWG	T.26	AGS.952/H	28F/9486110	AGS.904/H	28F/8011823	AGS.905/H	28F/4051537	—	—	At each end
E.A9.61.36	1" o/d x 22 SWG	T.26	AGS.952/H	28F/9486110	AGS.904/H	28F/8011823	AGS.905/H	28F/4051537	—	—	At each end
E.A9.61.37	1" o/d x 22 SWG	T.26	AGS.952/H	28F/9486110	AGS.904/H	28F/8011823	AGS.905/H	28F/4051537	—	—	At each end
E.A9.61.38	1" o/d x 22 SWG	T.26	AGS.952/H	28F/9486110	AGS.904/H	28F/8011823	AGS.905/H	28F/4051537	—	—	At each end
E.A1.61.41	$\frac{3}{8}$ " o/d x 22 SWG	L.56	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At one end
E.A1.61.42	$\frac{3}{8}$ " o/d x 22 SWG	L.56	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At one end
E.A9.61.65	$\frac{3}{8}$ " o/d x 22 SWG	L.54	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	

Restricted

Restricted

PIPE LINE PARTICULARS

Local manufacture is desired wherever possible. Detailed information is given below.

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.A3.70.61	$\frac{1}{4}$ " o/d x 20 SWG	L.56	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.70.5	$\frac{1}{4}$ " o/d x 20 SWG	L.54	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.70.7	$\frac{1}{4}$ " o/d x 20 SWG	L.56	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.70.9	$\frac{1}{4}$ " o/d x 20 SWG	L.56	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.70.17	$\frac{1}{4}$ " o/d x 20 SWG	L.56	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.70.23	$\frac{1}{4}$ " o/d x 20 SWG	L.56	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.70.227	$\frac{1}{4}$ " o/d x 20 SWG	L.54	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.70.229	$\frac{1}{4}$ " o/d x 20 SWG	L.54	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.70.231	$\frac{1}{4}$ " o/d x 20 SWG	L.56	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.70.237	$\frac{1}{4}$ " o/d x 20 SWG	L.56	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.70.241	$\frac{1}{4}$ " o/d x 20 SWG	L.54	AGS.952/B	28F/9439531	AGS.2111	28F/9717654	—	—	—	—	At each end
E.B6.70.5	$\frac{1}{4}$ " o/d x 20 SWG	L.56	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.C3.70.103	$\frac{3}{8}$ " o/d x 20 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	

Restricted

Restricted

Pages 1893 to 1902 not issued

THE UNIVERSITY OF CHICAGO
LIBRARY

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.A9.71.23	$\frac{1}{8}$ " o/d x 22 SWG	L.54	AGS.904/BB	28F/1015879	AGS.952/BB	28F/9475201	—	—	—	—	At each end
E.A9.71.53	$\frac{1}{8}$ " o/d x 22 SWG	T.51	MK.4A	6D/487	—	6D/790	—	—	—	—	At each end
E.A9.71.55	$\frac{3}{8}$ " o/d x 22 SWG	T.51	MK.4A	6D/487	—	6D/790	—	—	—	—	At each end
E.A9.71.59	$\frac{1}{8}$ " o/d x 22 SWG	T.51	MK.4A	6D/487	—	6D/790	—	—	—	—	At each end
E.A9.71.67	$\frac{3}{8}$ " o/d x 22 SWG	T.51	MK.4A	6D/487	—	6D/790	—	—	—	—	At each end
E.A9.71.69	$\frac{3}{8}$ " o/d x 22 SWG	T.51	MK.4A	6D/487	—	6D/790	—	—	—	—	At each end
E.A9.71.71	$\frac{1}{8}$ " o/d x 22 SWG	T.51	MK.4A	6D/487	—	6D/790	—	—	—	—	At each end
E.A9.71.73	$\frac{1}{8}$ " o/d x 22 SWG	T.51	MK.4A	6D/487	—	6D/790	—	—	—	—	At each end
E.A9.71.75	$\frac{3}{8}$ " o/d x 22 SWG	T.51	MK.4A	6D/487	—	6D/790	—	—	—	—	At each end
E.A9.71.77	$\frac{1}{8}$ " o/d x 22 SWG	T.51	MK.4A	6D/487	—	6D/790	—	—	—	—	At each end
E.A9.71.79	$\frac{3}{8}$ " o/d x 22 SWG	T.51	MK.4A	6D/487	—	6D/790	—	—	—	—	At each end
E.A9.71.81	$\frac{1}{8}$ " o/d x 22 SWG	T.51	MK.4A	6D/1641	AGS.217/A	28M/9996121	—	—	—	—	At each end
E.A9.71.83	$\frac{3}{8}$ " o/d x 22 SWG	T.51	MK.4A	6D/487	—	6D/790	—	—	—	—	At each end
E.A9.71.87	$\frac{1}{8}$ " o/d x 22 SWG	T.51	MK.4A	6D/487	—	6D/790	—	—	—	—	At each end
E.A9.71.89	$\frac{1}{8}$ " o/d x 22 SWG	T.51	MK.4A	6D/487	—	6D/790	—	—	—	—	At each end
E.A9.71.91	$\frac{3}{8}$ " o/d x 22 SWG	T.51	MK.4A	6D/487	—	6D/790	—	—	—	—	At each end
E.A9.71.95	$\frac{1}{8}$ " o/d x 22 SWG	T.51	MK.4A	6D/487	—	6D/790	—	—	—	—	At each end
E.A9.71.97	$\frac{1}{8}$ " o/d x 22 SWG	T.51	MK.4A	6D/487	—	6D/790	—	—	—	—	At each end
E.A9.71.105	$\frac{3}{8}$ " o/d x 22 SWG	T.51	MK.4A	6D/487	—	6D/790	—	—	—	—	At each end
E.A9.71.109	$\frac{1}{8}$ " o/d x 22 SWG	T.51	MK.4A	6D/487	—	6D/790	—	—	—	—	At each end
E.A9.71.131	$\frac{1}{8}$ " o/d x 22 SWG	T.9	AGS.952/BB	28F/9475201	AGS.904/BB	28F/1015879	—	—	—	—	At each end
E.A9.71.133	$\frac{3}{8}$ " o/d x 22 SWG	T.9	AGS.952/BB	28F/9475201	AGS.904/BB	28F/1015879	—	—	—	—	At each end
E.A9.71.135	$\frac{1}{8}$ " o/d x 22 SWG	T.9	AGS.952/BB	28F/9475201	AGS.904/BB	28F/1015879	—	—	—	—	At each end

Restricted

PIPE LINES PARTICULARS


Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.A9.71.139	$\frac{3}{8}$ " o/d x 22 SWG	T.9	AGS.952/BB	28F/9475201	AGS.904/BB	28F/1015879	—	—	—	—	At each end
E.A9.71.171	$\frac{3}{8}$ " o/d x 22 SWG	T.51	MK.4A	6D/487	—	6D/790	—	—	—	—	At each end
E.A9.71.173	$\frac{3}{8}$ " o/d x 22 SWG	T.51	MK.4A	6D/487	—	6D/790	—	—	—	—	At each end
E.A9.71.259	$\frac{3}{8}$ " o/d x 22 SWG	T.51	MK.4A	6D/487	—	6D/790	—	—	—	—	At each end
E.A9.71.261	$\frac{3}{8}$ " o/d x 22 SWG	T.51	MK.4A	6D/487	—	6D/790	—	—	—	—	At each end
E.A9.71263	$\frac{3}{8}$ " o/d x 22 SWG	T.51	MK.4A	6D/487	—	6D/790	—	—	—	—	At each end
E.A9.71.285	$\frac{3}{8}$ " o/d x 22 SWG	T.51	MK.4A	6D/487	—	6D/790	—	—	—	—	At each end
E.A9.71.289	$\frac{3}{8}$ " o/d x 22 SWG	T.51	MK.4A	6D/487	—	6D/790	—	—	—	—	At each end
E.A9.71.291	$\frac{3}{8}$ " o/d x 22 SWG	T.51	MK.4A	6D/487	—	6D/790	—	—	—	—	At each end
E.A9.71.293	$\frac{3}{8}$ " o/d x 22 SWG	T.51	MK.4A	6D/487	—	6D/790	—	—	—	—	At each end
E.A9.71.323	$\frac{3}{8}$ " o/d x 22 SWG	T.51	MK.4A	6D/487	—	6D/790	—	—	—	—	At each end
E.A9.71.363	$\frac{3}{8}$ " o/d x 22 SWG	T.51	MK.4A	6D/487	—	6D/790	—	—	—	—	At each end
E.A9.71.391	$\frac{3}{8}$ " o/d x 22 SWG	T.51	MK.4	6D/487	—	6D/113	—	—	—	—	At each end
E.A9.71.393	$\frac{3}{8}$ " o/d x 22 SWG	T.51	MK.4A	6D/487	—	6D/790	—	—	—	—	At each end

Restricted

1905 (A to 19)

Pages 1907 to 1916 not issued



PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.A9.73.33	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.B6.73.33	$\frac{3}{16}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.B7.73.33	$\frac{3}{16}$ " o/d x 24 SWG	L.56	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A9.73.37	$\frac{1}{4}$ " o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.39	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.B7.73.39	$\frac{1}{4}$ " o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.41	$\frac{1}{4}$ " o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.B7.73.41	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.43	$\frac{1}{4}$ " o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.47	$\frac{3}{16}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A9.73.49	$\frac{3}{16}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A9.73.51	$\frac{3}{8}$ " o/d x 20 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A9.73.57	$\frac{3}{16}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A9.73.61	$\frac{1}{4}$ " o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.B7.73.61	$\frac{3}{16}$ " o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A9.73.63	$\frac{1}{4}$ " o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.65	$\frac{1}{4}$ " o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.B7.73.65	$\frac{3}{16}$ " o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A9.73.67	$\frac{1}{4}$ " o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.B6.73.67	$\frac{3}{16}$ " o/d x 22 SWG	DTD.5019	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A9.73.69	$\frac{1}{4}$ " o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.B6.73.69	$\frac{1}{4}$ " o/d x 24 SWG	DTD.5019	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.B7.73.69	$\frac{3}{16}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.B7.73.71	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.73	$\frac{3}{16}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.B7.73.73	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.75	$\frac{3}{16}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.B6.73.75	$\frac{3}{16}$ " o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A9.73.79	$\frac{3}{16}$ " o/d x 20 SWG	L.56	AGS.952/E	28F/8011816	AGS.904/E	28F/8011821	—	—	—	—	At each end
E.B6.73.85	$\frac{3}{16}$ " o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.B6.73.93	$\frac{3}{16}$ " o/d x 20 SWG	L.56	AGS.952/E	28F/8011816	AGS.904/E	28F/8011821	—	—	—	—	At each end
E.B6.73.97	$\frac{3}{16}$ " o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B6.73.99	$\frac{3}{16}$ " o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A6.73.107	$\frac{3}{16}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A6.73.108	$\frac{3}{16}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.B6.73.109	$\frac{3}{16}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.B6.73.111	$\frac{3}{16}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A6.73.113	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.B7.73.113	$\frac{1}{4}$ " o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A6.73.114	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A6.73.115	$\frac{3}{16}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.B7.73.115	$\frac{3}{16}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end

Restricted

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.A6.73.116	$\frac{3}{16}$ " o/d x 24-SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.B6.73.117	$\frac{3}{16}$ " o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B6.73.119	$\frac{3}{16}$ " o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B6.73.121	$\frac{3}{16}$ " o/d x 22 SWG	DTD.5019	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B6.73.123	$\frac{3}{16}$ " o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B6.73.127	$\frac{3}{16}$ " o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B6.73.131	$\frac{1}{4}$ " o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.133	$\frac{1}{4}$ " o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.B6.73.133	$\frac{3}{16}$ " o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A9.73.135	$\frac{1}{4}$ " o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.B6.73.135	$\frac{3}{16}$ " o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A9.73.137	$\frac{1}{4}$ " o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.B6.73.137	$\frac{3}{16}$ " o/d x 24-SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A9.73.139	$\frac{1}{2}$ " o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.B6.73.139	$\frac{1}{2}$ " o/d x 20 SWG	L.56	AGS.952/D	28F/9439532	AGS.904/D	28F/8011820	—	—	—	—	At each end
E.A9.73.141	$\frac{1}{4}$ " o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.B6.73.141	$\frac{1}{2}$ " o/d x 20 SWG	L.56	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A9.73.143	$\frac{1}{4}$ " o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.B6.73.143	$\frac{3}{16}$ " o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B6.73.145	$\frac{1}{4}$ " o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.B6.73.147	$\frac{3}{16}$ " o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.B6.73.149	1 1/4" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A9.73.151	1 1/4" o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.B6.73.153	1 3/8" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B6.73.155	1 1/2" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B6.73.157	1 1/2" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B6.73.159	1 1/2" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B6.73.161	1 1/2" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A9.73.169	1 1/2" o/d x 20 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A9.73.171	1 1/2" o/d x 20 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A9.73.173	1 1/2" o/d x 20 SWG	DTD.323	AGS.952/E	28F/8011816	AGS.904/E	28F/8011821	—	—	—	—	At each end
E.B6.73.175	1 1/2" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.181	1 1/2" o/d 20 SWG	L.56	AGS.952/F	28F/8011817	AGS.904/F	28F/8011822	—	—	—	—	At each end
E.B6.73.181	1 1/2" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A9.73.183	1 1/2" o/d x 20 SWG	L.56	AGS.952/D	28F/9439532	AGS.904/D	28F/8011820	—	—	—	—	At each end
E.B6.73.183	1 1/2" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A9.73.185	1 1/2" o/d x 20 SWG	L.56	AGS.952/D	28F/9439532	AGS.904/D	28F/8011820	—	—	—	—	At each end
E.B6.73.185	1 1/2" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A9.73.189	1 1/2" o/d x 22 SWG	L.56	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.B6.73.189	1 1/2" o/d x 20 SWG	L.56	AGS.952/E	28F/8011816	AGS.904/E	28F/8011821	—	—	—	—	At each end
E.A9.73.193	1 1/2" o/d x 22 SWG	L.56	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end

Restricted

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.A9.73.195	1/4" o/d x 22 SWG	L.56	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.197	1/4" o/d x 22 SWG	L.56	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.199	1/4" o/d x 20 SWG	L.56	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.201	3/8" o/d x 24 SWG	L.56	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A9.73.211	3/8" o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A9.73.213	3/8" o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A9.73.215	3/8" o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A3.73.223	3/8" o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A3.73.227	1/2" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A3.73.229	1/2" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A3.73.231	1/2" o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A3.73.233	1/2" o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.233	3/8" o/d x 20 SWG	L.56	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A3.73.235	1/2" o/d x 22 SWG	DTD.323	AGS.952/E	28F/8011816	AGS.904/E	28F/8011821	—	—	—	—	At each end
E.A3.73.243	1/2" o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A3.73.245	1/2" o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.245	1/2" o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.247	1/2" o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.249	1/2" o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end

Restricted

Restricted

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.A9.73.251	1 1/8" o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.257	3/8" o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A4.73.265	1 1/8" o/d x 22 SWG	DTD.743	AGS.952/C	28F/8011892	AGS.954/C	28F/8011888	—	—	—	—	At each end
E.A4.73.271	1 1/8" o/d x 22 SWG	DTD.743	AGS.952/C	28F/8011892	AGS.954/C	28F/8011888	—	—	—	—	At each end
E.A9.73.279	1 1/8" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A1.73.281A	1 1/8" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A1.73.281B	1 1/8" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A1.73.281E	1 1/8" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A1.73.281F	1 1/8" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A1.73.282A	1 1/8" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A1.73.282B	1 1/8" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A1.73.282E	1 1/8" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A1.73.282F	1 1/8" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.293	1 1/8" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A9.73.294	1 1/8" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A9.73.295	1 1/8" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A9.73.296	1 1/8" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A9.73.297	1 1/8" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A9.73.299	1 1/8" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A9.73.305	3/8" o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.A9.73.306	1 1/8" o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A9.73.311	1 1/8" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A9.73.313	1 1/8" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A1.73.331	1 1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A1.73.333	1 1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A3.73.333	1 1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.B6.73.333	1 1/4" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.B6.73.335	1 1/4" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A1.73.337	1 1/8" o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A3.73.337	1 1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A1.73.339	1 1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A3.73.339	1 1/8" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A1.73.343	1 1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A3.73.343	1 1/8" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A1.73.345	1 1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A1.73.347	1 1/8" o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A3.73.347	1 1/8" o/d x 20 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A1.73.349	1 1/8" o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A3.73.349	1 1/8" o/d x 20 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A1.73.351	1 1/8" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.A3.73.351	1/2" o/d x 20 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A1.73.353	3/8" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A3.73.353	3/8" o/d x 20 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A1.73.355	3/8" o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A3.73.355	1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A1.73.357	3/8" o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A1.73.361	1/4" o/d x 20 SWG	L.56	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.B7.73.361	3/8" o/d x 22 SWG	DTD.743	AGS.952/C	28F/8011892	AGS.954/C	28F/8011888	—	—	—	—	At each end
E.A1.73.363	3/8" o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.B7.73.363	3/8" o/d x 22 SWG	DTD.743	AGS.952/C	28F/8011892	AGS.954/C	28F/8011888	—	—	—	—	At each end
E.A1.73.365	3/8" o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.B7.73.365	3/8" o/d x 22 SWG	DTD.743	AGS.952/C	28F/8011892	AGS.954/C	28F/8011888	—	—	—	—	At each end
E.A1.73.367	3/8" o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.B7.73.367	3/8" o/d x 22 SWG	DTD.743	AGS.952/C	28F/8011892	AGS.954/C	28F/8011888	—	—	—	—	At each end
E.A1.73.369	3/8" o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.B7.73.369	3/8" o/d x 22 SWG	DTD.743	AGS.952/C	28F/8011892	AGS.954/C	28F/8011888	—	—	—	—	At each end
E.A1.73.371	3/8" o/d x 24 SWG	DTD.743	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A1.73.373	3/8" o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A3.73.375	5/8" o/d x 20 SWG	L.56	AGS.952/E	28F/8011816	AGS.904/E	28F/8011821	—	—	—	—	At each end
E.A3.73.383	5/8" o/d x 20 SWG	L.56	AGS.952/E	28F/8011816	AGS.904/E	28F/8011821	—	—	—	—	At each end

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.A3.73.411	1 1/2" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A3.73.413	1 1/2" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A3.73.417	1 1/2" o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A3.73.419	1 1/2" o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A3.73.421	1 1/2" o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A3.73.423	1 1/2" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A3.73.425	1 1/2" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A3.73.427	1 1/2" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A3.73.429	1 1/2" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A3.73.431	1 1/2" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A3.73.433	1 1/2" o/d x 20 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A3.73.437	1 1/2" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A3.73.439	1 1/2" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A3.73.443	1 1/2" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A3.73.445	1 1/2" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A3.73.447	1 1/2" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A3.73.449	1 1/2" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A3.73.451	1 1/2" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A3.73.453	1 1/2" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.A3.73.455	$\frac{3}{8}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A3.73.467	$\frac{3}{8}$ " o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A3.73.469	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A3.73.471	$\frac{3}{8}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A3.73.473	$\frac{3}{8}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A3.73.475	$\frac{3}{8}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A3.73.479	$\frac{3}{8}$ " o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A9.73.489	$\frac{3}{8}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A3.73.499	$\frac{3}{8}$ " o/d x 20 SWG	L.56	AGS.952/E	28F/8011816	AGS.904/E	28F/8011821	—	—	—	—	At each end
E.A3.73.513	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
EA3.73.515	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A3.73.517	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A3.73.519	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.521	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
or E.A1.73.92F											
E.A9.73.523	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
or E.A1.73.92E											
E.A9.73.525	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
or E.A1.73.91G											

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.A9.73.526 or E.A1.73.92H	1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.527 or E.A1.73.91H	1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.528 or E.A1.73.92G	1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.529 or E.A1.73.92J	1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.531 or E.A1.73.92K	1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A3.73.537	3/8" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A3.73.538	3/8" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A3.73.543	3/8" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A3.73.544	3/8" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end

Restricted

Restricted

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Mati. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.A9.73.547 or E.A1.73.91F	1/4" o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A3.73.549	1/4" o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.549 or E.A1.73.91E	1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A3.73.550	1/4" o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.551 or E.A1.73.91J	1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A3.73.553	1/4" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A9.73.553 or E.A1.73.91K	1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A3.73.554	3/8" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A3.73.555	1/2" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A3.73.557	3/8" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A3.73.561	1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.561	1/4" o/d x 24 SWG	DTD.477	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.A3.73.562	1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.562	1/4" o/d x 24 SWG	DTD.477	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.563	1/4" o/d x 24 SWG	DTD.477	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.564	1/4" o/d x 24 SWG	DTD.477	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.565 or E.A1.73.283C	1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.566 or E.A1.73.284C	1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.567 or E.A1.73.283D	1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.568 or E.A1.73.284D	1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.569 or E.A1.73.283E	1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end

Restricted

Restricted

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.A9.73.570 or E.A1.73.284E	1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.571 or E.A1.73.283F	1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.572 or E.A1.73.284F	1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.573	1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.574	1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.575	1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.576	1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.577 or E.A1.73.283J	1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.578 or E.A1.73.284J	1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.A9.73.579 or E.A1.73.283K E.A9.73.580 or E.A1.73.284K	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.585 E.B6.73.601 E.B6.73.605 E.A9.73.607 E.B6.73.607	$\frac{1}{4}$ " o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.609 E.A9.73.619 E.A9.73.621 E.B6.73.625 E.A3.73.637 E.A3.73.645 E.A3.73.647 E.A3.73.648 E.A3.73.649	$\frac{3}{8}$ " o/d x 20 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
	$\frac{1}{2}$ " o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
	$\frac{1}{2}$ " o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
	$\frac{1}{2}$ " o/d x 20 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
	$\frac{1}{2}$ " o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
	$\frac{1}{2}$ " o/d x 20 SWG	L.56	AGS.952/D	28F/9439532	AGS.904/D	28F/8011820	—	—	—	—	At each end
	$\frac{1}{2}$ " o/d x 20 SWG	L.56	AGS.952/D	28F/9439532	AGS.904/D	28F/8011820	—	—	—	—	At each end
	$\frac{1}{2}$ " o/d x 20 SWG	L.56	AGS.952/D	28F/9439532	AGS.904/D	28F/8011820	—	—	—	—	At each end
	$\frac{1}{2}$ " o/d x 22 SWG	DTD.5019	AGS.952/C	28E/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
	$\frac{1}{2}$ " o/d x 24 SWG	L.56	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
	$\frac{3}{8}$ " o/d x 20 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
	$\frac{3}{16}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
	$\frac{3}{16}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
	$\frac{3}{16}$ " o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.A9.73.649	¼" o/d x 20 SWG	L.56	AGS.952/F	28F/8011817	AGS.904/F	28F/8011822	—	—	—	—	At each end
E.A3.73.650	⅜" o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A3.73.651	⅜" o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A9.73.651	¼" o/d x 20 SWG	L.56	AGS.952/F	28F/8011817	AGS.904/F	28F/8011822	—	—	—	—	At each end
E.A3.73.652	⅜" o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A9.73.653	½" o/d x 20 SWG	L.56	AGS.952/D	28F/9439532	AGS.904/D	28F/8011820	—	—	—	—	At each end
E.A3.73.655	⅜" o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A9.73.655	¼" o/d x 20 SWG	L.72	AGS.952/F	28F/8011817	AGS.904/F	28F/8011822	—	—	—	—	At each end
E.A3.73.657	¼" o/d x 20 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A3.73.659	¼" o/d x 20 SWG	L.56	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A3.73.661	¼" o/d x 20 SWG	L.56	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A3.73.663	⅜" o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A3.73.667	⅜" o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A3.73.671	⅜" o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A3.73.673	⅜" o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A9.73.673	¼" o/d x 22 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.675	¼" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.677	¼" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.679	¼" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.681	¼" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end

Restricted

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.A.9.73.683	1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A.9.73.685	3/8" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A.9.73.695	3/8" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A.3.73.703	3/8" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A.3.73.705	3/8" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A.9.73.709	1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
or E.A.1.73.91A											
E.A.9.73.711	1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
or E.A.1.73.91B											
E.A.9.73.715	1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
or E.A.1.73.91C											
E.A.9.73.717	1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
or E.A.1.73.91D											
E.A.9.73.719	1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
or E.A.1.73.92A											

Restricted

Restricted

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Mati. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.A9.73.721 or E.A1.73.92B	1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A3.73.729	3/16" o/d x 24 SWG	L.56	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A3.73.730	3/16" o/d x 22 SWG	L.56	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A9.73.733 or E.A1.73.92C	1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.735 or E.A1.73.92D	1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A3.73.741	1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.741	3/8" o/d x 22 SWG	DTD.5019	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A3.73.743	1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.743	1/2" o/d x 20 SWG	L.56	AGS.952/D	28F/9439532	AGS.904/D	28F/8011820	—	—	—	—	At each end
E.A3.73.745	1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.745	3/8" o/d x 22 SWG	DTD.743	AGS.952/C	28F/8011892	AGS.954/C	28F/8011888	—	—	—	—	At each end
E.A3.73.747	1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.747	3/8" o/d x 22 SWG	DTD.743	AGS.952/C	28F/8011892	AGS.954/C	28F/8011888	—	—	—	—	At each end
E.A3.73.749	1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.73.751	3/16" o/d x 22 SWG	DTD.5019	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
	1/4" o/d x 22 SWG	DTD.5019	AGS.952/B	28F/9434531	AGS.2111/B	28F/9717654	—	—	—	—	At each end
E.A9.73.752	3/16" o/d x 22 SWG	DTD.5019	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
	1/4" o/d x 22 SWG	DTD.5019	AGS.952/B	28F/9434531	AGS.2111/B	28F/9717654	—	—	—	—	At each end
E.A3.73.753	1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.A.3.73.755	1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A.3.73.757	1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A.3.73.761	3/16" o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A.3.73.763	1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A.3.73.769	1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A.3.73.771	1/4" o/d x 24 SWG	DTD.323	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A.3.73.777	3/16" o/d x 24 SWG	DTD.5019	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A.3.73.779	3/8" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A.3.73.787	3/16" o/d x 24 SWG	DTD.323	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A.3.73.799	3/8" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A.3.73.801	3/8" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A.3.73.807	3/16" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A.3.73.808	3/16" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A.3.73.811	3/16" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A.3.73.817	3/16" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A.3.73.818	3/8" o/d x 22 SWG	DTD.323	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A.3.73.911	3/8" o/d x 22 SWG	DTD.743	AGS.952/C	28F/8011892	AGS.954/C	28F/8011888	—	—	—	—	At each end
E.A.3.73.913	3/16" o/d x 22 SWG	DTD.743	AGS.952/C	28F/8011892	AGS.954/C	28F/8011888	—	—	—	—	At each end
E.A.3.73.5135	3/8" o/d x 22 SWG	DTD.5019	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A.3.73.5137	3/8" o/d x 22 SWG	DTD.5019	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At each end
E.A.3.73.5139	3/16" o/d x 24 SWG	DTD.5019	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A.3.73.5140	3/16" o/d x 24 SWG	DTD.5019	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	

Restricted

Restricted



PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.A9.74.85	3" o/d x 20 SWG	L:54	EEAS.94/8	—	—	—	—	—	—	—	At each end
E.A9.74.149	1" o/d x 20 SWG	L:59	EEAS.94/6	—	—	—	—	—	—	—	At one end

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	

Restricted

Restricted



Pages 1943 to 1952 not issued

~~1937 to 1952~~

1939



PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.A9.75.109	¼" o/d x 22 SWG	L.56	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.75.133	¼" o/d x 20 SWG	L.56	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	AGS.1142/B	28F/8011885	—	—	At each end
E.B6.75.151	1½" o/d x 20 SWG	L.54	AGS.952/K	28F/9517924	AGS.954/K	28F/9155212	AGS.905/K	28F/13616	—	—	At each end
E.B6.75.201	1¼" o/d x 20 SWG	L.56	AGS.952/J	28F/11935	AGS.954/J	28F/9152511	AGS.904/J	28F/9563150	—	—	At each end
E.B6.75.203	1¼" o/d x 20 SWG	L.56	AGS.952/J	28F/11935	AGS.954/J	28F/9152511	—	—	—	—	At each end
E.B6.75.205	1¼" o/d x 20 SWG	L.56	AGS.952/J	28F/11935	AGS.954/J	28F/9152511	AGS.904/J	28F/5726	—	—	At each end
E.B6.75.209	1¼" o/d x 20 SWG	L.56	AGS.952/J	28F/11935	AGS.954/J	28F/9152511	—	—	—	—	At each end
E.B6.75.215	1¼" o/d x 20 SWG	L.56	AGS.952/J	28F/11935	AGS.954/J	28F/9152511	AGS.905/J	28F/4051538	—	—	At each end
E.B6.75.219	1¼" o/d x 20 SWG	L.56	AGS.952/J	28F/11935	AGS.954/J	28F/9152511	AGS.905/J	28F/4051538	—	—	At each end
E.B6.75.231	1½" o/d x 22 SWG	T.26	E.B6.75.241	—	—	—	—	—	—	—	At each end
E.B6.75.233	1½" o/d x 20 SWG	T.26	AGS.952/J	28F/11935	AGS.954/J	28F/9152511	—	—	—	—	At each end
E.B6.75.237	1½" o/d x 22 SWG	T.26	E.B6.75.241	—	—	—	—	—	—	—	At each end
E.B6.75.239	1½" o/d x 22 SWG	T.26	E.B6.75.241	—	E.B6.75.263	—	—	—	—	—	At each end
E.B4.75.275	1" o/d x 22 SWG	L.54	AGS.952/H	28F/9486110	AGS.904/H	28F/8011823	—	—	—	—	At each end
E.A9.75.291	¾" o/d x 20 SWG	L.56	AGS.952/F	28F/8011817	AGS.904/F	28F/8011822	AGS.955/F	28F/1051099	—	—	At each end
E.A9.75.293	¾" o/d x 20 SWG	L.56	AGS.952/F	28F/8011817	AGS.904/F	28F/8011822	AGS.955/F	28F/1051099	—	—	At each end
E.A9.75.295	¾" o/d x 20 SWG	L.56	AGS.952/F	28F/8011817	AGS.904/F	28F/8011822	—	—	—	—	At each end
E.A9.75.297	¾" o/d x 20 SWG	L.56	AGS.952/F	28F/8011817	AGS.904/F	28F/8011822	—	—	—	—	At each end
E.A9.75.299	¾" o/d x 20 SWG	L.56	AGS.952/F	28F/8011817	AGS.904/F	28F/8011822	AGS.955/F	28F/1051099	—	—	At each end
E.A9.75.301	⅝" o/d x 22 SWG	L.56	AGS.952/A	28F/8011890	AGS.954/A	28F/8011891	—	—	—	—	At each end
E.A9.75.303	¾" o/d x 20 SWG	L.56	AGS.952/F	28F/8011817	AGS.904/F	28F/8011822	AGS.1218/F	28F/11287	—	—	At each end
E.A9.75.305	⅝" o/d x 22 SWG	L.56	AGS.952/A	28F/8011890	AGS.954/A	28F/8011891	—	—	—	—	At each end
E.A9.75.309	⅝" o/d x 22 SWG	L.56	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	AGS.954/A	28F/8011891	—	—	At each end
E.A9.75.311	⅝" o/d x 22 SWG	L.56	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	AGS.954/A	28F/8011891	—	—	At each end
E.A9.75.365	¼" o/d x 22 SWG	L.56	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	AGS.954/B	28F/9439527	—	—	At each end

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.A9.75.381	¾" o/d x 20 SWG	L.56	AGS.952/F	28F/8011817	AGS.955/F	28F/4051761	AGS.954/F	28F/8011881	—	—	At one end
E.A9.75.383	¾" o/d x 20 SWG	L.56	AGS.952/F	28F/8011817	AGS.955/F	28F/4051761	AGS.954/F	28F/8011881	—	—	At one end
E.B6.75.403	1¼" o/d x 22 SWG	L.56	AGS.952/K	28F/9517924	AGS.954/K	28F/9155212	E.B6.75.241	—	—	—	At each end
E.B6.75.405	1½" o/d x 22 SWG	T.26	AGS.952/K	28F/9517924	AGS.954/K	28F/9155212	E.B6.75.241	—	—	—	At each end
E.A9.75.413	¾" o/d x 20 SWG	L.56	AGS.952/F	28F/8011817	AGS.904/F	28F/8011822	—	—	—	—	At each end
E.A9.75.425	1½" o/d x 20 SWG	T.26	AGS.952/K	28F/9517924	AGS.954/K	28F/9155212	AGS.1142/K	28F/9517920	—	—	At each end
E.A9.75.429	1¼" o/d x 22 SWG	T.26	AGS.952/J	28F/11935	AGS.954/J	28F/9152511	—	—	—	—	At each end
E.A9.75.447	1½" o/d x 20 SWG	L.56	AGS.952/K	28F/9517924	AGS.954/K	28F/9155212	AGS.905/K	28F/13616	—	—	At one end
E.B6.75.457	1½" o/d x 20 SWG	L.56	AGS.952/K	28F/9517924	AGS.954/K	28F/9155212	AGS.905/K	28F/13616	—	—	At each end
E.B6.75.461	1½" o/d x 22 SWG	T.26	E.B6.75.241	—	—	—	—	—	—	—	At each end
E.B6.75.467	1½" o/d x 20 SWG	L.54	E.B6.75.553	—	E.B6.75.551	—	E.B6.75.473	—	—	—	At each end
E.B6.75.469	1½" o/d x 20 SWG	L.54	E.B6.75.553	—	E.B6.75.551	—	E.B6.75.473	—	—	—	At each end
E.B6.75.471	1½" o/d x 20 SWG	L.54	E.B6.75.553	—	—	—	—	—	—	—	At each end
E.B6.75.475	1½" o/d x 20 SWG	L.56	AGS.952/K	28F/9517924	AGS.954/K	28F/9155212	—	—	—	—	At each end
E.B6.75.503	1½" o/d x 20 SWG	L.54	AGS.952/K	28F/9517924	AGS.954/K	28F/9155212	AGS.905/K	28F/13616	—	—	At each end
E.B6.75.505	1½" o/d x 20 SWG	L.54	AGS.1142/K	28F/9517920	AGS.1170/K	28F/12071	—	—	—	—	At each end
			AGS.952/K	28F/9517924	AGS.954/K	28F/9155212	AGS.1142/K	28F/9517920	—	—	At each end
			AGS.1170/K	28F/12071	—	—	—	—	—	—	At each end
E.A3.75.511	1½" o/d x 20 SWG	L.54	AGS.952/K	28F/9517924	AGS.904/K	28F/11931	AGS.905/K	28F/13616	—	—	At one end
E.A3.75.513	1½" o/d x 20 SWG	L.54	AGS.952/K	28F/9517924	AGS.904/K	28F/11931	AGS.905/K	28F/13616	—	—	At one end

Restricted

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.B6.75.583	1" o/d x 20 SWG	L.56	AGS.952/H	28F/9486110	AGS.904/H	28F/8011823	—	—	—	—	At each end
E.B6.75.615	1 1/4" o/d x 20 SWG	L.56	AGS.952/J	28F/11935	AGS.904/J	28F/9563150	—	—	—	—	At one end
E.A9.75.625	3/4" o/d x 20 SWG	L.56	AGS.952/F	28F/8011817	AGS.904/F	28F/8011822	AGS.954/F	28F/8011881	—	—	At one end
E.A9.75.627	3/4" o/d x 20 SWG	L.56	AGS.952/F	28F/8011817	AGS.954/F	28F/8011881	—	—	—	—	At one end
E.A9.75.643	1 1/2" o/d x 20 SWG	L.54	AGS.952/K	28F/9517924	AGS.904/K	28F/11931	E.A9.75.395	—	—	—	At one end
E.B6.75.737	1 1/4" o/d x 20 SWG	L.54	E.B6.75.813	—	—	—	—	—	—	—	At each end
E.B6.75.739	1 1/4" o/d x 20 SWG	L.54	E.B6.75.813	—	E.B6.75.811	—	—	—	—	—	At one end
E.B6.75.741	1 1/2" o/d x 20 SWG	L.54	E.B6.75.553	—	E.B6.75.811	—	—	—	—	—	—
E.A9.75.783	1 1/2" o/d x 20 SWG	L.54	E.B6.75.551	—	E.B6.75.553	—	—	—	—	—	At each end
E.B6.75.783	1 1/2" o/d x 20 SWG	T.26	E.B6.75.241	—	AGS.955/K	—	E.B6.75.271	—	—	—	At one end
E.B6.75.817	1 1/2" o/d x 22 SWG	T.26	AGS.952/K	28F/9517924	AGS.954/K	28F/9155212	E.B6.75.1001	—	—	—	—
E.B6.75.819	1 1/2" o/d x 22 SWG	T.26	E.B6.75.241	—	E.B6.75.271	—	E.B6.75.1001	—	—	—	—
E.B6.75.835	1/4" o/d x 22 SWG	L.56	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.B6.75.837	1/4" o/d x 22 SWG	L.56	AGS.952/B	28F/9439531	AGS.904/B	28F/8011819	—	—	—	—	At each end
E.A9.75.879	1" o/d x 20 SWG	L.54	AGS.952/H	28F/9486110	AGS.904/H	28F/8011823	AGS.905/H	28F/4051537	—	—	An one end
E.A9.75.947	1" o/d x 20 SWG	L.56	AGS.952/H	28F/9486110	AGS.904/H	28F/8011823	AGS.905/H	28F/4051537	—	—	—
E.A9.75.949	1" o/d x 20 SWG	L.56	AGS.952/H	28F/9486110	AGS.904/H	28F/8011823	—	—	—	—	At each end
E.A9.75.957	1" o/d x 20 SWG	L.56	AGS.952/H	28F/9486110	AGS.904/H	28F/8011823	AGS.905/H	28F/4501537	—	—	—
E.A9.75.10027	1 1/4" o/d x 20 SWG	L.56	AGS.952/J	28F/11935	AGS.954/J	28F/9152511	AGS.905/J	28F/5720	—	—	—
E.A9.75.10029	1 1/4" o/d x 20 SWG	L.56	AGS.952/J	28F/11935	AGS.954/J	28F/9152511	—	—	—	—	At each end
E.A9.75.10031	1" o/d x 20 SWG	L.56	AGS.952/H	28F/9486110	AGS.904/H	28F/8011823	AGS.905/H	28F/4051537	—	—	—
E.A9.75.10033	1" o/d x 20 SWG	L.56	AGS.952/H	28F/9486110	AGS.904/H	28F/8011823	AGS.905/H	28F/4051537	—	—	—
E.A9.75.10035	1" o/d x 20 SWG	L.56	AGS.952/H	28F/9486110	AGS.904/H	28F/8011823	AGS.905/H	28F/4051537	—	—	—
E.A9.75.10037	1" o/d x 20 SWG	L.56	AGS.952/H	28F/9486110	AGS.904/H	28F/8011823	AGS.905/H	28F/4051537	—	—	—
E.A9.75.10039	1" o/d x 20 SWG	L.56	AGS.952/H	28F/9486110	AGS.904/H	28F/8011823	AGS.905/H	28F/4051537	—	—	—
E.A9.75.10041	1" o/d x 20 SWG	L.56	AGS.952/H	28F/9486110	AGS.904/H	28F/8011823	AGS.905/H	28F/4051537	—	—	—
E.A9.75.10043	1" o/d x 20 SWG	L.56	AGS.952/H	28F/9486110	AGS.904/H	28F/8011823	—	—	—	—	At each end
E.A9.75.10045	1" o/d x 20 SWG	L.56	AGS.952/H	28F/9486110	AGS.904/H	28F/8011823	—	—	—	—	At each end
E.A9.75.10053	1" o/d x 20 SWG	L.56	AGS.952/H	28F/9486110	AGS.904/H	28F/8011823	—	—	—	—	At each end

Restricted

Restricted

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.A9.75.10055	1" o/d x 20 SWG	L.56	AGS.952/H	28F/9486110	AGS.904/H	28F/8011823	—	—	—	—	At each end
E.A9.75.10057	1" o/d x 20 SWG	L.56	AGS.952/H	28F/9486110	AGS.904/H	28F/8011823	AGS.905/H	28F/4051537	—	—	—
E.A9.75.10059	1" o/d x 20 SWG	L.56	AGS.952/H	28F/9486110	AGS.904/H	28F/8011823	AGS.905/H	28F/4051537	—	—	—
E.A9.75.10061	1" o/d x 20 SWG	L.56	AGS.952/H	28F/9486110	AGS.904/H	28F/8011823	AGS.905/H	28F/4051537	—	—	—
E.A9.75.10063	1 3/8" o/d x 22 SWG	L.54	AGS.952/A	28F/8011890	AGS.904/A	28F/9128936	—	—	—	—	At each end
E.A9.75.10069	1" o/d x 20 SWG	L.56	AGS.905/H	28F/4051537	—	—	—	—	—	—	At each end
E.A9.75.10071	1" o/d x 20 SWG	L.56	AGS.952/H	28F/9486110	AGS.904/H	28F/8011823	—	—	—	—	At each end
E.A9.75.10073	1" o/d x 20 SWG	L.56	AGS.905/H	28F/4051537	—	—	—	—	—	—	At each end
E.A9.75.10075	1" o/d x 20 SWG	L.56	AGS.952/H	28F/9486110	AGS.904/H	28F/8011823	—	—	—	—	At each end
E.A9.75.10081	1" o/d x 20 SWG	L.56	AGS.905/H	28F/4051537	—	—	—	—	—	—	At each end

Pages 1957 to 1966 not issued

1950-1951

PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.C3.76.7	1 1/2" o/d x 20 SWG	L.56	AGS.952/E	28F/8011816	AGS.904/E	28F/8011821	—	—	—	—	At each end
E.C3.76.11	1 1/2" o/d x 20 SWG	L.56	AGS.952/C	28F/8011892	AGS.904/C	28F/9140970	—	—	—	—	At one end
	1 1/2" o/d x 16 SWG	L.56									
E.A9.76.157	1 1/2" o/d x 20 SWG	L.54	AGS.952/E	28F/8011816	AGS.904/E	28F/8011821	—	—	—	—	At each end
E.A9.76.241	1 1/2" o/d x 20 SWG	L.56	AGS.952/E	28F/8011816	AGS.904/E	28F/8011821	—	—	—	—	At one end
E.A9.76.243	1 1/2" o/d x 20 SWG	L.54	AGS.952/E	28F/8011816	AGS.904/E	28F/8011821	—	—	—	—	At one end
E.A9.76.245	1 1/2" o/d x 20 SWG	L.56	AGS.952/E	28F/8011816	AGS.904/E	28F/8011821	—	—	—	—	At one end
E.A9.76.259	1 1/2" o/d x 20 SWG	L.56	AGS.952/E	28F/8011816	AGS.904/E	28F/8011821	—	—	—	—	At each end
E.A9.76.289	1 1/2" o/d x 20 SWG	L.56	—	—	AGS.905/E	28F/5601	—	—	—	—	At one end
E.A9.76.291	1 1/2" o/d x 20 SWG	L.56	AGS.952/E	28F/8011816	AGS.904/E	28F/8011821	—	—	—	—	At each end
E.A9.76.293	1 1/2" o/d x 20 SWG	L.56	AGS.952/E	28F/8011816	AGS.904/E	28F/8011821	AGS.905/E	28F/5601	—	—	At one end
E.A9.76.297	1 1/2" o/d x 20 SWG	L.56	AGS.952/E	28F/8011816	AGS.904/E	28F/8011821	—	—	—	—	At one end
E.A9.76.299	1 1/2" o/d x 20 SWG	L.56	AGS.952/E	28F/8011816	AGS.904/E	28F/8011821	—	—	—	—	At one end
E.A9.76.301	1 1/2" o/d x 20 SWG	L.56	—	—	—	—	—	—	—	—	—
E.A9.76.307	1 1/2" o/d x 20 SWG	L.56	—	—	—	—	—	—	—	—	—
E.A9.76.10003	1 1/2" o/d x 20 SWG	L.56	AGS.952/E	28F/8011816	AGS.904/E	28F/8011821	—	—	—	—	At one end
E.A9.76.10023	1 1/2" o/d x 20 SWG	L.56	EEAS.106	—	EEAS.257	—	—	—	—	—	—

Restricted

Restricted

Restricted

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	

Restricted



PIPE LINES PARTICULARS

Local Manufacture is desired wherever possible. Detailed information is given below

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	
E.A9.80.1159 E.A3.80.1965	½" o/d x 22 SWG ⅜" o/d x 22 SWG	DTD.323	AGS.904/A	28F/9128936	AGS.952/A	28F/8011890	—	—	—	—	At each end At one end
			AGS.904/A	28F/9128936	AGS.952/A	28F/8011890	—	—	—	—	

Restricted

CANBERRA B(1) MK. 8

Restricted

Issued with A.L. No. 19, February, 1969

Page 1969

Part No.	Size, Gauge, Straight Length	Matl. Specn.	END FITTINGS								Remarks
			Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	Part No.	Section Ref. No.	

Restricted

Restricted

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

