

MULTIMINOR MODEL 2



Ref. No. (Jt. Service) 6625-99-943-2134
Dimensions... 5 $\frac{3}{8}$ in. \times 3 $\frac{3}{8}$ in. \times 1 $\frac{3}{8}$ in.
Weight 1 lb.
Associated publication A.P.4343S, Vol. 1, Sect. 24

BRIEF DESCRIPTION

The Model 2 Multiminor is a small portable instrument for the measurement of a.c. and d.c. voltages, d.c. current and resistance. It has a sensitivity of 10,000 ohms per volt on all d.c. voltage ranges and 1,000 ohms per volt on a.c. voltage ranges. The accuracy of d.c. indications is within 3% of full scale and those of the a.c. ranges are within 4%.

Ranges

| VOLTAGE | | D.C. current | Resistance (ohms) |
|---------|--------|--------------|-------------------|
| D.C. | A.C. | | |
| 1000 V | 1000 V | 1 A | 0-2 Megohms |
| 250 V | 250 V | 100 mA | 0-20,000 |
| 100 V | 100 V | 10 mA | |
| 25 V | 25 V | 1 mA | |
| 10 V | 10 V | 100 μ A | |
| 2.5 V | | | |
| 100 mV | | | |

RESTRICTED

This file was downloaded
from the RTFM Library.
Link: www.scottbouch.com/rtfm
Please see site for usage terms,
and more aircraft documents.

