

ARMAMENT - GUN INSTALLATION

Issued on A. L. No. 1

Page C. 1

REF. NO	PART NO						DESCRIPTION.	NO OFF	MATL. SPEC.	MR. CL. of ST.	PLATE NO
		1	2	3	4	5					
	E. 188207						<u>GUN INSTALLATION ASSEMBLY.</u>	-	-		
756	F. 188717						Bracket, attachment of case chute to frame 19.	4	S.3	C	C.1
757	A. 188716						Bracket, attachment of case chute to frame 19.	4	S.3	C	C.1
758	C. 183964						Case-chute, inboard.	2	-	B	C.1
759	C. 183965						Case-chute, outboard.	2	-	B	C.1
1547	C. 191482						Duct, ventilating, group.	1	-	B	C.1
	A. 191484						Bracket.	1	DTD610		
27FP/17	Avia: Dev:						Pin, pipe.	1	-	C	
	A. 512										
1327	Std. 1547/24/ 12						Washer, (Referenced 26AQ/620 for Admiralty).	4	DTD610	C	4
761	F. 190421						Ferrule, at attachment of gun barrel pedestal to frame 11.	16	S.95.B	C	C.1
847	F. 179412						Nut, for gun barrel pedestal.	16	S.95.B	C	C.1
	E. 177081						Package, complete with guns, group.	1	-		
7R/1	-						Gun, "Aden", 30 m/m, L.H.	2	-	A	
7R/2	-						Gun, "Aden", 30 m/m, R.H.	2	-	A	
543	E. 177082						Package, gun, group.	1	-	A	C.2
788	E. 183966						Box, ammunition, group.	1	-	A	C.2
789	D. 183845						Lid, group.	2	-	B	C.2
790	B. 185733						Bolt, pinch group.	2	-	C	C.2
791	A. 183849						Fitting, hinge.	4	Stamping	C	C.2
792	F. 183848						Fitting, hook.	4	S.94.B	C	
1548	A. 188823						Roller.	4	-	C	C.2
794	F. 174787						Spindle.	4	T.26	C	C.2
	C. 185698						Wall, front, assembly.	-	-		
795	F. 175253						Roller.	4	L.F.B.82	C	C.2
3789	Std. 1509/ 24/076						Tube, distance, 3/8" o/d x 17 s.w.g. x .76" long. (Make from 30B/557).	4	T.4	MR/C	C.2
3953	Std. 915/E/22						Washer, for roller attachment.	4	DTD610	MR/C	4
796	B. 184081						Chute, case, inboard.	2	T.26	B	C.3
797	E. 183967						Cover, front, group.	1	-	B	C.2
798	A. 179936						Fastener.	2	-	C	C.2
799	E. 183968						Cover, rear, group.	1	DTD610	B	C.1
4094	Dunlop ACO. 9023						Adaptor.	1	-	MR/C	C.1
800	B. 180270						Gland, sealing.	4	-	C	C.1
1549	B. 192079						Duct, heating, group.	1	-	C	C.5
4598	Avia: Dev: 5134-522						Pin, pip.	1	-	C	

ARMAMENT - GUN INSTALLATION

Page C.2

Issued on A.L. No. 1

REF. No.	PART No.	DESCRIPTION	NO OFF	MATL SPEC	MR CL OF ST	PLATE NO
4898	D.202296	Electrical wiring group.	1	-	MR/B	
	A.200689	Block, terminal assembly.	-	-		
5X/3268	Plessey	Block,	1	-	B	
	CZ.50207					
5X/3274	Plessey	Cover,	1	-	B	
	CZ.26805					
	A.200689/1	Markers.	1 Set	-		
5X/3278	Plessey	Pillar.	2	-	C	
	Z.28426					
†	A.199996	Cable, assembly.	1	-		
†	A.199997	Cable, assembly.	1	-		
†	A.199998	Cable, assembly.	1	-		
†	A.199999	Cable, assembly.	1	-		
†	B.200001	Cable, assembly.	1	-		
	Std.1335/B.18	Washer, 4 B.A.	2	L.4		4
	Std.1335/C.18	Washer, 2 B.A.	4	L.4		4
	E.186052	Feed necks and link chutes assembly.	-	-		
801	C.187502	Extension, link chute, inboard.	2	S.3	C	C.3
802	C.187503	Extension, link chute outboard.	2	S.3	C	C.3
5214	C.207026	Feed neck, inboard, port, group.	1	DTD171	B	C.3
5215	C.207027	Feed neck, inboard, starboard, group.	1	DTD171	B	C.3
5216	C.207028	Feed neck, outboard, port, group.	1	DTD171	B	C.3
5217	C.207029	Feed neck, outboard, starboard, group.	1	DTD171	B	C.3
807	F.185768	Bolt.	8	S.94.B	C	C.3
808	F.176633	Knob, bolt.	8	S.94.B	C	C.3
809	F.176635	Spring.	4	Sp.St.	C	C.3
810	C.183975	Link-chute, outboard, port, group.	1	DTD171	B	C.3
811	C.183976	Link-chute, outboard, starboard, group.	1	DTD171	B	C.3
814	F.187742	Spring leaf.	4	St.Steel	C	C.3
812	C.183973	Link-chute, inboard, port, group.	1	DTD171	B	C.3
813	C.183974	Link-chute, inboard, starboard, group.	1	DTD171	B	C.3
815	F.187741	Spring, leaf.	4	St.Steel	C	C.3
764	E.187891	Fittings, for Aden gun, port, outer, group.	1 set	-	A	C.4

† For details see cable chart.

ARMAMENT - GUN INSTALLATION

Issued on A.L. No. 1

Page C. 3

REF. NO.	PART NO.						DESCRIPTION.	NO OFF	MATL. SPEC.	MR CL of ST	PLATE NO.
		1	2	3	4	5					
765	E.187892						Fittings, for Aden gun, starboard, outer, group.	1 set	-	A	C.4
766	E.187893						Fittings, for Aden gun, port inner, group.	1 set	-	A	C.4
767	E.187894						Fittings, for Aden gun, starboard, inner, group. Consisting of:-	1 set	-	A	C.4
7R/358	Dunlop ACO.7456						Adaptor, cocking.	4	-	C	C.4
768	F.187866						Bar, locking link chute attachment.	8	S.94.B	C	C.4
769	F.177014						Bolt, feedneck bracket attachment.	12	S.94.B	C	C.4
770	F.175964						Bolt, attaching gun mounting brackets.	12	S.94.B	C	C.4
771	Std.1639/2EX						Bolt, attaching, inboard gun mounting brackets.	4	S.95.B	C	5
5278	Std.1639/4EX						Bolt, attaching inboard gun mounting brackets. (Referenced 26AQ/2874 for Admiralty).	2	S.95.B	C	5
28D/12518	A25.2E						Bolt, inboard gun mounting bracket.	8	-	C	
28D/12773	A25.1G						Bolt, 5/16" B.S.F. feed neck bracket attachment.	8	-	C	
773	A.186974						Bracket, feed neck attachment.	4	S.3	C	C.4
774	A.186975						Bracket, feed neck attachment.	4	S.3	C	C.4
775	B.180578						Bracket, outboard gun mounting.	2	Stamping	C	C.4
5276	B.205287						Bracket, inboard gun mounting, starboard.	1	Stamping	C	C.4
5277	B.205288						Bracket, inboard gun mounting, port.	1	Stamping	C	C.4
778	B.180576						Bracket, inboard gun mounting, starboard.	1	Stamping	C	C.4
779	B.180577						Bracket, inboard gun mounting, port.	1	Stamping	C	C.4
780	F.187874						Head, slotted, link chute attachment.	4	S.94.B	C	C.4
781	F.187868						Lever, link chute attachment.	4	-	C	C.4
782	F.187873						Pad, locking, link chute attachment.	4	S.80	C	C.4
28P/12262	SP.9.E6						Pin, split, at link chute attachment.	4	-	C	
28P/12351	SP.9.E8						Pin, split, at link chute attachment.	4	-	C	
4597	F.202960						Pin, pip, at feed neck attachment.	2	-	C	C.4

ARMAMENT - GUN INSTALLATION

Page C.4

Issued on A.L. No.1

REF NO	PART NO	DESCRIPTION					NO OFF	MATERIAL SPEC	PLATE NO
		1	2	3	4	5			
4598	Avia: Dev: 5134-522						2	-	C
783	A.187870						2	S.80	C C.4
784	A.187871						2	S.80	C C.4
7R/436	Dunlop ACO.7739.						2	-	C C.4
7R/437	Dunlop ACO.7738						4	Rubber	C C.4
785	F.183105						2	Brass	C C.4
786	F.187918						4	DTD215	C C.4
787	F.184270						4	S.3	C C.4
28L/12325	AGS.518G						8	-	C
28W/12254	SP.13G						16	-	C
	C.185221						-	-	
816	B.183106						4	Stamping	C C.3
817	B.172423						4	Stamping	C C.3
818	F.178878						4	S.3	C C.3
	E.182994						-	-	
819	A.184262						2	-	C C.3
820	A.200538						4	S.97.B	C C.3
821	F.184268						2	S.97.B	C C.3
4960	B.205198						4	-	B C.3
823	A.184261						2	S.97.B	C C.3
824	B.180579						4	Stamping	C C.3
825	A.180623						4	S.97.B	C C.3
826	A.180624						4	S.97.B	C C.3
827	F.184269						2	S.3	C C.3
4263	D.182278						1	-	MR/A C.5
2348	F.183810						2	LFS.21	MR/C
2349	F.183811						2	LFS.21	MR/C
	D.181735-6						-	-	
2350	F.183889						5	S.95.B	MR/C C.5
2351	F.183890						3	S.95.B	MR/C C.5
2352	B.179815						1	Stamping	MR/C C.5
2353	B.179816						1	Stamping	MR/C C.5

ARMAMENT - GUN INSTALLATION

Issued on A.L. No. 1

Page C.5

REF. NO.	PART NO.	DESCRIPTION					NO OFF	MATERIAL SPEC	MK CL of ST.	PLATE NO.
		1	2	3	4	5				
2354	B.179817						1	Stamping	MR/C	C.5
2355	B.179818						1	Stamping	MR/C	C.5
2356	B.179813						1	Stamping	MR/C	C.5
2357	B.179814						1	Stamping	MR/C	C.5
3995	Std. 323/46N						4	S.2	MR/C	4
	D.180526						1	-		
1550	A.191485						1	DTD610	C	C.2
1551	A.191959						2	-	C	C.5
	B.179811						2	Stamping		
1552	F.172519						1	S.94.B	C	C.5
	D.180531						1	-		
	A.199520						1	L.72		
4483	A.199587						1	T.4	C	
4485	F.201313						1	T.9	C	
4488	Std. 1718/1						5	-	C	5
	B.199522						1	L.72		
1553	F.192083						1	S3 & T26	C	
	D.180532						1	-		
4470	F.182285						2	S.94.B	MR/C	
4471	Std. 1509/5/ 090						2	T.4	MR/C	4
	D.180533						1	-		
1554	A.180574						4	Stamping	C	C.5
1555	A.180575						2	Stamping	C	C.5
1556	F.192081						1	DTD166	C	
	F.199628						1	L.72		
4487	F.199589						2	L.72	C	
4484	A.199588						1	T.4	C	
1557	F.181839						4	DTD364	C	C.5
	F.179046						2	-		
	C.182081						1	-		
	F.182084						1	L.72		
	F.182085						1	L.72		
	F.196311						1	L.72		
	F.196312						1	L.72		

ARMAMENT - GUN INSTALLATION

Page C.6

Issued on A.L. No. 1

REF. NO.	PART NO.	2 3 4 5				DESCRIPTION	NO. OFF.	MATERIAL SPEC.	MR. CL. DT. ST.	PLATE NO.
	B.199521					Bracket, mounting, for cable plug.	1	L.72		
4486	F.199631					Duct.	1	T.4	C	
	Std.1509/23/90					Tube, distance.	4	T.4		
	D.182858-9					Locking mechanism, assembly.	-	-		
828	A.182868					Bar, rack, port.	1	-	C	C.5
829	A.182869					Bar, rack, starboard.	1	-	C	C.5
830	B.182862					Base, control box, port.	1	Casting	B	C.5
831	B.182863					Base, control box, stbd.	1	Casting	B	C.5
832	A.182871					Bolt-rack, port.	1	S.97.B	C	C.5
833	A.182872					Bolt-rack, starboard.	1	S.97.B	C	C.5
834	B.182860					Cover, control box, port.	1	Casting	B	C.5
835	B.182861					Cover, control box, stbd.	1	Casting	B	C.5
836	F.182876					Plate, slip, at control shaft.	4	BSS265	C	C.5
837	F.173703					Ring, locking.	2	S.95.B	C	C.5
838	F.173704					Roller.	4	S.95.B	C	C.5
839	F.182875					Shim, at attachment of control box to side beam.	2	Brass	C	C.5
840	A.173701					Shaft, locking control.	2	S.97.B	C	C.5
841	F.174006					Spigot.	2	S.95.B	C	C.5
842	F.173707					Spring, compression.	2	Sp.St.	C	C.5
843	F.173814					Washer, special.	2	DTD610	C	C.5
844	F.185610					Housing, inboard gun, long plunger.	2	S3, T26	C	CA.2
845	F.185611					Plunger, long, inboard gun barrel catch.	2	DTD364	C	C.2
	D.182642					Platform, ammunition box, assembly.	-	-		
1558	F.183751					Lug, ammunition box.	4	DTD364	C	C.5
3996	Std.1547/20/16					Washer, for lug attachment.	4	DTD364	MR/C	4
	D.183086					Skin, assembly.	-	-		
846	A.184439					Barrel catch, actuator, group.	2	-	C	C.5
	F.185609					Pedestal.	1	S21, S3		
2358	F.185607					Plug.	1	S.1	MR/C	C.5
2359	F.185606					Plunger.	1	DTD364	MR/C	C.5
2360	F.185608					Spring.	1	Sp.St.	MR/C	C.5
	A.186496					Pedestal, inboard gun, port.	1	S21, S3		
	A.186497					Pedestal, inboard gun, stbd.	1	S21, S3		
3819	Std.1548/28/14					Washer, for platform at former 'B'.	4	DTD610	MR/C	4

ARMAMENT - GUN INSTALLATION

Issued on A₀L₀ No. 1

Page C.7

REF. NO.	PART NO.	DESCRIPTION					NO OFF	MATL. SPEC.	MR. CL of ST.	PLATE NO.
		1	2	3	4	5				
5CW/4896	Teddington F.H.O.A96					Thermostat.	1	-	A	
347	D.183956					Panel, gun bay access, port, group.	1	-	A	C.1
348	D.183957					Panel, gun bay access, stbd., group. (Less actuator).	1	-	A	C.1
5W/329	Plessey C.Z.72257					Actuator, Jaguar.	1	-	A	
4002	A.195033					Bracket, for electrical plug (starboard panel only).	1	DTD610	MR/C	C.1
1481	A.191724					Bracket, saddle, for countershaft, group.	1	-	B	C.1
1482	F.191727					Bush.	2	B.8	C	C.1
-	B.203852					Cable, F.54 (see cable chart).	1	-	-	
4908	K.A.C. D.5068					Fitting, attachment, for toggle fastener.	1	-	B	
965	K.A.C. C.3099					Housing, toggle fastener.	1	-	C	J.7
1695	A.193878					Hook, panel attachment, rear, port.	1	Stamping	C	
1696	A.193879					Hook, panel attachment, rear, starboard.	1	Stamping	C	C.1
1697	A.193880					Hook, panel attachment, front, port.	1	Stamping	C	
1698	A.193881					Hook, panel attachment, front, starboard.	1	Stamping	C	C.1
1024	K.A.C. C.3100					Lever and catch pin, for toggle fastener.	1	-	C	
1486	F.191862					Lever, actuator shaft.	1	Stamping	C	C.1
1487	F.191861					Lever, door.	1	Stamping	C	C.1
1488	F.191425					Link, door lever.	1	DTD610	C	C.1
1489	B.191723					Mounting, actuator, group.	1	-	B	C.1
1490	A.191726					Bearing, group.	1	-	B	C.1
1482	F.191727					Bush.	2	B.8	C	C.1
1491	B.191417					Scoop, air.	1	-	B	C.1
1025	K.A.C. D.3060/2					Screw, locking, for toggle fastener.	1	-	C	
1492	F.191863					Shaft, actuator.	1	T.45	C	C.1
3788	Std.1509/ 23/250					Tube, distance.	8	T.4	MR/C	4
349	E.183958					Panel, gun and radio bay access, port, group.	1	-	A	C.1
350	E.183959					Panel, gun and radio bay access, starboard, group.	1	-	A	C.1
4908	K.A.C. D.5068					Fitting, attachment for toggle fastener.	2	-	C	

ARMAMENT - GUN INSTALLATION

Page C.8

Issued on A.L. No. 1

REF. NO	PART NR					DESCRIPTION	NR OFF	MATERIAL SPEC	MATERIAL CLASS	PLATE NR
		1	2	3	4					
760	A. 189065				Hook,	4	Stamping	C	C. 1	
965	K. A. C. C. 3099				Housing, toggle fastener.	2	-	C		
1024	K. A. C. C. 3100				Lever and catch pin for toggle fastener.	2	-	C		
1025	K. A. C. D. 3060/2				Screw, locking, for toggle fastener.	2	-	C		
848	B. 190700				Pedestal, gun barrel, inboard, group.	2	-	B	C. 1	
849	B. 190701				Pedestal, gun barrel, outboard, group. (These groups are identical except for handing on assembly.)	2	-	B	C. 1	
850	A. 190409				Bearing, spherical.	4	BSS369	C	C. 1	
	B. 190408				Pedestal.	4	DTD364			
851	A. 190699				Ring, retaining.	4	S. 95. B	C	C. 1	
4598	Avia: Dev: A. 5134-522				Pin, "Pip", attachment of case chute to frame 19.	4	-	C		
852	F. 179497				Washer, at attachment of gun barrel pedestal to frame 11.	16	L. 16	C	C. 1	
853	F. 179498				Washer, at attachment of gun barrel pedestal to frame 11.	16	S. 95. B	C	C. 1	
854	C. 183960				Tube, blast, inboard, port, group.	1	DTD171	B	C. 1	
855	C. 183961				Tube, blast, inboard, stbd., group.	1	DTD171	B	C. 1	
856	C. 183962				Tube, blast, outboard, port, group.	1	DTD171	B	C. 1	
857	C. 183963				Tube, blast, outboard, stbd., group.	1	DTD171	B	C. 1	
858	A. 177010				Ring, sealing.	4	DTD171	C	C. 1	
859	F. 177045				Rivet, special.	8	S. 110. B	C	C. 1	
860	F. 177011				Spring, compression.	4	DTD239	C	C. 1	

ARMAMENT - GUN INSTALLATION

Issued on A.L. No. 1

Page C. 11

REF No	PART No						DESCRIPTION	No OFF	MATL SPEC.	MR CL of ST	PLATE No
		1	2	3	4	5					
<u>SUMMARY OF STOCK ITEMS</u>											
28N/	AGS. 633/2					Ball.					
28/12512	A25. 1C					Bolt, 2 B.A.					
28/12513	A25. 2C					Bolt, 2 B.A.					
28/12531	A25. 3C					Bolt, 2 B.A.					
28/12514	A25. 7C					Bolt, 2 B.A.					
28/12629	A25. 8C					Bolt, 2 B.A.					
28/12534	A25. 9C					Bolt, 2 B.A.					
28/12633	A25. 7E					Bolt, 1/4" B.S.F.					
28/12773	A25. 1G					Bolt, 5/16" B.S.F.					
28/13786	AS. 2920/1C					Bolt, 2 B.A.					
28/12655	AS. 2920/2C					Bolt, 2 B.A.					
28M/12929	A27. CP					Nut, 2 B.A.					
28M/12930	A27. ES					Nut, 1/4" B.S.F.					
28M/12931	A27. ET					Nut, 1/4" B.S.F.					
28M/13326	A27. GT					Nut, 5/16" B.S.F.					
28M/14123	A27. JS					Nut, 3/8" B.S.F.					
28M/10288	AGS. 2001/C1					Nut, 2 B.A.					
28M/10290	AGS. 2001/E1					Nut, 1/4" B.S.F.					
28M/10327	AGS. 2002/B1					Nut, 4 B.A.					
28M/10328	AGS. 2002/C1					Nut, 2 B.A.					
28M/10332	AGS. 2002/J1					Nut, 3/8" B.S.F.					
28P/12587	SP. 9. C4					Pin, split.					
28P/12431	SP. 9. C6					Pin, split.					
28P/12462	SP. 9. C8					Pin, split.					
28P/12252	SP. 9. E6					Pin, split.					
28P/12531	SP. 9. E8					Pin, split.					
28P/1253	AGS. 213/22					Pin, taper.					
28P/829	SP. 4. YB3					Pin.					
28P/831	SP. 4. YB5					Pin.					
28P/1045	SP. 4. YB23					Pin.					
28D/8306	AS. 1242/1C					Screw, 2 B.A.					
28D/9354	AS. 1248/6C					Screw, 2 B.A.					
28S/2761	A31. B12					Screw, 4 B.A.					
28W/12306	SP. 15B					Washer, 2 B.A.					
28W/12296	SP. 15C					Washer, 2 B.A.					
28W/12344	SP. 16C					Washer, 2 B.A.					
28W/12253	SP. 13E					Washer, 1/4" dia.					
28W/12496	SP. 15E					Washer, 1/4" dia.					
28W/12254	SP. 13G					Washer, 5/16" dia.					

ARMAMENT - GUN INSTALLATION

REF. NO.	PART NO.						DESCRIPTION.	NO OFF	MATL. SPEC.	MR CL of ST.	PLATE NO.
		1	2	3	4	5					
28W/12324	SP. 15G						Washer, 5/16" dia.				
28W/12255	SP. 13J						Washer, 3/8" dia.				
28W/12321	SP. 15J						Washer, 3/8" dia.				
28L/12375	AGS. 518G						Washer, tab.				

ARMAMENT - GYRO GUN SIGHT

Issued on A.L. No. 1

Page C. 13

REF. NO.	PART NO.	DESCRIPTION	NO OFF	MATL. SPEC.	MR. CL of ST.	PLATE NO.
	D.190456	<u>GYRO GUN SIGHT INSTALLATION ASSEMBLY</u>	-	-		
2361	F.190468	Angle, support, for control unit.	2	DTD.610	MR/C	
4653	F.199913	Bolt, special, for attachment of control knob	2	S.96 or 95B	C	
2998	D.196306	Bolt, for ballastic unit mounting.	4	S.96	C	
1173	F.190206	Bracket, support, for control unit	2	DTD.610	C	
-	B.192421-35	Cables, G.S.1 to G.S.15 (See cable chart)	-	-		
1174	A.190424	Clip, support, for control unit	3	S.3	C	
3999	Std.1285/4AC	Connector, earthing, at junction box.	1	-	C	4
4000	Std.1285/2BB	Connector, earthing, at servo amplifier and control unit.	2	-	C	4
4839	Std.1285/3CC	Connector, earthing, at mounting of voltage regulator	1	-	MR/C	4
5L/ X951260	-	Lamp, filament	2	-	B	
1175	B.190422	Mounting, control, unit	3	DTD.610	C	
1176	C.190441	Mounting, voltage control	1	DTD.610	C	
8B/3049	-	Mounting, retractable	1	-	A	
	B.203327	Mounting and test sockets, assembly	-	-		
	B.203328	Cable, assembly (See cable chart)	1	-		
3736	Std.840/17	Clip, support, 7/16" wide x 22 s.w.g. x 1.7" long.	1	DTD.610	-	4
5718	A.203264	Plate, mounting	1	L.72	MR/C	
1178	Std.1606/44/ B12	Screw	1	Brass	C	4
4660	Std.1606/45/ B14	Screw	6	Brass	C	4
2362	F.190442	Plate, mounting	2	DTD.610	MR/C	
2135 †	B.190457	Platform, mounting for servo-amplifier, group	1	DTD.610	A	
10AJ/131	-	Mounting, Equiflex, Type 944.	3	-	A	
	B.196831	Platform, mounting, for G.G.S. control unit, group	1	DTD.610		
10AJ/131	-	Mounting, Equiflex, Type 944	3	-		
5UC/2166	-	Regulator, voltage control, type 22	1	-	A	
5UC/5797	-	Regulator, voltage control, type 22A	1	-	A	
1178	Std.1606/44/ B/12	Screw	4	Brass	C	5
8B/2966	-	Sight, Gyro, gun Mk.5	1	-	A	
5CY/2866	-	Suppressor, Type B.4	1	-	A	
5CY/4623	-	Suppressor, Type F.5.	1	-	A	
8B/2968	-	Unit, control, Type B Mk.11	1	-	A	

ARMAMENT - GYRO GUN SIGHT

REF. NO	PART NO	DESCRIPTION					NO OFF	MATL. SPEC.	MR CL of ST	PLATE NO
		1	2	3	4	5				
8B/2971	-	Unit, control, Type BL Mk.1					1	-	A	
8B/2975	-	Unit, control, Type RA Mk.1					1	-	A	
8B/3339	-	Unit, control, Type RM Mk.1.					1	-	A	
8B/3102	-	Unit, control, Type S Mk.7					1	-	A	
8B/3103	-	Unit, control, Type AL Mk.1					1	-	A	
8B/2981	-	Unit, control, Type T.B. Mk.1					1	-	A	

ARMAMENT - GYRO GUN SIGHT

Issued on A.L. No. 1

Page C15

REF. NO.	PART NO.						DESCRIPTION	NO OFF	MATL. SPEC	MR. CL. of ST.	PLATE NO.
		1	2	3	4	5					
<u>SUMMARY OF STOCK ITEMS</u>											
28D/12530	A. 25. 6. B	Bolt, 4 B. A.									
28D/12512	A. 25. 1C	Bolt, 2 B. A.									
28D/12566	A. 25. 6C	Bolt, 2 B. A.									
28D/12514	A. 25. 7C	Bolt, 2 B. A.									
28M/10287	AGS. 2001. B1	Nut, 4 B. A.									
28M/10274	AGS. 2001. B4	Nut, 4 B. A.									
28M/10288	AGS. 2001. C1	Nut, 2 B. A.									
28M/10310	AGS. 2002. C4	Nut, 2 B. A.									
28P/906	SP. 4Y. F16	Pin.									
28S/3426	A. 32. B8	Screw, 4 B. A.									
28S/14005	A. 32. B14	Screw, 4 B. A.									
28S/2863	A. 32. B16	Screw, 4 B. A.									
28S/2869	A. 32. B20	Screw, 4 B. A.									
28S/2875	A. 32. B24	Screw, 4 B. A.									
28W/3097	AGS. 162B	Washer, spring, 4 B. A.									
28W/3088	AGS. 163B	Washer, spring, 4 B. A.									
28W/12296	SP. 15. C	Washer, 2 B. A.									
28W/12324	SP. 15. G	Washer.									

Illustrations for this section will be issued later.



This file was downloaded
from the RTFM Library.
Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

