

ELECTRICAL EQUIPMENT - CENTRE FUSELAGE

REF. NO.	PART NO.						DESCRIPTION	NO OFF	MATL. SPEC.	MR CL of ST.	PLATE NO.
		1	2	3	4	5					
	E.190781	<u>ELECTRICAL EQUIPMENT, CENTRE FUSELAGE ASSEMBLY.</u>						-	-	-	
	6140-						Accumulator, type 'C'.	2	-	A	
	101532						Block, terminal No.11 between	-	-	-	
	B.199177						frames 33 & 34 assembly.				
5X/2863	Plessey CZ.24285						Block, terminal, 10 way.	1	-	B	
5X/3275	Plessey CZ.26808						Cover.	1	-	C	
5X/6163	Plessey Z.50210						Link, commoning, 2 way.	2	-	C	
	B.199177/1						Markers.	1	-	-	
								Set			
5X/3278	Plessey Z.28426						Pillar.	2	-	-	
	B.199178						Block, terminal, No.12, between	-	-	-	
							frames 33 & 34, assembly.				
5X/2863	Plessey CZ.24285						Block, terminal 10 way.	1	-	B	
5X/3275	Plessey CZ.26808						Cover.	1	-	C	
5X/6172	Plessey Z.50212						Link, commoning, 4 way.	2	-	C	
	B.199178/1						Markers.	1 Set	-	-	
5X/3278	Plessey Z.28426						Pillar.	2	-	C	
	A.200054						Block, terminal, No.13 on frame 26,	-	-	-	
							assembly.				
5X/3268	Plessey CZ.50207						Block, terminal 5 way.	1	-	B	
5X/3274	Plessey CZ.26805						Cover.	1	-	C	
5X/6163	Plessey Z.50210						Link, commoning, 2 way.	1	-	C	
	A.200054/1						Markers.	1	-	-	
								Set			
5X/3278	Plessey Z.28426						Pillar	2	-	A	
	Smiths Waymouth B.F.8						Box, relay.	1	-	A	
	Smiths Waymouth B.F.11						Box, relay.	1	-	A	

RESTRICTED

ELECTRICAL EQUIPMENT - CENTRE FUSELAGE

Page E, 2

REF. No.	PART No.						DESCRIPTION.	No OFF	MATL. SPEC.	MR. CL. of ST.	PLATE No
		1	2	3	4	5					
	Smiths Waymouth B.F. 15					Box, relay.	1	-	A		
	Smiths Waymouth B.F. 16					Box, relay.	1	-	A		
	D. 198061 or Plessey CZ. 75601					Box, junction No. 1, assembly.	1	-	-		
	Plessey BZ. 74886					Box, sub-assembly.	1	-	B		
5X/3181	Plessey CZ. 23212/1					Block, terminal 20 way.	4	-	B		
	Plessey CZ. 72950					Cable E. 9/A, assembly.	1	-	C		
	Plessey P. 86948					Fastener, "Dzus A. 4-30".	2	-	C		
	Plessey P. 86949					Grommet, Dzus GA. 4. 250.	2	-	C		
	Plessey Z. 22036					Label, "Caution".	1	-	C		
	Plessey Z. 72224					Label, "circuit".	1	-	C		
	Plessey					Label, box.	1	-	C		
	Plessey CZ. 75054					Lid, assembly.	1	-	C		
5X/6163	Plessey Z. 50210					Link, 2 way.	6	-	C		
5X/6171	Plessey Z. 50211					Link, 3 way.	1	-	C		
5X/6314	Plessey Z. 50214					Link, 6 way.	1	-	C		
5X/6317	Plessey Z. 50218					Link, 10 way.	1	-	C		
5X/3259	Plessey Z. 50219					Link, transverse.	2	-	C		
	Plessey Z. 74265					Markers.	1 Set	-	C		
	Plessey CZ. 73004					Plug form, C. 1.	1	-	B		
	Plessey CZ. 73005					Plug form, C. 2.	1	-	B		
	Plessey CZ. 73007					Plug form, C. 7.	1	-	B		

ELECTRICAL EQUIPMENT - CENTRE FUSELAGE

REF. NO.	PART NO.	DESCRIPTION					N ^o . OFF.	MATL. SPEC.	MR. CL. of ST.	PLATE NO.
		1	2	3	4	5				
	Plessey CZ. 73008				Plug form, C.8.	1	-	B		
	Plessey CZ. 73009				Plug form, C.9.	1	-	B		
	Plessey CZ. 73010				Plug form, C.10.	1	-	B		
	Plessey CZ. 73011				Plug form, C.11.	1	-	B		
	Plessey CZ. 73012				Plug form, C.12.	1	-	B		
	Plessey CZ. 73013				Plug form, C.13.	1	-	B		
	Plessey CZ. 73014				Plug form, C.16.	1	-	B		
	Plessey CZ. 73015				Plug form, C.18.	1	-	B		
	Plessey CZ. 73016				Plug form, C.20.	1	-	B		
	Plessey Z. 72216				Stud, locating.	2	-	C		
	Plessey Z. 75381				Transfer.	1	-	C		
	Plessey Z. 75050				Transfer.	1	-	C		
	A. 189732				Bracket, for ground supply plug.	1	DTD610	MR/C		
	A. 199647				Bracket, mounting for suppressor.	1	L.72	MR/C		
	A. 199648				Bracket, mounting for suppressor.	1	L.72	MR/C		
	E. 198755				Cables, electrical (See cable chart). Clipping, details for cables, assembly.	-	-	-		
	A. 192764				Bracket, wing service, port.	1	DTD610	MR/C		
	A. 192765				Bracket, wing service, starboard.	1	DTD610	MR/C		
	B. 198696				Bracket, mounting for cables C.16, C.18 and C.20.	1	DTD610	MR/C		
	A. 199598				Bracket, supporting cable plug on frame 27.	1	DTD610	MR/C		
	F. 198278				Clip, for radio cables frame 19.	1	DTD610	MR/C		
	F. 197582				Clip, securing cables CA.30, at frame 19.	1	DTD610	MR/C		
	F. 196789				Clip, securing cables at frame 19.	2	DTD610	MR/C		
	F. 196769				Clip, securing cables at lower portion of frame 22 (May be made from Std.850/42).	1	DTD610	MR/C		

RESTRICTED

ELECTRICAL EQUIPMENT - CENTRE FUSELAGE

REF. NO.	PART NO.						DESCRIPTION.	NO OFF	MATL. SPEC.	MR. CL of ST.	PLATE NO.
		1	2	3	4	5					
	F.196759					Clip, securing cables at frame 19.	2	DTD610	MR/C		
	F.196873					Clip, securing cables at lower portion of frame 19. (May be made from Std.850/63).	1	DTD610	MR/C		
	F.196874					Clip, securing cables to generator control and supply panel at frame 19.	2	DTD610	MR/C		
	F.201022					Clip, securing cables at generator on frame 27.	1	DTD610	MR/C		
	F.201023					Clip, securing cables at gearbox mounting, frame 27 and frame 31, for cables C.10, C.11, C.31 and C.38.	2	DTD610	MR/C		
3735	Std.840/16					Clip, securing cables at starboard side of frame 32, 7/16" wide x 22 s.w.g. x 1.6" long (Make from 30B/1433).	1	DTD610	MR/C		
4099	Std.840/18					Clip, securing cables at port side of frame 32.	1	DTD610	C		
3741	Std.840/20					Clip, securing jet pipe temperature lead on frame 31.	2	DTD610	C		
	Std.840/23					Clip, securing ignition lead and cables on frames 34 & 36, 7/16" wide x 22 s.w.g. x 2.3" long (Make from 30B/1433).	2	DTD610	MR/C		
3740	Std.840/33					Clip, securing cables at stringer 'J', frames 34 & 33, 7/16" wide x 22 s.w.g. x 3.3" long (Make from 30B/1433).	3	DTD610	MR/C		
	Std.840/35					Clip, securing cables at stringer 'J', frames 32 and 34, also at stringer 'G' between frames 33 and 34, 7/16" wide x 22 s.w.g. x 3.5" long (Make from 30B/1433).	3	DTD610	MR/C		
	Std.840/42					Clip, securing, at stringer 'J', frames 32 & 33 & 34, 7/16" wide x 22 s.w.g. x 4.2" long (Make from 30B/1433).	3	DTD610	MR/C		
	Std.840/50					Clip, securing cables at frame 23, 7/16" wide x 22 s.w.g. x 5" long (Make from 30B/1433).	1	DTD610	MR/C		

ELECTRICAL EQUIPMENT - CENTRE FUSELAGE

REF. No.	PART No.						DESCRIPTION.	No OFF	MATL. SPEC.	MR. CL. of ST.	PLATE No.
		1	2	3	4	5					
	Std. 840/60					Clip, securing fuel transfer pipe at stringer 'G', between frames 33 & 34, 7/16" wide x 22 s.w.g. x 6" long (Make from 30B/1433).	1	DTD610	MR/C		
	Std. 840/61					Clip, securing cables at lower portion of frame 22, 7/16" wide x 22 s.w.g. x 6.1" long (Make from 30B/1433).	1	DTD610	MR/C		
	Std. 840/66					Clip, securing cables at frame 25, 7/16" wide x 22 s.w.g. x 6.6" long (Make from 30B/1433).	1	DTD610	MR/C		
	Std. 841/22					Clip, securing jet pipe temperature lead at frame 37, stbd. side, 7/16" wide x 22 s.w.g. x 2.2" long (Make from 30B/1433).	1	DTD610	MR/C		
	Std. 841/25					Clip, securing cables and jet pipe temperature lead at engine mounting, frame 37 starboard, 7/16" wide x 22 s.w.g. x 2.5" long (Make from 30B/1433).	1	DTD610	MR/C		
	Std. 841/32					Clip, securing cables at starboard engine rail, between frames 36 & 37, 7/16" wide x 22 s.w.g. x 3.2" long (Make from 30B/1433).	1	DTD610	MR/C		
	Std. 841/35					Clip, securing cable C.30 at frames 31 & 34, 7/16" wide x 22 s.w.g. x 3.5" long (Make from 30B/1433).	2	DTD610	MR/C		
	Std. 841/36					Clip, securing cables at port engine rail between frames 36 & 37, also at accumulator mounting platform, frame 19, 7/16" wide x 22 s.w.g. x 3.6" long (Make from 30B/1433).	2	DTD610	MR/C		
3749	Std. 841/38					Clip, securing cables at frames 28 & 34.	4	DTD610	C		
	Std. 841/42					Clip, securing cable C.37 at frame 34, 7/16" wide x 22 s.w.g. x 4.2" long (Make from 30B/1433).	1	DTD610	MR/C		
	Std. 841/73					Clip, securing cables at stringer 'J', frame 30, 7/16" wide x 22 s.w.g. x 7.3" long (Make from 30B/1433).	1	DTD610	MR/C		

RESTRICTED

ELECTRICAL EQUIPMENT - CENTRE FUSELAGE

REF. NO.	PART NO.						DESCRIPTION.	NO OFF	MATL. SPEC.	MR. CL. of ST.	PLATE NO.
		1	2	3	4	5					
3751	Std. 842/12					Clip, securing cable C.13 at lower portion of frame 22, 7/16" wide x 22 s.w.g. x 1.2" long (Make from 30A/549).	1	S.3	MR/C		
	Std. 843/12					Clip, securing cables at engine rail between frames 36 & 38, also at stringer 'B', frame 34, starboard, 7/16" wide x 22 s.w.g. x 1.2" long (Make from 30A/549).	4	S.3	MR/C		
	Std. 850/43					Clip, securing cables C.16, C.18 & C.20 at frame 24, 7/16" wide x 22 s.w.g. x 4.3" (Make from 30B/1433).	1	DTD610	MR/C		
	Std. 850/49					Clip, securing cables forward of frame 21 and at frame 24, 7/16" wide x 22 s.w.g. x 4.9" long (Make from 30B/1433).	2	DTD610	MR/C		
	Std. 850/60					Clip, securing cables at accumulator mounting platform aft of frame 19, 7/16" wide x 22 s.w.g. x 6" long (Make from 30B/1433).	1	DTD610	MR/C		
	Std. 850/62					Clip, securing cables on starboard tank floor member, frames 19 to 21, 7/16" wide x 22 s.w.g. x 6.2" long. (Make from 30B/1433).	2	DTD610	MR/C		
	Std. 1285/6.CC					Connector, earthing at frame 37.	2	-	-		
	A. 197386					Earthing point No.9, at frame 25, starboard side assembly.	-	-	-		
	Std. 1298/1					Stud.	1	S.1	MR/C		
	Std. 1335/C.18					Washer.	3	L.4	MR/C		
	B. 198028					Guard, cable, forward face of frame 19.	1	DTD166	MR/C		
5F/2281	Hellerman H.V. 3341					Strapping.	QR.	-			
5F/2282	Hellerman H.V. 3342					Stud.	108	-			
4042	Std. 1509/23/030					Tube, distance, 5/16" o/d x 17 s.w.g. x .3" long, at frame 31 (Make from 30B/556).	1	T.4	MR/C		

ELECTRICAL EQUIPMENT - CENTRE FUSELAGE

REF NO	PART NR	DESCRIPTION					NE OFF	MATL SPEC	MR CL of ST	PLATE NO
		1	2	3	4	5				
	Std.1509/ 23/050				Tube, distance, 5/16" o/d x 17 s.w.g. x .5" long, at frame 31 (Make from 30B/556).	1	T.4	MR/C		
	Std.1509/ 23/080				Tube, distance, 5/16" o/d x 17 s.w.g. x .8" long, between frames 36 & 37 (Make from 30B/556).	2	T.4	MR/C		
	C.200370-1				Clipping, for cables between front and centre fuselage, assembly.	-	-	-		
	Std.840/42				Clip, securing cables at frame 17B. 7/16" wide x 22 s.w.g. x 4.2" long (Make from 30B/1433).	1	DTD610	MR/C		
3747	Std.841/28				Clip, securing cables F.47 and F.48, at V.H.F. panel, 7/16" wide x 22 s.w.g. x 2.8" long (Make from 30B/1433).	1	DTD610	MR/C		
4043	Std.841/30				Clip, securing cable F.23, at V.H.F. panel, 7/16" wide x 22 s.w.g. x 3" long (Make from 30B/1433).	1	DTD610	MR/C		
	Std.850/22				Clip, securing cable between frames 18B and 19, 7/16" wide x 22 s.w.g. x 2.2" long (Make from 30B/1433).	1	DTD610	MR/C		
5F/2281	Hellerman H.V.3341				Strapping.	QR.	-	-		
5F/2282	Hellerman H.V.3342				Stud.	11	-	-		
	Std.840/35				Clip, securing cable C.30 to fuel pipe, aft of frame 31, 7/16" wide x 22 s.w.g. x 3.5" long (Make from 30B/ 1433).	1	DTD610	MR/C		
4176	Std.840/38				Clip, securing cable C.30 at frame 30.	2	DTD610	MR/C		
	Std.840/60				Clip, securing cable C.30 to fuel pipe, aft of frame 31, 7/16" wide x 22 s.w.g. x 6" long (Make from 30B/1433).	1	DTD610	MR/C		
	Std.843/12				Clip, securing cable at flame switch, frames 32 & 34, also fuel level switch between frames 22 and 23, 7/16" wide x 22 s.w.g. x 1.2" long (Make from 30A/549).	1	S.3	MR/C		

RESTRICTED

ELECTRICAL EQUIPMENT - CENTRE FUSELAGE

REF. NO.	PART NO.						DESCRIPTION.	NO OFF	MATL. SPEC.	MR. CL. of ST.	PLATE NO.
		1	2	3	4	5					
	Bowden 448 Smiths Waymouth CA/10					Clip, pliable. Connector.	97 1	- -	C C		
	Smiths Waymouth CA/14					Connector.	2	-	C		
	Smiths Waymouth CA/30					Connector.	1	-	C		
	Smiths Waymouth CA/54					Connector.	1	-	C		
	Smiths Waymouth CA/125					Connector.	2	-	C		
	Smiths Waymouth CQ/36					Connector.	2	-	C		
	Smiths Waymouth CQ/65					Connector.	1	-	C		
	Smiths Waymouth CQ/126					Connector.	1	-	C		
	Smiths Waymouth CQ/135					Connector.	1	-	C		
	Smiths Waymouth CQ/170					Connector.	1	-	C		
4239	F.200916					Cover, terminal for ground supply plug.	1	Black Plastic	C		
4240	F.200892					Cover, terminal, for ground supply plug.	2	Black Plastic	C		
	B.199605					Cover, for cable guard, at frame 31.	1	DTD166	MR/C		
	A.199792-3					Earthing points No.10 & 16, assembly.	-	-	-		
	Std.1335.E. 18.					Washer.	2	L.4	MR/C		
4622	F.199613					Fairlead, forward of frame 37, for connector.	2	Ferobes- tos	C		
37A/1601						Igniter, high energy, type C.10.TS/2.	2	-	-		
	B.198283					Lamp, servicing assembly.	-	-	-		
	A.198284					Bracket, mounting.	1	DTD610	MR/C		
5C/446						Lamp, cockpit Mk.1A.	1	-	C		

ELECTRICAL EQUIPMENT - CENTRE FUSELAGE

REF. NO	PART NO	DESCRIPTION					NO OFF	MATL SPEC	MR CL of ST	PLATE NO		
		1	2	3	4	5						
4623	Sangamo-Weston L.2.122	Lead, extension, 20 ft. long.					1	-	C			
	B.198569	Lead, ignition group. Consisting of:-					1	-	C			
	Plessey Spec.No. 14 Lodge C.G. 11 Bowden P.N/448 Lodge EA2/90 Lodge S.F.6 Lodge N.10 Lodge SS.18 Lodge SS.34	Cable, Uniplughitemp No.6.					30"	-	C			
		Conduit, "breeze".					24"	-	C			
		Contact-Button.					2	-	B			
		Clip.					1	-	C			
		Elbow, assembly.					1	-	B			
		Ferrule, Spring type.					2	-	B			
		Nut.					2	-	B			
		Sleeve, insulating.					1	-	C			
		Sleeve, insulating.					1	-	C			
		4624	B.198570	Lead, ignition, group. Consisting of:-					1	-	C	
			Plessey Spec.No. 14 Lodge C.G. 11 Bowden P.N/448 Lodge EA/2/90 Lodge S.F.6 Lodge N.10 Lodge S.S. 18 Lodge S.S. 34 B.199604 B.202295	Cable, uniplughitemp No.6.					28"	-	-	
Conduit, breeze interlock.					22"	-	C					
Contact-Button.					2	-	B					
Clip.					1	-	C					
Elbow, assembly.					1	-	B					
Ferrule, spring type					2	-	B					
Nut.					2	-	B					
Sleeve, insulating.					1	-	C					
Sleeve, insulating.					1	-	C					
4625	F.191278			Plate, cable guard, at frame 31.					1	DTD166	MR/C	
				Plates, sealing, on frame 37 assembly.					-	-	-	
				Plate, sealing.					2	Fero- bestos	C	
		Plate, sealing.					2	Fero- bestos	C			
		Plate, sealing starboard side of frame 37.					2	Fero- bestos	C			
4626	F.191279	Plate, sealing.					2	Fero- bestos	C			
4627	F.199172	Plate, sealing starboard side of frame 37.					2	Fero- bestos	C			

RESTRICTED

ELECTRICAL EQUIPMENT - CENTRE FUSELAGE

Page E.10

REF. No.	PART No.						DESCRIPTION.	No OFF	MATL. SPEC.	MR. CL. of ST.	PLATE No
		1	2	3	4	5					
4628	F.201398						Plate, sealing.	2	Fero- bestos	C	
4629	F.201399						Plate, sealing.	2	Fero- bestos	C	
4630	F.202330						Plate, sealing, port.	2	Fero- bestos	C	
4631	F.202331						Plate, sealing, starboard.	2	Fero- bestos	C	
2147	Std.915-C-20						Washer.	12	DTD610	C	
5C/4314	Smiths Waymouth C.C.						Plug, ground supply.	1	-	B	
							Socket, double type.	2	-	A	
5F/2281	Hellerman H.V.3341						Strapping.	QR.	-	C	
5F/2282	A.201651 Hellerman H.V.3342						Stiffener, for inertia switch. Stud.	1 145	L.72 -	C	
5C/3084	Venner PTA/HA						Suppressor, type "X3".	2	-	A	
5C/2866							Suppressor, type "B4".	2	-	A	
5C/2967							Suppressor, type "O" No.2.	1	-	A	
							Switch, time.	1	-	A	
27N/93							Switch, inertia, Mk.1.	1	-	A	
27N/91	Std.1509/ 12/095						Switch, flame detector, Mk.4.	9	-	A	
							Tube, distance, 3/16" o/d x 22 s.w.g. x .95" long, at ground supply plug (Make from 30B/618).	4	T.4	MR/C	

ELECTRICAL EQUIPMENT - CENTRE FUSELAGE

REF. NO.	PART NO.						DESCRIPTION.	NO OFF	MATL. SPEC.	MR. CL of ST.	PLATE NO.
		1	2	3	4	5					
<p><u>Pages E.12 - E.18 reserved for amendments</u></p>											

1957 10 12 10 30 AM 1957

REF. NO.	PART NO.						DESCRIPTION.	NO OFF	MATL. SPEC.	MR. CL. of ST.	PLATE NO
		1	2	3	4	5					

ELECTRICAL EQUIPMENT - CENTRE FUSELAGE

REF. NO.	PART NO.						DESCRIPTION	NO OFF	MATL. SPEC.	MR. CL. of ST.	PLATE NO.
		1	2	3	4	5					
<u>SUMMARY OF STOCK ITEMS</u>											
	A.25.1.B					Bolt 4.BA					
	A.25.3.B					Bolt 4.BA					
	A.25.1.C					Bolt 2.BA					
	A.25.2.C					Bolt 2.BA					
	A.25.3.C					Bolt 2.BA					
	A.25.7.C					Bolt 2.BA					
	A.25.8.C					Bolt 2.BA					
	A.25.9.C					Bolt 2.BA					
	A.25.10.C					Bolt 2.BA					
	A.25.11.C					Bolt 2.BA					
	A.25.12.C					Bolt 2.BA					
	A.25.13.C					Bolt 2.BA					
	A.25.4.E					Bolt 1/4" B.S.F.					
	A.25.14.E					Bolt 1/4" B.S.F.					
	AGS.605.Mk.2					Clip					
	AGS.2001.C1					Nut 2.BA					
	AGS.2001.E1					Nut 1/4" B.S.F.					
	AGS.2002.A.1					Nut 6.BA					
	AGS.2002.B1					Nut 4.BA					
	AGS.2002.C1					Nut 2.BA					
	AGS.2002.E1					Nut 1/4" B.S.F.					
	A.31.A.12					Screw 6.BA					
	A.31.B.12					Screw 4.BA					
	A.31.B.14					Screw 4.BA					
	A.31.B.16					Screw 4.BA					
	A.31.B.20					Screw 4.BA					
	A.31.C.14					Screw 2.BA					
	A.31.C.16					Screw 2.BA					
	A.31.C.20					Screw 2.BA					
	A.32.B.14					Screw 4.BA					
	A.32.B.20					Screw 4.BA					
	A.32.C.24					Screw 2.BA					
	SP.13.E					Washer 1/4" dia.					
	SP.15.A					Washer 6.BA					
	SP.15.B					Washer 4.BA					
	SP.15.C					Washer 2.BA					
	SP.15.E					Washer 1/4" dia.					
	SP.16.C					Washer 2.BA					
	SP.16.J					Washer 3/8" dia.					

RESTRICTED

ELECTRICAL EQUIPMENT - CENTRE FUSELAGE

REF. NO.	PART NO.						DESCRIPTION.	NO OFF	MATL. SPEC.	MR. CL.of ST.	PLATE NO
		1	2	3	4	5					

RESTRICTED

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

REF. NO.	PART NO.	DESCRIPTION					NO OFF	MATL SPEC	MR. CL. of ST.	PLATE NO.
		1	2	3	4	5				
	E.190780	<u>ELECTRICAL EQUIPMENT IN FRONT</u>					-	-		
		<u>FUSELAGE ASSEMBLY</u>								
14A/1423	-	Adaptor, type 32.					1	-	A	
	Teddington Controls FLM/A/1 Mod. 518 Smiths-Waymouth FAB. A.196947	Amplifier, magnetic					1	-	A	
		Amplifier					2	-	A	
		Block, terminal, No.1 on frame 3, assembly					-	-		
5X/3268	Plessey CZ.50207	Block, terminal, 5 way					1	-	B	
5X/3274	Plessey CZ.26805	Cover					1	-	C	
5X/6163	Plessey Z.50210	Link, commoning, 2 way					1	-	C	
5X/3278	Plessey Z.28426 A.196936	Pillar					2	-	C	
		Block, terminal, No.2 on frame 4, assembly.					-	-		
5X/2863	Plessey CZ.24285	Block, terminal, 10 way					1	-	C	
5X/3275	CZ.26808	Cover					1	-	C	
5X/6163	Plessey Z.50210	Link, commoning					2	-	C	
5X/3278	Plessey Z.28426 B.196946	Pillar					2	-	C	
		Block, terminal, No.3 & 7, at port cockpit shelf, assembly.					-	-		
5X/2863	Plessey CZ.24285	Block, terminal, 10 way					1	-	B	
5X/3277	Plessey CZ.50206	Block, terminal, 3 way					1	-	B	
5X/3275	Plessey CZ.26808	Cover					1	-	C	
5X/3273	Plessey CZ.26802	Cover					1	-	C	
5X/6163	Plessey Z.50210	Link, commoning					1	-	C	
5X/3278	Plessey Z.28426 A.196937	Pillar					4	-	C	
		Block, terminal, No.5 at frame 5 assembly					-	-		
5X/2863	Plessey CZ.24285	Block, terminal, 10 way					1	-	B	

RESTRICTED

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

REF. NO.	PART NO.						DESCRIPTION.	NO OFF	MATL. SPEC.	MR. CL. of ST.	PLATE NO.
		1	2	3	4	5					
5X/3275	Plessey CZ.26808					Cover	1	-	C		
5X/3278	Plessey Z.28426 B.196945					Pillar	2	-	C		
						Block, terminal, No.4 & 6 at port cockpit shelf assembly.	-	-			
5X/2863	CZ.24285					Block, terminal, 10 way	1	-	B		
5X/3277	Plessey CZ.50206					Block, terminal, 3 way	1	-	B		
5X/3275	Plessey CZ.26808					Cover	1	-	C		
5X/3273	Plessey CZ.26802					Cover	1	-	C		
5X/6163	Plessey Z.50210					Link, commoning	1	-	C		
5X/3278	Plessey Z.28426 A.202701					Pillar	4	-	C		
						Block, terminal, No.64 on frame 12 assy.	-	-			
5X/3268	Plessey CZ.50207					Block, terminal, 5 way	1	-	B		
5X/3274	Plessey CZ.26805 A.202701/1					Cover	1	-	C		
						Marker	1	-			
5X/3278	Plessey Z.28426					Pillar	2	-	C		
5H/49	- D.203964					Bolt, connecting	3	-	C		
						Box, a/c junction and radar supply, assembly	-	-			
5X/6607	Plessey CZ.73898					Block, fuse, with indent tags, less cover	4	-	B		
5X/3268	Plessey CZ.50207					Block, terminal, 5 way	4	-	B		
5C/2561 1632	- A.190855 D.190732					Breaker, circuit, type A.3	2	-	A		
						Bus-Bar	2	BSS.266	C		
						Cable assemblies	1	-			
						Consisting of:-					
6A/	Smiths 213 M.V.					Auto-transformer, 115/26V 400 c/s	1	-	A		
5E/	-					Cable, trimetvinsmall	10"	-	C		
5E/	-					Cable, 2.5 amp.	QR	-	C		
5E/3040	-					Cable, unipren, 12 amp.	QR	-	C		
5E/3038	-					Cable, unipren 6 amp.	8"	-	C		
5E/3100	-					Cable duprenmet, 12 amp.	QR	-	C		

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

REF No.	PART No.	DESCRIPTION					Nº OFF	MATL. SPEC	MR CL of ST.	PLATE No.
		1	2	3	4	5				
5E/3106	-						QR	-	C	
5E/3042	-						QR	-	C	
10C/ Z.115260	Dubilier						1	-	A	
10C/ Z.115333	Dubilier						1	-	A	
	A.190048						1	DTD.610		
	A.190049						1	DTD.610		
5X/1356	Plessey Z.2272/2						4	-	C	
Z.970058	Plessey Z.60667						1	-	C	
Z.970108	Plessey Z.62235						1	-	C	
5X/2785	Plessey Z.22430						1	-	C	
5K/17	Plessey P.79692/23						2	-	C	
5X/1874	Plessey Z.1840						1	-	C	
5X/2787	Plessey Z.22432						1	-	C	
5X/6505	Plessey Z.70005						1	-	C	
5K/88	Plessey Z.14047						2	-	C	
Z.970069	Plessey CZ.49181						1	-	C	
Z.560080	Plessey CZ.48995						1	-	B	
Z.560130	Plessey CZ.51327						1	-	B	
Z.560050	Plessey CZ.48992						1	-	B	
Z.560070	Plessey CZ.48994						1	-	B	
Z.560060	Plessey CZ.48993						1	-	B	
Z.970102	Plessey Z.49040						1	-	C	
Z.970096	Plessey Z.49037						1	-	C	
5X/3148	Plessey Z.49428						6	-	C	
5K/2576	-						135	-	C	
5K/2577	-						12	-	C	
5K/	-						9	-	C	

RESTRICTED

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

Page E.24

REF. NO.	PART NO.						DESCRIPTION.	NO OFF	MATL. SPEC.	MR. CL. of ST.	PLATE NO
		1	2	3	4	5					
Z.970114	Plessey Z.62240					Sleeve, cable code 45	1	-	C		
5K/41	Plessey Z.23235/1					Sleeve, inner	2	-	C		
5K/50	Plessey Z.23237/1					Sleeve, outer	2	-	C		
5X/2796	Plessey Z.24209					Sleeve, helvin	8	-	C		
5X/2798	Plessey Z.24211					Sleeve, helvin	1	-	C		
5X/6188	Plessey CZ.50398					Socket, size A.1	2	-	B		
5X/6189	Plessey CZ.50399					Socket, size A.2	2	-	B		
Z.560230	Plessey CZ.49217					Socket, panel, unit code 41	1	-	B		
Z.560250	Plessey CZ.49221					Socket, panel, unit code 43	1	-	B		
Z.560240	Plessey CZ.49219					Socket, panel, unit code 42	1	-	B		
5X/	Plessey CZ.56743					Socket, panel mounting coupler, code 45	1	-	B		
5C/3942	-					Switch, magnetic relay, type S.1	2	-	A		
5C/3944	-					Switch, magnetic relay, type S.3	4	-	A		
	Tucker S.79					Tag, eyelet	13	-			
5X/6502	Plessey Z.70002					Tag, eyelet	1	-	C		
5K/	Ross Courtney No.00					Tag, eyelet	2	-	C		
5K/2266	Plessey Z.19924					Tag, 4 amp. Q/R	16	-	C		
5X/2267	Plessey Z.19925					Tag, 7 amp. Q/R	43	-	C		
5X/2268	Plessey Z.19926					Tag, 19 amp. Q/R	6	-	C		
5X/2269	Plessey Z.19979					Thimble, 4 amp. Q/R	6	-	C		
5X/2270	Plessey Z.19980					Thimble, 7 amp. Q/R	43	-	C		
5X/2271	Plessey Z.19981					Thimble, 19 amp. Q/R	6	-	C		
5C/3610 OR 5C/4520						Cap, protecting, circuit breaker	2	-	C		
Z.970055	Plessey CZ.51538					Cap, protective	1	-	C		

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

REF. No.	PART No.	DESCRIPTION.					No OFF	MATL. SPEC.	MR. CL. of ST.	PLATE No.
		1	2	3	4	5				
	D.190875/1					Diagram, wiring	1			
5C/879	-					Fuse, 2.5 amp.	12	-	B	
5C/880	-					Fuse, 5 amp.	1	-	B	
5C/881	-					Fuse, 10 amp.	2	-	B	
5C/4361	Dowty D.1838Y.Mk.1					Indicator, magnetic	1	-	A	
1633	B.190333					Lid, front	1	DTD.213	C	
1634	B.190172					Lid, top	1	DTD.213	C	
5X/6171	Flessey Z.50211					Link, commoning, 3 way	1	-	C	
5X/6173	Flessey Z.50213					Link, commoning, 5 way	1	-	C	
	F.197020/2					Saddle	1	DTD.610		
	B.190455					Screen, suppressor	1	DTD.610		
1178	Std.1606/ 44/B12					Screw, roundhead	17	Brass	C	
1638	Std.1606/ 44/B6					Screw, roundhead (Referenced 26AQ/2592 for Admiralty)	2	Brass	C	
1639	Std.1606/ 44/A6					Screw, roundhead	4	Brass	C	
3839	Std.1606/44/ B.16					Screw, roundhead (Referenced 26AQ/2782 for Admiralty)	1	Brass	C	
1640	C.190344					Shell, outer	1	DTD.213	C	
5C/2682/ SA1	-					Suppressor, Type F.No.2, sub- assembly group. Consisting of:-	2	-	A	
5C/2738	-					Block, terminal	2	-	B	
5C/2740	-					Choke assembly	3	-	B	
5C/2839	-					Capacitor, Type A.1004	3	-	A	
5C/2739	-					Plate earthing	1	-	C	
5C/4184	-					Switch S.P., "on-off" upright "off".	1	-	A	
5CW/5105	EAP/2312					Switch, torque	2	-	A	
5C/4485	-					Transfer, "normal"	1	-	C	
5C/4333	-					Transfer "test"	1	-	C	
3796	Std.1509/12 /72					Tube, distance, 1/4" o/d x 20 s.w.g. x .72" long (Make from 30B/619)	8	T.4	MR/C	
1641	D.189839					Unit, mounting for A.C. junction box	1	DTD.213	B	
Z.970049	Flessey Z.54105					Washer, panel mounting	QR	-	C	
	Smiths Waymouth JP/21					Box, connector	1	-	A	
	Smiths Waymouth JP/20					Box, connector	1	-	A	

RESTRICTED

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

REF. No.	PART No.						DESCRIPTION.	No OFF	MATL. SPEC.	MR. CL. of ST.	PLATE No.
		1	2	3	4	5					
5X/3181	C.200030					Box, junction, No.2 Assembly	-	-			
	Plessey CZ.23212/1					Block, terminal, 20 way	1	-	B		
	Plessey BZ.73118					Box, assembly	1	-	B		
5X/6163	Plessey CZ.73106					Lid, assembly	1	-	C		
	Plessey Z.50210					Link, commoning	3	-	C		
	Plessey CZ.71949					Plug form, F.24	1	-	B		
	Plessey Z.73213					Washer, packing	2	-	C		
5H/55					Bus-Bar, 3 way	1	-	C			
14A/1380	-					Cables, electric (See cable chart)					
	Std.841/32					Camera, G.45, Mk.3	1	-	A		
3733	E.199946					Clip, securing cables at generator control panel 7/16" wide x 22 s.w.g. x 3.2" long (Make from 30B/1433)	1	DTD.610	MR/C		
						Clipping of electrical cables assembly.	-	-			
						Clip, securing cable at suppressor type P.	1	DTD.610	C		
3741	Std.840/13					Clip, securing, cable at keel member, 7/16" wide x 22 s.w.g. x 1.3" long (Make up from 30B/1433).	1	DTD.610	MR/C		
						Clip, securing cable at suppressor type P and cable F.50 at frame 3.	2	DTD.610	C		
3738	Std.840/29					Clip, securing cable at frame 7, 7/16" wide x 22 s.w.g. x 2.9" long (Make from 30B/1433)	1	DTD.610	MR/C		
2145	Std.841/13					Clip, securing cable at follow up resistor, to stiffener at frame 7, and cable F.24 at windscreen supply pipe.	3	DTD.610	C		
4186	Std.841/16					Clip, securing cable F.30 to diaphragm, and F.21 at voltage compensation, 7/16" wide x 22 s.w.g. x 1.6"	2	DTD.610	C		
4544	Std.841/18					Clip, securing cable F.61 (Make from 30B/1433)	1	DTD.610	C		
4159	Std.841/20					Clip, securing cable F.30 to diaphragm. 7/16" wide x 22 s.w.g. x 2" long	1	DTD.610	C		

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

REF. No.	PART No.						DESCRIPTION	No OFF	MATL. SPEC.	MR CL. of ST	PLATE No.
		1	2	3	4	5					
	Smiths-Waymouth CA.10					Connector	1	-		C	
	Smiths-Waymouth CA.14					Connector	1	-		C	
	Sangamo-Weston L.2-120					Extension-Lead 14 ft. long	1	-		C	
	Sangamo-Weston L.2-121					Extension-Lead 14 ft. long	1	-		C	
5X/2114	Plessey Z.22675/D					Ferrule, outer	3	-		C	
5X/2121	Plessey Z.22676/D					Ferrule, inner	3	-		C	
5X/	Plessey Z.76758/1					Gland	1	-		C	
5X/	Plessey Z.76758/2					Gland	1	-		C	
5X/	Plessey Z.76758/3					Gland	1	-		C	
	A.201206					Grommet at rear decking skin assembly	-	-		C	
	Helsyn 210					Grommet No.2	1	-		C	
5X/3148	Plessey Z.49428					Sleeve	70	-		C	
5X/6194	Plessey					Socket assembly, D24/2/0	3	-		B	
5F/2281	Hellerman H.V.3341					Strapping	QR	-		C	
5F/92	Hellerman H.V.3254					Strapping	QR	-		C	
5F/2280	Hellerman H.V.3255					Stud	39	-		C	
5F/2282	Hellerman H.V.3342					Stud	118	-		C	
	Std.1335/A18					Washer, for earth lead	2	L.4			
	E.199947					Clipping of electrical cables assembly	-	-			
	F.197464					Clip securing cable F26 at pilots floor (Make up from Std.841/24)	1	DTD.610			
3741	Std.840/20					Clip, securing cables F.50 on frame 3.	1	DTD.610		C	

RESTRICTED

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

REF. NO.	PART NO.						DESCRIPTION.	NO OFF	MATL. SPEC.	MR. CL of ST.	PLATE NO
		1	2	3	4	5					
2145	Std.841/13					Clip, securing cable F.24 on windscreen spray pipe (Referenced 26AQ/3393 for Admiralty)	1	DTD.610	C		
4608	B.202481 Hellerman H.V.3566					Gland Assembly at frame 14 Bung	- 1	- -	C		
4609	A.202482					Housing	1	L.65.C			
4610	A.202483					Nut	1	L.65.C	C		
5F/2281	F.202484 Hellerman H.V.3341					Washer Strapping	1 QR	DTD.171 -	C C		
5F/	Hellerman H.V.3254					Strapping	QR	-	C		
5F/2280	Hellerman H.V.3255					Stud	13	-	C		
5F/2282	Hellerman H.V.3342					Stud	63	-	C		
4611	F.198918					Cover,for hood jettison switch	1	Acetate Sheet	C		
14A/2853						Cover, protective	1	-	C		
4612	A.197111-3 Std.1298/1					Earthing connections assembly Stud	- 3	- S1	C		
4613	Std.1335/ C.18					Washer	9	L4	C		
	Teddington Controls FHJ/A/2 C.195496					Element,Cabin Equipment on port forward shelf, assembly	1 -	- -	A		
	B.190207					Box, switch, group	1	-			
	A.190209					Cover	1	DTD.610			
	F.190211					Lever	1	S3 & T26			
1642	F.190212					Spring	1	Sp.St.	C		
3782	Std.1507/ 2/164					Tube, distance, 1/4" o/d x 22 s.w.g. x 1.64" long (Make from 30A/965)	1	T.26	MR/C		
3783	Std.1507/ 2/062					Tube, distance 1/4" o/d x 22 s.w.g. x .62" long (Make from 30A/965)	1	T.26	MR/C		
4178	Rotax N.65291 C.198066					Bung, sealing Cable form (F.19),for cockpit shelf forward port	1 1	- -	C C		
3734	Std.840/14					Clip, 7/16" wide x 22 s.w.g. x 1.4" long (Make up from 30B/1433)	1	DTD.610	MR/C		

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

REF. NO.	PART NO.						DESCRIPTION	NO OFF	MATL. SPEC.	MR. CL. of ST.	PLATE NO.
		1	2	3	4	5					
3971	Std. 840/19					Clip, 7/16" wide x 22 s.w.g. x 1.9" long (Make up from 30B/1433)	1	DTD. 610	MR/C		
5C/4361	Dowty C1838Y.Mk. 1					Indicator, magnetic	1	-	A		
6A/	Smiths 501 F.L.					Indicator, position, trim	1	-	A		
3838	Std. 1606/44/B8					Screw, securing switches S.P. (Referenced 26AQ/2781 for Admiralty)	8	Brass	C		
3837	Std. 1606/44/B10					Screw, securing clips	2	-	C		
1637	Std. 1606/44/B14					Screw, securing position indicator (Referenced 26AQ/3266 for Admiralty)	2	Brass	C		
4614	Std. 1606/44/C16					Screw, securing trim switch (Referenced 26AQ/2596 for Admiralty)	4	Brass	C		
	B. 195416					Shelf	1	DTD. 610			
5C/4638	-					Switch, micro, type 1A	1	-	A		
5C/4178	-					Switch, S.P. change over centre "off" spring return both ways.	1	-	A		
5C/	Rotax D. 5406/2					Switch, S.P. "change over" no "off" position	1	-	A		
5C/4682	Western L.S. 1611					Switch, trim. Mk. 8/2	1	-	A		
5C/4327	-					Transfer "on"	1	-	C		
5C/4328	-					Transfer "off"	1	-	C		
5C/4340	-					Transfer "up"	1	-	C		
5C/4341	-					Transfer "down"	1	-	C		
	D. 198062					Equipment on port, rear shelf, assembly	-	-			
5X/6480	Plessey Z. 60218					Bar, commoning	4	-	C		
5X/6607	Plessey CZ. 73898					Block, fuse, Q/R with identification tags, less cover	6	-	B		
5X/3181	Plessey CZ. 23212/1					Block, terminal, 20 way	2	-	B		
5X/2863	Plessey CZ. 24285					Block, terminal, 10 way	2	-	B		
5C/2562	-					Breaker circuit, type A, No. 4, 25 amp.	2	-	A		
	D. 198063					Cable form A, for rear cockpit shelf port	1	-			
	D. 196605 OR Plessey CZ. 74885					Cable form B, for rear cockpit shelf port	1	-			

RESTRICTED

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

Page E. 30

REF. NO.	PART NO.						DESCRIPTION.	NO OFF	MATL. SPEC.	MR. CL. of ST.	PLATE NO.
		1	2	3	4	5					
5C/3610	B.189231						Channels, mounting	1	-		
OR	-						Cover, safety	2	-	C	
5C/4520											
5X/6163	Flessey Z.50210						Link, commoning, 2 way	4	-	C	
5X/6171	Flessey Z.50211						Link, commoning, 3 way	1	-	C	
5X/6314	Flessey Z.50214						Link, commoning, 6 way	1	-	C	
5X/6317	Flessey Z.50218						Link, commoning, 10 way	2	-	C	
	C.189088						Plate, end, shelf	1	DTD.610		
5C/3944	-						Relay, type S, No.3	1	-		
1639	Std.1606/ 44/A6						Screw, securing safety cover	4	-	C	
1638	Std.1606/ 44/B6						Screw, securing switches (Referenced 26AQ/2783 for Admiralty)	10	-	C	
3838	Std.1606/44/ B.8						Screw, securing temperature selector (Referenced 26AQ/2781 for Admiralty).	4	Brass	C	
3839	Std.1606/44/ B.16						Screw, securing Dowty lever switch (Referenced 26AQ/2782 for Admiralty)	2	Brass	C	
4179	Std.1606/44/ B.20						Screw, securing altitude switch (Referenced 26AQ/3386 for Admiralty).	3	Brass	C	
5CZ/4900	Teddington Controls FHK/A.7						Selector, temperature	1	-	A	
1643	C.189204						Shelf, group	1	DTD.610	B	
1644	F.189202						Fastener, hinged	3	DTD.610	C	
1645	F.189203						Fastener, hinged	1	DTD.610	C	
27FP/143	Dzus A.3/20						Fastener	2	-	C	
27FP/146	Dzus A.4/25						Fastener	4	-	C	
27FP/323	Dzus S3/150						Spring	2	-	C	
5K/2577	Helsyn B.P.						Sleeve, 5/8" long	2	-	C	
5C/5042	KB.562/01						Switch, altitude	1	-	A	
5C/4182	-						Switch, D.P. change over, no "off" position.	1	-	A	
5C/4225	-						Switch, D.P., "on-off" spring return to centre position	1	-	A	
5C/4179	-						Switch, S.P., change over, no "off" position	1	-	A	

RESTRICTED

HAL 2733/2

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

REF. NO.	PART NO.						DESCRIPTION.	NO OFF	MATL. SPEC.	MR. CL. of ST.	PLATE NO.
		1	2	3	4	5					
5C/4679	Dowty C.1223Y.Mk.12						Switch, lever, cabin temperature control	1	-	A	
5C/4102	-						Switch, magnetic relay, type Q, No.3	2	-	A	
5C/4486	-						Transfer "normal"	2	-	C	
5C/4333	-						Transfer "test"	2	-	C	
5C/4327	-						Transfer "on"	1	-	C	
5C/4328	-						Transfer "off"	1	-	C	
	E.190516						Equipment on starboard cockpit shelf, assembly	-	-		
5X/6480	Plessey Z.60218						Bar, commoning	2	-	C	
5X/	Plessey Z.63022						Bar, commoning	1	-	C	
5X/6607	Plessey CZ.73898						Block, fuse Q/R, with identification tags, less cover.	4	-	B	
5X/2863	Plessey CZ.24285						Block, terminal, 10 way	2	-	B	
5X/3181	Plessey CZ.23212/1						Block, terminal, 20 way	2	-	B	
5C/2562	-						Breaker, circuit, type A, No.4	2	-	A	
5C/2564	-						Breaker, circuit, type A, No.6	1	-	A	
	D.192148						Cable form A. for cockpit shelf, starboard	1	-		
	C.196607 OR Plessey CZ.75052						Cable form B, for cockpit shelf, starboard	1	-		
5C/3610 OR 5C/4520							Cap, protecting	3	-	C	
	B.190259						Channels, mounting, fuse and terminal block	1	-		
3741	Std.840/20						Clip, securing, 7/16" wide x 22. s.w.g. x 2" long. (Make up from 30B/1433).	2	DTD.610	C	
	Std.840/41						Clip, securing, 7/16" wide x 22 s.w.g. c 4.1" long (Make up from 30B/1433)	1	DTD.610	MR/C	
3740	Std.840/33						Clip, securing, 7/16" wide x 22 s.w.g. x 3.3" long (Make up from 30B/1433)	1	DTD.610	MR/C	
1646	F.167745						Cover, safety, butt test switch	1	-	C	
4180	Rotax N.65290						Grommet	2	-	C	
5C/4361	Dowty C.1838Y.Mk.1						Indicator, magnetic	2	-	A	

RESTRICTED

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

Page E. 32

REF. NO.	PART NO.						DESCRIPTION.	NO OFF	MATL. SPEC.	MR. CL. of ST.	PLATE NO.
		1	2	3	4	5					
6A/	Smiths Waymouth AG. 21						Indicator, fuel contents	2	-	A	
	A.190747						Label	1	DTD.213		
5X/6173	Plessey Z.50213						Link, commoning, 5 way	1	DTD.213	C	
5X/6163	Plessey Z.50210						Link, commoning, 2 way	1	-	C	
5X/6171	Plessey Z.50211						Link, commoning, 3 way	1	-	C	
5X/6317	Plessey Z.50218 B.190403						Link, commoning, 10 way	2	-	C	
	-						Plate, end, shelf	1	DTD.610		
5C/596	-						Plug, type 'F'	1	-	B	
1639	Std.1606/ 44/A6						Screw, securing protection cap	6	Brass	C	
1638	Std.1606/ 44/B6						Screw, securing switches (Referenced 26AQ/2783 for Admiralty)	8	Brass	C	
3838	Std.1606/44/ B8						Screw, securing switches (Refer- enced 26AQ/2781 for Admiralty)	18	Brass	C	
1178	Std.1606/44/ B12						Screw, securing clip	2	Brass	C	
3839	Std.1606/44/ B16						Screw, securing socket (Referenced 26AQ/2782 for Admiralty)	2	Brass	C	
1720	Std.1606/44/ B24						Screw, securing fuel indicators	8	Brass	C	
1648	E.190514						Shelf, group	1	DTD610	B	
	B.190391						Door access, hinged, group	1	DTD.610		
27FP/144	Dzus A.3/25						Fastener	2	-	C	
1644	F.189202						Fastener, hinged	6	DTD.610	C	
1645	F.189203						Fastener, hinged	1	DTD.610	C	
27FP/146	Dzus A.4/25						Fastener	10	-	C	
27FP/323	Dzus S.3/150						Spring	2	-	C	
5C/597	-						Socket, type 'F'	1	-	B	
5C/4182	-						Switch D.P., "change over" no "off" position	1	-	A	
5C/4179	-						Switch S.P., "change over" no "off" position	1	-	A	
5C/4221	-						Switch S.P., "on-off", spring return to centre off	1	-	A	

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

REF. NO.	PART NO.	DESCRIPTION					NO OFF	MATL. SPEC.	MR. CL. of ST.	PLATE NO.
		1	2	3	4	5				
5C/4224	-	Switch D.P., "change over", "centre off" spring return both positions					1	-	A	
5C/4184	-	Switch S.P., "on-off", "upright off"					6	-	A	
5K/	Ross Courtney 00	Terminal					2	-	C	
5C/4327	-	Transfer "on"					7	-	C	
5C/4328	-	Transfer "off"					8	-	C	
5C/4481	-	Transfer "port"					1	-	C	
5C/4482	-	Transfer "starboard"					1	-	C	
5C/4487	-	Transfer "Eng"					2	-	C	
5C/4333	-	Transfer "test"					3	-	C	
	A.190430	Equipment on starboard arch panel, assembly					-	-		
1541	F.188489	Panel, arch, starboard					1	DTD.610	C	
3859	Std.1606/ 45/B10	Screw, securing "on-off" switch					2	Brass	C	
3837	Std.1606/ 44/B10	Screw, securing fire warning push switch					4	Brass	C	
5C/4514	-	Switch, push, fire warning					1	-	A	
5C/4221	-	Switch S.P., "on-off" spring return					1	-	A	
5C/4327	-	Transfer, "on"					1	-	C	
5C/4328	-	Transfer "off"					1	-	C	
5C/4528	-	Window, red					1	-	C	
	D.190972	Equipment, on leg panel, assembly					-	-		
5X/6480	Plessey Z.60218	Bar, commoning, 4 way					3	-	C	
5X/6607	Plessey CZ.73898	Block, fuse					4	-	B	
5X/2863	Plessey CZ.24285	Block, terminal, 10 way					1	-	B	
5C/2560		Breaker, circuit, type A.2					1	-	B	
	F.188304	Bracket, for plug socket					1	DTD.610		
	D.198064 OR Plessey CZ.75582	Cable form at leg panel					1	-		
5C/3610 } OR } 5C/4520 }	-	Cover, protective					1	-	C	
5C/4264	Std.1512/1	Disc-identification					2	-	C	
5C/1553	-	Lamp, warning, type B					2	-	A	
5X/6317	Plessey Z.50218	Link, commoning, 10 way					1	-	C	

RESTRICTED

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

Page E. 34

REF. NO.	PART NO.						DESCRIPTION.	NO OFF	MATL. SPEC.	MR. CL. of ST.	PLATE NO.
		1	2	3	4	5					
5X/6171	Plessey Z.50211					Link, commoning, 3 way	1	-	C		
5X/6163	Plessey Z.50210					Link, commoning, 2 way	1	-	C		
4490	F.199451					Nut, special at transfer "on" and "off" switch	1	L.65.C	C		
	D.188300					Panel, leg group	1	DTD.610			
	A.188306					Bar, ganging	1	M.S			
	A.196162					Bracket, for terminal block	1	DTD.610			
4615	B.188298					Door, group	1	DTD.610	B		
27FP/146	Dzus.A4/25					Fastener	3	-	C		
	A.188310					Lever, rudder bar release,group	1	-	C		
1649	F.188308					Lever	1	T.26 or T.45	C		
1650	F.188311					Shackle	1	S.3	C		
	A.192533					Plate, identification	1	DTD.610			
3190	F.151094					Spring, for ganging bar	1	-	MR/C		
	F.199450					Plate, locking at transfer "on" and "off" switch	1	L.72			
6A/	Smiths 1A.C.R					Ratiometer, indicator, for oil pressure	1	-	A		
1639	Std.1606/ 44/A6					Screw, securing protective cover	2	Brass	C		
1638	Std.1606/ 44/B6					Screw, securing fuse block	8	Brass	C		
3838	Std.1606/44 /B8					Screw, securing "on-off" switches (Referenced 26AQ/2781 for Admiralty)	11	Brass	C		
3837	Std.1606/ 44/B10					Screw, securing bracket for socket	4	Brass	C		
3839	Std.1606/ 44/B16					Screw, securing cartridge selector switch and magnetic relay switch (Referenced 26AQ/2782 for Admiralty)	4	Brass	C		
4179	Std.1606/ 44/B20					Screw, securing magnetic relay switch	4	Brass	C		
1720	Std.1606/ 44/B24					Screw, securing ratiometer oil indicator	4	Brass	C		
3840	Std.1606/ 44/B28					Screw, securing terminal block 10 way	4	Brass	C		
4617	Std.1606/ 44/C14					Screw, securing, resistance unit	3	Brass	C		
4616	F.199449					Stud, at transfer "on" and "off" switch	1	S.95.B	C		

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

REF. NO.	PART NO.					DESCRIPTION.	NO OFF	MATL. SPEC.	MR. CL. of ST.	PLATE NO.
		1	2	3	4					
5C/4184	-					Switch, S.P., "on-off", "upright off"	4	-	A	
5C/4198						Switch D.P., "on-off", "upright off"	1	-	A	
5C/2007	-					Switch, relay, magnetic type, Q No.1	2	-	A	
F.J.B/A/5 OR F.J.B/A/3	-					Switch, selector cartridge	1	-	A	
5C/4102						Switch, magnetic relay type Q.3	1	-	A	
5C/4328	-					Transfer, "off"	5	-	C	
5C/4327	-					Transfer, "on"	5	-	C	
FKX/A/i						Unit, resistance	1	-	A	
14A/1420	-					Flange, front	1	-	B	
5H/48	-					Insulator, busbar	2	-	C	
5U/4935	-					Inverter, type 100B	2	-	A	
5C/446	-					Lamp, cockpit, Mk.1.A(Service light)	1	-	A	
5L/X952254	-					Lamp, filament. 24v6W type J	2	-	A	
14A/1042	-					Mounting, camera, type 27	1	-	A	
5X/6607	D.189671 Flessey CZ.73898					Panel, generator control, assembly Block, fuse with identification tags, less cover	- 2	- -	- B	
5X/2863	Flessey CZ.24285 F.196207					Block, terminal, 10 way	1	-	B	
5C/2560	-					Bolt, special, for securing links Breaker, circuit, type A, No.2. 10 amp.	2 2	BSS.250B -	C B	
5C/2853	-					Breaker, circuit, type D	2	-	B	
4178	A.198117 Rotax N.65291 D.192152 OR Flessey CZ.75194					Bracket, mounting Bung, sealing Cable, form, for generator control panel assembly	1 4 1	DTD.610 - -	C C C	
5C/3610 OR 5C/4520 3735						Cap, protective	2	-	C	
3971	Std.840/16 Std.840/19 Std.840/21					Clip, securing cable, 7/16" wide x 22 s.w.g. x 1.6" (Make up from 30B/1433) Clip, securing cable, 7/16" wide x 22 s.w.g. x 1.9" long (Make up from 30B/1433) Clip, securing cable, 7/16" wide x 22 s.w.g. x 2.1" long (Make from 30B/1433)	3 3 1	DTD.610 DTD.610 DTD.610	MR/C MR/C MR/C	

RESTRICTED

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

Page E.36

REF. NO.	PART NO.						DESCRIPTION.	NO OFF	MATL. SPEC.	MR. CL. of ST.	PLATE NO
		1	2	3	4	5					
3740	Std. 840/33					Clip, securing cable, 7/16" wide x 22 s.w.g. x 3.3" long (Make up from 30B/1433)	1	DTD. 610	MR/C		
	Std. 841/14					Clip, securing cable 7/16" wide x 22 s.w.g. x 1.4" long (Make up from 30B/1433)	1	DTD. 610	MR/C		
4186	Std. 841/16					Clip, securing cable 7/16" wide x 22 s.w.g. x 1.6" long	1	DTD. 610	C		
	Std. 843/10					Clip, securing cable 7/16" wide x 22 s.w.g. x 1" long (Make up from 30A/549)	1	S. 3	MR/C		
5C/4211	-					Cut-out, differential, type A Mk. 2.	2	-	A		
5X/1878	SP. 48, B24					Grommet	2	-	C		
5C/4361	Dowty G. 1838Y, Mk. 1 A. 187946					Indicator, magnetic	2	-	A		
	A. 187947					Label, amps and volts	1	L. 16 or L. 59			
	A. 187948					Label, 'Generator No. 1'	1	L. 16 or L. 59			
	A. 187949					Label, 'Generator No. 2'	1	L. 16 or L. 59			
	A. 187949					Label, 'Reset'	1	L. 16 or L. 59			
5X/6317	Plessey Z. 50218					Link, commoning, 10 way	1	-	C		
4181	A. 190682					Link, connecting	1	BSS. 1433	C		
4182	A. 190683					Link, connecting	1	BSS. 1433	C		
4183	A. 190684					Link, connecting	1	BSS. 1433	C		
4184	F. 190685					Link, connecting	1	BSS. 1433	C		
4185	B. 190680					Link, connecting	1	BSS. 1433	C		
	D. 186570					Panel, detail, group	1	DTD. 610			
27FP/228	Dzus. AJW5/35					Fastener	4	-	C		
1651	F. 186573					Lug, hinge	2	DTD. 364	C		
5U/5201	-					Regulator, voltage, type 57	2	-	A		
5C/3944	-					Relay, type S.No. 3	4	-	A		
5U/5209	-					Resistance, trimmer remote type 3, 5 ohms.	2	-	A		
5C/4341	-					Shunt, ammeter 200 amps 50 m/v	2	-	A		
5C/3002	-					Socket, 3 pole, 2 amps.	4	-	B		
5C/4182	-					Switch D.P., "change over no off position",	2	-	A		
5C/2007	-					Switch, magnetic relay, type Q No. 1.	2	-	A		
5C/3940	-					Switch, magnetic relay, type R	1	-	A		

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

REF. NO.	PART NO.						DESCRIPTION.	NO OFF	MATL. SPEC	MR Cl of ST	PLATE NO
		1	2	3	4	5					
5C/4485						Transfer 'Normal'	2	-		C	
	Std.1546/36/16.					Washer, profile, for mounting bracket	1	DTD.610			
	Std.915/E/20					Washer, at differential out-out	4	DTD.610			
	C.191359					Panel, gun firing, assembly (Pre Mod.77)	-	-			
5X/3271	Flessey CZ.52815					Block, fuse	1	-		B	
5X/2863	Flessey CZ.24285					Block, terminal, 10 way	1	-		B	
5X/3277	Flessey CZ.50206					Block, terminal, 3 way	1	-		B	
	F.197407					Block, distance, for terminal block	2	LFS.21			
	F.197408					Block, distance for terminal block	1	LFS.21			
5C/2559	-					Breaker, circuit, type A.1	1	-		B	
	C.192944					Cable form. for gun firing panel	1	-			
	OR										
	Flessey CZ.75056										
5C/3610	-					Cap, protective	1	-		C	
	OR										
5C/4520	-					Fuse, S, 5 amp.	2	-		B	
5C/880	-										
10H/											
Z590110	Belling-Lee					Fuse, 2 amp.	4	-		B	
10H/											
Z590100						Holder, fuse	4	-		C	
5U/5398	-					Inverter, type 300	1	-		A	
5X/	Flessey Z.75020					Link, fuse, 2 way R.H.	1	-		C	
5X/6171	Flessey Z.50211					Link, commoning 3 way	1	-		C	
	C.190779					Panel, detail	1	DTD.610			
5C/2007	-					Switch magnetic, relay type 'Q1'	1	-		A	
5C/4102	-					Switch magnetic, relay type 'Q3'	2	-		A	
5C/3944	-					Switch magnetic, relay type 'S3'	1	-		A	
	C.200680					Panel, gun firing assembly(Mod.77)	-				
5X/3271	Flessey CZ.52815					Block, fuse	1	-		B	
5X/2863	Flessey CZ.24285					Block, terminal 10 way	1	-		B	
5X/3277	Flessey CZ.50206					Block, terminal 3 way	1	-		B	

RESTRICTED

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

REF. NO.	PART NO.						DESCRIPTION.	NO OFF	MATL. SPEC.	MR. CL of ST.	PLATE NO.
		1	2	3	4	5					
5X/3268	Plessey CZ.50207 F.197407						Block, terminal, 5 way	1	-	B	
	F.197408						Block, distance, for terminal block	2	LFS.21		
	A.198838						Block, distance, for terminal block	1	LFS.21		
5C/2559							Bracket Mounting	1	DTD.610		
	C.201512						Breaker, circuit type A1	1	-	B	
	B.192144						Cable form	1	-		
5C/3610 or 5C/4520							Cable F.46 (See cable chart)	1	-		
							Cap Protective	1	-	C	
10H/Z590110	Std.840/23						Clip, Support (Make from 30B/1433)	1	DTD.610		
5C/880	-						Fuse 2 amp.	4	-	B	
10H/ Z590100	-						Fuse 'S', 5 amp.	2	-	B	
5U/5398							Holder fuse	4	-	C	
5X/	Plessey Z.75020						Inverter type 300	1	-	A	
5X/6171	Plessey Z.50211						Link, fuse 2 way R.H.	1	-	C	
	C.200681						Link, commoning, 3 way	1	-	C	
	A.201508						Panel detail	1	DTD.610		
5E/3038	-						Relay C1, assembly	1	-		
	A.201508/1						Cable, unipren 6	3'6"			
	Helsyn A.P.						Markers	1 Set			
5C/3944							Sleeve	7			
5X/2266	Plessey Z.19924						Switch magnetic relay, type S.3	1	-	A	
5X/2269	Plessey Z.19979						Tag	7	-	C	
5C/2007							Thimble	7	-	C	
5C/3944							Switch magnetic relay, type Q.1.	1	-	A	
5K/	Hellerman H.V.3341						Switch magnetic relay, type S.3	1	-	A	
	D.197604						Strapping, cable, 1/2" wide	7"			
5X/6607	Plessey CZ.73898						Panel, supply, assembly	-	-		
5X/3181	CZ.23212/1						Block, fuse	12	-	B	
5C/2564	-						Block, terminal	8	-	B	
	D.198065						Breaker, circuit, for radar range	1	-	B	
5C/3610 OR 5C/4520	-						Cable form, for supply panel	1	-		
							Cap, protective	1	-	C	

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

REF. NO.	PART NO.						DESCRIPTION.	NO OFF	MATL. SPEC.	MR. CL of ST.	PLATE NO.
		1	2	3	4	5					
3735	Std. 840/16					Clip, 7/16" wide x 22 s.w.g. x 1.6" long (Make up from 30B/1433)	1	DTD. 610	MR/C		
3739	Std. 840/30					Clip, 7/16" wide x 22 s.w.g. x 3" long (Make up from 30B/1433).	1	DTD. 610	MR/C		
5X/6163	Plessey Z. 50210					Link, commoning, 2 way	4	-	C		
5X/	Z. 63022					Link, commoning, L.H.	4	-	C		
5X/	Z. 63023					Link, commoning, R.H.	4	-	C		
5X/	Z. 63021					Link, commoning, 10 way	2	-	C		
5X/6317	Plessey Z. 50218					Link, commoning, 10 way	2	-	C		
5X/3259	Plessey Z. 50219 D. 186210					Link, commoning, transverse	2	-	C		
	F. 186211					Panel, fuse and terminal block, group	1	DTD. 610			
	F. 186212					Bracket, end for landing	1	DTD. 610			
	F. 186213					Bracket, end for landing	1	DTD. 610			
	F. 186207					Bracket, centre for landing	2	DTD. 610			
	F. 186208					Bracket, centre for shelf	2	DTD. 610			
	C. 186214					Bracket, end for shelf	1	DTD. 610			
27FP/337	Dzus S. 5/200					Plate, plug and landing, group	1	DTD. 610			
3762	Std. 915/A/18 B. 186752					Spring	4	-	C		
5C/3942	-					Washer	8	-	MR/C		
5C/3944	-					Shelf	1	DTD. 610			
5C/4120	-					Relay, type S, No. 1	1	-	A		
10W/	-					Relay, type S, No. 3	1	-	A		
Z. 243099	-					Relay, type Q. No. 3	2	-	A		
10W/	-					Resistor, 100 ohms.	2	-	A		
Z. 243107	-					Resistor, 120 ohms.	1	-	A		
	Sangamo- Weston FD. 871					Spool adjusting	1	-	A		
	Std. 1507/ 12/084					Tube, distance 1/4" o/d x 20 s.w.g. x 84" long (Make up from 30A/965)	1	T. 26			
	C. 191124					Panel, pilots instrument (See Page F. 1)	-	-			
5U/5900	Rotax F. 1303					Relay, hood motor	1	-	A		
5CY/1004						Stowage, dummy, type B.	1	-	C		
5CY/1002						Suppressor, type P.No. 1	1	-	C		

RESTRICTED

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

Page E.40

REF. NO.	PART NO.						DESCRIPTION.	NO OFF	MATL. SPEC.	MR. CL. of ST.	PLATE NO.
		1	2	3	4	5					
	Teddington Controls FHM/A/25						Switch, time delay	1	-	A	
27N/93							Switch inertia Mk.1, Type S3	1	-	A	
5CW/4638	-						Switch, micro, type 1A	1	-	A	
5CW/4639	-						Switch, micro, type 4A	1	-	A	
	Western Manfg. Co. L.S.561						Switch, hood jettison	1	-	A	
	F.190440						Switch, hood control assembly	-	-		
	A.183030						Bracket, mounting	1	DTD.610		
	A.184397						Label	1	DTD.213		
5C/4224							Switch, "change over" centre off" spring return both positions	1	-	A	
	Std.1509/1/062						Tube distance 3/16" o/d x 22 s.w.g. x .62" long. (Make from 30B/618)	2	T.4		
	Std.1509/23/030						Tube distance 5/16" o/d x 17 s.w.g. x .30" long. (Make from 30B/556)	2	T.4		

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

REF. NO.	PART NO.						DESCRIPTION.	NO OFF	MATL. SPEC.	MR. CL. of ST.	PLATE NO.
		1	2	3	4	5					
<u>Pages 42 - 50 Reserved for Amendment</u>											

RESTRICTED

REF. NO.	PART NO.						DESCRIPTION.	NO OFF	MATL. SPEC.	MR. CL. of ST.	PLATE NO
		1	2	3	4	5					

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

REF. NO.	PART NO.					DESCRIPTION	NO OFF	MATL SPEC	MR CL of ST.	PLATE NO.
		1	2	3	4					
<u>SUMMARY OF STOCK ITEMS</u>										
28D/12528	A.25.1B					Bolt				
28D/13353	A.25.7A					Bolt				
28D/12625	A.25.9B					Bolt				
28D/13182	A.25.14B					Bolt				
28D/12628	A.25.18B					Bolt				
28D/12513	A.25.2C					Bolt				
28D/12512	A.25.1C					Bolt				
28D/12532	A.25.4C					Bolt				
28D/12566	A.25.5C					Bolt				
28D/12535	A.25.12C					Bolt				
28D/12539	A.25.17.C					Bolt				
28D/12540	A.25.18.C					Bolt				
28D/12520	A.25.4E					Bolt				
28D/12570	A.25.11E					Bolt				
28D/8300	AS.1242.1B					Bolt				
28D/11126	AS.1242.9B					Bolt				
28D/12144	AS.1246/3E					Bolt				
28D/11890	AS.1246/5C					Bolt				
28D/10764	AS.1248.1/2B					Bolt				
28D/9353	AS.1248.1/2C					Bolt				
28D/11247	AS.1248.11B					Bolt				
28D/10471	AS.1248.11C					Bolt				
5K/15	AGS.1696/1					Grommet				
28N/12732	AS.1854/80					Hinge				
28N/11866	AS.1855/110					Hinge				
28M/10286	AGS.2001.A1					Nut				
28M/10287	AGS.2001.B1					Nut				
28M/10280	AGS.2001.B3					Nut				
28M/10288	AGS.2001.C1					Nut				
28M/10276	AGS.2001.E4					Nut				
28M/10326	AGS.2002.A1					Nut				
28M/10327	AGS.2002.B1					Nut				
28M/10328	AGS.2002.C1					Nut				
28M/10330	AGS.2002.E1					Nut				
28M/12153	AGS.2007.B1					Nut				
28M/11957	AGS.2007.C1					Nut				
28M/10215	AGS.2008.B1					Nut				
28M/10216	AGS.2008.C1					Nut				
28M/10228	AGS.2009.B1					Nut				
28M/13774	AGS.2019.B1					Nut				
28L/13243	A.27.A.T					Nut				
28M/13086	A.27.B.P.					Nut				
28L/13140	A.27.B.T					Nut				
28M/12929	A.27.C.P.					Nut				

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

REF. NO.	PART NO.						DESCRIPTION.	NO OFF	MATL. SPEC.	MR. CL. of ST.	PLATE NO
		1	2	3	4	5					
28L/13124	A. 27.C.T					Nut					
28L/13734	A. 54/B					Nut					
28L/	A. 54/C					Nut					
28P/815	SP. 4.Y.A. 5					Pin					
28P/826	SP. 4.Y.A. 16					Pin					
28P/868	SP. 4.Y.D. 10					Pin					
28P/12587	SP. 9.C. 4					Split Pin					
28P/12431	SP. 9.C. 6					Split Pin					
28S/2762	A. 31.A. 12					Screw					
28S/14661	A. 31.A. 14					Screw					
28S/5799	A. 31.B. 6					Screw					
28S/3370	A. 31.B. 8					Screw					
28S/2761	A. 31.B. 12					Screw					
28S/13883	A. 31.B. 14					Screw					
28S/2767	A. 31.B. 16					Screw					
28S/2773	A. 31.B. 20					Screw					
28S/2779	A. 31.B. 24					Screw					
28S/2785	A. 31.B. 28					Screw					
28S/2760	A. 31.C. 12					Screw					
28S/14546	A. 31.C. 14					Screw					
28S/6302	A. 32.A. 6					Screw					
28S/14547	A. 32.A. 10					Screw					
28S/6287	A. 32.B. 6					Screw					
28S/3426	A. 32.B. 8					Screw					
28S/13887	A. 32.B. 10					Screw					
28S/2857	A. 32.B. 12					Screw					
28S/14005	A. 32.B. 14					Screw					
28S/2869	A. 32.B. 20					Screw					
28S/2875	A. 32.B. 24					Screw					
28S/2881	A. 32.B. 28					Screw					
28S/2887	A. 32.B. 32					Screw					
28S/	A. 32.B. 36					Screw					
28S/2856	A. 32.C. 12					Screw					
28S/2862	A. 32.C. 16					Screw					
28S/2868	A. 32.C. 20					Screw					
28S/2874	A. 32.C. 24					Screw					
28S/2810	A. 33.A. 12					Screw					
28S/6545	A. 33.B. 6					Screw					
28S/13720	A. 33.B. 10					Screw					
28S/2809	A. 33.B. 12					Screw					
28S/14006	A. 33.B. 14					Screw					
28S/2863	A. 33.B. 16					Screw					
28S/2833	A. 33.B. 28					Screw					
28S/14548	A. 33.C. 10					Screw					
28S/2808	A. 33.C. 12					Screw					
28S/2814	A. 33.C. 16					Screw					

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

REF. No.	PART No.						DESCRIPTION	NO OFF	MATL. SPEC	MR. CL. of ST.	PLATE No.
		1	2	3	4	5					
28S/2061	A.43.B8						Screw				
28S/2073	A.43.B.16						Screw				
28S/2061	A.43.B.28						Screw				
28S/2066	A.43.C.12						Screw				
28S/8057	A.44.B.6						Screw				
28W/12305	SP.13.B						Washer				
28W/12441	SP.15.A						Washer				
28W/12306	SP.15.B						Washer				
28W/12296	SP.15.C						Washer				
28W/12496	SP.15.E						Washer				
28W/12731	SP.16.B						Washer				
28W/12755	SP.16.C						Washer				
28L/11069	AGS.2035.C						Washerm shakeproof				

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

REF. No.	PART No.						DESCRIPTION.	No OFF	MATL. SPEC.	MR. CL. of ST.	PLATE No
		1	2	3	4	5					
Pages E. 55 and E. 56 reserved for amendments											

ELECTRICAL EQUIPMENT - REAR FUSELAGE

REF. NO	PART NO	DESCRIPTION					NO OFF	MATL SPEC	MR CL of ST	PLATE NO
		1	2	3	4	5				
	E.190782	<u>ELECTRICAL EQUIPMENT IN REAR FUSELAGE ASSEMBLY</u>					-	-		
5W/ 5C/430 5C/516	Rotax A.1601	Actuator, tailplane					1	-	A	
	-	Block, terminal, 2 way No.1					5	-	B	
	A.196940	Block, terminal, type B, 2 way No.3					1	-	B	
		Block, terminal, No.42, at frame 52, assembly					-	-		
5X/3276	Plessey CZ.50205	Block, terminal, 2 way					1	-	B	
5X/3272	Plessey CZ.26799	Cover					1	-	C	
	A.196940/1	Markers					1	-		
							Set			
4177	F.197297	Pillar					2	BSS.249	C	
	A.196942	Block, terminal, No.45, for tail plane desynn, assembly					-	-		
5X/3268	Plessey CZ.50207	Block, terminal, 5 way					1	-	B	
5X/3274	Plessey CZ.26805	Cover					1	-	C	
	A.196942/1	Markers					1	-		
							Set			
5X/3278	Plessey Z.28426	Pillar					2	-	C	
	A.196941	Block, terminal, No.44, for tail plane actuator, assembly					-	-		
5X/2863	Plessey CZ.24285	Block, terminal, 10 way					1	-	B	
5X/3275	Plessey CZ.26808	Cover					1	-	C	
5X/6163	Plessey Z.50210	Link, commoning					3	-	C	
	A.196941/1	Markers					1	-		
							Set			
4177	F.197297	Pillar					2	BSS.249	C	
	B.197292	Block, terminal, No.43, between frames 54 and 55, assembly					-	-		
5X/2863	Plessey CZ.24285	Block, terminal, 10 way					2	-	B	
5X/3275	Plessey CZ.26808	Cover					1	-	C	
	B.197292/1	Markers					1	Set		
4177	F.197297	Pillar					2	-	C	
	B.196948	Block, terminal, Nos.47 and 48, at frame 45, assembly					-	-		
5X/3181	Plessey CZ.23212/1	Block, terminal, 20 way					1	-	B	

RESTRICTED

ELECTRICAL EQUIPMENT IN REAR FUSELAGE

REF. NO.	PART NO.						DESCRIPTION.	NO OFF	MATL. SPEC.	MR. CL of ST.	PLATE NO
		1	2	3	4	5					
5X/2863	Plessey CZ. 24285					Block, terminal, 10 way	1	-	B		
5X/6165	Plessey CZ. 2511					Cover	1	-	C		
5X/3275	Plessey CZ. 26808					Cover	1	-	C		
5X/6163	Plessey Z. 50210					Link, commoning, 2 way	2	-	C		
5X/6317	Plessey Z. 50218					Link, commoning, 10 way	1	-	C		
	B.196948/1					Markers	1	-			
							Set				
4177	F.197297					Pillar	4	BSS. 249	C		
2146	A.189842					Bolt, special, bottom, for actuator	1	S. 99.B	C		
1678	A.189843					Bolt, special, top, for actuator	1	S. 99.B	C		
	A.200784					Bracket, mounting for terminal block	1	L. 72			
	"Bowden" 448					Cables, electrical (see cable chart)	-	-			
						Clip	19	-			
4099	Std. 840/18					Clip, securing cables between frames 51 and 52.	1	DTD. 610	C		
4159	Std. 841/20					Clip, securing cables between frames 51 and 52	2	DTD. 610	C		
	Std. 841/22					Clip, securing cables, forward of frame 52, 7/16" wide x 22 swg. x 2.2" long (Make from 30B/1433)	1	DTD. 610	MR/C		
5CZ/4895	Rotax D. 8710					Contactor, reversing	2	-	A		
5A/3574	Smith Waymouth CQ. 65					Connector, uniradio	2	-	A		
27N/91	-					Detector, flame, Mk. 4	4	-	B		
	D.198148					Electrical equipment, additional details assembly	-	-			
	B.195225					Cable E.11/A assembly (See cable chart)	1	-			
4632	F.196310					Cleat	4	Fero-bestos	C		
	"Bowden" 448					Clip	34	-			
3741	Std. 840/20					Clip, securing cables at frame 51	2	DTD. 610	C		
	Std. 840/29					Clip, securing cables at frame 50	1	DTD. 610			
	A.198113					Earthing-point No. 11, frame 45 port side only, assembly	-	-			

ELECTRICAL EQUIPMENT - REAR FUSELAGE

REF. NO	PART NO						DESCRIPTION	NO OFF	MATL SPEC	MR CL of ST	PLATE NO
		1	2	3	4	5					
4613	Std.1335/C/ 18						Washer, under terminal	1	L.4		C
4659	Std.1335/C/ 22						Washer, under nut	1	L.4		C
6A/ 1676	-						Lead, extension, type "B", 7 ft. long.	3	-		B
6A/ 1941	-						Lead, extension, type "B", 10 ft. long.	1	-		B
	Sangamo Weston L2/118						Lead, extension	1	-		B
4211	Std.1687/2						Saddle, at frame 46, stringer "G"	1	DTD.610		MR/C
6A/ 2730	Smith Weymouth C.C.						Socket, double H.P.	2	-		A
5C/ 4638	-						Switch, micro, type 1A	1	-		A
6A/ 1675	-						Thermo-couple, type "B"	4	-		A
	C.189770						Transmitter, desynn assembly	-	-		
	B.191843						Cable, R.15, group (see cable chart)	1	-		
1679	A.189774 B.191439						Clip, attachment to actuator ram Mounting, group Consisting of:-	1	S.3		C
	A.189772						Angle	1	-		
	A.189773						Angle	1	-		
	B.189771						Bracket	1	DTD.610		
	AS.156/404						Rivet	4	-		
	F.189775						Rod, connecting	1	S.1		
6A/ 2134	-						Transmitter	1	-		A

ELECTRICAL EQUIPMENT - REAR FUSELAGE

REF. NO.	PART NO.						NO OFF	MATL. SPEC.	MR. CL. of ST.	PLATE NO
		1	2	3	4	5				

Pages 61 and 62 are reserved for amendments

ELECTRICAL EQUIPMENT - REAR FUSELAGE

REF. NO.	PART NO.						DESCRIPTION.	NO OFF	MATL. SPEC.	MR. CL. of ST.	PLATE NO.
		1	2	3	4	5					
<u>SUMMARY OF STOCK ITEMS</u>											
28D/ 12528	A.25.1.B	Bolt	4.	BA							
28D/ 12511	A.25.2.B	Bolt	4.	BA							
28D/ 12625	A.25.9.B	Bolt	4.	BA							
28D/ 12512	A.25.1.C	Bolt	2.	BA							
28D/ 12513	A.25.2.C	Bolt	2.	BA							
28D/ 12531	A.25.3.C	Bolt	2.	BA							
28D/ 12629	A.25.8.C	Bolt	2.	BA							
28D/ 12516	A.25.11.C	Bolt	2.	BA							
28K/551	SP3.413	Fork-end									
5X/	SP.48.D.18	Grommet									
28M/ 9796	SP.21	Nipple, lubricating									
28M/ 10286	AGS.2001.A1	Nut	6.	BA							
28M/ 10287	AGS.2001.B1	Nut	4.	BA							
28M/ 10288	AGS.2001.C1	Nut	2.	BA							
28M/ 10326	AGS.2002.A1	Nut	6	BA							
28M/ 10327	AGS.2002.B1	Nut	4	BA							
28M/ 10328	AGS.2002.C1	Nut	2	BA							
28M/ 7727	AGS.572.E	Nut									
28L/ 13124	A27.C.T	Nut									
28P/830	SP4.B4	Pin									
28S/ 28S/	A.31.A.8	Screw									
2773	A.31.B.20	Screw									
28S/ 2822	A.33.A.20	Screw									
28S/ 2828	A.33.A.24	Screw									
28S/ 2833	A.33.B.28	Screw									

RESTRICTED

ELECTRICAL EQUIPMENT - REAR FUSELAGE

Page E. 64

REF. NO.	PART NO.						DESCRIPTION.	NO OFF	MATL. SPEC.	MR. CL. of ST.	PLATE NO.
		1	2	3	4	5					
28P/ 12587	SP. 9.C4						Split Pin				
28W/ 12441	SP. 15.A						Washer 6.BA				
28W/ 12306	SP. 15.B						Washer 4.BA				
28W/ 12296	SP. 15.C						Washer 2.BA				
28W/ 12321	SP. 15.J						Washer 3/8 dia.				
28W/ 12355	SP. 16.C						Washer 2.BA				

ELECTRICAL EQUIPMENT - FIN

REF. NO.	PART NO.						DESCRIPTION	NO OFF	MATL. SPEC	MR. CL. of ST.	PLATE NO.
		1	2	3	4	5					
	D.195638						<u>Electrical Installation in Fin Assembly</u>				
	A.196943						Block, terminal, No.46, for rudder desynn, assembly	-	-	-	
5X/3268	Plessey CZ.50207						Block, terminal, 5 way	1	-	A	
5X/3274	Plessey CZ.26805						Cover	1		C	
	A.196943/1						Marker	1 Set			
5X/3278	Plessey Z.28426						Pillar	2	-	C	
	A.199330						Block, terminal, No.55, Assembly	-	-	-	
5X/2863	Plessey CZ.24285						Block, terminal 10 way	1	-	A	
	B.197292/1						Marker	1 Set	-	-	
							Cables, electrical (See Cable Chart)	-	-	-	
3951	Std.840/26						Clip, securing cables, 7/16" wide x 22 s.w.g. x 2.6" long	1	DTD.610	C	
	Std.840/27						Clip, securing cables, 7/16" wide x 22 s.w.g. x 2.7" long (Make from 30B/1433)	1	DTD.610		
5F/	Hellerman H.V.3254						Strapping	Q.R	-	C	
5F/2280	Hellerman H.V.3255						Stud	2	-	C	
6A/	Smiths 470.F.L.						Transmitter	1	-	A	

REF. NO.	PART NO.						DESCRIPTION.	NO OFF	MATL. SPEC	MR. CL of ST.	PLATE NO.
		1	2	3	4	5					
<u>SUMMARY OF STOCK ITEMS</u>											
28D/ 12513	A.25.2.C						Bolt 2 BA				
28D/ 8300	A.1242.1.B						Bolt 4 BA				
28M/ 10287	AGS.2001.B.1						Nut 4 BA				
28W/ 12306	S.P.15.B						Washer 4 BA				

ELECTRICAL EQUIPMENT - WINGS

REF NO	PART NO						DESCRIPTION	NO OFF	MATL SPEC	MR CL of ST	PLATE NO
		1	2	3	4	5					
	D.190303						<u>Electrical Installation in Port Wing</u>	-	-	-	
							<u>Assembly</u>				
	A.197034						Block, terminal No.21, at interspar	-	-	-	
							rib 'D' port, Assembly				
5X/2863	Plessey CZ.24285						Block, terminal, 10 way	1	-	B	
5X/3275	Plessey CZ.26808						Cover	1	-	C	
	Plessey Z.50210						Link, commoning, 2 way	2	-		
	A.197034/1						Markers	1 Set	-		
4177	F.197297						Pillar	2	BSS, 249	C	
	A.196938						Block, terminal, No.22, at outer	-	-	-	
							rib port, assembly				
5X/3268	Plessey CZ.50207						Block, terminal, 5 way	1	-	B	
5X/3274	Plessey CZ.26805						Cover	1	-	C	
	A.196938/1						Markers	1	-	-	
								Set			
5X/3278	Plessey Z.28426						Pillar	2	-	C	
	A.197287						Block, terminal No.23, at rib 'R'	-	-	-	
							inboard, assembly				
5X/3276	Plessey CZ.50205						Block, terminal, 2 way	1	-	B	
5X/3272	Plessey CZ.26799						Cover	1	-	C	
	A.197287/1						Marker	1	-		
								Set			
5X/3278	Plessey Z.28426						Pillar	2	-	C	
	A.196939						Block, terminal, No.24, at rib S	-	-	-	
							port, Assembly				
5X/3276	Plessey CZ.50205						Block, terminal, 2 way	1	-	B	
5X/3272	Plessey CZ.26799						Cover	1	-	C	
	A.196939/1						Marker	1 Set	-	-	
5X/3278	Plessey Z.28426						Pillar	2	-	C	
	A.197035						Block, terminal, No.25, at rib 'C'	-	-	-	
							port, assembly				
5X/3268	Plessey CZ.50207						Block, terminal 5 way	1	-	B	
5X/3274	Plessey CZ.26805						Cover	1	-	C	
	A.197035/1						Markers	1	-	-	
								Set			

RESTRICTED
ELECTRICAL EQUIPMENT - WINGS

REF. No.	PART No.						DESCRIPTION.	No OFF	MATL. SPEC.	MR. CL. of ST.	PLATE No.
		1	2	3	4	5					
5X/3278	Flessey Z.28426 A.197036					Pillar	2	-	C		
						Block, terminal, No.26, at rib 'D' port, assembly	-	-	-		
5X/2863	Flessey CZ.24285					Block, terminal, 10 way	1	-	B		
5X/3275	CZ.26808					Cover	1	-	C		
	Flessey Z.50210 A.197036/1					Link, commoning	2	-	-		
						Marker	1	-	-		
4177	F.197297 A.196935					Pillar	Set 2	BSS, 249	C		
						Block, terminal No.27, at tail ribs 'L' and 'M' port, assembly	-	-	-		
5X/2863	CZ.24285 A.196935/1					Block, terminal, 10 way	1	-	B		
						Markers	1	-	-		
						Spacer-Lock	Set 2	BSS, 249	-		
	F.180308 A.197288					Block, terminal, No.28, at interspar rib 'F' port, assembly	-	-	-		
5X/3277	Flessey CZ.50206					Block, terminal, 3 way	1	-	B		
5X/3273	Flessey CZ.26802 A.197288/1					Cover	1	-	C		
						Markers	1	-	-		
4177	F.197297 A.197289					Pillar	Set 2	-	-		
						Block, terminal, No.29, at interspar rib 'F' port, assembly	1	-	-		
5X/3276	Flessey CZ.50205					Block, terminal, 2 way	1	-	B		
5X/3272	Flessey CZ.26799 A.197289/1					Cover	1	-	C		
						Marker	1	-	-		
5X/3278	Flessey Z.28426					Pillar	Set 2	-	C		
						Cables, electrical (See Cable Chart)	-	-	-		
	D.190869					Clipping and strapping cables, assembly	-	-	-		
4043	Std.841/30					Clip, securing cables, 7/16" wide x 22 swg. x 3" long (Make from 30B/1433)	1	DTD.610	MR/C		
3748	Std.841/34					Clip, securing cables, 7/16" wide x 22 swg. x 3.4" long (Make from 30B/1433)	1	DTD.610	MR/C		

ELECTRICAL EQUIPMENT - WINGS

REF. NO.	PART NO.						DESCRIPTION.	NO OFF	MATL. SPEC.	MR. CL. of ST	PLATE NO.
		1	2	3	4	5					
5F/2281	Hellerman H.V. 3341						Strapping	Q.R.	-		
5F/	Hellerman H.V. 3254						Strapping	Q.R.	-		
5F/2282	Hellerman H.V. 3342						Stud	Q.R.	-		
5F/2283	Hellerman H.V. 3255						Stud	Q.R.	-		
3734	Std. 840/14						Clip, securing cables, 7/16" wide x 22 swg. x 1.4" long (Make from 30B/1433)	4	DTD. 610	MR/C	
5L/ 952431							Filament, lamp, 28V, 20W	1	-	C	
5GX/887							Lamp, navigation, type B. Port	1	-	B	
	F.176494						Packing, at drum switch	4	DTD. 364		
	F.179367						Packing, at micro switch, interspar rib D.	1	DTD. 610 or DTD. 364		
5F/2281	Hellerman H.V. 3341						Strapping	Q.R.	-		
5F/2282	Hellerman H.V. 3342						Stud	1	-	-	
5CW/4638							Switch, micro, type 1A	4	-	A	
5CW/4639							Switch, micro, type 4A	1	-	A	
	Dowty C. 1220.Y.Mk. 111.						Switch, drum, unit	1	-	A	
6A/2133							Transmitter, position indicator, type C.	1	-	A	

ELECTRICAL EQUIPMENT - WINGS

REF. NO.	PART NO.						DESCRIPTION	NO OFF	MATL. SPEC.	MR. CL. of ST.	PLATE NO.
		1	2	3	4	5					
<u>SUMMARY OF STOCK ITEMS</u>											
28D/ 12565	A.25.8B	Bolt, 4 BA									
28D/ 12625	A.25.9B	Bolt, 4 BA									
28D/ 12626	A,25,10B	Bolt, 4 BA									
28D/ 12627	A,25,11.B	Bolt, 4 BA									
28D/ 12513	A.25.2.C	Bolt, 2 BA									
28D/ 12535	A.25,12.C	Bolt, 2 BA									
28N/254	AGS.191B	Burr									
28M/ 10327	AGS.2002.B1	Nut, 4 BA									
28S/ 2857	A.32.B.12	Screw									
28W/ 12306	SP.15.F	Washer, 4 BA									
28W/ 12731	SP.16.B	Washer, 4 BA									

ELECTRICAL EQUIPMENT - WINGS

REF. NO.	PART NO.						DESCRIPTION.	NO OFF	MATL. SPEC.	MR. CL. OF ST.	PLATE NO
		1	2	3	4	5					

ELECTRICAL EQUIPMENT - WINGS

REF. NO.	PART NO.	DESCRIPTION.					NO OFF	MATL. SPEC.	MR. CL. of ST.	PLATE NO.
		1	2	3	4	5				
	D.190304	<u>Electrical Installation in starboard wing, assembly</u>					-	-	-	
	A.197051	Block, terminal, No.32, at rib 'S' starboard, assembly					-	-	-	
5X/ 3268	Plessey CZ.50207	Block, terminal, 5 way					1	-	B	
5X/ 3274	Plessey CZ.26805 A.197051/1	Cover					1	-	C	
		Marker					1	-	-	
							Set			
5X/ 3278	Plessey Z.28426 A.197037	Pillar					2	-	C	
		Block, terminal, No.33, at rib 'D' starboard, assembly					-	-	-	
5X/ 2863	Plessey CZ.24285	Block, terminal, 10 way					1	-	B	
5X/ 3275	Plessey CZ.26808	Cover					1	-	-	
	Plessey Z.50210 A.197037/1	Link, commoning, 2 way					2	-	-	
		Marker					1	-	-	
							Set			
5X/ 3278	Plessey Z.28426 A.197290	Pillar					2	-	C	
		Block, terminal, No.34, at interspar rib 'F' starboard, assembly					-	-	-	
5X/ 3276	Plessey CZ.50205	Block, terminal, 2 way					1	-	B	
5X/ 3272	Plessey CZ.26799 A.197290/1	Cover					1	-	C	
		Marker					1	-	-	
							Set			
5X/ 3278	Plessey Z.28426 A.197291	Pillar					2	-	C	
		Block, terminal, No.35, at interspar rib 'F' starboard, assembly					-	-	-	
5X/3276	Plessey CZ.50205	Block, terminal, 2 way					1	-	B	
5X/ 3272	Plessey CZ.26799 A.197291/1	Cover					1	-	C	
		Marker					1	-	-	
							Set			
5X/ 3278	Plessey Z.28426	Pillar					2	-	C	
		Cables, electrical (See Cables Chart)					-	-	-	

RESTRICTED

ELECTRICAL EQUIPMENT - WINGS

REF. No.	PART No.						DESCRIPTION.	No OFF	MATL. SPEC.	MR. CL. of ST.	PLATE No.
		1	2	3	4	5					
	D.190870						Clipping and strapping cables, assembly	-	-	-	
4099	A.197419/2 Std. 840/18						Clip, at inter spar rib 'E'	1	S.3		
							Clip, securing cables, 7/16" wide x 22 swg. x 1.8" long (Make from 3OB/1433)	1	DTD.610	MR/C	
3738	Std. 840/29						Clip, securing cables, 7/16" wide x 22 swg. x 2.9" long (Make from 3OB/1433)	1	DTD.610	MR/C	
	Std. 841/24						Clip, securing cables, 7/16" wide x 22 swg. x 2.4" long (Make from 3OB/1433)	1	DTD.610	MR/C	
5F/ 2281	Hellerman H.V.3341						Strapping	QR	-		
5F/ 2282	Hellerman H.V.3254						Strapping	QR	-		
5F/ 2280	Hellerman H.V.3342						Stud	QR	-		
	Hellerman H.V.3255						Stud	QR	-		
	Std.840/13						Clip, securing cables 7/16" wide x 22 swg. x 1.3 long (Make from 3OB/1433)	1	DTD.610	MR/C	
3734	Std.840/14						Clip, securing cables, 7/16" wide x 1.4" long (Make from 3OB/1433)	2	DTD.610	MR/C	
	Std.840/27						Clip, securing cables, 7/16" wide x 22 swg. x 2.7" long (Make from 3OB/1433)	1	DTD.610	MR/C	
	Std.841/14						Clip, securing cables, 7/16" wide x 22 swg. x 1.4" long (Make from 3OB/1433)	1	DTD.610	MR/C	
5L/ X952431							Filament, lamp, 20W	1	-	C	
5CX/ 889							Lamp, navigation, type B, starboard	1	-	B	
	F.179367						Packing, at micro switch, inter-spar rib 'D'	1	DTD.610 or DTD.364		
5F/ 2281	Hellerman H.V.3341						Strapping	Q.R	-		
5F/ 2282	Hellerman H.V.3342						Stud	1	-		
5CW/ 4638							Switch, micro, type 1A	4	-	A	
5CW/ 4639							Switch, micro, type 4A	1	-	A	
	Std.1509/12/ 030						Tube, distance. 1/4" o/d x 20 swg. x .3" long (Make from 3OB/619)	1	T.4		

ELECTRICAL EQUIPMENT - WINGS

REF. NO.	PART NO.						NO OFF	MATL. SPEC.	MR. CL. of ST.	PLATE NO.
		1	2	3	4	5				

ELECTRICAL EQUIPMENT - WINGS

REF. NO.	PART NO.						DESCRIPTION	NO OFF	MATEL SPEC	MR CL. of ST	PLATE NO.
		1	2	3	4	5					
<u>SUMMARY OF STOCK ITEMS</u>											
28D/ 12529	A.25.4B					Bolt 4 BA					
28D/ 12625	A.25.9.B					Bolt 4 BA					
28D/ 12626	A.25.10.B					Bolt 4 BA					
28D/ 12627	A.25.11.B					Bolt 4 BA					
28D/ 28M/ 10327	AS.1248.8.B					Bolt 4 BA					
28M/ 10309	AGS.2002.B1					Nut 4 BA					
28M/ 10328	AGS.2002.B4					Nut 4 BA					
28M/ 13742	AGS.2002.C7					Nut 2 BA					
28S/ 13742	A.32.C.14					Screw					
28S/ 28S/ 28W/ 12306	A.44.B.12					Screw					
28S/ 28W/ 12731	A.45.B.12					Screw					
	SP.15.B					Washer 4 BA					
	SP.16.C					Washer 2 BA					

RESTRICTED

ELECTRICAL EQUIPMENT - WINGS

REF. No.	PART No.						DESCRIPTION.	No OFF	MATL. SPEC.	MR. CL.of ST.	PLATE No
		1	2	3	4	5					

Illustrations for this section will be issued later.





This file was downloaded from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms, and more aircraft documents.

