

## EQUIPMENT AIRCRAFT - INSTRUMENT PANELS

REF. NO.	PART NO.						DESCRIPTION.	NO OFF	MATL. SPEC.	MR. CL. of ST.	PLATE NO.
		1	2	3	4	5					
	C. 191124	<u>INSTRUMENT PANELS ASSEMBLY.</u>						-	-		
	A. 188487	Bracket, mounting, for stand-by compass.						1	DTD610		
6B/2191	-	Compass, "stand-by", type E2A.						1	-	A	
	D. 187863	Mounting, panel assembly.						-	-		
1536	A. 187735	Bracket, top, centre panel mounting.						2	-	C	
1537	A. 187736	Bracket, bottom, centre panel mounting.						2	-	C	
3866	Andre B134/AD/4	Block, mounting. (Referenced 26FH/353 for Admiralty).						6	-	C	
1538	STD. 1285/3BB	Connector, earthing, at lord mounting, centre panel.						4	-	C	4
1539	STD. 1285/3DD	Connector, earthing, at attachment of side panels.						4	-	C	4
27H/9335	Sperry 150 P6	Mounting.						8	-	B	
1542	F. 187614	Plate, support.						2	DTD610	C	
1543	F. 187864	Strut, support, port.						1	T.4	C	
3867	F. 195815	Strut, support, starboard.						1	T.4	C	
3797	STD. 1509/24/08	Tube, distance 3/8" o/d x 17 s.w.g. x .80" long (Make from 30B/557).						2	T.4	MR/C	4
3798	STD. 1509/24/034	Tube, distance 3/8" o/d x 17 s.w.g. x .34" long (Make from 30B/557).						4	T.4	MR/C	4
3868	F. 168524	Washer, at lord mounting.						4	DTD610	C	
	D. 191123	Panel, centre, assembly.						-	-		
6A/2944	-	Altimeter, Mk. 19A.						1	-	A	
3735	STD. 840/16	Clip, 7/16" wide x 22 s.w.g. (Make from 30B/1433).						2	DTD610	MR/C	4
3971	STD. 840/19	Clip, 7/16" wide x 22 s.w.g. (Make from 30B/1433).						2	DTD610	MR/C	4
6A/2519	-	Connector, static and pressure.						2	-	A	
6A/2966	-	Indicator, rate of climb, Mk. 3A(P).						1	-	A	
6A/2945	-	Indicator, turn and slip, Mk. 2.						1	-	A	
6A/2717	-	Indicator, artificial horizon, Mk. 3.						1	-	A	
6A/3158	-	Indicator, air speed, Mk. 12A.						1	-	A	
6A/	Smith 472.FL	Indicator, tail plane position.						1	-	A	
6A/	Smith 473.FL	Indicator, flap position.						1	-	A	
6A/3300	-	Machmeter, Mk. 3A						1	-	A	
958	A. 192063	Panel, group.						1	-	B	
959	F. 188328	Guard, toggle switch locking.						2	DTD610	C	
3597	† A. 191177/1	Pipe, static, rate of climb indicator to A.S.I.						1	T.9	MR/C	
3598	† A. 191177/2	Pipe, static, A.S.I. to machmeter.						1	T.9	MR/C	

† For details see piping chart.

RESTRICTED

EQUIPMENT AIRCRAFT - INSTRUMENT PANELS

REF. NO.	PART NO.						DESCRIPTION	NO OFF	MATL. SPEC.	MR. CL. of ST	PLATE NO.
		1	2	3	4	5					
3599	† A.191177/3						Pipe, static, machmeter to altimeter.	1	T.9	MR/C	
3600	† A.191177/4						Pipe, static, altimeter to static connector.	1	T.9	MR/C	
3601	† A.191177/5						Pipe, pressure, A.S.I. to machmeter.	1	T.9	MR/C	
3602	† A.191177/6						Pipe, pressure, machmeter to pitot connector.	1	T.9	MR/C	
1178	STD. 1606/44/B12						Screw, roundhead, 4 B.A.	2	Brass	C	5
3856	STD. 1606/44/C20						Screw, roundhead, 2 B.A.	2	Brass	C	5
3857	STD. 1606/44/C24						Screw, roundhead, 2 B.A.	4	Brass	C	5
3858	STD. 1606/45/B8						Screw, countersunk, 4 B.A. (Referenced 26AQ/2591 for Admiralty).	2	Brass	C	5
	STD. 1606/45/B14						Screw, countersunk, 4 B.A.	4	Brass	C	5
1943	STD. 1606/45/B16						Screw, countersunk, 4 B.A.	2	Brass	C	5
3861	STD. 1606/45/B24						Screw, countersunk, 4 B.A. (Referenced 26AQ/2594 for Admiralty).	16	Brass	C	5
3862	STD. 1606/45/B30						Screw, countersunk, 4 B.A.	4	Brass	C	5
3841	STD. 1606/45/C16						Screw, countersunk, 2 B.A. (Referenced 26AQ/2780 for Admiralty).	8	Brass	C	5
3863	STD. 1606/45/C24						Screw, countersunk, 2 B.A.	4	Brass	C	5
3864	STD. 1606/45/C26						Screw, countersunk, 2 B.A.	4	Brass	C	5
6B/2575	-						Shield, magnetic.	1	-	A	
5C/4179	-						Switch, S.P. change over (without centre "off").	2	-	A	
6A/2801	-						Tachometer, engine speed, Mk.10A.	1	-	A	
6A/2191	-						Thermometer, exhaust gas.	1	-	A	
5C/4327	-						Transfer "ON".	2	-	C	
5C/4328	-						Transfer "OFF".	2	-	C	
6B/2035	-						Unit, gyro, type 'A'.	1	-	A	
3767	STD. 915/B20						Washer, 4 B.A.	4	DTD610	C	4
	B.192073						Panel, port assembly.	-	-	-	
-	D.188195						Cable, F.13 assembly. (For details see cable chart).	1	-	-	
3734	STD. 840/14						Clip, 7/16" wide x 22 s.w.g. x 1.4" long (Make from 30B/1433) (Referenced 26FH/3219 for Admiralty).	1	DTD610	MR/C	4

† For details see piping chart.

## EQUIPMENT AIRCRAFT - INSTRUMENT PANELS

REF. NO.	PART NO.	DESCRIPTION					NO OFF	MATL. SPEC.	MR. CL of ST	PLATE NO.
		1	2	3	4	5				
3971	STD. 840/19					Clip, 7/16" wide x 22 s.w.g. x 1.9" long (Make from 30B/1433).	1	DTD610	-	4
3951	STD. 840/26					Clip, 7/16" wide x 22 s.w.g. x 2.6" long.	1	DTD610	C	4
5C/4271	STD. 1512/8					Disc, undercarriage warning lamp.	1	-	C	4
5C/5000	STD. 1512/28					Disc, hydraulic pressure warning lamp.	1	-	C	4
5C/4204	-					Indicator, undercarriage position, type D.	1	-	A	
5C/4361	Dowty C.1838Y Mk. 1					Indicator, elevator and aileron arrester.	2	-	A	
5C/1069	-					Lamp, undercarriage warning, type A.	1	-	A	
5C/1553	-					Lamp, hydraulic pressure warning, type B.	1	-	A	
956	B.192073/A					Panel, group. Consisting of:-	1	-	B	
	A.191653					Bracket, undercarriage position indicator.	1	DTD610		
	B.192562					Bracket, undercarriage control switch.	1	S.3		
	F.189027					Collar.	1	-		
	B.192072					Panel.	1	DTD610		
28Q/1670	AS.156/406					Rivet.	3	-	C	
28Q/1660	AS.156/405					Rivet.	12	-	C	
1637	STD. 1606/44/B14					Screw, roundhead, 4 B.A. (Referenced 26AQ/3266 for Admiralty).	2	Brass	C	5
3839	STD. 1606/44/B16					Screw, roundhead, 4 B.A. (Referenced 26AQ/2782 for Admiralty).	2	Brass	C	5
1720	STD. 1606/44/B24					Screw, roundhead, 4 B.A.	4	Brass	C	5
3859	STD. 1606/45/B10					Screw, countersunk, 4 B.A.	3	Brass	C	5
5C/4506	Dowty C.2524Y					Switch, undercarriage push button.	1	-	A	
5C/4678	Dowty C.1223Y Mk.11					Switch, flap lever.	1	-	A	
	B.187695					Panel, starboard assembly.	-	-	-	
6A/2709	-					Altimeter, cabin, Mark 18.	1	-	A	
-	C.188193					Cable F.11 assembly (For details see cable chart).	1	-	-	
5C/4267	STD. 1512/4					Disc, warning lamp.	1	-	C	4
5C/5001	STD. 1512/29					Disc, warning lamp.	1	-	C	4
10AF/530	-					Indicator, D.M.E.	1	-	A	

EQUIPMENT AIRCRAFT - INSTRUMENT PANELS

Page F.4

REF. NO.	PART NO.	DESCRIPTION					NO OFF	MATL. SPEC.	MR. CL of ST.	PLATE NO.
		1	2	3	4	5				
5C/4361	Dowty C.1838Y Mk.1					Indicator, magnetic.	1	-	A	
5C/1069	-					Lamp, warning, type 'A' (without night screen).	1	-	A	
5C/1553	-					Lamp, warning, type 'B' (with night screen).	1	-	A	
1940	STD. 1231/1					Lug, locking.	1	-	C	4
957	C.187694					Panel.	1	DTD610	B	
5C/4221	-					Switch, S.P. "ON - OFF" (spring return to centre OFF).	1	-	A	
5C/4184	-					Switch, S.P. "ON - OFF" (upright OFF).	1	-	A	
3858	STD. 1606/ 45/B8					Screw, countersunk, 4 B.A. (Referenced 26AQ/2591 for Admiralty).	4	Brass	C	5
3859	STD. 1606/ 45/B10					Screw, countersunk, 4 B.A.	1	Brass	C	5
1943	STD. 1606/ 45/B16					Screw, countersunk, 4 B.A. (Referenced 26AQ/2593 for Admiralty).	4	Brass	C	5
3861	STD. 1606/ 45/B24					Screw, countersunk, 4 B.A.	4	Brass	C	5
5C/4347	-					Transfer, 'OUT'.	1	-	C	
5C/5345	-					Transfer, 'BRIGHT'.	1	-	C	
5C/5344	-					Transfer, 'DIM'.	1	-	C	





EQUIPMENT AIRCRAFT - INSTRUMENT PANELS

REF. NO.	PART NO.						DESCRIPTION	NO OFF	MATL. SPEC	MR. CL. of ST.	PLATE NO.
		1	2	3	4	5					
<u>SUMMARY OF STOCK ITEMS</u>											
28D/10114	AS. 1249 <sup>1</sup> / <sub>2</sub> B						Bolt, 4 B.A.				
28M/10280	AGS. 2001/B3						Nut, 4 B.A.				
28M/10290	AGS. 2001/E1						Nut, 1/4" B.S.F.				
28M/10328	AGS. 2002/C1						Nut, 2 B.A.				
28L/12931	A. 27.ET.						Nut, 1/4" B.S.F.				
28L/13734	A. 54.B						Nut, 4 B.A.				
28L/14534	A. 54.C						Nut, 2 B.A.				
28S/2868	A32/C20						Screw, 2 B.A.				
28V/13603	AGS. 838/8						Union, bush.				
28V/5107	AGS. 838/3						Union, elbow.				
28V/5108	AGS. 838/4						Union, nut.				
28V/5104	AGS. 838/1						Union, straight.				
28V/5105	AGS. 838/2						Union, tee.				
28W/12296	SP. 15C						Washer, 2 B.A.				
28W/12496	SP. 15E						Washer, 1/4" dia.				
28W/3090	AGS. 163D						Washer, spring.				



EQUIPMENT AIRCRAFT -- MAP CASE

Issued on A.L. No.1

REF. NO.	PART NO.	DESCRIPTION.					NO OFF	MATL. SPEC.	MR. CL of ST.	PLATE NO.
		1	2	3	4	5				
	A.190817	<u>MAP CASE AND G.G.S. RECORDER STOWAGE ASSEMBLY (PRE MOD. 149)</u>					-	-		
2371	C.188865	Case, for map and pilot's notes,					1	DTD.610	MR/C	F.1
2372	B.188866	Stowage, G.G.S. Recorder.					1	DTD.610	MR/C	F.1
	B.203375	<u>MAP CASE AND G.G.S. RECORDER STOWAGE ASSEMBLY (MOD. 149)</u>					-	-		
4900	C.203324	Case, map and G.G.S recorder stowage.					1	L.72	MR/C	F.1
27H/2768	-	Case, note for pilot.					1	-	C	
<u>SUMMARY OF STOCK ITEMS</u>										
28Q/1650	AS.156/404	Rivet.								
28Q/7655	AS.164/404	Rivet.								
28S/14005	A.32.B.14	Screw. 4 B.A.								
28W/12306	SP.15.B	Washer, 4 B.A.								



EQUIPMENT AIRCRAFT - G.M. COMPASS INSTALLATION

REF. NO.	PART NO.						DESCRIPTION.	NO OFF	MATL. SPEC.	MR. CL of ST.	PLATE NO.
		1	2	3	4	5					
	D.193235	<u>G.M. COMPASS INSTALLATION ASSEMBLY.</u>									
6B/2036		Amplifier, precision.						1	-		
4140	F.186171	Block, at detector unit cable attachment.						2	LFS.21	C	
6B/2569		Box, connector control.						1	-		
		Cables, electrical, (see cable chart).						-	-		
3741	Std.840/20	Clip, cable attachment, at ribs C & D, outer wings.						4	DTD610	C	4
	Std.850/32	Clip, detector unit cable attachment at outer wing end rib.						1	DTD610		
5K/	F.193236	Plate, for panel mounting plug.						1	DTD610		
	Hellerman HV.3341	Strapping, cable, 1/2" wide.						13"	-		
5K/	Hellerman HV.3254	Strapping, cable, 5/16" wide.						13"	-		
5K/	Hellerman HV.3342	Stud, cable.						5	-		
5K/	Hellerman HV.3255	Stud, cable.						6	-		
6B/438		Tray, mounting, for amplifier.						1	-		
6B/1993		Unit, detector, type 'A'.						1	-		
10H/		Washer, panel mounting.						2	-		
Z970050											



REF. NO.	PART NO.						DESCRIPTION.	NO OFF	MATL. SPEC.	MR. CL. of ST.	PLATE NO.
		1	2	3	4	5					
<u>SUMMARY OF STOCK ITEMS</u>											
28D/8341	AS. 1248.1C						Bolt, 2 B.A.				
28M/10309	AGS. 2002/B4						Nut, 4 B.A.				
28S/13883	A31.B14						Screw, 4 B.A.				
28S/2772	A31.C20						Screw, 2 B.A.				
28S/2079	A43.B20						Screw, 4 B.A.				



Illustrations for this section will be issued later.





This file was downloaded  
from the RTFM Library.

Link: [www.scottbouch.com/rtfm](http://www.scottbouch.com/rtfm)

Please see site for usage terms,  
and more aircraft documents.