


ENGINE CONTROLS—CENTRE FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	D.188848	ENGINE CONTROLS IN CENTRE FUSELAGE, ASSEMBLY	-	-	-	
	C.215380	BOXES, CONTROL AND ENGINE CONNECTIONS FOR THROTTLE AND H.P. COCK, ASSEMBLY	-	-	-	
	9679	F.228790 Ball end (Mod. 725)	2	-	C.	DB.1
	1161	F.190957 Bolt special	2	S.94B	C.	DB.1
	27K/1069	Teleflex C.39260 Box unit, S.E. No. 380, for throttle	1	-	B.	
	27K/1065	Teleflex C.39701 Box unit, S.L. No. 380, for H.P. cock	1	-	B.	
	28R/13508	Hoffman CF2.LA End base, L.H. thread (Pre-Mod. 725)	2	-	B.	
	945	Std.1716.G Nut, lock (Mod. 725)	2	-	C.	5
	9678	Std.1716.GL Nut, lock (Mod. 725)	2	-	C.	5
	7062	F.211202 Pillar (Mod. 303)	4	LFS.82	C.	DB.1
	1162	F.190511 Rod, connecting H.P. cock (Pre-Mod. 725)	1	T.6	C.	
	9675	F.228794 Rod, connecting H.P. cock (Mod. 725)	1	-	C.	DB.1
	7061	F.211195 Rod, connecting throttle (Mod. 303) (Pre-Mod. 725)	1	T.6	C.	DB.1
	9676	F.228795 Rod, connecting (Mod. 725)	1	-	C.	DB.1
	9677	F.228232 Washer, locking (Mod. 725)	4	S.1 or S.3	C.	
	27K/1068	Teleflex C.39262 Box unit, S.L. No. 380 for L.P. cock	1	-	B.	
	27K/1064	Teleflex C.36429 Cable and break rod for throttle	1	-	C.	
	27K/1064	Teleflex C.36428 Cable and break rod, for H.P. cock	1	-	C.	
	27K/1064	Teleflex C.36427 Cable and break rod, for L.P. cock	1	-	C.	
	1156	F.191388 Clamp, conduit	3	LFS.21	C.	DB.1
	1157	F.191389 Clamp, conduit	3	LFS.21	C.	DB.1
	1158	F.191282 Clamp, conduit	1	LFS.21	C.	DB.1
	1159	F.191283 Clamp, conduit	1	LFS.21	C.	DB.1
	1160	F.191281 Clamp, conduit	2	LFS.21	C.	DB.1
	5883	F.206028 Collar, half (Mod. 215)	6	S.95B	C.	DB.1
	27K/1041	Teleflex A.35336 Collar	17	-	C.	
	27K/548	Teleflex DS.307/2 Conduit, 3-5" long (Hawker Drg. A.188993)	2	-	C.	
	27K/548	Teleflex DS.307/2 Conduit (For lengths see Hawker Drgs. A.206052-4 (Mod. 215), A.206031-3 (Mod. 215), A.190248-50 (Pre-Mod. 215), A.189955-7 (Pre-Mod. 215) and B.189952-4))	QR	-	C.	
	27K/796	Teleflex B.35340/B Connector, conduit No. 2	3	-	C.	
	27K/1154	Teleflex A.39965 Connector, conduit (Pre-Mod. 215)	3	-	C.	
	4261	B.200110 Guard	1	L.72	MR/C	DB.1
	5884	F.206029 Sleeve (Mod. 215)	3	S.95B	C.	DB.1
	27K/1042	Teleflex A.35335 Sleeve, outer	17	-	C.	
	4890	F.201979 Stud, for L.P. cock box unit	3	S.95B	C.	DB.1
	5885	A.206030 Union body (Mod. 215)	3	S.95B	C.	DB.1

ENGINE CONTROLS—CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
SUMMARY OF STOCK ITEMS										
28D/12532	A25.4C	Bolt, 2	B.A.							
28D/12533	A25.5C	Bolt, 2	B.A.							
28D/12534	A25.9C	Bolt, 2	B.A.							
28D/12537	A25.14C	Bolt, 2	B.A.							
28M/10288	AGS.2001.C1	Nut, 2	B.A.							
28M/10327	AGS.2002.B1	Nut, 4	B.A.							
28M/10328	AGS.2002.C1	Nut, 2	B.A.							
28M/12929	A27.CP	Nut, 2	B.A.							
28M/13121	A27.CS	Nut, 2	B.A.							
28W/9418920	SP.10E	Washer, 1/2"	dia.							
28W/9419465	SP.13B	Washer, 4	B.A.							
28W/9418921	SP.13E	Washer, 1/2"	dia.							
28W/9419475	SP.15C	Washer, 2	B.A.							
28W/3090	AGS.163D	Washer								



This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.