

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	G.199814	<b>ELECTRICAL EQUIPMENT—CENTRE FUSELAGE</b>					—	—		
5J/3336		<b>Accumulator, Varley Type "J" (Mod. 386)</b>					2	—	B.	
	B.206477	<b>BLOCK, TERMINAL, No. 11, ASSEMBLY</b>					—	—		
5X/2863	Plessey CZ.24285	Block, terminal, 10 way					1	—	B.	
5X/3275	Plessey CZ.26808	Cover					1	—	B.	
5X/6163	Plessey Z.50210	Link, connecting, 2 way					1	—	C.	
5X/3278	Plessey Z.28426	Pillar					2	—	C.	
	B.206478	<b>BLOCK, TERMINAL, No. 12, ASSEMBLY</b>					—	—		
5X/2863	Plessey CZ.24285	Block, terminal, 10 way					1	—	B.	
5X/3275	Plessey CZ.26808	Cover					1	—	B.	
5X/6172	Plessey Z.50212	Link, commoning, 4 way					2	—	C.	
5X/3278	Plessey Z.28426	Pillar					2	—	C.	
	A.216517	<b>BLOCK, TERMINAL, No. 84, ASSEMBLY (Mod. 452)</b>					—	—		
5D/506	—	Box, junction, 5 way					1	—	B.	
5K/2374	—	Disc, blanking					3	—	C.	
5K/87	—	Nut, gland					3	—	C.	
	A.216803	<b>BLOCK, TERMINAL, No. 89, ASSEMBLY (Mod. 386)</b>					—	—		
5H/13	AS.2654	Block, terminal H.D.					1	—	C.	
5H/14	AS.2655	Cover					1	—	C.	
	A.215761	<b>Box, terminal, No. 83, group (Mod. 452)</b>					1	—		
5X/2863	Plessey CZ.24285	Block, terminal, 10 way					1	—	B.	
	A.215762	Box					1	—		
8480	A.215763	Lid					1	L.16	C.	
5X/6163	Plessey Z.50210	Link, 2 way					1	—	C.	
6A/4444	Smiths	Box relay (Mod. 266)					1	—	A.	
	Waymouth JX.15									
6A/4443	Smiths	Box relay (Mod. 266)					1	—	A.	
	Waymouth JX.13									
5866	D.203812	Box, junction, No. 1, group					1	—	A.	
	D.213196	Box, junction					1	—		
5X/3181	Plessey CZ.23212/1	Block, terminal, 20 way					4	—	B.	
	—	Cables (see cable chart)					—	—		
28FP/147	Dzus A4/30	Fastener					2	—	C.	
28FP/309	Dzus GA4/250	Grommet					2	—	C.	
6714	C.213287	Lid, group					1	—	B.	
5X/6317	Plessey Z.50218	Link, 10 way					1	—	C.	
5X/6314	Plessey Z.50214	Link, 6 way					1	—	C.	
5X/6171	Plessey Z.50211	Link, 3 way					1	—	C.	
5X/6163	Plessey Z.50210	Link, 2 way					4	—	C.	
5X/3259	Plessey Z.50219	Link, transverse					2	—	C.	
7812	F.206915	Plate, tapped					1	L.72	MR/C	
7813	F.206916	Plate, tapped					1	L.72	MR/C	
7814	F.206917	Plate, tapped					1	L.72	MR/C	
7815	F.206918	Plate, tapped					1	L.72	MR/C	
5X/6181	Plessey CZ.50356	Plug, code 4					1	—	B.	
5X/6328	Plessey CZ.50375	Plug, code 8					1	—	B.	
5X/6091	Plessey CZ.28108	Plug, code 14					1	—	B.	
5X/6185	Plessey CZ.50361	Plug, code 21					11	—	B.	
5X/3148	—	Sleeve, 4-7 amp.					19	—	C.	
5X/3146	—	Sleeve, 7-19 amp.					2	—	C.	
5X/2266	Plessey Z.19924	Tag, 4 amp.					QR	—	C.	
5X/2267	Plessey Z.19925	Tag, 7 amp.					QR	—	C.	
5X/2268	Plessey Z.19926	Tag, 19 amp.					QR	—	C.	
5X/2269	Plessey Z.19979	Thimble, 4 amp.					QR	—	C.	
5X/2270	Plessey Z.19980	Thimble, 7 amp.					QR	—	C.	
5X/2271	Plessey Z.19981	Thimble, 19 amp.					QR	—	C.	
5D/1761	—	Box, distribution, R.P. firing (Mod. 229)					1	—	A.	

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
6030	A.205605	Bracket, mounting, for service lamp ... ..	1	DTD.610	MR/C	
5827	B.205573	Bracket, for fuel time switch ... ..	1	L.72	C.	
	B.202334	Bracket, for ground supply plug (Mod. 12) ... ..	1	L.72		
	A.208251	Bracket, mounting, for suppressor (Mod. 138) ... ..	1	L.72		
4772	A.199648	Bracket, mounting, for suppressor ... ..	1	L.72	MR/C	
9814	A.209778	Bracket, mounting, for external supply socket (Mod. 334) ... ..	1	L.72	C.	
—	—	Cables, electrical (see Cable Chart) ... ..	—	—	—	
	C.225330	<b>CLIPPING OF CABLES IN SPINE, ASSEMBLY</b> (Mod. 629) ... ..	—	—		
3741	Std.840/20	Clip, $\frac{1}{8}$ " wide x 22 S.W.G. x 2-0" long ... ..	2	DTD.610	C.	4
4159	Std.841/20	Clip, $\frac{1}{8}$ " wide x 22 S.W.G. x 2-0" long ... ..	2	DTD.610	C.	4
5F/2281	Hellerman HV.3341	Strapping, $\frac{1}{2}$ " wide ... ..	QR	—	C.	
5F/2282	Hellerman HV.3342	Stud ... ..	QR	—	C.	
	C.198765-6	<b>CLIPPING, FOR CABLES, ASSEMBLY</b> ... ..	—	—		
3741	Std.840/20	Clip, $\frac{1}{8}$ " wide x 22 s.w.g. x 2" long ... ..	1	DTD.610	C.	4
4670	Std.840/23	Clip, $\frac{1}{8}$ " wide x 22 s.w.g. x 2-3" long ... ..	1	DTD.610	C.	4
3747	Std.841/28	Clip, $\frac{1}{8}$ " wide x 22 s.w.g. x 2-8" long ... ..	1	DTD.610	MR/C	4
4823	Std.841/42	Clip, $\frac{1}{8}$ " wide x 22 s.w.g. x 4-2" long ... ..	1	DTD.610	MR/C	4
5F/2281	Hellerman HV.3341	Strapping ... ..	QR	—	C.	
5F/2282	Hellerman HV.3342	Stud ... ..	QR	—	C.	
	E.199817	<b>CLIPPING, FOR CABLES, ASSEMBLY</b> ... ..	—	—		
7838	C.211588	Box, junction, Arm No. 1, group (Pre-Mod. 436) ... ..	1	—	B.	
5X/6630	Plessey CZ.72441	Block, terminal, 5 way ... ..	9	—	B.	
	C.202521	Box, detail ... ..	1	L.59		
	A.202570	Cable, arm earthing ... ..	1	—		
	A.159698	Ferrule ... ..	2	BSS.265		
5CZ/5073	—	Indicator, magnetic ... ..	1	—	B.	
6029	B.202522	Lid ... ..	1	L.59	MR/C	
6015	F.195858	Link, commoning ... ..	6	BSS.265	C.	
	F.199948	Lug ... ..	8	BSS.265		
10H/0560200	Plessey	Plug, panel unit ... ..	1	—	C.	
10H/9560203	Plessey	Plug, panel unit ... ..	1	—	C.	
10H/0560150	Plessey	Plug, panel unit ... ..	1	—	C.	
	F.202523	Spacer ... ..	1	S.3		
5CW/4221	Rotax D.5405	Switch ... ..	1	—	B.	
5CW/4327	Rotax N.100397/1	Transfer, "ON" ... ..	1	—	C.	
5K/3469	Ross Courtney 01	Tag ... ..	27	—	C.	
751	Std.915/A/20	Washer ... ..	QR	DTD.610	C.	4
8168	C.214401	Box, junction, Arm 1, group (Mod. 436) ... ..	1	—	B.	
	F.214406	Block, mounting ... ..	4	L.65C		
	F.214407	Block, mounting ... ..	2	L.65C		
5X/3181	Plessey CZ.23212/1	Block, terminal, 20 way ... ..	1	—	B.	
5X/2863	Plessey CZ.24285	Block, terminal, 10 way ... ..	3	—	B.	
	C.214402	Box ... ..	1	—		
	F.214404	Bracket, relay mounting ... ..	1	—		
	A.214844	Cable, arm, earthing ... ..	1	—		
	A.159698	Ferrule ... ..	2	BSS.265		
5X/6168	Plessey Z.23197	Gasket ... ..	2	—	C.	
5CZ/5073	—	Indicator, magnetic ... ..	1	—	B.	
6029	B.202522	Lid ... ..	1	L.59	MR/C	
5X/6163	Plessey Z.50210	Link, commoning ... ..	2	—	C.	
5X/6173	Plessey Z.50213	Link, commoning ... ..	1	—	C.	
	F.214405	Plate, switch mounting ... ..	1	L.65C		
10H/0560150	Plessey	Plug, panel unit ... ..	1	—	C.	
10H/0560200	Plessey	Plug, panel unit ... ..	1	—	C.	

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

Ref. No.	Part No.	Description	No. Off.	Material Specification	M.R. Class of Store	Plate No.
10H/9560203	Plessey	Plug, panel unit ... ..	1	—	C.	
10F/Z530032	Plessey	Relay ... ..	1	—	B.	
5CW/540	—	Switch, push D.P. flange type B ... ..	1	—	B.	
4776	B.198696	Bracket, mounting, for cables C.16, C.18 and C.20	1	DTD.610	MR/C	
6031	B.201234	Bracket, wing service, inboard, port ... ..	1	S.84	MR/C	
6032	B.201235	Bracket, wing service, inboard, starboard ... ..	1	S.84	MR/C	
6033	A.201236	Bracket, wing service, outboard, port ... ..	1	S.84	MR/C	
10H/0569067	Plessey	Cap, protective (Mod. 229) ... ..	1	—	C.	
	2CZ/83672					
4618	F.196181	Clamp, for igniter cables, frame 37 ... ..	2	Ferobestos	C.	
4778	F.197490	Clip, securing cables, lower portion of frame 32 ... ..	1	S.3	MR/C	
4779	F.197491	Clip, securing cables, lower portion of frame 32 ... ..	1	S.3	MR/C	
4780	F.197582	Clip, securing cable CA.30, on tank access door ... ..	1	DTD.610	MR/C	
4781	F.196789	Clip, securing cable at frame 19 ... ..	2	DTD.610	MR/C	
4782	F.197059	Clip, securing cables at gun heating valve, frame 19	1	S.3	MR/C	
4783	F.196769	Clip, securing cables at lower portion of frame 22 (May be made from Std.850/42)	1	DTD.610	MR/C	
4784	F.196958	Clip, securing cables at frame 26 ... .. (May be made from Std.850/51)	1	DTD.610	MR/C	
	F.196759	Clip, securing cables at frame 19 (Mod. 386) ... ..	1	DTD.610		
4786	F.196873	Clip, securing cables at lower portion of frame 19 (May be made from Std.850/63)	1	DTD.610	MR/C	
4788	F.198279	Clip, securing cables, frame 31 ... ..	1	DTD.610	MR/C	
6035	F.205571	Clip, securing cables at frame 19 ... ..	3	L.72	MR/C	
4764	Std.840/21	Clip, securing cables, $\frac{7}{16}$ " wide x 22 s.w.g. x 2-1" long	4	DTD.610	MR/C	4
4802	Std.840/31	Clip, securing high energy cables, frame 36, $\frac{7}{16}$ " wide x 22 s.w.g. x 3-1" long	1	DTD.610	MR/C	4
3749	Std.841/38	Clip, securing cables at frame 25 ... ..	3	DTD.610	C.	4
	Std.841/40	Clip, securing A4 cable on frame 25 (alternative to Std.2046/43/20)	1	DTD.610		
6010	Std.841/41	Clip, securing A3 cable on frame 25 (alternative to Std.2046/44/20)	1	DTD.610	MR/C	4
3751	Std.842/12	Clip, securing cable, $\frac{7}{16}$ " wide x 22 s.w.g. x 1-2" long (Make from 30A/549)	1	S.3	MR/C	4
	Std.843/12	Clip, securing cables on strut, rear frame 19 ... ..	1	S.3		
4792	Std.852/36	Clip, securing cable C30, frame 34, $\frac{7}{16}$ " wide x 22 s.w.g. x 3-6" long (Make from 30A/549)	1	S.3	MR/C	4
	Std.2045/17/26	Clip, sleeved ... ..	1	—		
	Std.2045/18/26	Clip, sleeved ... ..	1	—		
	Std.2045/24/24	Clip, sleeved ... ..	1	—		
	Std.2045/32/22	Clip, sleeved ... ..	2	—		
	Std.2045/36/22	Clip, sleeved ... ..	2	—		
	Std.2045/45/20	Clip, sleeved ... ..	2	—		
	Std.2045/47/20	Clip, sleeved ... ..	1	—		
	Std.2045/48/20	Clip, sleeved ... ..	1	—		
	Std.2045/52/20	Clip, sleeved ... ..	1	—		
	Std.2045/53/20	Clip, sleeved ... ..	1	—		
	Std.2045/65/20	Clip, sleeved ... ..	1	—		
	Std.2046/17/26	Clip, sleeved ... ..	1	—		
	Std.2046/21/24	Clip, sleeved ... ..	1	—		
	Std.2046/41/20	Clip, sleeved, securing A3 and A14-C13 cable on frame 25 (alternative to Std.841/38)	3	—		
	Std.2046/43/20	Clip, sleeved, securing A4 cable at frame 25 (alternative to Std.841/40)	1	—		
	Std.2046/44/20	Clip, sleeved, securing A3 cable at frame 25 (alternative to Std.841/41)	1	—		
29H/2100	Bowden PN.448	Clip ... ..	26	—	C.	

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	A.197386	<b>EARTHING POINT, No. 9, FRAME 25, STAR-BOARD SIDE, ASSEMBLY</b>					—	—		
	Std.1298/1	Stud					1	S.1		
4613	Std.1335/C.18	Washer					3	L.4	C.	
4803	B.198028	Guard, cable, forward face of frame 19					1	DTD.166	MR/C	
9060	B.219799	Guard, cable, forward face of frame 19 (Mod. 386)					1	DTD.171	C.	
4804	F.196308	Plate, sealing, for cables C24 and C26, at frame 37					4	LFS.21	MR/C	
4805	F.198874	Plate, cover, at cable duct, frame 37 (Pre Mod.118)					2	DTD.610	MR/C	
	F.227156	Plate, sealing, at frame 37 (Mod. 303)					2	LFS.21		
5F/2281	Hellerman H.V.3341	Strapping					QR	—	C.	
5F/2282	Hellerman H.V.3342	Stud					QR	—	C.	
9061	F.219800	Stud, for attachment of cable guard (Mod. 386)					2	S.1	C.	
4807	Std.1509/12/028	Tube, distance, $\frac{1}{4}$ " o/d x 20 s.w.g. x 0.28" long (Make from 30B/619) (Pre Mod. 118)					4	T.4	MR/C	4
	Std.2045/17/26	Clip, securing cables					2	—		
	Std.2045/20/24	Clip, securing cables					1	—		
9664	Std.2045/22/24	Clip, securing cables					2	—	C.	
	Std.2045/25/24	Clip, securing cables					1	—		
	Std.2045/32/22	Clip, securing cables					1	—		
	Std.2045/34/22	Clip, securing cables					3	—		
	Std.2045/36/22	Clip, sleeved					1	—		
	Std.2045/38/22	Clip, sleeved					1	—		
	Std.2045/39/22	Clip, securing cables					1	—		
	Std.2045/49/20	Clip, securing cables					1	—		
	Std.2045/68/20	Clip, securing cables					1	—		
	Std.2046/16/26	Clip, securing cables					2	—		
	Std.2046/17/26	Clip, securing cables					3	—		
	Std.2046/21/24	Clip, securing cables					1	—		
	Std.2046/28/22	Clip, securing cables					1	—		
9735	Std.2046/33/22	Clip, sleeved					2	—	C.	
	Std.2046/35/22	Clip, securing cables					1	—		
	Std.2046/37/22	Clip, securing cables					1	—		
	Std.2046/38/22	Clip, securing cables					2	—		
	Std.2046/42/20	Clip, securing cables					4	—		
	Std.2046/45/20	Clip, sleeved					1	—		
4808	Std.850/24	Clip, securing ignition leads at engine mounting rail, $\frac{7}{16}$ " wide x 22 s.w.g. x 2.4" long					2	DTD.610	MR/C	4
6A/3335	Smiths Waymouth CA/30	Connector					2	—	B.	
6A/2733	Smiths Waymouth CA/37	Connector					1	—	B.	
6A/3571	Smiths Waymouth CA/62	Connector					1	—	B.	
6A/3572	Smiths Waymouth CA/125	Connector					1	—	B.	
6A/3573	Smiths Waymouth CA/140	Connector					1	—	B.	
6A/4447	Smiths Waymouth CS.75	Connector (Mod. 266)					2	—	B.	

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
4105	Std.1285/8.C.C.	Connector, earthing, at high energy ignition ...	1	—	C.	4
4239	F.200916	Cover, terminal, for ground supply plug ...	1	Black Plastic	C.	
4240	F.200892	Cover, terminal, for ground supply plug ...	2	Black Plastic	C.	
5J/3419	—	Cover, venting and retaining rods (Mod. 682) ...	2	—	C.	
4619	A.197124-5	<b>EARTHING POINTS</b> , Nos. 10 and 16, assembly ...	—	—	—	—
5L/9953271	Std.1335/E.18	Washer ...	2	L.4	C.	4
5X/3098	—	Filament, 28v. 7w. ...	1	—	B.	
—	Z.23201/D	Gasket, sealing (AS.760/61) ...	1	—	C.	
—	F.224947	Hose, for venting cover (Mod. 682) (Make from 32C/472, 30" long)	2	DTD.251/D	—	
37A/1790	—	Igniter, high energy, type C.10.T.S./3 (Mod. 532) ...	2	—	A.	
5CX/446	—	Lamp, cockpit Mk. 1A ...	1	—	B.	
4896	B.199981	Lead, ignition, group ...	1	—	B.	
5E/3131	—	Consisting of:—				
	United Metallic C. No. 110	Cable, uniplughitemp. No. 3 ...	46"	—	C.	
	Lodge CG-11	Conduit, braided, 0-312" i/d ...	40"	—		
29H/2100	Bowden PN/448	Contact-button ...	2	—		
37B/1985	Lodge EA6-90°	Clip ...	1	—	C.	
	Rolls Royce D.29850	Elbow, assembly ...	1	—		
	Lodge S.F.6	Ferrule ...	2	—	C.	
	Lodge N.28	Ferrule, spring type ...	2	—		
	Lodge SS.18	Nut ...	2	—		
	Lodge SS.23	Sleeve ...	1	—		
4897	B.199982	Sleeve ...	1	—		
		Lead, ignition, group ...	1	—	B.	
5E/3131	—	Consisting of:—				
	United Metallic Co. No. 110	Cable, uniplughitemp No. 3 ...	82"	—	C.	
	Lodge C.G-11	Conduit, braided, 0-312" i/d ...	76"	—		
29H/2100	Bowden PN.448	Contact-button ...	2	—		
37B/1985	Lodge E.A6-90°	Clip ...	1	—	C.	
	Rolls Royce D.29850	Elbow, assembly ...	1	—		
	Lodge S.F.6	Ferrule ...	2	—	C.	
	Lodge N.28	Ferrule, spring type ...	2	—		
	Lodge SS.23	Nut ...	2	—		
	Lodge SS.18	Sleeve ...	1	—		
4620	F.197595	Sleeve ...	1	—		
4621	F.197596	Plate, sealing, at frame 37 ...	4	LFS.21	C.	
5CY/4314	—	Plate, sealing, at frame 37 ...	4	LFS.21	C.	
5CY/3002	—	Plug, ground supply ...	1	—	B.	
5J/3346	—	Socket (Mod. 386) ...	1	—	B.	
	A.201651	Socket, cannon (Mod. 386) ...	2	—	C.	
5F/2301	Hellerman NY.18007A	Stiffener, for inertia switch ...	1	L.72		
5F/2279	Hellerman HV.3254	Strapping, 1/2" wide ...	QR	—	C.	
5F/2280	Hellerman HV.3255	Strapping ...	QR	—	C.	
5F/2282	Hellerman HV.3342	Stud ...	QR	—	C.	
		Stud ...	QR	—	C.	

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	B.196635	Suppressor, group ... ..	2	—		
4811	A.196638	Angle, mounting ... ..	1	DTD.364	MR/C	
4812	A.196639	Angle, mounting ... ..	1	DTD.364	MR/C	
4813	A.196640	Plate, mounting ... ..	1	DTD.610	MR/C	
5CY/3084	— ...	Suppressor, type "X3" ... ..	1	—	A.	
5CY/2866	—	Suppressor, type "B4" ... ..	1	—	A.	
4814	Std.1548/24/10	Washer, profile ... ..	2	DTD.610	MR/C	4
5CY/2967	—	Suppressor, type O.No.2 ... ..	1	—	A.	
5CW/5501	Venner PTA/HA/W 19055	Switch, time: ... ..	1	—	A.	
27N/93	—	Switch, inertia, Mk.1 ... ..	1	—	A.	
27N/91	—	Switch, flame detector, Mk. 4 ... ..	8	—	A.	
	Std.1509/2/048	Tube, distance, 1/2" o/d x 22 s.w.g. x 0.48" long ... ..	2	T.4		
	Std.1509/2/095	Tube, distance, 1/4" o/d x 22 s.w.g. x 0.95" long ... ..	2	T.4		
	Std.1509/24/022	Tube, distance, 3/8" o/d x 17 s.w.g. x 0.22" long ... ..	4	T.4		
2192	Std.915/C14	Washer, packing, at timing unit ... ..	2	—	C.	4

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
<b>SUMMARY OF STOCK ITEMS</b>										
28D/12528	A25.1.B	Bolt,	4	B.A.	...	...	...	...	...	...
28D/12622	A25.3.B	Bolt,	4	B.A.	...	...	...	...	...	...
28D/12530	A25.6.B	Bolt,	4	B.A.	...	...	...	...	...	...
28D/12512	A25.1.C	Bolt,	2	B.A.	...	...	...	...	...	...
28D/12513	A25.2.C	Bolt,	2	B.A.	...	...	...	...	...	...
28D/12531	A25.3.C	Bolt,	2	B.A.	...	...	...	...	...	...
28D/12514	A25.7.C	Bolt,	2	B.A.	...	...	...	...	...	...
28D/12516	A25.11.C	Bolt,	2	B.A.	...	...	...	...	...	...
28D/12535	A25.12.C	Bolt,	2	B.A.	...	...	...	...	...	...
28D/12536	A25.13.C	Bolt,	2	B.A.	...	...	...	...	...	...
28D/12538	A25.15.C	Bolt			...	...	...	...	...	...
28D/12539	A25.16.C	Bolt,	2	B.A.	...	...	...	...	...	...
28D/12519	A25.3.E	Bolt,	1/2"	B.S.F.	...	...	...	...	...	...
28D/12812	A25.12.E	Bolt,	1/2"	B.S.F.	...	...	...	...	...	...
28D/12545	A25.13.E	Bolt			...	...	...	...	...	...
28D/8300	AS.1242.1B	Bolt,	4	B.A.	...	...	...	...	...	...
28D/8307	AS.1242.2C	Bolt,	2	B.A.	...	...	...	...	...	...
28D/8325	AS.1242.4E	Bolt,	1/2"	B.S.F.	...	...	...	...	...	...
28D/8326	AS.1242.5E	Bolt,	1/2"	B.S.F.	...	...	...	...	...	...
28D/10764	AS.1248.1B	Bolt,	4	B.A.	...	...	...	...	...	...
28E/8184	AGS.605 Mk. 2	Clip			...	...	...	...	...	...
5K/3412	AS.3360.C7C	Lead, bonding			...	...	...	...	...	...
28L/12931	A27.ET	Nut,	1/2"	B.S.F.	...	...	...	...	...	...
28M/10288	AGS.2001/C1	Nut,	2	B.A.	...	...	...	...	...	...
28M/10290	AGS.2001/E1	Nut,	1/2"	B.S.F.	...	...	...	...	...	...
28M/10326	AGS.2002/A1	Nut,	6	B.A.	...	...	...	...	...	...
28M/10327	AGS.2002/B1	Nut,	4	B.A.	...	...	...	...	...	...
28M/10328	AGS.2002/C1	Nut,	2	B.A.	...	...	...	...	...	...
28M/10330	AGS.2002/E1	Nut,	1/2"	B.S.F.	...	...	...	...	...	...
28S/9419435	A31.B12	Screw,	4	B.A.	...	...	...	...	...	...
28S/2767	A31.B16	Screw,	4	B.A.	...	...	...	...	...	...
28S/2773	A31.B20	Screw,	4	B.A.	...	...	...	...	...	...
28S/2779	A31.B24	Screw,	4	B.A.	...	...	...	...	...	...
28S/2785	A31.B28	Screw,	4	B.A.	...	...	...	...	...	...
28S/2760	A31.C12	Screw,	2	B.A.	...	...	...	...	...	...
28S/2766	A31.C16	Screw,	2	B.A.	...	...	...	...	...	...
28S/2772	A31.C20	Screw,	2	B.A.	...	...	...	...	...	...
28S/14547	A32.A10	Screw,	6	B.A.	...	...	...	...	...	...
28S/2858	A32.A12	Screw,	6	B.A.	...	...	...	...	...	...
28S/2864	A32.A16	Screw,	4	B.A.	...	...	...	...	...	...
28S/2865	A32.B16	Screw,	4	B.A.	...	...	...	...	...	...
28S/2857	A32.B12	Screw,	4	B.A.	...	...	...	...	...	...
28S/2875	A32.B24	Screw,	4	B.A.	...	...	...	...	...	...
28S/2874	A32.C24	Screw,	2	B.A.	...	...	...	...	...	...
28S/15108	A33.A14	Screw,	6	B.A.	...	...	...	...	...	...
28S/2809	A33.B12	Screw,	4	B.A.	...	...	...	...	...	...
28S/2815	A22.B16	Screw,	4	B.A.	...	...	...	...	...	...
28S/2827	A33.B24	Screw,	4	B.A.	...	...	...	...	...	...

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
28W/9419401	SP.10B	Washer								
28W/9419464	SP.13A	Washer								
28W/9419465	SP.13B	Washer								
28W/9419474	SP.15.B	Washer, 4 B.A.								
28W/9419475	SP.15.C	Washer, 2 B.A.								
28W/9419405	SP.15.E	Washer, 1/2" dia.								
28W/9419486	SP.16.B	Washer								
28W/9419404	SP.16.C	Washer, 2 B.A.								
28W/9419487	SP.16.E	Washer, 1/2" B.S.F.								
28W/9419489	SP.16.J	Washer								
28L/11067	AGS.2035/B	Washer								

This file was downloaded  
from the RTFM Library.

Link: [www.scottbouch.com/rftm](http://www.scottbouch.com/rftm)

Please see site for usage terms,  
and more aircraft documents.

