

ELECTRICAL EQUIPMENT—WINGS

Ref. No.	Part No.	Description	No. Off.	Material Specification	M.R. Class of Store	Plate No.
	D.207227	<b>ELECTRICAL INSTALLATION IN PORT WING, ASSEMBLY (Mod. 228)</b>	-	-		
-	F.207239	Angle, support, for cable harness (Make from 30B/1732)	3	L.72	-	
	A.206175	<b>BLOCK, TERMINAL, No. 21, AT INTER-SPAR RIB "D", PORT, ASSEMBLY</b>	-	-		
5X/2863	Plessey CZ.24285	Block, terminal, 10 way	1	-	B.	
5X/3275	Plessey CZ.26808	Cover	1	-	B.	
5X/6163	Plessey Z.50210	Link, commoning, 2 way	2	-	C.	
	A.206175/1	Markers	1 set	-		
4177	F.197297	Pillar	2	BSS.249	C.	
	A.206158	<b>BLOCK, TERMINAL, No. 22, AT OUTER RIB, PORT, ASSEMBLY</b>	-	-		
5X/3268	Plessey CZ.50207	Block, terminal, 5 way	1	-	B.	
5X/3274	Plessey CZ.26805	Cover	1	-	B.	
6963	A.206158/1	Markers	1 set	-	MR/C	
5X/3278	Plessey Z.28426	Pillar	2	-	C.	
	A.215707	<b>BLOCK, TERMINAL, No. 24, AT RIB "S", PORT, ASSEMBLY (Mod. 452)</b>	-	-		
5X/2863	Plessey CZ.24285	Block, terminal, 2 way	1	-	B.	
5X/3275	Plessey CZ.26808	Cover	1	-	B.	
6023	F.206895	Spacer	2	-	MR/C	
	A.206139	<b>BLOCK, TERMINAL, No. 25, AT RIB "C", PORT, ASSEMBLY</b>	-	-		
5X/3268	Plessey CZ.50207	Block, terminal, 5 way	1	-	B.	
5X/3274	Plessey CZ.26805	Cover	1	-	B.	
6964	A.206139/1	Markers	1 set	-	MR/C	
5X/3278	Plessey Z.28426	Pillar	2	-	C.	
	A.206171	<b>BLOCK, TERMINAL, No. 26, AT RIB "D", PORT, ASSEMBLY</b>	-	-		
5X/2863	Plessey CZ.24285	Block, terminal, 10 way	1	-	B.	
5X/3275	Plessey CZ.26808	Cover	1	-	B.	
5X/6163	Plessey Z.50210	Link, commoning	2	-	C.	
	A.206171/1	Markers	1 set	-		
4177	F.197297	Pillar	2	BSS.249	C.	
	A.206133	<b>BLOCK, TERMINAL, No. 27, AT TAIL RIBS "L" AND "M", PORT, ASSEMBLY</b>	-	-		
5X/2863	Plessey CZ.24285	Block, terminal, 10 way	1	-	B.	
	A.206133/1	Markers	1 set	-		
	F.180308	Spacer-lock	2	BSS.249		
	B.208246	<b>BLOCK, TERMINAL, No. 28, AT INTER-SPAR RIB "F", PORT, ASSEMBLY</b>	-	-		
5X/2863	Plessey CZ.24285	Block, terminal, 10 way	1	-	B.	
6003	F.205956	Bracket, mounting	1	L.72	MR/C	
5X/3275	Plessey CZ.26808	Cover	1	-	B.	
5X/6163	Plessey Z.50210	Link, commoning, 2 way	1	-	C.	
6840	B.208246/1	Label	1	-	MR/C	
5X/3278	Plessey Z.28426	Pillar	2	-	C.	
	A.201764	<b>BLOCK, TERMINAL, No. 29, AT INTER-SPAR RIB "F", PORT, ASSEMBLY</b>	1	-	-	
5X/3276	Plessey CZ.50205	Block, terminal, 2 way	1	-	B.	
5X/3272	Plessey CZ.26799	Cover	1	-	B.	
	A.201764/1	Markers	1 set	-		
5X/3278	Plessey Z.28426	Pillar	2	-	C.	

ELECTRICAL EQUIPMENT—WINGS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	B.209176	Box, junction, arm 3, group (Mod. 228)					1	—		
5X/2863	Plessey CZ.24285	Block, terminal, 10 way					1	—	B.	
5X/3181	Plessey CZ.23212/1	Block, terminal, 20 way					1	—	B.	
7928	A.210795	Cover					1	L.59	B.	
5X/6171	Plessey Z.50211	Link, commoning, 3 way					1	—	C.	
5X/	Plessey Z.24949	Piece, distance					4	—	C.	
5X/3278	Plessey Z.28426	Pillar					4	—	C.	
	Plessey Z.28614	Screw, special					4	—		
	B.208989	Box, junction, arm 4, group (Mod. 228)					1	—		
5X/2863	Plessey CZ.24285	Block, terminal, 10 way					1	—	B.	
5X/3181	Plessey CZ.23212/1	Block, terminal, 20 way					1	—	B.	
7929	A.208778	Cover					1	L.59	C.	
5X/6171	Plessey Z.50211	Link, commoning, 3 way					1	—	C.	
5X/6735	Plessey Z.24949	Piece, distance					4	—	C.	
4177	F.197297	Pillar					2	BSS.249	C.	
	Plessey Z.28614	Screw, special					4	—		
—	B.207006	Cable, A.19 group (See cable chart)					1	—	—	
7989	A.209702	Ferrule					1	—	C.	
8407	B.213570	Cable, A.32, group (Mod. 427)					1	—	B.	
	A.213559	Bracket, supporting, group					1	—		
	F.213565	Clip					1	Spring Steel		
28FP/809	Dzus GF6-250	Grommet					1	—	C.	
5D/1924	RAE.EL.42887/1C	Connector					1	—	B.	
8409	B.213572	Cable, A.34, group (Mod. 427)					1	—	B.	
	A.213561	Bracket, supporting, group					1	—		
	F.213565	Clip					1	Spring Steel		
28FP/809	Dzus GF6-250	Grommet					1	—	C.	
5D/1925	RAE.EL.42887/1D	Connector					1	—	B.	
8411	B.213574	Cable, A.36, group (Mod. 427)					1	—	B.	
	A.213559	Bracket, supporting, group					1	—		
	F.213565	Clip					1	Spring Steel		
28FP/809	Dzus GF6-250	Grommet					1	—	C.	
5D/1924	RAE.EL.42887/1C	Connector					1	—	B.	
8413	B.213576	Cable, A.38, group (Mod. 427)					1	—	B.	
	A.213563	Bracket, supporting, group					1	—		
	A.213565	Clip					1	Spring Steel		
28FP/809	Dzus GF6-250	Grommet					1	—	C.	
5D/1924	RAE.EL.42887/1C	Connector					1	—	B.	
—	—	Cables, electrical (See Cable Chart)					—	—	—	
6A/4381	Smiths CG.1	Cable, harness, co-axial					1	—	B.	
6A/4390	Smiths CRC.54	Cable, co-axial					1	—	B.	
	D.199922	CLIPPING AND STRAPPING CABLES, ASSEMBLY ...					—	—		
4761	Std.840/13	Clip, securing cables at rib "A" and inter-spar rib "F", 7/16" wide x 22 s.w.g. x 1-3" long					3	DTD.610	MR/C	4
3971	Std.840/19	Clip, securing cables at inter-spar rib "F" and front spar, 7/16" wide x 22 s.w.g. x 1-9" long					3	DTD.610	MR/C	4
4791	Std.840/34	Clip, securing cables at undercarriage girder, inter-spar rib "D", 7/16" wide x 22 s.w.g. x 3-4" long					1	DTD.610	MR/C	4
4159	Std.841/20	Clip, securing cables at front spar, inter-spar rib "D", 7/16" wide x 22 s.w.g. x 2" long					1	DTD.610	C.	4
3748	Std.841/34	Clip, securing cables, 7/16" wide x 22 s.w.g. x 3-4" long					1	DTD.610	MR/C	4
3755	Std.843/13	Clip, securing cables at rib "E", 7/16" wide x 22 s.w.g. x 1-3" long					2	S.3	MR/C	4

ELECTRICAL EQUIPMENT—WINGS

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
4165	Std.850/35	Clip, securing cables at undercarriage girder, inter-spar rib "D", $\frac{1}{8}$ " x 22 s.w.g. x 3.5" long	1	DTD.610	C.	4
4040	Std.851/41	Clip, securing cables at undercarriage girder between inter-spar ribs "C" and "D", $\frac{1}{8}$ " wide x 22 s.w.g. x 4.1" long (Make from 30B/1433)	1	DTD.610	MR/C	4
6011	F.208013	Clip, securing cables at undercarriage girder, inter-spar rib "E"	1	S.3	C.	
6006	F.205087	Clip, securing cables at undercarriage girder, inter-spar rib "F"	1	S.3	C.	
5832	F.205000	Plate, sealing, at undercarriage girder, outboard of inter-spar, rib "F"	2	L.F.S.21	C.	
5F/2281	Hellerman HV.3341	Strapping	QR	—	C.	
5F/2279	Hellerman HV.3254	Strapping	QR	—	C.	
5F/2282	Std.1614/1 Hellerman HV.3342	Strip, sealing, at inter-spar rib "D"	17	Rubber	C.	
5F/2283	Helerman HV.3255	Stud	QR	—	C.	
	Std.2045/17/26	Clip, sleeved	1	—		
	Std.2045/23/24	Clip, sleeved	2	—		
	Std.2045/37/22	Clip, sleeved	1	—		
4544	Std.841/18	Clip, $\frac{1}{8}$ " wide x 22 s.w.g. x 1.8" long	2	DTD.610	C.	4
	Std.2046/28/22	Clip, sleeved	1	—		
6008	Std.850/110	Clip, securing cables on undercarriage jack, $\frac{1}{8}$ " wide x 22 s.w.g. x 11" long (Make from 30B/1433)	1	DTD.610	MR/C	4
29H/2100	Bowden 448	Clip, pliable	2	—	C.	
	Std.2045/25/24	Clip, sleeved	1	—		
	Std.2046/18/24	Clip, sleeved (AS.830/37)	1	—		
5X/2121	—	Ferrule, inner	1	—	C.	
5X/2114	—	Ferrule, outer	1	—	C.	
5L/9952431	—	Filament, lamp, 28V. 24W.	1	—	B.	
5CX/887	—	Lamp, navigation, type B, port	1	—	A.	
4752	Std.1231/9	Lug, locking, 4 B.A.	1	—	MR/C	4
4830	F.176494	Packing, at drum switch	4	DTD.364	MR/C	
4831	F.179367	Packing, at micro switch, inter-spar rib "D"	1	DTD.610 or DTD.364	MR/C	
5833	F.205537	Plate, bolt, at micro switch, inter-spar "D"	1	—	C.	
5X/3148	—	Sleeve, 4-7 amp.	23	—	C.	
5X/3146	—	Sleeve, 7-19 amp.	3	—	C.	
5K/3455	—	Sleeve, plus J.P. x $\frac{3}{4}$ "	26	—	C.	
5X/6194	—	Socket, assembly "D" 24/2/10	1	—	B.	
5F/2281	Hellerman HV.3341	Strapping	QR	—	C.	
5F/2282	Hellerman HV.3342	Stud	QR	—	C.	
9727	F.230401	Switch, micro (Mod. 684)	1	—	B.	
5CW/6376	—	Switch, micro, type 4A	4	—	B.	
5CW/5118	Dowty C.1220Y Mk. 111	Switch, drum, unit	1	—	A.	
6A/2133	—	Transmitter, position indicator, type C	1	—	A.	
5767	Std.1509/12/030	Tube, distance, $\frac{1}{4}$ " o/d x 20 s.w.g. x .3" long (Make from 30B/619)	1	T.4	MR/C	4
3763	Std.915/B24	Washer, special	1	DTD.364	C.	4

ELECTRICAL EQUIPMENT—WINGS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
<b>SUMMARY OF STOCK ITEMS</b>										
28D/12528	A25.1B	Bolt,	4	B.A.	...	...	—	—	—	
28D/12511	A25.2B	Bolt,	4	B.A.	...	...	—	—	—	
28D/12622	A25.3B	Bolt,	4	B.A.	...	...	—	—	—	
28D/12625	A.25.9B	Bolt,	4	B.A.	...	...	—	—	—	
28D/12626	A.25.10B	Bolt,	4	B.A.	...	...	—	—	—	
28D/12627	A.25.11B	Bolt,	4	B.A.	...	...	—	—	—	
28D/12513	A.25.2C	Bolt,	2	B.A.	...	...	—	—	—	
28D/12532	A.25.4C	Bolt,	2	B.A.	...	...	—	—	—	
28D/12535	A.25.12C	Bolt,	2	B.A.	...	...	—	—	—	
28D/8300	AS.1242.1B	Bolt,	4	B.A.	...	...	—	—	—	
28N/254	AGS.191B	Burr	...	...	...	...	—	—	—	
28N/255	AGS.191C	Burr	...	...	...	...	—	—	—	
28M/10327	AGS.2002.B1	Nut,	4	B.A.	...	...	—	—	—	
28M/10328	AGS.2002.C1	Nut,	2	B.A.	...	...	—	—	—	
28S/3426	A.32.B8	Screw,	4	B.A.	...	...	—	—	—	
28S/2857	A.32.B12	Screw,	4	B.A.	...	...	—	—	—	
28S/14005	A.32.B14	Screw,	4	B.A.	...	...	—	—	—	
28S/2869	A.32.B20	Screw,	4	B.A.	...	...	—	—	—	
28S/2875	A.32.B24	Screw,	2	B.A.	...	...	—	—	—	
28S/2856	A.32.C12	Screw,	2	B.A.	...	...	—	—	—	
28S/13742	A.32.C14	Screw,	2	B.A.	...	...	—	—	—	
28S/2431	A44.B28	Screw,	4	B.A.	...	...	—	—	—	
28S/2868	A.32.C20	Screw,	2	B.A.	...	...	—	—	—	
28S/2121	A45.B12	Screw,	4	B.A.	...	...	—	—	—	
28W/9419474	SP.15B	Washer,	4	B.A.	...	...	—	—	—	
28W/9419475	SP.15C	Washer,	2	B.A.	...	...	—	—	—	
28W/9419486	SP.16B	Washer,	4	B.A.	...	...	—	—	—	
28W/9419404	SP.16C	Washer,	2	B.A.	...	...	—	—	—	
28W/12307	SP.18B	Washer,	2	B.A.	...	...	—	—	—	

ELECTRICAL EQUIPMENT—WINGS

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Score	Plate No.
	D.207228	<b>ELECTRICAL INSTALLATION IN STARBOARD WING, ASSEMBLY (Mod. 228)</b>	-	-		
	F.207239	Angle, support for cable harness ... .. (Make from 30B/1732)	3	L.72	-	
	A.215708	<b>BLOCK, TERMINAL, No. 32, AT RIB 'S', STARBOARD, ASSEMBLY (Mod. 452)</b>	-	-		
5X/2863	Plessey CZ.24285	Block, terminal, 10 way ... ..	1	-	B.	
5X/3275	Plessey CZ.26808	Cover ... ..	1	-	B.	
6023	F.206895	Spacer ... ..	2	-	MR/C	
	A.206084	<b>BLOCK, TERMINAL, No. 33, AT RIB 'D', STARBOARD, ASSEMBLY</b>	-	-		
5X/2863	Plessey CZ.24285	Block, terminal, 10 way ... ..	1	-	B.	
5X/3275	Plessey CZ.26808	Cover ... ..	1	-	B.	
5X/6163	Plessey Z.50210	Link, commoning, 2 way ... ..	1	-	C.	
	A.206084/1	Marker ... ..	1 set	-		
5X/3278	Plessey Z.28426	Pillar ... ..	2	-	C.	
	B.208247	<b>BLOCK, TERMINAL, No. 34, AT INTER-SPAR RIB 'F', STARBOARD, ASSEMBLY</b>	-	-		
5X/2863	Plessey CZ.24285	Block, terminal, 10 way ... ..	1	-	B.	
6003	F.205956	Bracket (Pre-Mod. 197) ... ..	1	-	MR/C	
	F.217326	Bracket (Mod. 197) ... ..	1	-		
5X/3275	Plessey CZ.26808	Cover ... ..	1	-	B.	
6841	B.208247/1	Label ... ..	1	-	MR/C	
5X/3278	Plessey Z.28426	Pillar ... ..	2	-	C.	
	A.201765	<b>BLOCK, TERMINAL, No. 35, AT INTER-SPAR RIB 'F', STARBOARD ASSEMBLY</b>	-	-		
5X/3276	Plessey CZ.50205	Block, terminal, 2 way ... ..	1	-	B.	
5X/3272	Plessey CZ.26799	Cover ... ..	1	-	B.	
	A.201765/1	Marker ... ..	1 set	-		
5X/3278	Plessey Z.28426	Pillar ... ..	2	-	C.	
	B.209177	Box, junction, arm 5, group ... ..	1	-		
5X/2863	Plessey CZ.24285	Block, terminal, 10 way ... ..	1	-	B.	
5X/3181	Plessey CZ.23212/1	Block, terminal, 20 way ... ..	1	-	B.	
7926	A.212165	Cover ... ..	1	L.59	B.	
5X/6171	Plessey Z.50211	Link, commoning, 3 way ... ..	1	-	C.	
5X/6735	Plessey Z.24949	Piece, distance ... ..	4	-	C.	
5X/3278	Plessey Z.28426	Pillar ... ..	4	-	C.	
	Plessey Z.28614	Screw, special ... ..	4	-		
	B.208990	Box, junction, arm 6, group ... ..	1	-		
5X/2863	Plessey CZ.24285	Block, terminal, 10 way ... ..	1	-	B.	
5X/3181	Plessey CZ.23212/1	Block, terminal, 20 way ... ..	1	-	B.	
7927	A.210796	Cover ... ..	1	L.59	C.	
5X/6171	Plessey Z.50211	Link, commoning, 3 way ... ..	1	-	C.	
5X/6735	Plessey Z.24949	Piece, distance ... ..	4	-	C.	
4177	F.197297	Pillar ... ..	2	BSS.249	C.	
	Plessey Z.28614	Screw, special ... ..	4	-		
	B.207005	Cable, A.18, group (See Cable Chart) ... ..	1	-		
7989	A.209702	Ferrule ... ..	1	-	C.	
8408	B.213571	Cable, A.33, group (Mod. 427) ... ..	1	-	B.	
	A.213560	Bracket, supporting, group ... ..	1	-		
	F.213565	Clip ... ..	1	Spring Steel		
28FP/809	Dzus GF6-250	Grommet ... ..	1	-	C.	
5D/1924	RAE.EL.42887/1C	Connector ... ..	1	-	B.	

ELECTRICAL EQUIPMENT—WINGS

Ref. No.	Part No.	Description	No. Off					Material Specification	M.R. Class of Store	Plate No.
			1	2	3	4	5			
8410 28FP/809 SD/1925	B.213573	Cable, A.35, group (Mod. 427) ... ..	1					—	B.	
	A.213562	Bracket, supporting, group ... ..	1					—		
	F.213565	Clip ... ..	1					Spring Steel		
	Dzus GF6-250	Grommet ... ..	1					—	C.	
	RAE.EL.42887/1D	Connector ... ..	1					—	B.	
8412 28FP/809 SD/1924	B.213575	Cable, A.37, group (Mod. 427) ... ..	1					—	B.	
	A.213560	Bracket, supporting, group ... ..	1					—		
	F.213565	Clip ... ..	1					Spring Steel		
	Dzus GF6-250	Grommet ... ..	1					—	C.	
	RAE.EL.42887/1C	Connector ... ..	1					—	B.	
8414 28FP/809 SD/1924	B.213577	Cable, A.39, group (Mod. 427) ... ..	1					—	B.	
	A.213564	Bracket, supporting, group ... ..	1					—		
	F.213565	Clip ... ..	1					Spring Steel		
	Dzus GF6-250	Grommet ... ..	1					—	C.	
	RAE.EL.42887/1C	Connector ... ..	1					—	B.	
6A/4390	Smiths CRC.54	Cable, co-axial ... ..	1					—	B.	
—	—	Cables, electrical (See Cables Chart) ... ..	—					—	—	
6A/4381	Smiths CG.1	Cable, harness, co-axial ... ..	1					—	B.	
	D.199923	<b>CLIPPING AND STRAPPING CABLES, ASSEMBLY</b>	—					—		
	A.197419/2	Clip, at inter-spar rib "E" ... ..	1					S.3		
4761	Std.840/13	Clip, securing cables at undercarriage girder, inter-spar ribs "A" and "F", $\frac{7}{16}$ " wide x 22 s.w.g. x 1-3" long	3					DTD.610	MR/C	4
4099	Std.840/18	Clip, securing cables, $\frac{7}{16}$ " wide x 22 s.w.g. x 1-8" long	3					DTD.610	C.	4
4797	Std.840/27	Clip, securing cables at undercarriage girder, inter-spar rib "D", $\frac{7}{16}$ " wide x 22 s.w.g. x 2-7" long	1					DTD.610	C.	4
4670	Std.840/23	Clip, securing cables, $\frac{7}{16}$ " wide x 22 s.w.g. x 2-9" long	1					DTD.610	C.	4
	Std.841/40	Clip, securing cables at undercarriage girder between inter-spar ribs "C" and "D", $\frac{7}{16}$ " wide x 22 s.w.g. x 4-0" long (Make from 30B/1433)	1					DTD.610		4
	Std.840/40	Clip, securing cables, $\frac{7}{16}$ " wide x 22 s.w.g. x 4-0" long	2					DTD.610		
5480	Std.842/13	Clip, securing cables at inter-spar rib "D", $\frac{7}{16}$ " wide x 22 s.w.g. x 1-3" long (Make from 30A/549)	1					S.3	MR/C	4
6004	Std.850/30	Clip, securing cables at undercarriage girder, inter-spar, rib "D", $\frac{7}{16}$ " wide x 22 s.w.g. x 3" long	1					DTD.610	C.	4
6005	Std.850/31	Clip, securing cables at front spar, inter-spar rib "C", $\frac{7}{16}$ " wide x 22 s.w.g. x 3-1" long	2					DTD.610	MR/C	4
6006	F.205087	Clip, securing cables at inter-spar rib "F" ... ..	1					S.3	C.	
8481	F.218733	Clip, securing cables at inter-spar rib "E" (Mod. 452)	1					S.3	C.	
5832	F.205000	Plate, sealing, at undercarriage girder, outboard of inter-spar rib "F"	1					LFS.21	C.	
5F/2281	Hellerman HV.3341	Strapping: ... ..	QR					—	C.	
5F/2279	Hellerman HV.3254	Strapping: ... ..	QR					—	C.	
5F/2282	Hellerman HV.3342	Stud ... ..	QR					—	C.	
5F/2280	Hellerman HV.3255	Stud ... ..	QR					—	C.	

ELECTRICAL EQUIPMENT—WINGS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
4544	Std.2045/17/26	Clip, sleeved	...	...	...	...	3	—		
	Std.841/18	Clip, 1/2" wide x 22 s.w.g. x 1-8" long	...	...	...	...	2	DTD.610	C.	4
	Std.2046/18/24	Clip, sleeved	...	...	...	...	1	—		4
	Std.2045/36/22	Clip, sleeved	...	...	...	...	1	—		4
	Std.2046/15/26	Clip, sleeved	...	...	...	...	2	—		
6008	Std.2046/28/22	Clip, sleeved	...	...	...	...	1	—		
	Std.850/110	Clip, securing cables on undercarriage jack, 7/16" wide x 22 s.w.g. x 11" long	...	...	...	...	1	DTD.610	MR/C	4
29H/2100	Bowden 448	Clip, pliable	...	...	...	...	2	—	C.	
5X/2121	Plessey	Ferrule, inner	...	...	...	...	1	—	C.	
	Z.22676/D		...	...	...	...				
5X/2114	Plessey	Ferrule, outer	...	...	...	...	1	—	C.	
	Z.22675/D		...	...	...	...				
5L/9952431	—	Filament, lamp, 28V. 24W.	...	...	...	...	1	—	B.	
5CX/889	—	Lamp, navigation, type B, starboard	...	...	...	...	1	—	A.	
4752	Std.1231/9	Lug, locking	...	...	...	...	1	—	MR/C	4
4831	F.179367	Packing, at micro switch, inter-spar rib "D"	...	...	...	...	1	DTD.610 or DTD.364	MR/C	
5833	F.205537	Plate, bolt, at micro-switch, inter-spar rib D	...	...	...	...	1	S.3	C.	
5X/3148	—	Sleeve, 4-7 amp.	...	...	...	...	23	—	C.	
5X/3146	—	Sleeve, 7-19 amp.	...	...	...	...	3	—	C.	
5K/3455	—	Sleeve, plus J.P. x 3/4"	...	...	...	...	26	—	C.	
5X/6194	—	Socket, assembly D24/2/D	...	...	...	...	1	—	B.	
5F/2281	Hellerman HV.3341	Strapping	...	...	...	...	QR	—	C.	
5F/2282	Hellerman HV.3342	Stud	...	...	...	...	QR	—	C.	
9727	F.230401	Switch, micro (Mod. 684)	...	...	...	...	1	—	B.	
5CW/6376	—	Switch, micro, type 4A	...	...	...	...	4	—	B.	
3763	Std.915.B24	Washer	...	...	...	...	1	DTD.364	C.	

ELECTRICAL EQUIPMENT—WINGS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
<b>SUMMARY OF STOCK ITEMS</b>										
28D/12528	A.25.1B	Bolt, 4	B.A.							
28D/12511	A.25.2B	Bolt, 4	B.A.							
28D/12622	A.25.3B	Bolt, 4	B.A.							
28D/12625	A.25.9B	Bolt, 4	B.A.							
28D/12626	A.25.10B	Bolt, 4	B.A.							
28D/12532	A.25.4C	Bolt, 2	B.A.							
28D/12627	A.25.11B	Bolt, 4	B.A.							
28D/8300	AS.1242.1B	Bolt, 4	B.A.							
28N/254	AGS.191.B	Burr								
28N/255	AGS.191.C	Burr								
28M/10327	AGS.2002.B1	Nut, 4	B.A.							
28M/10328	AGS.2002.C1	Nut, 2	B.A.							
28S/3426	A.32.B8	Screw, 4	B.A.							
28S/13987	A.32.B10	Screw, 4	B.A.							
28S/2857	A.32.B12	Screw, 4	B.A.							
28S/2869	A.32.B20	Screw, 4	B.A.							
28S/2856	A.32.C12	Screw, 2	B.A.							
28S/2868	A.32.C20	Screw, 2	B.A.							
28W/9419475	SP.15.C	Washer								
28W/9419474	SP.15.B	Washer, 4	B.A.							
28W/9419404	SP.16.C	Washer, 2	B.A.							
28W/9419486	SP.16.B	Washer, 4	B.A.							
28W/12307	SP.18.B	Washer, 4	B.A.							



This file was downloaded  
from the RTFM Library.

Link: [www.scottbouch.com/rtfm](http://www.scottbouch.com/rtfm)

Please see site for usage terms,  
and more aircraft documents.