

EQUIPMENT S.O.O.—PYLONS—INBOARD

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
6217	E.206873	PYLON, INBOARD, PORT GROUP (Mod. 9) ... (For aircraft not embodying Mod. 228)	1	—	A.	
6218	E.206874	PYLON, INBOARD, STARBOARD, GROUP (Mod. 9) (For aircraft not embodying Mod. 228)	1	—	A.	
7993	F.203800	Bolt, special	22	S.99.B	C.	HB.1
8006	A.207485	Pipe, fuel and air, group	2	—	B.	
	A.207492	Clamp, pipe	4	Casting		
	F.202563	Coupling, special, for fuel pipe	2	L.65.C		
	F.202564	Coupling, special, for air pipe	2	L.65.C		
	A.206315	Coupling, special	4	L.65.C		
	A.207486	Fitting, pipe adjustable, for fuel pipe	2	L.65.C		
	A.207487	Fitting, pipe adjustable, for air pipe	2	L.65.C		
	A.207489	Pipe, air	2	—	—	
	A.207488	Pipe, fuel	2	—	—	
270A 373-8009	Dowty GD.1309/13	Ring, "O," for air pipe	2	—	C.	
270A 380-8040	Dowty GD.1309/23	Ring, "O," for fuel pipe	2	—	C.	
—	E.203592	Pylon, inboard, port, group (See page HB.3) ...	1	—	—	
—	E.203593	Pylon, inboard, starboard, group (See page HB.3) ...	1	—	—	
270A 383-5048	Dowty GD.1309/27	Ring, "O"	4	—	C.	HB.1
9540	B.224171	Valve, fuel and air, group (Mod. 603)	2	—	B.	
	F.211845	Guide	1	S.1.B		
	F.206327	Pin, retaining	1	S.80.B		
8005	A.206526	Plug, blanking	2	Brass	C.	HB.1
	A.206316	Plunger, for valve, group	1	—		
	F.206913	Ring, sealing	1	Rubber		
270A 363-3946	Dowty GD.1308/5	Ring, "O"	2	—	C.	HB.1
	F.206328	Seating, for spring	1	L.65.C		
	A.206320	Sleeve	2	L.65.C		
	F.206325	Spring	1	Sp. Steel		
	F.206326	Spring	1	Sp. Steel		
	F.211846	Spring	1	Sp. Steel		
	F.220352	Valve (Mod. 603)	1	L.65.C		
	F.220353	Valve (Mod. 603)	1	L.65.C		

EQUIPMENT S.O.O.—PYLONS—INBOARD

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	E.221167	PYLON, INBOARD, PORT, GROUP ...	1	—		
		(Post Mod. 228, Pre Mod. 463)				
	E.221168	PYLON, INBOARD, STARBOARD, GROUP ...	1	—		
		(Post Mod. 228, Pre Mod. 463)				
7993	F.203800	Bolt, special ...	22	S.99.B	C.	HB.1
8008	A.206497	Pipe, fuel and air, group ...	2	—	B.	
	A.206309	Clamp, pipe ...	2	Casting		
	A.206317	Coupling, special ...	2	L.65.C		
	A.206322	Fitting, adjustable ...	2	L.65.C		
	A.206828	Pipe, air ...	1	—		
	A.206313	Pipe, fuel ...	1	—		
270A 360 3944	Dowty GD.1308/1	Ring, "O" ...	2	—	C.	
—	E.203592	Pylon, inboard, port, group (See page HB.3) ...	1	—	—	
—	E.203593	Pylon, inboard, starboard, group (See page HB.3) ...	1	—	—	
270A 383 5048	Dowty GD.1309/27	Ring, "O" ...	4	—	C.	HB.1
8028	B.206303	Valve, fuel and air, group ...	2	—	B.	
	F.211845	Guide ...	1	S.1.B		
	F.206327	Pin, retaining ...	1	S.80.B		
8005	A.206526	Plug, blanking ...	2	Brass	C.	HB.1
	A.206316	Plunger, for valve, group ...	1	—		
	F.206913	Ring, sealing ...	1	Rubber		
270A 361 3945	Dowty GD.1308/2	Ring, "O" ...	2	—	C.	
270A 363 3946	Dowty GD.1308/5	Ring, "O" ...	2	—	C.	HB.1
	F.206328	Seating, for spring ...	1	L.65.C		
	A.206320	Sleeve ...	2	L.65.C		
	F.206325	Spring ...	1	Sp. Steel		
	F.206326	Spring ...	1	Sp. Steel		
	F.211846	Spring ...	1	Sp. Steel		
	A.206318	Valve ...	1	L.65.C		
	A.206319	Valve ...	1	L.65.C		

EQUIPMENT S.O.O.—PYLONS—INBOARD

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
9105	E.221165	PYLON, INBOARD, PORT, GROUP (Mod. 463) (For aircraft with Mod. 228 embodied)	1	—	A.	HB.1
9106	E.221166	PYLON, INBOARD, STARBOARD, GROUP ... (Mod. 463) (For aircraft with Mod. 228 embodied)	1	—	A.	HB.1
7993	F.203800	Bolt , special ...	22	S.99.B	C.	HB.1
9563	B.223230	Pipe , fuel and air, port ...	1	—	B.	HB.1
9537	B.223231	Pipe , fuel and air, starboard ...	1	—	B.	HB.1
	E.203592	Pylon , inboard, port, group ...	1	—		
	E.203593	Pylon , inboard, starboard, group ...	1	—		
	F.224996	Bar , security, for transporting ...	2	S.1.B		
5X/3181	Plessey CZ.23212/1	Block , terminal, 20-way ...	2	—	B.	
5X/2863	Plessey CZ.24285	Block , terminal, 10-way ...	2	—	B.	
8011	F.205519	Bolt , special ...	4	S.99.B	C.	HB.1
	A.225520	Bracket , for forward fusing unit (Mod. 695) ...	2	L.72		
	A.209895	Bracket , for aft fusing unit, port ...	1	L.72		
	A.209896	Bracket , for aft fusing unit, starboard ...	1	L.72		
	A.203226	Bracket , for switch ...	2	L.72		
	A.225464	Bush , spigot locating (Mod. 695) ...	2	—		
	—	Cables , electrical (See Cable Chart) ...	—	—	—	
9522	B.208408	Cable , PY.1, group (See Cable Chart) ...	2	—	B.	
8012	F.208578	Adaptor ...	3	Brass	C.	
7990	A.209704	Ferrule ...	1	—	C.	
	B.208409	Cable , PY.2, group (See Cable Chart) (Pre Mod. 606)	2	—		
9545	B.222678	Cable , PY.2, group (See Cable Chart) (Mod. 606)	2	—	B.	
8012	F.208578	Adaptor ...	2	Brass	C.	
3736	Std.840/17	Clip , $\frac{7}{16}$ " wide x 22 S.W.G. x 1-7" long ...	4	DTD.610	C.	4
	F.209901	Clip , support, for cable ...	3	S.3	L.M.	
	F.208710	Cover ...	2	L.72		
	F.203746	Duct , for PY.6 cable ...	2	L.54		
	B.203846 or A.221508	Fairlead ...	2	S.3		
5K/	Hellerman R2032	Grommet (Alternative to SP.40/B32) ...	2	—	C.	
8015	A.200777	Jettison and reset mechanism , group ...	2	—	B.	HB.1
	B.200778	Bracket ...	1	S.3		
	F.200782	Collar ...	2	T.26		
	F.200779	Lever ...	2	Casting		
	F.200780	Rod , push ...	2	S.1.B		
8016	F.200781	Spring ...	2	Sp. Steel	C.	HB.1

EQUIPMENT S.O.O.—PYLONS—INBOARD

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
5X/6172	Plessey Z.50212	Link, commoning, 4-way	2	—	C.	
8017	F.205520	Nut, special	4	S.11.B	C.	HB.1
8018	C.202992 or C.221725	Panel, access, front, port, group	1	—	B.	HB.1
8019	C.202993 or C.221726	Panel, access, front, starboard, group	1	—	B.	HB.1
8020	A.203044	Catch	2	S.3 & S.21.B		
8021	C.202999	Panel, access, to cable, port, group	1	L.72	B.	HB.1
	C.203000	Panel, access, to cable, starboard, group	1	L.72	B.	HB.1
	Fairay FS.430D	Fastener, type 3	4	—		
	F.163773	Pillar, for terminal block	4	Plastic		
9528	Chekaleke No. 10	Plug	4	—	C.	
	F.222276	Spigot, at release housing	2	S.96.B		
	F.222277	Spigot, at release housing	2	S.96.B		
	F.137371	Spring, lock, for cable	2	Sp. Steel		
	A.203377	Strap, for relay	2	—		
	E.202765	STRUCTURE, PORT	—	—		
	E.202766	STRUCTURE, STARBOARD	—	—		
	D.205992	MEMBER, TOP, PORT, ASSEMBLY	—	—		
	D.205993	MEMBER, TOP, STARBOARD, ASSEMBLY	—	—		
	F.206037	Bolt, special	56	S.99.B		
	C.202519	SUPPORT, RELEASE HOUSING, ASSEMBLY	—	—		
	A.223544	Block, trunnion (Mod. 658)	2	Stamping		
	F.218649	Block, packing (Mod. 520)	2	S.1.B		
8022	A.202419	Bolt, hanger	2	Stamping	C.	HB.1
8023	F.202492	Bolt, special	4	S.99.B	C.	HB.1
9933	F.203112	Bolt, special	4	S.96.B		
9538	B.220515	Cable, PY.3, group (Mod. 520) (See Cable Chart)	2	—	B.	
	A.218537	Cover (Mod. 520)	1	—		HB.1
7989	A.209702	Ferrule	1	—	C.	HB.1
	F.218555	Plate, mounting (Mod. 520)	1	L.72		HB.1
	A.216578	Channel (Mod. 520)	2	L.72		
4545	Std.841/21	Clip, $\frac{7}{16}$ " wide x 22 S.W.G. x 2-1" long (Pre Mod. 606)	1	DTD.610	C.	4
4556	Std.841/25	Clip, securing PY.3 cable	1	DTD.610		
	F.214788	Collar, stop, for hanger bolt	2	S.1		
	F.222153	Fitting, stowage (Mod. 606)	2	Alkathene		
11A/4396	—	Housing, release, No. 1, Mk. 2 (Mod. 520)	2	—	A.	
9551	A.223545	Housing, screw, for hanger bolt (Mod. 658)	2	DTD.197	C.	HB.1
	F.220016	Packing (Pre Mod. 606)	2	—		
	F.220017	Packing	4	L.72		

EQUIPMENT S.O.O.—PYLONS—INBOARD

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
9552	A.223906						4	Casting	C.	HB.1
8002	Std.1961/N/135						2	S.99.B	C.	
	F.216694						2	DTD.215		
11A/3669	—						2	—	A.	
8569	F.220075						2	Alkathene	C.	HB.1
8027	F.204205						4	Sp. Steel	C.	HB.1
2141	Std.915/J14						2	DTD.610	C.	4
5D/1823	—						4	—	A.	
	Std.1335/F.18						2	L.4		
3704 363 5048	Dowty						4	—	C.	HB.1
	GD.1309/27									
9107	B.215283						2	—	B.	HB.1
	F.211845						1	S.1.B		
	A.215381						2	S.95		
	B.215283/1						2	Silver Steel		
	A.215290						1	DTD.166 & Rubber		
8005	A.206526						2	Brass	C.	HB.1
3704 363 3946	Dowty						2	—	C.	HB.1
	GD.1308/5									
	A.215286						2	L.65.C		
	F.219598						1	Sp. Steel		
	F.215294						1	Sp. Steel		
9564	A.218673						—	—	B.	
	F.215296						1	L.65		
	F.225421						1	L.65		
	F.225420						1	DTD.215		
	A.215287						1	—		
	A.219054						1	L.65.C		
	F.219592						1	Sp. Steel		
	F.221179 or F.220472						1	L.65.C		

EQUIPMENT S.O.O.—PYLONS—INBOARD

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
SUMMARY OF STOCK ITEMS										
28D/12528	A25.1B	Bolt	—	—	—
28D/12512	A25.1C	Bolt	—	—	—
28D/12531	A25.3C	Bolt	—	—	—
28D/12629	A25.8C	Bolt	—	—	—
28D/12516	A25.11C	Bolt	—	—	—
28D/12536	A25.13C	Bolt	—	—	—
28D/8300	AS.1242.1B	Bolt	—	—	—
28D/9294	AS.1242.5B	Bolt	—	—	—
28D/12282	AS.1242.10B	Bolt	—	—	—
28D/8306	AS.1242.1C	Bolt	—	—	—
28D/8307	AS.1242.2C	Bolt	—	—	—
28D/8308	AS.1242.3C	Bolt	—	—	—
28D/8309	AS.1242.4C	Bolt	—	—	—
28D/8311	AS.1242.7C	Bolt	—	—	—
28D/10764	AS.1248.1B	Bolt	—	—	—
28D/9353	AS.1248.1C	Bolt	—	—	—
28N/9796	SP.21	Nipple	—	—	—
28M/12929	A.27.CP	Nut	—	—	—
28L/13124	A.27.CT	Nut	—	—	—
28M/14833	A.58.JS	Nut	—	—	—
28M/10287	AGS.2001.B1	Nut	—	—	—
28M/10288	AGS.2001.C1	Nut	—	—	—
28M/10327	AGS.2002.B1	Nut	—	—	—
28M/10328	AGS.2002.C1	Nut	—	—	—
28M/13279	AGS.2019.C1	Nut	—	—	—
28P/835	SP.4Y.B9	Pin, joint	—	—	—
28P/840	SP.4.Y.B14	Pin, joint	—	—	—
28P/874	SP.4.Y.D16	Pin, joint	—	—	—
28P/12587	SP.9.C4	Pin, split	—	—	—
28P/12349	SP.9.C5	Pin, split	—	—	—
28P/12462	SP.9.C8	Pin, split	—	—	—
28P/12365	SP.9.G16	Pin, split	—	—	—
28S/2888	A32.A32	Screw	—	—	—
28S/6287	A32.B6	Screw	—	—	—
28S/2822	A33.A20	Screw	—	—	—
28S/12828	A33.A24	Screw	—	—	—
28S/14548	A33.C10	Screw	—	—	—
28V/12296	SP.15C	Washer	—	—	—
28V/12525	SP.15N	Washer	—	—	—
5K/2950	SP.40/B/32	Grommet	—	—	—

This file was downloaded
from the RTFM Library.
Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

