

MAIN PLANES—OUTER WING

| Ref. No. | Part No. | Description | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|-------------------|---|---------|------------------------|---------------------|-----------|
| | | | | | | |
| 8529 | D.216800 | WING, OUTER, PORT, GROUP (Less Dowty accumulator, fuel system, hydraulic jacks and aileron booster) (Mod. 228) (Mod. 533) | 1 | — | A. | KE.2 |
| 8530 | D.216801 | WING, OUTER, STARBOARD, GROUP (Less fuel system, hydraulic jacks and aileron booster (Mod. 228) (Mod. 533) (Complementary parts e.g., intercomponent attachments are listed on Page JA.3 and will not be supplied with the assembly spare) | 1 | — | A. | KE.2 |
| | A.198800 | Angle , attachment, for sub-spar between tail ribs D and E, port | 1 | DTD.610 | | |
| | A.198801 | Angle , attachment, for sub-spar between tail ribs D and E, starboard | 1 | DTD.610 | | |
| | A.198802 | Angle , attachment, for sub-spar between tail ribs G and K, port | 1 | DTD.610 | | |
| | A.198803 | Angle , attachment, for sub-spar between tail ribs G and K, starboard | 1 | DTD.610 | | |
| | D.216807/2 | Angle , top, for L.E. extension, nose rib No. 1, port (Mod. 533) | 1 | L.72 | | |
| | D.216807/3 | Angle , bottom, for L.E. extension, nose rib No. 1, port (Mod. 533) | 1 | L.72 | | |
| | D.216808/2 | Angle , top, for L.E. extension, nose rib No. 1, starboard (Mod. 533) | 1 | L.72 | | |
| | D.216808/3 | Angle , bottom, for L.E. extension, nose rib No. 1, starboard (Mod. 533) | 1 | L.72 | | |
| | D.206438 | ATTACHMENTS, WING STRUCTURE, ASSEMBLY (Mod. 228) | — | — | | |
| 5520 | F.202919 | Angle , attaching nose rib "A" to stringer ... | 2 | DTD.364 | MR/C | |
| 5521 | F.202920 | Angle , attaching nose rib "A" to stringer ... | 2 | DTD.364 | MR/C | |
| 5522 | F.198538 | Angle , attaching nose rib "A" to stringer ... | 2 | DTD.364 | MR/C | |
| 5523 | F.198539 | Angle , attaching nose rib "A" to stringer ... | 2 | DTD.364 | MR/C | |
| 5524 | F.198567 | Angle , attaching nose rib "A" to stringer ... | 2 | DTD.364 | MR/C | |
| 5525 | F.198568 | Angle , attaching nose rib "A" to stringer ... | 2 | DTD.364 | MR/C | |
| 5526 | F.198571 | Angle , attaching nose rib "A" to stringer ... | 2 | DTD.364 | MR/C | |
| 5527 | F.198572 | Angle , attaching nose rib "A" to stringer ... | 2 | DTD.364 | MR/C | |
| 5528 | F.198545 | Angle , attaching rib "G" to stringer ... | 8 | DTD.364 | MR/C | |
| 3851 | Std.1700.3.E | Bolt , attaching stringer to rib "G" ... | 14 | S.96.B | MR/C | 5 |
| 3821 | Std.1551/1/40 | Bolt , nose rib "G1" to spar ... | 14 | S.99.B | MR/C | 4 |
| 5529 | Std.1551/1/50 | Bolt , nose rib "G1" to nose rib "G" ... | 4 | S.99.B | MR/C | 4 |
| 3823 | Std.1551/1/60 | Bolt , nose rib "G1" to spar ... | 4 | S.99.B | MR/C | 4 |
| 5530 | Std.1551/1/70 | Bolt , attaching stringers to rib "G" ... | 2 | S.99.B | MR/C | 4 |
| 5531 | Std.1551/1/75 | Bolt , attaching stringers to rib "G" ... | 2 | S.99.B | MR/C | 4 |
| | Std.1551/1/120 | Bolt , attaching stringers to rib "G" ... | 4 | S.99.B | | |
| 3820 | Std.1551/1/210 | Bolt , nose rib "A" attachment to spar ... | 12 | S.99.B | MR/C | 4 |
| 1598 | Std.1553/C/30 | Bolt , attaching nose ribs 1, 2 and 3 to stringer ... | 56 | S.99.B | C. | 5 |
| 5532 | Std.1553/C/35 | Bolt , attaching nose ribs 1, 2 and 3 to stringer ... | 16 | S.99.B | MR/C | 5 |
| 5533 | Std.1553/C/50 | Bolt , attaching stringers to rib "G" ... | 2 | S.99.B | MR/C | 5 |
| 75 | Std.1553/C/60 | Bolt , attachment of front spar to rib No. 3, and stringers to rib "G" ... | 18 | S.99.B | C. | 5 |
| 5534 | Std.1553/C/115 | Bolt , attaching stringers to rib "G" ... | 4 | S.99.B | MR/C | 5 |
| 1573 | F.189498 | Clamp , attachment, of pitot tube to mounting bracket, forward | 2 | S.3 | C. | KE.1 |
| 5535 | A.197982 | Fitting , attaching nose ribs 1, 2 and 3 to web ... | 6 | — | MR/C | |
| 4488 | Std.1718/1 | Nut , attaching stringers and front spar to ribs "G," "G1" | 60 | — | C. | 5 |
| 5501 | F.198796 | Piece , packing, for attachment of ribs 1, 2 and 3 to stringers | 48 | DTD.364 | MR/C | |
| | Std.1208/44/16/20 | Washer , shim ... | QR | Shim Steel | | |

MAIN PLANES—OUTER WING

| Ref. No. | Part No. | Description | No. Off | | | | | Material Specification | M.R. Class of Store | Plate No. |
|----------|------------|--|---------|---|---|---|---|------------------------|---------------------|-----------|
| | | | 1 | 2 | 3 | 4 | 5 | | | |
| 5502 | E.198155 | Boom, top, for leading edge spar, port | 1 | | | | | DTD.364 | MR/B | KE.1 |
| 5503 | E.198156 | Boom, top, for leading edge spar, starboard | 1 | | | | | DTD.364 | B. | KE.1 |
| 5504 | E.198157 | Boom, bottom, for leading edge spar, port | 1 | | | | | DTD.364 | MR/B | |
| 5505 | E.198158 | Boom, bottom, for leading edge spar, starboard | 1 | | | | | DTD.364 | B. | |
| 2275 | D.180408 | Bracket, bearing, flap inboard, port, group | 1 | | | | | — | MR/C | KE.1 |
| 2276 | D.180409 | Bracket, bearing, flap inboard, starboard, group | 1 | | | | | — | MR/C | KE.1 |
| | D.221539 | Bracket, bearing, flap outboard, port, group | 1 | | | | | — | | KE.1 |
| | A.199189 | Bracket, stop | 1 | | | | | S.3 | | |
| | D.221540 | Bracket, bearing, flap outboard, starboard, group | 1 | | | | | — | | KE.1 |
| | F.219262 | Bush, for spare wing (for transportation and storage only) | 4 | | | | | LFB.82 | | |
| | F.219263 | Bush, for spare wing (for transportation and storage only) | 4 | | | | | LFB.82 | | |
| — | | COMPASS INSTALLATION G.M., ASSEMBLY (See section F) | — | | | | | — | | |
| — | D.181483-4 | CONTROLS, FLYING, ASSEMBLY (See section D) | — | | | | | — | | |
| — | C.198827-8 | DIAPHRAGM, MAIN UNDERCARRIAGE WHEEL DOOR FRONT LOCK, ASSEMBLY | — | | | | | — | | |
| 2279 | B.180517 | Diaphragm, rear, port | 1 | | | | | DTD.610 | MR/C | KE.3 |
| 2280 | B.180518 | Diaphragm, rear, starboard | 1 | | | | | DTD.610 | MR/C | KE.3 |
| 2281 | B.180519 | Diaphragm, forward, port | 1 | | | | | DTD.610 | MR/C | KE.3 |
| 2282 | B.180520 | Diaphragm, forward, starboard | 1 | | | | | DTD.610 | MR/C | KE.3 |
| 7852 | F.209989 | Lever, cam operating (Mod. 314) | 2 | | | | | S.3 | C. | KE.3 |
| 7853 | F.209990 | Lever, micro switch operating (Mod. 314) | 2 | | | | | Casting | C. | KE.3 |
| 7851 | B.210757 | Lock, group (Mod. 314) | 2 | | | | | — | B. | KE.3 |
| 7854 | F.209991 | Screw, adjusting (Mod. 314) | 2 | | | | | S.94.B | C. | KE.3 |
| 3974 | C.197398 | Diaphragm, between nose rib "R" and outer rib, port | 1 | | | | | DTD.610 | C. | KE.1 |
| 3975 | C.197399 | Diaphragm, between nose rib "R" and outer rib, starboard | 1 | | | | | DTD.610 | C | KE.1 |
| | F.216813 | Dowel, angle, port, inboard, for L.E. extension (Mod. 533) | 5 | | | | | — | | |
| | F.216814 | Dowel, angle, starboard, inboard, for L.E. extension (Mod. 533) | 5 | | | | | — | | |
| | F.216815 | Dowel, angle, port, outboard, for L.E. extension (Mod. 533) | 3 | | | | | — | | |
| | F.216816 | Dowel, angle, starboard, outboard, for L.E. extension (Mod. 533) | 3 | | | | | — | | |
| | C.206561-2 | DUCTS, PITOT TUBE, ELECTRICAL CABLE AND HYDRAULIC PIPES, ASSEMBLY | — | | | | | — | | |
| 4799 | Std.840/50 | Clip, $\frac{7}{16}$ " wide 22 S.W.G. × 5" long (Make from 30B/1433) | 4 | | | | | DTD.610 | MR/C | 4 |
| | Std.850/42 | Clip, $\frac{7}{16}$ " wide × 22 S.W.G. × 4-2" long (Make from 30B/1433) | 4 | | | | | DTD.610 | — | 4 |
| | Std.850/47 | Clip, $\frac{7}{16}$ " wide × 22 S.W.G. × 4-7" long (Make from 30B/1433) | 4 | | | | | DTD.610 | — | 4 |
| | Std.850/48 | Clip, $\frac{7}{16}$ " wide × 22 S.W.G. × 4-8" long (Make from 30B/1433) | 2 | | | | | DTD.610 | — | 4 |
| | Std.850/52 | Clip, $\frac{7}{16}$ " wide × 22 S.W.G. × 5-2" long (Make from 30B/1433) | 2 | | | | | DTD.610 | — | 4 |
| | Std.850/53 | Clip, $\frac{7}{16}$ " wide × 22 S.W.G. × 5-3" long (Make from 30B/1433) | 2 | | | | | DTD.610 | — | 4 |
| | Std.850/66 | Clip, $\frac{7}{16}$ " wide × 22 S.W.G. × 6-6" long (Make from 30B/1433) | 2 | | | | | DTD.610 | — | 4 |
| | Std.851/32 | Clip, $\frac{7}{16}$ " wide × 22 S.W.G. × 3-2" long (Make from 30B/1433) | 1 | | | | | DTD.610 | — | 4 |
| 4163 | Std.851/36 | Clip, $\frac{7}{16}$ " wide × 22 S.W.G. × 3-6" long ... | 1 | | | | | DTD.610 | C. | 4 |
| 3761 | Std.851/37 | Clip, $\frac{7}{16}$ " wide × 22 S.W.G. × 3-7" long (Make from 30B/1433) | 1 | | | | | DTD.610 | MR/C | 4 |
| 5508 | F.195507 | Clip, duct attachment at inter spar rib "L" ... | 6 | | | | | DTD.610 | MR/C | |
| 5509 | F.195486 | Clip, duct attachment | 2 | | | | | DTD.610 | C. | |
| 8248 | B.206563 | Duct, between inter spar rib "M" and rib "Q" (Mod. 228) | 2 | | | | | L.62 | MR/C | KE.1 |

MAIN PLANES—OUTER WING

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|-----------------|-------------|---|---|---|--|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| 5511 | A.198154 | | | | | Duct, port wing only | 1 | T.9 | MR/C | |
| 5512 | A.198703 | | | | | Duct, port wing only, forward of tail rib "M" | 1 | T.4 | MR/C | KE.1 |
| 5692 | B.200466 | | | | | Duct, at rib, "J," port | 1 | L.54 | MR/C | KE.1 |
| 5693 | B.200467 | | | | | Duct, at rib "J," starboard | 1 | L.54 | MR/C | KE.1 |
| 5694 | B.200465 | | | | | Duct, branch piece at inter spar rib "G" ... | 2 | L.59 | MR/C | KE.1 |
| 5513 | B.195483 | | | | | Duct, between inter spar rib "F1" and rib "L," port | 1 | T.4 | MR/C | KE.1 |
| 5514 | B.195484 | | | | | Duct, between inter spar rib "F1" and rib "L," starboard | 1 | T.4 | MR/C | KE.1 |
| 5695 | A.200678 | | | | | Duct, between nose ribs "G" and "H" ... | 2 | L.54 | MR/C | KE.1 |
| | A.200468 | | | | | Duct, between inter spar rib "G" and rib "L" | 2 | T.4 | | KE.1 |
| | B.195487 | | | | | Duct, group, port wing only... .. | 1 | — | | |
| 3761 | Std.851/37 | | | | | Clip, $\frac{7}{16}$ " wide \times 22 S.W.G. \times 3-7" long (make from 30B/1433) | 1 | DTD.610 | MR/C | 4 |
| 5515 | B.195487/1 | | | | | Duct | 1 | L.54 | MR/C | KE.1 |
| 5516 | B.195487/2 | | | | | Duct | 1 | L.54 | MR/C | KE.1 |
| 8249 | A.207164 | | | | | Duct, between nose ribs "N" and "Q" (Mod. 228) | 2 | L.54 | MR/C | |
| 5517 | A.195488 | | | | | Duct, between inter spar rib "M" and inter spar rib "R" | 2 | T.4 | MR/C | KE.1 |
| | B.206564-5 | | | | | DUCT, OUTBOARD OF RIB "R," ASSEMBLY (Mod. 228) | — | — | | |
| 8251 | A.206869 | | | | | Bracket, plug | 2 | L.72 | MR/C | |
| 3738 | Std.840/29 | | | | | Clip, $\frac{7}{16}$ " wide \times 22 S.W.G. \times 2-9" long (Make from 30B/1433) | 4 | DTD.610 | MR/C | 4 |
| 8250 | A.206566 | | | | | Duct | 2 | L.54 | MR/C | KE.1 |
| | Std.1509/12/070 | | | | | Tube, distance, $\frac{1}{4}$ " o/d \times 20 S.W.G. \times 7" long... | 2 | T.4 | | |
| | C.200453-4 | | | | | DUCTS, FOR TANK CORD ON FRONT SPAR, ASSEMBLY | — | — | | |
| 5533 | Std.1533/C/50 | | | | | Bolt, attaching duct to front spar | 2 | S.99 | MR/C | 6 |
| 75 | Std.1553/C/60 | | | | | Bolt, attaching duct to front spar | 6 | S.99 | C. | 5 |
| 5536 | Std.1553/C/70 | | | | | Bolt, attaching duct to front spar | 2 | S.99 | MR/C | 5 |
| 5537 | F.200435 | | | | | Duct, inboard of nose rib No. 1, top port, bottom starboard | 2 | S.3 & T.26 | MR/C | |
| 5538 | F.200436 | | | | | Duct, inboard of nose rib No. 1, top starboard, bottom port | 2 | S.3 & T.26 | MR/C | |
| 5539 | F.200437 | | | | | Duct, at nose rib No. 1, top port, bottom starboard | 2 | S.3 & T.26 | MR/C | |
| 5540 | F.200438 | | | | | Duct, at nose rib No. 1, top starboard, bottom port | 2 | S.3 & T.26 | MR/C | |
| 5541 | F.200439 | | | | | Duct, at nose rib No. 1, top port, bottom starboard | 2 | S.3 & T.26 | MR/C | |
| 5542 | F.200440 | | | | | Duct, at nose rib No. 1, top starboard, bottom port | 2 | S.3 & T.26 | MR/C | |
| 5543 | F.200441 | | | | | Duct, at inter spar rib "D," top port, bottom starboard | 2 | S.3 & T.26 | MR/C | KE.1 |
| 5544 | F.200442 | | | | | Duct, at inter spar rib "D," top starboard, bottom port | 2 | S.3 & T.26 | MR/C | KE.1 |
| 5545 | F.200443 | | | | | Duct, at nose rib No. 2, top port, bottom starboard | 2 | S.3 & T.26 | MR/C | |
| 5546 | F.200444 | | | | | Duct, at nose rib No. 2, top starboard, bottom port | 2 | S.3 & T.26 | MR/C | |
| 5547 | F.200445 | | | | | Duct, at nose rib No. 3, top port, bottom starboard | 2 | S.3 & T.26 | MR/C | |
| 5548 | F.200446 | | | | | Duct, at nose rib No. 3, top starboard, bottom port | 2 | S.3 & T.26 | MR/C | |
| 5549 | F.200447 | | | | | Duct, at inter spar rib "F," top port, bottom starboard | 2 | S.3 & T.26 | MR/C | |
| 5550 | F.200448 | | | | | Duct, at inter spar rib "F," top starboard, bottom port | 2 | S.3 & T.26 | MR/C | |

MAIN PLANES—OUTER WING

| Ref. No. | Part No. | Description | No. Off | | | | | Material Specification | M.R. Class of Store | Place No. |
|----------|------------|---|---------|---|---|---|---|------------------------|---------------------|-----------|
| | | | 1 | 2 | 3 | 4 | 5 | | | |
| 5551 | B.200767 | Duct, top, between nose ribs No. 3 and "G," port | | | | | | S.3 & T.26 | MR/C | |
| 5552 | B.200768 | Duct, top, between nose ribs No. 3 and "G," starboard | | | | | | S.3 & T.26 | MR/C | |
| 5553 | B.200769 | Duct, bottom, between nose ribs No. 3 and "G" | | | | | | S.3 & T.26 | MR/C | |
| 5554 | B.200770 | Duct, bottom, between nose ribs No. 3, and "G," starboard | | | | | | S.3 & T.26 | MR/C | |
| — | D.199920-1 | ELECTRICAL, EQUIPMENT ASSEMBLY (See section E) | | | | | | — | — | |
| | D.198855-6 | FILLET, WING, ASSEMBLY... | | | | | | — | — | |
| | F.184635 | Angle, rear fillet, port | | | | | | DTD.610 | | |
| | F.184636 | Angle, rear fillet, starboard | | | | | | DTD.610 | | |
| | B.189151/2 | Baffle, forward, centre fillet, frame 34, port | | | | | | DTD.610 | | |
| | B.189152/2 | Baffle, forward, centre fillet, frame 34, starboard | | | | | | DTD.610 | | |
| | B.189151/3 | Baffle, aft, centre fillet, frame 34, port | | | | | | DTD.610 | | |
| | B.189152/3 | Baffle, aft, centre fillet, frame 34, starboard | | | | | | DTD.610 | | |
| | A.183613 | Diaphragm, upper, frame 37, port | | | | | | DTD.610 | | |
| | A.183614 | Diaphragm, upper, frame 37, starboard | | | | | | DTD.610 | | |
| | A.183952 | Diaphragm, rear fillet, port | | | | | | DTD.610 | | |
| | A.183953 | Diaphragm, rear fillet, starboard | | | | | | DTD.610 | | |
| | A.183615 | Diaphragm, lower, rear fillet, port | | | | | | DTD.610 | | |
| | A.183616 | Diaphragm, lower, rear fillet, starboard | | | | | | DTD.610 | | |
| | B.183838 | Diaphragm, rear fillet, frame 34, port | | | | | | DTD.610 | | |
| | B.183839 | Diaphragm, rear fillet, frame 34, starboard | | | | | | DTD.610 | | |
| 5555 | D.198855/A | Fillet, nose portion, port, group Consisting of:— | | | | | | — | MR/B | KE.2 |
| 28D/8306 | AS.1242/1C | Bolt, 2 BA | | | | | | — | C. | |
| | A.183752 | Landing | | | | | | DTD.610 | | |
| 1301 | A.183772 | Panel, access | | | | | | DTD.610 | C. | KE.2 |
| 4242 | Std.1231/7 | Lug, locking | | | | | | S.3 | C. | 4 |
| 28Q/7655 | AS.164/404 | Rivet | | | | | | — | C. | |
| 28Q/7656 | AS.164/405 | Rivet | | | | | | — | C. | |
| | D.198855/1 | Skin, 20 G | | | | | | DTD.610 | | |
| 5556 | D.198856/A | Fillet, nose portion, starboard, group Consisting of:— | | | | | | — | MR/B | KE.2 |
| 28D/8306 | AS.1242/1C | Bolt, 2 B.A. | | | | | | — | C. | |
| | A.183753 | Landing | | | | | | DTD.610 | | |
| 1302 | A.183773 | Panel, access | | | | | | DTD.610 | C. | KE.2 |
| 4242 | Std.1231/7 | Lug, locking | | | | | | S.3 | C. | 4 |
| 28Q/7655 | AS.164/404 | Rivet | | | | | | — | C. | |
| 28Q/7656 | AS.164/405 | Rivet | | | | | | — | C. | |
| | D.198856/1 | Skin | | | | | | DTD.610 | | |
| | A.184204 | Former, frame 31, port | | | | | | DTD.610 | | |
| | A.184205 | Former, frame 31, starboard | | | | | | DTD.610 | | |
| | A.184132 | Former, forward, rear fillet, port | | | | | | DTD.610 | | |
| | A.184133 | Former, forward, rear fillet, starboard | | | | | | DTD.610 | | |
| | A.184185 | Former, at rear fillet, port | | | | | | DTD.610 | | |
| | A.184186 | Former, at rear fillet, starboard | | | | | | DTD.610 | | |
| | B.199044 | Former, upper, at nose fillet, port... | | | | | | DTD.610 | | |
| | B.199045 | Former, upper, at nose fillet, starboard | | | | | | DTD.610 | | |

MAIN PLANES—OUTER WING

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|------------|-------------|---|---|---|--|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| | B.199046 | | | | | Former, lower, at nose fillet, port | 1 | DTD.610 | | |
| | B.199047 | | | | | Former, lower, at nose fillet, starboard | 1 | DTD.610 | | |
| | B.189151/1 | | | | | Former, edge, centre fillet, frame 34, port | 1 | DTD.610 | | |
| | B.189152/1 | | | | | Former, edge, centre fillet, frame 34, starboard... .. | 1 | DTD.610 | | |
| | A.183617 | | | | | Landing, detachable fillet, port | 1 | DTD.610 | | |
| | A.183618 | | | | | Landing, detachable fillet, starboard | 1 | DTD.610 | | |
| | F.199443 | | | | | Landing, for access panel | 2 | DTD.610 | | |
| | A.183895 | | | | | Member, edge, rear fillet, port | 1 | L.33 | | |
| | A.183896 | | | | | Member, edge, rear fillet, starboard | 1 | L.33 | | |
| | F.184215 | | | | | Packing, centre fillet, frame 26 | 1 | DTD.610 | | |
| | F.199398 | | | | | Packing, rear fillet, frame 34 | 1 | L.72 | | |
| | F.199399 | | | | | Packing, rear fillet, frame 34 | 1 | L.72 | | |
| | F.184214 | | | | | Packing, rear fillet | 1 | DTD.610 | | |
| 2273 | B.189207 | | | | | Panel, access, port | 1 | DTD.610 | MR/C | KE.2 |
| 2274 | B.189208 | | | | | Panel, access, starboard | 1 | DTD.610 | MR/C | KE.2 |
| 5197 | A.199444 | | | | | Panel, access, top and bottom | 2 | DTD.610 | C. | KE.2 |
| 5557 | D.198855/2 | | | | | Skin, upper, centre fillet, port | 1 | DTD.610 | MR/B | KE.2 |
| 5558 | D.198856/2 | | | | | Skin, upper, centre fillet, starboard | 1 | DTD.610 | MR/B | KE.2 |
| 5559 | D.198855/3 | | | | | Skin, lower, centre fillet, port | 1 | DTD.610 | MR/B | KE.2 |
| 5560 | D.198856/3 | | | | | Skin, lower, centre fillet, starboard | 1 | DTD.610 | MR/B | KE.2 |
| 5561 | D.198855/4 | | | | | Skin, upper, rear fillet, port | 1 | DTD.610 | MR/B | KE.2 |
| 5562 | D.198856/4 | | | | | Skin, upper, rear fillet, starboard | 1 | DTD.610 | MR/B | KE.2 |
| 5563 | D.198855/5 | | | | | Skin, lower, rear fillet, port | 1 | DTD.610 | MR/B | KE.2 |
| 5564 | D.198856/5 | | | | | Skin, lower, rear fillet, starboard | 1 | DTD.610 | MR/B | KE.2 |
| | C.198834/1 | | | | | Support, edge, centre fillet, upper, port | 1 | DTD.610 | | |
| | C.198835/1 | | | | | Support, edge, centre fillet, upper, starboard | 1 | DTD.610 | | |
| | C.198834/2 | | | | | Support, edge, centre fillet, lower, port | 1 | DTD.610 | | |
| | C.198835/2 | | | | | Support, edge, centre fillet, lower, starboard | 1 | DTD.610 | | |
| | C.198834/3 | | | | | Support, edge, nose fillet, upper, port | 1 | DTD.610 | | |
| | C.198835/3 | | | | | Support, edge, nose fillet, upper, starboard | 1 | DTD.610 | | |
| | C.198834/4 | | | | | Support, edge, nose fillet, lower, port | 1 | DTD.610 | | |
| | C.198835/4 | | | | | Support, edge, nose fillet, lower, starboard | 1 | DTD.610 | | |
| | B.198331 | | | | | Support, edge, centre fillet, port | 1 | DTD.610 | | |
| | B.198332 | | | | | Support, edge, centre fillet, starboard | 1 | DTD.610 | | |
| | B.183716/1 | | | | | Support, edge, centre fillet, port | 1 | DTD.610 | | |
| | B.183717/1 | | | | | Support, edge, centre fillet, starboard | 1 | DTD.610 | | |
| | C.183807/3 | | | | | Support, edge, rear fillet, port | 1 | DTD.610 | | |
| | C.183808/3 | | | | | Support, edge, rear fillet, starboard | 1 | DTD.610 | | |
| | C.183807/1 | | | | | Support, edge, centre fillet, port | 1 | DTD.610 | | |
| | C.183808/1 | | | | | Support, edge, centre fillet, starboard | 1 | DTD.610 | | |
| | D.179224-5 | | | | | FITTING, PIVOT, AND FLAP JACK ANCHOR- AGE BRACKET, ASSEMBLY | - | - | | |
| 83 | F.179226 | | | | | Bolt, attachment of flap jack to shackle | 2 | S.95.B | C. | KE.3 |
| 4120 | F.198600 | | | | | Bolt, attachment of shackle to anchorage bracket | 2 | S.95.B | C. | KE.3 |
| 85 | B.169671 | | | | | Bracket, flap jack anchorage, port, group... .. | 1 | Stamping | B. | KE.3 |
| 86 | B.169672 | | | | | Bracket, flap jack anchorage, starboard, group | 1 | Stamping | B. | KE.3 |
| | F.198601 | | | | | Plate, locking | 2 | DTD.610 | | |
| | E.174345 | | | | | Fitting, undercarriage pivot, port, group | 1 | - | | |
| | E.174346 | | | | | Fitting, undercarriage pivot, starboard, group | 1 | - | | |
| 1529 | A.174348 | | | | | Bolt, front bearing cap attachment | 4 | S.95.B | C. | KE.1 |
| 1528 | A.174347 | | | | | Bolt, rear bearing cap attachment | 4 | S.95.B | C. | KE.1 |

MAIN PLANES—OUTER WING

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Place No. | |
|----------|-------------|--|---|---|---|---|---------|------------------------|---------------------|-----------|--|
| | | 1 | 2 | 3 | 4 | 5 | | | | | |
| 87 | F.192513 | | | | | | 2 | — | B. | | |
| 88 | F.192514 | | | | | | 2 | — | B. | KE.1 | |
| | F.179334 | | | | | | 4 | S.1 | | | |
| 1530 | F.188730 | | | | | | 8 | — | C. | KE.1 | |
| 89 | F.169673 | | | | | | 2 | Stamping | C. | KE.3 | |
| | G.195639 | | | | | | 1 | — | | | |
| | G.195640 | | | | | | 1 | — | | | |
| | C.167022 | | | | | | 1 | — | | | |
| | C.167023 | | | | | | 1 | — | | | |
| 90 | F.168628 | | | | | | 4 | S.95.B | C. | KE.1 | |
| 5565 | A.204990 | | | | | | 1 | DTD.166 | MR/C | KE.2 | |
| 5566 | A.204991 | | | | | | 1 | DTD.166 | MR/C | KE.2 | |
| — | E.200037-8 | HYDRAULIC INSTALLATION, ASSEMBLY | | | | | — | — | — | | |
| | | (See section N) | | | | | | | | | |
| — | C.180287-8 | MOUNTING, WHEEL DOOR REAR LOCK, ASSEMBLY | | | | | — | — | — | | |
| 81 | F.180428 | | | | | | 2 | Castings | C. | KE.3 | |
| 80 | F.180299 | | | | | | 2 | S.3 | C. | KE.3 | |
| 4664 | B.201543 | | | | | | 2 | — | B. | KE.3 | |
| 7968 | F.216529 | | | | | | 1 | DTD.610 | C. | KE.2 | |
| 7969 | F.216530 | | | | | | 1 | DTD.610 | C. | KE.2 | |
| 5567 | A.198794 | | | | | | 2 | DTD.610 | MR/C | | |
| | E.199052-3 | PACKING AND SEALING, FOR FUEL TANKS, ASSEMBLY | | | | | — | — | — | | |
| 5582 | E.199052/1 | | | | | | 1 | " Aero Japlex " | MR/C | | |
| 5583 | E.199052/2 | | | | | | 1 | " Aero Japlex " | MR/C | | |
| 5584 | E.199052/3 | | | | | | 2 | " Aero Japlex " | MR/C | | |
| 5585 | E.199052/4 | | | | | | 2 | " Aero Japlex " | MR/C | | |
| 5586 | E.199052/5 | | | | | | 2 | " Aero Japlex " | MR/C | | |
| 5587 | E.199052/6 | | | | | | 2 | " Aero Japlex " | MR/C | | |
| 5588 | E.199052/7 | | | | | | 2 | " Aero Japlex " | MR/C | | |
| 5589 | E.199052/8 | | | | | | 1 | " Aero Japlex " | MR/C | | |
| 5590 | A.199052/9 | | | | | | 2 | " Aero Japlex " | MR/C | | |
| 5591 | E.199052/10 | | | | | | 2 | " Aero Japlex " | MR/C | | |
| 5592 | E.199052/11 | | | | | | 2 | " Aero Japlex " | MR/C | | |

MAIN PLANES—OUTER WING

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Score | Plate No. |
|----------|-------------------------------|-------------|---|---|---|--|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| 5593 | E.199053/1 | | | | | Packing , .5" thick, at rib "A" upper portion, starboard | 1 | "Aero Japlex" | MR/C | |
| 5594 | E.199053/2 | | | | | Packing , .5" thick, at rib "A" lower portion, starboard | 1 | "Aero Japlex" | MR/C | |
| 5595 | E.199053/7 | | | | | Packing , .5" thick, at rib "G" upper portion, starboard | 1 | "Aero Japlex" | MR/C | |
| 5596 | E.199053/8 | | | | | Packing , .5" thick, at rib "G" lower portion, starboard | 1 | "Aero Japlex" | MR/C | |
| 5597 | E.199052/12 | | | | | Packing , .75" thick, between frames No. 1 and 2, port | 1 | "Aero Japlex" | MR/C | |
| 5598 | E.199053/12 | | | | | Packing , .75" thick, between frames No. 1 and 2, starboard | 1 | "Aero Japlex" | MR/C | |
| — | — | | | | | Strip , sealing, $\frac{3}{4}$ " wide \times $\frac{1}{16}$ " thick (Make from 32C/574) | QR | Rubber | — | |
| | C.199912 | | | | | PITOT TUBE INSTALLATION, ASSEMBLY | | | | |
| 2690 | F.195016 | | | | | Block , clamp | 5 | LFS.21 | C. | JJ.1 |
| 2691 | F.195017 | | | | | Block , clamp | 1 | LFS.21 | C. | JJ.1 |
| 4249 | F.199037 | | | | | Bolt , special, for drains | 4 | S.1 | C. | JJ.1 |
| 3734 | Std.840/14 | | | | | Clip , securing earthing connections $\frac{7}{16}$ " wide \times 22 S.W.G. \times 1-4" long (make from 30B/1433) | 19 | DTD.610 | MR/C | 4 |
| 1538 | Std.1285/3/BB | | | | | Connector , earthing | 4 | — | MR/C | 4 |
| 4134 | Std.1285/4/BB | | | | | Connector , earthing | 5 | — | MR/C | 4 |
| 5568 | Std.1285/5/BB | | | | | Connector , earthing | 3 | — | MR/C | 4 |
| 4736 | Std.1285/6/BB | | | | | Connector , earthing | 5 | — | MR/C | 4 |
| 6167 | F.210316 | | | | | Drain , assembly, outboard forward | 2 | — | C. | JJ.1 |
| 6166 | F.209026 | | | | | Bolt | 1 | S.1 | C. | JJ.1 |
| 7930 | F.212521 | | | | | Drain , assembly, outboard rear (Mod. 228) | 1 | — | B. | JJ.1 |
| 7098 | F.210317 | | | | | Drain , assembly, inboard rear and outboard rear | 3 | — | MR/C | JJ.1 |
| 2149 | F.133671 | | | | | Pipe , drain, $\frac{1}{8}$ " o/d. \times 22 S.W.G. | 4 | T.9 | C. | JJ.1 |
| † | A.196449/3 | | | | | Pipe , pressure, elbow to union | 1 | L.54 or T.9 | C. | JJ.1 |
| † | A.196449/4 | | | | | Pipe , static, elbow to union | 1 | L.54 or T.9 | C. | JJ.1 |
| | A.196449/5 to 6 and /15 to 30 | | | | | PIPES, LOCAL MANUFACTURE (See piping chart) | | | | |
| † | A.196449/31 | | | | | Pipe , pressure, tee piece to pressure head | 1 | L.54 | C. | JJ.1 |
| † | A.196449/32 | | | | | Pipe , static, tee piece to static head | 1 | L.54 | C. | JJ.1 |
| 5785 | Std.915.C.16 | | | | | Washer , for drain assembly | 4 | DTD.610 | C. | 4 |
| 8431 | Chekaleke No. 5 | | | | | Plug | 24 | — | MR/C | |
| 8432 | Chekaleke No. 6 | | | | | Plug | 32 | — | MR/C | |
| 7963 | F.213810 | | | | | Plug , blanking for hydraulic pipes | 2 | B.11 | C. | |
| 7964 | F.213811 | | | | | Plug , blanking for hydraulic pipes | 2 | B.11 | C. | |
| | C.198347-8 | | | | | PYLON, UNIVERSAL, DRILLING, ASSEMBLY | | | | |
| 5199 | A.198393 | | | | | Plate , nut | 22 | S.3 | C. | |
| | C.206574-5 | | | | | PYLON, UNIVERSAL, OUTBOARD, DRILLING, ASSEMBLY (Mod. 228) | | | | |
| 5199 | A.198393 | | | | | Plate , nut | 10 | S.3 | C. | |
| 8252 | F.206358 | | | | | Plate , nut | 8 | S.3 | MR/C | |

† For Details see Piping Chart.

RESTRICTED

MAIN PLANES—OUTER WING

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Place No. | | |
|----------|---------------|-------------|-------------|------------|------------|---------|----------------|------------------------|---------------------|-----------|------|------|
| | | 1 | 2 | 3 | 4 | 5 | | | | | | |
| 5571 | D.198228 | Rib, "A," | nose, | port, | group | ... | 1 | — | MR/B | KE.1 | | |
| 5572 | D.198229 | Rib, "A," | nose, | starboard, | group | ... | 1 | — | MR/B | KE.1 | | |
| 74 | Std.1553/C/40 | Bolt, | attaching | wing | locating | socket | ... | 16 | S.99.B | C. | 5 | |
| | Std.1551/1/55 | Bolt, | attaching | wing | locating | socket | ... | 8 | S.99.B | | | |
| | F.206797 | Bracket, | tank | support | | | ... | 4 | L.72 | | | |
| 5580 | B.193729 | Nosing, | port | | | | ... | 1 | DTD.610 | MR/C | KE.1 | |
| 5581 | B.193730 | Nosing, | starboard | | | | ... | 1 | DTD.610 | MR/C | KE.1 | |
| 4488 | Std.1718/1 | Nut, | attaching | wing | locating | socket | ... | 8 | S.95.B | C. | 5 | |
| | B.198325 | Socket, | wing | locating | | | ... | 2 | Stamping | | | |
| 5573 | C.198253 | Rib, "A1," | nose | diagonal, | port | ... | 1 | — | MR/B | KE.1 | | |
| 5574 | C.198254 | Rib, "A1," | nose | diagonal, | starboard | ... | 1 | — | MR/B | KE.1 | | |
| 5575 | B.198255 | Rib, "A1," | nose | | | | ... | 2 | DTD.610 | MR/B | KE.1 | |
| 5576 | D.197770 | Rib, No. 1, | nose, | port | | | ... | 1 | — | MR/B | KE.1 | |
| 5577 | D.197771 | Rib, No. 1, | nose, | starboard | | | ... | 1 | — | MR/B | KE.1 | |
| 5578 | D.197772 | Rib, No. 2, | nose, | port | | | ... | 1 | — | MR/B | KE.1 | |
| 5579 | D.197773 | Rib, No. 2, | nose, | starboard | | | ... | 1 | — | MR/B | KE.1 | |
| 5599 | D.197774 | Rib, No. 3, | nose, | port | | | ... | 1 | — | MR/B | KE.1 | |
| 5600 | D.197775 | Rib, No. 3, | nose, | starboard | | | ... | 1 | — | MR/B | KE.1 | |
| 5601 | D.198226 | Rib, "G," | nose, | port, | group | ... | 1 | — | MR/B | KE.1 | | |
| 5602 | D.198227 | Rib, "G," | nose, | starboard, | group | ... | 1 | — | MR/B | KE.1 | | |
| 5603 | A.198408 | Angle, | attaching | nosing | web | | ... | 2 | DTD.610 | MR/C | | |
| 5604 | A.198409 | Angle, | attaching | nosing | web | | ... | 2 | DTD.610 | MR/C | | |
| 5605 | A.198416 | Angle, | forward, | attaching | stringer | to rib | ... | 2 | Stmpg. | MR/C | | |
| 5606 | A.198417 | Angle, | forward, | attaching | stringer | to rib | ... | 2 | Stmps. | MR/C | | |
| 5607 | A.198418 | Angle, | aft, | attaching | stringer | to rib | ... | 2 | Stmpg. | MR/C | | |
| 5608 | A.198419 | Angle, | aft, | attaching | stringer | to rib | ... | 2 | Stmpg. | MR/C | | |
| | F.206797 | Bracket, | tank | support | | | ... | 4 | L.72 | | | |
| 5609 | A.198412 | Fitting, | attachment, | at | stringer | to rib, | port | ... | 1 | Stmpg. | MR/C | |
| 5610 | A.198413 | Fitting, | attachment, | at | stringer | to rib, | starboard | ... | 1 | Stmpg. | MR/C | |
| 5611 | A.198414 | Fitting, | attachment, | at | stringer | to rib, | port | ... | 1 | Stmpg. | MR/C | |
| 5612 | A.198415 | Fitting, | attachment, | at | stringer | to rib, | starboard | ... | 1 | Stmpg. | MR/C | |
| 5613 | C.198349 | Rib, "H," | nose, | port | | | ... | 1 | — | MR/B | KE.1 | |
| 5614 | C.198350 | Rib, "H," | nose, | starboard | | | ... | 1 | — | MR/B | KE.1 | |
| 5615 | C.198357 | Rib, "H1," | between | nose | ribs | "G" and | "H," port | ... | 1 | — | MR/B | KE.1 |
| 5616 | C.198358 | Rib, "H1," | between | nose | ribs | "G" and | "H," starboard | ... | 1 | — | MR/B | KE.1 |
| 5617 | C.198359 | Rib, "H2," | between | nose | ribs | "H" and | "J," port | ... | 1 | — | MR/B | KE.1 |
| 5618 | C.198360 | Rib, "H2," | between | nose | ribs | "H" and | "J," starboard | ... | 1 | — | MR/B | KE.1 |
| 5619 | C.198362 | Rib, "H3," | between | nose | ribs | "G" and | "H," port | ... | 1 | — | MR/B | KE.1 |
| 5620 | C.198363 | Rib, "H3," | between | nose | ribs | "G" and | "H," starboard | ... | 1 | — | MR/B | KE.1 |
| 8353 | C.206090 | Rib, "J," | nose, | port | (Mod. 228) | | ... | 1 | — | MR/B | KE.1 | |
| 8254 | C.206091 | Rib, "J," | nose, | starboard | (Mod. 228) | | ... | 1 | — | MR/B | KE.1 | |
| 2301 | C.178339 | Rib, "K," | nose, | port | | | ... | 1 | — | MR/B | KE.1 | |
| 2302 | C.178340 | Rib, "K," | nose, | starboard | | | ... | 1 | — | MR/B | KE.1 | |
| 5623 | C.199992 | Rib, "L," | nose, | port | | | ... | 1 | — | MR/B | KE.1 | |
| 5624 | C.199993 | Rib, "L," | nose, | starboard | | | ... | 1 | — | MR/B | KE.1 | |
| 8255 | C.206092 | Rib, "M," | nose, | port | (Mod. 228) | | ... | 1 | — | MR/B | KE.1 | |
| 8256 | C.206093 | Rib, "M," | nose, | starboard | (Mod. 228) | | ... | 1 | — | MR/B | KE.1 | |
| 5627 | C.199994 | Rib, "N," | nose, | port | | | ... | 1 | — | MR/B | KE.1 | |
| 5628 | C.199995 | Rib, "N," | nose, | starboard | | | ... | 1 | — | MR/B | KE.1 | |
| 2309 | C.177795 | Rib, "P," | nose, | port | | | ... | 1 | — | MR/B | KE.1 | |
| 2310 | C.177796 | Rib, "P," | nose, | starboard | | | ... | 1 | — | MR/B | KE.1 | |

RESTRICTED

MAIN PLANES-OUTER WING

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Score | Plate No. | | | |
|----------|-------------|---|-------------|------------|----------------|---------------|-----------|------------------------|---------------------|-----------|---------|------|------|
| | | 1 | 2 | 3 | 4 | 5 | | | | | | | |
| 8257 | C.206258 | Rib, "Q," | nose, | port | (Mod. 228) | ... | 1 | --- | MR/B | KE.1 | | | |
| 8258 | C.206259 | Rib, "Q," | nose, | starboard | (Mod. 228) | ... | 1 | --- | MR/B | KE.1 | | | |
| 8263 | C.206260 | Rib, "Q1," | nose, | port | (Mod. 228) | ... | 1 | --- | MR/B | KE.1 | | | |
| 8264 | C.206261 | Rib, "Q1," | nose, | starboard | (Mod. 228) | ... | 1 | --- | MR/B | KE.1 | | | |
| 8259 | C.206094 | Rib, "R," | nose, | port | (Mod. 228) | ... | 1 | --- | MR/B | KE.1 | | | |
| 8260 | C.206095 | Rib, "R," | nose, | starboard | (Mod. 228) | ... | 1 | --- | MR/B | KE.1 | | | |
| 2315 | D.177861 | Rib, "G1," | nose, | diagonal, | port... | ... | 1 | --- | MR/B | KE.1 | | | |
| 2316 | D.177862 | Rib, "G1," | nose, | diagonal, | starboard | ... | 1 | --- | MR/B | KE.1 | | | |
| 2317 | B.178538 | Rib, "No. 1," | at | wing tip | ... | ... | 2 | DTD.610 | MR/B | KE.1 | | | |
| 5633 | B.195277 | Rib, "T," | at | wing tip | ... | ... | 2 | DTD.610 | MR/B | KE.1 | | | |
| 5634 | B.195279 | Rib, "S," | port | ... | ... | ... | 1 | DTD.610 | MR/B | KE.1 | | | |
| 5635 | B.195280 | Rib, "S," | starboard | ... | ... | ... | 1 | DTD.610 | MR/B | KE.1 | | | |
| 5636 | B.198236 | Rib, | wing, | nosing | ... | ... | 2 | DTD.610 | MR/B | KE.1 | | | |
| 5637 | B.198237 | Rib, | wing, | nosing | ... | ... | 2 | DTD.610 | MR/B | KE.1 | | | |
| 5638 | B.198238 | Rib, | wing, | nosing | ... | ... | 2 | DTD.610 | MR/B | KE.1 | | | |
| 8261 | C.206173 | Rib, | outer | and | aileron hinge, | port, | group | ... | 1 | --- | MR/B | KE.1 | |
| 8262 | C.206174 | Rib, | outer | and | aileron hinge, | starboard, | group | (Mod. 228) | 1 | --- | MR/B | KE.1 | |
| 7053 | F.214434 | Bolt, | aileron | outer | hinge | (Mod. 446) | ... | 2 | S.2 | C. | | | |
| | B.178679 | Fitting, | aileron | outer | hinge, | port | ... | 1 | Stmpg. | | KE.1 | | |
| | B.178680 | Fitting, | aileron | outer | hinge, | starboard | ... | 1 | Stmpg. | | KE.1 | | |
| 7054 | F.214238 | Plate, | locking | (Mod. 446) | ... | ... | 2 | L.72 | C. | | | | |
| | D.206102 | Rib, | outer, | port, | group | ... | 1 | --- | | | | | |
| | D.206103 | Rib, | outer, | starboard, | group | ... | 1 | --- | | | | | |
| 7909 | A.206089 | Panel, | access, | for | electrical | connectors... | 1 | L.72 | B. | | | | |
| 2150 | Std.915/G20 | Washer, | aileron | outer | hinge... | ... | 2 | DTD.610 | C. | 4 | | | |
| 2323 | C.170788 | Rib, | forward, | pressure | head | mounting, | port, | group | 1 | DTD.610 | MR/B | KE.1 | |
| 1571 | A.189500 | Bracket, | pressure | head | mounting | ... | 1 | S.3 | C. | KE.1 | | | |
| 2324 | C.170789 | Rib, | forward, | pressure | head | mounting, | starboard | 1 | DTD.610 | MR/B | KE.1 | | |
| 8265 | C.206096 | Rib, | aft, | pressure | head | mounting, | port, | group | (Mod. 228) | 1 | DTD.610 | MR/B | KE.1 |
| 1571 | A.189500 | Bracket, | pressure | head | mounting | ... | 1 | S.3 | C. | KE.1 | | | |
| 8266 | C.206097 | Rib, | aft | pressure | head | mounting, | starboard | (Mod. 228) | 1 | DTD.610 | MR/B | KE.1 | |
| | E.202108 | Rib, "D," | interspar, | port, | group | ... | 1 | --- | | | | | |
| | E.178633 | Rib, "D," | interspar, | starboard, | group | ... | 1 | --- | | | | | |
| | B.180441-2 | LOCK, UNDERCARRIAGE LEG, FAIRING, ASSEMBLY | | | | | - | --- | | | | | |
| | A.202949 | Bracket, | bearing, | port | ... | ... | 1 | Casting | | | | | |
| | A.202950 | Bracket, | bearing, | starboard | ... | ... | 1 | Casting | | | | | |
| 93 | F.180447 | Lever, | switch | operating, | port | ... | 1 | Casting | C. | KE.3 | | | |
| 94 | F.180448 | Lever, | switch | operating, | starboard | ... | 1 | Casting | C. | KE.3 | | | |
| 5187 | F.201253 | Lever, | cam | operating | ... | ... | 2 | Casting | C. | KE.3 | | | |
| 4664 | B.201543 | Lock up, | group | ... | ... | ... | 2 | --- | B. | KE.3 | | | |
| | F.180449 | Packing | ... | ... | ... | ... | 2 | DTD.364 | | | | | |
| | F.180450 | Packing | ... | ... | ... | ... | 2 | DTD.364 | | | | | |
| | F.200725 | Plate, | indicator, | port | ... | ... | 1 | L.72 | | | | | |
| | F.200726 | Plate, | indicator, | starboard | ... | ... | 1 | L.72 | | | | | |
| 5190 | A.202839 | Plunger, | assembly | ... | ... | ... | 2 | --- | C. | KE.3 | | | |
| 5191 | F.203784 | Spring, | compression | ... | ... | ... | 2 | SP. ST | C. | KE.3 | | | |

MAIN PLANES-OUTER WING

| Ref. No. | Part No. | Description | No. Off | | | | | Material Specification | M.R. Class of Score | Place No. |
|----------|----------------|--|---------|---|---|---|---------|------------------------|---------------------|-----------|
| | | | 1 | 2 | 3 | 4 | 5 | | | |
| 96 | E.195650 | Rib, "E" interspar, port, group | 1 | | | | | | | |
| | E.195651 | Rib, "E" interspar, starboard, group | 1 | | | | | | | |
| 3883 | F.174080 | Bolt, sequence valve lever | 2 | | | | S.96.B | C. | KE.3 | |
| | Std.323/156N | Bolt, sequence valve lever attachment to mounting bracket | 2 | | | | S.2 | C. | 4 | |
| 98 | A.180868 | Bracket, sequence valve mounting port, | 1 | | | | S.3 | | | |
| | A.180869 | Bracket, sequence valve mounting, starboard | 1 | | | | S.3 | | | |
| 99 | A.175583 | Bracket, sequence valve lever mounting, rib "E" | 2 | | | | S.3 | C. | KE.3 | |
| | F.175584 | Lever, sequence valve | 2 | | | | S.3 | C. | KE.3 | |
| 5641 | Std.1547/24/10 | Packing, at attachment of sequence valve lever mounting bracket | 4 | | | | DTD.610 | MR/C | 4 | |
| 100 | D.179348 | Rib, "M," tail, port, group | 1 | | | | — | | | |
| | D.179349 | Rib, "M," tail, starboard, group | 1 | | | | — | | | |
| | F.179394 | Bush, inboard aileron hinge | 2 | | | | S.1 | C. | | |
| | B.179393 | Housing, bearing, inboard aileron hinge | 2 | | | | Stmpg. | | | |
| | A.188824 | Duct, electrical cables (Port only) | 1 | | | | T.9 | | | |
| 7052 | E.179648-9 | SHROUD, AILERON, ASSEMBLY | — | | | | — | | | |
| | C.179584-7 | RIBS, AILERON CENTRE HINGE, ASSEMBLY | — | | | | — | | | |
| | F.214433 | Bolt, inner and outer hinges (Mod. 446) | 4 | | | | S.2 | C. | | |
| | A.179644 | Fitting, aileron centre hinge | 4 | | | | Stmpg. | | | |
| 7054 | F.214238 | Plate, locking (Mod. 446) | 4 | | | | L.72 | C. | | |
| 2150 | Std.915/G20 | Washer, inner and outer hinges | 4 | | | | DTD.610 | C. | 4 | |
| 1716 | E.179648/1 | Skin, upper | 2 | | | | DTD.610 | | | |
| | E.179648/2 | Skin, lower | 2 | | | | DTD.610 | | | |
| | F.193777 | Stop, aileron | 4 | | | | Rubber | C. | KE.1 | |
| 8148 | B.206457-8 | SKINS, ASSEMBLY (Mod. 228) | — | | | | — | | | |
| | D.206924 | SKIN, FORWARD OF REAR SPAR, ASSEMBLY (Mod. 228) | — | | | | — | | | |
| | D.206924/1 | Skin, inboard leading edge top, forward of rear spar, port | 1 | | | | DTD.546 | MR/B | KE.2 | |
| | D.206924/2 | Skin, inboard leading edge bottom, forward of rear spar, port | 1 | | | | DTD.546 | MR/B | KE.2 | |
| | D.206924/3 | Skin, inboard rear, top, forward of rear spar, port | 1 | | | | DTD.546 | MR/B | KE.2 | |
| | D.206924/4 | Skin, inboard rear, top, forward of rear spar, starboard | 1 | | | | DTD.546 | MR/B | KE.2 | |
| | D.206924/5 | Skin, inboard rear, bottom, forward of rear spar, port | 1 | | | | DTD.546 | MR/B | KE.2 | |
| | D.206924/6 | Skin, inboard rear bottom, forward of rear spar, starboard | 1 | | | | DTD.546 | MR/B | KE.2 | |
| | D.206924/7 | Skin, intermediate top, forward of rear spar, port | 1 | | | | DTD.546 | MR/B | KE.2 | |
| | D.206924/8 | Skin, intermediate bottom, forward of rear spar, port | 1 | | | | DTD.546 | MR/B | KE.2 | |
| | D.206924/9 | Skin, outboard, top forward of rear spar, port | 1 | | | | DTD.546 | MR/B | KE.2 | |
| | D.206924/10 | Skin, outboard bottom, forward of rear spar, port | 1 | | | | DTD.546 | MR/B | KE.2 | |
| | D.206924/13 | Skin, inboard leading-edge bottom, forward of rear spar, starboard | 1 | | | | DTD.546 | MR/B | KE.2 | |
| | D.206924/14 | Skin, inboard leading-edge top, forward of rear spar, starboard | 1 | | | | DTD.546 | MR/B | KE.2 | |

MAIN PLANES—OUTER WING

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|-----------------|-------------|---|---|---|--|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| 8162 | D.206924/15 | | | | | Skin , intermediate bottom, forward of rear spar, starboard | 1 | DTD.546 | MR/B | KE.2 |
| 8163 | D.206924/16 | | | | | Skin , intermediate top, forward of rear spar, starboard | 1 | DTD.546 | MR/B | KE.2 |
| 8164 | D.206924/17 | | | | | Skin , outboard bottom, forward of rear spar, starboard | 1 | DTD.546 | MR/B | KE.2 |
| 8165 | D.206924/18 | | | | | Skin , outboard top, forward of rear spar, starboard | 1 | DTD.546 | MR/B | KE.2 |
| 8166 | D.206924/19 | | | | | Skin , nosing, inboard, port | 1 | DTD.546 | MR/B | |
| 8167 | D.206924/20 | | | | | Skin , nosing, inboard, starboard | 1 | DTD.546 | MR/B | |
| 8158 | D.206924/11 | | | | | Strap , butt, leading edge | 1 | DTD.546 | MR/B | KE.2 |
| 8159 | D.206924/12 | | | | | Strap , butt, leading edge | 1 | DTD.546 | MR/B | KE.2 |
| | D.180885-6 | | | | | SKIN COVERING, AFT OF REAR SPAR, ASSEMBLY | - | - | | |
| 4580 | F.201410 | | | | | Lever | 2 | - | C. | |
| 4004 | A.197878 | | | | | Panel , access, flap synchronising jack | 2 | DTD.610 | C. | KE.2 |
| 1532 | A.188828 | | | | | Panel , access, to aileron actuator cables terminal block | 1 | DTD.610 | C. | KE.2 |
| 4278 | A.199069 | | | | | Panel , access to flap operating jack | 2 | L.72 | C. | KE.2 |
| | D.180885/1 | | | | | Skin , top, port | 1 | DTD.610 | | |
| | D.180886/1 | | | | | Skin , top, starboard | 1 | DTD.610 | | |
| | D.180885/2 | | | | | Skin , flap roof, port | 1 | DTD.610 | | |
| | D.180886/2 | | | | | Skin , flap roof, starboard | 1 | DTD.610 | | |
| | D.180885/3 | | | | | Skin , bottom, port | 1 | DTD.610 | | |
| | D.180886/3 | | | | | Skin , bottom, starboard | 1 | DTD.610 | | |
| | D.180887 | | | | | SKIN, COVERING, ASSEMBLY | - | - | | |
| 4005 | Std.1551/5/115 | | | | | Bolt , at wing hood fitting | 2 | S.99.B | MR/C | 5 |
| 4006 | Std.1551/6/115 | | | | | Bolt , at wing hood fitting | 2 | S.99.B | MR/C | 5 |
| 102 | A.182664 | | | | | Panel , access to flap inboard bracket | 2 | DTD.610 | C. | KE.1 |
| 4872 | Std.1507/23/136 | | | | | Tube , distance, $\frac{3}{8}$ " o/d. x 17 S.W.G. (make from 30A/975) | 2 | T.26 | MR/C | |
| | D.206442-3 | | | | | SKIN, RIVETTING, ASSEMBLY (Mod. 228)... | - | - | | |
| 5644 | C.198834-5/7 | | | | | Angle , attachment, for fillet | 2 | DTD.610 | MR/C | |
| 5200 | A.199056 | | | | | Panel , access to pylon attachment | 2 | - | C. | KE.2 |
| 5209 | F.205577 | | | | | Panel , access to flap jack anchorage | 4 | DTD.610 | C. | KE.2 |
| 7913 | B.210132 | | | | | Panel , access to by-pass valve and fuel connections (Mod. 228) | 2 | L.73 | B. | |
| 5645 | D.198281 | | | | | Plate , joint, top, at rib "G" port | 1 | DTD.166 | MR/C | |
| 5646 | D.198282 | | | | | Plate , joint, top, at rib "G" starboard | 1 | DTD.166 | MR/C | |
| 5647 | B.199035 | | | | | Plate , reinforcing, between nose ribs "G" and "H," port | 1 | L.73 | MR/C | |
| 5648 | B.199036 | | | | | Plate , reinforcing, between nose ribs "G" and "H," starboard | 1 | L.72 | MR/C | |
| 7912 | A.206421 | | | | | Plate , cover, at nose rib "M" (Mod. 228) | 2 | L.72 & L.65 | B. | |
| 8267 | A.208777 | | | | | Platform , for terminal block (Mod. 228) | 2 | L.72 | MR/C | |
| | D.198272 | | | | | SKIN, RIVETTING DETAILS, ASSEMBLY | - | - | | |
| 109 | F.180635 | | | | | Panel , access to undercarriage jack attachment bolt | 2 | DTD.610 | C. | KE.2 |

MAIN PLANES—OUTER WING

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|------------|--|---|---|---|---|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| | D.200109 | SKIN, RIVETTING DETAILS, ASSEMBLY | | | | | — | — | | |
| 5770 | A.199306 | Bracket , for oil jettison valve, port ... | | | | | 1 | DTD.610 | MR/C | |
| 5771 | A.199307 | Bracket , for oil jettison valve, starboard | | | | | 1 | DTD.610 | MR/C | |
| | F.181273 | Bolt , special | | | | | 180 | S.98.B | | |
| | F.181274 | Bolt , special | | | | | 16 | S.95.B | | |
| | Std.1556/1 | Nut , special | | | | | 196 | S.1 | | |
| | B.183397-8 | SPIGOT, LOCATING, ASSEMBLY ... | | | | | — | — | | |
| 110 | F.183399 | Spigot , main undercarriage locating ... | | | | | 2 | — | C. | KE.2 |
| 111 | F.181502 | Washer , serrated, main undercarriage spigot | | | | | 2 | S.96.B | C. | KE.2 |
| | D.206452-5 | SKIN, RIVETTING, OUTBOARD OF RIB "R," ASSEMBLY (Mod. 228) | | | | | — | — | | |
| 106 | A.181469 | Panel , access to aileron mechanism ... | | | | | 2 | DTD.610 | C. | KE.2 |
| 5213 | A.205022 | Panel , access to aileron booster micro switch | | | | | 2 | L.72 | C. | KE.2 |
| 7910 | B.212400 | Panel , access to aileron mechanism, port ... (Mod. 228) | | | | | 1 | L.72 | B. | KE.2 |
| 7911 | B.212401 | Panel , access to aileron mechanism, starboard (Mod. 228) | | | | | 1 | L.72 | B. | KE.2 |
| 7912 | A.206421 | Plate , cover, at nose rib "R" and rib "S" (Mod. 228) | | | | | 8 | L.72 & L.65 | B. | |
| | D.206446-7 | SKIN, RIVETTING, TOP, BETWEEN RIB "M" AND RIB "R," ASSEMBLY (Mod. 228) | | | | | — | — | | |
| 8268 | A.206801 | Bracket , mounting, between interspar rib "Q" and rib "R" | | | | | 2 | L.72 | MR/C | |
| 6983 | B.212407 | Panel , access, between interspar rib "Q" and rib "R," port (Mod. 394) | | | | | 1 | L.72 | B. | |
| 6984 | B.212408 | Panel , access, between interspar rib "Q" and rib "R," starboard (Mod. 394) | | | | | 1 | L.72 | B. | |
| 7914 | A.206795 | Plate , cover, at rib "R" | | | | | 2 | L.72 & L.65 | B. | |
| 7912 | A.206421 | Plate , cover | | | | | 8 | L.72 & L.65 | B. | |
| 7915 | A.207094 | Tube , locking, for outboard pylon, group ... | | | | | 2 | — | B. | |
| | F.206255 | Panel , access | | | | | 2 | L.72 | | |
| | D.206448-9 | SKIN, RIVETTING, BOTTOM, BETWEEN RIB "M" AND RIB "R" (Mod. 228) | | | | | — | — | | |
| 7916 | B.206713 | Panel , access, between nose ribs "M" and "N" also interspar ribs "Q" and "P" | | | | | 4 | — | B. | |
| 4004 | A.197878 | Panel , access, between rib "R" and interspar rib "Q" | | | | | 2 | L.72 | C. | KE.2 |
| 108 | A.181260 | Panel , access, between rib "R" and nose rib "Q1" | | | | | 2 | DTD.546 | C. | KE.2 |
| 7912 | A.206421 | Plate , cover | | | | | 8 | L.72 & L.65 | B. | |
| 7914 | A.206795 | Plate , cover, rib at "R" | | | | | 2 | — | | |
| 5655 | F.198512 | Plate , blanking, between nose ribs "Q1" and "Q" | | | | | 2 | L.72 | MR/C | |
| 7917 | F.207139 | Plate , blanking, between nose ribs "Q1" and "Q" | | | | | 2 | L.72 | B. | |
| 7918 | B.206547 | Plate , cover, for by-pass valve, port | | | | | 1 | Casting | B. | |

MAIN PLANES—OUTER WING

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|--|----------------|--|-----|-----|-----|---|----------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| 96 3883 | E.195650 | Rib, "E" interspar, port, group | ... | ... | ... | 1 | — | | | |
| | E.195651 | Rib, "E" interspar, starboard, group | ... | ... | ... | 1 | — | | | |
| | F.174080 | Bolt, sequence valve lever | ... | ... | ... | 2 | S.96.B | C. | KE.3 | |
| | Std.323/156N | Bolt, sequence valve lever attachment to mounting bracket | | | | 2 | S.2 | C. | 4 | |
| 98 99 5641 | A.180868 | Bracket, sequence valve mounting, port | ... | ... | ... | 1 | S.3 | | | |
| | A.180869 | Bracket, sequence valve mounting, starboard | ... | ... | ... | 1 | S.3 | | | |
| | A.175583 | Bracket, sequence valve lever mounting, rib "E" | ... | ... | ... | 2 | S.3 | C. | KE.3 | |
| | F.175584 | Lever, sequence valve | ... | ... | ... | 2 | S.3 | C. | KE.3 | |
| 100 | Std.1547/24/10 | Packing, at attachment of sequence valve lever mounting bracket | | | | 4 | DTD.610 | MR/C | 4 | |
| | D.179348 | Rib, "M," tail, port, group | ... | ... | ... | 1 | — | | | |
| | D.179349 | Rib, "M," tail, starboard, group | ... | ... | ... | 1 | — | | | |
| | F.179394 | Bush, inboard aileron hinge | ... | ... | ... | 2 | S.1 | C. | | |
| 7888 | B.179393 | Housing, bearing, inboard aileron hinge | ... | ... | ... | 2 | Stamping | | | |
| | A.198702 | Duct, electrical cables (Port only) | ... | ... | ... | 1 | T.9 | | | |
| | E.179648-9 | SHROUD, AILERON, ASSEMBLY | ... | ... | ... | — | — | | | |
| | F.215189 | Clip, bonding (Mod. 490) | ... | ... | ... | 2 | — | C. | | |
| 7052 | C.179584-7 | RIBS, AILERON CENTRE HINGE, ASSEMBLY | ... | ... | ... | — | — | | | |
| | F.214433 | Bolt, inner and outer hinges (Mod. 446) | ... | ... | ... | 4 | S.2 | C. | | |
| | A.179644 | Fitting, aileron centre hinge | ... | ... | ... | 4 | Stamping | | | |
| | F.214238 | Plate, locking (Mod. 446) | ... | ... | ... | 4 | L.72 | C. | | |
| 1716 | Std.915/G20 | Washer, inner and outer hinges | ... | ... | ... | 4 | DTD.610 | C. | 4 | |
| | E.179648/1 | Skin, upper | ... | ... | ... | 2 | DTD.610 | | | |
| | E.179648/2 | Skin, lower | ... | ... | ... | 2 | DTD.610 | | | |
| | F.193777 | Stop, aileron | ... | ... | ... | 4 | Rubber | C. | KE.1 | |
| 8148 8149 8150 8151 8152 8153 8154 8155 8156 8157 8160 8161 | B.206457-8 | SKINS, ASSEMBLY (Mod. 228) | ... | ... | ... | — | — | | | |
| | D.206924 | SKIN, FORWARD OF REAR SPAR, ASSEMBLY | ... | ... | ... | — | — | | | |
| | D.206924/1 | Skin, inboard leading edge top, forward of rear spar, port | | | | 1 | DTD.546 | MR/B | KE.2 | |
| | D.206924/2 | Skin, inboard leading edge bottom, forward of rear spar, port | | | | 1 | DTD.546 | MR/B | KE.2 | |
| | D.206924/3 | Skin, inboard rear, top, forward of rear spar, port | | | | 1 | DTD.546 | MR/B | KE.2 | |
| | D.206924/4 | Skin, inboard rear, top, forward of rear spar, starboard | | | | 1 | DTD.546 | MR/B | KE.2 | |
| | D.206924/5 | Skin, inboard rear, bottom, forward of rear spar, port | | | | 1 | DTD.546 | MR/B | KE.2 | |
| | D.206924/6 | Skin, inboard rear bottom, forward of rear spar, starboard | | | | 1 | DTD.546 | MR/B | KE.2 | |
| | D.206924/7 | Skin, intermediate top, forward of rear spar, port | | | | 1 | DTD.546 | MR/B | KE.2 | |
| | D.206924/8 | Skin, intermediate bottom, forward of rear spar, port | | | | 1 | DTD.546 | MR/B | KE.2 | |
| | D.206924/9 | Skin, outboard, top forward of rear spar, port | | | | 1 | DTD.546 | MR/B | KE.2 | |
| | D.206924/10 | Skin, outboard bottom, forward of rear spar, port | | | | 1 | DTD.546 | MR/B | KE.2 | |
| | D.206924/13 | Skin, inboard leading-edge bottom, forward of rear spar, starboard | | | | 1 | DTD.546 | MR/B | KE.2 | |
| | D.206924/14 | Skin, inboard leading-edge top, forward of rear spar, starboard | | | | 1 | DTD.546 | MR/B | KE.2 | |

MAIN PLANES—OUTER WING

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|-----------------|-------------|---|---|---|--|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| 8162 | D.206924/15 | | | | | Skin , intermediate bottom, forward of rear spar, starboard | 1 | DTD.546 | MR/B | KE.2 |
| 8163 | D.206924/16 | | | | | Skin , intermediate top, forward of rear spar, starboard | 1 | DTD.546 | MR/B | KE.2 |
| 8164 | D.206924/17 | | | | | Skin , outboard bottom, forward of rear spar, starboard | 1 | DTD.546 | MR/B | KE.2 |
| 8165 | D.206924/18 | | | | | Skin , outboard top, forward of rear spar, starboard | 1 | DTD.546 | MR/B | KE.2 |
| 8166 | D.206924/19 | | | | | Skin , nosing, inboard, port | 1 | DTD.546 | MR/B | |
| 8167 | D.206924/20 | | | | | Skin , nosing, inboard, starboard | 1 | DTD.546 | MR/B | |
| 8158 | D.206924/11 | | | | | Strap , butt, leading edge | 1 | DTD.546 | MR/B | KE.2 |
| 8159 | D.206924/12 | | | | | Strap , butt, leading edge | 1 | DTD.546 | MR/B | KE.2 |
| | D.180885-6 | | | | | SKIN COVERING, AFT OF REAR SPAR, ASSEMBLY | - | - | | |
| 4580 | F.201410 | | | | | Lever ... | 2 | - | C. | |
| 4004 | A.197878 | | | | | Panel , access, flap synchronising jack | 2 | DTD.610 | C. | KE.2 |
| 1532 | A.188828 | | | | | Panel , access, to aileron actuator cables terminal block | 1 | DTD.610 | C. | KE.2 |
| 4278 | A.199069 | | | | | Panel , access to flap operating jack | 2 | L.72 | C. | KE.2 |
| | D.180885/1 | | | | | Skin , top, port | 1 | DTD.610 | | |
| | D.180886/1 | | | | | Skin , top, starboard | 1 | DTD.610 | | |
| | D.180885/2 | | | | | Skin , flap roof, port | 1 | DTD.610 | | |
| | D.180886/2 | | | | | Skin , flap roof, starboard | 1 | DTD.610 | | |
| | D.180885/3 | | | | | Skin , bottom, port | 1 | DTD.610 | | |
| | D.180886/3 | | | | | Skin , bottom, starboard | 1 | DTD.610 | | |
| | D.180887 | | | | | SKIN COVERING, ASSEMBLY ... | - | - | | |
| | Std.1551/5/110 | | | | | Bolt , at wing hood fitting | 2 | S.99.B | | 5 |
| | Std.1551/6/110 | | | | | Bolt , at wing hood fitting | 2 | S.99.B | | 5 |
| 102 | A.182664 | | | | | Panel , access to flap inboard bracket | 2 | DTD.610 | C. | KE.1 |
| | Std.1718/5 | | | | | Nut ... | 2 | S.95.B | | |
| | Std.1718/6 | | | | | Nut ... | 2 | S.95.B | | |
| 4872 | Std.1507/23/136 | | | | | Tube , distance, $\frac{1}{8}$ " o/d. x 17 S.W.G. (make from 30A/975) | 2 | T.26 | MR/C | |
| | D.206442-3 | | | | | SKIN RIVETTING, ASSEMBLY (Mod. 228) ... | - | - | | |
| | C.198834/7 | | | | | Angle , attachment, for fillet | 1 | DTD.610 | | |
| | C.198835/7 | | | | | Angle , attachment, for fillet | 1 | DTD.610 | | |
| 5200 | A.199056 | | | | | Panel , access to pylon attachment | 2 | - | C. | KE.2 |
| 5209 | F.205577 | | | | | Panel , access to flap jack anchorage | 4 | DTD.610 | C. | KE.2 |
| 7913 | B.210132 | | | | | Panel , access to by-pass valve and fuel connections (Mod. 228) | 2 | L.73 | B. | KE.2 |
| 5645 | D.198281 | | | | | Plate , joint, top, at rib "G" port | 1 | DTD.166 | MR/C | |
| 5646 | D.198282 | | | | | Plate , joint, top, at rib "G" starboard | 1 | DTD.166 | MR/C | |
| 5647 | B.199035 | | | | | Plate , reinforcing, between nose ribs "G" and "H," port | 1 | L.73 | MR/C | |
| 5648 | B.199036 | | | | | Plate , reinforcing, between nose ribs "G" and "H," starboard | 1 | L.72 | MR/C | |
| 7912 | A.206421 | | | | | Plate , cover, at nose rib "M" (Mod. 228) | 2 | L.72 & L.65 | B. | KE.2 |
| 8267 | A.208777 | | | | | Platform , for terminal block (Mod. 228) | 2 | L.72 | MR/C | |
| | D.198272 | | | | | SKIN RIVETTING DETAILS, ASSEMBLY | - | - | | |
| 109 | F.180635 | | | | | Panel , access to undercarriage jack attachment bolt | 2 | DTD.610 | C. | KE.2 |
| | F.184235 | | | | | Socket , drain pipe | 2 | - | | |

MAIN PLANES—OUTER WING

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|-----------------|-------------|---|---|---|---|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| | E.198128-9 | | | | | SPAR, CENTRE PORTION, ASSEMBLY ... | - | - | | |
| 1601 | Std.1639/3,C.X. | | | | | Bolt , cover plate attachment | 62 | S.95.B | C. | 5 |
| | A.177946 | | | | | Plate , cover | 2 | DTD.546 | | |
| 5671 | A.198136 | | | | | Ring , nut | 2 | Stamping | MR/C | KE.1 |
| | E.206216-7 | | | | | SPAR, OUTER PORTION, ASSEMBLY ... | - | - | | |
| | | | | | | (Mod. 228) | | | | |
| | A.177945 | | | | | Plate , cover | 10 | DTD.546 | | |
| | A.195462 | | | | | Plate , cover | 2 | DTD.546 | | |
| | C.198251 | | | | | SOCKET, SLINGING, PORT, ASSEMBLY ... | - | - | | |
| | C.198252 | | | | | SOCKET, SLINGING, STARBOARD, ASSEMBLY ... | - | - | | |
| 5665 | Std.1553/C/45 | | | | | Bolt , securing forward inboard socket | 8 | S.99.B | MR/C | 5 |
| 75 | Std.1553/C/60 | | | | | Bolt , securing forward inboard socket | 8 | S.99.B | C. | 5 |
| 113 | F.180423 | | | | | Plug , for slinging socket, at outboard and rear inboard sockets | 2 | - | C. | KE.2 |
| 5666 | A.198991 | | | | | Socket , top, forward inboard | 2 | - | MR/C | |
| 5667 | A.198992 | | | | | Socket , bottom, forward inboard | 1 | - | MR/C | |
| | A.180381 | | | | | Socket , rear, inboard | 2 | - | | |
| | A.180380 | | | | | Socket , top, outboard | 2 | - | | |
| | A.198879 | | | | | Socket , bottom, outboard | 2 | - | | |
| | Std.1547/18/14 | | | | | Washer , at outboard socket | 2 | DTD.610 | | |
| 5668 | A.194469 | | | | | Stiffener , at nose rib "G" | 2 | DTD.364 | MR/C | |
| 5669 | A.198326 | | | | | Stiffener , at nose rib "A" | 2 | DTD.364 | MR/C | |
| 5670 | D.198243 | | | | | Stringer , nose, top front, port | 1 | DTD.364 | MR/C | KE.1 |
| 5672 | D.198244 | | | | | Stringer , nose, top front, starboard | 1 | DTD.364 | MR/C | KE.1 |
| 5673 | D.198241 | | | | | Stringer , nose, top intermediate, port | 1 | DTD.364 | MR/C | KE.1 |
| 5674 | D.198242 | | | | | Stringer , nose, top intermediate, starboard | 1 | DTD.364 | MR/C | KE.1 |
| 5675 | D.198239 | | | | | Stringer , nose, top rear, port | 1 | DTD.364 | MR/C | KE.1 |
| 5676 | D.198240 | | | | | Stringer , nose, top rear, starboard | 1 | DTD.364 | MR/C | KE.1 |
| 5677 | D.198249 | | | | | Stringer , nose, bottom front, port | 1 | DTD.364 | MR/C | KE.1 |
| 5678 | D.198250 | | | | | Stringer , nose, bottom front, starboard | 1 | DTD.364 | MR/C | KE.1 |
| 5679 | D.198247 | | | | | Stringer , nose, bottom intermediate, port | 1 | DTD.364 | MR/C | KE.1 |
| 5680 | D.198248 | | | | | Stringer , nose, bottom intermediate, starboard | 1 | DTD.364 | MR/C | KE.1 |
| 5681 | D.198245 | | | | | Stringer , nose, bottom rear, port | 1 | DTD.364 | MR/C | KE.1 |
| 5682 | D.198246 | | | | | Stringer , nose, bottom rear, starboard | 1 | DTD.364 | MR/C | KE.1 |
| 5683 | D.198258 | | | | | Stringer , nose, front outer, port | 1 | DTD.364 | MR/C | KE.1 |
| 5684 | B.198259 | | | | | Stringer , nose, front outer, starboard | 1 | DTD.364 | MR/C | KE.1 |
| 5685 | B.198256 | | | | | Stringer , nose, rear outer, port | 1 | DTD.364 | MR/C | KE.1 |
| 5686 | B.198257 | | | | | Stringer , nose, rear outer, starboard | 1 | DTD.364 | MR/C | KE.1 |
| 5714 | B.198804 | | | | | Sub-spar , detachable, between tail ribs "D" and "E" port | 1 | DTD.610 | MR/C | KE.1 |
| 5715 | B.198805 | | | | | Sub-spar , detachable, between tail ribs "D" and "E," starboard | 1 | DTD.610 | MR/C | KE.1 |
| 5716 | B.198806 | | | | | Sub-spar , detachable, between tail ribs "G" and "K," port | 1 | DTD.610 | MR/C | KE.1 |
| 5717 | B.198807 | | | | | Sub-spar , detachable, between tail ribs "G" and "K," Starboard | 1 | DTD.610 | MR/C | KE.1 |
| 5687 | E.198159 | | | | | Web , inboard, for leading edge spar | 2 | DTD.546 | MR/C | |
| 5688 | E.198160 | | | | | Web , 1st intermediate, for leading edge spar, group | 2 | DTD.546 | MR/C | KE.1 |
| 4211 | Std.1687/2 | | | | | Saddle , for cable harness | 1 | DTD.610 | C. | 5 |

MAIN PLANES—OUTER WING

| Ref. No. | Part No. | Description | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|---------------|--|---------|------------------------|---------------------|-----------|
| | | | | | | |
| 5689 | E.198161 | Web , 2nd intermediate, for leading edge spar, group | 2 | DTD.546 | MR/C | KE.1 |
| 4211 | Std.1687/2 | Saddle , for cables harness | 1 | DTD.610 | C. | 5 |
| 6985 | F.207165 | Angle , attachment, for cable harness | 1 | L.72 | C. | |
| 5690 | E.198162 | Web , 3rd intermediate, for leading edge spar, group | 2 | DTD.546 | MR/C | |
| 4211 | Std.1687/2 | Saddle , for cable harness | 1 | DTD.610 | C. | 5 |
| 6985 | F.207165 | Angle , attachment, for cable harness | 1 | L.72 | C. | |
| 5691 | E.198163 | Web , outboard, for leading edge spar, group ... | 2 | DTD.546 | MR/C | |
| 4211 | Std.1687/2 | Saddle , for cable harness | 1 | DTD.610 | C. | 5 |
| 114 | C.181386 | Window , navigation light, port (With trimming allowance) | 1 | — | B. | KE.2 |
| 115 | C.181387 | Window , navigation light, starboard (With trimming allowance) | 1 | — | B. | KE.2 |
| 1577 | A.189520 | Seal , port | 1 | Rubber | C. | KE.2 |
| 1578 | F.189542 | Seal , starboard | 1 | Rubber | C. | KE.2 |
| 116 | B.181470 | Window | 2 | DTD.399 | A.C. | KE.2 |
| 4495 | B.203727 | Wing tip , port (camouflaged) (With trimming allowance) | 1 | — | A. | KE.2 |
| 4496 | B.203728 | Wing tip , starboard (camouflaged) (With trimming allowance) | 1 | — | A. | KE.2 |
| | A.208102 | WING, FUSELAGE CONNECTIONS, PITÔT INSTALLATION, ASSEMBLY | — | — | | |
| 3734 | Std.840/14 | Clip , securing earthing connections $\frac{7}{16}$ " wide \times 22 S.W.G. \times 1-4" long (Make from 30B/1433) | 4 | DTD.610 | MR/C | 4 |
| 4134 | Std.1285/4/BB | Connector , earthing | 4 | — | MR/C | 4 |
| † | A.196449/1 | Pipe , pressure, union to elbow | 1 | L.54 or T.9 | | JJ.1 |
| † | A.196449/2 | Pipe , static, union to elbow | 1 | L.54 or T.9 | | JJ.1 |

† For details see piping chart.

MAIN PLANES—OUTER WING

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Place No. |
|-------------------------------|-------------|-------------|--------------|-----|-----|-----|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| SUMMARY OF STOCK ITEMS | | | | | | | | | | |
| 28F/10797 | AGS.1129/A | Banjo, | body | ... | ... | ... | ... | ... | — | — |
| 28F/11167 | AGS.1132/A | Banjo, | body | ... | ... | ... | ... | ... | — | — |
| 28F/10524 | AGS.1132/B | Banjo, | body | ... | ... | ... | ... | ... | — | — |
| 28F/8221 | AGS.1135/A | Banjo, | body | ... | ... | ... | ... | ... | — | — |
| 28F/10018 | AGS.1135/B | Banjo, | bolt | ... | ... | ... | ... | ... | — | — |
| 28D/12528 | A25.1B | Bolt, | 4 B.A. | ... | ... | ... | ... | ... | — | — |
| 28D/12530 | A25.6B | Bolt, | 4 B.A. | ... | ... | ... | ... | ... | — | — |
| 28D/12625 | A25.9B | Bolt, | 4 B.A. | ... | ... | ... | ... | ... | — | — |
| 28D/12512 | A25.1C | Bolt, | 2 B.A. | ... | ... | ... | ... | ... | — | — |
| 28D/12513 | A25.2C | Bolt, | 2 B.A. | ... | ... | ... | ... | ... | — | — |
| 28D/12531 | A25.3C | Bolt, | 2 B.A. | ... | ... | ... | ... | ... | — | — |
| 28D/12532 | A25.4C | Bolt, | 2 B.A. | ... | ... | ... | ... | ... | — | — |
| 28D/12533 | A25.5C | Bolt, | 2 B.A. | ... | ... | ... | ... | ... | — | — |
| 28D/12566 | A25.6C | Bolt, | 2 B.A. | ... | ... | ... | ... | ... | — | — |
| 28D/12514 | A25.7C | Bolt, | 2 B.A. | ... | ... | ... | ... | ... | — | — |
| 28D/12629 | A25.8C | Bolt, | 2 B.A. | ... | ... | ... | ... | ... | — | — |
| 28D/12534 | A25.9C | Bolt, | 2 B.A. | ... | ... | ... | ... | ... | — | — |
| 28D/12515 | A25.10C | Bolt, | 2 B.A. | ... | ... | ... | ... | ... | — | — |
| 28D/12535 | A25.12C | Bolt, | 2 B.A. | ... | ... | ... | ... | ... | — | — |
| 28D/12536 | A25.13C | Bolt, | 2 B.A. | ... | ... | ... | ... | ... | — | — |
| 28D/12537 | A25.14C | Bolt, | 2 B.A. | ... | ... | ... | ... | ... | — | — |
| 28D/12517 | A25.17C | Bolt, | 2 B.A. | ... | ... | ... | ... | ... | — | — |
| 28D/8306 | AS.1242/1C | Bolt, | 2 B.A. | ... | ... | ... | ... | ... | — | — |
| 28D/8307 | AS.1242/2C | Bolt, | 2 B.A. | ... | ... | ... | ... | ... | — | — |
| 28D/8308 | AS.1242/3C | Bolt, | 2 B.A. | ... | ... | ... | ... | ... | — | — |
| 28D/8309 | AS.1242/4C | Bolt, | 2 B.A. | ... | ... | ... | ... | ... | — | — |
| 28D/8311 | AS.1242/7C | Bolt, | 2 B.A. | ... | ... | ... | ... | ... | — | — |
| 28D/12519 | A25.3E | Bolt, | 1/4" B.S.F. | ... | ... | ... | ... | ... | — | — |
| 28D/12542 | A25.5E | Bolt, | 1/4" B.S.F. | ... | ... | ... | ... | ... | — | — |
| 28D/12547 | A25.15E | Bolt, | 1/4" B.S.F. | ... | ... | ... | ... | ... | — | — |
| 28D/8323 | AS.1242/2E | Bolt, | 1/4" B.S.F. | ... | ... | ... | ... | ... | — | — |
| 28D/8324 | AS.1242/3E | Bolt, | 1/4" B.S.F. | ... | ... | ... | ... | ... | — | — |
| 28D/9296 | AS.1242/15E | Bolt, | 1/4" B.S.F. | ... | ... | ... | ... | ... | — | — |
| 28D/13258 | AS.2504/5C | Bolt, | 2 B.A. | ... | ... | ... | ... | ... | — | — |
| 28D/11790 | AS.2504/9E | Bolt, | 1/4" B.S.F. | ... | ... | ... | ... | ... | — | — |
| 28D/11804 | AS.2504/11E | Bolt, | 1/4" B.S.F. | ... | ... | ... | ... | ... | — | — |
| 28D/13321 | A25.2G | Bolt, | 5/16" B.S.F. | ... | ... | ... | ... | ... | — | — |
| 28V/13603 | AGS.838/8 | Bush | ... | ... | ... | ... | ... | ... | — | — |
| 28N/9796 | SP.21 | Nipple | ... | ... | ... | ... | ... | ... | — | — |
| 28M/13939 | A27.CP. | Nut, | 2 B.A. | ... | ... | ... | ... | ... | — | — |
| 28M/13121 | A27.CS. | Nut, | 2 B.A. | ... | ... | ... | ... | ... | — | — |
| 28L/13124 | A27.CT | Nut, | 2 B.A. | ... | ... | ... | ... | ... | — | — |
| 28L/12931 | A27.ET | Nut, | 1/4" B.S.F. | ... | ... | ... | ... | ... | — | — |
| 28L/13410 | A27.NT | Nut, | 1/4" B.S.F. | ... | ... | ... | ... | ... | — | — |
| 28M/14537 | A58.GS | Nut, | 5/16" B.S.F. | ... | ... | ... | ... | ... | — | — |
| 28M/13403 | AGS.572/AP. | Nut, | 1/4" B.S.F. | ... | ... | ... | ... | ... | — | — |
| 28M/7748 | AGS.572/J | Nut, | 5/16" B.S.F. | ... | ... | ... | ... | ... | — | — |

MAIN PLANES—OUTER WING

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Score | Plate No. |
|-----------|---------------|--|-----|-----|-----|-----|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| 28M/5850 | AGS.2001/B1 | Nut, 4 B.A. | ... | ... | ... | ... | ... | — | — | — |
| 28M/5871 | AGS.2002/B1 | Nut, 4 B.A. | ... | ... | ... | ... | ... | — | — | — |
| 28M/5851 | AGS.2001/C1 | Nut, 2 B.A. | ... | ... | ... | ... | ... | — | — | — |
| 28M/5872 | AGS.2002/C1 | Nut, 2 B.A. | ... | ... | ... | ... | ... | — | — | — |
| 28M/8904 | AGS.2012/B.11 | Nut, 4 B.A. | ... | ... | ... | ... | ... | — | — | — |
| 28P/1044 | SP.4.Y.D22 | Pin | ... | ... | ... | ... | ... | — | — | — |
| 28P/12431 | SP.9.C.6 | Pin, split | ... | ... | ... | ... | ... | — | — | — |
| 28P/12462 | SP9.C8 | Pin, split, $\frac{1}{8}$ " x 1-00" long | ... | ... | ... | ... | ... | — | — | — |
| 28P/12463 | SP9.E10 | Pin, split, $\frac{3}{8}$ " x 1 $\frac{1}{2}$ " long | ... | ... | ... | ... | ... | — | — | — |
| 28S/13887 | A32.B10 | Screw, 4 B.A. | ... | ... | ... | ... | ... | — | — | — |
| 28S/2857 | A3.B12 | Screw, 4 B.A. | ... | ... | ... | ... | ... | — | — | — |
| 28S/13720 | A.33.B10 | Screw, 4 B.A. | ... | ... | ... | ... | ... | — | — | — |
| 28S/14006 | A.33.B14 | Screw, 4 B.A. | ... | ... | ... | ... | ... | — | — | — |
| 28S/2815 | A.33.B16 | Screw, 4 B.A. | ... | ... | ... | ... | ... | — | — | — |
| 28S/2826 | A.33.C24 | Screw, 2 B.A. | ... | ... | ... | ... | ... | — | — | — |
| 28S/2809 | A.33.B12 | Screw, 4 B.A. | ... | ... | ... | ... | ... | — | — | — |
| 28S/2126 | A45.C16 | Screw, 2 B.A. | ... | ... | ... | ... | ... | — | — | — |
| 28S/2862 | A32/C16 | Screw, 2 B.A. | ... | ... | ... | ... | ... | — | — | — |
| 28V/5104 | AGS.838/1 | Union, straight | ... | ... | ... | ... | ... | — | — | — |
| 28V/5105 | AGS.838/2 | Union, tee | ... | ... | ... | ... | ... | — | — | — |
| 28V/5107 | AGS.838/3 | Union, elbow | ... | ... | ... | ... | ... | — | — | — |
| 28V/5108 | AGS.838/4 | Union, nut | ... | ... | ... | ... | ... | — | — | — |
| 28W/14319 | SP.11C | Washer, 2 B.A. | ... | ... | ... | ... | ... | — | — | — |
| 28W/12252 | SP.13C | Washer, 2 B.A. | ... | ... | ... | ... | ... | — | — | — |
| 28W/12306 | SP.15B | Washer, 4 B.A. | ... | ... | ... | ... | ... | — | — | — |
| 28W/12296 | SP.15C | Washer, 2 B.A. | ... | ... | ... | ... | ... | — | — | — |
| 28W/12496 | SP.15E | Washer, $\frac{1}{4}$ " B.S.F. | ... | ... | ... | ... | ... | — | — | — |
| 28W/12355 | SP.16C | Washer, 2 B.A. | ... | ... | ... | ... | ... | — | — | — |
| 28W/12297 | SP.16E | Washer, $\frac{1}{4}$ " B.S.F. | ... | ... | ... | ... | ... | — | — | — |
| 28W/12802 | SP.16P | Washer, $\frac{3}{16}$ " B.S.F. | ... | ... | ... | ... | ... | — | — | — |
| 28W/13893 | SP.16Q | Washer, $\frac{1}{8}$ " B.S.F. | ... | ... | ... | ... | ... | — | — | — |
| 28F/12047 | AGS.1186/A | Washer, sealing | ... | ... | ... | ... | ... | — | — | — |
| 28F/12048 | AGS.1186/B | Washer, sealing | ... | ... | ... | ... | ... | — | — | — |

MAIN PLANES—OUTER WING


| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Score | Place No. |
|----------|------------|--|---|---|---|---|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| 5689 | E.198161 | Web , 2nd intermediate, for leading edge spar, group | | | | | 2 | DTD.546 | MR/C | KE.1 |
| 4211 | Std.1687/2 | Saddle , for cables harness | | | | | 1 | DTD.610 | C. | 5 |
| 6985 | F.207165 | Angle , attachment, for cable harness | | | | | 1 | L.72 | C. | |
| 5690 | E.198162 | Web , 3rd intermediate, for leading edge spar, group | | | | | 2 | DTD.546 | MR/C | |
| 4211 | Std.1687/2 | Saddle , for cable harness | | | | | 1 | DTD.610 | C. | 5 |
| 6985 | F.207165 | Angle , attachment, for cable harness | | | | | 1 | L.72 | C. | |
| 5691 | E.198163 | Web , outboard, for leading edge spar, group ... | | | | | 2 | DTD.546 | MR/C | |
| 4211 | Std.1687/2 | Saddle , for cable harness | | | | | 1 | DTD.610 | C. | 5 |
| 8535 | D.216811 | Window , navigation light, port, group (With trimming allowance (Mod. 533) | | | | | 1 | — | B. | KE.2 |
| 8536 | D.216812 | Window , navigation light, starboard group (With trimming allowance) (Mod. 533) | | | | | 1 | — | B. | KE.2 |
| 8537 | A.216916 | Seal , port (Mod. 533) | | | | | 1 | Rubber | C. | KE.2 |
| 8538 | F.216917 | Seal , starboard (Mod. 533) | | | | | 1 | Rubber | C. | KE.2 |
| 8539 | C.216914 | Window , port (Mod. 533) | | | | | 1 | DTD.846 | C. | KE.2 |
| 8540 | C.216915 | Window , starboard (Mod. 533) | | | | | 1 | DTD.846 | C. | KE.2 |
| 8533 | D.216584 | Wing tip , port (camouflaged) (With trimming allowance) (Mod. 533) | | | | | 1 | — | B. | KE.2 |
| 8534 | D.216585 | Wing tip , starboard (camouflaged) (With trimming allowance) (Mod. 533) | | | | | 1 | — | B. | KE.2 |
| | A.208102 | WING, FUSELAGE CONNECTIONS, PITÔT INSTALLATION, ASSEMBLY | | | | | — | --- | | |
| 3734 | Std.840/14 | Clip , securing earthing connections $\frac{7}{16}$ " wide \times 22 S.W.G. \times 1-4" long (Make from 30B/1433) | | | | | 4 | DTD.610 | MR/C | 4 |
| † | A.196449/1 | Pipe , pressure, union to elbow | | | | | 1 | L.54 or T.9 | | JJ.1 |
| † | A.196449/2 | Pipe , static, union to elbow | | | | | 1 | L.54 or T.9 | | JJ.1 |
| | | † For details see piping chart. | | | | | | | | |


MAIN PLANES—OUTER WING

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|-------------------------------|-------------|-------------|--------------|-----|-----|-----|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| SUMMARY OF STOCK ITEMS | | | | | | | | | | |
| 28F/10797 | AGS.1129/A | Banjo, | body | ... | ... | ... | ... | --- | --- | --- |
| 28F/11167 | AGS.1132/A | Banjo, | body | ... | ... | ... | ... | --- | --- | --- |
| 28F/10524 | AGS.1132/B | Banjo, | body | ... | ... | ... | ... | --- | --- | --- |
| 28F/8221 | AGS.1135/A | Banjo, | bolt | ... | ... | ... | ... | --- | --- | --- |
| 28F/10018 | AGS.1135/B | Banjo, | bolt | ... | ... | ... | ... | --- | --- | --- |
| 28D/12528 | A25.1B | Bolt, | 4 B.A. | ... | ... | ... | ... | --- | --- | --- |
| 28D/12622 | A25.3B | Bolt, | 4 B.A. | ... | ... | ... | ... | --- | --- | --- |
| 28D/12529 | A25.4B | Bolt, | 4 B.A. | ... | ... | ... | ... | --- | --- | --- |
| 28D/12530 | A25.6B | Bolt, | 4 B.A. | ... | ... | ... | ... | --- | --- | --- |
| 28D/12625 | A25.9B | Bolt, | 4 B.A. | ... | ... | ... | ... | --- | --- | --- |
| 28D/12512 | A251.C | Bolt, | 2 B.A. | ... | ... | ... | ... | --- | --- | --- |
| 28D/12513 | A25.2C | Bolt, | 2 B.A. | ... | ... | ... | ... | --- | --- | --- |
| 28D/12531 | A25.3C | Bolt, | 2 B.A. | ... | ... | ... | ... | --- | --- | --- |
| 28D/12532 | A25.4C | Bolt, | 2 B.A. | ... | ... | ... | ... | --- | --- | --- |
| 28D/12533 | A25.5C | Bolt, | 2 B.A. | ... | ... | ... | ... | --- | --- | --- |
| 28D/12566 | A25.6C | Bolt, | 2 B.A. | ... | ... | ... | ... | --- | --- | --- |
| 28D/12514 | A25.7C | Bolt, | 2 B.A. | ... | ... | ... | ... | --- | --- | --- |
| 28D/12629 | A25.8C | Bolt, | 2 B.A. | ... | ... | ... | ... | --- | --- | --- |
| 28D/12534 | A25.9C | Bolt, | 2 B.A. | ... | ... | ... | ... | --- | --- | --- |
| 28D/12515 | A25.10C | Bolt, | 2 B.A. | ... | ... | ... | ... | --- | --- | --- |
| 28D/12535 | A25.12C | Bolt, | 2 B.A. | ... | ... | ... | ... | --- | --- | --- |
| 28D/12536 | A25.13C | Bolt, | 2 B.A. | ... | ... | ... | ... | --- | --- | --- |
| 28D/12537 | A25.14C | Bolt, | 2 B.A. | ... | ... | ... | ... | --- | --- | --- |
| 28D/12517 | A25.17C | Bolt, | 2 B.A. | ... | ... | ... | ... | --- | --- | --- |
| 28D/8306 | AS.1242/1C | Bolt, | 2 B.A. | ... | ... | ... | ... | --- | --- | --- |
| 28D/8307 | AS.1242/2C | Bolt, | 2 B.A. | ... | ... | ... | ... | --- | --- | --- |
| 28D/8308 | AS.1242/3C | Bolt, | 2 B.A. | ... | ... | ... | ... | --- | --- | --- |
| 28D/8309 | AS.1242/4C | Bolt, | 2 B.A. | ... | ... | ... | ... | --- | --- | --- |
| 28D/8507 | AS.1242/5C | Bolt, | 2 B.A. | ... | ... | ... | ... | --- | --- | --- |
| 28D/8311 | AS.1242/7C | Bolt, | 2 B.A. | ... | ... | ... | ... | --- | --- | --- |
| 28D/12519 | A25.3E | Bolt, | 1/4" B.S.F. | ... | ... | ... | ... | --- | --- | --- |
| 28D/12542 | A25.5E | Bolt, | 1/4" B.S.F. | ... | ... | ... | ... | --- | --- | --- |
| 28D/12547 | A25.15E | Bolt, | 1/4" B.S.F. | ... | ... | ... | ... | --- | --- | --- |
| 28D/8323 | AS.1242/2E | Bolt, | 1/4" B.S.F. | ... | ... | ... | ... | --- | --- | --- |
| 28D/8324 | AS.1242/3E | Bolt, | 1/4" B.S.F. | ... | ... | ... | ... | --- | --- | --- |
| 28D/9296 | AS.1242/15E | Bolt, | 1/4" B.S.F. | ... | ... | ... | ... | --- | --- | --- |
| 28D/13258 | AS.2504/5C | Bolt, | 2 B.A. | ... | ... | ... | ... | --- | --- | --- |
| 28D/11790 | AS.2504/9E | Bolt, | 1/4" B.S.F. | ... | ... | ... | ... | --- | --- | --- |
| 28D/11804 | AS.2504/11E | Bolt, | 1/4" B.S.F. | ... | ... | ... | ... | --- | --- | --- |
| 28D/13321 | A25.2G | Bolt, | 5/16" B.S.F. | ... | ... | ... | ... | --- | --- | --- |
| 28V/13603 | AGS.838/8 | Bush | ... | ... | ... | ... | ... | --- | --- | --- |
| 5K/3390 | AS.3360/B3B | Lead, | bonding | ... | ... | ... | ... | --- | --- | --- |
| 5K/3355 | AS.3360/B4B | Lead, | bonding | ... | ... | ... | ... | --- | --- | --- |
| 5K/3373 | AS.3360/B5B | Lead, | bonding | ... | ... | ... | ... | --- | --- | --- |
| 5K/3394 | AS.3360/B6B | Lead, | bonding | ... | ... | ... | ... | --- | --- | --- |
| 5K/3413 | AS.3360/B7B | Lead, | bonding | ... | ... | ... | ... | --- | --- | --- |
| 28N/9796 | SP.21 | Nipple | ... | ... | ... | ... | ... | --- | --- | --- |
| 28L/776 | A16Y.ET | Nut, | 1/4" B.S.F. | ... | ... | ... | ... | --- | --- | --- |
| 28L/753 | A16Y.CT | Nut, | 2 B.A. | ... | ... | ... | ... | --- | --- | --- |
| 28L/13140 | A27.BT | Nut, | 4 B.A. | ... | ... | ... | ... | --- | --- | --- |
| 28M/13939 | A27.CP | Nut, | 2 B.A. | ... | ... | ... | ... | --- | --- | --- |
| 28M/13121 | A27.CS | Nut, | 2 B.A. | ... | ... | ... | ... | --- | --- | --- |
| 28L/13124 | A27.CT | Nut, | 2 B.A. | ... | ... | ... | ... | --- | --- | --- |
| 28L/12931 | A27.ET | Nut, | 1/4" B.S.F. | ... | ... | ... | ... | --- | --- | --- |
| 28L/13410 | A27.NT | Nut, | 1/8" B.S.F. | ... | ... | ... | ... | --- | --- | --- |
| 28M/14537 | A58.GS | Nut, | 5/16" B.S.F. | ... | ... | ... | ... | --- | --- | --- |
| 28M/13403 | AGS.572/AP. | Nut, | 1/4" B.S.F. | ... | ... | ... | ... | --- | --- | --- |
| 28M/7748 | AGS.572/J | Nut, | 1/8" B.S.F. | ... | ... | ... | ... | --- | --- | --- |

MAIN PLANES—OUTER WING

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|-------------------------------|---------------|---|-----|-----|-----|-----|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| SUMMARY OF STOCK ITEMS | | | | | | | | | | |
| 28M/5850 | AGS.2001/B1 | Nut, 4 B.A. | ... | ... | ... | ... | - | - | - | - |
| 28M/10326 | AGS.2002/A1 | Nut, 6 B.A. | ... | ... | ... | ... | - | - | - | - |
| 28M/5871 | AGS.2002/B1 | Nut, 4 B.A. | ... | ... | ... | ... | - | - | - | - |
| 28M/5851 | AGS.2001/C1 | Nut, 2 B.A. | ... | ... | ... | ... | - | - | - | - |
| 28M/5872 | AGS.2002/C1 | Nut, 2 B.A. | ... | ... | ... | ... | - | - | - | - |
| 28M/10215 | AGS.2008/B1 | Nut, 4 B.A. | ... | ... | ... | ... | - | - | - | - |
| 28M/8904 | AGS.2012/B.11 | Nut, 4 B.A. | ... | ... | ... | ... | - | - | - | - |
| 28M/14538 | AGS.2019/G1 | Nut, $\frac{1}{8}$ " B.S.F. | ... | ... | ... | ... | - | - | - | - |
| 28P/1044 | SP.4.Y.D22 | Pin | ... | ... | ... | ... | - | - | - | - |
| 28P/12431 | SP.9.C.6 | Pin, split | ... | ... | ... | ... | - | - | - | - |
| 28P/12462 | SP9.C8 | Pin, split, $\frac{1}{16}$ " x 1.00" long | ... | ... | ... | ... | - | - | - | - |
| 28P/12463 | SP9.E10 | Pin, split, $\frac{3}{16}$ " x 1 $\frac{1}{4}$ " long | ... | ... | ... | ... | - | - | - | - |
| 28S/13887 | A.32.B10 | Screw, 4 B.A. | ... | ... | ... | ... | - | - | - | - |
| 28S/2857 | A.30.B12 | Screw, 4 B.A. | ... | ... | ... | ... | - | - | - | - |
| 28S/2857 | A.32.B12 | Screw, 4 B.A. | ... | ... | ... | ... | - | - | - | - |
| 28S/14627 | A.32.B36 | Screw, 4 B.A. | ... | ... | ... | ... | - | - | - | - |
| 28S/14836 | A.33.A10 | Screw, 6 B.A. | ... | ... | ... | ... | - | - | - | - |
| 28S/13720 | A.33.B10 | Screw, 4 B.A. | ... | ... | ... | ... | - | - | - | - |
| 28S/14006 | A.33.B14 | Screw, 4 B.A. | ... | ... | ... | ... | - | - | - | - |
| 28S/2815 | A.33.B16 | Screw, 4 B.A. | ... | ... | ... | ... | - | - | - | - |
| 28S/2826 | A.33.C24 | Screw, 2 B.A. | ... | ... | ... | ... | - | - | - | - |
| 28S/2809 | A.33.B12 | Screw, 4 B.A. | ... | ... | ... | ... | - | - | - | - |
| 28S/2833 | A.33.B28 | Screw, 4 B.A. | ... | ... | ... | ... | - | - | - | - |
| 28S/2126 | A.45.C16 | Screw, 2 B.A. | ... | ... | ... | ... | - | - | - | - |
| 28S/2862 | A.32.C16 | Screw, 2 B.A. | ... | ... | ... | ... | - | - | - | - |
| 28V/5104 | AGS.838/1 | Union, straight | ... | ... | ... | ... | - | - | - | - |
| 28V/5105 | AGS.838/2 | Union, tee | ... | ... | ... | ... | - | - | - | - |
| 28V/5107 | AGS.838/3 | Union, elbow | ... | ... | ... | ... | - | - | - | - |
| 28V/5108 | AGS.838/4 | Union, nut | ... | ... | ... | ... | - | - | - | - |
| 28W/14319 | SP.11C | Washer | ... | ... | ... | ... | - | - | - | - |
| 28W/12252 | SP.13C | Washer | ... | ... | ... | ... | - | - | - | - |
| 28W/12306 | SP.15B | Washer | ... | ... | ... | ... | - | - | - | - |
| 28W/12296 | SP.15C | Washer | ... | ... | ... | ... | - | - | - | - |
| 28W/12496 | SP.15E | Washer | ... | ... | ... | ... | - | - | - | - |
| 28W/12731 | SP.16B | Washer | ... | ... | ... | ... | - | - | - | - |
| 28W/12355 | SP.16C | Washer | ... | ... | ... | ... | - | - | - | - |
| 28W/12297 | SP.16E | Washer | ... | ... | ... | ... | - | - | - | - |
| 28W/12802 | SP.16P | Washer | ... | ... | ... | ... | - | - | - | - |
| 28W/13893 | SP.16Q | Washer | ... | ... | ... | ... | - | - | - | - |
| 28F/12047 | AGS.1186/A | Washer, sealing | ... | ... | ... | ... | - | - | - | - |
| 28F/12048 | AGS.1186/B | Washer, sealing | ... | ... | ... | ... | - | - | - | - |
| 28L/11067 | AGS.2035.B | Washer | ... | ... | ... | ... | - | - | - | - |
| | AGS.1186/3 | Washer, sealing | ... | ... | ... | ... | - | - | - | - |





This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

