

POWER INSTALLATION—ENGINE MOUNTING

Ref. No.	Part No.	Description	No. Off					Material Specification	M.R. Class of Store	Place No.
			1	2	3	4	5			
	D.186357	ENGINE MOUNTING, ASSEMBLY ...						—		
409	F.188580	Ball, end ...						BSS.369	C.	LE.1
399	F.166660	Bearing, rear, port ...						BSS.369	C.	LE.1
400	F.166661	Bearing, rear, starboard ...						BSS.369	C.	LE.1
4175	D.186357/B	Block and cap, group ...						—	C.	LE.1
		Consisting of:—								
403	F.166527	Bolt, "U" ...						S.2	C.	LE.1
	B.186358	Block ...						Stamping		
	A.186522	Cap ...						Stamping		
28M/13123	A27/JS	Nut ...						—	C.	
28W/12255	SP.13.J	Washer ...						—	C.	
402	F.186444	Bolt, rear block attachment ...						S.95.B	C.	LE.1
404	A.186359	Bolt, eye, front ...						Stamping	C.	LE.1
406	A.186360	Fork-end, front ...						Stamping	C.	LE.1
410	Std.1716/Q	Nut, lock, 3/8" B.S.F. R.H. ...						—	C.	5
411	Std.1716/QL	Nut, lock, 3/8" B.S.F. L.H. ...						—	C.	5
407	F.166967	Pin, attachment of rear bearing (port only) ...						S.2	C.	LE.1
408	F.166531	Turnbuckle, front ...						S.11	C.	LE.1

POWER INSTALLATION-ENGINE MOUNTING

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
SUMMARY OF STOCK ITEMS										
	A57.14N	Bolt,	$\frac{1}{2}$ "	B.S.F.
	A57.17N	Bolt,	$\frac{1}{2}$ "	B.S.F.
28M/13123	A.27.JS	Nut,	$\frac{3}{8}$ "	B.S.F.
28M/7820	AGS.572/H	Nut,	$\frac{1}{2}$ "	B.S.F.
28P/12463	SP.9.E10	Pin, split
28P/12462	SP.9.C8	Pin, split
28W/12255	SP.13.J	Washer,	$\frac{3}{8}$ "	dia.
28W/12525	SP.15.N	Washer,	$\frac{1}{2}$ "	dia.

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

