

SERVICES—FUEL FILTER DE-ICING SYSTEM

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		1 2 3 4 5				
	B.219909	FUEL FILTER DE-ICING SYSTEM, CENTRE FUSELAGE, ASSEMBLY (Mod. 252)	—	—	—	
27M/8793	Auto Prod. AVA.63B	Cap, blanking	1	—	C.	
	F.215030	Cleat, on blanking plate aft, frame 37, starboard ...	2	LFS.21	—	
4768	Std.841/14	Clip, $\frac{7}{16}$ " wide x 22 S.W.G. x 1-4" long ...	3	DTD.610	MR/C	
	Std.851/44	Clip, $\frac{7}{16}$ " wide x 22 S.W.G. x 4-4" long ...	1	DTD.610	—	
27M/8766	Auto Prod. AVA.62B	Nut, union	1	—	C	
8795	B.211463/4	Pipe, coupling to non-return valve	1	T.55	C.	NA.I.
9016	B.211463/5	Pipe, non-return valve to fuel delivery pipe connection	1	T.55	C.	NA.I.
9019	B.211463/9	Pipe, coupling to solenoid valve... ..	1	T.55	C.	NA.I.
9021	B.211463/11	Pipe, solenoid to coupling	1	T.55	C.	NA.I.
6253	A.205848	Shield, heat	2	S.84	C.	NA.I.
27V/4814	Teddington Controls FAW/A/325	Solenoid	1	—	A.	
27M/8759	Auto Prods. AVA.57B	Union	1	—	C.	
6260	F.204903	Union, jet	1	—	C.	NA.I
27F/2661	Saunders N.1002	Valve, non-return	1	—	A.	
	C.220703	FUEL FILTER DE-ICING SYSTEM, REAR FUSELAGE, ASSEMBLY (Mod. 252)	—	—	—	
27M/8832	Auto Prods. AVA.64B	Cap, blanking	2	—	C.	
27M/8775	Auto Prods. AVA.64C	Cap, blanking	1	—	C.	
6066	Std.840/11	Clip, $\frac{7}{16}$ " wide x 22 S.W.G. x 1-1" long ...	3	DTD.610	C.	
4761	Std.840/13	Clip, $\frac{7}{16}$ " wide x 22 S.W.G. x 1-3" long ...	4	DTD.610	MR/C	
3736	Std.840/17	Clip, $\frac{7}{16}$ " wide x 22 S.W.G. x 1-7" long ...	4	DTD.610	C.	
27M/8749	Auto Prods. AVA.55B	Coupling, self-sealing	2	—	C.	
27M/8750	Auto Prods. AVA.55C	Coupling, self-sealing	1	—	C.	
5UE/6245	—	Filter	1	—	C.	
	Std.1231/12	Lug, locking	3	S.3	—	
9024	A.211091	Pipe, branch	1	T.55	C.	
8792	B.211463/1	Pipe, overflow, tank to coupling	1	T.55	C.	NA.I
8793	B.211463/2	Pipe, pump drain to atmosphere	1	T.55	C.	NA.I
8794	B.211463/3	Pipe, pump to coupling	1	T.55	C.	NA.I
9017	B.211463/6	Pipe, charging coupling to adaptor	1	T.55	C.	NA.I
9018	B.211463/7	Pipe, vent, connection to atmosphere	1	T.55	C.	NA.I
9020	B.211463/10	Pipe, pump to filter	1	T.55	C.	NA.I
5UE/6294	Plessey FP.3	Pump, Mk. 9	1	—	A.	

RESTRICTED

Hunter F. Mk. 4

Issued with Amendment List No. 12

SERVICES—FUEL FILTER DE-ICING SYSTEM

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
6254	B.205142	Strap, tank mounting, group	...	...	...	...	2	—	C.	NA.1
	B.205142/1	Strap, short	...	...	...	...	1	DTD.166	—	
	B.205142/2	Strap, long	...	...	...	...	1	DTD.166	—	
	AS.1892	Trunnion	...	...	...	...	1	—	—	
	AS.1894	Trunnion	...	...	...	...	1	—	—	
9025	C.210761	Tank, alcohol, group	...	...	...	...	1	—	B.	NA.1
6256	A.205045	Adaptor	...	...	...	...	1	—	C.	NA.1
6257	A.205270	Valve, suction and pressure relief, group	...	...	...	...	1	—	B.	NA.1
	F.205268	Collar, for valve	...	...	...	...	1	S.80B	—	
6259	F.205269	Spring, for ball	...	...	...	...	1	Inconel	C.	NA.1
6258	F.205271	Spring, for valve	...	...	...	...	1	Inconel	C.	NA.1
	A.205265	Valve	...	...	...	...	1	S.80B	—	
	Std.1509/3/072	Tube, distance	...	...	...	...	4	—	—	

RESTRICTED

RESTRICTED

Hunter F. Mk. 4

Page NA.3

Issued with Amendment List. No 12

SERVICES—FUEL FILTER DE-ICING SYSTEM

Ref. No.	Part No.	Description										No. Off	Material Specification	M.R. Class of Store	Plate No.	
		1	2	3	4	5	6	7	8	9	10					
SUMMARY OF STOCK ITEMS																
28D/13868	A25.1B	Bolt, 4	B.A.	...	...	...	...	...	...	...	...	—	—	—		
28D/12528	A25.1B	Bolt, 4	B.A.	...	...	...	...	...	...	...	...	—	—	—		
28D/12511	A25.2B	Bolt, 4	B.A.	...	...	...	...	...	...	...	...	—	—	—		
28D/12512	A25.1C	Bolt, 2	B.A.	...	...	...	...	...	...	...	...	—	—	—		
28D/12519	A25.3E	Bolt, 1/2"	B.S.F.	...	...	...	...	...	...	...	...	—	—	—		
28D/12544	A25.8E	Bolt, 1/2"	B.S.F.	...	...	...	...	...	...	...	...	—	—	—		
28D/8300	AS.1242.1B	Bolt, 4	B.A.	...	...	...	...	...	...	...	...	—	—	—		
28N/13018	AGS.2031/2	Circlip	...	...	...	...	...	...	...	...	...	—	—	—		
28M/10290	AGS.2001.E1	Nut, 1/2"	B.S.F.	...	...	...	...	...	...	...	...	—	—	—		
28M/10327	AGS.2002.B1	Nut, 4	B.A.	...	...	...	...	...	...	...	...	—	—	—		
28M/10330	AGS.2002.E1	Nut, 1/2"	BSF	...	...	...	...	...	...	...	...	—	—	—		
28R/7973	AGS.165.B	Ring, lock	...	...	...	...	...	...	...	...	...	—	—	—		
28S/12072	A31.C48	Screw	...	...	...	...	...	...	...	...	...	—	—	—		
28W/12306	SP.15B	Washer	...	...	...	...	...	...	...	...	...	—	—	—		
28W/12296	SP.15C	Washer	...	...	...	...	...	...	...	...	...	—	—	—		
28W/12496	SP.15E	Washer	...	...	...	...	...	...	...	...	...	—	—	—		
28F/8215	AGS.1138.B	Washer	...	...	...	...	...	...	...	...	...	—	—	—		
28F/9649	AGS.1138.C	Washer	...	...	...	...	...	...	...	...	...	—	—	—		
28F/9654	AGS.1138.G	Washer	...	...	...	...	...	...	...	...	...	—	—	—		

NA.1

NA.1

RESTRICTED

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

