

SERVICES—FUEL SYSTEM IN WINGS

| Ref. No. | Part No.                       | Description                                                                  | No. Off | Material Specification | M.R. Class of Score | Plate No. |
|----------|--------------------------------|------------------------------------------------------------------------------|---------|------------------------|---------------------|-----------|
|          |                                | 1 2 3 4 5                                                                    |         |                        |                     |           |
| —        | D.207216-7                     | <b>FUEL SYSTEM IN WINGS, ASSEMBLY ...</b><br>(Pre Mod. 228)                  | —       | —                      |                     |           |
| —        | —                              | <b>Cables, electrical (See cable chart) ...</b>                              | —       | —                      |                     |           |
| 1136     | A.186450                       | <b>Clamp, pipe connection, group ...</b>                                     | 4       | —                      | C.                  | NC.1      |
| 2723     | F.184931                       | <b>Bolt, eye ...</b>                                                         | 1       | S.94.B                 | MR/C                |           |
| 2724     | F.185592                       | <b>Washer ...</b>                                                            | 1       | DTD.364                | MR/C                |           |
| 6526     | F.213079                       | <b>Nut, special ...</b>                                                      | 1       | S.95                   |                     |           |
| 4992     | F.200275                       | <b>Clamp, pipe connection, group ...</b>                                     | 2       | —                      | C.                  | NC.1      |
| 2723     | F.184931                       | <b>Bolt, eye ...</b>                                                         | 1       | S.94.B                 | MR/C                |           |
| 2724     | F.185592                       | <b>Washer ...</b>                                                            | 1       | DTD.364                | MR/C                |           |
| 6526     | F.213079                       | <b>Nut, special ...</b>                                                      | 1       | S.95                   | C.                  |           |
| 5414     | Std. 851/68                    | <b>Clip, support, for vent pipe at rib "G" ...</b><br>(Make from 30B/1433)   | 2       | DTD.610                | C.                  | 4         |
| —        | Std. 843/38                    | <b>Clip, support, <math>\frac{1}{16}</math>" x 22 S.W.G. x 3-8 long ...</b>  | 2       | S.3                    |                     |           |
| —        | Std.851/30                     | <b>Clip, support, for vent pipe at rib No. 2 ...</b><br>(Make from 30B/1433) | 2       | DTD.610                | —                   | 4         |
| 4165     | Std.850/35                     | <b>Clip, support, for earthing connectors ...</b>                            | 2       | DTD.610                | MR/C                | 4         |
| 27F/2352 | Flight Refuelling<br>FRS.132.F | <b>Connector ...</b>                                                         | 2       | —                      | C.                  |           |
| 4105     | Std.1285/8CC                   | <b>Connection, earthing ...</b>                                              | 1       | —                      | C.                  | 4         |
| 4993     | F.205032                       | <b>Packing, for vent pipe clip at rib "G" ...</b>                            | 2       | LFS.21                 | C.                  |           |
| 4994     | Std.1939/1                     | <b>Packing, for vent pipe clip at rib No. 2 ...</b>                          | 2       | LFS.21                 | C.                  |           |
| 6987     | A.207209/4                     | <b>Pipe, air, inboard tank to connections (Mod. 265) ...</b>                 | 2       | DTD.253                | C.                  | NC.1      |
| 4996     | B.198928/2                     | <b>Pipe, connection to connection, port ...</b>                              | 1       | DTD.253                | C.                  | NC.1      |
| 4997     | B.198928/3                     | <b>Pipe, air, connection to connection, starboard ...</b>                    | 1       | DTD.253                | C.                  | NC.1      |
| 4998     | B.198928/4                     | <b>Pipe, air, connection to by-pass valve, port ...</b>                      | 1       | DTD.253                | C.                  | NC.1      |
| 4999     | B.198928/5                     | <b>Pipe, air, connection to by-pass valve, starboard ...</b>                 | 1       | DTD.253                | C.                  | NC.1      |
| 5000     | B.198928/6                     | <b>Pipe, fuel, transfer, connection to tank, port... ..</b>                  | 1       | DTD.253                | C.                  | NC.1      |
| 5001     | B.198928/7                     | <b>Pipe, fuel transfer, connection to tank, starboard ...</b>                | 1       | DTD.253                | C.                  | NC.1      |
| 5002     | C.200137                       | <b>Pipe, fuel transfer, by-pass valve to connection, port ...</b>            | 1       | DTD.253                | C.                  | NC.1      |
| 5003     | C.200138                       | <b>Pipe, fuel transfer, by-pass valve to connection, starboard ...</b>       | 1       | DTD.253                | C.                  | NC.1      |
| 5004     | Dowty<br>G.D.1309/16           | <b>Ring, sealing, at suction relief valve ...</b>                            | 2       | —                      | C.                  |           |
| 5005     | Dowty<br>GD.1309/17            | <b>Ring, sealing, at air pipe connection ...</b>                             | 2       | —                      | C.                  |           |
| 3948     | Dowty<br>GD.1309/25            | <b>Ring, sealing, at transfer pipe couplings ...</b>                         | 6       | —                      | C.                  |           |
| 5006     | Std.1703/7C                    | <b>Screw, special, for suction relief valve ...</b>                          | 4       | S.95.B                 | C.                  | 5         |
| 5023     | E.206941-2                     | <b>TANK, INSTALLATION, ASSEMBLY ...</b>                                      | —       | —                      |                     |           |
| 6777     | F.210001                       | <b>Adaptor, union for air pipe ...</b>                                       | 2       | L.65                   | C.                  | NC.1      |
| 7066     | F.211844                       | <b>Bolt, special, for tank interconnection ...</b>                           | 6       | S.95B.                 |                     |           |
|          |                                | <b>Bolt, special, for tank interconnection ...</b>                           | 36      | S.95B.                 |                     | NC.1      |
|          | Smiths<br>J.M.14               | <b>Box, terminal ...</b>                                                     | 2       | —                      |                     |           |
|          | Smiths<br>J.U.6                | <b>Box, terminal ...</b>                                                     | 8       | —                      |                     |           |
| 5024     | Std.1178/4                     | <b>Clip, support, for air pipe in No. 1 tank ...</b>                         | 2       | S.3 & T.26             | C.                  | 4         |
| 5025     | C.198341                       | <b>Duct, transfer, in No. 1 tank, port ...</b>                               | 1       | L.54 & L.59            | C.                  | NC.1      |
| 5026     | C.198342                       | <b>Duct, transfer, in No. 1 tank, starboard ...</b>                          | 1       | L.54 & L.59            | C.                  | NC.1      |
| 5027     | C.198530                       | <b>Duct, transfer, inner, in No. 2 tank, port ...</b>                        | 1       | L.54 & L.59            | C.                  | NC.1      |
| 5028     | C.198531                       | <b>Duct, transfer, inner, in No. 2 tank, starboard ...</b>                   | 1       | L.54 & L.59            | C.                  | NC.1      |
| 5029     | C.198343                       | <b>Duct, transfer, outer, in No. 2 tank, port ...</b>                        | 1       | L.54 & L.59            | C.                  | NC.1      |

RESTRICTED

Hunter F. Mk. 4, 5, 52  
Issued with Amendment List No. 10

## SERVICES—FUEL SYSTEM IN WINGS

| Ref. No. | Part No.          | Description |   |   |   |                                                                         | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|-------------------|-------------|---|---|---|-------------------------------------------------------------------------|---------|------------------------|---------------------|-----------|
|          |                   | 1           | 2 | 3 | 4 | 5                                                                       |         |                        |                     |           |
| 5030     | C.198344          |             |   |   |   | Duct, transfer, outer, in No. 2 tank, starboard ...                     | 1       | L.54 & L.59            | C.                  | NC.1      |
| 6991     | C.209795          |             |   |   |   | Duct, transfer, inner, in No. 3 tank, port ...                          | 1       | L.54 & L.59            | C.                  | NC.1      |
| 6992     | C.209796          |             |   |   |   | Duct, transfer, inner, in No. 3 tank, starboard ...                     | 1       | L.54 & L.59            | C.                  | NC.1      |
| 5033     | C.198345          |             |   |   |   | Duct, transfer, outer, in No. 3 tank, port ...                          | 1       | L.54 & L.59            | C.                  | NC.1      |
| 5034     | C.198346          |             |   |   |   | Duct, transfer, outer, in No. 3 tank, starboard ...                     | 1       | L.54 & L.59            | C.                  | NC.1      |
| 5035     | C.198526          |             |   |   |   | Duct, transfer, in No. 4 tank, port ...                                 | 1       | L.54 & L.59            | C.                  | NC.1      |
| 5036     | C.198527          |             |   |   |   | Duct, transfer, in No. 4 tank, starboard ...                            | 1       | L.54 & L.59            | C.                  | NC.1      |
| 6095     | B.208097          |             |   |   |   | Duct, outlet, Port in No. 1 tank, group (Mod. 328)                      | 1       | —                      | B.                  | NC.1      |
| 6096     | B.208098          |             |   |   |   | Duct, outlet, starboard in No. 1 tank, group (Mod. 328)                 | 1       | —                      | B.                  | NC.1      |
|          | A.199074          |             |   |   |   | Plate, mounting ...                                                     | 2       | DTD.610                |                     |           |
| 5038     | Dowty             |             |   |   |   | Ring, sealing, "O" type ...                                             | 2       | —                      | C.                  |           |
|          | GD.1308/4         |             |   |   |   |                                                                         |         |                        |                     |           |
| 5CW/5254 | Flight Refuelling |             |   |   |   | Float, switch, in No. 1 tank ...                                        | 2       | —                      | A.                  | NC.1      |
|          | D.3504100/1       |             |   |   |   |                                                                         |         |                        |                     |           |
| 5CW/5255 | Flight Refuelling |             |   |   |   | Float, switch, in No. 4 tank ...                                        | 2       | —                      | A.                  | NC.1      |
|          | D.3504100/2       |             |   |   |   |                                                                         |         |                        |                     |           |
| 2144     | Std.1231/3        |             |   |   |   | Lug, locking ...                                                        | 2       | S.3                    | C.                  | 4         |
| 6988     | B.207013          |             |   |   |   | Plate, mounting, at leading edge spar for No. 1 tank (Mod. 265)         | 2       | DTD.610                | C.                  | NC.1      |
| 6990     | B.207014          |             |   |   |   | Plate, mounting, at leading edge spar for Nos. 2 and 3 tanks (Mod. 265) | 4       | DTD.610                | C.                  | NC.1      |
| 6989     | B.207015          |             |   |   |   | Plate, mounting, at leading edge spar for No. 4 tank (Mod. 265)         | 2       | DTD.610                | C.                  | NC.1      |
| 5042     | B.202091          |             |   |   |   | Pipe, air, flexible, in No. 1 tank ...                                  | 2       | —                      | C.                  | NC.1      |
| 5043     | B.202075          |             |   |   |   | Pipe, air, in No. 1 tank, port ...                                      | 1       | DTD.253                | C.                  | NC.1      |
| 5044     | B.202076          |             |   |   |   | Pipe, air, in No. 1 tank, starboard ...                                 | 1       | DTD.253                | C.                  | NC.1      |
| 5045     | C.198514          |             |   |   |   | Pipe, fuel transfer, in No. 4 tank, port ...                            | 1       | L.54 & L.59            | C.                  | NC.1      |
| 5046     | C.198515          |             |   |   |   | Pipe, fuel transfer, in No. 4 tank, starboard ...                       | 1       | L.54 & L.59            | C.                  | NC.1      |
| 5047     | A.199113          |             |   |   |   | Ring, clamping transfer ducts to ribs ...                               | 12      | DTD.364                | C.                  | NC.1      |
| 3945     | Dowty             |             |   |   |   | Ring, sealing, "O" type, at transfer ducts connections                  | 12      | —                      | C.                  | NC.1      |
|          | GD.1308/2         |             |   |   |   |                                                                         |         |                        |                     |           |
| 6208     | F.210208          |             |   |   |   | Ring, sealing, at bulkhead connection on front spar                     | 2       | —                      | C.                  |           |
| 3932     | Dowty             |             |   |   |   | Seal, bonded ...                                                        | 64      | —                      | C.                  | NC.1      |
|          | GD.1307/3         |             |   |   |   |                                                                         |         |                        |                     |           |
| 5786     | Dowty             |             |   |   |   | Seal, bonded, at transfer duct connections ...                          | 24      | —                      | C.                  | NC.1      |
|          | GD.1307/4         |             |   |   |   |                                                                         |         |                        |                     |           |
| 3941     | Dowty             |             |   |   |   | Seal, bonded, at bulkhead connection on leading edge spar               | 2       | —                      | C.                  | NC.1      |
|          | GD.1307/G         |             |   |   |   |                                                                         |         |                        |                     |           |
|          | —                 |             |   |   |   | Tanks (See Section "Q") ...                                             | —       | —                      |                     |           |
| 5049     | F.198318          |             |   |   |   | Washer, sealing, at No. 4 tank transfer pipe flange                     | 2       | DTD.762                | C.                  | NC.1      |
| 5050     | F.199218          |             |   |   |   | Washer, sealing, at float switch in No. 1 tank ...                      | 2       | DTD.762                | C.                  | NC.1      |
| 5051     | F.199217          |             |   |   |   | Washer, sealing, at No. 1 tank air pipe flange ...                      | 2       | DTD.762                | C.                  | NC.1      |
| 5052     | A.199216          |             |   |   |   | Washer, sealing, at outlet duct in No. 1 tank ...                       | 2       | DTD.762                | C.                  |           |
| 5053     | F.199096          |             |   |   |   | Seal, "U," at float switch in No. 4 tank ...                            | 2       | Rubber                 | C.                  | NC.1      |
| 8429     | A.217430          |             |   |   |   | Valve, suction relief, port group (Mod. 567)                            | 1       | —                      | B.                  | NC.1      |
| 8430     | A.217431          |             |   |   |   | Valve, suction relief, starboard group (Mod. 567)                       | 1       | —                      | B.                  | NC.1      |
| 6200     | F.209640          |             |   |   |   | Collar ...                                                              | 1       | —                      | C.                  | NC.1      |
|          | A.200240          |             |   |   |   | Pipe, port ...                                                          | 1       | —                      |                     |           |
|          | A.200241          |             |   |   |   | Pipe, starboard ...                                                     | 1       | —                      |                     |           |
| 6199     | F.209155          |             |   |   |   | Spring ...                                                              | 1       | Steel                  | C.                  | NC.1      |
| 7050     | F.215727          |             |   |   |   | Valve ...                                                               | 1       | —                      | C.                  | NC.1      |

RESTRICTED

RESTRICTED

SERVICES—FUEL SYSTEM IN WINGS

| Ref. No.  | Part No.    | Description            |     |     |     |     |     |     |     |     |     | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|-----------|-------------|------------------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|---------|------------------------|---------------------|-----------|
|           |             | 1                      | 2   | 3   | 4   | 5   | 6   | 7   | 8   | 9   | 10  |         |                        |                     |           |
|           |             | SUMMARY OF STOCK ITEMS |     |     |     |     |     |     |     |     |     |         |                        |                     |           |
| 28D/12528 | A25.1B      | Bolt, 4 B.A.           | ... | ... | ... | ... | ... | ... | ... | ... | ... | —       | —                      | —                   |           |
| 28D/12512 | A25.1C      | Bolt, 2 B.A.           | ... | ... | ... | ... | ... | ... | ... | ... | ... | —       | —                      | —                   |           |
| 28D/12513 | A25.2C      | Bolt, 2 B.A.           | ... | ... | ... | ... | ... | ... | ... | ... | ... | —       | —                      | —                   |           |
| 28D/12531 | A25.3C      | Bolt, 2 B.A.           | ... | ... | ... | ... | ... | ... | ... | ... | ... | —       | —                      | —                   |           |
| 28D/12532 | A25.4C      | Bolt, 2 B.A.           | ... | ... | ... | ... | ... | ... | ... | ... | ... | —       | —                      | —                   |           |
| 28D/12629 | A25.8C      | Bolt, 2 B.A.           | ... | ... | ... | ... | ... | ... | ... | ... | ... | —       | —                      | —                   |           |
| 28D/12517 | A25.17C     | Bolt, 2 B.A.           | ... | ... | ... | ... | ... | ... | ... | ... | ... | —       | —                      | —                   |           |
| 28D/12635 | A25.24E     | Bolt, 1" B.S.F.        | ... | ... | ... | ... | ... | ... | ... | ... | ... | —       | —                      | —                   |           |
|           | AS.3360/B6C | Connection, earthing   | ... | ... | ... | ... | ... | ... | ... | ... | ... | —       | —                      | —                   |           |
| 28F/8280  | AGS.1142.H  | Nipple                 | ... | ... | ... | ... | ... | ... | ... | ... | ... | —       | —                      | —                   |           |
| 27F/11905 | AGS.1170.H  | Nipple                 | ... | ... | ... | ... | ... | ... | ... | ... | ... | —       | —                      | —                   |           |
| 28M/13121 | A27.CS      | Nut, 2 B.A.            | ... | ... | ... | ... | ... | ... | ... | ... | ... | —       | —                      | —                   |           |
| 28M/10327 | AGS.2002.B1 | Nut, 4 B.A.            | ... | ... | ... | ... | ... | ... | ... | ... | ... | —       | —                      | —                   |           |
| 28M/10328 | AGS.2002.C1 | Nut, 2 B.A.            | ... | ... | ... | ... | ... | ... | ... | ... | ... | —       | —                      | —                   |           |
| 28M/13264 | AGS.2021.C1 | Nut, 2 B.A.            | ... | ... | ... | ... | ... | ... | ... | ... | ... | —       | —                      | —                   |           |
| 28M/13721 | AGS.2021.E1 | Nut, 2 B.A.            | ... | ... | ... | ... | ... | ... | ... | ... | ... | —       | —                      | —                   |           |
| 28P/12462 | SP.9.C8     | Pin                    | ... | ... | ... | ... | ... | ... | ... | ... | ... | —       | —                      | —                   |           |
| 28R/6341  | AGS.566.B   | Plug                   | ... | ... | ... | ... | ... | ... | ... | ... | ... | —       | —                      | —                   |           |
| 28S/14301 | A33.C14     | Screw                  | ... | ... | ... | ... | ... | ... | ... | ... | ... | —       | —                      | —                   |           |
| 28S/6611  | A37.C20     | Screw                  | ... | ... | ... | ... | ... | ... | ... | ... | ... | —       | —                      | —                   |           |
| 28S/2821  | A33.B20     | Screw                  | ... | ... | ... | ... | ... | ... | ... | ... | ... | —       | —                      | —                   |           |
| 28F/12048 | AGS.1186.B  | Seal, 1"               | ... | ... | ... | ... | ... | ... | ... | ... | ... | —       | —                      | —                   |           |
| 28F/14252 | AGS.1186.3  | Seal, 2 B.A.           | ... | ... | ... | ... | ... | ... | ... | ... | ... | —       | —                      | —                   |           |
| 28W/12306 | SP.15.B     | Washer                 | ... | ... | ... | ... | ... | ... | ... | ... | ... | —       | —                      | —                   |           |
| 28W/12296 | SP.15.C     | Washer                 | ... | ... | ... | ... | ... | ... | ... | ... | ... | —       | —                      | —                   |           |
| 28W/12355 | SP.16.C     | Washer                 | ... | ... | ... | ... | ... | ... | ... | ... | ... | —       | —                      | —                   |           |

RESTRICTED



SERVICES—FUEL SYSTEM IN WINGS

| Ref. No. | Part No.                        | Description                                                                              |   |   |   |   | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|---------------------------------|------------------------------------------------------------------------------------------|---|---|---|---|---------|------------------------|---------------------|-----------|
|          |                                 | 1                                                                                        | 2 | 3 | 4 | 5 |         |                        |                     |           |
|          | E.206680-1                      | <b>FUEL SYSTEM IN WINGS, ASSEMBLY (Mod. 228)</b>                                         |   |   |   |   |         |                        |                     |           |
|          | —                               | <b>Cables</b> , electrical (See cable chart) ... ..                                      |   |   |   |   | —       | —                      |                     |           |
| 1136     | A.186450                        | <b>Clamp</b> , pipe connection, group ... ..                                             |   |   |   |   | 4       | —                      | C.                  | NC.1      |
| 2723     | F.184931                        | <b>Bolt</b> , eye ... ..                                                                 |   |   |   |   | 1       | S.94.B                 | MR/C                |           |
| 6526     | F.213079                        | <b>Nut</b> , special ... ..                                                              |   |   |   |   | 1       | S.95                   | C.                  |           |
| 2724     | F.185592                        | <b>Washer</b> ... ..                                                                     |   |   |   |   | 1       | DTD.364                | MR/C                |           |
| 4992     | F.200275                        | <b>Clamp</b> , pipe connection, group ... ..                                             |   |   |   |   | 2       | —                      | C.                  | NC.1      |
| 2723     | F.184931                        | <b>Bolt</b> , eye ... ..                                                                 |   |   |   |   | 1       | S.94                   | MR/C                |           |
| 6526     | F.213079                        | <b>Nut</b> , special ... ..                                                              |   |   |   |   | 1       | S.95                   | C.                  |           |
| 2724     | F.185592                        | <b>Washer</b> ... ..                                                                     |   |   |   |   | 1       | DTD.364                | MR/C                |           |
| 421      | A.185593                        | <b>Clamp</b> , pipe connection, group ... ..                                             |   |   |   |   | 4       | —                      | C.                  |           |
| 2723     | F.184931                        | <b>Bolt</b> , eye ... ..                                                                 |   |   |   |   | 1       | S.94.B                 | MR/C                |           |
| 2724     | F.185592                        | <b>Washer</b> ... ..                                                                     |   |   |   |   | 1       | DTD.364                | MR/C                |           |
| 5059     | A.186451                        | <b>Clamp</b> , pipe connection, group ... ..                                             |   |   |   |   | 4       | —                      | C.                  |           |
| 2723     | F.184931                        | <b>Bolt</b> , eye ... ..                                                                 |   |   |   |   | 1       | S.94.B                 | MR/C                |           |
| 2724     | F.185592                        | <b>Washer</b> ... ..                                                                     |   |   |   |   | 1       | DTD.364                | MR/C                |           |
| 5414     | Std.851/68                      | <b>Clip</b> , support, for vent pipe at rib "G" ... ..                                   |   |   |   |   | 2       | DTD.610                | C.                  | 4         |
|          | Std.851/30                      | <b>Clip</b> , support for vent pipe at rib No. 2 ... ..<br>(Make from 30B/1433)          |   |   |   |   | 2       | DTD.610                | —                   |           |
| 4165     | Std.850/35                      | <b>Clip</b> , support for earthing connector ... ..                                      |   |   |   |   | 2       | DTD.610                | C.                  | 4         |
| 27F/2352 | Flight Refuelling<br>FRS.132.F. | <b>Connector</b> ... ..                                                                  |   |   |   |   | 2       | —                      | B.                  |           |
| 4105     | Std.1285.8.C.C.                 | <b>Connector</b> , earth at rib "A" ... ..                                               |   |   |   |   | 2       | —                      | C.                  | 4         |
| 4993     | F.205032                        | <b>Packing</b> , for vent pipe clip at rib "G" ... ..                                    |   |   |   |   | 2       | LFS.21                 | C.                  |           |
| 4994     | Std.1939/1                      | <b>Packing</b> , for vent pipe clip at rib No. 2 ... ..                                  |   |   |   |   | 2       | LFS.21                 | C.                  |           |
| 6987     | A.207209/4                      | <b>Pipe</b> , air, inboard tank to connection ... ..                                     |   |   |   |   | 2       | DTD.253                | C.                  | NC.1      |
| 4996     | B.198928/2                      | <b>Pipe</b> , connection to connection, port ... ..                                      |   |   |   |   | 1       | DTD.253                | C.                  | NC.1      |
| 4997     | B.198928/3                      | <b>Pipe</b> , air, connection to connection, starboard ... ..                            |   |   |   |   | 1       | DTD.253                | C.                  | NC.1      |
| 5000     | B.198928/6                      | <b>Pipe</b> , fuel, transfer, connection to tank, port ... ..                            |   |   |   |   | 1       | DTD.253                | C.                  | NC.1      |
| 5001     | B.198928/7                      | <b>Pipe</b> , fuel, transfer, connection to tank, starboard ... ..                       |   |   |   |   | 1       | DTD.253                | C.                  | NC.1      |
| 7902     | A.206783                        | <b>Pipe</b> , fuel, inboard to outboard pylon, port (Mod. 228) ... ..                    |   |   |   |   | 1       | BSS.265                | C.                  | NC.1      |
| 7903     | A.206784                        | <b>Pipe</b> , fuel, inboard to outboard pylon, starboard ... ..<br>(Mod. 228)            |   |   |   |   | 1       | BSS.265                | C.                  |           |
| 7898     | C.206676                        | <b>Pipe</b> , fuel, by-pass valve to connection, port (Mod. 228) ... ..                  |   |   |   |   | 1       | DTD.253                | C.                  | NC.1      |
| 7899     | C.206677                        | <b>Pipe</b> , fuel, by-pass valve to connection starboard ... ..<br>(Mod. 228)           |   |   |   |   | 1       | DTD.253                | C.                  | NC.1      |
| 7900     | C.206678                        | <b>Pipe</b> , air, Flight Refuelling coupling to connection, port ... ..<br>(Mod. 228)   |   |   |   |   | 1       | DTD.253                | C.                  | NC.1      |
| 7901     | C.206679                        | <b>Pipe</b> , air, Flight Refuelling coupling to connection, starboard (Mod. 228) ... .. |   |   |   |   | 1       | DTD.253                | C.                  | NC.1      |
| 7892     | B.206682                        | <b>Pipe</b> , fuel, between pylons (Mod. 228) ... ..                                     |   |   |   |   | 2       | DTD.253                | C.                  | NC.1      |
| 7893     | B.206683                        | <b>Pipe</b> , air, between pylons (Mod. 228) ... ..                                      |   |   |   |   | 2       | DTD.253                | C.                  | NC.1      |
| 7894     | C.206684                        | <b>Pipe</b> , fuel, outboard by-pass valve to connection, port ... ..<br>(Mod. 228)      |   |   |   |   | 1       | DTD.253                | C.                  | NC.1      |
| 7895     | C.206685                        | <b>Pipe</b> , fuel, outboard by-pass valve to connection, starboard (Mod. 228) ... ..    |   |   |   |   | 1       | DTD.253                | C.                  | NC.1      |
| 7896     | C.206686                        | <b>Pipe</b> , air, outboard by-pass valve to connection, port ... ..<br>(Mod. 228)       |   |   |   |   | 1       | DTD.253                | C.                  | NC.1      |
| 7897     | C.206687                        | <b>Pipe</b> , air, outboard by-pass valve to connection, starboard (Mod. 228) ... ..     |   |   |   |   | 1       | DTD.253                | C.                  | NC.1      |
| 5004     | Dowty<br>GD.1309/16             | <b>Ring</b> , sealing, at suction relief valve ... ..                                    |   |   |   |   | 2       | —                      | C.                  |           |
| 3948     | Dowty<br>GD.1309/25             | <b>Ring</b> , sealing, at transfer pipe couplings ... ..                                 |   |   |   |   | 4       | —                      | C.                  |           |

RESTRICTED

Hunter Mks. 4, 5  
Issued with Amendment List No. 10

## SERVICES—FUEL SYSTEM IN WINGS

| Ref. No. | Part No.                         | Description                                                          |   |   |   |   | No.<br>Off | Material<br>Specification | M.R.<br>Class<br>of<br>Store | Place<br>No. |
|----------|----------------------------------|----------------------------------------------------------------------|---|---|---|---|------------|---------------------------|------------------------------|--------------|
|          |                                  | 1                                                                    | 2 | 3 | 4 | 5 |            |                           |                              |              |
| 3945     | Dowty<br>GD.1308/2               | Ring, sealing, at fuel pipe connections ... ..                       |   |   |   |   | 10         | —                         | C.                           | NC.1         |
| 8010     | Dowty<br>GD.1309/23              | Ring, sealing, at fuel pipe connection outboard by-pass<br>valve     |   |   |   |   | 2          | —                         | C.                           |              |
| 5100     | Dowty<br>GD.1309/21              | Ring, sealing at air pipe connections ... ..                         |   |   |   |   | 4          | —                         | C.                           |              |
| 5006     | Std.1703/7C                      | Screw, special, for suction relief valve ... ..                      |   |   |   |   | 4          | S.95.B                    | C.                           | 5            |
| 7906     | A.206273                         | Support, for fuel and air pipes between pylons (Mod. 228)            |   |   |   |   | 4          | LFS.21                    | C.                           | NC.1         |
| 7907     | A.206274                         | Support, for fuel and air pipes between by-pass valves<br>(Mod. 228) |   |   |   |   | 4          | LFS.21                    | C.                           | NC.1         |
| 7908     | A.206275                         | Support, for fuel and air pipes between by-pass valves<br>(Mod. 228) |   |   |   |   | 4          | LFS.21                    | C.                           | NC.1         |
|          | E.206941-2                       | <b>TANK, INSTALLATION, ASSEMBLY</b> ... ..                           |   |   |   |   | —          | —                         | —                            |              |
| 5023     | F.202080                         | Adaptor, union for air pipe ... ..                                   |   |   |   |   | 2          | L.56                      | C.                           | NC.1         |
| 7066     | F.211844                         | Bolt, special, for tank interconnection ... ..                       |   |   |   |   | 36         | S.95.B                    | C.                           | NC.1         |
| 6A/4315  | Smiths JM.14                     | Box, terminal ... ..                                                 |   |   |   |   | 2          | —                         | A.                           |              |
| 6A/4316  | Smiths JU.6                      | Box, terminal ... ..                                                 |   |   |   |   | 8          | —                         | A.                           |              |
| 5024     | Std.1178/4                       | Clip, support, for air pipe in No. 1 tank ... ..                     |   |   |   |   | 2          | S.3 & T.26                | C.                           | 4            |
| 5025     | C.198341                         | Duct, transfer, in No. 1 tank, port ... ..                           |   |   |   |   | 1          | L.54 & L.59               | C.                           | NC.1         |
| 5026     | C.198342                         | Duct, transfer, in No. 1 tank, starboard ... ..                      |   |   |   |   | 1          | L.54 & L.59               | C.                           | NC.1         |
| 5027     | C.198530                         | Duct, transfer, inner, in No. 2 tank, port ... ..                    |   |   |   |   | 1          | L.54 & L.59               | C.                           | NC.1         |
| 5028     | C.198531                         | Duct, transfer, inner, in No. 2 tank, starboard ... ..               |   |   |   |   | 1          | L.54 & L.59               | C.                           | NC.1         |
| 5029     | C.198343                         | Duct, transfer, outer, in No. 2 tank, port ... ..                    |   |   |   |   | 1          | L.54 & L.59               | C.                           | NC.1         |
| 5030     | C.198344                         | Duct, transfer, outer, in No. 2 tank, starboard ... ..               |   |   |   |   | 1          | L.54 & L.59               | C.                           | NC.1         |
| 6991     | C.209795                         | Duct, transfer, inner, in No. 3 tank, port ... ..                    |   |   |   |   | 1          | L.54 & L.59               | C.                           | NC.1         |
| 6992     | C.209796                         | Duct, transfer, inner, in No. 3 tank, starboard ... ..               |   |   |   |   | 1          | L.54 & L.59               | C.                           | NC.1         |
| 5033     | C.198345                         | Duct, transfer, outer, in No. 3 tank, port ... ..                    |   |   |   |   | 1          | L.54 & L.59               | C.                           | NC.1         |
| 5034     | C.198346                         | Duct, transfer, outer, in No. 3 tank, starboard ... ..               |   |   |   |   | 1          | L.54 & L.59               | C.                           | NC.1         |
| 5035     | C.198526                         | Duct, transfer, in No. 4 tank, port ... ..                           |   |   |   |   | 1          | L.54 & L.59               | C.                           | NC.1         |
| 5036     | C.198527                         | Duct, transfer, in No. 4 tank, starboard ... ..                      |   |   |   |   | 1          | L.54 & L.59               | C.                           | NC.1         |
| 6095     | B.208097                         | Duct, outlet port in No. 1 tank, group ... ..                        |   |   |   |   | 1          | —                         | B.                           | NC.1         |
| 6096     | B.208098                         | Duct, outlet, starboard, in No. 1 tank, group                        |   |   |   |   | 1          | —                         | B.                           | NC.1         |
|          | A.199074                         | Plate, mounting ... ..                                               |   |   |   |   | 2          | DTD.610                   | —                            |              |
| 5038     | Dowty<br>GD.1308/4               | Ring, sealing "O" type ... ..                                        |   |   |   |   | 2          | —                         | C.                           |              |
| 5CW/5254 | Flight Refuelling<br>D.3504100/1 | Float, switch, in No. 1 tank ... ..                                  |   |   |   |   | 2          | —                         | A.                           | NC.1         |
| 5CW/5255 | Flight Refuelling<br>D.3504100/2 | Float, switch in No. 4 tank ... ..                                   |   |   |   |   | 2          | —                         | A.                           | NC.1         |
| 2144     | Std.1231/3                       | Lug, locking ... ..                                                  |   |   |   |   | 2          | S.3                       | C.                           | 4            |
| 6988     | B.207013                         | Plate, mounting, at leading edge spar for No. 1 tank                 |   |   |   |   | 2          | DTD.610                   | C.                           | NC.1         |
| 6990     | B.207014                         | Plate, mounting, at leading edge spar for Nos. 2 and<br>3 tanks      |   |   |   |   | 4          | DTD.610                   | C.                           | NC.1         |
| 6989     | B.207015                         | Plate, mounting at leading edge spar for No. 4 tank                  |   |   |   |   | 2          | DTD.610                   | C.                           | NC.1         |
| 5042     | B.202091                         | Pipe, air flexible in No. 1 tank ... ..                              |   |   |   |   | 2          | —                         | C.                           | NC.1         |
| 5043     | B.202075                         | Pipe, air, in No. 1 tank, port ... ..                                |   |   |   |   | 1          | DTD.253                   | C.                           | NC.1         |
| 5044     | B.202076                         | Pipe, air, in No. 1 tank, starboard ... ..                           |   |   |   |   | 1          | DTD.253                   | C.                           | NC.1         |
| 5045     | C.198514                         | Pipe, fuel transfer, in No. 4 tank, port ... ..                      |   |   |   |   | 1          | L.54 & L.59               | C.                           | NC.1         |
| 5046     | C.198515                         | Pipe, fuel transfer in No. 4 tank, starboard ... ..                  |   |   |   |   | 1          | L.54 & L.59               | C.                           | NC.1         |
| 5047     | A.199113                         | Ring, clamping transfer ducts to ribs ... ..                         |   |   |   |   | 12         | DTD.364                   | C.                           | NC.1         |
| 3945     | Dowty<br>GD.1308/2               | Ring, sealing "O" type, at transfer ducts connections                |   |   |   |   | 12         | —                         | C.                           | NC.1         |

RESTRICTED

RESTRICTED

SERVICES—FUEL SYSTEM IN WINGS

| Ref. No. | Part No.        | Description         |                     |   |   |                                                                                                                      | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|-----------------|---------------------|---------------------|---|---|----------------------------------------------------------------------------------------------------------------------|---------|------------------------|---------------------|-----------|
|          |                 | 1                   | 2                   | 3 | 4 | 5                                                                                                                    |         |                        |                     |           |
| 6208     | F.210208        |                     |                     |   |   | Ring, sealing at bulkhead connection on front spar                                                                   | 2       | —                      | C.                  |           |
| 3932     | Dowty           |                     |                     |   |   | Seal, bonded ... ..                                                                                                  | 64      | —                      | C.                  | NC.1      |
|          | GD.1307/3       |                     |                     |   |   |                                                                                                                      |         |                        |                     |           |
| 5786     | Dowty           |                     |                     |   |   | Seal, bonded, at transfer duct connections ...                                                                       | 24      | —                      | C.                  | NC.1      |
|          | GD.1307/4       |                     |                     |   |   |                                                                                                                      |         |                        |                     |           |
| 3941     | Dowty           |                     |                     |   |   | Seal, bonded at bulkhead connection on leading edge spar                                                             | 2       | —                      | C.                  | NC.1      |
|          | GD.1307/G       |                     |                     |   |   |                                                                                                                      |         |                        |                     |           |
|          | —               |                     |                     |   |   | Tanks (See Section "Q") ... ..                                                                                       | —       | —                      | —                   |           |
| 5049     | F.198318        |                     |                     |   |   | Washer, sealing at No. 4 tank transfer pipe flange                                                                   | 2       | DTD.762                | C.                  | NC.1      |
| 5050     | F.199218        |                     |                     |   |   | Washer, sealing, at float switch in No. 1 tank ...                                                                   | 2       | DTD.762                | C.                  | NC.1      |
| 5051     | F.199217        |                     |                     |   |   | Washer, sealing at No. 1 tank air pipe flange ...                                                                    | 2       | DTD.762                | C.                  | NC.1      |
| 5052     | A.199216        |                     |                     |   |   | Washer, sealing at outlet duct in No. 1 tank ...                                                                     | 2       | DTD.762                | C.                  |           |
| 5053     | F.199096        |                     |                     |   |   | Seal, "U" at float switch in No. 4 tank ...                                                                          | 2       | Rubber                 | C.                  | NC.1      |
| 4042     | Std.1509/23/030 |                     |                     |   |   | Tube, distance, at fuel pipe support $\frac{1}{8}$ " o/d. $\times$ 17 S.W.G. $\times$ 0-30" long (Make from 30B/556) | 4       | T.4                    | MR/C                | 4         |
| 8190     | <del>7904</del> | <del>A.210444</del> | <del>A.210421</del> |   |   | Valve, suction relief port, group (Mod. <del>220</del> 561)                                                          | 1       | —                      | B.                  | NC.1      |
| 8191     | <del>7905</del> | <del>A.210442</del> | <del>A.210423</del> |   |   | Valve, suction relief, starboard, group (Mod. <del>220</del> 561)                                                    | 1       | —                      | B.                  | NC.1      |
|          | 6200            | F.209640            |                     |   |   | Collar ... ..                                                                                                        | 1       | —                      | C.                  | NC.1      |
|          |                 | A.210450            |                     |   |   | Pipe, port ... ..                                                                                                    | 1       | —                      | —                   |           |
|          |                 | A.210451            |                     |   |   | Pipe, starboard ... ..                                                                                               | 1       | —                      | —                   |           |
|          | 6199            | F.209155            |                     |   |   | Spring ... ..                                                                                                        | 1       | Steel                  | C.                  | NC.1      |
|          | 7050            | F.215727            |                     |   |   | Valve ... ..                                                                                                         | 1       | —                      | C.                  | NC.1      |


RESTRICTED



SERVICES-FUEL SYSTEM IN WINGS

| Ref. No.               | Part No.      | Description         |     |     |     |     | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|------------------------|---------------|---------------------|-----|-----|-----|-----|---------|------------------------|---------------------|-----------|
|                        |               | 1                   | 2   | 3   | 4   | 5   |         |                        |                     |           |
| SUMMARY OF STOCK ITEMS |               |                     |     |     |     |     |         |                        |                     |           |
| 28D/12528              | A25.1B        | Bolt, 4 B.A.        | ... | ... | ... | ... | ...     | -                      | —                   | —         |
| 28D/12512              | A25.1C        | Bolt, 2 B.A.        | ... | ... | ... | ... | ...     | -                      | —                   | —         |
| 28D/12513              | A25.2C        | Bolt, 2 B.A.        | ... | ... | ... | ... | ...     | -                      | —                   | —         |
| 28D/12531              | A15.3C        | Bolt, 2 B.A.        | ... | ... | ... | ... | ...     | -                      | —                   | —         |
| 28D/12532              | A25.4C        | Bolt, 2 B.A.        | ... | ... | ... | ... | ...     | -                      | —                   | —         |
| 28D/12566              | A25.6C        | Bolt, 2 B.A.        | ... | ... | ... | ... | ...     | -                      | —                   | —         |
| 28D/12629              | A25.8C        | Bolt, 2 B.A.        | ... | ... | ... | ... | ...     | -                      | —                   | —         |
| 28D/12517              | A25.17C       | Bolt, 2 B.A.        | ... | ... | ... | ... | ...     | -                      | —                   | —         |
| 28D/12635              | A25.24E       | Bolt, 1/4" B.S.F.   | ... | ... | ... | ... | ...     | -                      | —                   | —         |
| 5K/3405                | AS.3360 B.3.C | Connector, earthing | ... | ... | ... | ... | ...     | -                      | —                   | —         |
| 5K/3408                | AS.3360 B.6.C | Connector, earthing | ... | ... | ... | ... | ...     | -                      | —                   | —         |
| 28F/8280               | AGS.1142.H    | Nipple              | ... | ... | ... | ... | ...     | -                      | —                   | —         |
| 28F/11905              | AGS.1170.H    | Nipple              | ... | ... | ... | ... | ...     | -                      | —                   | —         |
| 28M/13121              | A27.CS        | Nut, 2 B.A.         | ... | ... | ... | ... | ...     | -                      | —                   | —         |
| 28M/10327              | AGS.2002. B1  | Nut                 | ... | ... | ... | ... | ...     | -                      | —                   | —         |
| 28M/10328              | AGS.2002.C1   | Nut, 2 B.A.         | ... | ... | ... | ... | ...     | -                      | —                   | —         |
| 28M/13264              | AGS.2021.C1   | Nut, 2 B.A.         | ... | ... | ... | ... | ...     | -                      | —                   | —         |
| 28M/13721              | AGS.2021.E1   | Nut, 2 B.A.         | ... | ... | ... | ... | ...     | -                      | —                   | —         |
| 28P/12587              | SP.9.C4       | Pin                 | ... | ... | ... | ... | ...     | -                      | —                   | —         |
| 28P/12462              | SP.9.C8       | Pin                 | ... | ... | ... | ... | ...     | -                      | —                   | —         |
| 28R/6341               | AGS.566.B     | Plug                | ... | ... | ... | ... | ...     | -                      | —                   | —         |
| 28S/14301              | A33.C14       | Screw               | ... | ... | ... | ... | ...     | -                      | —                   | —         |
| 28S/6611               | A37.C20       | Screw               | ... | ... | ... | ... | ...     | -                      | —                   | —         |
| 28S/2821               | A33.B20       | Screw               | ... | ... | ... | ... | ...     | -                      | —                   | —         |
| 28F/12048              | AGS.1186.B    | Seal, 1/4"          | ... | ... | ... | ... | ...     | -                      | —                   | —         |
| 28F/12084              | AGS.1186.G    | Seal                | ... | ... | ... | ... | ...     | -                      | —                   | —         |
| 28F/14252              | AGS.1186.3    | Seal, 2 B.A.        | ... | ... | ... | ... | ...     | -                      | —                   | —         |
| 28W/12306              | SP.15.B       | Washer              | ... | ... | ... | ... | ...     | -                      | —                   | —         |
| 28W/12296              | SP.15.C       | Washer              | ... | ... | ... | ... | ...     | -                      | —                   | —         |
| 28F/9652               | AGS.1138.E    | Washer              | ... | ... | ... | ... | ...     | -                      | —                   | —         |

RESTRICTED

PLATE NO NC.1  
(ISSUE 4)

—HUNTER MK.4

FUEL SYSTEM

This file was downloaded  
from the RTFM Library.

Link: [www.scottbouch.com/rtfm](http://www.scottbouch.com/rtfm)

Please see site for usage terms,  
and more aircraft documents.

