

SERVICES-HYDRAULICS REAR FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	D.187925	HYDRAULIC INSTALLATION IN REAR FUSELAGE ASSEMBLY	-	-		
27Q/1541	Dowty D.8691Y	Accumulator (Mod. 497)	1	---	A.	NG.1
1180	F.183906	Block , clamp for return pipes	1	LFS.21	C.	NG.1
1181	F.183907	Block , clamp for pressure pipe	1	LFS.21	C.	NG.1
9095	F.180484	Body , banjo (Pre Mod. 514)	1	DTD.423	C.	
9094	F.179942	Bolt , banjo (Pre Mod. 514)	1	S.96B	C.	
7231	B.200875	Bracket , mounting for pressure gauge	1	L.72	MR/C	
	A.215212	Bracket , mounting for Micronic filter (Mod. 487)	1	---		
1182	A.189669	Clamp , top, twin type	1	S.3	C.	NG.1
1183	F.189672	Clamp , top, single type	1	S.3	C.	NG.1
2052	F.194338	Clamp , top half	7	LFS.21	C.	NG.1
2053	F.194339	Clamp , bottom half	8	LFS.21	C.	NG.1
2093	F.196103	Clamp	1	S.3	C.	NG.1
	F.211876	Clip , for pipe at frame 52 (Mod. 365)	1	S.3		
9092	F.221834	Clip , saddle	1	S.510	C.	
	F.215214	Clip , half securing Micronic filter (Mod. 487)	1	---		
3739	Std.840/30	Clip , $\frac{3}{16}$ " wide \times 22 S.W.G. \times 3-0" long	1	DTD.610	MR/C	4
4818	Std.840/35	Clip , $\frac{7}{16}$ " wide \times 22 S.W.G. \times 3-5" long	1	DTD.610	MR/C	4
27KC/1547	Fairey FHS.1211Z	Filter , micronic group (Mod.487)	1	---	A.	
		(For Spares see AP.4515,P. Vol. 3, Part 1, Section 2, Chapter 1)				
6A/2693	---	Gauge , pressure, Fluorescent Mk. 14LL	1	---	A.	
7232	B.209709	Guard , for flexible pipes (Mod. 365)	1	L.72	MR/C	NG.1
27M/9261	Auto. Prod. A.V.A.322A/16	Hose , flexible	1	---	C.	
27M/10606	Auto. Prod. A.V.A.322A/18-5	Hose , flexible	1	---	C.	
27M/9493	Auto. Prod. A.V.A.322A/26-5	Hose , flexible	1	---	C.	
27M/9699	Auto. Prod. A.V.A.322B/16	Hose , flexible	1	---	C.	
27M/9466	Auto. Prod. A.V.A.322B/23	Hose , flexible	1	---	C.	
	D.204180	HYDRAULICS FOR AIR BRAKE, ASSEMBLY	-	-		
2081	F.195583	Block , clamp	6	LFS.21	C.	NG.1
4950	F.204723	Block , clamp	10	LFS.21	C.	NG.1
4951	A.204934	Block , clamp	2	LFS.21	C.	NG.1
8511	F.220531	Block , saddle at Pressure Regulator Valve	1	LFB.82	C.	
27M/8775	Auto. Prod. A.V.A.64C	Cap , blanking	2	---	C.	
4952	F.204102	Clamp , plate	4	LFS.21	C.	NG.1
5789	Std.851/35	Clip , $\frac{3}{16}$ " wide \times 22 S.W.G. \times 3-5" long	2	DTD.610	C.	4
	Std.853/81	Clip , $\frac{3}{16}$ " wide \times 22 S.W.G. \times 8-1" long	1	S.3		4
27M/8762	Auto. Prod. A.V.A.58C	Coupling , flanged (Mod. 366)	2	---	C.	
5483	Std.1231/1B	Lug , locking (Mod. 366)	2	S.3	MR/C	4
2144	Std.1231/3	Lug , locking	5	S.3	C.	4
7680	Std.1231/3B	Lug , locking (Mod. 366)	4	S.3	MR/C	4
4953	A.204708	Pipe , flexible to Pressure Relief Valve (Dunlop)	1	WH.3/2	C.	NG.1
4954	A.204709	Pipe , flexible to Pressure Relief Valve (Dunlop)	1	WH.3/2	C.	
7687	F.211473	Piece , distance (Mod. 366)	8	T.4	MR/C	
7684	A.209797	Plate , for flanged coupling, port (Mod. 366)	1	---	MR/C	
7685	A.209798	Plate , for flanged coupling, starboard (Mod. 366)	1	---	MR/C	
	A.216950	Plate , fireproof cover (Mod. 366)	2	S.3	MR.	

SERVICES—HYDRAULIC REAR FUSELAGE

Ref. No.	Part No.	Description	No. Off					Material Specification	M.R. Class of Store	Place No.
			1	2	3	4	5			
27Q/1287	F.217369	Plate, sealing at frame 50 (Mod. 543)	1	LFS.21	A.		
	F.217370	Plate, sealing at frame 50 (Mod. 543)	1	LFS.21			
	Dowty	Regulator, pressure (Mod. 554)	1	—			
27Q/1526	C.4862Y Mk. E	Regulator, pressure (Mod. 381)	1	—	A.		
	Dowty									
27Q/12037	C.8413Y Mk. E	Ring, "O"	2	—	C.		
	Dowty									
	SP.900/22									
8240	A.216951	Shield, fireproof, top, port (Mod. 366)	1	S.3	MR/C	NG.1	
8241	A.216952	Shield, fireproof, top, starboard (Mod. 366)	1	S.3	MR/C	NG.1	
8242	A.216953	Shield, fireproof, bottom port (Mod. 366)	1	S.3	MR/C	NG.1	
8243	A.216954	Shield, fireproof, bottom, starboard (Mod. 366)	1	S.3	MR/C	NG.1	
8244	A.216955	Shield, fireproof, top, port (Mod. 366)	1	S.3	MR/C	NG.1	
8245	A.216956	Shield, fireproof, top, starboard (Mod. 366)	1	S.3	MR/C	NG.1	
8246	A.216957	Shield, fireproof, bottom, port (Mod. 366)	1	S.3	MR/C	NG.1	
8247	A.216958	Shield, fireproof, bottom, starboard (Mod. 366)	1	S.3	MR/C	NG.1	
7821	Dowty GD.1579	Shroud, 3/4" B.S.P., bulkhead connection ... (Alternative to A.206610)	4	—	C.		
5703	A.206610	Shroud, bulkhead connection ... (Alternative to Dowty GD.1579)	8	—	C.	NG.1	
7822	Dowty GD.1576	Shroud, 3/4" B.S.P., aft of frame 46 connection ... (Alternative to A.206611)	1	—	C.		
5704	A.206611	Shroud, aft of frame 46 connection ... (Alternative to Dowty GD.1576)	2	—	C.	NG.1	
5CW/6015	Thermal Control TP.5300/2	Switch, pressure (Mod. 477) ... (Alternative to TP.1300)	1	—	A.		
5CW/5981	Thermal Control TP.1300	Switch, pressure (Mod. 477) ... (Alternative to TP.5300/2)	1	—	A.		
27Q/1501	Dowty C.7418Y Mk. A	Unit, selector	1	—	A.		
27Q/1444	Dowty C.7416Y Mk. B	Unit, Selector	1	—	A.		
27Q/1288	Dowty C.4651Y Mk. D	Unit, pressure relief valve	1	—	A.		
6A/2771	—	Label, air, fluorescent	1	—	C.		
2144	Std.1231/3	Lug, locking	1	S.3	C.	4	
27M/8798	Auto. Prod. A.V.A.62A	Nut, union, pressure	1	—	C.		
27M/8766	Auto. Prod. A.V.A.62B	Nut, union, pressure	1	—	C.		
1184	F.180950	Piece, tee	1	—	C.		
3672†	B.187926/1	Pipe, pressure, flexible hose to non-return valve	1	DTD.323	MR/C		
3673†	B.187926/2	Pipe, pressure, flexible hose to non-return valve	1	DTD.323	MR/C		
3674†	B.187926/4	Pipe, pressure, tee-piece to valve	1	DTD.323	MR/C		
3675†	B.187926/6	Pipe, pressure, valve to tee-piece	1	DTD.323	MR/C		
3676†	B.187926/7	Pipe, pressure, tee-piece to flexible hose	1	DTD.323	MR/C		
3677†	B.187926/8	Pipe, return, flexible hose to non-return valve	1	DTD.323	MR/C		
3678†	B.187926/10	Pipe, return, tee-piece to valve	1	DTD.323	MR/C		
3679†	B.187926/11	Pipe, return, valve to flexible hose	1	DTD.323	MR/C		
3680†	B.187926/12	Pipe, return, tee-piece to Thermal Relief Valve	1	DTD.323	MR/C		
3681†	B.187926/13	Pipe, return, Thermal Relief Valve to tee-piece	1	DTD.323	MR/C		

† For details see piping chart

SERVICES—HYDRAULIC REAR FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
4603	B.187926/16	Pipe, tee-piece to charging connection ...	1	DTD.323	C.	
4604	B.187926/17	Pipe, tee-piece to pressure gauge ...	1	DTD.323	C.	
4605	B.187926/18	Pipe, charging, accumulator to tee-piece ...	1	DTD.323	C.	
4606	B.187926/19	Pipe, pressure, tee-piece to charging accumulator ...	1	DTD.323	C.	
5932	B.187926/20	Pipe, pressure, union to union (Pre Mod. 366) ...	1	DTD.323	C.	
5933†	B.187926/21	Pipe, pressure, union to union ...	1	DTD.323	MR/C	
5934†	B.187926/22	Pipe, pressure, to regulator valve ...	1	DTD.323	MR/C	
5935	B.187926/23	Pipe, regulator valve to non-return valve ...	1	DTD.323	C.	
5936	B.187926/24	Pipe, non-return valve to tee-piece ...	1	DTD.323	C.	
5937	B.187926/25	Pipe, pressure, tee-piece to lower selector valve ...	1	DTD.323	C.	
5938	B.187926/26	Pipe, pressure, tee-piece to upper selector valve ...	1	DTD.323	C.	
5939	B.187926/27	Pipe, return, union to union (Pre Mod. 366) ...	1	DTD.323	C.	
5940†	B.187926/28	Pipe, return, union to 4-way piece ...	1	DTD.323	MR/C	
5941†	B.187926/29	Pipe, return, 4-way piece to upper selector valve ...	1	DTD.323	MR/C	
5942	B.187926/30	Pipe, return 4-way piece to lower selector valve ...	1	DTD.323	C.	
5943†	B.187926/31	Pipe, return 4-way piece to tee-piece ...	1	DTD.323	MR/C	
5944†	B.187926/32	Pipe, return, tee-piece to relief valve ...	1	DTD.323	MR/C	
5945†	B.187926/33	Pipe, return, upper selector valve to non-return valve ...	1	DTD.323	MR/C	
5946	B.187926/34	Pipe, return, thermal relief valve to tee-piece ...	1	DTD.323	C.	
5947	B.187926/35	Pipe, air brake "up," upper selector valve to 4-way piece ...	1	DTD.323	C.	
5948	B.187926/36	Pipe, air brake "up," 4-way piece to flexible hose ...	1	DTD.323	C.	
5949†	B.187926/37	Pipe, air brake "up," 4-way piece to non-return valve ...	1	DTD.323	MR/C	
5950†	B.187926/38	Pipe, air brake "up," 4-way piece to thermal relief valve ...	1	DTD.323	MR/C	
5951	B.187926/39	Pipe, air brake "down," lower selector valve to pressure relief valve (Mod. 554) ...	1	DTD.323	MR/C	
5952	B.187926/40	Pipe, air brake "down," relief valve to tee-piece ...	1	DTD.323	C.	
5953	B.187926/41	Pipe, air brake "down," tee-piece to flexible hose ...	1	DTD.323	C.	
5954†	B.187926/42	Pipe, air brake "down," tee piece to pressure switch ...	1	DTD.323	MR/C	
6517	B.187926/48	Pipe, pressure S.S. coupling to union (Mod. 366) ...	1	DTD.323	C.	
6518	B.187926/49	Pipe, return, S.S. coupling to union (Mod. 366) ...	1	DTD.323	C.	
6333	B.187926/50	Pipe, air brake "down," lower selector valve to pressure relief valve (Mod. 381) (Pre Mod. 554) ...	1	DTD.323	C.	
7860	B.187926/51	Pipe, pressure, tee-piece to tee-piece (Mod. 365) ...	1	DTD.323	C.	
7861	B.187926/52	Pipe, return, non-return valve to tee-piece (Mod. 365) ...	1	DTD.323	C.	
	B.187926/53	Pipe, pressure N.R.V. to filter (inlet) (Mod. 487) ...	1	DTD.323	C.	
	B.187926/54	Pipe, pressure, filter (outlet) to tee-piece (Mod. 487) ...	1	DTD.323	C.	
	Std.1507/2/026	Tube, distance 1/4" o/d x 22 S.W.G. x 0.26" long ...	1	T.26	LM.	
	Std.1507/2/080	Tube, distance 1/4" o/d x 22 S.W.G. x 0.80" long ...	1	T.26	LM	
	Std.1507/2/082	Tube, distance 1/4" o/d x 22 S.W.G. x 0.82" long ...	1	T.26	LM	
1185	F.183200	Union ...	2	—	C.	
27M/8796	Auto. Prod. A.V.A. 57A	Union, half coupling ...	1	—	C.	
27M/8759	Auto. Prod. A.V.A.57B	Union, half coupling ...	1	—	C.	
869	F.140778	Union, reducing ...	1	L.1	C.	NF1
27Q/926	Dowty D.5220Y	Valve, non-return ...	3	—	A.	
27Q/15170	Dowty D.5230Y	Valve, non-return ...	1	—	A.	
27Q/1446	Dowty C.7408Y Mk. C	Valve, selector ...	1	—	A.	
27Q/927	Dowty C.4603Y Mk. A	Valve, Thermal relief ...	2	—	A.	
	Std. 1547/28/18	Washer, at former, frame 53 ...	1	DTD.610	—	


† For details see piping chart

SERVICES—HYDRAULIC REAR FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
SUMMARY OF STOCK ITEMS										
28F/9838	AGS.1104A	Adaptor								
28Y/12849	AGS.1212	Adaptor								
28F/11167	AGS.1132A	Banjo								
28F/10524	AGS.1132B	Banjo								
28F/8221	AGS.1135A	Bolt, banjo								
28F/10018	AGS.1135/B	Bolt, banjo								
28D/13868	A25.1B	Bolt, 4 B.A.								
28D/12528	A25.1.B	Bolt, 4 B.A.								
28D/12623	A25.5.B	Bolt, 4 B.A.								
28D/12530	A25.6.B	Bolt, 4 B.A.								
28D/12565	A.25.8.B	Bolt, 4 B.A.								
28D/12512	A25.1.C	Bolt, 2 B.A.								
28D/12513	A.25.2.C	Bolt, 2 B.A.								
28D/12531	A25.3.C	Bolt, 2 B.A.								
28D/12532	A25.4.C	Bolt, 2 B.A.								
28D/12533	A25.5.C	Bolt, 2 B.A.								
28D/12566	A25.6.C	Bolt, 2 B.A.								
28D/12534	A25.9.C	Bolt, 2 B.A.								
28D/12516	A25.11.C	Bolt, 2 B.A.								
28D/12536	A25.13.C	Bolt, 2 B.A.								
28D/12537	A25.14.C	Bolt, 2 B.A.								
28D/12539	A25.16.C	Bolt, 2 B.A.								
28D/12517	A25.17.C	Bolt, 2 B.A.								
28D/12132	AS.1248.12B	Bolt, 4 B.A.								
28E/15049	AS.5419/6	Clip								
28F/10782	AGS.1118A	Coupling								
28F/10610	AGS.1118B	Coupling								
28F/10020	AGS.1120/1	Coupling								
28F/9619	AGS.1142.C	Nipple								
28F/14529	AGS.1170.C	Nipple								
28M/10327	AGS.2001.B.1	Nut, 4 B.A.								
28M/10288	AGS.2001.C.1	Nut, 2 B.A.								
28M/10327	AGS.2002.B.1	Nut, 4 B.A.								
28M/10332	AGS.2002.C.1	Nut, 2 B.A.								
28L/13124	A27.CT.	Nut, 2 B.A.								
28S/2760	A31.C12	Screw, 2 B.A.								
28S/14005	A.32.B.14	Screw, 4 B.A.								
28F/11080	AGS.1106.B	Union								
28F/10508	AGS.1106.D	Union								
28F/9714	AGS.1111C	Union								
28F/9721	AGS.1120/5	Union, tee								
28F/13290	AGS.1120/11	Union, tee								
28F/14399	AGS.1120/13	Union, tee								
28F/9726	AGS.1123.C	Union, 4-way								
28F/14532	AGS.1125/8	Union, 4-way								
28Y/10145	AGS.1200	Valve, charging								
28W/12252	SP.13.C	Washer								
28W/12306	SP.15.B	Washer								
28W/12296	SP.15.C	Washer								
28W/12355	SP.16.C	Washer								
28W/416642	SP.47.B	Washer								
28F/11949	AGS.1115-4	Washer								
28F/12047	AGS.1186A	Washer								
28F/12048	AGS.1186B	Washer								

MKS. 4 & 5 ONLY

A
206611




F
204102



MKS. 4 & 5 ONLY

A
206610



F
204723




F
194338



F
194339



F
183907



F
183906




F
195583




MKS. 4 & 5 ONLY

F
196103




A
204934




A
216953
& 4


A
216951
& 2




A
189669



F
189672




B
209709




A
216955
& 6

A
216957
& 8



A
204708



This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

