

UNDERCARRIAGE—NOSE WHEEL DOORS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
		DOORS, NOSE WHEEL, ASSEMBLY					—	—		
681	D.188115 Std.323/64N	Bolt , attachment of operating rod to rear nose wheel door (Pre Mod. 318)					2	S.95.B	C.	4
5387	Std.323/68N	Bolt , attachment of operating rod to rear nose wheel door Mod. 318)					2	S.95.B	C.	4
682	F.188114	Bolt , rear door attachment to keel member					2	S.94.B	C.	RE.1
7021	E.215859	Door , forward, group (Mod. 451)					1	—	A.	RE.1
683	Std.323/110	Bolt , attachment of operating lever to hinge					2	S.95.B or S.94.B	C.	RE.1
684	F.170586	Bolt , hinge					2	S.95.B	C.	RE.1
685	Std.323/48	Bolt , attachment of door lock micro switch lever					2	S.95.B	C.	4
4669	F.201476	Bolt , special, for front and rear lock pin					16	S.99.B		
3928	F.196848	Bolt , lock attachment					8	—	C.	RE.1
686‡	A.187661	Bracket , door lock cover support, port					1	S.3	C.	RE.1
687‡	A.187662	Bracket , door lock cover support, starboard					1	S.3	C.	RE.1
	B.191744	Cable , F.35 group (See cable chart)					—	—		
689	B.187683	Cover , door lock, port					1	DTD.213	C.	RE.1
690	B.187684	Cover , door lock, starboard					1	DTD.213	C.	RE.1
6619	B.207410	Duct , cable					1	DTD.253 & BSS.265	C.	RE.1
6618	A.211127	Guide					2	T.26 & S.3	C.	RE.1
6168	Hellerman 2553	Grommet					2			
691	B.188320	Hinge , port					1	Stmpg.	C.	RE.1
692	B.188321	Hinge , starboard					1	Stmpg.	C.	RE.1
693	B.187672	Lever , hinge, port					1	Stmpg.	C.	RE.1
694	B.187673	Lever , hinge, starboard					1	Stmpg.	C.	RE.1
695	F.187675	Lever , door lock micro switch (Pre Mod. 251)					2	Casting	C.	RE.1
6622	F.210047	Lever , door lock micro switch, port, group (Mod. 251)					1	—	C.	RE.1
6623	F.210048	Lever , door lock micro switch, starboard, group (Mod. 251)					1	—	C.	RE.1
4472	B.201562	Lock , door, group					2	—	C.	RE.1
697	F.187678	Piece , filling, hinge, port					1	LFS.21	C.	RE.1
698	F.187679	Piece , filling, hinge, starboard					1	LFS.21	C.	RE.1
699	F.187671	Pin , attachment of door lock lever to operating rod					2	S.2	C.	RE.1
7020	B.212022	Rod , operating, door locks (Mod. 451)					2	—	C.	RE.1
6624	F.209950	Stop (Mod. 251)					1	S.95.B	C.	RE.1
5F/2282	Hellerman HV.3342	Stud , cable attachment to saddle					1	—	C.	
5CW/4639	—	Switch , micro, type 4A					2	—	B.	
3785	Std.1507/24/078	Tube , distance, hinge lever stop, $\frac{3}{8}$ " o/d. $\times$ 17 S.W.G. $\times$.78" long (Make up from 30B/557)					2	T.4	MR/C	RE.1
5F/2281	Hellerman HV.3341	Strapping , cable attachment to saddle					QR	—	C.	
702	Std.1208/75/24/10	Washer , shim, at attachment of hinge bolt					2	Shlm Sc.	C.	RE.1
57	D.177086	Door , rear, group					1	—	A.	RE.1
703	F.183256	Block , hinge					2	—	C.	RE.1
704	F.187373	Block , pivot, port					1	Casting	C.	RE.1
705	F.187374	Block , pivot, starboard					1	Casting	C.	RE.1
706	A.179926	Panel , access to hinge block attachment bolts					1	DTD.610	C.	RE.1

RESTRICTED

Hunter Mks. 4, 5, 6, 50, 51, 52
Issued with A.L.9


UNDERCARRIAGE--NOSE WHEEL DOORS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
707	F.170584	Pin, hinge, forward nose wheel door					2	S.94.B	C.	RE.1
708	A.187814	Rod, rear nose wheel door operating group					2	—	B.	RE.1
709	F.187818	Spring					1	DTD.239	C.	RE.1
710	Std.1208/62/20/5	Shim, at attachment of rear door to keel member...					QR	Shim Steel	C.	4

RESTRICTED

UNDERCARRIAGE-NOSE WHEEL DOORS

Ref. No.	Part No.	Description										No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5	6	7	8	9	10				
		SUMMARY OF STOCK ITEMS													
28D/12513	A25.2C	Bolt, 2 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	
28D/12531	A25.3C	Bolt, 2 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	
28D/12533	A25.5C	Bolt, 2 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	
28D/12536	A25.13C	Bolt, 2 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	
28D/12570	A25.11E	Bolt, 1/4" B.S.F.	...	...	...	...	...	...	...	...	...	—	—	—	
28D/8316	AS.1242/13C	Bolt, 2 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	
28N/9796	SP.21	Nipple, lubricating	...	...	...	...	...	...	...	...	...	—	—	—	
28M/12929	A27.CP	Nut, 2 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	
28M/13121	A27.CS	Nut, 2 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	
28M/13124	A27.CT	Nut, 2 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	
28M/12930	A27.ES	Nut, 1/4" B.S.F.	...	...	...	...	...	...	...	...	...	—	—	—	
28M/13123	A27.J.S.	Nut, 3/8" B.S.F.	...	...	...	...	...	...	...	...	...	—	—	—	
28P/12587	SP.8.C4	Pin, split	...	...	...	...	...	...	...	...	...	—	—	—	
28P/12462	SP.9.C8	Pin, split	...	...	...	...	...	...	...	...	...	—	—	—	
28P/12527	SP.9.C10	Pin, split	...	...	...	...	...	...	...	...	...	—	—	—	
28P/12262	SP.9.E6	Pin, split	...	...	...	...	...	...	...	...	...	—	—	—	
28S/14005	A32.B14	Screw, 4 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	
28S/1856	A32.C12	Screw, 2 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	
28W/12305	SP.13B	Washer, 4 B.A....	...	...	...	...	...	...	...	...	...	—	—	—	
28W/12252	SP.13C	Washer, 2 B.A....	...	...	...	...	...	...	...	...	...	—	—	—	
28W/12253	SP.13E	Washer, 1/4" dia.	...	...	...	...	...	...	...	...	...	—	—	—	
28W/12254	SP.13G	Washer, 5/16" dia.	...	...	...	...	...	...	...	...	...	—	—	—	
28W/12255	SP.13J	Washer, 3/8" dia.	...	...	...	...	...	...	...	...	...	—	—	—	
28W/12306	SP.15B	Washer, 4 B.A....	...	...	...	...	...	...	...	...	...	—	—	—	
28W/12296	SP.15C	Washer, 2 B.A....	...	...	...	...	...	...	...	...	...	—	—	—	
28D/704	AGS.194/4	Washer, tab	...	...	...	...	...	...	...	...	...	—	—	—	



This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.