

UNDERCARRIAGE—NOSE WHEEL DOOR OPERATING GEAR


Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	B.179108	<b>NOSE WHEEL DOOR OPERATING GEAR, ASSEMBLY</b>	—	—		
1531	F.152672	<b>Bolt</b> , jack attachment to frame 3 ... ..	1	S.2	C.	RE.1
1533	F.156330	<b>Bolt</b> , jack attachment to lever ... ..	1	S.2	C.	RE.1
3115	A.178904	<b>Bracket</b> , mounting, for cross shaft, port, group ...	1	—	MR/B	RE.1
117	F.178906	<b>Bush</b> ... ..	1	BSS.369	C.	RE.1
3116	A.178905	<b>Bracket</b> , mounting, for cross shaft, starboard, group	1	—	MR/B	RE.1
117	F.178906	<b>Bush</b> ... ..	1	BSS.369	C.	RE.1
27Q/1236	Dowty C.7584.Y	<b>Jack</b> , door ... ..	1	—	A.	
8101	A.218101	<b>Rod</b> , connecting, group (Mod. 552) ... ..	2	—	C.	RE.1
28R/15720	AGS.589/3/PB	<b>Ball</b> ... ..	2	—	C.	
5859	F.208205	<b>Locknut</b> , L.H. ... ..	1	S.1	C.	RE.1
5860	F.208206	<b>Locknut</b> , R.H. ... ..	1	S.1	C.	RE.1
5862	F.204656	<b>Pin</b> ... ..	1	S.96.B or S.95.B	C.	RE.1
5863	F.204657	<b>Pin</b> ... ..	1	S.96.B or S.95.B	C.	RE.1
8103	A.218085	<b>Rod</b> , end, complete (Mod. 552) ... ..	1	S.1	C.	RE.1
8102	F.218084	<b>Turnbuckle</b> (Mod. 552) ... ..	1	S.1	C.	RE.1
8104	F.218070	<b>Washer</b> , locking (Mod. 552) ... ..	1	S.1	C.	RE.1
123	B.178910	<b>Shaft and lever</b> , group (Mks. 5 and 6 only) ...	1	—	B.	RE.1
	B.215854	<b>Shaft and lever</b> , group (Mks. 4, 50 and 51) ...	1	—	B.	RE.1
124	Std.532/15	<b>Ferrule</b> ... ..	8	S.95.B or S.96.B	C.	4
7063	A.208999	<b>Lever</b> , (Mks. 4, 50 and 51 only) ... ..	1	S.3	C.	RE.1
125	A.178907	<b>Lever</b> , for door connection ... ..	1	Stpg. 1699	C.	RE.1
126	A.178908	<b>Lever</b> , for door and jack ... ..	1	Stpg. 1700	C.	RE.1
	A.178909	<b>Shaft</b> ... ..	1	T.50		
	F.168113	<b>Spigot</b> ... ..	2	S.1		
	Std.1508/2/118	<b>Tube</b> , distance (Mks. 4, 50 and 51 only) ...	1	T.26		

UNDERCARRIAGE—NOSE WHEEL DOOR OPERATING GEAR


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
<b>SUMMARY OF STOCK ITEMS</b>										
28D/12515	A.25.10.C	<b>Bolt</b> , 2 B.A.	...	...	...	...	...	—	—	—
28D/12536	A.25.13.C	<b>Bolt</b> , 2 B.A.	...	...	...	...	...	—	—	—
28D/12539	A.25.16.C	<b>Bolt</b> , 2 B.A.	...	...	...	...	...	—	—	—
28N/9796	SP.21	<b>Nipple</b> , lubricating	...	...	...	...	...	—	—	—
28M/12929	A.27.CP	<b>Nut</b> , plain, 2 B.A.	...	...	...	...	...	—	—	—
28M/12930	A.27.E.S.	<b>Nut</b> , $\frac{1}{2}$ " B.S.F.	...	...	...	...	...	—	—	—
28L/13326	A.27.GT	<b>Nut</b> , lock, $\frac{5}{16}$ " B.S.F.	...	...	...	...	...	—	—	—
28L/787	A.27.G.T.L.	<b>Nut</b> , lock, $\frac{5}{16}$ " B.S.F.	...	...	...	...	...	—	—	—
28P/12349	S.P.9.C5	<b>Pin</b> , split	...	...	...	...	...	—	—	—
28P/12462	S.P.9.C8	<b>Pin</b> , split	...	...	...	...	...	—	—	—
28W/12296	S.P.15.C	<b>Washer</b> , 2 B.A.	...	...	...	...	...	—	—	—
28W/12355	S.P.16.C	<b>Washer</b> , 2 B.A.	...	...	...	...	...	—	—	—
28W/12496	S.P.15.E	<b>Washer</b> , $\frac{1}{2}$ " dia.	...	...	...	...	...	—	—	—
28L/12248	S.P.42.C	<b>Washer</b> , tab	...	...	...	...	...	—	—	—

UNDERCARRIAGE-NOSEWHEEL DOOR OPERATING GEAR

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
<b>SUMMARY OF STOCK ITEMS</b>										
28D/12515	A.25.10.C	Bolt, 2 B.A.	...	...	...	...	...	---	---	---
28D/12536	A.25.13.C	Bolt, 2 B.A.	...	...	...	...	...	---	---	---
28D/12539	A.25.16.C	Bolt, 2 B.A.	...	...	...	...	...	---	---	---
28N/9796	S.P.21	Nipple, lubricating	...	...	...	...	...	---	---	---
28M/12929	A.27.CP	Nut, plain, 2 B.A.	...	...	...	...	...	---	---	---
28M/12930	A.27.E.S.	Nut, 1/2" B.S.F.	...	...	...	...	...	---	---	---
28L/13326	A.27.GT	Nut, lock, 5/16" B.S.F.	...	...	...	...	...	---	---	---
28L/787	A.27.G.T.L.	Nut, lock, 5/16" B.S.F.	...	...	...	...	...	---	---	---
28P/12349	S.P.9.C5	Pin, split	...	...	...	...	...	---	---	---
28P/12462	S.P.9.C8	Pin, split	...	...	...	...	...	---	---	---
28W/12296	S.P.15.C	Washer, 2 B.A.	...	...	...	...	...	---	---	---
28W/12355	S.P.16.C	Washer, 2 B.A.	...	...	...	...	...	---	---	---
28W/12496	S.P.15.E	Washer, 1/2" dia.	...	...	...	...	...	---	---	---



NOSE UNDERCARRIAGE



This file was downloaded  
from the RTFM Library.

Link: [www.scottbouch.com/rtfm](http://www.scottbouch.com/rtfm)

Please see site for usage terms,  
and more aircraft documents.