


RESTRICTED

1st Edition
August, 1958

A.P. 4347G—P.N.

PILOT'S NOTES

HUNTER T.7



Prepared by Direction
of the
Minister of Supply

Promulgated by Command
of the
Air Council

R. Musgrave for J. Dean.

RESTRICTED

HUNTER T.7

- NOTE.—1. This Amendment List also covers the following Special Flying Instructions and Modifications:—
(a) S.F.I. Hunter/57, 58, 62, 63 & 65.
(b) Mod. Hunter 850, 919, 921.
2. When a manuscript amendment is made, *endorse* the adjacent margin "A.L.3".
3. When the Amendment List is fully incorporated:—
(a) *Affix* this sheet to the inside front cover of the Notes.
(b) *Certify* its incorporation on Page 1 of the Notes.

PAGE	PARA.	AMENDMENT
19	Table-Inverters	<i>Amend</i> to read "1 magnetic indicator (55) Changeover of No. 2 to No. 3 inverter".
31	38	<i>Amend</i> by slip herewith.
35	44 (a) (i) line 3	<i>Amend</i> "Mk. 23" to read "Mk. 30".
36	44 (a) (iii) line 1	<i>Amend</i> "Mod. 610" to read "Mod. 491".
38	44 (j) (iii) line 4	<i>Amend</i> "Mod. 610" to read "Mod. 491".
38	45 (a)	<i>Amend</i> by slip herewith.
39	45 (c)	<i>Amend</i> by slip herewith.
45	61 (a) (iv)	<i>Insert</i> "Pre-Mods. 686, 687" at beginning of sub-sub para.
47	61 (f)	<i>Amend</i> by slip herewith.
50	63 (a)	<i>Amend</i> by slip herewith.
52	63 (c) (ii)	<i>Delete</i> this sub-sub para.
58	—	<i>Amend</i> by page herewith.
73	Oxygen check	<i>Amend</i> by slip herewith.
76	Oxygen check	<i>Amend</i> by slip herewith.
78	77 (a) (b)	<i>Amend</i> by slip herewith.
79	78 (b)	<i>Delete</i> last sentence.
81	79 (c)	<i>Amend</i> by slip herewith.
84-86	—	<i>Amend</i> by three pages herewith.
91	90 (d)	<i>Amend</i> by slip herewith.
93	96 (a) (ii)	<i>Amend</i> by slip herewith.
94	97 (b)	<i>Amend</i> by slip herewith.
95	99	<i>Amend</i> by slip herewith.
98	101 NOTE	<i>Amend</i> by slip herewith.
102	104 (b)	<i>Amend</i> "zero" to read "½° nose-up".
102	105	<i>Amend</i> by slip herewith.
104	108 (d)	<i>Amend</i> by slip herewith.
106	112 (e) (ii)	<i>Amend</i> by slip herewith.
107	112 (e) (iii)	<i>Amend</i> by slip herewith.
117	Cruise data	<i>Amend</i> 20,000 ft. block by slip herewith.
119	Cruise data	<i>Amend</i> Sea Level block by slip herewith.
Inside back cover	Electrics failure	2 line 3. <i>Amend</i> to read "Set tailplane ½° n.u."

NOTES TO USERS

These Notes are complementary to A.P.129 (6th Edition), Flying, and it is assumed that all concerned have a thorough knowledge of the chapters of A.P.129 relevant to the operation of this type of aircraft (see A.M.O. A.293/55). Additional copies may be obtained by the station publications officer by application on R.A.F. Form 294A in quadruplicate to Command Headquarters for onward transmission to A.P.F.S. (see A.P.113A). The number of this publication must be quoted in full—A.P.4347G—P.N. (1st Edition).

Comments and suggestions should be forwarded to Officer Commanding, Handling Squadron, R.A.F., Boscombe Down, Wilts.

AMENDMENTS

Amendment lists will be issued as necessary and will be gummed for affixing to the inside front cover of these notes. Each amendment list will, where applicable, be accompanied by gummed slips for sticking in the appropriate places in the text. Each amendment list will give a list of all Special Flying Instructions and/or modifications which are covered thereby.

Incorporation of an amendment list must be certified by inserting date of incorporation and initials below.

A.L. No.	INITIALS	DATE	A.L. No.	INITIALS	DATE
1	Dyer		4		
2	Dyer	22/2/60	5		
3	Dyer	4/1/61	6		

RESTRICTED

NOTES TO USERS

These Notes are complementary to A.P.129 (6th Edition), Flying, and it is assumed that all concerned have a thorough knowledge of the chapters of A.P.129 relevant to the operation of this type of aircraft (see A.M.O. A.293/55). Additional copies may be obtained by the station publications officer by application on R.A.F. Form 294A in quadruplicate to Command Headquarters for onward transmission to A.P.F.S. (see A.P.113A). The number of this publication must be quoted in full—A.P.4347G—P.N. (1st Edition).

Comments and suggestions should be forwarded to Officer Commanding, Handling Squadron, R.A.F., Boscombe Down, Wilts.

AMENDMENTS

Amendment lists will be issued as necessary and will be gummed for affixing to the inside front cover of these notes. Each amendment list will, where applicable, be accompanied by gummed slips for sticking in the appropriate places in the text. Each amendment list will give a list of all Special Flying Instructions and/or modifications which are covered thereby.

Incorporation of an amendment list must be certified by inserting date of incorporation and initials below.

A.L. No.	INITIALS	DATE	A.L. No.	INITIALS	DATE
1	<i>DTtel</i>		4		
2	<i>DTtel</i>	<i>22/2/60</i>	5		
3	<i>DTtel</i>	<i>4/1/61</i>	6		

RESTRICTED

RESTRICTED


HUNTER T.7

LIST OF ASSOCIATED AIR PUBLICATIONS AND AIR DIAGRAMMS

Title	A.P. No.
Aden 30 mm. guns	1641S
Avon Mk. 122 engine	4321G, J, L, N & U
Cine cameras and accessories	1355
Ejection seats, R.A.F., aircraft, Mk. 4 series ..	4288D
Electrical equipment manuals	1095 series 4343 series
Fuel system components—Lucas	4282A
Gyro gunsights	1275E
Hydraulic equipment, Dowty	1803D
Hydraulic servicing trolley	2306B
Instrument manuals	1275 series
Powered flying control units—Fairey	4601A
Pressure cabin testing, servicing trolley ..	2306G
Pressurising and air conditioning equipment ..	4340
Pressure fuelling equipments	4511
Rotol accessory gearboxes and drives	2240A
Starting systems for aero engines	1181 series
Undercarriage equipment, Dowty	1803E
	A.D. No.
Lubrication	6655B
Flying controls and lubrication	6655C
Power unit installation	6655E
Fuel system	6655F
Gun installation	6655G
Hydraulic system	6655H
Emergency equipment	6655N
Cabin pressure, heating and ventilation ..	6655V
Jet efflux	6655Z

RESTRICTED

HUNTER T7
 HEIGHT, OVERALL 13FT. 4 IN.
 LENGTH, OVERALL 48FT. 10½ IN.
 SPAN 33FT. 8 IN.



HUNTER T.7

LIST OF CONTENTS

PART I—DESCRIPTIVE

Para.

Introduction.. .. .	1
---------------------	---

FUEL SYSTEM

Fuel tanks and gauges	2
Fuel transfer system	3
Fuel feed to engine	4
Booster-pumps control	5
L.P. fuel cock	6
Filter de-icing	7

ENGINE CONTROLS

Variable incidence guide vanes and air-bleed valves	8
Engine starting system	9
Restarting in flight system	10
Throttle controls	11
H.P. pumps	12
H.P. pump isolating valve and warning light	13
H.P. fuel cock	14
Top temperature controller	15
Engine instruments and anti-icing	16
Oil system	17
Engine fire-extinguishing equipment	18

MAIN SERVICES

Hydraulic system	19
Electrical system (24 volt)	20

POWERED FLYING CONTROLS AND TRIMMERS

Page 3
Paras.
21-28
A.L.2

Flying controls operation—Pre-mods. 686, 687 ..	21
Flying controls operation—Post-mods. 686, 687 ..	21A
Controls and indicators	22
Manual emergency selector buttons	23
Aileron feel and trim	24
Aileron gear change	25
Elevator feel	26
Variable-incidence tailplane	27
Electric follow-up tail	28

OTHER AIRCRAFT CONTROLS

	Para.
Rudder pedals adjustment	29
Flying controls locking gear	30
Trimming tab controls	31
Undercarriage control and position indicator	32
Undercarriage emergency operation	33
Flaps control and position indicator	34
Flaps emergency operation	35
Airbrake control	36
Wheel brakes control	37
Braking parachute	38
Electrically-operated flight instruments	39

GENERAL EQUIPMENT AND CONTROLS

Canopy operation	40
Canopy jettisoning	41
Cockpit pressurisation, heating and de-misting	42
Anti-G suit system	43
Ejection seats Mk. 4H	44
Oxygen system	45
Internal lighting	46
External lighting	47
Accelerometer	48
Pressure head heater	49
Emergency equipment	50

RADIO AND RADAR CONTROLS

VHF equipment	51
DME Rebecca Mk. 8	52
Radar ranging	53

ARMAMENT CONTROLS

Gyro gunsights Mk. 8	54
G90 and recorder cameras	55
Gun firing	56
RP/bomb release	57
Drop tank jettisoning	58
"Clear Aircraft" switch	59

PART II—LIMITATIONS

Engine limitations—Avon Mk. 122	60
Flying limitations	61

PART III—MANAGEMENT OF SYSTEMS AND USE OF EQUIPMENT

	Para.
Management of the fuel system	62
Engine handling	63
Management of the pressurisation and flood flow system	64
Management of the engine anti-icing system	65
Management of the powered flying controls	66
Management of the electrical system	67
Management of the hydraulic system	68
Use of ejection seat equipment	69

PART IV—HANDLING

STARTING, TAXYING AND TAKE-OFF

External checks	70
Cockpit and pre-start checks	71
Starting the engine	72
Checks after starting	73
Taxying	74
Checks before take-off	75
Take-off	76

HANDLING IN FLIGHT

Climbing	77
Flying controls	78
Flying with external stores	79
Flying for endurance	80
Flying at reduced speed	81
Flying in severe turbulence	82
Stalling	83
G-stalling	84
Spinning	85
Flying at high air speed	86
Flying at high mach number	87
Aerobatics	88

CIRCUIT PROCEDURE AND LANDING

Circuit procedure	89
Landing	90
Instrument approach settings	91
Flapless landing	92
Cross-wind landing	93
Checks after landing	94
Stopping the engine	95

FLYING IN MANUAL

Para.

Selecting Manual	96
Flying in Manual	97
Landing in Manual	98
Reselecting Power	99

PART V—EMERGENCY HANDLING

Engine failure and flame-out	100
Relighting	101
Action in the event of fire	102
Action in the event of hydraulic failure	103
Action in the event of electrical failure	104
Emergency operation of the tailplane	105
Aileron trim malfunction in Manual	106
Undercarriage and flaps emergency operation	107
Cockpit pressure failure	108
Emergency use of oxygen	109
Canopy jettisoning	110
Drop tank jettisoning	111
Forced landing procedure	112
Landing with an undercarriage unit not locked down	113
Landing with a burst tyre	114
Abandoning the aircraft	115
Ditching	116

PART VI—OPERATING DATA

Loading and C.G. data	117
Pressure error corrections	118
Fuel consumptions	119
Take-off distances	120
Flight planning data	121

PART VII—ILLUSTRATIONS

Cockpit—Port side	<i>Fig.</i> 1
Cockpit—Forward view	2A
Cockpit—Centre instrument panel	2B
Cockpit—Starboard side	3
Cockpit—Centre pedestal	4

This file was downloaded
from the RTFM Library.
Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

