

ENGINE CONTROLS-CENTRE FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.	
							1
	D.188848	ENGINE CONTROLS IN CENTRE FUSELAGE, ASSEMBLY					
	C.215380	BOXES, CONTROL AND ENGINE CONNECTIONS FOR THROTTLE AND H.P. COCK, ASSEMBLY					
9679	F.228790	Ball-end (Mod. 725)	2	—	C.	DB.1	
1161	F.190957	Bolt, special	2	S.94.B	C.	DB.1	
27K/1069	Teleflex C.39260	Box unit, S.E.No. 380, for throttle	1	—	B.		
27K/1065	Teleflex C.39701	Box unit, S.L. No. 380 for H.P. cock	1	—	B.		
28R/13508	Hoffmann CF2.LA	End ball, L.H. thread (Pre Mod. 725)	2	—	B		
945	Std.1716.G	Nut, locking (Mod. 725)	2	S.118	C.	5	
9678	Std.1716.GL	Nut, locking (Mod. 725)	2	S.118	C.	5	
7062	F.211202	Pillar	4	LFS.82	C.	DB.1	
1162	F.190511	Rod, connecting H.P. cock (Pre Mod. 725)	1	T.6	C.		
9675	F.228794	Rod, connecting H.P. cock (Mod. 725)	1	S.95.B	C.	DB.1	
7061	F.211195	Rod, connecting throttle (Pre Mod. 725)	1	T.6	C.		
9676	F.228795	Rod, connecting throttle (Mod. 725)	1	S.95B	C.	DB.1	
9677	F.228232	Washer, locking (Mod. 725)	4	—	C.	DB.1	
27K/1068	Teleflex C.39262	Box unit, S.L. No. 380 for L.P. cock	1	—	B.		
27K/1064	Teleflex C.36429	Cable and break rod, for throttle	1	—	C.		
27K/1064	Teleflex C.36428	Cable and break rod, for H.P. cock	1	—	C.		
27K/1064	Teleflex C.36427	Cable and break rod, for L.P. cock	1	—	C.		
1156	F.191388	Clamp, conduit	3	LFS.21	C.		
1157	F.191389	Clamp, conduit	3	LFS.21	C.		
1158	F.191282	Clamp, conduit	1	LFS.21	C.		
1159	F.191283	Clamp, conduit	1	LFS.21	C.		
1160	F.191281	Clamp, conduit	2	LFS.21	C.		
5883	F.206028	Collar, half	6	S.95.B	C.	DB.1	
27K/1041	Teleflex A.35336	Collar	17	—	C.		
27K/548	Teleflex DS.307/2	Conduit, 3-50" long (Hawker Drg. A.188993)	2	—	C.		
27K/548	Teleflex DS.307/2	Conduit (For lengths see Hawker Drgs. A.206052-4, A.206031-3 and B.189952-4)	QR	—	C.		
27K/796	Teleflex B.35340/B	Connector, conduit No. 2	3	—	C.		
4261	B.200110	Guard	1	L.72	MR/C	DB.1	
5884	F.206029	Sleeve	3	S.95B	C.	DB.1	
27K/1042	Teleflex A.35335	Sleeve, outer	17	—	C.		
4890	F.201979	Stud, for L.P. cock box unit	3	S.95B	C.	DB.1	
5885	A.206030	Union body	3	S.95B	C.	DB.1	

ENGINE CONTROLS—CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
SUMMARY OF STOCK ITEMS										
28D/12532	A25.4C	Bolt , 2 B.A.	—	—
28D/12533	A25.5C	Bolt , 2 B.A.	—	—
28D/12534	A25.9C	Bolt , 2 B.A.	—	—
28D/12537	A25.14C	Bolt , 2 B.A.	—	—
28M/10288	AGS.2001.C1	Nut , 2 B.A.	—	—
28M/10327	AGS.2002.B1	Nut , 4 B.A.	—	—
28M/10328	AGS.2002.C1	Nut , 2 B.A.	—	—
28M/12929	A27.CP	Nut , 2 B.A.	—	—
28M/13121	A27.CS	Nut , 2 B.A.	—	—
28P/9429528	SP.9.C8	Pin , split	—	—
28W/9419455	SP.10E	Washer	—	—
28W/9419465	SP.13B	Washer	—	—
28W/9418921	SP.13E	Washer	—	—
28W/9419402	SP.15C	Washer	—	—
28W/3090	AGS.163D	Washer	—	—

Hunter T. Mk. 7
 Issued with A/L No. 8

ENGINE CONTROLS—FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Score	Place No.
	E.212650	ENGINE, CONTROLS IN FRONT FUSELAGE, ASSEMBLY	-	-		
8631	DTD.487/7E	Bolt , securing central throttle box	3	DTD.487	C.	
8632	DTD.487/16E	Bolt , retaining bellcrank lever at centre line of aircraft	1	DTD.487	C.	
	C.212946	Box , control, H.P. cock, group	1	-	B.	
(8633)	B.217764	Cable , F.51, group (see cable chart)	1	-	B.	
	B.211835	Handle , H.P. cock control	1	-		
4111	F.199021	Plate , adaptor	1	DTD.610	C.	DB.1
5CW/5056	Dowty C.5162Y Mk. 2	Switch , button	1	-	B.	
10489	C.243645	Shelf , detachable cockpit, between frame 10 to 11, group (Mod. 850)	1	-	C.	DB.1
	A.212851	Bracket , mounting	1	L.72		
	A.211836	Cover , for H.P. cock control	1	-		
916	F.174699	Spring , for handle	2	DTD.215	C.	DB.1
27K/1067	Teleflex C.36313	Unit , lever box	1	-	B.	
	C.212947	Box , control, L.P. cock, group	1	-		
27K/1066	Teleflex 36314	Unit , lever box	1	-	B.	
	C.221499	BOX, CONTROL, THROTTLE, CENTRE, ASSEMBLY	-	-		
	C.221456	Box , throttle	1	-	C.	
9664	Std.2045/22/24	Clip , sleeved (AS.790/99)	1	-	C.	
5D/1924	-	Connector , 4 pole, 2.5 amp.	1	-	B.	
9438	F.223835	Guard , for switch	1	-	C.	DB.1
	C.222107	Lever , throttle control and cables, GS.15A, F.55, group (Pre Mod. 1138)	1	-		
	C.255667	Lever , throttle control and cables, GS.15, F.35, group (Mod. 1138)	1	-		
5E/3038		Cable , unipren, 6 amp.	QR	-	C.	
5E/3090		Cable , uniprenmet, 6 amp.	QR	-	C.	
5K/3463	Plessey 3Z/86146	Ferrule , cut (AS.830/49)	1	-	C.	
10H/0970058	Plessey Z.60667	Gasket , outlet	2	-	C.	
10H/0970108	Plessey Z.62235	Gasket , union	1	-	C.	
5X/2787	Plessey Z.22432	Grommet , No. 4 (AS.720/35)	1	-	C.	
	A.255654	Lever , throttle control, group (Mod. 1138) ...	1	-		
	A.221388	Lever , throttle control, group (Pre Mod. 1138)	1	-		
	F.254948	Clamp , group (Mod. 1138)	1	-		
	F.254951	Knob , knurled	1	L.65.C		
	F.254950	Screw	1	S.1		
	B.221389	Lever	1	-	MR	
8B/4505		Unit , control, G.G.S., T.1, Mk. 6A ...	1	-	A.	
10H/0970062	Plessey CZ.49180	Outlet , straight	1	-	C.	
10H/0970069	Plessey CZ.49181	Outlet , 90°	1	-	C.	
10H/0560280	Plessey CZ.49218	Plug , cable unit, code 42	1	-	C.	
10H/0560300	Plessey CZ.49222	Plug , cable unit, code 56	1	-	C.	
10H/0970102	Plessey Z.49040	Ring , compression	1	-	C.	
10H/0970088	Plessey Z.62229	Ring , sealing (AS.760/9)	1	-	C.	
10H/0970096	Plessey Z.49037	Ring , thrust	1	-	C.	
10H/0970114	Plessey Z.62240	Sleeve , cable	1	-	C.	
5K/3455		Sleeve , helsyn, plus, JP x 3/4"	9	-	C.	
5F/2034		Tube , 3/8" i/d, black... ..	QR	P.V.C.	C.	
5F/		Tube , 1/8" i/d, black	QR	P.V.C.	C.	
5F/		Tube , 5/8" i/d, black... ..	QR	P.V.C.	C.	

ENGINE CONTROLS—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
3838	Std.1606/44/A18						3	Brass		5
3837	Std.1606/44/B8						1	Brass	C.	
5K/3456	Std.1606/44/B10						1	Brass	C.	5
5CW/5767							1	—	C.	
5CW/7542							1	—	B.	
5F/							1	—	B.	
5F/							1	—	B.	
	F.221391						QR	P.V.C.	C.	
	D.232057						QR	P.V.C.	C.	
	A.211858						1	S.1.B		
	A.188696						1	—		
9781	F.229846						1	—	C.	
8635	B.217637						1	—	B.	DB.1
9453	B.223400						1	—	B.	DB.1
9329	B.222035						1	—	B.	DB.1
	Std.2046/19/24						1	—		
	A.211859						1	L.72		
1893	F.174585						1	S.1	C.	DB.1
8638	F.213180						1	—	B.	DB.1
	F.213179						1	S.96.B		
1895	F.167984						1	Sp. St.	C.	DB.1
	Std.1509/24/056						1	T.4		
8639	F.211849						1	L.65.C	C.	DB.1
8640	A.211855						1	S.3	B.	DB.1
1898	F.167972						1	Ferobestos Grade A	C.	DB.1
8641	F.213217						1	S.3	C.	DB.1
	B.211863						1	—		
	Std.608/12						—	B.8 or DTD.78A	MR	
	F.212093						1	S.1.B	MR	
	F.210067						1	BSS.369	MR	
	F.212269						1	L.72	MR	
	A.211857						1	L.72	MR	
	Std.608/12						1	B.8 or DTD.78A	MR	
	F.212093						1	S.1.B	MR	
	F.210067						1	BSS.369	MR	
9780	F.229848						2	—	C.	
	B.211867						1	L.72		
	F.211847						1	L.62	MR	
	F.211848						1	S.1	MR	
8659	F.212311						2	T.26 or S.1.B.	C.	
8644	F.212696						1	S.1.B.	C.	
5CW/4638	—						1	—	B.	
3791	Std.1509/2/026						1	L.62	MR/C	
	Std.1509/14/062						2	L.62		
	Std.1509/23/150						1	L.62	—	
								(Make from 30B/1784)		
8B/4504							1	—	A.	
27K/	Teleflex C.36706/B						3	—	C.	
27K/1063	Teleflex C.36424						2	—	C.	
27K/1063	Teleflex C.36421						1	—	C.	

ENGINE CONTROLS—FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off					Material Specification	M.R. Class of Store	Plate No.	
			1	2	3	4	5				
8645	F.214143	Cleat, rear frame 16	2	LFS.21	C.	DB.1
8646	F.214199	Cleat, rear frame 15	4	LFS.21	C.	DB.1
	A.213515	Conduit, H.P. cock, forward	1	—	MR	
	A.213516	Conduit, H.P. cock, aft	1	—	MR	
	A.213517	Conduit, L.P. cock, forward	1	—	MR	
	A.213518	Conduit, L.P. cock, aft	1	—	MR	
	A.213519	Conduit, throttle	1	—	MR	
27K/1070	Teleflex B.35375/B	Connection, bulkhead	2	—	C.	
8647	F.212928	Fork end	1	S.1	C.	DB.1
8648	A.212131	Lever, bell crank, port	1	—	C.	DB.1
8649	A.221204	Lever, bell crank, central...	1	—	C.	DB.1
8650	F.212926	Link, idling, group	1	—	C.	DB.1
	A.212138	Mounting, idling link	1	L.72		
8651	A.212249	Rod, connecting, port, group	1	—	B.	DB.1
8652	F.212264	Bearing, spherical	1	BSS.369	C.	DB.1
	F.212251	Eye-end	1	S.1B		
	F.212252	Fork-end	1	L.65.C		
8653	A.221405	Rod, connecting, between bell crank lever and central throttle box, group	1	—	B.	DB.1
8652	F.212264	Bearing, spherical	2	BSS.369	C.	DB.1
	F.221404	Eye-end	1	S.1B		
	F.230396	Eye-end (AS.740/40)	1	S.1B		
8654	A.221217	Rod, connecting, between bell crank levers, group	1	—	B.	DB.1
8652	F.212264	Bearing, spherical	2	BSS.369	C.	DB.1
8655	F.212266	Eye-end	1	S.1B	C.	DB.1
	F.212267	Eye-end	1	S.1B		
	F.212265	Plug-end	1	L.65.C		
8656	A.212276	Rod, connecting, between throttle control box port and idling link, group	1	—	B.	DB.1
	F.212252	Fork-end	2	L.65.C		
8657	B.214941	Shelf, detachable cockpit, outboard, portion	1	L.72	C.	DB.1
27K/	Teleflex C.36250	Sliding screwed end	1	—	C.	
8658	F.212130	Spindle, for bell crank lever	2	—	C.	DB.1
8659	F.212311	Spindle, at idling link	1	—	C.	DB.1
27K/	Teleflex C.28169/A	Swivel, spring loaded	1	—	C.	
	F.212144	Tube, bearing, for idling link	1	T.26 or S.1B	MR	
—	Std.1509/23/090	Tube, distance, for idling link mounting, $\frac{5}{16}$ " o/d × 17 s.w.g. × 0.9" long (Make from 30B/556)	4	T.4	—	
8660	8660 F.212927	Washer, sealing, for throttle conduit connection at frame 14	1	Rubber	C.	

ENGINE CONTROLS—FRONT FUSELAGE

Ref. No.	Part No.						Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5					



This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.