

FLYING CONTROLS—REAR FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	E.217437	FLYING CONTROLS — REAR FUSELAGE, ASSEMBLY	—	—		
6345	F.202472	Bolt , connecting tail plane lever to actuator	1	S.99B	B.	DE.1
6346	Std.325/222	Bolt , hinge for feel unit lever	1	S.99B	C.	4
	A.189667	Clamp (assembled to elevator booster)	1	S.3		DE.1
	A.189668	Clamp (assembled to elevator booster)	1	S.3		
7857	F.214116	Collar , at forward end of feel unit	1	S.1	C.	DE.1
7931	F.211395	Eyebolt	1	S.95B	C.	DE.1
6353	C.209753	Feel , unit, full power, elevator	1	—	A.	DE.1
27KF/2973	Fairey AH.951 With Mod. FHB.50	Hydro-booster and linkage, elevator (Mod. 812) ...	1	—	A.	
6349	A.202126*	Lever , elevator feel unit (alternative to A.233729) ... (AS.970/48)	1	—	B.	DE.1
10027	A.233729	Lever , elevator feel unit (Alternative to A.202126) ... (AS.970/48)	1	—	B.	
6348	F.202129	Lever , connecting, at actuator	1	DTD.364	B.	DE.1
317	B.171446	Lever , rudder, between frames 48 and 49	1	—	B.	DE.1
287	A.168404	Link , for elevator and rudder controls	4	—	B.	DE.1
6347	B.209637	Link , idling, elevator control	1	—	B.	DE.1
	C.223062	MICRO SWITCHES AND LINKAGE, ASSEMBLY (Mod. 629)	—	—		
	A.211393	BRACKET, MOUNTING FOR SWITCH CARRIER, ASSEMBLY	—	—		
	Std.1551/1/165	Bolt , at forward link	2	S.99		
8228	A.211399	Bracket , mounting for links, group	1	—	MR/C	DE.1
8192	F.218104	Plate , locking (Mod. 569)	2	S.3	C.	DE.1
7936	A.211394	Link , aft	1	—	B.	DE.1
7935	A.211397	Link , forward	1	—	B.	DE.1
—	—	Cable assembly (See cable chart)	—	—	—	—
8229	F.211389	Channel , retaining for pins on connecting rod and spring unit	1	DTD.166	MR/C	DE.1
3734	Std.840/14	Clip , $\frac{7}{16}$ " wide \times 22 s.w.g. \times 1.4" long	1	DTD.610	MR/C	4
4159	Std.841/20	Clip , $\frac{7}{16}$ " wide \times 22 s.w.g. \times 2.0" long	1	DTD.610	C.	4
4821	Std.841/22	Clip , $\frac{7}{16}$ " wide \times 22 s.w.g. \times 2.2" long	1	DTD.610	MR/C	4
5157	Std.1959/1	Clip	1	S.3	C.	5
9626	F.219510	Collar , at pin (Mod. 597)	1	S.95B	C.	
9836	B.221458	Guard , group (Mod. 629)	1	—	C.	
	F.223873	Bracket , securing	1	—		
	A.223874	Bracket , securing	1	—		
7945	A.211392	Lever	1	—	B.	DE.1
7946	F.211422	Lever	1	S.80	B.	DE.1
7947	F.211423	Link	1	L.65C	B.	DE.1
	F.211419	Packing , for nut plate	4	L.72		
	F.211410	Piece , distance, for mounting plates	3	L.65C		DE.1
9625	F.219509	Pin , for lever (Mod. 597)	1	S.80B	C.	DE.1
7949	F.211421	Pin , for lever	1	S.80B	C.	DE.1
7939	Std.1221Z-D85	Pin , at lower end of con-rod and spring unit ...	2	—	C.	4
	A.220794	Plate , mounting for switches (Mod. 597)	2	S.520		DE.1
7951	F.211434	Plate , nut	2	—	C.	DE.1
7934	A.211409	Rod , connecting	1	—	B.	DE.1
7948	F.211420	Screw , adjusting	1	S.95B	C.	DE.1
5K/3458	Hellermann	Sleeve , helsyn 100 M.P. \times $1\frac{1}{2}$ "	1	—	C.	
	F.211400	Spacer , for mounting plates	2	S.1		
7952	F.213728	Switch , micro, group	2	—	B.	DE.1
7953	F.213240	Shroud , switch	1	Rubber	C.	DE.1
	Std.1509/23/026	Tube , distance at clip securing cable	1	T.4		
7941	B.211414	Unit , spring, group	1	—	B.	DE.1
7944	F.211404	Eye-end , lower	1	—	B.	
7943	A.211407	Eye-end , upper	1	—	B.	
945	Std.1716.G	Lock-nut	1	—	C.	5

RESTRICTED

Hunter T. Mk. 7
Issued with A/L No. 7

FLYING CONTROLS—REAR FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
7942	B.211415						1	—	B.	
	Std.1356/6						QR	L.A.		4
	Std.914.F.20						1	S.1 or S.3		4
3767	Std.915.B.20						1	DTD.610	C.	4
6350	Std.1221.Z.D40						1	—	C.	4
6351	Std.1221.Z.D50						2	—	C.	4
7940	Std.1221.Z.D135						2	—	C.	4
325	A.171700						3	—	B.	DE.1
323	A.171701						1	—	B.	DE.1
324	A.171704						1	—	B.	DE.1
1499	B.176196						1	—	B.	DE.1
1500	A.188822						1	—	C.	DE.1
8184	B.215730						1	—	B.	DE.1
274	A.171044						1	—	B.	DE.1
	Std.1509/24/060						2	T.4		4
	Std.914.E18						4	DTD.610		4
	Std.914.E20						4	DTD.610		4
922	Std.1310/1						1	S.3	C.	4

RESTRICTED

Hunter T. Mk. 7
 Issued with A/L No. 8

FLYING CONTROLS-REAR FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.				
		1	2	3	4	5								
SUMMARY OF STOCK ITEMS														
28D/9435711	A25.10B	Bolt,	4	B.A.	-	-	-	
28D/9436920	A25.1C	Bolt,	2	B.A.	-	-	-	
28D/7002428	A25.6C	Bolt,	2	B.A.	-	-	-	
28D/12515	A25.10C	Bolt,	2	B.A.	-	-	-	
28D/9419397	A25.12C	Bolt,	2	B.A.	-	-	-	
28D/14357	A30.27G	Bolt,	$\frac{5}{16}$ "	B.S.F.	-	-	-	
28D/14581	A30.29G	Bolt,	$\frac{5}{16}$ "	B.S.F.	-	-	-	
28D/13711	A30.9E	Bolt,	$\frac{1}{4}$ "	B.S.F.	-	-	-	
28D/14010	A30.10E	Bolt,	$\frac{1}{4}$ "	B.S.F.	-	-	-	
28D/18678	A30.28E	Bolt,	$\frac{1}{4}$ "	B.S.F.	-	-	-	
28D/14245	A30.10J	Bolt,	$\frac{3}{8}$ "	B.S.F.	-	-	-	
	A30.36J	Bolt,	$\frac{3}{8}$ "	B.S.F.	-	-	-	
28M/1006504	A27.BT	Nut,	4	B.A.	-	-	-	
28M/13121	A27.CS	Nut,	2	B.A.	-	-	-	
28M/1011467	A27.ES	Nut,	$\frac{1}{4}$ "	B.S.F.	-	-	-	
28M/13935	A58.ES	Nut,	$\frac{1}{4}$ "	B.S.F.	-	-	-	
28M/14537	A58.GS	Nut,	$\frac{5}{16}$ "	B.S.F.	-	-	-	
28M/14833	A58.JS	Nut,	$\frac{3}{8}$ "	B.S.F.	-	-	-	
28N/5551	AGS.899/4	Collar,	$\frac{1}{4}$ "		-	-	-	
28M/9156370	SP.21	Nipple,	$\frac{1}{4}$ "	B.S.P.	-	-	-	
28W/9419474	SP.15B	Washer	-	-	-	
28W/9419475	SP.15C	Washer	-	-	-	
28W/9419405	SP.15E	Washer	-	-	-	
28W/9419477	SP.15J	Washer	-	-	-	
28W/9419487	SP.16E	Washer	-	-	-	
28W/9419488	SP.16G	Washer	-	-	-	

RESTRICTED

Ref. No.	Part No.						Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5					



This file was downloaded from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms, and more aircraft documents.